

CASE FILE
COPY

[illegible]

ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges:

IAA (A-10000 Series)

A78-32510—A78-43302

STAR (N-10000 Series)

N78-22019—N78-28042

Previous publications announced in this series/subject category include:

<i>DOCUMENT</i>	<i>DATE</i>	<i>COVERAGE</i>
NASA SP-7042	April 1974	January 1968 – December 1973
NASA SP-7043(01)	May 1974	January 1, 1974 – March 31, 1974
NASA SP-7043(02)	November 1974	April 1, 1974 – June 30, 1974
NASA SP-7043(03)	February 1975	July 1, 1974 – September 30, 1974
NASA SP-7043(04)	May 1975	October 1, 1974 – December 31, 1974
NASA SP-7043(05)	August 1975	January 1, 1975 – March 31, 1975
NASA SP-7043(06)	October 1975	April 1, 1975 – June 30, 1975
NASA SP-7043(07)	December 1975	July 1, 1975 – September 30, 1975
NASA SP-7043(08)	February 1976	October 1, 1975 – December 31, 1975
NASA SP-7043(09)	April 1976	January 1, 1976 – March 31, 1976
NASA SP-7043(10)	July 1976	April 1, 1976 – June 30, 1976
NASA SP-7043(11)	October 1976	July 1, 1976 – September 30, 1976
NASA SP-7043(12)	January 1977	October 1, 1976 – December 31, 1976
NASA SP-7043(13)	April 1977	January 1, 1977 – March 31, 1977
NASA SP-7043(14)	July 1977	April 1, 1977 – June 30, 1977
NASA SP-7043(15)	October 1977	July 1, 1977 – September 30, 1977
NASA SP-7043(16)	January 1978	October 1, 1977 – December 31, 1977
NASA SP-7043(17)	April 1978	January 1, 1978 – March 31, 1978
NASA SP-7043(18)	August 1978	April 1, 1978 – June 30, 1978

ENERGY

A Continuing Bibliography

With Indexes

Issue 19

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced from July 1 through September 30, 1978 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, at the price code E07 (\$12.50 domestic; \$25.00 foreign).

INTRODUCTION

This issue of *Energy: A Continuing Bibliography with Indexes* (NASA SP-7043(19)) lists 1339 reports, journal articles, and other documents announced between July 1, 1978 and September 30, 1978 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of this continuing bibliography was published in May 1974 and succeeding issues are published quarterly.

The coverage includes regional, national and international energy systems; research and development on fuels and other sources of energy; energy conversion, transport, transmission, distribution and storage, with special emphasis on use of hydrogen and of solar energy. Also included are methods of locating or using new energy resources. Of special interest is energy for heating, lighting, for powering aircraft, surface vehicles, or other machinery.

Each entry in the bibliography consists of a standard bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections, *IAA Entries* and *STAR Entries* in that order. The citation, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR* including the original accession numbers from the respective announcement journals. This procedure, which saves time and money accounts for the slight variation in citation appearances.

Five indexes -- subject, personal author, corporate source, contract number, and report number -- are included. The indexes are of the cumulating type throughout the year, with the fourth quarterly publication containing abstracts for the fourth quarter and index references for the four quarterly publications.

AVAILABILITY OF CITED PUBLICATIONS

IAA ENTRIES (A78-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc. (AIAA), as follows: Paper copies of accessions are available at \$6.00 per document up to a maximum of 20 pages. The charge for each additional page is \$0.25. Microfiche⁽¹⁾ of documents announced in *IAA* are available at the rate of \$2.50 per microfiche on demand, and at the rate of \$1.10 per microfiche for standing orders for all *IAA* microfiche. The price for the *IAA* microfiche by category is available at the rate of \$1.25 per microfiche plus a \$1.00 service charge per category per issue. Microfiche of all the current AIAA Meeting Papers are available on a standing order basis at the rate of \$1.35 per microfiche.

Minimum air-mail postage to foreign countries is \$1.00 and all foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to AIAA Technical Information Service. Please refer to the accession number when requesting publications.

STAR ENTRIES (N78-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code followed by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on page viii.

Microfiche is available regardless of age for those accessions followed by a # symbol.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Unit.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the * symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$3.00 price, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size, containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26:1 reduction).

Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.

Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.

Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.

Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)

Avail: ZLDI. Sold by the Zentralstelle für Luftfahrtokumentation und -Information, Munich, Federal Republic of Germany, at the price shown in deutschmarks (DM).

Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

Avail: U.S. Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of 50 cents each, postage free.

Other availabilities: If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line.

GENERAL AVAILABILITY

All publications abstracted in this bibliography are available to the public through the sources as indicated in the *STAR Entries* and *IAA Entries* sections. It is suggested that the bibliography user contact his own library or other local libraries prior to ordering any publication inasmuch as many of the documents have been widely distributed by the issuing agencies, especially NASA. A listing of public collections of NASA documents is included on the inside back cover.

SUBSCRIPTION AVAILABILITY

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the quarterly supplements is \$40.00 domestic; \$80.00 foreign. All questions relating to the subscriptions should be referred to NTIS, Attn: Subscriptions, 5285 Port Royal Road, Springfield Virginia 22161.

ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics
and Astronautics
Technical Information Service
750 Third Ave.
New York, N.Y. 10017

British Library Lending Division,
Boston Spa, Wetherby, Yorkshire,
England

Commissioner of Patents and
Trademarks
U.S. Patent and Trademark Office
Washington, D.C. 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, Tennessee 37830

ESA-Space Documentation Service
ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Scientific and Technical Information
Facility
P.O. Box 8757
B. W. I. Airport, Maryland 21240

National Aeronautics and Space
Administration
Scientific and Technical Information
Branch (NST-41)
Washington, D.C. 20546

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, California 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, D.C. 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, Michigan 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey
1033 General Services Administration
Building
Washington, D.C. 20242

U.S. Geological Survey
601 E. Cedar Avenue
Flagstaff, Arizona 86002

U.S. Geological Survey
345 Middlefield Road
Menlo Park, California 94025

U.S. Geological Survey
Bldg. 25, Denver Federal Center
Denver, Colorado 80225

Zentralstelle für Luftfahrt-
dokumentation und -Information
8 München 86
Postfach 880
Federal Republic of Germany

NTIS PRICE SCHEDULES

Schedule A STANDARD PAPER COPY PRICE SCHEDULE

(Effective October 1, 1977)

Price Code	Page Range	North American Price	Foreign Price
A01	Microfiche	\$ 3.00	\$ 4.50
A02	001-025	4.00	6.00
A03	026-050	4.50	9.00
A04	051-075	5.25	10.50
A05	076-100	6.00	12.00
A06	101-125	6.50	13.00
A07	126-150	7.25	14.50
A08	151-175	8.00	16.00
A09	176-200	9.00	18.00
A10	201-225	9.25	18.50
A11	226-250	9.50	19.00
A12	251-275	10.75	21.50
A13	276-300	11.00	22.00
A14	301-325	11.75	23.50
A15	326-350	12.00	24.00
A16	351-375	12.50	25.00
A17	376-400	13.00	26.00
A18	401-425	13.25	26.50
A19	426-450	14.00	28.00
A20	451-475	14.50	29.00
A21	476-500	15.00	30.00
A22	501-525	15.25	30.50
A23	526-550	15.50	31.00
A24	551-575	16.25	32.50
A25	576-600	16.50	33.00
A99	601-up	1/	2/

1/ Add \$2.50 for each additional 100 page increment from 601 pages up.

2/ Add \$5.00 for each additional 100 page increment from 601 pages up.


Schedule E EXCEPTION PRICE SCHEDULE Paper Copy & Microfiche

Price Code	North American Price	Foreign Price
E01	\$ 3.25	\$ 6.50
E02	4.75	9.50
E03	6.25	12.50
E04	7.50	15.00
E05	9.00	18.00
E06	10.50	21.00
E07	12.50	25.00
E08	15.00	30.00
E09	17.50	35.00
E10	20.00	40.00
E11	22.50	45.00
E12	25.00	50.00
E13	28.00	56.00
E14	31.00	62.00
E15	34.00	68.00
E16	37.00	74.00
E17	40.00	80.00
E18	45.00	90.00
E19	50.00	100.00
E20	60.00	120.00
E99	Write for quote	
N01	28.00	40.00


TABLE OF CONTENTS

IAA Entries	291
STAR Entries	387
Subject Index	A-1
Personal Author Index	B-1
Corporate Source Index	C-1
Contract Number Index	D-1
Report/Accession Number Index	E-1

TYPICAL CITATION AND ABSTRACT FROM STAR



TYPICAL CITATION AND ABSTRACT FROM IAA



A Listing of Energy Bibliographies Contained In This Publication:

1. Offshore pipelines. A bibliography with abstracts p0393 N78-23263
2. Fluidized bed combustion, volume 2. Citations from the NTIS data base p0400 N78-23607
3. Fluidized bed combustion, volume 1. Citations from the engineering index data base
p0400 N78-23608
4. Fluidized bed combustion, volume 2. Citations from the engineering index data base
p0400 N78-23609
5. Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts p0400 N78-23623
6. Automobile air pollution: Automotive fuels. A bibliography with abstracts
p0400 N78-23627
7. Petroleum exploration, production, and recovery methods. Citations from the NTIS data base
p0411 N78-24689
8. Heat pipes, volume 2. Citations from the engineering index data base p0417 N78-25382
9. Heat pipes, volume 3. Citations from the engineering index data base p0417 N78-25383
10. Heat pipes, volume 3. Citations from the NTIS data base p0417 N78-25384
11. Total energy systems for buildings. Citations from the engineering index data base
p0432 N78-25657
12. Total energy systems for buildings. Citations from the NTIS data base p0433 N78-25658
13. Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base
p0433 N78-25659
14. Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base
p0433 N78-25660
15. Waste heat utilization. Citations from the NTIS data base p0433 N78-25661
16. Waste heat utilization, volume 3. Citations from the engineering index data base
p0433 N78-25662
17. Waste heat utilization, volume 2. Citations from the engineering index data base
p0433 N78-25663

18. Pollution and environmental aspects of fuel conversion. A bibliography with abstracts
p0434 N78-25701
19. Review of petroleum oil saturation and its determination
p0442 N78-26525
20. Energy from biomass: An overview of environmental aspects
p0446 N78-26585
21. Bibliography of New Mexico geology and mineral technology, 1971-1975
p0451 N78-26699
22. Applied science and research applications, recent research reports, February 1978
p0452 N78-26986
23. Wind power, volume 1. Citations from the NTIS data base
p0465 N78-27600
24. Wind power, volume 2. Citations from the NTIS data base
p0465 N78-27601
25. Wind power. Citations from the engineering index data base
p0465 N78-27602
26. Coal gasification and liquefaction technology, volume 3. A bibliography with abstracts
p0466 N78-27609

OCTOBER 1978

IAA ENTRIES

A78-32533 # **Energy's challenge to aerospace.** R. C. Seamans, Jr. (MIT, Cambridge, Mass.) and F. I. Ordway (U.S. Department of Energy, Office of the Assistant Secretary for Policy and Evaluation, Washington, D.C.). *Journal of Energy*, vol. 2, Mar.-Apr. 1978, p. 65-70. 16 refs.

The role of the U.S. aerospace industry in contributing to national energy conservation programs and developing alternative energy sources is discussed. Relatively poor returns on investment during the last decade give the aerospace industry an incentive to diversify by entering the field of energy technology, an area in which it possesses much expertise. The size of the energy technology market is attractive, and the economic incentives to developing fuel conservation methodology are also strong. Obstacles to the penetration of the aerospace industry into the energy market are also considered. J.M.B.

A78-32534 # **Some contributions to aerodynamic theory for vertical-axis wind turbines.** H. Ashley (Stanford University, Stanford, Calif.). *Journal of Energy*, vol. 2, Mar.-Apr. 1978, p. 113-119. 27 refs. Grant No. AF-AFOSR-74-2712.

A review and modest extensions are described of quasi-steady aerodynamic theory for performance prediction on Darrieus-type turbines. Results are given for both parallel-axis and curved-blade configurations. Blade stall and variable inflow are neglected; it is hypothesized that unsteady effects support the former approximation down to lower values of tip-speed ratio than hitherto believed. Both profile and induced drag are included, and their influences on power and downwind force are expressed in terms of elliptic integrals. Comparisons are presented with power data from the Sandia 2-m turbine. Three values of profile drag coefficient are employed, and it is argued that numbers in the range of 0.015-0.017 are most appropriate to the example chosen. Finally, a linearized analysis of unsteady flow effects on performance is summarized. Calculations suggest that they may be quite large, considering the low operating reduced frequencies of these machines. (Author)

A78-32535 # **Gulf Stream OTEC resource potential.** W. R. McCluney and L. D. Sivak (Florida Solar Energy Center, Cape Canaveral, Fla.). *Journal of Energy*, vol. 2, Mar.-Apr. 1978, p. 120-122.

Florida Current oceanographic parameters are analyzed in a study of the feasibility of Ocean Thermal Energy Conversion (OTEC) plants located near the coast of Florida. Both the temperature differential and the mean flow required for an OTEC power installation are provided by the Current, which is also conveniently near a large-scale electric power network in the Southeastern U.S. Available heat flux in the Current is analyzed, and calculations for the parasitic power needed to pump sea water and ammonia (the heat transfer fluid for the power plant) are performed. These preliminary computations indicate that the large thermal resource potential of the Current may offer an excellent site for OTEC plants. J.M.B.

A78-32536 # **Aerodynamic characteristics of a cylindrical type of wind turbine with inclined blades.** B. H. L. Gowda and N. V. C. Swamy (Indian Institute of Technology, Madras, India). *Journal of Energy*, vol. 2, Mar.-Apr. 1978, p. 122-124. 11 refs.

An aerodynamic analysis is presented for a Darrieus wind turbine having straight blades provided with inclined portions at their top and bottom ends. The inclined portions are added to the blades in order to make guy-wire support for the windmill feasible. Application of the propeller theory of Glauert to the aerodynamic analysis shows the advantage of the cylindrical wind turbine with inclined blade segments at the ends. Adjustments to blade orientation and curvature are also suggested. J.M.B.

A78-32570 **Heat exchange in an MHD channel with allowance for the ion slippage.** M. L. Mittal and A. N. Bhat (Indian Institute of Technology, Bombay, India). (*Teplofizika Vysokikh Temperatur*, vol. 15, July-Aug. 1977, p. 852-865.) *High Temperature*, vol. 15, no. 4, Jan. 1978, p. 719-729. 13 refs. Translation.

In the present paper, the influence of ion slip on the steady-state heat transfer in an MHD channel with a constant wall temperature is analyzed. Numerical values of the heat transfer coefficient are obtained for various values of some characteristic MHD-generator parameters. It is shown that ion slip leads to changes in the temperature distribution and to a decrease in the mean mass temperature and local Nusselt number. V.P.

A78-32572 **Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor.** V. V. Breev, V. P. Panchenko, and V. V. Chernukha (Akademii Nauk SSSR, Institut Atomnoi Energii, Moscow, USSR). (*Teplofizika Vysokikh Temperatur*, vol. 15, July-Aug. 1977, p. 879-887.) *High Temperature*, vol. 15, no. 4, Jan. 1978, p. 741-748. 12 refs. Translation.

The use of a Faraday MHD generator as a converter of thermonuclear to electric energy is discussed. A quasi-one-dimensional method for calculating such generators is proposed, and supersonic MHD-generators operating with water, argon, and helium (with potassium and lithium additions) are examined. Some aspects of obtaining maximum efficiency in the case of a generator operating with an equilibrium plasma are studied. V.P.

A78-32575 **Stability of nonequilibrium plasma.** R. V. Vasil'eva, A. V. Erofeev, and V. A. Shingarkina (Akademii Nauk SSSR, Fiziko-Tekhnicheskii Institut, Leningrad, USSR). (*Teplofizika Vysokikh Temperatur*, vol. 15, July-Aug. 1977, p. 901-904.) *High Temperature*, vol. 15, no. 4, Jan. 1978, p. 761-764. 6 refs. Translation.

The quasi-uniform interaction between a magnetic field and a thermally ionized gas flow is a problem requiring attention in the design of MHD generators employing a nonequilibrium plasma with alkali metal additions as the working medium. The shock-tube experiments described in the present paper were carried out to study the interaction between a thermally ionized plasma flow and a magnetic field, with the object of determining the characteristics of the plasma state and the critical conditions for the onset of ionization instability. At the same time, the results obtained verify certain analytical data concerning the conditions for the existence of a stable nonequilibrium weakly ionized plasma. V.P.

A78-32650 **The technology of closed-cycle gas turbines (Technologie des turbines à gaz en circuit fermé).** H. Griepentrog (Gutehoffnungshütte Sterkrade Oberhausen, West Germany). *Entropie*, vol. 14, Jan.-Feb. 1978, p. 18-28. 11 refs. In French. (Translation).

The development of a 50 MWe closed-cycle helium turbine engine, put into operation in 1975, is described. The turbomachinery and heat exchangers adopted for the closed-cycle helium turbine are discussed, and the influence of the type of gas used on the capital investment required for the turbine is assessed. Applications of closed-cycle turbine design to the combustion of pulverized coal or methane are also mentioned, and the possibility of using closed-cycle turbines in solar energy systems is considered. J.M.B.

A78-32652 The electric way ahead for road transport. A. Aldous (Electric Vehicle Development Group Committee, London, England). *Electronics and Power*, vol. 24, Apr. 1978, p. 289-292. 7 refs.

Studies conducted in Britain by the Electric Vehicle Development Group (EVDG) indicate that the widespread use of electric automobiles for personal and commercial use is feasible and even likely by the turn of the century. It is noted that electric vehicles cause far less pollution (via the chimneys of power stations) than do internal combustion engines, and it is further pointed out that by the first decades of the 21st century the only fuels available for vehicular use will be either synthetic fuels derived from coal, or electricity. Small commercial vehicles in operating in London are discussed as an illustration of the requirements of electric vehicles, and of the present state of the art, i.e., a range of approximately 100 km with speeds between 65 and 95 km/h and a weight limit of 16 t.

A78-32653 Technical alternatives for a maglev system. W. Leonhard (Braunschweig, Technische Universität, Braunschweig, West Germany). *Electronics and Power*, vol. 24, Apr. 1978, p. 293-296. Translation.

Two systems for the lift, guidance, and propulsion of magnetically levitated trains are compared: the electromagnetic levitation system (EMS) and the electrodynamic levitation system (EDS). In development, EDS lags approximately two years behind EMS, because of its later start. It is noted that the power requirement of both systems is around 1200 MW, that maximum gradients would be in the neighborhood of 3.5%, and that both systems are capable of speeds in the 400-500 km/h range. The chief advantage of the EMS (both long- and short-stator modes) is that lift and guidance are independent of velocity, i.e., there is virtually no risk of derailment, and that the operating parameters of all system components are already known. Advantages of EDS lie in its large airgap, which decreases the danger from snow and ice formation, and in its weak suspension characteristics, which produce low dynamic loading on the guideway. D.M.W.

A78-32675 Air vs O₂ - Two activated sludge systems compared. M. A. Miller (Union Carbide Corp., Tonawanda, N.Y.). *Water and Wastes Engineering*, vol. 15, Apr. 1978, p. 58-60, 62-65. 17 refs.

Characteristics of pure oxygen activated sludge systems and conventional air activated sludge systems are compared, and advantages of the pure oxygen systems are described. Differences between the two systems are explained. Factors considered include sludge quality, sludge quantity, energy input, dewatering, and the effect of levels of dissolved oxygen on biofloc. A cost comparison of the sludge handling systems is presented. M.L.

A78-32691 On the fill factor of solar cells. D. L. Pulfrey (British Columbia, University, Vancouver, Canada). *Solid-State Electronics*, vol. 21, Mar. 1978, p. 519, 520. 9 refs. Research supported by the National Research Council of Canada.

The calculations presented indicate that, for a given series resistance, the fill factor of a solar cell is principally determined by the saturation dark current rather than the diode factor. The fill factor is a measure of the 'sharpness of the knee' in the output

current-voltage curve and is defined as the ratio of the maximum power that can be delivered by a cell to the product of its short-circuit photocurrent and open-circuit voltage. It is concluded that for satisfactory operation of silicon solar cells at greater than 100 Suns (achieved by sunlight concentrators) series resistance values of a few hundredths of an ohm are required. M.L.

A78-32693 Junction potentials of strongly illuminated n(+)-p-p(+) solar cells. A. G. Sabnis (Pittsburgh, University, Pittsburgh, Pa.). *Solid-State Electronics*, vol. 21, Mar. 1978, p. 581-587. 18 refs.

The low-high junction (LHJ) model is applied to an n(+)-p-p(+) solar cell having finite dimensions, in order to investigate its performance under intense illumination. Ambipolar transport equations are solved in the three sections of the cell using appropriate boundary conditions. Expressions for junction currents are derived, and the junction potentials under open-circuit conditions are computed by the Newton-Raphson method. The theory presented here includes the effects of high level injection. The generalized current density equations which are derived here for an n(+)-p-p(+) device are shown to reduce to the ideal Shockley diode equation with appropriate modifications. The effects of p-p(+) low-high junction on the open-circuit voltage of the cell are explained. The theoretical results of this paper are consistent with the experimental results of others. (Author)

A78-32695 An integral equation method to calculate the transient behaviour of a photovoltaic solar cell. G. De Mey (Gent, Rijksuniversiteit, Ghent, Belgium). *Solid-State Electronics*, vol. 21, Mar. 1978, p. 595, 596. 9 refs.

The integral equation technique is used to study the time-dependent behavior of the minority carrier concentration in a solar cell irradiated by unit step illumination. By means of the abrupt depletion approximation, a linear equation describing the diffusion and the recombination of the minority carriers is obtained. The equation and the appropriate boundary conditions can easily be transformed into an equivalent Volterra integral equation. When a problem is solved numerically, the replacement of the original two-dimensional equation by an equivalent one-dimensional integral equation reduces computation time and storage requirements. The integral equation method was applied to a p(+)-n junction solar cell, and the transient short circuit current was compared to the analytical solution. M.L.

A78-32707 # 'Local' breakdown criterion for a highly ionized gas stream (K voprosu o 'lokal'nom' kriterii probnoia v potoke sil'noionizovannogo gaza). Iu. A. Nikuev (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur, Moscow, USSR). *Teplofizika Vysokikh Temperatur*, vol. 16, Jan.-Feb. 1978, p. 54-58. 23 refs. In Russian.

Liubimov (1973) has proposed a semiempirical criterion expression for breakdown in an ionized gas flow, the physical meaning of which is that breakdown will occur when the energy imparted to an electron over the mean free path exceeds the ionization energy of a given gas. In the present paper, a modification of Liubimov's criterion, termed the local breakdown criterion, is analyzed and shown to provide better agreement with experimental data on electrical discharges between two cold electrodes in a streaming ionized gas in the presence of an external magnetic field. V.P.

A78-32715 # Investigation of combustion stability in an MHD-generator combustion chamber (Issledovanie ustoiichivosti goreniia v kamere sgoraniia MGD-generatora). A. I. Bystryi, R. V. Ganefel'd, V. G. Davydovskii, Ia. S. Zholubov, and M. M. Nekhamin (Akademiia Nauk Ukrainskoi SSR, Institut Elektrodinamiki, Kiev, Ukrainian SSR). *Teplofizika Vysokikh Temperatur*, vol. 16, Jan.-Feb. 1978, p. 143-147. 8 refs. In Russian.

The possibility was studied of obtaining stable combustion in a chamber with a thermal power between 10 and 20 MW under conditions of premixing natural gas with oxygen-enriched air. The working temperature of the combustion products was between 2800 and 2900 K, the chamber efficiency was 97 to 98 percent, the dwell time was 15 msec, and the pressure pulsations were 1 to 3 percent of the total pressure. The influence of the excess air ratio on combustion stability was studied. It is shown that the tendency to instability decreases with increasing percentage of oxygen-enrichment and the associated increase in combustion rate. V.P.

A78-32716 # The U-25B MHD-facility intended for research in strong electric and magnetic fields (MGD-ustanovka U-25B dlia provedeniia issledovaniia v usloviakh sil'nykh elektricheskikh i magnitnykh polei). V. A. Kirillin, A. E. Sheindlin, V. I. Maksimenko, S. A. Pashkov, D. S. Pinkhasik, S. I. Pishchikov, N. P. Privolov, V. D. Semenov, V. S. Sidorov, and Iu. D. Sokirko (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur, Moscow, USSR). *Teplofizika Vysokikh Temperatur*, vol. 16, Jan.-Feb. 1978, p. 148-159. 5 refs. In Russian.

The MHD electrical power generating system described in the present paper was developed for use in a Soviet-USA research program to be conducted during 1978 through 1982 to study such aspects of MHD electric power plants as long-term operation of circuit elements at high electric potentials; optimal designing of MHD elements for operation at electric fields as high as 3.5 kV/m, high current densities, and high Hall voltages; the characteristics of superconducting magnetic systems capable of inducing magnetic fields in excess of 5 tesla, etc. The block diagram of the generator and the design of the principal elements and subsystems are discussed. V.P.

A78-32717 # The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields (Kanal No. 1 MGD-generatora ustanovki U-25B dlia provedeniia issledovaniia v sil'nykh elektricheskikh i magnitnykh poliakh). A. V. Karpukhin, V. I. Maksimenko, S. A. Pashkov, V. D. Semenov, and Iu. N. Sokolov (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur, Moscow, USSR). *Teplofizika Vysokikh Temperatur*, vol. 16, Jan.-Feb. 1978, p. 160-167. 8 refs. In Russian.

The MHD channel discussed uses the combustion products of natural gas and 60-wt% oxygen-enriched air as the working medium; with additional injection of cold air in front of the combustion chamber, and alkali metal additions in the form of aqueous solutions of potassium or cesium salts in amounts of up to 1.5 mol%. The maximum stagnation pressure at the channel inlet is 3.5 atm abs; the stagnation temperature at the inlet is 2750 K at 40% O₂-enrichment, and 3000 K at 60% O₂-enrichment; the stagnation pressure at the outlet is 0.8 to 1.0 atm abs, depending on the mode of exhaust-fan operation and the amount of air inflow behind the diffuser. The design of the MHD channel is illustrated, and its characteristic features are discussed. V.P.

A78-32718 # Study of a collisional plasma rotating between two cylinders (Issledovanie stolknovitel'noi plazmy, vrashchaisheisia mezhdu dvumia tsilindrami). V. Thiagarajan and V. K. Rohatgi (Bhabha Atomic Research Centre, Bombay, India). *Teplofizika Vysokikh Temperatur*, vol. 16, Jan.-Feb. 1978, p. 168-177. 9 refs. In Russian.

In the present paper, the two-fluid MHD equations are applied to the analysis of an argon plasma which rotates between two coaxial cylindrical electrodes in crossed electric and magnetic fields. The plasma is generated by a diffuse discharge; i.e., under conditions where charge transfer occurs over the entire gap. The steady velocity and density distributions at a pressure of 33 mm Hg are obtained from a numerical solution of the dimensionless equations. It is shown that the centrifugal force is negligible, whereas the Coriolis force and the electron pressure gradient should be taken into consideration. In the case of an inward directed radial current, gas motion may reverse in the gap. V.P.

A78-32761 # Solar-powered global aerospace transportation. L. N. Myrabo (W. J. Schafer Associates, Inc., Wakefield, Mass.). *American Institute of Aeronautics and Astronautics and Deutsche Gesellschaft für Luft- und Raumfahrt, International Electric Propulsion Conference, 13th, San Diego, Calif., Apr. 25-27, 1978, AIAA Paper 78-689*. 30 p. 76 refs.

Basic foundations are suggested for a laser-powered aircraft/shuttle technology designed for compatibility with future orbital energy-common-carriers: e.g., geostationary satellite solar power stations, space colonies and other space-based industries which will have large centralized electric (and/or laser) power plants. A systems methodology for integrating the various engine/optics/airframe requirements is introduced. Several variable-cycle engine configurations are described including External and Internal Laser-Heated (ELH and ILH, respectively) pulsejets, rotary ILH pulsejets and MHD-augmented pulsejets. System tradeoff requirements between efficient engine coupling, minimum propagation losses and maximum overall mission performance are analytically addressed. (Author)

A78-32762 # A scheme of low powered thermal energy conversion for satellite manoeuvres. R. Holdaway (Science Research Council, Appleton Laboratory, Slough, Bucks, England). *American Institute of Aeronautics and Astronautics and Deutsche Gesellschaft für Luft- und Raumfahrt, International Electric Propulsion Conference, 13th, San Diego, Calif., Apr. 25-27, 1978, AIAA Paper 78-690*. 9 p. 8 refs.

The low powered thermal energy converter operates on a closed Brayton Cycle and consists of a high efficiency cavity solar boiler heated directly from a concentrator, a compressor and two stage turbine, and a radiator. A generator driven by the turbine provides electrical power for the main propulsion system. The design concept is investigated and suitable thrusters, system efficiencies and parameters are defined and quantified. The system proposed is ideally suited to the emplacement of large geosynchronous satellites, and the advantages of a solar tug incorporating the thermal energy converter are outlined. (Author)

A78-32765 * # Self-powered electric propulsion of satellite power systems. J. B. Weddell, W. V. McRae, and S. T. Cerri (Rockwell International Corp., Space Div., Downey, Calif.). *American Institute of Aeronautics and Astronautics and Deutsche Gesellschaft für Luft- und Raumfahrt, International Electric Propulsion Conference, 13th, San Diego, Calif., Apr. 25-27, 1978, AIAA Paper 78-694*. 10 p. 9 refs. Research supported by the Rockwell International Corp.; Contract No. NAS8-42375.

Electric propulsion using argon ion bombardment thrusters is described as a means of transferring solar power satellites from low earth orbit (LEO) to geosynchronous equatorial orbit (GEO). A portion of the satellite GaAs solar array is constructed in LEO and provides power for ascent propulsion; the remainder of the array is constructed in GEO. The electric propulsion system is returned to LEO by detaching a section of the solar array. Alternatively, an autonomous electric propulsion vehicle is assembled in LEO and transports power satellite materials to a GEO construction site. Maximum thrust per thruster and minimum argon consumption are achieved at specific impulse (Isp) 13,000 s. The thrust/power relationship leads to minimum transportation vehicle mass, including the solar array, at Isp 9,000 s. Thruster screen, accel, and discharge supplies are obtained directly from the solar array. (Author)

A78-32833 Two-dimensional analysis of diagonal MHD generator via equivalent circuit. M. Yoshida and J. Umoto (Kyoto University, Kyoto, Japan). *Electrical Engineering in Japan*, vol. 97, Mar.-Apr. 1977, p. 1-7. 18 refs. Translation.

A technique involving two types of equivalent circuits is proposed for the two-dimensional analysis of diagonal MHD generators; the technique may be applied to both Faraday and Hall generators if electrode tilt angles, electrode connection and load connection are appropriately modified. The two-dimensional analysis includes consideration of the wall leakage current, ion slip and the

electrode finite segmentation effect. The effect of boundary layer thickness on the generation characteristics is also assessed. J.M.B.

A78-32883 # Advanced lightweight solar array technology. L. G. Chidester (Lockheed Missiles and Space Co., Inc., Sunnyvale, Calif.). In: Communications Satellite Systems Conference, 7th, San Diego, Calif., April 24-27, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 55-60. 5 refs. (AIAA 78-533)

The paper discusses large-area, lightweight, flexible-substrate solar-array technologies applicable to future communication satellites and considers advances expected in the field. Intelsat V will introduce a new generation of communication satellites that incorporate three-axis body stabilization and sun-oriented solar arrays. The new technology would increase solar array specific power from 20 W/kg to 50-60 W/kg. When applied to the Space Transportation System, the large-area, lightweight arrays promise improvements in stowage volume, weight, cost, and resistance to environmental degradation during the satellite lifetime. B.J.

A78-32885 # NTS-2 nickel hydrogen battery performance. J. F. Stockel, J. D. Dunlop (COMSAT Laboratories, Clarksburg, Md.), and F. Betz (U.S. Navy, Naval Research Laboratory, Washington, D.C.). In: Communications Satellite Systems Conference, 7th, San Diego, Calif., April 24-27, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 66-71. Research sponsored by the Communications Satellite Corp. (AIAA 78-536)

The nickel-hydrogen battery was first used for satellite energy storage aboard NTS-2. Ground testing demonstrated the battery's ability to endure the conditions encountered during spacecraft integration and environmental testing. No detrimental effects were observed from the dynamic forces during launch, the steady load accompanying spinning or the zero-g environment. One eclipse season was completed with the battery supplying spacecraft power during the shadow periods. The automatic charge control system adequately recharges the battery while minimizing overcharge and internal heating. The strain gages provide a reliable, operationally usable state-of-charge indicator to aid in performance evaluation. B.J.

A78-32912 # Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results. P. C. Poubeau (Société Nationale Industrielle Aérospatiale, Les Mureaux, Yvelines, France). In: Communications Satellite Systems Conference, 7th, San Diego, Calif., April 24-27, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 285-296. 7 refs. Research sponsored by the International Telecommunications Satellite Organization, European Space Agency, and Centre National d'Etudes Spatiales. (AIAA 78-571)

The paper describes the basic design features and overall performance characteristics of satellite reaction and momentum flywheels with magnetic suspension of the rotor. The magnetic bearings provide passive radial centering of the rotor and employ a single servoloop for axial position control of the rotor. The concept does not limit rotational speed at the level of the bearings and composite rotors have been developed to maximize the benefits of high rotational speed. The possibility of using the concept for kinetic energy storage is also discussed. B.J.

A78-33026 Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. Meeting sponsored by the American Society of Mechanical Engineers. Edited by J. R. Howell (Houston, University, Houston, Tex.) and T. Min (Michigan Technological University, Houghton, Mich.). New York, American Society of Mechanical Engineers, 1977. 139 p. \$20.

Three broad fields are discussed: collector and storage design,

experimental system evaluation, and analysis and simulation of systems. Particular papers are presented on the natural-convection characteristics of flat-plate collectors, preliminary performance evaluation of the New Mexico State University solar house, a study of solar water heating for existing homes in Southern New England, modeling and performance prediction of a solar-powered Rankine cycle/vapor compression cycle, and heat transfer analysis of the University of Virginia system for the annual collection and storage of solar energy. B.J.

A78-33027 Performance characteristics of air-cooled solar collectors as determined by computer simulation. J. T. Lapointe (United Technologies Corp., Pratt and Whitney Aircraft Group, West Palm Beach, Fla.) and F. L. Test (Rhode Island, University, Kingston, R. I.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 1-7. 7 refs.

A numerical model that is both dynamic and deterministic has been developed for an air-cooled flat plate solar collector. Utilizing a computer simulation, various parameters were studied over the course of a year. A ten year average of insolation and weather data from Eppley Laboratory and the Weather Bureau were curve fit and programmed into the simulation. The performance of the air-cooled collector as a function of climate conditions, collector geometry; and operating conditions were compared. A comparison was made with a water-cooled collector under similar operating conditions in order to determine the relative merits of each. It was found that the particular air-cooled collector considered was slightly less efficient than its counterpart but has a definite advantage in climates where freezing is a problem. It can be concluded that air-cooled collectors are a viable alternative component that should be investigated further in terms of an integrated heating system. (Author)

A78-33028 Natural convection characteristics of flat plate collectors. K. R. Randall, J. W. Mitchell, and M. M. El-Wakil (Wisconsin, University, Madison, Wis.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 9-16. 12 refs.

Local and average heat transfer coefficients for natural convection between parallel plates inclined between 45 and 90 degrees from the horizontal have been experimentally studied using interferometric techniques. The experimental conditions were similar to those existing in flat plate solar collectors. Correlations have been developed for the local and average heat transfer Nusselt numbers as functions of tilt angle and Grashof number. The results are useful in determining the top loss coefficient for flat plate collectors and, eventually, for finding means of minimizing these losses. (Author)

A78-33029 Techniques for reducing thermal conduction and natural convection heat losses in annular receiver geometries. A. C. Ratzel, C. E. Hickox, and D. K. Gartling (Sandia Laboratories, Albuquerque, N. Mex.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 17-24. 8 refs. ERDA-supported research.

Techniques studied for reducing conduction heat losses in annular receiver geometries for solar collectors include evacuation of the annulus gas, oversizing of the annular space while maintaining slight vacuum levels and utilization of gases other than air in the annular space. For the geometry considered, total heat reductions of 10-50% may be obtained depending on the means by which conduction heat loss is limited. In addition, numerical analysis indicates that highly nonuniform temperature distributions are required to affect significantly natural convection between concentric cylinders and that rather large eccentricities cause only a slight increase in natural convection heat transfer. B.J.

A78-33030 * **Experimental evaluation of a fixed collector employing vee-trough concentrator and vacuum tube receivers.** M. K. Selcuk (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 33-37. 6 refs. ERDA-sponsored research; Contract No. NAS7-100.

A test bed for experimental evaluation of a fixed solar collector which combines an evacuated glass tube solar receiver with a flat plate/black chrome plated copper absorber and an asymmetric vee-trough concentrator was designed and constructed. Earlier predictions of thermal performance were compared with test data acquired for a bare vacuum tube receiver; and receiver tubes with Alzak aluminum, aluminized FEP Teflon film laminated sheet metal and second surface ordinary mirror reflectors. Test results and system economics as well as objectives of an ongoing program to obtain long-term performance data are discussed. (Author)

A78-33032 **Preliminary performance evaluation of the New Mexico State University solar house.** T. R. Mancini, J. L. Peterson (New Mexico State University, Las Cruces, N. Mex.), and P. R. Smith. In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 45-58. 7 refs. Research supported by the New Mexico Energy Resources Board.

The performance of the New Mexico University solar heated and cooled house, the Collins Casa del Sol, during eight days in February of 1977 is presented and discussed. The 181 square meter Casa del Sol was designed in an energy efficient manner through the use of elements of passive solar system design, such as massive walls, exterior insulation, and shaded windows. The solar system design is a liquid type in which a solution of water and propylene glycol is circulated through 69.7 square meters of double glazed, flat plate solar collectors. The energy collected is transferred through a tube-in-shell heat exchanger and stored in the form of sensible heat in 7570 liters of water in an insulated, buried storage tank. This energy is removed as required to heat, cool and provide domestic hot water for the house. The data presented include insolation, weather data, heating loads, collector array performance, storage temperature and the electrical power consumption of the solar equipment during the eight days studied. In addition, the effect of varying the flow rate of coolant through the solar collectors is discussed. (Author)

A78-33033 **A solar energy system for space heating and space cooling.** T. J. McNamara (V. A. Scavo and Associates, Chicago, Ill.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 59-70.

The paper surveys design, cost and energy-conservation considerations related to the development of a solar heating and cooling system for the Chicago Museum of Science and Industry. A series of tables is presented summarizing the following data for the 12 months of the year: design heating loads, solar collector shading, solar energy collected, and energy saving and consumption. Diagrams are presented of the solar collector and related systems. B.J.

A78-33034 **A study of solar water heating for existing homes in Southern New England.** T. P. Mastrorade (Combustion Engineering, Inc., Windsor, Conn.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 71-80. 13 refs. Research supported by the University of Connecticut.

This paper examines the technical and economic feasibility of retrofitting existing residences in the Southern New England climate with solar water heaters. As part of the study, a solar water heater, using the Bliss self-draining concept for freeze protection, was

installed on a representative single family home. Performance records for the first two years of operation are presented, along with the annual savings in energy costs. A detailed computer simulation, using hourly values of radiation, ambient temperature, and hot-water demand, permits the evaluation of a wide range of parameters which affect system performance and cost. These include: collector tilt, collector azimuth, storage capacity, collector area, hot water demand, daily hot water demand variations, and collector construction. An economic analysis of the benefits or liabilities incurred with the retrofit of an existing residence is presented from the point of view of an individual homeowner. With long payback times and consistent energy cost escalation, solar water heating can be demonstrated to be only marginally competitive when supplementing an electric water heater. (Author)

A78-33035 **Economic feasibility of solar heating systems in the northeastern United States.** M. F. Modest, D. F. Fitzgerald, and A. Pfister (Rensselaer Polytechnic Institute, Troy, N.Y.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. (A78-33026 13-44) New York, American Society of Mechanical Engineers, 1977, p. 81-91. 16 refs. Research sponsored by the New York State Energy Research and Development Authority.

A heat transfer analysis was performed together with an economic analysis in order to investigate the economic feasibility of solar-augmented residential home heating systems in the northeastern United States. Three types of systems were studied: (1) direct solar systems; (2) solar-augmented air-to-air heat pumps, and (3) solar-augmented water-to-air heat pumps. The heat transfer analysis included heat load calculations as well as solar energy calculations, using actual 'Design Year' temperature and insolation data for four locations within New York State. Detailed economic analyses of the three systems were made covering a broad range of pertinent parameters such as mortgage rates, local real estate tax exclusions, income tax deductions, interest rates, fuel oil and electrical costs and inflation rates. Results show that economic feasibility depends most strongly on system cost and energy inflation rates. It is seen that, without Government incentives, solar heating systems are unlikely to be profitable before the turn of the century in the region considered. (Author)

A78-33036 **Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction.** A. N. Egrican, R. W. Allen, and D. K. Anand (Maryland, University, College Park, Md.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 93-102. 29 refs. Contract No. E(40-1)-4976.

A Rankine cycle/vapor compression cycle (RC/VCC) for solar cooling is simulated in the form of a water-cooled chiller with turbine expander and reciprocating compressor using R-114 and R-22, respectively. The free parameters are the inlet water temperatures, inlet water flow rates, heat transfer conductances of the exchangers, and rotating component efficiencies. A variable off-design turbine efficiency model is included. Sample simulations are performed in the area of RC/VCC subsystem design and again in the area of RC/VCC subsystem off-design performance. Characteristic performance curves are shown and a temperature zone of design and a temperature zone of off-design operation are portrayed in order to relate performance limits to the solar application. (Author)

A78-33037 **Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage.** A. W. Harris (General Electric Co., Schenectady, N.Y.) and C. N. Shen (Rensselaer Polytechnic Institute, Troy, N.Y.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 103-111. 9 refs.

A78-33038 Heat transfer analysis of a system for annual collection and storage of solar energy. J. T. Beard, J. W. Dickey, F. A. Iachetta, L. U. Lilleht, M. D. Duvall, L. A. Dirhan, and M. F. Coyle (Virginia, University, Charlottesville, Va.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 113-119. 15 refs. Contract No. E(40-1)-5136.

The paper presents details of engineering design and performance of a system for the annual collection and storage of solar-heated water for the heating of buildings at the University of Virginia. The system consists of an energy storage subsystem which stores hot water in an underground pool and of a solar-collector subsystem which acts not only to collect solar energy throughout the year but also to limit the evaporative and convective heat losses from the storage subsystem. Data are presented illustrating the transient heat transfer which occurs during the start-up phase of operation. Thermal performance results are presented illustrating the efficiency of the solar collector and the variation of solar energy input to storage during a typical day's operation in May. An analog model has been developed to analyze the transient energy phenomena within the soil surrounding the pool. B.J.

A78-33039 Shading effect for uniformly spaced solar collector arrays on plane surfaces. C. W. Chiang and D. C. Hopkins (South Dakota School of Mines and Technology, Rapid City, S. Dak.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 121-126. Contract No. E(49-19)-2399.

The paper considers the use of relative spacing (ratio of the distance between rows of collectors to the collector length) to avoid excessive shading and maximize collector area for a flat-plate collector array for a solar house. The relative spacing of long rows of collectors which will give 10% shading of the integrated beam radiation for a clear day is calculated. Calculations are applicable to arrays laid out on any plane as the base, but the results presented here are for horizontal and vertical arrays such as would be encountered on a flat roof or vertical wall. It is found that the percent shading is linear with relative spacing for most of the year from the 10% level of shading to complete shading. B.J.

A78-33040 On the study of applications of solar thermal energy for mobile home park and community. J. P. Chiou (Detroit, University, Detroit, Mich.). In: Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 127-135. 34 refs.

A78-33102 Steam bottoming plants for combined cycles. R. W. Foster-Pegg (Westinghouse Electric Corp., Generation Systems Div., Lester, Pa.). In: Turbomachinery developments in steam and gas turbines; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 1-10.

A combined cycle is a synergistic combination of cycles operating at different temperatures, each of which could operate independently. For most bottoming cycles, steam is the dominant fluid and the Rankine mode has been the most prevalent. The overall efficiency of the cycle is given by the equation $E_b = E_{bc} \times E_{be}$, where E_b is the bottoming plant efficiency, E_{bc} is combined cycle efficiency, and E_{be} is the fraction of heat flowing from the topping plant which is captured by the bottoming plant. The major components of the Rankine bottoming plant are listed, including heat recovery boiler, turbine, condenser, feed-pump, feedwater heaters, and circulating water system. Comparisons are made between the bottoming mode and conventional steam engines, noting the multiple pressures and high heat input realized by the former. The Rankine bottoming plant is found to have applications in both reheat and non-reheat cycles. D.M.W.

A78-33108 Gas turbine combustion and fuels technology; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. Meeting sponsored by the American Society of Mechanical Engineers. Edited by E. K. Bastress (U.S. Department of Energy, Washington, D.C.) New York, American Society of Mechanical Engineers, 1977. 78 p. \$14.

Gas turbine combustion and fuels technology are discussed with reference to three basic categories: combustion diagnostic methods, gas turbine fuel injection, and gas turbine combustion. Attention is given to laser instruments for measuring fluid properties, in combustion processes, comparisons between conventional fuel injectors and prevaporizing-premixing injection systems, and fuel hydrogen content as an indicator of aircraft combustor performance. D.M.W.

A78-33114 Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor. T. A. Jackson (USAF, Aero Propulsion Laboratory, Wright-Patterson AFB, Ohio) and W. S. Blazowski (Exxon Research and Engineering Co., Linden, N.J.). In: Gas turbine combustion and fuels technology; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. New York, American Society of Mechanical Engineers, 1977, p. 59-65. 8 refs.

Eleven fuels representing a wide range of hydrogen content were studied using a T56 single can combustor rig. Test fuels included single and double ring aromatic types as well as paraffins blended with each other and with JP-4. Fuel mixtures with hydrogen contents ranging from 9.9 to 15.9 percent by weight were examined. The combustor inlet conditions simulated the discharge from both low and high pressure ratio gas turbine compressors operating at the cruise condition. Thermocouple data from the T56 liner are correlated with fuel hydrogen content using a new, non-dimensional combustor liner temperature parameter. Least-squares mathematical treatment of the data resulted in an excellent second order correlation between the non-dimensional temperature parameter and fuel hydrogen content and a simplified radiation analysis is presented which also explains the resulting empirical trends. (Author)

A78-33119 Molten salt energy storage system - A feasibility study. B. G. Jones, R. P. Roy, and R. W. Bohl (Illinois, University, Urbana, Ill.). In: Heat transfer in energy conservation; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. Meeting sponsored by the American Society of Mechanical Engineers. New York, American Society of Mechanical Engineers, 1977, p. 39-45. 13 refs.

A molten-salt energy-storage system for central power plant use in meeting system load demand fluctuations has been studied. A conceptual design of the energy-storage system is presented. Included are basic system design, thermodynamic cycles, results of pertinent heat transfer studies, overall performance estimates, and economic considerations. The results, from both technical and economic viewpoints, are encouraging. (Author)

A78-33120 Heat transfer effects in compressed air energy storage. K. G. Vosburgh (General Electric Co., Schenectady, N.Y.) and P. G. Kosky (Lehigh University, Bethlehem, Pa.). In: Heat transfer in energy conservation; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. Meeting sponsored by the American Society of Mechanical Engineers. New York, American Society of Mechanical Engineers, 1977, p. 83-90. 20 refs. Research supported by the Electric Power Research Institute.

Compressed-air energy-storage (CAES) systems are being developed for peak-load-leveling applications by electric utilities. Energy is stored by compressing air in an underground cavern; when power is required, the air is heated and expanded through a turbine-generator system. This work is part of a conceptual design of an 800-MW CAES system which uses a set of storage cavities mined in salt. Each storage cavern forms a constant-volume reservoir; thus, the storage pressure and temperature vary over the weekly cycle. The thermal properties of the air and the salt region surrounding the cavern were simulated using a finite-difference approach. The cavern surface temperature shows a wide variation over the weekly cycle,

although this is damped out several meters from the wall. The walls act to cool the air at high temperature, but to heat at low temperature. Detailed examples of this effect are presented along with an analysis of optimal air-injection conditions to maximize storage of energy while avoiding excessive thermal stress. (Author)

A78-33123 * Aerospace technology can be applied to exploration 'back on earth'. L. D. Jaffe (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Oil and Gas Journal*, Aug. 15, 1977, p. 92-97. Contract No. NAS7-100.

Applications of aerospace technology to petroleum exploration are described. Attention is given to seismic reflection techniques, sea-floor mapping, remote geochemical sensing, improved drilling methods and down-hole acoustic concepts, such as down-hole seismic tomography. The seismic reflection techniques include monitoring of swept-frequency explosive or solid-propellant seismic sources, as well as aerial seismic surveys. Telemetry and processing of seismic data may also be performed through use of aerospace technology. Sea-floor sonar imaging and a computer-aided system of geologic analogies for petroleum exploration are also considered. J.M.B.

A78-33126 # Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions. S. C. Hunter, J. G. Sotter (KVB, Inc., Tustin, Calif.), R. E. Hall (U.S. Environmental Protection Agency, Industrial Environmental Research Laboratory, Research Triangle Park, N.C.), and W. Nazimowitz (KVB, Inc., Scarsdale, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/APC-1*. 13 p. Members, \$1.50; nonmembers, \$3.00. U.S. Environmental Protection Agency Contract No. 68-02-2144.

A78-33127 # Fume formation in ammonia scrubbers. N. D. Moore (Tennessee Valley Authority, Chattanooga, Tenn.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/APC-2*. 11 p. 8 refs. Members, \$1.50; nonmembers, \$3.00.

Ammonia scrubbing has been employed for many years to remove sulfur dioxide from waste gases. As a result of the use of ammonia scrubbing, a problem of ammonia salt formation (fuming) has been identified. Techniques for the control of the fuming associated with ammonia scrubbing have been the subject of patents and pilot plant investigations. The thermodynamic equations published by several authors are reviewed and revised in light of available literature and small-scale test results. Methods for preventing the formation of ammonia salts are presented and the efficacy of the application of these methods is discussed. The four ammonia salts identified as possible fuming agents are ammonium sulfite, $(\text{NH}_4)_2\text{SO}_3$, ammonium bisulfite, NH_4HSO_3 , ammonium pyrosulfite $(\text{NH}_4)_2\text{S}_2\text{O}_5$ and ammonium sulfite-monohydrate, $(\text{NH}_4)_2\text{SO}_3\text{H}_2\text{O}$. For typical scrubbing applications treating flue gas from coal fired power plants, the most likely fuming salt is identified as ammonium sulfite-monohydrate, $(\text{NH}_4)_2\text{SO}_3\text{H}_2\text{O}$. (Author)

A78-33129 # Effect of carbon monoxide on the reaction of hydrogen sulfide and calcium oxide. C. H. Schreiber (Sverdrup and Parcel and Associates, Inc., St. Louis, Mo.) and T. W. Petrie (Southern Illinois University, Carbondale, Ill.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/APC-6*. 7 p. 10 refs. Members, \$1.50; nonmembers, \$3.00. NSF Grant No. ENG-74-11654.

Experiments were conducted with simulated low-Btu coal gas to focus on the effect of carbon monoxide on the rate of reaction of calcium oxide and hydrogen sulfide. No significant effect of carbon monoxide concentrations up to 35 percent by volume is noted. Other parameters of interest for high-temperature desulfurization process development were varied. Within the predicted precision error of ± 40 percent and the observed scatter due to sample variation, hydrogen concentrations from 10 to 40 percent by volume have no effect. The observed reaction rate is not affected by progressive conversion of part of the solid samples from calcium oxide to calcium sulfide. Data at 700 C are compared to data in the literature and agree well. The data at 700 C plus others at 600 C and

800 C show a temperature variation consistent with a constant activation energy. At 700 C, the reaction rate for 0.389-mm geometric mean particle diameters over a broad range of simulated coal gas compositions is $K(\text{per sec}) = 0.000166$ times the H_2S volume fraction to the 0.85 power for calcined dolomite and $K(\text{per sec}) = 0.000150$ times the H_2S volume fraction to the 1.00 power for calcined calcium carbonate. The H_2S volume fraction is in percent by volume and ranges from 0.1 to 5.0 percent. (Author)

A78-33130 # Factors detrimental to electrostatic precipitator performance. W. R. Lane (Bechtel Power Corp., San Francisco, Calif.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/APC-7*. 8 p. 7 refs. Members, \$1.50; nonmembers, \$3.00.

This paper provides information concerning problems that can occur with the specification, selection, design, and operation of an electrostatic precipitator applied to coal-fired boilers. The areas covered have been observed to have detrimental effects on precipitator performance. Areas of concern include inadequacy of coal field data, coal chemistry, calculation of gas flow rate and inlet grain loading, temperature variations, oil burning quality during startup or stabilization of coal firing, flue gas velocity distribution, opacity/grain loading correlations, precipitator erection tolerances, and precipitator electrical performance. (Author)

A78-33143 # Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system. L. P. Harris (General Electric Co., Schenectady, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-5*. 12 p. Members, \$1.50; nonmembers, \$3.00. ERDA-NSF-sponsored research; Contract No. NAS3-19406.

A 2000 MWe MHD/steam plant for central station applications has been designed and costed as part of the Energy Conversion Alternatives Study (ECAS). This plant is fueled by Illinois No. 6 coal, rejects heat through mechanical draft wet cooling towers, and includes coal processing equipment, seed reprocessing, electrical inversion of the MHD generator output and emission controls to current EPA standards. It yields an estimated overall efficiency of 0.483 (7066 Btu/kWe-hr), a capital cost of \$718 per kWe (1975 dollars), and a cost of electricity at 65% capacity factor of 32 mills per kWe-hr. If the assumed life and reliability could be achieved with these performance parameters, the MHD system should prove attractive. (Author)

A78-33144 # Thermionic energy conversion topping system. F. N. Huffman and G. Miskolczy (Thermo Electron Corp., Waltham, Mass.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-6*. 8 p. 17 refs. Members, \$1.50; nonmembers, \$3.00.

Thermionic energy converters (TEC) are an attractive means of topping steam cycles in order to utilize the thermodynamic availability between the combustion temperature and the conventional utilization temperature. The thermodynamics and cost of a reference design of a coal-fired, TEC-topped steam system have been analyzed. For the unoptimized system parameters selected, the combined cycle thermodynamic efficiency is 48.4 percent and the powerplant efficiency (as well as the overall energy efficiency) is 44.02 percent. Cost factors are competitive. The study identified several avenues to improved performance; namely, higher-temperature air preheater, increased heat flux density into the TEC's and elimination of the air as an intermediate heat transfer fluid. With such modification, station efficiencies up to 50 percent appear possible. The performance and cost projections indicate that TEC is a viable candidate for topping steam powerplants. (Author)

A78-33145 # Performance and cost evaluation for a thermionic topping power plant. G. Carnasciali (Foster Wheeler Development Corp., Livingston, N.J.), G. O. Fitzpatrick, and E. J. Britt (Rasor Associates, Inc., Sunnyvale, Calif.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-7*. 8 p. 12 refs. Members, \$1.50;

nonmembers, \$3.00. Contract No. EY-76-C-02-2263.

Thermionic topping of a coal-fired steam power plant, which involves rejecting part of the heat output into the steam cycle, has been found to increase overall system efficiency to 46.8%, as compared to an efficiency of 37% for a standard plant. The thermionic heat exchanger power modules used in the topping design are described, and costs of the system are analyzed. A capital cost of \$902 per kilowatt and an electricity cost of 47.4 mills per kilowatt hour are projected for a current thermionic topping power plant design. J.M.B.

A78-33146 # Coal fired non-equilibrium, Closed Cycle MHD/steam power generation. B. Zauderer, C. H. Marston, L. K. Davis, D. A. Rogers (GE Space Sciences Laboratory, King of Prussia, Pa.), J. Bazan (Foster Wheeler Development Corp., John Blizard Research Center, Livingston, N.J.), and J. Parsons (General Electric Co., Schenectady, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-8.* 14 p. 22 refs. Members, \$1.50; nonmembers, \$3.00. ERDA-supported research.

A 1000 MWe Closed Cycle MHD/steam bottoming power plant which incorporates an integrated, two-stage, pressurized fluidized bed combustor meeting all emission control requirements has been studied. The coal pile to bus bar efficiency for this plant is calculated to be 46 percent. A dc-dc conversion system is proposed for matching the output of the Faraday MHD Channel to the inverters. The effect on efficiency of perturbations in nominal performance of key components is shown, along with regenerative heat exchanger performance and plant layout. (Author)

A78-33147 * # Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal. R. P. Shah and J. C. Corman (General Electric Co., Schenectady, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-9.* 12 p. Members, \$1.50; nonmembers, \$3.00. ERDA-NSF-sponsored research; Contract No. NAS3-19406.

The Open-Cycle Gas Turbine/Steam Turbine Combined Cycle can be an effective energy conversion system for converting coal to electricity. The intermediate step in this energy conversion process is to convert the coal into a fuel acceptable to a gas turbine. This can be accomplished by producing a synthetic gas or liquid, and by removing, in the fuel conversion step, the elements in the fuel that would be harmful to the environment if combusted. In this paper, two open-cycle gas turbine combined systems are evaluated: one employing an integrated low-Btu gasifier, and one utilizing a semi-clean liquid fuel. A consistent technical/economic information base is developed for these two systems, and is compared with a reference steam plant burning coal directly in a conventional furnace. (Author)

A78-33148 # A low-risk approach to the high-temperature turbine. N. G. Carlson, F. L. Robson (United Technologies Research Center, East Hartford, Conn.), and J. S. Westmoreland (United Technologies Corp., Pratt and Whitney Aircraft Group, East Hartford, Conn.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-10.* 9 p. Members, \$1.50; nonmembers, \$3.00.

An ERDA-sponsored program to develop high-temperature turbines for electrical power generation contemplates a nominal 100-MW frame size operating at 1425 C in a combined steam and gas turbine cycle. Water-cooled and air-cooled designs are considered; internal cooling of the high- and low-pressure vane by subcooled boiling water is described. Emission control measures and combustor durability at high firing temperatures also receives attention. J.M.B.

A78-33149 # Conceptual design of a coal-fueled, fluid bed combined cycle power plant. R. M. Costello (Burns and Roe Industrial Services Corp., Paramus, N.J.), A. J. Giramonti (United Technologies Research Center, East Hartford, Conn.), and J. W. Smith (Babcock and Wilcox Co., Power Generation Group, Barberton, Ohio). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper*

77-WA/Ener-11. 8 p. 11 refs. Members, \$1.50; nonmembers, \$3.00. Contract No. E(49-18)-2371.

The use of an air-cooled pressurized fluid bed (PFB) reactor to top a conventional coal-fired steam plant is discussed. The PFB combustion concept involves a process pressure of several atmospheres, such as would be found in the exhaust of the compressor of a gas turbine. Although the PFB system requires highly efficient hot particulate removal devices, the economic and environmental advantages of PFB combustors suggest commercial application of the PFB concept may be feasible. J.M.B.

A78-33150 # The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles. R. C. Sheldon and W. H. Day (General Electric Co., Gas Turbine Div., Schenectady, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-12.* 18 p. Members, \$1.50; nonmembers, \$3.00.

The plant design and economics are discussed for several high-temperature gas turbine systems used in combined cycles with low-Btu coal gasification systems or with coal-derived liquid fuels. Water-cooled turbine designs with no external cooling holes in the airfoils may operate satisfactorily on coal-derived liquids with high contaminant levels; operation on low-Btu gas with alkali-bearing particulates may also be possible. Integrated low-Btu combined cycle plants involving fixed-bed coal gasification or an entrained-bed design are also described. J.M.B.

A78-33151 * # Analytical investigation of thermal barrier coatings for advanced power generation combustion turbines. D. J. Amos (Westinghouse Electric Corp., Generation Systems Div., Lester, Pa.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-13.* 27 p. 10 refs. Members, \$1.50; nonmembers, \$3.00. Contract No. NAS3-19407.

An analytical evaluation was conducted to determine quantitatively the improvement potential in cycle efficiency and cost of electricity made possible by the introduction of thermal barrier coatings to power generation combustion turbine systems. The thermal barrier system, a metallic bond coat and yttria stabilized zirconia outer layer applied by plasma spray techniques, acts as a heat insulator to provide substantial metal temperature reductions below that of the exposed thermal barrier surface. The study results show the thermal barrier to be a potentially attractive means for improving performance and reducing cost of electricity for the simple, recuperated, and combined cycles evaluated. (Author)

A78-33152 # Combined cycles for operation on coal derived fuels with high temperature combustion turbines. R. E. Strong (Westinghouse Electric Corp., Generation Systems Div., Lester, Pa.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Ener-14.* 11 p. 5 refs. Members, \$1.50; nonmembers, \$3.00.

During Phase I of the High Temperature Turbine Technology Program, combined cycles were studied using a selected low Btu gasification system and a coal derived liquid fuel. Cycle analysis work was done to investigate pressure ratio and operating temperature for combustion turbines operating above 2600 F (1700 K) utilizing advanced air cooling configurations. The effects of both hot and cold gas cleanup on power plant heat rate were determined for coal gasification systems. Plant arrangements were made for low Btu gasification combined cycle and a combined cycle utilizing a coal liquid. Environmental factors were estimated for both power plants. (Author)

A78-33171 # Cost-effectiveness study of heat pipe heat exchangers. D. C. Lu and K. T. Feldman, Jr. (New Mexico, University, Albuquerque, N. Mex.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/HT-5.* 7 p. 12 refs. Members, \$1.50; nonmembers, \$3.00. NSF Grant No. ENG-74-018062.

The initial costs of three types of heat pipe heat exchangers are presented: aluminum-Freon 11 for the temperature range from -23 C

to 121 C, copper-water for 38 C to 232 C, and carbon steel-Dowtherm A for 120 C to 400 C. An optimization computer program for the cost-effectiveness analysis is developed, which takes into consideration the costs for equipment, installation, operation, and maintenance. An optimization example is given for a carbon steel-Dowtherm A heat pipe heat exchanger designed to recover heat from the 8534 cu m/min of 316 C flue gas exhausting from the University heating plant boilers. (Author)

A78-33175 # Transient conduction in the space surrounding a ring of holes. M. Crawford (Alabama, University, Birmingham, Ala.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/HT-12.9* p. 5 refs. Members, \$1.50; nonmembers, \$3.00.

The problem of transient conduction around a ring of symmetrically spaced holes in an infinite medium is analyzed. The analysis is used to assess the feasibility of developing underground thermal storage facilities for solar energy systems. The basic problem of the transient temperature field around a single hole is solved; consideration is then given to arrays involving rings of holes with or without a center hole. Total heat storage and thermal storage cycles for the arrays are studied. The results of the investigation indicate that a ring array could provide adequate thermal storage for solar energy from a focusing collector. J.M.B.

A78-33185 # Fusion energy. R. A. Gross (Columbia University, New York, N.Y.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/NE-1.5* p. 10 refs. Members, \$1.50; nonmembers, \$3.00. Contract No. EY-76-S-02-2456.

Fundamentals of controlled thermonuclear fusion power are summarized. Methods of heating plasma to ignition conditions and some plasma confinement techniques are discussed. Principles of the tokamak magnetic trap are described, and some of the major engineering developments that lie ahead are enumerated. (Author)

A78-33186 # Structural and mechanical design of tokamaks. W. C. Young and I. N. Sviatoslavsky (Wisconsin, University, Madison, Wis.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/NE-2.8* p. 14 refs. Members, \$1.50; nonmembers, \$3.00. Research supported by the Wisconsin Electric Utilities Research Foundation, Electric Power Research Institute, and ERDA.

The UWMMAK series of reactor studies have assessed the technological problems associated with the design and construction of a working power reactor. A procedure has been developed to evaluate the quality of magnet design by a comparison to a minimum mass system established by the virial theorem. Failure and fault analyses and material selection for the many diverse environments are critical for long term reliability. Overall structural compatibility and multipurpose use of structural components are also emphasized. (Author)

A78-33187 # Tokamak reactors. R. G. Mills (Princeton University, Princeton, N.J.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/NE-3.5* p. 20 refs. Members, \$1.50; nonmembers, \$3.00. Contract No. EY-76-C-02-3073.

The physical properties of nuclear fusion reactions govern the fuel choice and the selection of the operating plasma temperature. Scientific feasibility, or energy break-even, is one objective of the current research program. Engineering and economic feasibilities will depend on achievable plasma densities at thermonuclear temperatures and on technological questions of achievable magnetic field, effects of radiation damage, and mechanical design problems. A pure fusion reactor will have stringent requirements on its performance parameters. If achieved, it should provide clean, safe, abundant economic power, but from rather large central stations. Hybrid fission/fusion systems put far less stringent requirements on the plasma performance. They simplify the fission lattice design. They may provide a superior method for burning the vast reserves of uranium-238. (Author)

A78-33189 # Evaluation of portable optical property measurement equipment for solar selective surfaces. R. B. Pettit (Sandia Laboratories, Albuquerque, N. Mex.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/SOL-1.8* p. 13 refs. Members, \$1.50; nonmembers, \$3.00. ERDA-supported research.

A78-33190 # Design and operational influences on thermal performance of 'Solaris' solar collector. J. T. Beard, F. A. Iachetta, L. U. Lilleleht, F. L. Huckstep, and W. B. May, Jr. (Virginia, University, Charlottesville, Va.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Sol-2.6* p. 8 refs. Members, \$1.50; nonmembers, \$3.00. Contract No. E(40-1)-4927.

Thermal performance characteristics of the 'Solaris' water-trickle collector have been experimentally determined using the University of Virginia Solar Energy Research Facility. A theoretical model of the collector has also been used to examine the thermal performance of the collector. The model and experimental measurements were used to determine the sensitivity of the collector's performance to such variables as ambient temperature, mass flow rate, insolation rate, wind, and glazing cleanliness. It was found that ambient temperature and wind are the two major variables which influence collector performance. Experimental measurements and the model also were used to demonstrate how design changes, such as glazing spacing, glazing material, double glazing, and condensate suppression influence the performance of the water-trickle collector. (Author)

A78-33191 # The effect of certain major parameters on the annual effectiveness of solar systems for residential dwellings. E. B. Kear, Jr. (Clarkson College of Technology, Potsdam, N.Y.) and E. B. Kear, III. *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Sol-3.6* p. 10 refs. Members, \$1.50; nonmembers, \$3.00.

The effectiveness of an individual solar system depends not only upon the design of the system, but also upon the characteristics of the micro-climate at the specific site and the pattern of energy usage within the structure. This paper utilizes hourly weather data for temperature, wind velocity, total and diffuse insolation for a period of one year, together with a detailed simulation of the energy usage for both space heating and potable hot water to investigate the effects of changing certain major parameters on the overall annual effectiveness of the solar system. The results of this study are presented in such a way as to be of a general interest to all those considering the application of solar systems to residential dwellings. (Author)

A78-33192 # Low cost test procedure for solar collectors. F. W. Hottenroth (ZZ Corp., Los Alamitos, Calif.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Sol-4.5* p. 5. Members, \$1.50; nonmembers, \$3.00.

This paper describes a test procedure which is suitable for small as well as large organizations, uses low cost equipment, can be performed at low cost and gives accurate results. Efficiency is calculated from the temperature rise of a closed circuit, recirculating system. The procedure can be used for in-house tests and can also be used for testing solar collectors in the field to check their efficiency under operating conditions. A recommendation is made that the efficiency of solar collectors be specified as two numbers, namely: the efficiency when the ambient temperature and the collector temperatures are 20 C and the 'stall' temperature when the isolation is 1000 W/sq m. (Author)

A78-33193 # A 'no-flow' method for measuring solar collector performance. J. H. Morehouse (Texas A & M University, College Station, Tex.) and R. I. Vachon (Auburn University, Auburn, Ala.). *American Society of Mechanical Engineers, Winter Annual Meeting, Atlanta, Ga., Nov. 27-Dec. 2, 1977, Paper 77-WA/Sol-5.8* p. 8 refs. Members, \$1.50; nonmembers, \$3.00.

An alternative method is presented to experimentally determine the efficiency of flat-plate collectors. The 'no-flow' testing method is based on the equilibrium (stagnation) temperature the collector will attain when in the no fluid flow (zero efficiency) condition. The 'no-flow' method described requires little time and minimal equipment, and yet collector performance curves are produced which are in close agreement with those obtained by current testing procedures. (Author)

A78-33212 Combustion and incineration processes. W. R. Niessen (Camp Dresser and McKee, Inc., Boston, Mass.). New York, Marcel Dekker, Inc. (Pollution Engineering and Technology Series. Volume 7), 1978. 378 p. 179 refs. \$35.

Aspects of stoichiometry are considered, taking into account units and fundamental relationships, analyses, balances based on fuel analysis, balances based on flue gas analysis, cross-checking between fuel and flue gas analysis, energy balances, equilibrium, an introduction to kinetics, the kinetics of carbon monoxide oxidation, and the kinetics of soot oxidation. Selected topics on combustion processes are related to gaseous combustion, liquid combustion, solid combustion, and air pollutant generation in combustion processes. Combustion systems and incineration applications of the combustion process are also discussed, giving attention to refractory enclosure systems, water cooled enclosure systems, conduction, convection, radiation, heat transfer implications in design, driven flow, induced flow, solid waste composition, solid waste properties, the municipal incinerator, incineration economics, and incineration systems for solids, sludges, liquids, and gases. A description is presented of approaches to incinerator design. G.R.

A78-33221 * # Effluent characterization from a conical pressurized fluid bed. R. J. Priem, R. J. Rollbuhler, and R. W. Patch (NASA, Lewis Research Center, Cleveland, Ohio). *International Conference on Fluidized-Bed Combustion, 5th, Washington, D.C., Dec. 12-14, 1977, Paper. 14 p.* 10 refs.

An important factor regarding the use of a pressurized coal burning fluidized bed (PFB) providing gases for driving a gas turbine is the turbine blade lifetime. However, very little data are currently available to predict erosion and corrosion rates produced by the effluent from a PFB. To assess the potential of alloys developed for aeronautical applications to resist this environment it was decided to build a coal burning fluidized bed that could be employed to measure erosion and corrosion rates. Tests were conducted with a conical fluidized bed to obtain some degree of filtration through the top of the bed. A description is presented of the data obtained in the first 138 hours of testing to characterize the effluent from the bed under different test conditions. The considered tests had been made to determine the best operating conditions prior to using the bed for a determination of the erosion and corrosion rates of typical turbine blade materials. G.R.

A78-33271 AlGaAs-GaAs graded-heterostructure photocells with expanded sensitivity spectrum. Zh. I. Alferov, V. M. Andreev, M. B. Kagan, V. I. Korol'kov, T. S. Tabarov, and F. M. Tadzhibaev (Akademiia Nauk SSSR, Fiziko-Tekhnicheskii Institut, Leningrad, USSR). (*Pis'ma v Zhurnal Tekhnicheskoi Fiziki*, vol. 3, Aug. 12, 1977, p. 725-729.) *Soviet Technical Physics Letters*, vol. 3, Aug. 1977, p. 294-296. 10 refs. Translation.

The photocells investigated were prepared with smooth nGaAs-pGaAs-pAl(x)Ga(1-x)As heterojunctions, increasing the x-parameter from zero to x = 0.3 or 0.4 toward the surface. The aim was to extend the spectral response into the 0.3 to 0.5 micron region of the solar spectrum to meet the requirements for solar energy conversion. This extension proved possible by lowering the rate of surface recombination with the aid of a 0.3 to 1.5 micron thick AlAs film, protected by its own oxide, (at a pulling field of 1 kWt/cm) deposited on the heterojunction. V.P.

A78-33301 Annual Conference on Ocean Thermal Energy Conversion, 4th, University of New Orleans, New Orleans, La., March 22-24, 1977, Proceedings. Conference supported by the Energy Research and Development Administration; Contract No. EG-77-G-05-5363. Edited by G. E. Ioup (New Orleans, University, New Orleans, La.). New Orleans, University of New Orleans, 1977. 630 p. \$20.

The OTEC conference is divided into the following sections: total systems, mission analysis, environmental and siting considerations, ocean engineering, heat exchangers, biofouling and corrosion, and alternative power cycles. Particular papers are presented on economic incentives for the commercialization of OTEC, the potential mariculture yield of OTEC plants, an estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico, resource assessment of a high potential OTEC site near Puerto Rico, and some factors affecting the selection of OTEC plant platform/cold water pipe designs. Also considered are enhanced single-phase heat transfer for OTEC systems, primary biofouling films and OTEC heat exchangers, and the effects of sea water leakage on the performance of the ammonia cycle for OTEC plants. B.J.

A78-33302 # An Early Ocean Test Platform Conversion. L. K. Donovan and C. R. Odden (U.S. Naval Facilities Engineering Command, Alexandria, Va.). In: *Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.* New Orleans, University of New Orleans, 1977, p. II-3 to II-5.

The Hughes Mining Barge will be converted to OTEC-1, the first major test vehicle to perform operational testing of power cycle components; sea trials are scheduled for 1979. The barge is 324 feet long with a 106-foot beam having a displacement of about 6000 light tons. OTEC-1 will be designed to test components which will produce about 1 MWe (gross): heat exchangers, pumps, cold water pipe and ammonia system. The three phases of barge conversion are discussed. B.J.

A78-33303 # An Early Ocean Test Platform for testing cycle components. R. W. Falconer, F. A. Cohan, and M. J. Smith (Mechanics Research, Inc., Santa Monica, Calif.). In: *Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.* New Orleans, University of New Orleans, 1977, p. II-6 to II-10.

A five-month study has shown that the Hughes Mining Barge (HMB) is ideally suited for use as the OTEC Early Ocean Test Platform (EOTP) using a 1 MWe power plant. The general arrangement evolved from systematic tradeoff analyses which considered the EOTP system requirements, operational suitability, technical feasibility/risk and cost effectiveness. These analyses identified the necessary HMB physical modifications to accommodate the planned OTEC plant, crew accommodations, and support equipment. It was established that the only EOTP system having unique design requirements was the pipe handling system (i.e., all other systems can be composed of off-the-shelf items). B.J.

A78-33304 # A comparison of two generic OTEC systems and missions. G. H. Lavi and C. Zener (Carnegie-Mellon University, Pittsburgh, Pa.). In: *Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.* New Orleans, University of New Orleans, 1977, p. II-11 to II-21; Comments, p. II-21 to II-24; Authors' Reply, p. II-24, II-25. 17 refs.

Comparisons are made between electrical (20-30 mills/kwh transmitted to shore) vs chemical (10 mills/kwh produced at sea for the production of ammonia and other chemicals) OTEC utilization, near shore vs open sea installation, and shell and tube vs plate type heat exchangers. It is argued that the electric power mission involving direct delivery to the United States mainland and possessions is economically the best. If the busbar cost of OTEC power can be reduced, the first demonstration plant can more profitably employ an over-designed vessel (semisubmersible type) located near the United States than a simpler vessel (barge type) located in the open

seas. It is noted, however, that because of the potentially lower cost of the plate-type variety, the continued development of the plate-type design and other shell-less heat exchangers is justified. B.J.

A78-33305 # Cost comparison of selected OTEC power plant designs. R. Roberts (Mitre Corp., Metrek Div., McLean, Va.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 11-26 to 11-37; Comments, p. 11-37; Author's Reply, p. 11-37, 11-38. 14 refs. Contract No. E(49-18)-2322.

The OTEC design of the Applied Physics Laboratory (APL) has the objective of generating electric power to carry out the on-site production of selected energy intensive materials such as ammonia, aluminum and hydrogen; the OTEC design of the Lockheed Missiles and Space Co. (LMSC) has the objective of delivering power ashore where it can be used in the electric distribution system or for onshore industry. The present paper reviews the cost differential of the APL and LMSC designs, indicating that the differences in design cost estimates arise from the mission and temperature differential selected. The less benign locations for the LMSC system lead to a heavier platform and additional costs for mooring. B.J.

A78-33306 # Influence of design factors on the economy of sea thermal power plants. J. H. Anderson and J. H. Anderson, Jr. (Sea Solar Power, Inc., York, Pa.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 11-39 to 11-56.

An attempt is made, using simple examples, to show how efficiency losses can drastically affect the cost of an OTEC plant. Consideration is given to the relationship between heat rejected per unit of power and the thermal efficiency of an OTEC plant and to the following potential losses in OTEC plants: temperature losses, internal friction losses, machinery losses, buoyancy losses, external friction losses, and pipe load losses. Some design solutions for reducing OTEC losses are discussed. B.J.

A78-33307 # Economic incentives for the commercialization of OTEC. J. M. Nilles and B. J. Washom (Southern California, University, Los Angeles, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-3 to 111-16. NSF Grant No. APR-75-18279.

The needs and alternative means for federal intervention in the OTEC marketing process through regulatory influence and provision of various incentives in order to change the supply and demand portions of the market process are discussed. Consideration is given to reasons for preferential (or other) governmental support of OTEC and with the policy options open to government agencies in this connection. B.J.

A78-33308 # Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study. H. G. Knight (Louisiana State University, Baton Rouge, La.), R. E. Stein (International Institute for Environment and Development, Washington, D.C.), and J. D. Nyhart (MIT, Cambridge, Mass.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-17 to 111-20.

A survey is presented of papers presented at the ASIL (American Society of International Law) workshop (held in Washington, D.C., January 15-16, 1976) on legal, political, and environmental aspects of OTEC. International aspects include jurisdiction to deploy and operate OTEC devices, political implications of such deployment, regulation of operations, and protection of the marine environment. Domestic aspects include multiple use of ocean space, State and Federal regulation, responsibility and liability for damage to and by OTEC devices, protection of the marine environment, financing, and general economic issues. B.J.

A78-33309 # Potential mariculture yield of sea thermal power plants. II - Food chain efficiency. S. Laurence and O. A. Roels (Texas, University, Port Aransas, Tex.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-21 to 111-25. 9 refs. Grant No. NOAA-04-6-158-44117.

The results of a series of experiments designed to determine the potential organic productivity of an OTEC/mariculture system in tropical or subtropical oceans are presented. It has been shown at the St. Croix Artificial Upwelling Laboratory that plant nutrients (such as nitrate and phosphate) brought to the surface from deep-sea water and exposed to sunlight can be used for phytoplankton production in a continuous system; this phytoplankton is then fed to shellfish whereby animal protein is produced. The conversion efficiency of available nutrients and the protein production per unit area of this mariculture system were superior to conventional agricultural systems. It is concluded that a combined energy- and food-producing OTEC system appears much more desirable than an energy-producing plant alone. B.J.

A78-33310 # Electrical energy transmission for OTEC power plants. B. M. Winer and J. Nicol (Arthur D. Little, Inc., Cambridge, Mass.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-26 to 111-33.

The technical problems involved in transmitting OTEC energy to shore via electric power cables have been investigated and the associated costs have been estimated. There appear to be no insuperable technical problems associated with transmitting electrical energy from an OTEC plant located in relatively shallow water (a depth less than 6000 ft). A parametric analysis of the cost effect of various plant and cable design options was performed. The criterion used to determine the number of redundant cables required to provide reliable energy transmission was minimization of the total cost of energy delivered to shore. B.J.

A78-33311 # Ocean energy industrial complexes. B. Lindal, C. D. Hornburg, and N. El-Ramly (DSS Engineers, Inc., Fort Lauderdale, Fla.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-34 to 111-46. ERDA-supported research.

A feasibility study was conducted with the purpose of examining the economic, technological and environmental aspects of the recovery of marketable chemicals from sea water and the production of other energy intensive products in conjunction with floating OTEC plants. Analysis of production methods and other data on 62 major products led to the selection of 23 of these for further study. Production was grouped into five separate potential complexes. Further market and transportation studies showed that production in a sea-chemicals complex and an organic chemicals and plastics complex has the highest economic potential. B.J.

A78-33312 # Alternative forms of energy transmission from OTEC plants. A. Konopka, N. Biederman, A. Talib, and B. Yudow (Institute of Gas Technology, Chicago, Ill.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. 111-47 to 111-57. 22 refs. NSF Grants No. C-1008; No. AER-75-00033; Contract No. E(49-18)-2426.

The paper provides a concise technical assessment and economic analysis of components associated with the conversion, storage, transportation and shore-based receiving facilities for the conversion of OTEC mechanical energy to chemical energy, and compares this in a like manner to the conversion into and transmission of electrical power. The following chemical energy-carriers are considered: gaseous and liquid ammonia; methanol; gasoline; hydrazine hydrate; anhydrous hydrazine; unsymmetrical dimethylhydrazine; 1,7-Octadiyne; tetrahydrodicyclopentadiene. B.J.

A78-33313 # Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration. E. J. Francis (Johns Hopkins University, Laurel, Md.) and J. Seelinger (Maritime Administration, Washington, D.C.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. III-58 to III-66.

A concept for Ocean Thermal Energy Conversion (OTEC) plant-ships for the onboard production of ammonia or other products at tropical sites has been developed. Liquid ammonia could be shipped to the U.S. to supply fertilizer and chemical markets or as a carrier of hydrogen for use in fuel cells to produce electricity. A cost estimate for a 100-MWe, 313-short-ton/day, demonstration-size OTEC/ammonia plant-ship provided the basis for cost estimates for commercial-size ships producing 1000 tons per day or more of ammonia. Economic and marketing analyses have been conducted to provide forecasts bearing on the commercialization potential for the 1983-2000 period, including ammonia production costs and prices, U.S. and world market penetration, and benefits to the U.S. and the world from a successful program. Less extensive analyses have been conducted for OTEC aluminum production and for the case of direct transmission of OTEC electric power to U.S. and foreign shores.

(Author)

A78-33315 # OTEC implementation problems for specific missions. E. Tschupp, B. Berkowitz, and W. Hausz (GE Center for Advanced Studies, Washington, D.C.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. III-76 to III-82. Contract No. E(49-18)-2421.

The feasibility of four specific OTEC missions as commercial ventures is considered: (1) near-shore production of electric power delivered to shore via submarine cable, (2) off-shore production of sea chemicals, (3) off-shore production of aluminum, and (4) off-shore production of fertilizers based on fixed nitrogen in the form of ammonia. The competitiveness of OTEC products in the marketplace is considered along the impacts of the technology and the political, institutional and environmental factors associated with OTEC operations.

B.J.

A78-33316 # Stratified turbulence modeling for the near field external flow. G. O. Roberts (Science Applications, Inc., McLean, Va.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. IV-7 to IV-25. 16 refs. Contracts No. E(49-26)-1005; No. N00014-77-C-0033.

A simplified two-dimensional model, employing the NRFLO2 computer code, is used to calculate the turbulent flow near the two outflows and the warm inflow associated with one power module of the Lockheed baseline Ocean Thermal Power Plant (OTPP) design. It is found possible to design an OTPP so that recirculation problems are negligible and the warm inflow temperature is very close to the surface temperature, even in the absence of an ambient current. To achieve this, the warm inflow and outflow speeds should be smaller than about 3 ft/sec and the depth of separation should be at least 30 ft. The far-field environmental impact is determined by the details of the near-field flow.

B.J.

A78-33317 # An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico. P. J. Martin and G. O. Roberts (Science Applications, Inc., Fluid Mechanics Div., McLean, Va.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. IV-26 to IV-34. 17 refs. Contracts No. E(49-26)-1005; No. N00014-77-C-0033.

The effect of OTEC operation on the vertical thermal structure of the Gulf of Mexico is estimated on the basis of a one-dimensional z-t heat conservation equation to predict the horizontal mean temperature. It is indicated that the effect of the operation of 100 200-MW OTEC plants on the mean vertical thermal structure of the Gulf would be fairly slight. With complete recirculation of plant intake and discharge flows within the Gulf, the predicted drop of the mean sea surface temperature is about 0.05 C and the rate of warming of the deep water between the cold water intake and discharge levels is about 0.03 C/yr. Even with 1000 plants, the drop in the mean sea surface temperature is less than 0.5 C. Recirculation between the cold water intake and discharge flows with such a large number of plants has the potential to decrease significantly the available thermal resource due to warming of the deep water. B.J.

A78-33319 # The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant. T. R. Sundaram, E. Sambuco, A. M. Sinnarwalla, and S. K. Kapur (Hydronautics, Inc., Laurel, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. IV-42 to IV-49. 10 refs. Contract No. E(49-18)-2348.

In connection with the operation of an OTEC power plant (OTECPP) about 60,000 gal/min of water per MW of capacity are withdrawn from both the surface and deeper layers of the ocean and discharged at intermediate levels. The processes involved and the effects produced by them change the stratification characteristics of the ocean water upon which the operation of an OTECPP is based. An investigation is, therefore, conducted concerning the external flow of an OTECPP. The results are presented of two classes of experiments, one involving the absence of ambient currents, and the other the absence of ambient stratification. It is found that recirculation will occur in spite of impeding factors when certain critical values of the governing similitude parameters are exceeded. The appropriate similitude parameters, as well as their critical values, are being delineated.

G.R.

A78-33320 # Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies. J. D. Thompson, H. E. Hurlburt, and L. B. Lin (JAYCOR, Alexandria, Va.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. IV-50 to IV-56. 10 refs. Contract No. E(49-26)-1005.

A78-33322 # Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes. C. L. Bretschneider (Hawaii, University, Honolulu, Hawaii). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.

New Orleans, University of New Orleans, 1977, p. IV-61 to IV-73. 56 refs. ERDA-supported research.

In designing Ocean Thermal Energy Conversion (OTEC) platforms, it is critical to accurately evaluate the conditions of the ocean environment. Project OPES-DEWAC (Operational Sea State and Design Wave Criteria) is an effort to parameterize conditions in the waters off the U.S. coastline, including Hawaii, and in the equatorial regions between 20 deg N and 20 S. Tables are presented listing wind, wave, and current measurements for a given area. Attention is given to the history of hurricanes and typhoons in tropical regions.

D.M.W.

A78-33323 # Resource assessment of a high potential OTEC site near Puerto Rico. D. K. Atwood (NOAA, Miami, Fla.), C. P. Duncan (Universidad de Puerto Rico, Mayaguez, P.R.), M. C. Stalcup (Woods Hole Oceanographic Institution, Woods Hole, Mass.), and M. J. Barcelona (California Institute of Technology, Pasadena, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.

New Orleans, University of New Orleans, 1977, p. IV-74 to IV-78.

Environmental assessment of potential OTEC sites near Puerto Rico indicates that a high-potential site exists off the southeast coast. The temperature gradient to 1000 meters can be as high as 24 C (43 F) and is never less than 20 C (36 F). The insular slope at the site is steep, and water depths of 1000 meters exist within 1.5 miles off shore. Geostrophic conditions guarantee a warm thick mixed layer with surface currents of the order of 1/3 of a knot. The supply of cold water can be considered limitless. The site is protected from north and northeast swell, and a mild sea state exists all year round (except during hurricanes). The salinity, temperature, and nutrient distributions at the site are typical of open tropical seas, making the site ideal for a prototype OTEC plant. (Author)

A78-33324 # A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters. K. H. Bathen (Hawaii, University, Honolulu, Hawaii). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. IV-79 to IV-99. 18 refs.

A78-33325 # Some factors affecting the selection of OTEC plant platform/cold water pipe designs. R. A. Barr and P. Y. Chang (Hydronautics, Inc., Laurel, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. V-11 to V-22. 15 refs. Contracts No. E(11-1)-2681; No. EX-76-C-01-2424.

A78-33326 # Hydrodynamic loads on the cold water pipe. D. T. Hove and W. C. L. Shih (Science Applications, Inc., El Segundo, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. V-23 to V-39. 16 refs. Contract No. E(49-18)-2331.

A long cylindrical cold water pipe is part of every proposed OTEC design. Pressure variations on the pipe have been analyzed in terms of lift, drag, and Strouhal shedding frequency for Reynolds numbers in the one to 10 million range. An analytical technique is evaluated, which extends lower Reynolds number data to higher Reynolds values by modeling the influence of roughness on cylinder boundary layer flows. D.M.W.

A78-33327 # Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach. T. E. Little (Westinghouse Electric Corp., Annapolis, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. V-40 to V-48. 16 refs.

The successful implementation of the ocean thermal power plant is dependent upon the technical and economic feasibility of transporting large volumes of cold water from sea depths of 500 meters or more, through suitable ducting to the power plant condensers. In addition, plant/platform station keeping must be provided by a mooring arrangement and/or by use of dynamic positioning. Highlights of the analysis and evaluation of the cold water transport, cold water pipe, and deep water mooring lines are provided with a view toward judging the impact of these subsystems on the overall OTEC plant/platform concept and to provide an estimate of material and construction cost. Selected parameters, issues, and evaluation criteria are used to assess the merits of candidate subsystems over a range of plant size from 100 MWe to 1000 MWe net output power. (Author)

A78-33328 # Anchor systems. P. J. Valent and J. M. Atturio (U.S. Navy, Naval Construction Battalion Center, Port Hueneme, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings.

New Orleans, University of New Orleans, 1977, p. V-49 to V-55. 7 refs.

The Ocean Thermal Energy Conversion (OTEC) power plant will impose lateral loads from 5 to 100 MN (1 to 23 million lb) on its anchor systems, depending on the particular site environment. This report compares anchor systems in order to identify those best suited to scaling up to the sizes required by OTEC. Deadweight anchors with base shear keys are identified as the best choice for the deep ocean environment. Pile anchors attached to a common frame (template) are identified as a possible better anchor choice on hard (rock) seafloors and in high-energy shallow water areas typified by the Gulf Stream. Concepts for transporting and lowering the required deadweight and pile anchor systems to the seafloor site are described, and their limitations noted. The attractiveness and technical feasibility of using a free-fall-emplaced deadweight anchor installation is highlighted. (Author)

A78-33329 # Screens for the OTEC plants. J. H. Nath, J. W. Ambler, and R. M. Hansen (Oregon State University, Corvallis, Ore.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. V-56 to V-69. 16 refs.

The reported investigation had the objective to determine the kinds and quantities of biological materials which must be excluded from an Ocean Thermal Energy Conversion (OTEC) Rankine plant, taking into account also the development of suitable methods for implementing such an exclusion. The existing biological information is obtained from the results of sampling fish with mid-water trawls. It is pointed out that this sampling condition is considerably different from that of an OTEC plant which will be sucking in large quantities of warm and cold water. An important part of the investigation is, therefore, concerned with the development of a suitable sampling method which reproduces the conditions prevailing in an OTEC plant. The investigation takes into account the eastern and southern coasts of the U.S., the tropical seas to plus or minus 20 deg latitude, and the region around the Hawaiian Islands. G.R.

A78-33330 # Compact heat exchangers for sea thermal power plants. J. H. Anderson and J. H. Anderson, Jr. (Sea Solar Power, Inc., York, Pa.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-3 to VI-14; Discussion, p. VI-14.

The cost of converting ocean thermal energy to electric power appears to depend primarily on the design and development of effective, low-cost heat exchangers for both boiling the working fluid into vapor and condensing the vapor back to liquid. An investigation is in this connection conducted concerning the problem of designing boilers for sea thermal power plants which seems to present greater difficulties than the problem of designing suitable condensers. The difficulties are partly related to a lack of effective wetting of the heat transfer surface and the tendency for the liquid and the gas to segregate. The approaches used to overcome these difficulties in the evaporators employed in refrigeration processes are considered. Sample heat exchanger types and present-day costs are discussed, taking into account a boiler for a geothermal plant. It is recommended to design plate-fin exchangers which do have the potential of reducing the cost of exchangers, as well as improving their efficiency, and reducing their physical size. G.R.

A78-33331 # Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory. J. W. Michel (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-15 to VI-26; Discussion, p. VI-26. ERDA-sponsored research.

During the past year, Oak Ridge National Laboratory has been involved in assisting ERDA in the analysis, planning, and imple-

mentation of a program to develop advanced heat exchangers for ocean thermal energy conversion (OTEC) application. An analysis of the NH_3 binary cycle and the current state of commercial heat exchanger technology indicated that the goals of this program should be to improve the seawater heat transfer coefficients by a factor of 2, the ammonia heat transfer coefficients by a factor of 2 to 4, and to be able to control fouling factors at a value of 0.0003 or below. These improvements coupled with qualifying aluminum for this seawater/ammonia service would go far toward assuring the economic viability of the OTEC concept. A single tube ammonia heat transfer loop has been built and operated to evaluate the heat transfer characteristics of fluted tubes. Preliminary ammonia condensation results are presented. (Author)

A78-33333 # An outline for optimizing and evaluating proposed OTEC systems. R. N. Lyon (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-34 to VI-38. ERDA-sponsored research.

The development of a suitable approach for an optimization of an Ocean Thermal Energy Conversion (OTEC) system is considered. It appears to be advisable to develop at an early stage a generalized computer model and optimization program, which could be tested with respect to its correctness and be accordingly modified. The model could then provide a suitable basis for selecting the lines of OTEC system development and for avoiding decisions leading to less than optimum paths. A truly general model should fit all possible OTEC concepts. To date these concepts include vapor-turbine (or 'Rankine Cycle') systems and hydraulic turbine systems. A description is presented of a logical order of computation for a given set of values for the parameters and independent variables. The final part of an optimization program, which may in fact dominate the modeling, is the determination of the optimum set of values for the independent variables. G.R.

A78-33335 # The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling. R. R. Rothfus and C. P. Neuman (Carnegie-Mellon University, Pittsburgh, Pa.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-55 to VI-70. 12 refs.

Results of experiments on falling film, fluted, vertical tube heat transfer surfaces are reported. It is found that flutes enhance the heat transfer coefficient far in excess of what might be expected from increased surface. Data for refrigerant 11 and ammonia are presented. Fine axial flutes on the water side seem to increase the heat transfer coefficient and the pressure drop in proportion to the increase of surface brought about by the flutes. It is concluded therefore that enhancement on the water side can result in a substantial reduction in heat transfer surface requirements and so also a reduction in volume for OTEC heat exchangers. Finally, analytical models for the transient behavior of OTEC power cycle components are exhibited. These models form the basis for control system design and operational strategies for OTEC. (Author)

A78-33336 # Enhanced performance heat exchangers. A. M. Czikk, H. D. Fricke, and E. N. Ganic (Union Carbide Corp., Linde Div., Tonawanda, N.Y.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-71 to VI-92. 8 refs. NSF Grant No. 43441; Contract No. E(49-18)-2448.

This program involves development of enhanced performance shell and tube evaporators and condensers for the OTEC application, using proprietary heat transfer enhancement devices. The work includes: analytical development of thermal and fluid flow models for sprayed bundle and flooded bundle evaporators; experimental determination of the heat transfer and fluid flow factors necessary

for the evaporator models; designing, building and testing three pilot scale heat exchangers, comprising a sprayed bundle evaporator, a flooded bundle evaporator, and a horizontal tube condenser.

(Author)

A78-33337 # Heat transfer enhancement for evaporators. C. M. Sabin and H. F. Poppendiek (Geoscience, Ltd., Solana Beach, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-93 to VI-104. 7 refs.

Investigations are made of the enhancement of heat transfer conductants in evaporators, noting water flowing through round tubes, ammonia boiling over horizontal submerged tubes, and ammonia film evaporators. Water heat transfer enhancement is studied for both large-scale motions and modifications of wall layers. Research in the boiling heat-transfer enhancement of ammonia nucleate is directed at increased conductance, a decreased temperature difference required to initiate nucleation, and decreased sensitivity to contamination. The basic heat-exchanger design consists of a heat transfer enhancement surface on the boiling ammonia side with the water side unmodified. Both ammonia boiling enhancement mechanisms and water forced-convection heat-transfer mechanisms are discussed. S.C.S.

A78-33338 # Comments on sea water side enhancement for OTEC heat exchangers. W. L. Owens (Lockheed Missiles and Space Co., Inc., Sunnyvale, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-105 to VI-109; Reply, p. VI-110. 6 refs.

A78-33339 # Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships. G. L. Dugger, H. L. Olsen, P. P. Pandolfini, and W. H. Avery (Johns Hopkins University, Laurel, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-111 to VI-123. 28 refs.

In order for OTEC stations to be adopted into the overall scheme of energy production, they must be economically competitive with land-based power stations. The most expensive elements of OTEC stations are the evaporators and the condensers. Aluminum has traditionally been used in the construction of these elements, largely because of its low cost. A description of the structural characteristics of aluminum heat exchangers is presented, i.e., a two-phase-heat flow construction (ammonia inside/sea water outside) is integrated with a barge-type reinforced concrete hull. Each 2.5 MW evaporator or condenser module has 259, 76 mm O.D. tubes approximately 730 ft long, folded to 27 horizontal passes each; 7 of which are nested in a vertical plane in each of 37 elements. An evaluation of the costs involved in such an assembly is presented, together with a description of the assembly techniques. Inlet quality (mass percent vapor) for a single tube was varied from 0 to 20% with a digitally modularized, steam jacketed preheater. Some flow stratification occurred at low values, but heat transfer coefficients were in general agreement with the Chaddock-Brunemann correlation. D.M.W.

A78-33340 # A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems. A. F. Manikowski and A. R. Pfluger (Lockheed Missiles and Space Co., Inc., Sunnyvale, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VI-124 to VI-134; Comments, p. VI-134, VI-135; Authors' Reply, p. VI-135 to VI-137. 5 refs. ERDA-supported research.

Potential shell-and-tube heat exchanger design concepts that are economical and within the reach of current technology for Ocean Thermal Energy Conversion (OTEC) systems are examined. Although

the Lockheed concept is used as a basis, the design and manufacturing approaches identified are generally applicable to any large shell and tube heat exchanger. The discussion concerns both titanium-tubed and aluminum-tubed designs. The pressure vessels assessed include monocoque cylinders and spheres, and ring-stiffened cylinders produced with aluminum, steel, and concrete. The aluminum baseline design is employed as a basis for developing manufacturing plans and estimating costs of the heat exchangers. A computer optimization program is used to define the power-cycle parameters for a 25-MW(e) power module. Achievement of the economies indicated for aluminum requires an engineering and manufacturing development program to develop tube-to-tubesheet joining techniques for a reliable joint from a mechanical and leakage standpoint. S.D.

A78-33341 # Ultra clean heat exchangers - A critical OTEC requirement. A. F. Conn, M. S. Rice, and D. Hagel (Hydronautics, Inc.; Laurel, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-11 to VII-14. 7 refs. Research supported by Battelle Memorial Institute.

Cleanliness of the heat exchanger tube, so as to maintain large heat transfer coefficients, has been identified as one of the critical requirements for successful operation of an OTEC power plant due to the already very low thermal efficiency which is projected for this concept. It has been estimated that it may be necessary to keep the microfouling layer (slime and other deposits) on the seawater side of the tubes down to a thickness of only 0.001 in. (25 microns). The objective of this study is to provide a catalog of methods now used to maintain the cleanliness of conventional heat exchangers, either by preventing or removing fouling, and to assess critically the applicability of each method for OTEC. Preliminary results and conclusions from this on-going study are presented. (Author)

A78-33342 # Studies of biofouling in Ocean Thermal Energy Conversion plants. J. G. Fetkovich, G. N. Grannemann, L. M. Mahalingam, D. L. Meier (Carnegie-Mellon University, Pittsburgh, Pa.), and F. C. Munchmeyer (Hawaii, University, Honolulu, Hawaii). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-15 to VII-23. 5 refs. NSF-ERDA-supported research.

The techniques and methods used in biofouling studies in Ocean Thermal Energy Conversion plants are discussed. A pipe is used to carry seawater to a flow meter. The heat transfer coefficient from the pipe wall to the water is measured by heating the outer surface of a Cu block above water temperature, and observing the time constant of thermal decay. The technique yields precise values because it employs a thermopile and quartz clocks. The method is not affected by calibrations except those of the flowmeter. The system is protected from changes in ambient conditions, and may be operated at depths to 100 feet. Tests have been made from a submerged buoy at Keahole Point, Hawaii and the results are presented. It is noted that biofouling rates are slow at early times and increase rapidly after several weeks, as influenced by pumping velocity. The surface roughness of a tube and the depth may significantly influence biofouling ranges. Even in relatively constant-condition waters there may be great seasonal variations in biofouling rates. S.C.S.

A78-33343 # Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant: What are the questions. V. J. Castelli (U.S. Naval Material Command, David W. Taylor Naval Ship Research and Development Center, Annapolis, Md.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-34 to VII-36. 11 refs.

Efforts to control biofouling on Ocean Thermal Energy Conversion (OTEC) platforms have focused on two approaches: chemicals and structural materials. Included in the chemical ap-

proach are organic toxins, copper salts, and organometallics. The structural approach has led to experiments with carbon and low alloy steels, Organotin rubber sheeting, carbon composites, bronze, and to some extent, aluminum. At present, fouling control is effective for a maximum of three years in temperate waters; less in the tropics. D.M.W.

A78-33344 # Corrosion fatigue of 5086-H34 aluminum in sea water. S. P. Flodder and W. H. Hartt (Florida Atlantic University, Boca Raton, Fla.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-41 to VII-45. 16 refs.

Results are presented for an experimental investigation of corrosion fatigue crack growth in 0.500-in.-thick symmetrical center-cracked plate specimens of 5086-H34 aluminum in air and in sea water. A procedure involving precracked specimens is selected as it permits obtaining substantial information from relatively few tests. Of particular interest is the range of low stress intensities where little data are presently available. Limited experiments with cathodic protection are also performed. Plots of crack growth rate versus stress intensity show ranges of stress intensity where corrosion is most detrimental and where cathodic protection is most advantageous. Significance of the experimental results for ocean thermal energy conversion systems is discussed. S.D.

A78-33345 # Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion. E. W. Saaski and P. C. Owzarski (Sigma Research, Inc., Richland, Wash.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-46 to VII-53. 6 refs.

The objective of this project is to determine if titanium is susceptible to stress corrosion cracking (SCC) in ammonia-seawater environments. The scope involves slow tensile strain experiments until failure of titanium rods in pure liquid ammonia, ammonia-water (0.025-1.0%) and ammonia-seawater (0.025-1%) mixtures. Results will be quantified by percent elongation and area reduction at failure, galvanic voltage versus elongation and by microscopic analysis of SCC crack growth. Preliminary rapid strain experiments showed that the Ti specimens became highly anodic before failure and that repassivation occurred slowly, but at a somewhat faster rate in liquid ammonia-1-1/2% seawater than in anhydrous ammonia. Small amounts of gas appeared on the Ti specimen under strain in anhydrous ammonia. White precipitate appeared in liquid ammonia (0.27-5%) seawater mixtures, and in seawater (1-5%) ammonia mixtures. The nature and possible role in fouling and corrosion of these precipitates is addressed. (Author)

A78-33346 # Hydrodynamic control of biofouling in OTEC heat exchangers. J. S. Tennant and M. A. Wood (Florida Atlantic University, Boca Raton, Fla.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VII-56 to VII-60. 6 refs.

A78-33347 # Potential of open cycle OTEC - A general survey. A. D. Watt, F. S. Mathews, and R. E. Hathaway (Colorado School of Mines, Golden, Colo.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VIII-3 to VIII-11; Discussion, p. VIII-11.

In an open cycle Ocean Thermal Energy Conversion (OTEC) system warm surface water is introduced into a low pressure chamber where it flashes to steam, passes through a turbine, and condenses in a low pressure chamber where the spent steam comes in direct contact with cold water from deep in the ocean. The noncondensable gases from the ocean water which accumulate in the condenser must be removed. Structure sizes and material requirements for the

evaporator, turbine generator system, and condenser are examined and the cost factor is determined. A computer program was developed in which the cost versus performance characteristics of each of the components are related in a system model. A comparison of major subsystem characteristics and costs is developed as the various input and operating parameters are varied. On the basis of preliminary results, it appears that major efforts at cost reduction should be centered on the turbine/generator, the evaporator-condenser, and the cold water pipe. G.R.

A78-33348 # Sea thermal power cycles. L. Van Hemelryck (Texas, University, Port Aransas, Tex.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VIII-12 to VIII-17; Discussion, p. VIII-17. Grant No. NOAA-04-6-158-44117.

In power plants based on the utilization of the temperature difference between surface and subsurface waters in tropical and subtropical oceans, the unit costs associated with the deep-sea water flow, are, in the case of plants located at or near the surface, bound to be more significant than those related to surface water flow. Efficient use of the deep-sea water flow is indicated by the specific gross power generated, per unit of flow. An investigation utilizing this criterion is conducted regarding the determination of the optimum operating point. It is pointed out that the selection of operating points has to maximize the product of the amount of heat processed by the thermodynamic efficiency of the process and not the efficiency itself. It is shown that the operation of a plant in accordance with the developed principles would result in the release of deep-sea water at a temperature significantly closer to the surface-water temperatures. G.R.

A78-33350 # The foam OTEC system - A proposed alternative to the closed cycle OTEC system. C. Zener (Carnegie-Mellon University, Pittsburgh, Pa.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VIII-27 to VIII-29; Discussion, p. VIII-30.

Traditionally, Ocean Thermal Energy Conversion (OTEC) plants have operated either on the D'Arsonval closed cycle or the Claude open cycle, both of which use a single-phase working fluid. This paper presents a new concept for OTEC, whereby a two-phase foam system is used to move the input warm water downward into the two-phase region, where the liquid and vapor phases are closely coupled. Advantages of the system include the absence of heat exchangers (thereby reducing the possibility of fouling), no warm water exhaust, and greater (by a factor of 5 to 10) power output per unit of warm water input. Attention is given to the structural parameters of the foam itself. D.M.W.

A78-33351 # Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle. H. Hafezzadah, D. W. Johnson, and K. E. Starling (Oklahoma, University, Norman, Okla.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VIII-31 to VIII-35; Discussion, p. VIII-35, VIII-36. Contract No. E(40-1)-4918.

The effects of water contamination on an OTEC power plant utilizing ammonia as the working fluid were investigated with reference to power cycles with and without recycle around the evaporator. The thermodynamic effects of increasing the water concentration in an optimized ammonia cycle plant were analyzed by means of the Han-Starling generalized correlation with appro-

prate parameters for ammonia-water mixtures. In the analysis and in a study using an OTEC simulator it was assumed that an actual OTEC-ammonia plant was operating at an offshore location. The results indicate that a small amount of water could be tolerated without serious degradation in cycle performance, and that the amount of water which could be tolerated increased as the recycle ratio around the evaporator increased. M.L.

A78-33352 # The Mist Flow OTEC Plant. S. L. Ridgway (R & D Associates, Marina del Rey, Calif.). In: Annual Conference on Ocean Thermal Energy Conversion, 4th, New Orleans, La., March 22-24, 1977, Proceedings. New Orleans, University of New Orleans, 1977, p. VIII-37 to VIII-41.

The Mist Flow OTEC Plant uses the steam evaporated from a spray of very fine warm water droplets to lift these droplets to substantial heights. The used steam is condensed at the end of the lift by a cold water spray. Gravitational potential energy is removed from the warm water in a conventional hydraulic turbine to provide the desired power output. The large evacuated duct in which the upward mist flow takes place is the major (\$360/kw) cost element of the system. (Author)

A78-33359 * Making aerospace technology work for the automotive industry - Introduction. W. T. Olson (NASA, Lewis Research Center, Cleveland, Ohio). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 10 p.*

In many cases it has been found that advances made in one technical field can contribute to other fields. An investigation is in this connection conducted concerning subjects from contemporary NASA programs and projects which might have relevance and potential usefulness to the automotive industry. Examples regarding aerospace developments which have been utilized by the automotive industry are related to electronic design, computer systems, quality control experience, a NASA combustion scanner and television display, exhaust gas analyzers, and a device for suppressing noise propagated through ducts. Projects undertaken by NASA's center for propulsion and power research are examined with respect to their value for the automotive industry. As a result of some of these projects, a gas turbine engine and a Stirling engine might each become a possible alternative to the conventional spark ignition engine. G.R.

A78-33364 * An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine. D. G. Evans and T. J. Miller (NASA, Lewis Research Center, Cleveland, Ohio). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780075, 23 p. 65 refs.*

The NASA-Lewis Research Center (LeRC) has conducted, and has sponsored with industry and universities, extensive research into many of the technology areas related to gas turbine propulsion systems. This aerospace-related technology has been developed at both the component and systems level, and may have significant potential for application to the automotive gas turbine engine. This paper summarizes this technology and lists the associated references. The technology areas are system steady-state and transient performance prediction techniques, compressor and turbine design and

performance prediction programs and effects of geometry, combustor technology and advanced concepts, and ceramic coatings and materials technology. (Author)

A78-33368 Electric vehicles in Germany - Present and future. C. Bader and W. Stephan (Deutsche Automobilgesellschaft, Forschungslaboratorium, West Germany). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780087*. 14 p. 13 refs.

As long as economic considerations keep electric transport vehicles in the limelight of interest, the arguments raised in favor of the electric vehicle in general will prove unconvincing. In the drive system the separately excited shunt-wound D.C. motor is becoming widely acknowledged as traction motor; current developments deal with the replacement of electric power control units by mechanical components. Hybrid drive units are mainly employed in buses; so far no uniform solution has evolved. List prices of electric transport vehicles reveal the financial burden caused by energy storage units and their maintenance. (Author)

A78-33376 General safety considerations of the Ohio DOT electric vehicle. W. C. Harhay. *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780160*. 23 p.

Two conventional gasoline-powered four passenger coupes were converted to electric drive for use in the Ohio Department of Transportation motor pool. Compliance to applicable Federal Motor Vehicle Safety and anticipated Department of Energy Standards were design goals. The implications for fire and shock hazards as well as dynamics compliance were considerations in the scope of effort. Techniques used and results of preliminary tests are reported. It was concluded that conversion of conventional vehicles to electric drive can be undertaken to achieve safety parity. (Author)

A78-33377 A digital computer program for simulating electric vehicle performance. K. E. White (Exxon Enterprises, Inc., New York, N.Y.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780216*. 16 p. 24 refs.

A digital computer program has been developed that simulates dc and ac electric vehicle operation. Included in the program are battery, controller and motor models which are designed to be easily modified as new drive systems are developed. The simulation technique used accurately models the time response of the vehicle and has proven useful in the design and stability analysis of vehicle control systems. (Author)

A78-33378 Computer simulation of an advanced hybrid electric-powered vehicle. M.-C. Chang (AiResearch Manufacturing Company of California, Torrance, Calif.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780217*. 17 p.

The advanced hybrid electric-powered vehicle features a regenerative power system that uses a flywheel that supplements lead-acid battery power during peak power demands for current leveling, and that converts vehicle kinetic energy to retrievable flywheel energy by means of regenerative braking. The process of energy storage and conversion to propulsion power is accomplished by a unique arrangement of the flywheel, generator, motor, and final power drive shaft connected by a differential planetary gear set. (Author)

A78-33379 On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles. J. P. Altendorf, A. Kalberlah, and N. Saridakis (Volkswagen AG, Wolfsburg, West Germany). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780220*. 11 p. 6 refs.

A78-33380 Mathematical model for the design of grids for electric vehicle batteries. L. E. Vaaler and E. W. Brooman (Battelle

Columbus Laboratories, Columbus, Ohio). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780221*. 10 p.

The potential and current distribution over the grid of a lead-acid battery can be calculated by applying Kirchhoff's Law to a three-dimensional resistance network analog. Such a model was used to simulate the high-rate discharge of a typical grid having a conventional, uniform pattern of grid members. The potential and current density were found to vary widely over the grid surface. Modifications to the design of the grid make the potential and current density distribution more uniform, which would lead to more efficient utilization of the battery active materials, and an improved battery performance. (Author)

A78-33381 Further studies with a hydrogen engine. J. Levi and D. B. Kittelson (Minnesota, University, Minneapolis, Minn.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780233*. 10 p. 14 refs.

This paper describes the performance and emissions of a hydrogen-fueled, spark-ignited engine. An electronic control device, designed to provide the engine with a timed injection of the fuel; is shown to give high mean effective pressures and high efficiencies. The oxides of nitrogen from the exhaust gases have been analyzed and the mechanism for their formation is reviewed. The paper further describes an experiment with traces of hydrocarbons added to the hydrogen in an attempt to explain any additional phenomena that may be taking place during the combustion, such as 'prompt NO' which is known to occur in hydrocarbon flames only. As it turns out, such additions have a negligible effect on the NO_x formation in the region investigated. (Author)

A78-33382 * Test and evaluation of 23 electric vehicles for state-of-the-art assessment. M. O. Dustin and R. J. Denington (NASA, Lewis Research Center, Cleveland, Ohio). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780290*. 12 p. 18 refs.

Data developed by ERDA used to evaluate the performance parameters of modern electric vehicles is presented with reference to range, acceleration, coast-down, and braking. Eight of the tested vehicles had some type of regenerative braking system, which provided range increases from 1 to 31 percent. In comparison with conventional vehicles, performance was found to be lower, and reliability poorer. Energy consumption was the same, but electric power is less damaging to the environment than hydrocarbon fuels, and does not use up an increasingly scarce resource. D.M.W.

A78-33383 The efficiency improvement of electric vehicles by regenerative braking. R. Kasama, S. Naito, H. Katada (Hitachi, Ltd., Sawa Works, Sawa, Japan), and T. Shibata (Hitachi, Ltd., Tokyo, Japan). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780291*. 12 p.

Generally in electric vehicles regenerative braking is incorporated to increase urban driving range on a single charge and to get the same brake torque as engine brake. In this paper analysis of the regenerative operation by thyristor chopper control is described. Firstly, to clarify regenerative efficiency, the calculation of various losses, such as commutation loss and thyristor loss, which arise at braking mode is discussed, and it is shown that the regenerative efficiency calculated from above losses agrees closely with test results. Secondly, the A.F.C. (Automatic Field Control) regenerative braking system is introduced. As in this A.F.C. regenerative control system, using shunt motor, field current is controlled inversely proportional to motor speed and regenerative operation is obtainable by low motor speed, this system is very suitable for electric vehicles. Thirdly, it is noted that by utilizing this A.F.C. regenerative brake control, actual urban driving range can be increased by approximately 16%. (Author)

A78-33385 Large buses and the Townobile electric city transit system. L. R. Leembruggen (Elroy Engineering Pty., Ltd., Australia). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780293*. 11 p.

Mass transit vehicles are considered in regard to their operational efficiency, i.e., speed, cost, fuel economy, stage of development, and their usefulness in a given urban/suburban situation. Attention is given to the dual-mode Townobile Battery-Trolley coach, which recharges its batteries automatically when riding connected to overhead wires in urban areas, but can operate independently on the stored power when away from the wires in a suburban setting.

D.M.W.

A78-33386 Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion. V. Wouk. *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780295*. 15 p. 20 refs.

Test results on three different configurations of low-emission hybrid vehicles (heat engine/battery-electric hybrids) are presented. Hybrid I is characterized by a quasi-constant manifold vacuum operation; Hybrid II is a parallel hybrid designed as a taxi capable of having the engine operate in an off-on mode with an all-electric operation for low noise and zero emissions in residential communities; Hybrid III is an all-electric series hybrid. The effect of battery depletion on the use of onboard petroleum is assessed. Attention is given to a discussion of the data obtained when measuring the electrical energy required to charge the batteries to the state of energization existing prior to the test during which the batteries discharged. It is shown that fuel consumption is reduced as much as 35% on the FDP (Federal Driving Procedure) for testing emissions and measuring fuel economy, and that more than 50 mpg is obtained on SAE J227a, the standard for measuring range of an electric vehicle on a repetitive test cycle.

S.D.

A78-33387 Electric-flywheel vehicle for postal service applications. T. A. Norman (U.S. Postal Service, Washington, D.C.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780297*. 4 p.

The U.S. Postal Service and the Department of Energy have jointly developed and installed a flywheel system in a 1/4 ton electric postal delivery vehicle. The completed vehicle is undergoing test and evaluation. Electric vehicles have the advantage over existing internal combustion engine vehicles of producing minimum pollution and requiring no oil based fuels. Preliminary test results show that adding a flywheel can significantly improve performance and increase the potential application of the electric vehicle for postal delivery service without an increase in energy consumption.

(Author)

A78-33388 Experimental and theoretical analysis of Wankel engine performance. G. A. Danieli (Calabria, Università, Arcavacata di Rende, Italy), J. C. Keck, and J. B. Heywood (MIT, Cambridge, Mass.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780416*. 23 p. 24 refs.

A model for predicting the performance and emissions characteristics of Wankel engines has been developed and tested. Each chamber is treated as an open thermodynamic system and the effects of turbulent flame propagation, quench layer formation, gas motion, heat transfer and seal leakage are included. The experimental tests were carried out on a Toyo Kogyo 12B engine under both motoring and firing conditions and values for the effective seal leakage area and turbulent heat transfer coefficient were deduced. The agreement between the predicted and measured performances was reasonable. Parametric studies of the effects of reductions in seal leakage and heat transfer were carried out and the results are presented. (Author)

A78-33389 Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo. K. Yamamoto and T. Muroki (Toyo Kogyo Co., Ltd., Japan). *Society of Automotive*

Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780417. 22 p.

A78-33390 An update of the development on the new Audi NSU rotary engine generation. R. van Basshuysen and G. Wilmers (Audi NSU Auto Union AG, West Germany). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780418*. 22 p. 7 refs.

A78-33395 Gas laser with solar excitation. B. F. Gordiets, L. I. Gudzenko, and V. Ia. Panchenko (Akademiia Nauk SSSR, Fizicheskii Institut, Moscow, USSR). (*Izvestiya Akademiia Nauk SSSR, vol. 26, Aug. 5, 1977, p. 163-165.*) *JETP Letters*, vol. 26, Aug. 5, 1977, p. 152-154. 6 refs. Translation.

Gas lasers are found suitable for use with solar energy as a pump source because they provide a high volume of the active medium, coupled with low values for the pump threshold. The dynamics of solar pumped gas lasers are analyzed using CO₂, Br₂, and He. It is noted that the larger part of solar radiation lies in the visible spectrum, which is not especially suitable for pumping, but reactions within the gases are found to render long visible wavelengths somewhat more energetic.

D.M.W.

A78-33573 Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes. M. G. Semena and V. K. Zaripov (Kievskii Politekhnikheskii Institut, Kiev, Ukrainian SSR). (*Inzhenerno-Fizicheskii Zhurnal*, vol. 33, Aug. 1977, p. 255-262.) *Journal of Engineering Physics*, vol. 33, no. 2, Mar. 10, 1978, p. 911-916. 16 refs. Translation.

The experiments described were carried out to study the effective heat conductivity of wicks prepared from sintered copper, nickel, Nichrome, and stainless-steel fibers impregnated with methyl and ethyl alcohol, acetone, and distilled water. The monodisperse discrete fibers measured 20, 30, 40, 50, and 70 microns in diameter. The porosity of the wicks ranged from 10 to 96%. Test temperatures were between 16 and 35 C. The influence of such factors as porosity, fiber diameter, contact thermal resistance, and the heat conductivity of the liquids and fiber materials on the effective heat conductivity of the wicks was investigated. The heat transfer coefficients in the condensation zones of several low-temperature heat pipes employing metal-fiber wicks are calculated.

V.P.

A78-33589 # The extraterrestrial imperative. K. A. Ehrlicke (Space Global, La Jolla, Calif.). *Air University Review*, vol. 29, Jan.-Feb. 1978, p. 2-20.

The exploitation of the space environment for economic gain in the short run, and for the evolution of the human species (in terms of expanded consciousness), is dealt with in three phases: exo-industrialization, exourbanization, and neocosms. The first phase, currently at its beginnings, includes the Space Shuttle and the macrostructures which it will fabricate in orbit, e.g., large reflectors for beaming sunlight to selected areas on the night side of earth for urban illumination, the generation of solar power, and horticulture; as well as facilities for the transmission of solar energy in the form of microwaves (SSPS), and direct beam communications, effecting a quantum leap in the amount of data which can be exchanged among the different regions of earth. The second and third phases, space habitats and Androcells, respectively, envision all of human activity taking place in a space environment, with applications ranging from manned interplanetary expeditions to the production of goods and services for terrestrial use.

D.M.W.

A78-33801 Solar heating - Solar collectors for heating purposes (Le chauffage solaire - Les insolateurs à fonction thermique). M. Touchais (Coopération Méditerranéenne pour l'Energie Solaire, Marseille, France). Villeneuve-Loubet, Alpes-Maritimes, France, Estrel, 1977. 119 p. 10 refs. In French. \$19.85.

Solar collectors for heating systems are discussed, with attention given to heat losses, the optimal collector orientation for Northern

Hemisphere applications, energy output calculations, and design problems encountered when installing solar collectors in an urban environment. Types of collectors described include anticonvective designs, reinforced designs for year-round use, and selective-collection cellular designs. Solar collectors relying on air or water as the heat transfer fluid receive consideration; solar heating systems employing a heat pump to recycle heat losses are also mentioned.

J.M.B.

A78-33803 Fluidized bed combustion of coal and waste materials. L. Yaverbaum, Park Ridge, N.J., Noyes Data Corp. (Pollution Technology Review, No. 35; Energy Technology Review, No. 15), 1977. 278 p. 60 refs. \$39.

In a discussion of coal-fired fluidized beds attention is given to the development of coal-fired fluidized bed boilers, general studies of combustion processes, combustion configurations and cycle designs, studies of alternative concepts and modifications, sorbents for sulfur removal systems, questions of spent stone disposal, regeneration systems for spent stone, particulate control systems, and trace element studies. Problems of waste handling in fluidized beds are also investigated, taking into account residual oil gasification/desulfurization, proprietary disposal systems and special designs, and sewage, industrial, and other waste treatment processes. Aspects of sewage sludge incineration are discussed along with systems for municipal sewage, the combustion of anthracite wastes, char combustion to drive a power plant, radioactive waste incineration, fluidized bed solidification of nuclear wastes, and combustion disposal of manure wastes.

G.R.

A78-34008 The influence of interface states and energy barriers on the efficiency of heterojunction solar cells. H. J. Pauwels and G. Vanhoutte (Gent, Rijksuniversiteit, Ghent, Belgium). *Journal of Physics D - Applied Physics*, vol. 11, Apr. 1, 1978, p. 649-667. 28 refs.

The optimum structure of heterojunction solar cells is studied with reference to the influence of interface states and energy barriers. Diagrams which make it possible to determine the optimum number of band gaps for an energy barrier at the interface and the corresponding optimum efficiency are given. Three types of optimum structures are found. The first, which acts like a Schottky diode solar cell, consists of a weakly doped semiconductor with an optimum band gap which is inverted at the interface, and a strongly doped semiconductor with a larger band gap. The second type consists of a strongly doped semiconductor with an optimum band gap and an energy barrier at the interface which approaches zero from the positive side. The third type consists of a cell similar to the first type but with the strongly doped semiconductor having a smaller band gap.

S.C.S.

A78-34009 Cu/xS/CdS thin-film solar cells using chemically sprayed CdS films. W. C. Siu and H. L. Kwok (Chinese University of Hong Kong, Shatin, Hong Kong). *Journal of Physics D - Applied Physics*, vol. 11, Apr. 1, 1978, p. 669-680. 9 refs.

A study is made of Cu(x)S/CdS thin-film solar cells formed on chemically sprayed CdS films. Particular consideration is given to cell photovoltaic response when the physical properties (such as film deposition parameters, film thickness, grain size and structure, and spectral response) of the chemically sprayed CdS films are changed. It is found that the photovoltaic output is limited by the series resistance and a junction effect when the crystallite size becomes too large. This inhomogeneous structure lowers the shunting resistance and increases recombination losses. It is suggested that a brief annealing at 300 C improves cell performance. The maximum short-circuit current and open-circuit voltage at 1 AMO for an iodine doped cell are 6.2 mA/sq cm and 0.30 V, respectively. A fill factor of 0.5-0.6 at 50% sunlight intensity is obtained.

S.C.S.

A78-34021 # Photovoltaic conversion of solar energy for terrestrial use - The present situation and the developmental trends (Conversione fotovoltaica dell'energia solare per impiego terrestre - Situazione attuale e linee di sviluppo). E. Fanetti, G. Fiorito, C. Flores, and G. Gasparrini (Centro Informazioni Studi ed Esperienze

S.p.A., Milan, Italy). *Alta Frequenza*, vol. 47, Mar. 1978, p. 104-113. 78 refs. In Italian.

The prospects for solar cell development are reviewed, with special attention given to silicon cell manufacturing techniques, cadmium sulfide cells, and the use of thin-film cells for solar concentrators. Silicon cell manufacturing techniques include polycrystalline processes, the Czochralski method, and chemical vapor deposition; costs of these preparation techniques are also assessed. In addition, mass production of solar cells through deposition of thin films of Si, GaAs, CdS or InP on inexpensive substrates receives consideration. The economics of low-cost silicon cell conversion processes and silicon cell concentrating schemes are discussed on the basis of ERDA data.

J.M.B.

A78-34048 The influence of tunneling effects on the efficiency of heterojunction solar cells. P. De Visschere and H. J. Pauwels (Gent, Rijksuniversiteit, Ghent, Belgium). *Applied Physics*, vol. 15, Apr. 1978, p. 413-422. 8 refs. Research supported by the Commission of European Communities and Belgian Ministry of Science.

A theoretical model is developed which presents the transport properties through the space charge region of a p-n heterojunction solar cell, whereby not only recombination through interface states but also tunneling through potential barriers is taken into account. The question of whether tunneling can give rise to optimum heterojunction structures which have better efficiencies than without tunneling is investigated. It is found that tunneling can make the structure optimum only if the strongly doped semiconductor has an optimum bandgap and the weakly doped semiconductor a larger bandgap. In all other cases of optimum structures tunneling lessens the efficiency.

(Author)

A78-34076 # A parametric study of hot water storage for peak power generation. K. W. Li (North Dakota State University, Fargo, N. Dak.). *ASME, Transactions, Journal of Engineering for Power*, vol. 100, Apr. 1978, p. 229-234. 10 refs.

A parametric study of a steam turbine power plant with hot-water storage is presented based on the concept of thermodynamic availability. Parameters affecting the plant performance and its economic acceptance are identified, and fuel cost and storage size are estimated for peak power generation. Expressions relating to the storage power plant performance include the overall peak power conversion efficiency, the storage availability (energy), and the ratio of peaking operation time to off-peak operation time. The basic principle used is an availability balance with allowance for all availability losses. Results of numerical calculations indicate that feedwater storage attached to a conventional power plant can generate additional power, which may be used for peak power production in utility companies.

S.D.

A78-34078 * # Performance and economics of advanced energy conversion systems for coal and coal-derived fuels. J. C. Corman and G. R. Fox (General Electric Co., Schenectady, N.Y.). *ASME, Transactions, Journal of Engineering for Power*, vol. 100, Apr. 1978, p. 252-259. Contract No. NAS3-19406.

The desire to establish an efficient Energy Conversion System to utilize the fossil fuel of the future - coal - has produced many candidate systems. A comparative technical/economic evaluation was performed on the seven most attractive advanced energy conversion systems. The evaluation maintains a cycle-to-cycle consistency in both performance and economic projections. The technical information base can be employed to make program decisions regarding the most attractive concept. A reference steam power plant was analyzed to the same detail and, under the same ground rules, was used as a comparison base. The power plants were all designed to utilize coal or coal-derived fuels and were targeted to meet an environmental standard. The systems evaluated were two advanced steam systems, a potassium topping cycle, a closed cycle helium system, two open cycle gas turbine combined cycles, and an open cycle MHD system.

(Author)

A78-34080 # Power system economics - On selection of engineering alternatives. P. Leung (Bechtel Power Corp., Los Angeles, Calif.) and R. F. Durning. (*American Society of Mechanical Engineers, Joint Power Generation Conference, Long Beach, Calif., Sept. 18-21, 1977, Paper 77-JPGC-Pwr-7.*) *ASME, Transactions, Journal of Engineering for Power*, vol. 100, Apr. 1978, p. 333-343; Discussion, p. 343-346; Authors' Closure, p. 346. 18 refs.

The paper outlines the computation technique of the 'present worth of revenue requirements' method for selection of engineering alternatives primarily for thermal electric power systems. This method of comparison is best suited for selection of competing engineering alternatives, particularly when they have different capital costs, different annual expenses, or expenses may occur intermittently throughout the economic life of the alternatives. The method is discussed in terms of components of revenue requirements, fuel expense, and operating and maintenance expenses. Illustrative examples are presented which stress applications in the electrical, mechanical, and thermodynamic areas of electric power generation. The method is suitable for converting intangible items into tangible dollars in terms of revenue receipts and disbursements enabling the comparison of engineering alternatives on a compatible basis. S.D.

A78-34186 # Emissions from FBC boilers. D. B. Henschel (U.S. Environmental Protection Agency, Research Triangle Park, N.C.). *Environmental Science and Technology*, vol. 12, May 1978, p. 534-538. 5 refs.

Emissions from coal-fired fluidized-bed combustion plants are discussed. The emissions include wastes arising from storage and handling of coal and limestone, the steam cycle effluents, stack gas outputs and solid residues. These emissions may be subject to control by a number of federal regulations, such as source performance standards, ambient air quality standards and hazardous air pollutant emission standards. Control methods for sulfur dioxide, oxides of nitrogen and particulates emitted by fluidized-bed combustors are considered, with special attention given to the sorbent requirements needed to meet sulfur dioxide emissions standards for atmospheric fluidized-bed combustors. J.M.B.

A78-34223 Coal gasification - Better late than never. D. F. Hogsett and B. W. Primeaux (Cities Service Gas Co., Oklahoma City, Okla.). *Energy Communications*, vol. 4, no. 2, 1978, p. 107-127.

This paper justifies the development of coal gasification in the U.S. to supplement dwindling supplies of natural gas. First, the need for development of domestic coal resources is outlined. Then, by means of a comparison with coal fired electric power generation, coal gasification is shown to be economically attractive, particularly to existing gas customers. The status of announced coal gasification projects and the problems encountered are outlined with emphasis on regulatory, financing and timing problems. Possible government support for such projects is discussed. This paper shows that coal gasification will be a part of the future energy picture in the United States. (Author)

A78-34224 SO₂ control technologies - Commercial availabilities and economics. W. H. Ponder, R. D. Stern (U.S. Environmental Protection Agency, Industrial Environmental Research Laboratory, Research Triangle Park, N.C.), and G. G. McGlamery (Tennessee Valley Authority, Muscle Shoals, Ala.). *Energy Communications*, vol. 4, no. 2, 1978, p. 175-212. 28 refs.

The technology, commercial availability, and costs of six SO₂ control technologies are discussed. The technologies are the use of coal with an acceptably low sulfur content, physical and chemical coal cleaning, flue gas desulfurization (FGD) processes, coal gasification, coal liquefaction, and fluidized bed combustion of coal. Availability/cost estimates data for SO₂ control alternatives are provided. It is suggested that essentially all coal-fired electric power plants could achieve compliance operation between now and 1985 through the application of currently available continuous SO₂ emission control technologies, singly or in combination. Combined approaches involving either FGD/coal cleaning or FGD/low-sulfur coal might be more economical than any single approach during the period up to 1985. M.L.

A78-34225 Political and economic justification for immediate realization of a syn fuels industry. J. T. Gallagher (American Lurgi Corp., Hasbrouck Heights, N.J.). *Energy Communications*, vol. 4, no. 2, 1978, p. 213-231. 6 refs.

Patterns of energy use and shortages are considered, and reasons for immediately launching a syn fuels industry (based on synthesized natural gas from coal) are presented. The costs of first generation plants are examined with reference to the contributions that first generation plants would provide to the design of second generation plants. Political, economic, and employment benefits that would result from a large-scale program are indicated. It is suggested that, with government cooperation, four large SNG plants could be built and in operation in less than four years. M.L.

A78-34237 Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma. T. R. Lockner and B. R. Kusse (Cornell University, Ithaca, N.Y.). *Journal of Applied Physics*, vol. 49, Apr. 1978, p. 2357-2364. 27 refs. NSF Grant No. 75-22556.

The trajectories of an intense relativistic electron beam propagating between a toroidal plasma column and a conducting vacuum wall are calculated theoretically and verified experimentally. Three classes of trajectories are observed, including a set of banana-type orbits. The significance of these trajectories on the ability of the beam to transfer energy to the plasma is discussed. (Author)

A78-34256 High conductivity ZnSe films. J. Aranovich, A. L. Fahrenbruch, and R. H. Bube (Stanford University, Stanford, Calif.). *Journal of Applied Physics*, vol. 49, Apr. 1978, p. 2584, 2585. 11 refs. Research supported by the U.S. Department of Energy.

The large band gap (2.7 eV) of ZnSe makes it suitable for photovoltaic heterojunctions in solar energy conversion devices. The material must therefore be available in thin films with moderate resistivity (10-100 Ohm cm). A method for obtaining thin ZnSe films is outlined, whereby vacuum evaporation is effected using three Knudsen cells for simultaneous and independent coevaporation of ZnSe, In or Ga, and Zn. The remaining ZnSe, with all but trace impurities removed, was observed, to offer electrical conductivity comparable to degenerate n-type material with electron densities in the 10 to the 19th per cu cm range. D.M.W.

A78-34273 * Some studies on a solid-state sulfur probe for coal gasification systems. K. T. Jacob (California, University, Berkeley, Calif.; Toronto, University, Toronto, Canada), D. B. Rao (NASA, Ames Research Center, Moffett Field; California, University, Lawrence Berkeley Laboratory, Berkeley, Calif.), and H. G. Nelson (NASA, Ames Research Center, Moffett Field, Calif.). *Electrochemical Society, Journal*, vol. 125, May 1978, p. 758-762. 16 refs.

As a part of a program for the development of a sulfur probe for monitoring the sulfur potential in coal gasification reactors, an investigation was conducted regarding the efficiency of the solid electrolyte cell Ar+H₂+H₂S/CaS+CaF₂+(Pt)/CaF₂/(Pt)+CaF₂+CaS/H₂S+H₂+Ar. A demonstration is provided of the theory, design, and operation of a solid-state sulfur probe based on CaF₂ electrolyte. It was found that the cell responds to changes in sulfur potential in a manner predicted by the Nernst equation. The response time of the cell at 1225 K, after a small change in temperature or gas composition, was 2.5 Hr, while at a lower temperature of 990 K the response time was approximately 9 hr. The cell emf was insensitive to a moderate increase in the flow rate of the test gas and/or the reference gas. The exact factors affecting the slow response time of galvanic cells based on a CaF₂ electrolyte have not yet been determined. The rate-limiting steps may be either the kinetics of electrode reactions or the rate of transport through the electrolyte. G.R.

A78-34274 CuInS₂ liquid junction solar cells. M. Robbins, K. J. Bachmann, V. G. Lambrecht, F. A. Thiel, J. Thomson, Jr., R. G. Vadimsky, S. Menezes, A. Heller, and B. Miller (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). *Electrochemical Society,*

Journal, vol. 125, May 1978, p. 831, 832. 6 refs.

Samples of single crystal CuInS₂ were converted into n-type material of low resistivity. Polycrystalline CuInS₂ powder was pressure sintered to obtain pellets with 99.5 to 99.9% of single crystal density. In both cases the material was annealed in Cd vapor. Current-voltage curves for n-CuInS₂ crystal electrodes exposed to constant tungsten-halogen illumination as a function of temperature were obtained. At 60-75 mW/sq cm insolation levels, cells with different n-CuInS₂ specimens delivered, at ambient temperatures, maximum power outputs corresponding to power conversion efficiencies of 3.5 - 4.3%. The possibilities for practical applications in the case of the n-CuInS₂ based cell depend probably to a large degree on the enhancement of the fill factor to take advantage of the good limiting open circuit and short circuit parameters. G.R.

A78-34331 # Investigation of the energy capacity of wound composite flywheels. (Issledovanie energoemkosti makhovikov iz kompozitov, izgotovlennykh namotkoi). G. G. Portnov and V. L. Kulakov (Akademiia Nauk Latvinskoi SSR, Institut Mekhaniki Polimerov, Riga, Latvian SSR). *Mekhanika Polimerov*, Jan.-Feb. 1978, p. 73-81. 13 refs. In Russian.

The paper analyzes the energy capacity of flywheels fabricated with windings of composite materials with given relations between the deformation and strength characteristics. Maximum-stress criteria are used to determine the greatest energy capacity of the flywheels. The regions of strength and stiffness parameters corresponding to various means of calculating the energy capacity are identified. S.D.

A78-34380 Energy conservation and thermal comfort in a New York City high rise office building. J. T. H. Lammers (Eindhoven, Technische Hogeschool, Eindhoven, Netherlands), L. G. Berglund, and J. A. J. Stolwijk (Yale University, New Haven, Conn.). *Environmental Management*, vol. 2, Mar. 1978, p. 113-117.

Detailed analysis of an energy conservation program implemented on a 46 story government building is presented. Conservation was achieved by reduced lighting, changes in building operating hours, thermostat settings of 20 C in the winter and 27 C in the summer, and the elimination of air conditioning reheat. As a result, energy consumption in the summer was reduced by 54 percent. A survey of the occupants' thermal comfort and the insulating value of their clothing was taken. In the summer 68 percent were comfortable compared with 80 percent in the winter. The insulating value of the clothing worn by the women was consistently less than that of the men; the difference was largest in the summer. Though the temperatures in the occupied spaces were not as cold or as warm as the thermostat settings, the survey indicates that comfort could be improved if occupants dressed more appropriately for the expected thermal environment of the work place. Additional large savings may be achieved in this and similar buildings through a reduction in the energy cost of transporting air and chilled and hot water around the building for the environmental control systems. (Author)

A78-34398 Magma - A potential source of fuels. C. J. M. Northrup, Jr., T. M. Gerlach, P. J. Modreski, and J. K. Galt (Sandia Laboratories, Albuquerque, N. Mex.). *International Journal of Hydrogen Energy*, vol. 3, Mar. 31, 1978, p. 1-10. 29 refs. Contract No. AT(29-1)-789.

Recent calculations and measurements indicate that basaltic magma is a new, extensive source for fuels (hydrogen, carbon monoxide, and methane). The fuel production processes have been found to occur in nature as well as the laboratory and as a result, our work indicates that current concepts of geothermal energy can be broadened beyond producing only steam and heat. When magma is considered as a geothermal resource, its use for the direct production of fuels should be included. It is possible to generate several mole percent hydrogen when water-rich fluid is equilibrated with the ferrous and ferric iron in magma. This paper describes the basis of the fuel production processes, the fuel yields for injected water and water plus natural organic matter (biomass), and the increased

geothermal resources that would be made available by these processes. (Author)

A78-34399 The role of nuclear energy in the more efficient exploitation of fossil fuel resources. W. Seifritz (Eidgenössische Technische Hochschule, Würenlingen, Switzerland). (Symposium Course on Hydrogen Energy and Applications, Puerto Ordaz, Venezuela, Mar. 7-11, 1977.) *International Journal of Hydrogen Energy*, vol. 3, Mar. 31, 1978, p. 11-20. 7 refs.

Energy input/output relations for nuclear and solar systems which interact with fossil fuel use are examined in terms of the energy theory of value. According to this theory, the value of a resource is defined more or less completely by the energy that that resource can produce. An analysis of potential energy production suggests that nuclear power generation offers an efficient way of extending the use of limited fossil fuel resources and of facilitating the transition to a fossil fuel alternative. It is thought that nuclear power would be particularly useful during the transition period when the use of the new alternative energy source would be expected to increase at an exponential rate. The role of nuclear energy in conjunction with energy production from hydrogen is discussed. M.L.

A78-34400 High efficiency water electrolysis in alkaline solution. A. J. Appleby, G. Crepy, and J. Jacquelin (Compagnie Générale d'Electricité, Marcoussis, Essonne, France). *International Journal of Hydrogen Energy*, vol. 3, Mar. 31, 1978, p. 21-37. 30 refs.

The paper examines procedures for increasing the efficiency and lowering the capital cost of state-of-the-art pressure-type electrolyzers which utilize alkaline solutions. The desired improvements, including a doubling of current density accompanied by a halving of the internal resistance, are discussed. Improved electrode activity can be obtained by catalysis and by increasing the effective surface area and temperature. As long as asbestos separators are not used, a temperature increase to 120-130 C, considered feasible, would probably not cause materials problems. It is shown that advanced electrodes are capable of operating at conditions which correspond to isothermal operation. M.L.

A78-34468 * High temperature thermal energy storage, including a discussion of TES integrated into power plants. R. H. Turner (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). Philadelphia, Pa., Franklin Institute Press, 1978. 101 p. 48 refs. \$6.50.

Storage temperatures of 260 C and above are considered. Basic considerations concerning energy thermal storage are discussed, taking into account general aspects of thermal energy storage, thermal energy storage integrated into power plants, thermal storage techniques and technical considerations, and economic considerations. A description of system concepts is provided, giving attention to a survey of proposed concepts, storage in unpressurized fluids, water storage in pressurized containers, the use of an underground lined cavern for water storage, a submerged thin insulated steel shell under the ocean containing pressurized water, gas passage through solid blocks, a rock bed with liquid heat transport fluid, hollow steel ingots, heat storage in concrete or sand, sand in a fluidized bed, sand poured over pipes, a thermal energy storage heat exchanger, pipes or spheres filled with phase change materials (PCM), macroencapsulated PCM with heat pipe concept for transport fluid, solid PCM removed from heat transfer pipes by moving scrapers, and the direct contact between PCM and transport fluid. G.R.

A78-34486 Vehicular gas turbine with ceramic recuperative heat exchanger (Fahrzeuggasturbine mit keramischem rekuperativen Wärmeübertrager). S. Förster, G. Hewing, and M. Kleemann. *Motortechnische Zeitschrift*, vol. 39, Apr. 1978, p. 141-144, 147-149. In German.

A utilization of gas temperatures of about 1300 C at the turbine inlet for an improvement of the operational efficiency of vehicular gas turbines requires a use of ceramic materials for the construction of certain gas turbine components. A description is presented of a ceramic recuperator which is particularly suited for vehicular

propulsion systems of all types with shaft powers of 30 kW and above. The first ceramic recuperator elements which have been developed are to be tested in a comprehensive experimental program with regard to their thermal and operational characteristics. Three manufacturing techniques appear suitable for an inexpensive and reliable production of the recuperator elements from silicon nitride or cordierite. Gas turbines for one-flow and two-flow recuperators for shaft powers of 70 and 140 kW are discussed, taking into account three design examples. G.R.

A78-34511 Testing of solar collectors. H. Tabor (Scientific Research Foundation, Jerusalem, Israel). *Solar Energy*, vol. 20, no. 4, 1978, p. 293-303. 6 refs.

The paper describes the theory and the experimental procedure for connecting a small number of similar collectors in series and then measuring the temperature rise across each collector. Since, at any instant of time, the flow rates and the solar intensity are identical for the collectors, a number of points on the efficiency-temperature curve are obtained from which the characteristic equation of the collectors can be determined. The limitation of temperature rise, the use of a 'standard' day, and the effects of atmospheric conditions are considered. M.L.

A78-34512 Diffuser augmentation of wind turbines. K. M. Foreman, B. Gilbert, and R. A. Oman (Grumman Fluid Dynamics Laboratory, Bethpage, N.Y.). *Solar Energy*, vol. 20, no. 4, 1978, p. 305-311. 10 refs. Contract No. E(11-1)-2616.

The theory of diffuser augmentation is described, and the wind tunnel investigation of models of two diffuser design concepts is considered in an economic analysis of diffuser-augmented turbines (DAWT). One design concept involves the use of the energetic external wind to prevent separation of the diffuser's internal boundary layer, while the other method uses high-lift airfoil contours for the diffuser wall shape. Diffuser model tests indicate almost a doubling of wind power extraction capability for DAWT in comparison with conventional turbines. Economic studies (1975 cost projections) suggest that the specific power costs for a realistic DAWT configuration are lower than the costs for conventional wind turbines for rotors with diameters over 50 m or less than 20 m. M.L.

A78-34513 Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid. W. D. Drotning (Sandia Laboratories, Albuquerque, N. Mex.). *Solar Energy*, vol. 20, no. 4, 1978, p. 313-319. 12 refs. ERDA-supported research.

The optical absorption properties of a high-temperature molten-salt heat-transfer fluid were measured from 0.35 to 2.5 microns using both hemispherical transmission and reflection techniques. This fluid has application as a direct-absorbing working fluid in a high-temperature central-receiver solar-energy facility. To enhance its solar absorption, particulate metallic oxides of Co or Cu were introduced into the fluid. Absorption spectra of these oxide-particle suspensions in the molten salt were determined as a function of dopant concentration ranging from 0 to 0.1 wt% metal nitrate added to the molten salt. The solar-averaged absorption in a fixed layer thickness was calculated for various concentrations of the fluid-particle mixtures. The fluid without oxide particles absorbs approximately 8 per cent of the solar spectrum per cm of path length. Addition of 0.1 wt% of $\text{Co}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ increases this absorption to approximately 90 per cent per cm. (Author)

A78-34514 On the fluctuating power generation of large wind energy converters, with and without storage facilities. B. Sørensen (Copenhagen University, Copenhagen, Denmark). *Solar Energy*, vol. 20, no. 4, 1978, p. 321-331. 19 refs.

Meteorological data for Denmark are used to analyze the power fluctuations and time duration patterns of large hypothetical wind energy generators. When the annual pattern of load variation is taken as the standard, it is found that the power fluctuations from wind energy generators are no greater than the fluctuations in the relation between power used and constant load. The addition of a hypothetical short-term storage capable of delivering the average

power for 10-20 hr would make the wind energy system as dependable as one large nuclear power plant. The requirements for a long-term storage system that would permit full coverage by a wind energy system are discussed. M.L.

A78-34515 Thermochemical energy transport costs for a distributed solar power plant. O. M. Williams (Australian National University, Canberra, Australia). *Solar Energy*, vol. 20, no. 4, 1978, p. 333-342. 19 refs.

Thermochemical energy transport costs are calculated for a solar thermal power plant based on a distributed network of paraboloidal collectors, and the procedure for determining the optimum pipe size distribution is explained. Thermochemical energy transport costs for systems based on ammonia, methanol, water-methane, and sulfur trioxide are dominated by the pipe installation cost, and large collectors tend to have lower installation costs per unit energy than do smaller collectors. The development of pipelaying technology tailored to the requirements of solar thermal power plants is recommended as a means of reducing transport costs. A suggested improvement would involve thermochemical energy transfer systems based on small diameter pipes and hence high system pressures. M.L.

A78-34516 Steering a field of mirrors using a shared computer-based controller. P. O. Carden (Australian National University, Canberra, Australia). *Solar Energy*, vol. 20, no. 4, 1978, p. 343-355. 12 refs.

The paper describes a system for steering a multiplicity of two-axis mirrors by means of a shared computer-based controller. There is no local feedback at the mirrors. The system is applicable to power towers as well as to multifocus paraboloidal mirror systems. Topics discussed include anticipation of the sun's position, mirror coordinate systems, nontracking maneuvers, time sharing, pointing accuracy, rotary actuator, method of communication, and implication for mirror cost and drive mechanism. System operation is explained, economic costs in comparison with other systems are considered, and results from operation are presented. M.L.

A78-34517 * Calibration standards and field instruments for the precision measurement of insolation. M. S. Reid, C. M. Berdahl, and J. M. Kendall, Sr. (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Solar Energy*, vol. 20, no. 4, 1978, p. 357-358. 6 refs. Contract No. NAS7-100.

The design of a fieldworthy survey instrument based on a developed radiation calibration standard is discussed. The radiometer system, a fieldworthy modification of Pacrad, is an all-weather solar radiometer, and a field test is described which demonstrates the instrument's stability in severe environments over an extended period of time. It is suggested that the instrument may be considered a transfer standard as well as a radiometer. It is hoped that future modifications might reduce the 15-deg view angle and improve the tracking system to eliminate weekly manual declination adjustments. M.L.

A78-34520 Energy: Global prospects, 1985-2000. Edited by C. L. Wilson (MIT, Cambridge, Mass.). New York, McGraw-Hill Book Co., 1977. 313 p. \$6.95.

Global energy futures are examined, taking into account critical problems related to the gaps between supply and demand, the decline of the oil era, data concerning the energy demand, aspects of conservation, coal, natural gas, nuclear energy, hydroelectricity, heavy oil, oil sands, oils from shale, a use of solar heat and solar electric energy, the utilization of wind and tidal energy sources, geothermal energy, questions of energy pricing, environment and climate, uncertainties, and national and international issues. An approach for solving the energy problems of the future is discussed. Attention is given to the challenges of forecasting, the overall framework of the considered approach, the world energy price, the world economic growth, the national policy response, oil discoveries and production limits, the principal replacement fuel, and energy and economic growth prospects for the developing countries for the time from 1960 to 2000. G.R.

A78-34603 Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods. M. A. Biot (Royal Academy of Belgium, Brussels, Belgium). *Quarterly of Applied Mathematics*, vol. 36, Apr. 1978, p. 19-38. 15 refs.

A recently developed variational principle of virtual dissipation along with a new approach to the thermodynamics of open systems is applied to coupled mass and heat transfer in a porous solid containing a fluid. General differential field equations are derived directly from the variational principle. A general energy flux theorem is formulated. Vapor-liquid phase transition and capillary condensation are discussed. Field equations for nonequilibrium adsorption are also obtained. Lagrangian equations with generalized coordinates are derived directly from the variational principle without use of the field equations. They provide the foundation of finite-element methods as well as of many other techniques particularly suitable in geothermal systems analysis. (Author)

A78-34631 * Preliminary results on the conversion of laser energy into electricity. R. W. Thompson, E. J. Manista, and D. L. Alger (NASA, Lewis Research Center, Cleveland, Ohio). *Applied Physics Letters*, vol. 32, May 15, 1978, p. 610, 611. 11 refs.

A preliminary experiment was performed to investigate conversion of 10.6 micron laser energy to electrical energy via a laser-sustained argon plasma. Short-circuit currents of 0.7 A were measured between a thoriated-tungsten emitter and collector electrodes immersed in the laser-sustained argon plasma. Open-circuit voltages of about 1.5 V were inferred from the current-voltage load characteristics. The dominant mechanism of laser energy conversion is uncertain at this time. Much higher output powers appear possible. (Author)

A78-34677 How do alternative powerplant costs compare. G. Mauri, G. P. Fetterman, Jr., and R. L. Ricci (Exxon Enterprises, Inc., New York, N.Y.). *Automotive Engineering*, vol. 86, May 1978, p. 39-41.

Initial and operating costs are compared for four advanced automotive powerplants: an advanced spark ignition engine, a battery-powered electric motor, a diesel engine, and a diesel-electric hybrid. These systems are studied through computer simulations of vehicle operation over a specific driving cycle which yielded energy consumption estimates. Two types of vehicles are considered: a subcompact passenger car designed primarily for urban/suburban use but capable of cruising at 100 km/hr and mixing safely with suburban traffic; and a full-size car designed for comfortable interstate-highway operation as well as local driving. Power requirements, energy consumption, and cost comparison data are tabulated and discussed for both types of vehicles equipped with the four power systems. It is shown that for subcompacts the all-electric propulsion system can provide an attractive vehicle for local transportation, and that for full-size cars the fuel savings of the diesel and diesel-electric hybrid make them economically attractive. S.D.

A78-34847 New TiO_x-MIS and SiO₂-MIS silicon solar cells. P. Van Halen, R. P. Mertens, R. J. Van Overstraeten, J. Van Meerbergen (Leuven, Katholieke Universiteit, Heverlee, Belgium), and R. E. Thomas (Carleton University, Ottawa, Canada). *IEEE Transactions on Electron Devices*, vol. ED-25, May 1978, p. 507-511. 11 refs. Research supported by the Nationaal Fonds voor Wetenschappelijk Onderzoek.

Two new types of solar cells are described in which either a TiO_x or a SiO₂ layer is deposited onto p silicon; contacts are obtained by means of a MIS tunnel diode grid. It is shown that the TiO_x-MIS cells can be realized by single-mask completely low-temperature processing by employing spin-on of titanium-oxide antireflective coating. Conversion efficiencies of 8% at AM1 have been achieved with these cells; they perform even more efficiently at higher illumination levels. With the SiO₂-MIS cells efficiencies of 12% have been reached, at the expense of a slightly more complicated process. A detailed comparison between the two cells is given. (Author)

A78-34850 A computer analysis of Ga(1-x)Al(x)As-GaAs solar cells with multilayered window structure. A. Usami, Y. Hamamoto, and M. Sonobe (Nagoya Institute of Technology, Nagoya, Japan). *IEEE Transactions on Electron Devices*, vol. ED-25, May 1978, p. 546, 547. 7 refs.

Numerical calculations have been made of the spectral response and conversion efficiency of Ga(1-x)Al(x)As-GaAs solar cells with multilayered window structures. Maximum conversion efficiencies of about 20% are predicted, equaling those achieved with graded band-gap solar cells, for the case of three-layered window structures. (Author)

A78-34877 Significance of the space imagery for studies of the petroleum platform areas. P. V. Florenskii (Akademii Nauk SSSR, Geologicheskii Institut, Moscow, USSR) and A. S. Petrenko (Moskovskii Institut Neftekhimicheskoi i Gazovoi Promyshlennosti, Moscow, USSR). In: Remote sensing of earth resources. Volume 6 - Annual Remote Sensing of Earth Resources Conference, 6th, Tullahoma, Tenn., March 29-31, 1977, Technical Papers. Tullahoma, Tenn., University of Tennessee, 1977, p. 441-464. 13 refs.

Scanner imagery from Landsat-1 and from the Soviet Meteor series satellites was used as an aid in clarifying the plutonic structure of the Lower Volga region of the Soviet Union. The space imagery provided useful information on the geological lineaments of the area and served to define boundaries of deep-seated Precambrian blocks and to locate anticlines containing petroleum and natural gas. The relationship between the space imagery and the internal structure of the region was elucidated by reference to neotectonic formations, gravimetric geodesy and magnetic field measurements. J.M.B.

A78-34905 * # Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River. T. A. Talay (NASA, Langley Research Center, Hampton, Va.), K. W. Sykes, III, and C. Y. Kuo (Old Dominion University, Norfolk, Va.). *Virginia Academy of Science, Annual Meeting, 56th, Virginia Polytechnic Institute and State University, Blacksburg, Va., May 9-12, 1978, Paper. 18 p.*

A78-34932 The effects of air leaks on solar air collector behaviour. D. J. Close and M. B. Yusoff (North Queensland, James Cook University, Townsville, Australia). *Solar Energy*, vol. 20, no. 6, 1978, p. 459-463.

The construction of conventional solar air collectors and the fact that they will operate with a significant pressure difference between the heated air stream and ambient, suggests that significant quantities of air may leak into or out of them. A search of the literature reveals no consideration of the effects these air leaks may have on the validity of collector efficiency measurements, on the efficiency itself, or indeed what the meaning of efficiency is under such operating conditions. This paper discusses the meaning of collector efficiency when leaks into the collector occur, analyses the effects on efficiency measurements, and solves the collector efficiency for the simple case of a constant leakage rate along the collector. Assuming that air leaking in from ambient can replace deliberate fresh air supply to the load as in building heating, then significant measurement errors are made if air leaks in to the collector are not accounted for. Further, the collector efficiency is increased over the no leak case, so that complex construction methods to make the collector air tight are probably not warranted. (Author)

A78-34933 Sunstations. E. Berman (Boston University, Boston, Mass.), A. Braunstein (Tel Aviv University, Tel Aviv, Israel), and D. Biran. *Solar Energy*, vol. 20, no. 6, 1978, p. 465-467.

A method of obtaining insolation data is described which provides information directly usable in the sizing of solar equipment. The method is particularly valuable for the collection of data at a large number of sites where equipment cost and availability of technically trained personnel are critical. The device consists of a calibrated solar cell, and electrochemical accumulator and associated electronic equipment having the following characteristics: capacity 3600 kWh/sq m; temperature range -55 to +71 C; low cost; no field maintenance; reproducibility + or -5%. (Author)

A78-34934 Optimization models for the economic design of wind power systems. H. M. Bae (Consolidated Papers, Inc., Wisconsin Rapids, Wis.) and M. D. Devine (Oklahoma University, Norman, Okla.). *Solar Energy*, vol. 20, no. 6, 1978, p. 469-481. 12 refs.

Optimization models are presented for the economic design of large-scale wind power systems. Two basic models are introduced: (1) systems without storage - all power generated is fed directly into the existing network, and (2) systems with storage - the systems are operated as part of base load or peak load capacity. The objective of the models is to maximize the total net value of power generated under assumed operating rules and general conditions regarding wind speed and demand variations. The model for wind power systems without storage is developed to determine the total capacity of wind turbines that vary in the values of design parameters such as rotor diameter, tower height, and rated power. The model for systems with storage uses an analytical storage model as a basis of representing storage requirements. The model is designed for the case of little serial correlation in successively measured wind speeds. It is then modified for the case of a low degree of correlation. Separable programming is used as a solution technique in both models and limited computational results, based on available cost estimates and Oklahoma wind and demand data, are presented to illustrate the use of the models. (Author)

A78-34935 Probability models of wind velocity magnitude and persistence. R. B. Corotis, A. B. Sigl, and J. Klein (Northwestern University, Evanston, Ill.). *Solar Energy*, vol. 20, no. 6, 1978, p. 483-493. 5 refs. NSF Grant No. AER-75-00357; Contract No. EY-76-S-06-2342.

Hourly wind data from the National Climatic Center are used to study probability density functions of wind velocity and wind power and run duration persistence. Observed histograms of velocity are compared with the chi-2 and Weibull distributions using goodness-of-fit statistics, and wind power histograms are compared with distributions derived from these. From an engineering standpoint, the observed histograms compare well with the models, although discrepancies exist. Over the power ranges of interest for wind energy conversion, taking into account the effects of wind generator response characteristics (cut-in, feathering, etc.), the models appear promising. Velocity run duration histograms above and below fixed levels are constructed and compared with both an exponential and power law persistence model. Calibrating the exponential model from the observed mean duration leads to reasonable estimates for the longer runs. A simplified technique of scaling the power law model from the mean seasonal velocity at a site gives good run duration estimates, except for the longer runs. (Author)

A78-34936 Thermic diode solar panels for space heating. S. Buckley (MIT, Cambridge, Mass.). *Solar Energy*, vol. 20, no. 6, 1978, p. 495-503. 14 refs. Research supported by the Cabot Solar Energy Fund, NSF, and ERDA.

The paper describes the design and operation of thermic diode panels. A single 2 x 8 ft panel contains all the elements of a complete solar energy system: collectors, controls, storage, heat exchangers, and ducting. Heat is transferred from the collector to the storage layer by natural flow of heated water, the flow being controlled by a

check valve that permits flow from the collector to the storage layer when the sun is shining, but as the collector cools, prevents return flow from the storage layer. Results of simulations of thermic diode panel performance are presented, and their predicted performance is at least as good as that of conventional solar space heating systems. They promise cost savings due to their modularity and integral cool collector/storage design. P.T.H.

A78-34937 A cellwise method for the optimization of large central receiver systems. F. W. Lipps and L. L. Vant-Hull (Houston, University, Houston, Tex.). *Solar Energy*, vol. 20, no. 6, 1978, p. 505-516. Contracts No. E(04-3)-1188; No. EG-76-G-05-5178.

The collector field of a central receiver type solar power system is modeled as a number of rearrangeable cells, each of which consists of several hundred heliostats. The paper describes an optimization procedure carried out in order to determine the best of four possible arrangements of the heliostats in a cell: (1) radially oriented cornfields, (2) radially oriented staggers, (3) north-south oriented cornfields, and (4) north-south oriented staggers. P.T.H.

A78-34953 Laser fusion. C. M. Stickley (U.S. Department of Energy Office of Laser Fusion, Washington, D.C.). *Physics Today*, vol. 31, May 1978, p. 50-56, 58.

The principles of laser fusion are reviewed with attention to the Lawrence Livermore Shiva Nova facility. The ultimate object of laser fusion is to produce heat to drive turbines to produce electricity. The energy is obtained through high energy neutrons, produced when multiple shell (Nd:glass) targets are imploded by (CO₂) laser pulses. New technologies are designed for yields in the 300 kJ range. Four categories of interaction physics leading to the thermonuclear burn are mentioned: absorption in the less dense plasma corona, transport of energy from the absorption region to the pellet core, compression, and fusion burn at the core. Particle-beam development is discussed with reference to high current pinch and beam focusing. Also discussed is the possibility of using ions for driving targets. It is noted that ions lose their energy near the end of their path through a target shell, so that energy deposition occurs deep within the target, and that ions produce virtually no bremsstrahlung or backscatter. Another option in the realm of nuclear power is a fission-fusion hybrid reactor, i.e., a subcritical fission reactor driven by an internal source of high energy neutrons from a fusion burner. D.M.W.

A78-34972 Energy storage (Energiespeicherung). G. P. Merker (München, Technische Universität, Munich, West Germany). *Brennstoff-Wärme-Kraft*, vol. 30, Apr. 1978, p. 162-164. 88 refs. In German.

A survey is provided of investigations, published during the year 1977, which are concerned with the storage of energy. Attention is given to the storage of primary energy in salt caverns, the subterranean storage of oil and liquid gas, questions of coal storage, the storage of compressed air in caverns, the use of the energy in the underground of cities for the heating of buildings with the aid of heat pumps, the economy of long-term and short-term hot water storage, a preliminary comparison of energy storage costs for energy storage systems of different types, artificial lakes for the storage of solar energy, hydrates and eutectics for the storage of low-temperature heat, the possibilities for a long-term storage of solar energy, thermally stratified hot water storage tanks, the production and seasonal storage of hot water to heat a city, reversible chemical reactions for thermal energy storage, thermal energy storage using sodium sulfate decahydrate and water, the use of transition metal compounds to sensitize a photochemical energy storage reaction, and a thermal energy storage concept for solar Brayton power plants. G.R.

A78-34973 Thermal refuse treatment (Thermische Müllbehandlung). R. Rasch. *Brennstoff-Wärme-Kraft*, vol. 30, Apr. 1978; p. 164-170. 136 refs. In German.

The various approaches and procedures involved in the disposal of municipal refuse are examined. Refuse incineration is an important part of a suitable waste management program. Appropriate deposition procedures are required for the disposal of pyrolysis residue products. Attention is given to waste management developments in the U.S., refuse disposal in Japan, aspects of refuse pretreatment, degassing and gasification of refuse, refuse incineration, high temperature corrosion problems, flue gas purification, pyrolysis in the case of refuse with special characteristics, and aspects of sludge disposal. An extension of refuse-incineration methods involving a utilization of the thermal energy appears to represent the best solution for refuse disposal problems in densely populated areas on the basis of expediency and environmental and economic considerations. G.R.

A78-34974 Refuse-derived fuel wins out over oil and coal at new industrial power plant. B. Schwieger. *Power*, vol. 122, May 1978, p. 33-38.

The paper describes the planning and components of a semi-suspension-firing/waterwall-furnace system which will use municipal and commercial garbage to generate steam and electricity for industrial use. The advantages of this technology in comparison with other technologies are considered. Several aspects of plant design, including refuse-pit unloaders, air classifiers, back-up coal and fuel-oil handling systems, environmental control, and fire protection, are discussed. Problems associated with contracting for garbage are examined. M.L.

A78-35052 # Calculation of porous-particle combustion (K raschetu gorenii poristoi chastitsy). A. M. Golovin and V. R. Pesochin. *Fizika Goreniia i Vzryva*, vol. 14, Jan.-Feb. 1978, p. 11-18. 20 refs. In Russian.

A theoretical investigation in the quasi-steady approximation of the combustion of carbon particles at high temperature (up to 2500 K) and high pressure is performed. Consideration is given to changes in pore size, degree of porosity and the character of the reaction surface; the effects of convective transfer in the pores on burning rate are also examined. It is found that surface reactivity is negligibly small compared to reactivity inside the pores. B.J.

A78-35091 # Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators (K vyboru teplovyykh rezhimov raboty sistemy reaktor-kondensator elektrokhimicheskikh generatorov toka). E. N. Bukreev, A. B. Guliaenko, A. I. Kalinchak, and Iu. L. Tonkonogii (Odesskii Tekhnologicheskii Institut Pishchevoi i Kholodil'noi Promyshlennosti, Odessa, Ukrainian SSR). *Inzhenerno-Fizicheskii Zhurnal*, vol. 34, Apr. 1978, p. 642-647. In Russian.

The paper deals with an investigation of the influence of the thermal mode of the reactor/condenser system on the efficiency of an electrochemical current generator. The mass transfer characteristics of the system are examined, and the permissible range of variation of the fluid temperature at the reactor and condenser inputs is determined. A system of equations describing the system parameter interaction is derived and solved. Analysis of the solution reveals the existence of an optimal fluid temperature, at the condenser input, which depends on the temperature selected for the reactor, and also the existence of an optimal transverse water-vapor mass flow. This makes it possible to determine the optimal condenser area. V.P.

A78-35171 Nitric acid cycle process for extracting thermal energy from low-level heat sources. N. Wakao and K. Nojo (Yokohama National University, Yokohama, Japan). *Nature*, vol. 273, May 4, 1978, p. 25-27.

Attention is given to a nitric acid cycle process for recovering thermal energy from a low-level heat source. The process is based on the heat generated when nitric acid and water are mixed. Nitric acid forms a maximum boiling point azeotrope with water. The azeotrope at 9 mm Hg is approximately 65% nitric acid and boils at 25 C. At this pressure water boils at 9.7 C. The mixture of nitric acid and water is separated into 65% nitric acid and water in distillation columns. Warm (28 C) surface seawater is used as the heating medium and cold seawater (5-7 C) as the cooling medium. Instead of a single distillation tower, two or more columns are operated at different low pressures. In calculating heat recovery, heat losses are not assumed in the transfer lines or mixing tanks. A 4% overall useful heat gain is estimated. S.C.S.

A78-35179 Hydrogen as an energy carrier: Production, storage, transport. (Wasserstoff als Energieträger: Herstellung, Lagerung, Transport). N. Getoff (Wien, Universität, Vienna, Austria). Research supported by the Bundesministerium für Wissenschaft und Forschung of Austria. Vienna, Springer-Verlag, 1977. 433 p. 475 refs. In German. \$45.10.

The basic techniques involved in producing hydrogen by electrolytic and thermochemical methods are discussed with attention to the use of solar and nuclear energy to provide the necessary power for hydrogen extraction. Thermodynamic principles are reviewed, together with various proposals for the design of electrolytic materials. Hydrogen-yielding chemical reactions are described, especially those which are by-products of coal and petroleum technology, e.g., coking, catalytic cracking, desulfurization, etc. Suggestions for the storage of hydrogen are presented, including one- and two-wall tanks, liquification, and metal hydrides. Also considered are problems arising from the transport of both liquid and gaseous hydrogen, especially safety and security. D.M.W.

A78-35280 Alternative energy sources in the USSR. R. Grünbaum (Swedish Embassy, Moscow, USSR). *Ambio*, vol. 7, no. 2, 1978, p. 49-55. 22 refs.

A broad survey of alternative energy sources in the USSR is presented. Soviet estimates suggest that within the next 10-15 years wind and solar energy for electricity production may reach 7 TWh per year. Research and development in wind energy is concentrated in the elevation and desalination of ground and seawater, the powering of irrigation equipment, the protection of pipelines against corrosion, and the powering of household equipment. Solar energy research is associated with the pumping and desalination of water for livestock, solar heating and cooling, the powering of household appliances, the powering of communications equipment, and the use of pulsed solar irradiation for plant breeding. Tidal power plants are in operation along the European coast of the USSR, and the conversion from geothermal to electrical energy is being practiced in the southern portion of the Kamchatka Peninsula on the Pazhetsk River. S.C.S.

A78-35281 Solar Sweden. T. B. Johansson (Secretariat for Future Studies, Stockholm; Lund, Universitet, Lund, Sweden) and P. Steen (Secretariat for Future Studies, Stockholm, Sweden). *Ambio*, vol. 7, no. 2, 1978, p. 70-74.

An energy system for Sweden based on renewable energy sources is outlined with attention to technical, economic, and organizational factors of the project. Assumptions are made regarding energy use in 2015, including estimates of population, the production of goods and services, and specific energy use. The solar energy influx per year in Sweden is calculated. Renewable energy sources such as hydropower, windpower, solar cells, aquatic energy, biomass, and solar heating are discussed with reference to industrial combustion and cogeneration, fuel cells, methanol production, and district heating cogeneration. S.C.S.

A78-35282 Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions. W. G. Thompson and R. L. Anderson (Syracuse University, Syracuse, N.Y.). *Solid-State Elec-*

tronics, vol. 21, Apr. 1978, p. 603-608. 13 refs. NSF-supported research.

Measurements on indium-tin-oxide/Si (ITO/Si) heterojunctions indicate that the conduction band discontinuity at the interface is of the order of 0.45 eV for ITO with 9 mole-% SnO₂. This value is inappropriate for use of ITO/Si heterojunction cells for photovoltaic energy conversion. It is too large for ITO/p-Si cells and too small for ITO/n-Si devices. For either type of device the resultant built-in voltage is inadequate for high-efficiency solar cells. The maximum solar conversion efficiencies obtained are of the order of 0.3%. These results are in disagreement with previous work on ITO/Si heterojunctions. (Author)

A78-35287 Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor (SIS) heterojunction solar cell. H. J. Pauwels and P. de Visschere (Gent, Rijksuniversiteit, Ghent, Belgium). *Solid-State Electronics*, vol. 21, Apr. 1978, p. 693-698. 9 refs.

A78-35297 Refuse without imperfection - Refuse combustion with combined sediment processing (Müll ohne Makel - Müllverbrennung mit kombinierter Klärschlamm-Mitverarbeitung). H. Koch (Widmer und Ernst GmbH and Co., Bad Hersfeld, West Germany) and W. Trebing (Abfalltechnik GmbH, Essen, West Germany). *Energie*, vol. 30, Mar. 1978, p. 94-97. In German.

The sludge deposits obtained in the sedimentation process are subjected to a preliminary drying procedure. The resulting product is mixed with dried sludge and dried in a hammer mill. In the hammer mill the material is dispersed and brought into contact with flue gas. The heat content of the flue gas is utilized to vaporize the main part of the water which is still in the sludge. A part of the dried sludge is mixed with the product of the preliminary drying procedure. The remainder can be used as soil improvement material in agriculture or horticulture. It can also be introduced into the combustion chamber and be burnt. Organic odorants are eliminated by burning in the combustion chamber. Attention is also given to details concerning the utilization of the energy contained in the sludge, the experience obtained with the described system in the refuse disposal plant of a German city, and the flue gas washer. G.R.

A78-35300 Giant laser system readied for tests. B. M. Elson. *Aviation Week and Space Technology*, vol. 108, May 15, 1978, p. 71, 73, 74.

The 10,000 J neodymium:glass laser fusion system, Shiva, is described in terms of its design and operating characteristics. The system is intended to produce 30 terawatt optical power bursts in nanosecond pulses as part of a research effort to develop an inertially confined fusion pellet power generator. The principle of laser fusion, i.e., fuel compression to 1000-10,000 times its liquid density, resulting in plasma temperatures of 100 million K, is compared with the more traditional magnetic confinement schemes. A successor to Shiva, Nova, is also discussed. Nova is designed to use the data obtained from Shiva to provide the basis for a program which stresses the practical aspects of laser fusion. D.M.W.

A78-35361 A comparison of some alternative domestic energy systems. A. Brown (University of Wales Institute of Science and Technology, Cardiff, Wales). *Applied Energy*, vol. 4, Apr. 1978, p. 127-144. 12 refs.

Solar energy, a heat pump system employing air as the working fluid, and a conventional space and water heating system are compared in terms of their efficiency and economic benefits in residential applications. The heat pump is assumed to use air down to two deg C as a heat source; solar energy systems with heat pump upgrading of a conventional radiator-pipe hot water system, with blown-air space heating and heat pump upgrading for hot water, and with blown-air space heating and boiler upgrading for hot water are also studied. An analysis of capital and running costs for the systems indicates the solar energy blown-air space heating design is the most effective. J.M.B.

A78-35362 Radiation heat losses in solar collectors with plastic covers. M. Sikkens (Groningen, Rijksuniversiteit, Groningen, Netherlands). *Applied Energy*, vol. 4, Apr. 1978, p. 145-151. 6 refs.

A78-35411 Optical performance of absorber-reflector combinations for photothermal solar energy conversion. A. Donnadieu and B. O. Seraphin (Arizona, University, Tucson, Ariz.). *Optical Society of America, Journal*, vol. 68, Mar. 1978, p. 292-297. 14 refs. Contract No. E(29-2)-3709.

For a number of absorber-reflector combinations the reflectance spectrum and the figure of merit a/e have been computed numerically in order to find an optimum set of parameters. Values of a/e in excess of 20 result for an absorber consisting of 0.5 micron Ge on a silver reflector, overlaid by 2.0 microns Si carrying a four-layer antireflection sequence in which the refractive index varies from 2.79 to 1.43. To maximize the optical acceptance angle the antireflection coatings must vary the refractive index in a graded profile from the value of index silicon to the one of air. (Author)

A78-35420 Energy modeling and forecasting at the U.S. Energy Research and Development Administration. R. H. Williamson and E. J. Hanrahan (U.S. Department of Energy, Washington, D.C.). *Nuclear Technology*, vol. 39, June 1978, p. 10-17. 9 refs.

The application of a combined set of energy and economic models describing the complex interactions of the nation's energy system improved the planning processes at the U.S. Energy Research and Development Administration for new technology development. The models include econometric techniques for macroeconomic projections, input-output techniques for sector detail, linear programming approaches for resource allocation, and accounting tools for other physical constraints. Comparison studies on the use of energy prices alone versus a combination of energy prices and new technology show that new technology permits higher gross national product growth rate, more jobs, lower delivered energy prices, and improved energy-economic efficiency. (Author)

A78-35423 # Problems and progress in developing the automotive gas turbine. F. Hirschfeld. *Mechanical Engineering*, vol. 100, May 1978, p. 40-49.

An employment of automotive gas turbines has been considered for some 25 years. However, such a gas turbine has still not come into production. A key factor appears to be the necessity to reduce fuel consumption. The next step would involve the construction of an efficient turbine which would demonstrate a clear competitive advantage. Increments in fuel economy could be achieved by means of increases in turbine inlet temperatures. Other advances considered are related to the development of a single-shaft machine, the design of a ceramic radial turbine, improved emissions control, and a suitable catalytic combustor. Attention is also given to developments concerning high-temperature ceramic components, approaches for obtaining a high efficiency, centrifugal compressor performance, and the step-wise introduction of ceramics into an all-metal engine. G.R.

A78-35444 MHD's target - Payoff by 2000. E. Levi (New York, Polytechnic Institute, Brooklyn, N.Y.). *IEEE Spectrum*, vol. 15, May 1978, p. 46-51.

The magnetohydrodynamic (MHD) technique for generating electricity involves the interaction between a magnetic field and a conducting medium that is fluid rather than solid, as in conventional generators. In connection with the desirability to improve the efficiency of fuel utilization, programs are being conducted in a number of countries to translate the MHD concept into a viable, commercially acceptable energy-conversion technology. In the U.S. it is planned to have an operational pilot plant as early as 1985, and a base/load commercial demonstration plant before 1995. The MHD program in the U.S. emphasizes the use of coal in a combined MHD/steam energy-conversion system. All the rigid structures in MHD generators are stationary. This makes an operation at elevated

temperatures approaching 3000 K feasible. Consequently, higher efficiencies are possible with MHD systems than with conventional plants. Attention is given to physical constraints, the status of key components in the U.S., approaches towards commercial demonstration, and aspects of international cooperation between the U.S. and the U.S.S.R. G.R.

A78-35560 Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures. W. C. Louie and D. C. Miller (Smith, Hinchman and Grylls Associates, Inc., Detroit, Mich.). *ASHRAE Journal*, vol. 20, May 1978, p. 39-42.

A78-35574 Offshore and underground power plants. Edited by R. Noyes. Park Ridge, N.J., Noyes Data Corp. (Energy Technology Review, No. 19; Ocean Technology Review, No. 6), 1977. 319 p. \$42.

The underground pumped storage concept is examined, taking into account site selection, site investigation, access to underground facilities, material and equipment handling, shaft construction, rates of construction, upper-reservoir facilities, the function of the lower reservoir, power plant facilities, and aspects of schedule, costs, and operation. Underground nuclear power plants are discussed along with floating shallow water nuclear plants, floating deepwater nuclear plants, seabed and island nuclear plants, offshore coal-fired power plants, wave power, tidal power, the possibility to obtain electric power from oceanic currents, a utilization of salinity gradients, and sea thermal power plants based on thermal gradients. Products and services considered in connection with an evaluation of offshore windpower systems are related to the heating and cooling of buildings, firm-power-on-demand electricity, peak power electricity, hydrogen for the fueling of aircraft and other transportation systems, and nitrogenous fertilizer. G.R.

A78-35576 International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. Conference sponsored by the American Institute of Aeronautics and Astronautics. New York, American Institute of Aeronautics and Astronautics, Inc., 1978. 444 p. Members, \$45.; nonmembers, \$50.

The development of an axially grooved heat pipe with non-constant groove width is considered along with a variable conductance heat pipe for terrestrial applications, experiments with gravity assisted heat pipes with and without circumferential grooves, the supersonic flow of vapor in the condensation zone of high temperature heat pipes, numerical calculations on the vapor flow in a flat-plate heat pipe with asymmetrical boundary conditions, entrainment limits in heat pipes, the dry-out limits of gravity assist heat pipes with capillary flow, the performance evaluation of gravity-assisted copper-water heat pipes with liquid overfill, and emerging heat pipe applications. Attention is also given to heat pipe mirrors for high power lasers, a sodium vapor heat pipe laser cell, technical applications of heat pipes in the low and high temperature range, compatibility tests of various heat pipe working fluids and structural materials at different temperatures, a gas-controlled thermostat, the investigation of a cryogenic thermal diode, the reliability of low-cost liquid metal heat pipes, and a thermal canister experiment for the Space Shuttle. G.R.

A78-35578 # A variable conductance heat pipe for terrestrial applications. W. Molt (Dornier System GmbH, Friedrichshafen, West Germany). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 10-14, 5 refs. (AIAA 78-377)

A new type of variable conductance heat pipe, the Liquid Controlled Heat Pipe (LCHP), has been developed. While the gas controlled heat pipe is able to stabilize the temperature of the heating zone, the LCHP limits the temperature of the cooling zone to a certain adjustable value. The physical principle is to regulate the heat transfer capability by regulating the amount of liquid inside the

heat pipe. The liquid is partly stored in a reservoir with a variable volume, as for example, a bellows. The temperature of the cooling zone, corresponding to the vapor pressure inside the heat pipe, can be adjusted by the outer pressure (gas or spring) on the bellows. The LCHP is applicable where heat is needed at a constant temperature or where the vapor pressure inside a heat pipe has to be limited.

(Author)

A78-35585 # Emerging heat pipe applications. A. Basuilis and D. J. Formiller (Hughes Aircraft Co., Torrance, Calif.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 59-62. 9 refs. (AIAA 78-390)

The article discusses the application of heat pipes in various industrial, military, and space projects. Several types of heat pipes are described, including simple cylindrical heat pipes, switching heat pipes, thermal diodes, variable conductance heat pipes, and vapor chambers. Potential future applications of heat pipes are identified in the fields of electronics, spacecraft thermal control, heat pipe recovery systems, and missile applications. S.C.S.

A78-35586 # Heat pipe mirrors for high power lasers. R. R. Barthelemy, D. Rabe (USAF, Aero Propulsion Laboratory, Wright-Patterson AFB, Ohio), and D. Jacobson (Arizona State University, Tempe, Ariz.; USAF, Aero Propulsion Laboratory, Wright-Patterson AFB, Ohio). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 63-70. 11 refs. (AIAA 78-391)

The test and evaluation of cylindrical copper-water heat pipe mirrors for application in high power lasers were conducted. Testing of the heat pipe mirror determined its ability to reduce thermal distortions in comparisons with water cooled and uncooled mirrors. The experiments were conducted on a 10 kilowatt carbon dioxide laser. The test mirror was placed in an interferometer and simultaneously irradiated with a laser beam of approximately 2.1, 5.7 and 7.6 KW/sq cm over an area of 3.8, 1.4 and 1.0 sq cm respectively. Changes of the mirror surface figure were recorded in high speed motion pictures. The results from these tests indicate that heat pipe mirrors are practical mirrors for high power applications. (Author)

A78-35587 # Sodium vapor heat pipe laser cell. J. E. Deverall and G. W. York (California, University, Los Alamos, N. Mex.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 71-75. Research sponsored by the U.S. Department of Energy. (AIAA 78-392)

A sodium heat pipe cell containing high-voltage discharge plates was constructed to study the band absorption of light by the sodium dimer and to determine the feasibility of creating a metal vapor laser. Spectrographic measurements indicated that the increase in sodium dimer population with temperature resulted in 90% light absorption at 970 K. High-voltage discharges in the sodium vapor dissociated the dimers and restored transparency to the medium. No lasing action of the sodium vapor with high-voltage discharges was observed either because of insufficient ionization or nonuniformity of the ionization over the plate area. (Author)

A78-35588 # A large scale heat exchanger with polygonally configured heat pipe units. T. Koizumi, S. Furuya, K. Matsumoto, and K. Karawawa (Furukawa Electric Co., Ltd., Tokyo, Japan). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 76-79. (AIAA 78-393)

* A large scale heat exchanger with polygonally configured heat pipe units is proposed, for heat recovery system with large gas flow rate. The length of a heat pipe is restricted by the maximum heat transfer limit and the limit of fabrication, and therefore the height/width ratio of the face area becomes unbalanced if the heat pipes are arranged in traditional rectangular prism configuration. This makes the installation space unfavorably large and unsymmetrical, and then ducting work also becomes much more difficult. The problem can be resolved by introducing a novel arrangement of heat pipe elements in polygonal configuration. This paper describes outline of the large heat exchanger, some design examples and experimental results of a model heat exchanger with hexagonally configured heat pipe units. (Author)

A78-35589 # Technical applications of heat pipes. O. Brost, M. Groll, and W. D. Münzel (Stuttgart, Universität, Stuttgart, West Germany). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 80-87. 11 refs. (AIAA 78-396)

Heat pipes have been developed to prototype and series-production level for various commercial applications. The low temperature applications comprise: high-performance fixed conductance and variable conductance heat pipes, and heat pipe diodes for spacecraft thermal control; gravity-assisted heat pipes for plastic fiber processing; heat pipes for cooling of electric motors and high-power semiconductor devices; axial groove heat pipes for waste heat recovery units. The high temperature applications comprise: annular alkali-metal heat pipes as isothermal inserts for tubular furnaces, as black-body radiators, and as pyrolysis-cleaning furnaces; heat pipe heat transport system for Stirling engines. (Author)

A78-35592 # A non-tracking moderately focusing heat pipe solar collector. C. C. Roberts, Jr. (Packer Engineering Associates, Naperville, Ill.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 114-122. 6 refs. (AIAA 78-402)

A design for a moderately focusing heat pipe solar collector is presented that incorporates advantages of both flat plate and concentrating collectors. This collector is utilized primarily for heating, has a heat pipe absorber and uses the thermal diode effect of the heat pipe to prevent nocturnal heat loss. A prototype collector was constructed and tested using four gravity assisted heat pipes. The concentration ratio was 3.31 to 1. Test data demonstrated collector efficiencies near 60% at low loss factor. Absorber temperatures ranged from 40 to 55 deg C. (Author)

A78-35597 # Augmenting the condenser heat transfer performance of rotating heat pipes. P. J. Marto and L. L. Wagenseil (U.S. Naval Postgraduate School, Monterey, Calif.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 147-154. 19 refs. (AIAA 78-409)

A rotating heat pipe assembly was tested at rotational speeds of 700, 1400, and 2800 RPM using distilled water as the working fluid. Tests were made during film condensation on several copper condensers; including smooth-walled cylinders, an internally finned cylinder, and a truncated cone. The truncated cone surface was also promoted for dropwise condensation using n-octadecyl mercaptan in octanoic acid. Heat transfer performance improved with increasing rotational speed. The internally finned cylinder and the truncated-

cone showed a 100 percent improvement over the equivalent smooth-walled cylinder. Dropwise condensation showed substantial improvement over film condensation, primarily at low rotational speeds. (Author)

A78-35614 # Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation. V. I. Tolubinskii, E. N. Shevchuk, and V. D. Stambrovskii (Akademiia Nauk Ukrainskoi SSR, Institut Tekhnicheskoi Teplofiziki, Kiev, Ukrainian SSR). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 274-282. 12 refs. (AIAA 78-434)

Temperature changes in liquid metal heat pumps (LMHP) are evaluated under conditions of both start-up and continuous operation. An analysis of dynamic characteristics is presented in three stages: (1) heat supply to start-up temperature, (2) establishment of sonic flow at the evaporator exit to the point at which the vapor flow along the entire LMHP length can be considered as a continuum, and (3) the point at which start-up temperature along the whole length becomes a stationary operating temperature. Attention is given to the effects of superheating and temperature pulsations throughout the system. D.M.W.

A78-35615 # High temperature heat pipes for terrestrial applications. W. A. Ranken and L. B. Lundberg (California, University, Los Alamos, N. Mex.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 283-291. 19 refs. ERDA-sponsored research. (AIAA 78-435)

A high temperature heat pipe design is described in which ceramic tubing is used to provide the basic structure and containment. The interior wall of this tubing is lined with a chemically vapor deposited metallic layer to protect the ceramic from the alkali metal working fluid and furnish a distributive wicking surface. High temperature brazes and ceramic bonding agents are used to seal the assembly. The results of a program to develop such a unit for application to high temperature recuperators are discussed and potential applications to coal conversion and coal utilization systems are reviewed. (Author)

A78-35619 * # Heat pipes in space and on earth. S. Ollendorf (NASA, Goddard Space Flight Center, Greenbelt, Md.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 312-315. 10 refs. (AIAA 78-439)

The performance of heat pipes used in the thermal control system of spacecraft such as OAO-III and ATS-6 is discussed, and applications of heat pipes to permafrost stabilization on the Alaska Pipeline and to heat recovery systems are described. Particular attention is given to the ATS-6, launched in 1974, which employs 55 heat pipes to carry solar and internal power loads to radiator surfaces. In addition, experiments involving radiative cooling based on cryogenic heat pipes have been planned for the Long Duration Exposure Facility spacecraft and for Spacelab. The role of heat pipes in Space Shuttle heat rejection services is also mentioned. J.M.B.

A78-35620 # A reactive-heat-pipe for combined heat generation and transport. G. M. Faeth, E. G. Groff, H.-Z. You, R. Alstadt (Pennsylvania State University, University Park, Pa.), and D. Icenhauer (U.S. Naval Material Command, David W. Taylor Naval Ship Research and Development Center, Annapolis, Md.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 316-326. 16 refs. (AIAA 78-440)

The operation of a reactive-heat-pipe for generating thermal energy from the reaction between molten alkali metals and halo-

generated gases, and transporting the energy to a load by heat pipe action is described. The present study was limited to the lithium-sulfurhexafluoride reactant combination. Experiments were conducted which demonstrated the operation of a reactive-heat-pipe at 1200 K, sustained heat fluxes in the range 0-300 kW/sq-m, good fuel utilization for the reaction, and refueling procedures. Theoretical results are also described to illustrate aspects of system operation and limitations due to wick pumping capabilities; liquid displacement across the wick; and thermal resistances in the wick, the vapor transport system, and the condenser. (Author)

A78-35623 # 'T-System' - Proposal of a new concept heat transport system. P. Tamburini (ESA, European Space Research and Technology Centre, Noordwijk, Netherlands). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 346-353. (AIAA 78-444)

A heat transport system which relies on pressure changes generated by evaporation and condensation of the working fluid to drive circulation is described. The heat transport system, which requires no conventional pump, can work against gravity and consequently may be tested on the ground before launch in a spacecraft. In addition, the system offers a high degree of flexibility in design, accommodating bends, elbows and flex hoses with no major limitations. A bench model of the heat transport system has been tested; applications of the concept to thermal control in Spacelab payloads and to solar energy collection are mentioned.

J.M.B.

A78-35625 # Application of heat pipes in electronic modules. L. A. Nelson, K. S. Sekhon, and L. E. Ruttner (Hughes Aircraft Co., Fullerton, Calif.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 367-372. 10 refs. (AIAA 78-449)

The design of heat pipes for circuit cards is discussed, with special attention given to heat pipes developed for the thermal control systems of the U.S. Navy's Standard Electronics Module (SEM). The heat pipes discussed here are fabricated of beryllium copper and employ methanol as the working fluid. Testing of one heat pipe system for the SEM indicates that the cooled module may be operated at up to 20 watts total power dissipation without exceeding the critical component temperature of 100 C. Heat pipe card guides capable of interfacing with existing hardware and providing a heat transfer rate in the range of 500 to 600 watts have also been developed.

J.M.B.

A78-35626 # Direct heat pipe cooling of semiconductor devices. L. A. Nelson, K. S. Sekhon, and J. E. Fritz (Hughes Aircraft Co., Fullerton, Calif.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 373-376. 10 refs. (AIAA 78-450)

A heat pipe system has been used to reduce by as much as 33% the thermal resistance from junction to case in a semiconductor. Difficulties in utilizing heat pipes to cool transistor junctions include the physical problem of applying a wick to bring the working fluid in contact with the junction, the chemical problem of fluid-transistor material interactions, and the electrical interference that may be caused by the heat pipe. Development of fiber wicks and high-performance powder wicks for RF power transistors is given particular consideration.

J.M.B.

A78-35629 # Heat pipe nuclear reactors for space applications. D. R. Koenig and W. A. Ranken (California, University, Los Alamos, N. Mex.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers. New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 391-397. 18 refs. Research sponsored by the U.S. Department of Energy. (AIAA 78-454)

A heat pipe nuclear reactor design concept is being investigated for space power applications. The reactor can be coupled to a variety of high-temperature (1200-1700 K) electrical conversion systems such as thermoelectric, thermionic, and Brayton cycle converters. It is designed to operate in the power range 0.1-3 MW sub t for lifetimes of about 10 years. The reactor is a fast spectrum, compact assembly of hexagonal fuel elements, each cooled by an axial molybdenum heat pipe and loaded with fully enriched UC-ZrC or Mo-UO₂. Reactor control is provided in the radial reflector. A comparison of several power plants employing the heat pipe reactor concept is presented for an output power level of 50 kWe. (Author)

A78-35631 * # A thermal canister experiment for the Space Shuttle. R. McIntosh and S. Ollendorf (NASA, Goddard Space Flight Center, Greenbelt, Md.). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 402-407. (AIAA 78-456)

An experiment will be described which, if successful, will demonstrate the feasibility of using a heat pipe thermal canister to control the temperature of a wide variety of instruments operating in the bay of the NASA Space Shuttle. The experiment will be launched in December 1979 as part of the fourth orbital flight test of the Shuttle. Predictions indicate that the canister can provide an environment controlled to + or - 1 C over the range of 0 C to 30 C for conductively and radiatively coupled instruments with internal power dissipations of approximately 100 to 400 watts. This is the most ambitious thermal control program yet attempted which uses heat pipes as the primary control element. The outcome of this experiment will have far reaching implications for instruments which are operated in the Shuttle bay. (Author)

A78-35632 # Heat pipes for sun energy conversion. Z. Murgu, D. Murgu, L. Cojocaru, M. Huzum (Centrul de Cercetari Tehnice si Fizice, Iasi, Rumania), and E. Tvardochlieb (Centrul de Cercetari Tehnice si Fizice, Polyester Fibers Plant, Iasi, Rumania). In: International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers.

New York, American Institute of Aeronautics and Astronautics, Inc., 1978, p. 408-413. 6 refs. (AIAA 78-457)

Heat pipes fabricated from copper and employing organic fluids or water as the working fluid have been developed for use with solar collectors. The gravity pipes were tested for operation at angles of inclination from 0 to 90 deg. A porous structure (glass wool) was adopted to assure efficient circulation of the fluid. Data for heat pipes tested with acetone, ethyl alcohol, freon or water are reported.

J.M.B.

A78-35646 # Temperature operating conditions of the energy storage device of a solar heating system (Temperaturnyi rezhim akkumuliatora solnechnoi otopitel'noi sistemy). M. Biashimov and Sh. A. Nazarov (Akademiiia Nauk Turkmenkoi SSR, Fiziko-Tekhnicheskii Institut, Ashkhabad, Turkmen SSR). *Akademiiia Nauk Turkmenkoi SSR, Izvestiia, Seriya Fiziko-Tekhnicheskikh, Khimicheskikh i Geologicheskikh Nauk*, no. 1, 1978, p. 44-48. In Russian.

An analytical solution is presented for the problem of determining the temperature operating conditions for space heating and energy storage as a function of various parameters of the solar heating system, the level of solar radiation, and the air temperature. Simplifying assumptions are described, and two cases are examined: no change in external temperature and direct radiation during a given time interval, and change in external temperature with no change in efficiency. An example of the use of the procedure to determine optimum values of system parameters is provided. M.L.

A78-35676 Dispersion and control of atmospheric emissions: New-energy-source pollution potential. Edited by R. L. Byers (Exxon Research and Engineering Co., Florham Park, N.J.), B. B. Crocker (Monsanto Chemical Co., St. Louis, Mo.), and D. W. Cooper (Harvard University, Boston, Mass.). *AIChE Symposium Series*, vol. 73, no. 165, 1977. 365 p. (For individual items see A78-35677 to A78-35705)

Atmospheric dispersion modeling, atmospheric chemistry, particulate collection and removal techniques for hydrocarbons, nitrogen oxides and sulfur oxides are considered; advanced energy conversion processes and methanol-fuel power source operations are studied as potential contributors to air pollution. The topics of the papers include an atmospheric dispersion model for an industrial city, a two-dimensional pollutant transport model for an urban basin, reactive plume simulation through numerical modeling, the effect of the energy shortage on ambient air quality, a three-year study of air-borne particulate matter variations, particle growth laws for photochemical smog, turbulent diffusion in electrostatic precipitators, the use of oxygen/water for coal desulfurization, a process for sulfur dioxide removal from stack gases, and the exhaust emissions of spark-ignition engines burning methanol or a methanol/gasoline mixture. J.M.B.

A78-35683 A modeling analysis of the impact of the energy shortage on ambient air quality. R. D. Siegel, K. W. Wiltsee, Jr., P. H. Guldberg (Abcor, Inc., Wilmington, Mass.), and G. L. Gipson (U.S. Environmental Protection Agency, Research Triangle Park, N.C.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 71-83. 14 refs.

The Air Quality Implementation Planning Program model, which incorporates the Air Quality Display Model, was used to predict ground-level sulfur dioxide and total suspended particulates concentrations from the emissions inventory for quarterly time periods in 1973 and 1974 in the Metropolitan Boston Air Quality Control Region. A comparison of the seasonal modeling results for 1973 with corresponding predicted values for 1974 reflects the combined effect of meteorology, growth, conservation, and variance implementation on source emissions. In order to obtain a clearer understanding of the impact and potential impact of the energy shortage, a procedure was developed to isolate the relative effects of these factors on predicted concentration levels. (Author)

A78-35693 Chemical desulfurization of coal. R. A. Meyers (TRW Systems and Energy, Redondo Beach, Calif.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 179-182. 9 refs.

The Meyers process for desulfurizing coal is discussed. The process uses aqueous ferric sulfate for the selective oxidation and leaching of pyritic sulfur from coal. Either fine (pulverized) coal or coal with top-sizes up to 1/4 in. can be treated, and the process satisfies criteria for mild conditions and selectivity of the desulfurization reaction. Process chemistry, engineering, and operating conditions are examined, and experimental results for a test plant are reported. M.L.

A78-35694 The use of oxygen/water for removal of sulfur from coals. S. S. Sareen (TRW, Inc., McLean, Va.), R. A. Giberti, L. J. Petrovic (Kennecott Copper Corp., Lexington, Mass.), and P. F. Irmingier (Peabody Coal Co., St. Louis, Mo.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 183-189. 12 refs.

Experimental results have demonstrated the versatility of the Ledgemont Oxygen Leaching (LOL) process in removing pyritic sulfur from coals of different ranks. The effect of temperature on pyrite oxidation and coal oxidation to form CO₂ has been studied, and activation energies equal to 14 kcal/mole and 17.64 kcal/mole, respectively, have been measured. The effect of oxygen partial pressure on pyrite removal and coal oxidation has also been studied, and total oxygen requirements for the process computed. (Author)

A78-35697 Consol stack gas process for SO₂ removal. R. T. Struck, E. Gorin, and W. E. Clark (Conoco Coal Development Co., Library, Pa.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 229-240. 7 refs. Research supported by the Allegheny Power, Consumers Power, Detroit Edison, Niagara-Mohawk, Ontario-Hydro, Philadelphia Electric, and C. Itoh and Co.

A new regenerative process for the removal of 95% or more of SO₂ from power plant stack gases is described. Scrubbing is achieved by circulating a concentrated aqueous solution of potassium thiosulfate through a pump-around loop containing a packed bed scrubber for SO₂ removal as well as an external reaction drum. A solution containing a mixture of hydrosulfides, polysulfides, carbonates, and bicarbonates is injected into the circulating salt solution just ahead of the reaction drum. Sulfite is formed by the reaction of SO₂ with carbonates, and the hydrosulfides and polysulfides are quantitatively removed from the circulating salt solution by reacting with sulfites to form potassium thiosulfate, so that the hydrosulfides and polysulfides do not enter the scrubber. The byproduct yield of sulfate represents about 1% of the SO₂ absorbed. M.L.

A78-35698 Methods and costs of controlling sulfur emissions from a petroleum refinery. G. E. Benson, J. Plater-Zyberk, and A. A. Metry (Roy F. Weston, Inc., West Chester, Pa.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 241-248. 5 refs.

Topics relevant to the control of sulfur emission are surveyed. Topics include emission regulations, sulfur emission sources, emission controls, and environmental impact. Processes that will provide Claus unit tail-gas cleanup are considered, and costs of control for a new refinery of a certain type are estimated. The refinery, to satisfy environmental requirements, burns naphtha instead of low-sulfur fuel oil in the boilers and uses dual sulfur-recovery plants, each with full capacity (Claus-Beavon process). (Author)

A78-35699 A systematic approach to the problem of characterizing the emission potential of energy conversion processes. K. J. Bombaugh, E. C. Cavanaugh (Radian Corp., Austin, Tex.), and A. Jefcoat (U.S. Environmental Protection Agency, Research Triangle Park, N.C.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 267-279. 7 refs.

The reported investigation is concerned with the development of a cost-effective program for characterizing the pollution potential of a new process as a basis for establishing uniform emission standards and control regulations. The advantages of the considered approach are related to the timely definition of emission standards and controls, more reliable judgments based on existing knowhow, a comprehensive strategy for sampling and analysis, and a task analysis reflecting job costs. The strategic use of existing process and analytical knowledge makes it possible to avoid delays in the implementation of a realistic control program. The described procedure consists of three phases, including an engineering phase, an analytical phase, and an extrapolation phase. G.R.

A78-35700 Prediction of air quality impacts for a commercial shale oil complex. G. E. Fosdick (Shell Oil Co., Denver, Colo.) and M. W. Legatski (Atlantic Richfield Hanford Co., Richland, Wash.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 281-290. 13 refs.

A78-35701 Electricity generation by utilities - 1974 nationwide emissions estimates. S. M. Slater (Tufts University, Medford, Mass.) and R. R. Hall (GCA Corp., Bedford, Mass.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 291-311. 37 refs. U.S. Environmental Protection Agency Contract No. 68-02-1316.

A78-35702 Methanol-gasoline blends - Performance and emissions. R. R. Adt, Jr., K. A. Chester (Miami, University, Miami, Fla.), J. Pappas, and M. R. Swain (Hawthorne Research and Testing, Inc., Coral Gables, Fla.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 319-327. 9 refs. U.S. Environmental Protection Agency Grant No. R-803401-01-0.

Some steady state performance and emissions characteristics of a multicylinder, carbureted engine fueled with Indolene and 10, 20, and 30% methanol-Indolene blends over a limited range of operation (about 2000 r.p.m. and about 10-in. Hg or about 16-in. Hg manifold vacuum with lean fuel-air ratios) are presented. The blend-lean effect is found to be in agreement with elementary carburetor theory. With no engine adjustments, the torque is found to decrease with increasing blend levels, the rate of decrease becoming greater at higher blend levels. At torque and engine speed equal to those of gasoline-fueled operation: (1) brake thermal efficiency for the blends is greater than that for gasoline up to about a 30% methanol blend level; (2) NO(x) mass emissions are less for the blends, about 60% less for the 30% blend; (3) CO mass emissions increase with increasing blend levels; and (4) intake manifold mixture temperatures are decreased by about 5.6 C for each 10% increase in methanol blend level. (Author)

A78-35703 Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures. W. Lee and W. Geffers (Volkswagenwerk AG, Wolfsburg, West Germany). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 328-337. 7 refs. Research supported by the Bundesministerium für Forschung und Technologie.

Engine dynamometer tests and road tests using pure methanol, methanol-gasoline blend (15 vol. % methanol plus 85 vol. % gasoline) called M 15 blend and commercial gasoline were made. The results showed that, in principle, from technological aspects it is possible to use methanol as a gasoline extender or in methanol/gasoline blends for automobiles. With regard to energy consumption, methanol and methanol/gasoline blend (M 15) lead to interesting results. But the fuel economy benefits of using M 15 was found to be just in the part-throttle operation of a 1975 car. The emission characteristics except aldehyde emission and unburnt methanol are improved by using pure methanol, a considerable reduction in NO(x) by using pure methanol, in CO by using M 15, and in PNA by using both found in this paper. The potential problems are, on the one hand, cold start and unacceptable driveability in warm-up phase when using pure methanol and, on the other hand, vapor lock in summer and phase separation in winter when using a methanol/gasoline blend (M 15). (Author)

A78-35704 Methanol - A boiler fuel alternative. R. W. Duhl (Vulcan Cincinnati, Inc., Cincinnati, Ohio). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 338-348. 9 refs.

Current energy shortages and the increasing demands for improved air quality led to the adaptation of proven chemical grade methanol technology for production of a new liquid fuel having all the environmental advantages of natural gas and low sulfur fuel oil. A potential use is for power generation in stationary boilers. Potential sources are the large reserves of associated gas not being utilized in the major oil producing countries overseas and also the domestic coal reserves. The application of this fuel to power generation has been demonstrated by full-scale operation in a utility boiler. (Author)

A78-35705 Evaluation of NO(x) emission characteristics of alcohol fuels for use in stationary combustion systems. G. B. Martin (U.S. Environmental Protection Agency, Research Triangle Park, N.C.) and M. P. Heap (Ultrasystems, Inc., Irvine, Calif.). *AIChE Symposium Series*, vol. 73, no. 165, 1977, p. 349-365. 13 refs.

After extensive study for automotive use, alcohol fuels have recently been considered for use in stationary combustion equipment. This study presents results of combustion of methanol and/or isopropanol in both hot and cold wall experimental systems. Results of tests in a package boiler are presented. An explanation of low NO(x) emissions is proposed. (Author)

A78-35751 The solar transition. B. Commoner (Washington University, St. Louis, Mo.). *Environment*, vol. 20, Apr. 1978, p. 6-10, 13-15.

It is suggested that the transition to the wide-spread use of solar energy is economical and that this transition should be subsidized. It is thought that without subsidies, there is a tendency for fuel costs to rise until the development of alternate energy technologies is stimulated; with subsidies, solar energy systems could be introduced on the basis of social need rather than on a basis of cost effectiveness. Subsidies would enable the poor, who can not afford the initial costs of a solar energy system, to participate in the benefits. The economics of solar energy is examined and the value of compatible energy systems is explained. The creation of a solar energy market by federal government purchases is recommended. M.L.

A78-35752 An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines. R. Scott (Washington University, St. Louis, Mo.). *Environment*, vol. 20, Apr. 1978, p. 11, 12.

It is calculated that, if the government stimulates interest by purchasing \$98 million of photovoltaic cells (all figures are 1975 dollars), an investment between 1983 and 1987 of \$1 billion for photovoltaic cells and another \$1 billion for batteries and installation would result in the production in 1987 of electricity that costs \$0.051 to 0.188/kwh delivered, assuming that the cells are located at the place of energy use. On the basis of certain assumptions, it is estimated that the investment of \$1 billion in cogenerating engines (modified automobile engines) would result in 1987 in electricity that costs \$0.029/kwh. The cost of electricity generated by nuclear power plants in 1987 is estimated to be \$0.091; a substantial part of this cost is due to amortization and electricity distribution. M.L.

A78-35753 Power plant performance. J. M. Fowler (National Science Teachers Association, Washington, D.C.), C. Hohenemser (Clark University, Worcester, Mass.), and R. L. Goble. *Environment*, vol. 20, Apr. 1978, p. 25-32. 14 refs.

Nuclear and coal-fired power plants are compared in terms of their capacity performance with attention to the effects of age, size, and future improvements. Similarities and differences with Komanoff's (1976) conclusions, based on regression analysis and the projection of capacity factor trends, are described. (The capacity performance, a measure of reliability and a modification of the capacity factor, takes 'load following', the deliberate reduction of power output at times of low demand, into account.) Both studies agree that the performance of both types of plants which produce 400 MW or more is approximately the same, and that the reliability of both types of plants decreases with an increase in size. The studies disagree on maturation and vintage effects; the present study presents evidence that the maturation patterns will be size dependent while the Komanoff study assumes that all reactors of a specified type mature in the same way regardless of size. Among nuclear plants, pressurized water reactors of 450-800 MW generating capacity are found to have the best performance record. M.L.

A78-35763 The electric automobile. K. V. Kordesch (Union Carbide Technology Laboratory, Parma, Ohio). In: Batteries. Volume 2 - Lead-acid batteries and electric vehicles. New York, Marcel Dekker, Inc., 1977, p. 201-413. 186 refs.

Arguments in favor of electric vehicles are partly related to the fact that in 1966 the exhausts of 90 million motor vehicles constituted 61% of the nation's air pollution. However, in recent years considerable progress has been made in reducing emission levels. Other arguments refer to energy considerations. Lead batteries as they exist are marginal in capacity and life expectancy, and better systems must be developed. Such a development will take decades. In the meantime, lead-acid cells will have to be used. Attention is given to the social and economic aspects of electric vehicles, the history of electric vehicles during the time from 1837 to 1960, and the design and the operational characteristics of modern electric vehicles. It is

found that a small electric car could fulfill most of the requirements of personal transportation. A short description is presented of the lead-acid battery system from the viewpoint of the person interested in electric vehicles. New battery systems currently under development include nickel-zinc batteries, zinc-air-batteries, iron-air or iron-oxygen systems, aluminum-air systems, sodium-air systems, zinc-halogen systems, and fuel cell systems. G.R.

A78-35764 Lead-acid battery-operated electric street vehicles - New constructions from Germany. K. Salamon (Varta Batterie AG, Kelkheim, West Germany). In: Batteries. Volume 2 - Lead-acid batteries and electric vehicles. New York, Marcel Dekker, Inc., 1977, p. 443-462. 20 refs.

In an evaluation of the technological development possibilities for lead-acid batteries it had been found that a lightweight cell made with positive grid plates may have an ultimate energy density of about 45 Wh/kg and a life of 700 cycles. A more robust type of cells with positive tubular plates is characterized by an energy density of about 36 Wh/kg at the 5-hr rate and a life of at least 1500 cycles. At the present time such cycle life is reached with the standard industrial cell at 24 to 28 Wh/kg. Improvements will be based on the development of new cell constructions, the utilization of new materials, and new technologies in manufacturing batteries. Cell constructions from the viewpoint of the electric vehicle designer are considered, taking into account plates and post straps, cell assemblies, intercell connections, and the reduction of maintenance requirements. Electric road vehicle projects started in Germany in the 1970s were mainly concerned with improving the driving characteristics of the vehicles. Attention is given to the loss-free regulation of the current flow to the motor, the usefulness of regenerative braking, electrobus developments, and electrically powered transport vehicles. G.R.

A78-35768 Geothermal energy in the Western United States: Innovation versus monopoly. S. L. Bierman, D. F. Stover (Postal Rate Commission, Washington, D.C.), P. A. Nelson (Michigan Technological University, Houghton, Mich.), and W. J. Lamont. Research supported by the National Science Foundation; NSF Grant No. APR-75-18321-A02. New York, Praeger Publishers, 1978. 486 p. 570 refs. \$25.

The roles of raw fuel companies, electric utilities and government agencies in developing geothermal energy in the Western United States are studied. The investigation, conducted along the lines of an antitrust inquiry, attempts to identify the market factors which may lessen competition and inhibit progress in the geothermal energy industry. Factors tending to slow geothermal development include difficulties in locating a reserve of adequate size to make electrical generation economically viable, the frequent necessity of leasing lands from the federal government, and the limited output (50 to 150 megawatts) of geothermal power plants. The partnership of small firms and large corporations (sometimes utilities) in developing geothermal resources is discussed, and the special benefits of geothermal development for smaller utility systems are assessed. J.M.B.

A78-35778 Production of synthetic methanol from air and water using controlled thermonuclear reactor power. II - Capital investment and production costs. V. D. Dang and M. Steinberg (Brookhaven National Laboratory, Upton, N.Y.). *Energy Conversion*, vol. 17, no. 4, 1977, p. 133-140. 17 refs.

A preliminary evaluation of various processes for the production of synthetic methanol was conducted to determine economic feasibility, taking into account nine different methods of carbon dioxide extraction. Projections of demand of methanol in the year 2020 are also considered. It is found that as a consequence of an absence of requirements for absorption towers separation of carbon dioxide from sea water provides an approach involving the lowest unit capital investment of about \$1146/bbl/day methanol at a plant capacity of 21,700 bbl/day. The production cost of methanol synthesis lies between 10.5 and 17.2 cents/gal. The extraction of carbon dioxide from the atmosphere allows a greater degree of freedom for siting the synthetic fuel plant. Production costs range

from 11 to 82 cents/gal among the eight methods of extraction of carbon dioxide from the atmosphere. G.R.

A78-35781 On the relation between insolation and climatological variables. III - The relation between normal incidence solar intensity, total insolation, and weather at Fort Hood, Texas. IV - Construction of a model year of solar intensity and climate. D. Rapp (Texas University, Richardson, Tex.) and A. A. J. Hoffman (Texas Christian University, Fort Worth, Tex.). *Energy Conversion*, vol. 17, no. 4, 1977, p. 163-181. 9 refs. Research supported by the University of Texas and Texas Christian University; Contract No. E(40-1)-4924.

The described investigation was carried out to extend earlier studies conducted by Rapp and Hoffman (1976, 1977) on correlations of insolation with climate to a new correlation of normal incidence solar intensity (NISI) with climate. A digest of NISI data taken at Fort Hood during the time from September 1974 to November 1975 is presented and a correlation which provides the NISI at any hour of any day of the year for clear weather is developed. A correlation is developed between the fraction of clear day NISI received on cloudy days and cloud cover and visibility. A correlation between the fraction of clear day NISI and the fraction of clear day insolation on cloudy days is also obtained. The presented equations provide a unique prediction of NISI for any hour of any day under any weather conditions. The relations should make it possible to convert long-term data on cloud cover and visibility to long-term NISI patterns. A model year of hourly solar intensity and climatological variables is constructed by choosing a set of 12 months which approximate average behavior for solar intensity and climate. G.R.

A78-35782 Maximisation of operating efficiency of solar cells. D. M. Divan (Calgary University, Calgary, Alberta, Canada) and M. M. Hasan (Indian Institute of Technology, Kanpur, India). *Energy Conversion*, vol. 17, no. 4, 1977, p. 183-188. 5 refs.

The operating efficiency of a solar cell depends to a large degree on the incident intensity of solar radiation and on the load. Variations of radiation intensity on a normal day are so great that there is a considerable difference between the maximum efficiency of a solar cell and its average operating efficiency even under constant load conditions. This difference is at least 17%. The difference between maximum efficiency and average operating efficiency is further enlarged in connection with load fluctuations. A description is presented of two control mechanisms which will optimize the operating efficiency of a solar cell for arbitrary conditions of illumination and load. One method is based on the principle of peak detection. In the second method, which requires less hardware for its implementation, the monitored variable is the rate of change of the instantaneous power output of the solar cell. G.R.

A78-35783 Coming - In situ gasification. M. K. Buder (Bechtel National, Inc., San Francisco, Calif.). *Coal Mining and Processing*, vol. 15, May 1978, p. 54-59. 16 refs.

It is suggested that of the coal contained in steeply dipping beds (approximately 100 billion tons in the United States), 25% is recoverable by underground coal gasification (UCG). The basic principles of UCG are reviewed, noting that to date it has only been attempted in the Soviet Union. Holes are drilled either underneath or through the coalbed to serve as air injection or gas production wells, respectively. The holes are then linked by pneumatic or hydraulic fracturing, reverse combustion, or (most promising) directional drilling. In the gasification phase, air is injected into the wells entering the footwall of the coalbed, and the produced gas exits via the wells drilled through the steep coalbed itself. The locations of such beds in the U.S. (mostly in the western states) are described, and it is pointed out that the subbituminous coal indigenous to the region can provide a cheap and sure solution to the area's growing energy needs for decades (or centuries) to come (as low as \$1 per million Btu). D.M.W.

A78-35795 Experimental evaluation of natural convection solar air heaters. I. C. Macedo and C. A. C. Altemani (Campinas, Universidade Estadual, Campinas, São Paulo, Brazil). *Solar Energy*, vol. 20, no. 5, 1978, p. 367-369.

Four basic types of natural convection solar air heaters, in many geometries, were tested in a wide range of input solar energy values. Measured values of air flow rate, temperature increase and efficiency are reported. It is expected that the results and conclusions will be valuable in the design of equipment for drying, space heating and other purposes. (Author)

A78-35796 Optimum design of wideband selective absorbers with provision for specified included layers. B. S. Thornton and Q. M. Tran (New South Wales Institute of Technology, New South Wales, Australia). *Solar Energy*, vol. 20, no. 5, 1978, p. 371-377. 21 refs. Research supported by the Foundation for Australian Resources.

The theoretical design of multilayer solar absorbers is modelled on the concept of impedance matching in electrical transmission line and microwave transmission studies using the analogy between a dielectric multilayer optical filter and a multisection impedance transformer. A multilayer composite is to be designed for a substrate with a surface impedance which can be specified and obtained by the use of surface corrugations. The design is optimized in order to achieve the minimum of reflection loss and the related reflection response over a wide band in the solar radiation spectrum. The optimization problem involves the minimization of a quadratic objective function representing the impedance mismatch between the multilayer composite and free space, subject to constraints arising from inclusion of prespecified layers and from the selected configuration for the impedance path. G.R.

A78-35797 Collection times for trough-type concentrators having arbitrary orientation. C. W. Miller (Chamberlain Manufacturing Corp., Waterloo, Iowa). *Solar Energy*, vol. 20, no. 5, 1978, p. 399-404.

A mathematical condition is derived which determines the times at which acceptance of the sun's beam radiation begins and ceases for a trough-type concentrator having arbitrary orientation. The concentrator considered is a two-dimensional, ideal concentrator which has a definite range of acceptance angles. Sample calculations are performed which investigate the period of acceptance of a 1.8X concentrator. For year-round optimal collection a south-facing 1.8X concentrator should be oriented with axis horizontal and with slope equal to the latitude. If the concentrator faces slightly away from south, however, a horizontal axis and a slope equal to latitude will result in severely reduced collection times near a solstice. (Author)

A78-35798 The efficiency of solar flat-plate collectors. E. Marschall and G. Adams (California, University, Santa Barbara, Calif.). *Solar Energy*, vol. 20, no. 5, 1978, p. 413, 414. 10 refs.

A78-35799 Time integrated calculation of the insolation collected by a reflector-collector system. S. Baker, D. K. McDaniels, H. D. Kaehn, and D. H. Lowndes (Oregon, University, Eugene, Ore.). *Solar Energy*, vol. 20, no. 5, 1978, p. 415-417. 6 refs. Research supported by the Pacific Northwest Regional Commission.

The problem of collecting solar energy in cloudy climates is considered, taking into account a study concerning the feasibility of using inexpensive reflectors to enhance the light collection of a simple flat-plate collector. An investigation is conducted concerning the performance of the reflector-collector system when solar energy collection over the entire day is included. The optimum geometrical arrangement is obtained by weighting the system performance away from solar noon by the available direct solar intensity and averaging over the entire day. The optimum reflector orientation, the effect of finite reflector length, and the loss due to a finite reflector width are evaluated on this time-integrated basis. The advantages of a curved reflector are also briefly evaluated. G.R.

A78-35800 A simulated comparison of the useful energy gain in a fixed and a fully tracking flat plate collector. P. Drago (U.S.

Merchant Marine Academy, Kings Point, N.Y.). *Solar Energy*, vol. 20, no. 5, 1978, p. 419-423. 6 refs.

A78-35876 Ocean thermal energy - Status and prospects. W. H. Avery (Johns Hopkins University, Laurel, Md.). (*Marine Technology Society and American Institute of Mining, Metallurgical and Petroleum Engineers, Special Symposium, Rosslyn, Va., Sept. 15, 1977.*) *Marine Technology Society Journal*, vol. 12, Apr.-May 1978, p. 9-16. 6 refs.

The term OTEC describes a method for generating power by using the warm water at the surface of the tropical oceans, in combination with the cold water available at a depth of half a mile, to operate a heat engine. A description is given of an optimized OTEC-ammonia-fuel cell system which could deliver base-load electric power to the user at a cost averaging about 30 mills/kWh (in 1975 dollars). The system can deliver not only base-load power but, if adequate fuel cell capacity is provided, can also deliver intermediate-load power at approximately 33 mills/kWh and peak power at 50 to 60 mills/kWh on demand. It is found that OTEC-ammonia-electric power promises to compete favorably in cost with other options and can provide a future basis beginning by 1990 for an energy economy primarily based on OTEC ammonia that will be stable in price and available on an equal basis to the whole world. G.R.

A78-35893 Supersonic transport in terms of energy savings (Le transport supersonique face aux économies d'énergie). G. Cormery (Société Nationale Industrielle Aérospatiale, Toulouse, France). (*Congrès International, Aéronautique, 13th, Paris, France, June 2, 3, 1977.*) *L'Aéronautique et l'Astronautique*, no. 69, 1978, p. 3-14. In French.

The utilization of petroleum-based fuel for civil aviation is considered within the framework of total energy consumption. Attention is given to developments in the United States and France, both currently and over the near-term future (through the 1980s). Various improvements in engine and aerodynamic design are discussed, including use of composite materials, supercritical wings, high bypass engines, and improved engine geometries. The Concorde aircraft is presented as a model upon which the design of a second, more fuel efficient supersonic transport can be based. Also considered are schemes for noise reduction using reduced ejection velocities. D.M.W.

A78-35897 Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states (Recherches sur une chambre à pré-vaporisation alimentée en gaz naturel en phase gazeuse ou liquide). G. Matton (Valenciennes, Centre Universitaire, Valenciennes, Nord, France) and J.-P. Muller (Ecole Nationale Polytechnique, Algiers, Algeria). *L'Aéronautique et l'Astronautique*, no. 69, 1978, p. 57-77. 44 refs. In French.

Phase diagrams derived from pre-vaporization combustion chamber observations are presented to support the contention that LNG or liquid methane could be employed as reliably as LH2 in aircraft fuel. It is noted that LNG can be burned as effectively as natural gas in gaseous form, and can also be used to start gas jet turbines and increase overall power by bypassing the heat exchanger. The cryogenic circuitry involved in aircraft applications is reviewed. It is also pointed out that LNG can be used more safely than LH2. D.M.W.

A78-36016 # Natural convection in groove-like geometries - The overall heat transfer coefficient. H. Nabavi and R. B. Bannerot (Houston, University, Houston, Tex.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-896.* 6 p. 13 refs. Contract No. EY-76-S-05-5100.

Groove-like geometries are being used to form non-tracking concentrating solar energy collectors. Experimental determinations of the overall heat loss coefficients from a trapezoidal groove, heated from the short side and insulated on the sloping sides are reported. The effects of tilt and internal baffling are investigated. The relative importance of the various modes of heat transfer is analyzed.

(Author)

A78-36018 # Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb. R. K. Wedel, R. E. Dammann, and S. A. Greenberg (Lockheed Research Laboratories, Palo Alto, Calif.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-899*. 5 p. 6 refs. Contract No. E(04-3)-1256.

An experimental program was performed in which the efficiency of a flat plate collector was measured as a function of various collector cover materials. The materials chosen as candidate covers were FEP Teflon, Tedlar, and high transmittance glass. Efficiency data was also measured for the collector with a Lexan honeycomb between the cover and the absorber plate. The results showed that the optimum cover material was dependent upon the operating temperature.

(Author)

A78-36019 # Solar and infrared radiation properties of parallel-plate honeycomb. J. R. Felland and D. K. Edwards (California, University, Los Angeles, Calif.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-901*. 13 p. 26 refs. ERDA-sponsored research.

Three radiative transfer problems are identified and solved for describing the thermal performance of parallel-plate honeycomb arrays, which may be used to construct solar-transparent insulated walls. First, the relatively straightforward problem of calculating solar transmittance is treated. Complicating factors of scattering, polarization, and mild spectral selectivity are included. Second, the problem of calculating effective emittance (or passage transmittance) is analyzed. The primary factor is the significant spectral selectivity of thin glass and plastic wall materials, because of partially transmitting spectral regions and resonance reflection (reststrahlen) bands. Third, there is determined the influence upon the effective emittance of the reradiated energy contributed by the absorbed solar radiation. Results are calculated for both thin-walled glass and mylar honeycombs based upon spectral measurements in the 0.33 to 24 microns region, which were used to derive working values of optical constants. With these results the engineer or architect can evaluate the merit of applying honeycombs to solar collectors, greenhouses, residences, and commercial buildings.

(Author)

A78-36020 # A simple test for determining a best flow rate through solar collectors. H. C. Hewitt, Jr., B. K. Parekh, and G. L. Askew (Tennessee Technological University, Cookeville, Tenn.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-900*. 6 p. 7 refs.

It is pointed out that in the studies which have been conducted to improve the performance of flat-plate solar collectors the flow distribution system design has not received the amount of notice it deserves. After a particular collector has been selected for an installation, a test is needed to be certain that the total solar energy-collection system will be operated in optimal performance condition. The results of the reported investigation indicate that such a test is possible. The particular pumping system should be checked for its overall efficiency. The basic equation for the considered mathematical model was obtained on the basis of an improvement of an analytical model first developed by Hottel and Woertz (1942).

The validity of the mathematical model was verified in an experimental investigation.

G.R.

A78-36021 * # Thermal optical surface properties and high-temperature solar energy conversion. L. Wen (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-903*. 11 p. 15 refs. Research sponsored by the U.S. Department of Energy; Contract No. NAS7-100.

The effects of thermal surface properties on the performance of representative point focusing solar power plants are assessed in this paper. The tradeoff relationships are presented in terms of normalized system performance as a function of thermal optical design parameters. Crucial surface properties include solar reflectance, specular spreading due to microscopic roughness, surface error due to manufacturing slope tolerance or waviness and concentrator pointing accuracy. Two representative power conversion systems, a Rankine steam cycle and an open air Brayton cycle, are considered.

(Author)

A78-36022 # Optical design of solar concentrators. J. H. McDermitt (McDonnell Douglas Astronautics Co., Huntsville, Ala.) and T. E. Horton (Mississippi, University, University, Miss.). *American Institute of Aeronautics and Astronautics and American Society of Mechanical Engineers, Thermophysics and Heat Transfer Conference, 2nd, Palo Alto, Calif., May 24-26, 1978, AIAA Paper 78-904*. 9 p. 18 refs.

A generalized technique for the optical design of solar concentrators has been developed. The design technique considers limb darkening effects, collector placement errors, concentrator optical errors and concentrator pointing errors. In addition to giving the designer the ability to explore the sensitivity of a design to the above parameters, the technique also allows the designer to prescribe the heating distribution on the collector surface. A detailed derivation of the design technique and illustrative results are presented.

(Author)

A78-36030 American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., November 8-11, 1977, Proceedings. Edited by M. G. Lagally. *Journal of Vacuum Science and Technology*, vol. 15, Mar.-Apr. 1978. 721 p.

The properties of thin films, ion beams for thin-film production, surface structure studies using such techniques as low-energy electron diffraction or Auger electron spectroscopy, chemisorption processes, and ion-textured materials are discussed. Topics of the papers include chemisorption of CO on Pd/mica, an evaluation of Mo and Mo-base alloys for beam dump material in tokamaks, ion scattering as a means to study the sorption of CO on Ni and W, sputter-deposition of WC + Co films, an ion source for micromachining, and the optical properties of metal/insulator composite films for selective solar energy absorption.

J.M.B.

A78-36032 Optical properties of selectively absorbing metal/insulator composite films. H. G. Craighead and R. A. Buhrman (Cornell University, Ithaca, N.Y.). *American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., Nov. 8-11, 1977, Journal of Vacuum Science and Technology*, vol. 15, Mar.-Apr. 1978, p. 269-271. 6 refs.

The optical properties of Ni/Al₂O₃ and several other metal/insulator composite films have been studied with consideration given to their applicability as selective solar energy absorbers. Thin films were produced by coevaporation and the microstructure examined by electron microscopy. The optical properties of Ni/Al₂O₃ composites, measured over the range of the solar spectrum, are in good accord with the predictions of Maxwell-Garnett theory provided the Ni volume fraction is less than about

0.2. The Ni/Al₂O₃ films have excellent spectral selectivity for the absorption of solar radiation with a solar absorptivity of 0.94 obtained for a film produced with a graded composition. Low-temperature emissivities of about 0.1 have been obtained for Ni/Al₂O₃ on a highly reflecting metal backing. (Author)

A78-36035 Thickness dependence of structural and electrical properties of CdS films for solar cells. A. Amith (Princeton University, Princeton, N.J.). (*American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., Nov. 8-11, 1977.*) *Journal of Vacuum Science and Technology*, vol. 15, Mar.-Apr. 1978, p. 353-358. 18 refs. Research sponsored by SES, Inc.

Polycrystalline films of CdS were evaporated on zinc-plated foils of copper so that different thicknesses were obtained in the same evaporation. The different thicknesses were compared with respect to their surface morphologies, acid etching, grain sizes, grain structure, and orientation as well as crystallographic orientation. Concomitant measurements of the electrical properties as functions of thickness were taken. It was established that grain size, the preferential grain orientation and the surface roughness all increased as the film thickness increased. Furthermore, it was found that the concentration of free carriers increased with film thickness, the quality of the diode behavior improved in the same manner, and the existence of voltage-dependent shunting paths diminished as the film thickness increased. An explanation is proposed which relates the observed electrical behavior as a function of thickness to the structural parameters. (Author)

A78-36036 Structure and morphology of chemical-sprayed CdS films. R. S. Berg, R. D. Nasby (Sandia Laboratories, Albuquerque, N. Mex.), and C. Lampkin (Photon Power, Inc., El Paso, Tex.). (*American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., Nov. 8-11, 1977.*) *Journal of Vacuum Science and Technology*, vol. 15, Mar.-Apr. 1978, p. 359-362. 17 refs. ERDA-supported research.

The preparation of CdS films by chemical spray pyrolysis is described; the film-growth technique has potential for large-scale inexpensive production of semiconductor materials for photoconductors and photovoltaic applications. Study of the structures and morphologies of the pyrolytic chemical-sprayed CdS films indicates that their surface contains many nodular and serpentine features, and that the crystallite size is generally a few hundred nanometers. Contamination effects, device junction area and the very large optical scattering of the films are also discussed. J.M.B.

A78-36046 TFTR vacuum system. B. D. Abel (Grumman Aerospace Corp., Bethpage, N.Y.). (*American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., Nov. 8-11, 1977.*) *Journal of Vacuum Science and Technology*, vol. 15, Mar.-Apr. 1978, p. 726-733. 17 refs. Contract No. EY-76-C-02-3073.

The Tokamak Fusion Test Reactor (TFTR) will be the first magnetic plasma device in the United States capable of producing energy in any significant quantity by the fusion of deuterium and tritium nuclei. The function of the vacuum pumping system is to provide the high-vacuum environment for plasma initiation, to remove spent plasma constituents at the conclusion of each plasma pulse, and to provide initial high vacuum and regeneration of the neutral beam cryopanels. Radiation produced by the fusion reaction and the requirement to pump tritium have presented significant design problems not ordinarily encountered in the design of ultrahigh vacuum systems. The configuration and piping schematic of the preliminary design vacuum pumping system capable of fulfilling the requirements is discussed. The selection process for the high-vacuum pumps is reviewed and the rationale for the use of turbomolecular pumps, based on projected overall vacuum pumping system reliability, is presented. A computer was used to predict vacuum system performance. Preliminary computer-generated pumpdown curves are presented for plasma-pulsing operations and pumpdowns from atmospheric pressure. (Author)

A78-36126 # Methods of energy conversion /Some results of the International Electrotechnology Congress - Moscow, 1977/ (Sposoby preobrazovaniia energii /Nekotorye itogi Vsemirnogo Elektrotekhnicheskogo Kongressa - Moskva, 1977 g./). N. S. Lidorenko. Akademiia Nauk SSSR, Izvestiia, Energetika i Transport, Mar.-Apr. 1978, p. 9-17. 9 refs. In Russian.

Several papers dealing with direct energy conversion are reviewed. The review, divided into two sections, focuses on such physical methods of conversion as photoelectric, thermoelectric and thermionic power generation and also considers methods of electrochemical power generation. Attention is also given to the technology of thyristors and semiconductor diodes, to methods of data conversion, and to new current generators. B.J.

A78-36127 # Problems of electrical energy generation /Some results of the International Electrotechnology Congress - Moscow, 1977/ (Problemy generirovaniia elektricheskoi energii /Nekotorye itogi Vsemirnogo Elektrotekhnicheskogo Kongressa - Moskva, 1977 g./). I. A. Glebov. Akademiia Nauk SSSR, Izvestiia, Energetika i Transport, Mar.-Apr. 1978, p. 18-27. In Russian.

A review is presented of reports and discussions on electrical energy generation at the Electrotechnology Congress. Emphasis is placed on the development of more efficient turbogenerators and hydrogenerators of maximum power along with excitation and control systems as well as on the utilization of superconductors in electric generators. MHD and thermonuclear methods of power generation are discussed briefly. B.J.

A78-36128 # Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ (Avtomatizirovannye promyshlennye elektromekhanicheskie komplekсы i novye vidy elektrooborudovaniia /Nekotorye itogi Vsemirnogo Elektrotekhnicheskogo Kongressa - Moskva, 1977 g./). M. G. Iun'kov and B. I. Motsokhein. Akademiia Nauk SSSR, Izvestiia, Energetika i Transport, Mar.-Apr. 1978, p. 28-40. 22 refs. In Russian.

A review of reports and discussions on complex electromechanical systems in industry and transportation is presented. Emphasis is placed on the following aspects of automation of electromechanical systems: (1) utilization of local microprocessors in complex automatic controls of electric-drive mechanisms, (2) utilization of direct digital controls of force converters, (3) utilization of linear ac motors in transportation systems, and (4) utilization of high-power frequency-controlled ac drives, including those based on thyristor frequency-converters with autonomous inverters. B.J.

A78-36129 # Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ (Spetsializirovannye elektromekhanicheskie komplekсы, vychislitel'naia i mikroelektronnaia tekhnika v sistemakh upravleniia /Nekotorye itogi Vsemirnogo Elektrotekhnicheskogo Kongressa - Moskva, 1977 g./). N. N. Sheremet'evskii. Akademiia Nauk SSSR, Izvestiia, Energetika i Transport, Mar.-Apr. 1978, p. 41-54. 23 refs. In Russian.

Consideration is given to specialized complex electromechanical systems for nuclear power plants and other types of power plants. The architecture and circuit technology of control computers for electromechanical systems are discussed and attention is given to the prospects of applying large scale integration and microprocessors in such control systems. Complex microminiaturization of electronic equipment, complex systems based on machines that employ the superconductivity effect and electromechanical systems for magnetic-levitation vehicles are all reviewed. Special emphasis is placed on specialized electromechanical systems for spacecraft and orbital stations. B.J.

A78-36130 # Technoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor (Tekhniko-ekonomicheskie otsenki vozmozhnoi termoiadernoi elektrostansii s reaktorom tipa tokamak). N. N. Vasil'ev, D. K. Kurbatov, G. B. Levental', V. I. Miroshnichenko, A. V. Nedospasov, G. E. Shatalov, and V. S. Shvetsov. *Akademiia Nauk SSSR, Izvestiia, Energetika i Transport*, Mar.-Apr. 1978, p. 65-73. 6 refs. In Russian.

The limiting capital investment, assuring cost-effective power generation, in a fusion power plant is estimated and compared with that of other types of power plants. It is found that under certain conditions the capital costs of a commercial fusion plant can be less than the maximally permissible cost. The technoeconomic analysis is applied to a hypothetical plant with a tokamak reactor and an MHD power generation system. B.J.

A78-36134 # Spectral characteristics of photoconverters with nonuniform distribution of defects in the base (Spektral'nye kharakteristiki fotopreobrazovatelei s neravnomernym raspredeleniem defektov v baze). E. B. Vinogradova, T. M. Golovner, S. M. Gorodetskii, G. M. Grigor'eva, E. V. Zhidkova, A. K. Zaitseva, and L. B. Kreinin (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). *Geliotekhnika*, no. 1, 1978, p. 13-17. 9 refs. In Russian.

The described procedure for analyzing the spectral distribution of the silicon photoconverter collection coefficients permits a qualitative estimation of the clumping of defects in the base region of the specimen. The long wave portion of the silicon photoconverter spectrum indicates the distribution of the recombined centers in the base regions adjacent to p-n junctions. The derivation of an expression for the effective values of diffusion lengths is explained, and the analytic procedure can indicate operating conditions which do not cause the appearance of defect layers. Experimental results are presented. M.L.

A78-36135 # Study of diffusion processes in low-temperature thermal elements (Issledovanie diffuzionnykh protsessov v nizkotemperaturnykh termoelementakh). V. M. Sokolova, L. D. Dudkin, L. I. Petrova, and N. Kh. Abrikosov (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). *Geliotekhnika*, no. 1, 1978, p. 18-21. In Russian.

The paper describes the kinetics of formation as well as the qualitative and quantitative chemical analysis of the composition of the reactive diffusion layer in a (Bi,Sb)2Te3-Co contact with respect to the hot junction of a low-temperature thermal battery. An expression is presented for the relation between the diffusion coefficient and the temperature. The results of the quantitative analysis of the diffusion layer are found to correspond to the phase equilibrium of the Ca-Sb-Te system. M.L.

A78-36136 # General principles of calculating multielement concentrating systems (Obshchie printsipy rascheta mnogoelementnykh kontsentriruiushchikh sistem). R. A. Zakhidov (Akademiia Nauk Uzbekskoi SSR, Tsentral'noe Proektno-Konstruktorskoe i Tekhnologicheskoe Biuro Nauchnogo Priroostroeniia, Uzbek SSR). *Geliotekhnika*, no. 1, 1978, p. 22-29. 13 refs. In Russian.

Some aspects of a procedure for calculating characteristics of any arbitrary multielement solar energy concentration system are discussed. Topics include the ray vector field, the statistical brightness, the ray path, and reflection. The organization of the calculation model and the computer algorithm is indicated. M.L.

A78-36137 # A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators (Ustanovka s sektionirovannym fotopriemnikom i lazernym izluchatelem dlia opredeleniia tochnostnykh kharakteristik kontsentratorov solnechnogo izlucheniia). V. I. Krasilovskii, B. V. Tarnizhevskii, and E. V. Tver'ianovich (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). *Geliotekhnika*, no. 1, 1978, p. 30-35. 7 refs. In Russian.

A78-36138 # Selection of a method for calculating parameters of storage devices used at wind and solar installations (Vybor metoda rascheta parametrov akkumuliruiushchikh ustroistv pri vetro- i geliostanovkakh). R. B. Salieva (Tashkentskii Elektrotekhnicheskii Institut Sviazi, Tashkent, Uzbek SSR). *Geliotekhnika*, no. 1, 1978, p. 67-71. 5 refs. In Russian.

The paper describes the kind of data required for application of the calendar method to determine reliable parameters for energy storage devices used at wind and solar installations. Results based on periodic observations are compared with results based on hourly observations. It is found that 20 years of periodic observations are sufficient for establishing reliable winter, spring, and fall patterns, while 10 years of periodic observations are sufficient for the summer pattern. M.L.

A78-36272 Wind-wave power available to a wave energy converter array. M. E. McCormick (Swarthmore College, Swarthmore, Pa.; U.S. Naval Academy, Annapolis, Md.). *Ocean Engineering*, vol. 5, Apr. 1978, p. 67-74. 19 refs.

A theoretical analysis of the wave power available to a line array of wave energy conversion devices is presented. The Pierson-Neumann-James directional spectrum for deep water is used to model the random sea. The present theory predicts 3/4 of the maximum power predicted by the former theory that neglected the directionality of the power. The maximum power occurs when the wind direction is normal to the line array. When the wind direction is parallel to the array the present theory predicts a power transmission of 1/4 the maximum value, while the former theory predicted no power. P.T.H.

A78-36274 Artificial upwelling induced by ocean currents - Theory and experiment. N. K. Liang, C. T. Hsieh, P. A. Huang, D. J. Li, L. L. Chu, C. L. Wu (National Taiwan University, Taipei, Nationalist China), and N. T. Liang (Academia Sinica, Institute of Physics, Taipei, Nationalist China). *Ocean Engineering*, vol. 5, Apr. 1978, p. 83-89, 91-94. Research sponsored by the Joint Commission on Rural Reconstruction.

A submerged apparatus, which consists of a buoy, several horizontal contraction and expansion tubes (Venturi-type tubes) and a long pipe, is expected to be used to pump the subsurface sea-water (200-300 meter depth) containing abundant nutrients to surface layer (50-100 m) by the dynamics of ocean currents, i.e. an artificial upwelling without energy cost. A preliminary experiment and analysis are undertaken and shows that the capacity of pumping the nutrient-rich sea-water is sufficient to justify building pilot prototype model. (Author)

A78-36279 Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/. W. Hawthorne (Cambridge University, Cambridge, England). *Aeronautical Journal*, vol. 82, Mar. 1978, p. 93-108. 25 refs.

A brief review is presented of the early history of jet engines and gas turbines along with a historical review of work done at the RAE Turbine Division. Particular attention is given to gas dynamics, axial compressor research and fuel economy. B.J.

A78-36301 # The geostationary orbit, focal point of space telecommunication law. A. A. Cocca (United Nations Committee on the Peaceful Uses of Outer Space, New York, N.Y.). *ITU Telecommunication Journal*, vol. 45, Apr. 1978, p. 171-173. 7 refs. Translation.

As a limited natural resource, the geostationary satellite orbit has been subjected to various definitions by the Space Treaty of 1967 and the International Telecommunications Convention of 1973. Priority rights to an orbital path, as well as limitations on the radio emissions of a spacecraft, are considered as principles relevant to the legal interpretation of the geostationary orbit. In addition, the concept of the geostationary orbit may create a need to resolve conflicting interests in the use of solar energy by satellites. J.M.B.

A78-36319 # A small tokamak 'Nova II'. M. Fukao, Y. Fujiwara, H. Zushi, H. Suemitsu, Y. Terumichi, and H. Nishihara (Kyoto University, Kyoto, Japan). *Kyoto University, Faculty of Engineering, Memoirs*, vol. 39, Oct. 1977, p. 431-445. 8 refs.

Design and operating parameters of a small tokamak (major radius 30 cm, minor radius 6 cm) are described. The maximum toroidal field is 15 kG, with electron temperatures (measured by diamagnetism and conductivity) of over 100 eV. Stable discharge is maintained for 15 msec or longer, and an electron density of 10-20 trillion/cu cm has been measured by a 6 mm microwave interferometer. Applications include the study of positional plasma stabilization, especially in terms of the effects of conductive and resistive shells, control of plasma current profile by a high frequency field, near the lower hybrid resistance, and effects of initial discharge dynamics on the final plasma equilibrium. D.M.W.

A78-36320 # Analysis of end effects in diagonal type MHD generator by means of equivalent circuit. M. Yoshida and J. Umoto (Kyoto University, Kyoto, Japan). *Kyoto University, Faculty of Engineering, Memoirs*, vol. 39, Oct. 1977, p. 504-522. 9 refs.

Numerical results of a study of the end region of a large scale combustion gas diagonal MHD generator using the equivalent circuit method are compared to a similar analysis by the conventional finite difference method. It is noted that the nozzle or the diffuser, connected to the generator duct or inlet, respectively, must be taken to at least the extent of the duct height. Attention is given to the effects of applied magnetic flux distribution, load current, and output electrode number on the current concentration at the ends of the output electrodes. Good agreement is found between the two methods of analysis. D.M.W.

A78-36321 # Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media. M. Numano (Kyoto University, Kyoto, Japan). *Kyoto University, Faculty of Engineering, Memoirs*, vol. 39, Oct. 1977, p. 523-534. 8 refs.

The Hall effect is considered in relation to the modification of MHD wave propagation by electrical dissipation. A generalized system using Maxwell's equations and Ohm's law is developed to obtain a dispersion relation with emphasis on ion cyclotron motion. As in cases of electrical dissipation or the Hall effect, three waves are observed, the slowest of which is found to evanesce in a perfectly conducting medium in the direction determined by the frequency due to ion cyclotron resonance. All three waves propagate in random directions, however, when the conductivity of the medium is finite. As the electrical conductivity decreases, one of the waves is reduced to an ordinary acoustic wave, while the other two waves are reduced to electromagnetic waves. D.M.W.

A78-36371 Application of gas turbines for peak and base load operation (Anwendung von Gasturbinen für Spitzen- und Grundlastbetrieb). M. Gard (AEG-KANIS Turbinenfabrik GmbH, Berlin, West Germany). *AEG-Telefunken, Technische Mitteilungen*, vol. 68, no. 1-2, 1978, p. 41-47. In German.

Characteristic data on the several types of gas turbines under different operating arrangements for peak and base load are presented. Startup and stopping characteristics of the PG 5341 gas turbine, a 25 MW machine without exhaust utilization, are plotted. The useful heat and heat losses for natural-gas fired gas turbines are compared with the useful heat and losses for the same machines but using an additional boiler feeding a condensation steam turbine. Large gas turbines in conjunction with condensation steam turbines have a terminal efficiency of 41-44.3%. The driving gas temperature is also higher. Heat performance data are also given for natural-gas fired gas turbines with remote heating. The block diagram of a three-stage fuel preparation system is discussed. P.T.H.

A78-36372 Use of gas turbines in natural gas transport systems /pipelines/ (Die Anwendung von Gasturbinen in Erdgas-Transportsystemen /pipelines/). J. Günther and W. Moldenhauer (AEG-KANIS Turbinenfabrik GmbH, Berlin, West Germany). *AEG-Telefunken, Technische Mitteilungen*, vol. 68, no. 1-2, 1978, p. 48-53. In German.

The paper describes some of the materials and equipment requirements for a natural gas pipeline station. The effect of environmental demands on design is discussed in the light of the Orenburg-Chust pipeline in the USSR. Requirements on an attendance-free station are examined. P.T.H.

A78-36443 Enzymes show promise for biomass conversion. E. K. Pye (Pennsylvania University, Philadelphia, Pa.). *Energy*, vol. 3, Spring 1978, p. 23, 24.

Enzymatic procedures for converting cellulose into glucose which can be fermented to ethanol are considered. Current research projects involve the use of *Thermoactinomyces* cellulase and hemicellulase to convert beef cattle wastes into sugars, the use of *Trichoderma reesei* cellulase to convert a variety of cellulosic materials, the use of amylglucosidase to transform plant starch, and the use of *Trichoderma viride* enzymes to break down cellulose from paper mill pulp, corn cobs, and cotton gin trash. An advantage of enzymatic processes is that they proceed under moderate conditions (30-50 C, neutral pH) and do not require the high temperature and pressure and low pH that are necessary for acid decomposition of cellulose. The cost of obtaining ethanol from cellulose is discussed and is shown to be competitive with alternative fuel costs in some parts of the world. M.L.

A78-36444 Photovoltaic electricity - On the way. I - An optimistic view. II - Solar cell arrays too expensive . . . but interesting. B. L. Welch (Environmental Biomedicine Research Institute; Johns Hopkins University, Baltimore, Md.) and E. M. Cohn. *Energy*, vol. 3, Spring 1978, p. 25-27.

Two views of the potential use and cost of photovoltaics are presented. One view holds that costs will continue to decline and that the proportion of U.S. energy produced by photovoltaics will increase. The other view holds that costs associated with installation of solar cell arrays makes their use prohibitively expensive except in areas outside the U.S. where resources to maintain traditional electricity-generating systems are lacking. Costs, marketing, funding, and manufacturing procedures are discussed. M.L.

A78-36445 Hydrogen fuel and its application to vehicular systems. R. E. Billings (Billings Energy Corp., Provo, Utah). *Energy*, vol. 3, Spring 1978, p. 28-30. 14 refs.

Some hydrogen storage systems for hydrogen-fuel automobiles are surveyed, and the engine efficiency of gasoline and hydrogen fuel automobiles is compared. Advantages and disadvantages of iron-titanium hydride and cryogenic hydrogen storage systems are examined, safety tests of a metal hydride tank are reported, and the lack of air pollution caused by hydrogen combustion is noted. The operational economics of hydrogen fuel use is considered with attention to the efficiencies of generating synthetic hydrogen, methanol, gasoline, and electricity from coal. It is suggested that a taxi fleet could be used to test the application of hydrogen as a vehicular fuel sometime during the 1980-1985 period. M.L.

A78-36497 Energy and the atmosphere: A physical-chemical approach. I. M. Campbell (Leeds University, Leeds, England). London and New York, John Wiley and Sons, 1977. 406 p. 32 refs. \$35.95.

The earth as a planet is examined and a description is presented of the natural energy balance of the earth. The gross structure of the earth's atmosphere is considered along with the photosynthetic origin of fuels, combustion and fuels, the realization of energy, the major cycles of the atmosphere, and the ionic species in the mesosphere and lower thermosphere. The photochemistry of the polluted troposphere is discussed, taking into account the need for photochemical activation, basic photochemical considerations, the rates of photodissociation processes in the troposphere, the overall chemistry of photochemical smog, the photooxidation of sulfur dioxide, and tropospheric aerosols. The neutral chemistry of the upper atmosphere is also investigated, giving attention to the upper atmosphere as a chemical reactor, primary photochemistry of the

upper atmosphere; secondary chemistry of the stratosphere, potential anthropogenic perturbations of stratospheric chemistry, biological effects of ultraviolet radiation, and the chemistry of the atmosphere above the stratopause. G.R.

A78-36551 High-temperature materials for MHD generators (Vysokotemperaturnye materialy dlia MGD-ustanovok). Edited by A. I. Rekov and A. I. Romanov. Moscow, Izdatel'stvo Nauka, 1977. 184 p. In Russian.

The papers deal with the physicochemical aspects of the production technology of refractory materials suitable for use as MHD-channel and combustion chamber components. Data on the composition and structure of such materials are presented, along with data on the thermomechanical stability, heat and corrosion resistance, electrical conductivity, thermionic emission, heat conductivity, chemical stability, and on the behavior of these properties under the operating conditions of MHD channels. Techniques developed for testing such refractory materials are described. V.P.

A78-36556 # Oxide ceramics for electrodes on open-cycle MHD generators (Okisnaia keramika dlia elektrodov MGDG otkrytogo tsikla). A. I. Rekov, G. P. Chernyshev, F. A. Akopov, B. V. Lukin, and R. Ia. Drozdov. In: High-temperature materials for MHD generators. Moscow, Izdatel'stvo Nauka, 1977, p. 35-41. 7 refs. In Russian.

The paper deals with the production technology and the thermomechanical, electrophysical, and chemical properties of ceramics of the following compositions: 85 mol% ZrO₂, 12 mol% CeO₂, 3 mol% Y₂O₃, and 91 mol% ZrO₂, 5 mol% Nd₂O₃, 4 mol% Y₂O₃. The grain size was less than 3 microns in all cases. Photographs of the microstructure of these electrode materials are presented, along with their thermal expansion curves and electrical conductivity vs temperature curves. Preliminary experimental data obtained with these electrodes are discussed. V.P.

A78-36563 # Investigation of the thermionic emission of some advanced cathode materials (Issledovanie termoelektronnoi emissii nekotorykh katodnykh materialov dlia novoi tekhniki). V. G. Gordon, B. S. Kul'varskaia, B. M. Levinov, A. I. Rekov, and E. G. Spiridonov. In: High-temperature materials for MHD generators. Moscow, Izdatel'stvo Nauka, 1977, p. 72-76. In Russian.

In the study described, the thermionic characteristics of a number of refractory materials intended for operation in oxidizing and nonoxidizing media were investigated. A Cr-LaCrO₃ cermet (57.52% La, 20.89% Cr) devoid of free lanthanum and chromium oxides was found to be best suited as matrix material for emitters intended for operation in oxidizing media. For nonoxidizing media, preference is given to graphite materials containing BaO, SrO, and Y₂O₃ additions. V.P.

A78-36566 # Refractory periclase materials and means of using them in high-temperature power plants (Periklazovye ognepornye materialy i puti ikh ispol'zovaniia na vysokotemperaturnykh energeticheskikh ustanovkakh). S. G. Tresviatskii, B. I. Terekhovskii, I. D. Barabanova, Ia. I. Zholidov, and A. A. Miroshnichenko. In: High-temperature materials for MHD generators. Moscow, Izdatel'stvo Nauka, 1977, p. 91-97. In Russian.

A78-36578 # Study of the behavior of periclase materials in gas flows containing alkali additions (Issledovanie povedeniia periklazovykh materialov v gazovom potoke so shchelochnoi prisadkoi). T. S. Ignatova, L. V. Uzberg, L. F. Gruz'd', and G. K. Malikov. In: High-temperature materials for MHD generators. Moscow, Izdatel'stvo Nauka, 1977, p. 167-176. 13 refs. In Russian.

In the experiments described, electrically smelted periclase specimens differing in magnesia content were used to study the penetrability of alkali additions at temperatures ranging from 800 to 1800 C. The corrosion and the characteristics of precipitation of alkali compounds in the bulk of the specimens were studied as a function of the heat flux to the wall. The influence of potassium compounds on the electrical insulation properties of periclase materials was also investigated. Guidelines for using pure periclase materials as MHD-channel linings are proposed. V.P.

A78-36616 Cold flow mixing rate data for pulverized coal reactors. V. J. Memmott and L. D. Smoot (Brigham Young University, Provo, Utah). *AIChE Journal*, vol. 24, May 1978, p. 466-473. 14 refs. Research supported by the Electric Power Research Institute and U.S. Department of Energy.

Mixing rates of particles and gases in confined, coaxial jets are reported for tests with conditions simulating those of pulverized coal gasification and combustion processes. Gas velocity, particle mass flux, and gas composition were measured at various radial and axial locations downstream of the primary jet exit plane. Effects of inlet velocity, density, injection angle, particle loading level, and particle size on the rates of mixing were determined. Increasing injection angle and secondary velocity significantly increased gas and particle mixing rates, while effects of other variables were much less significant. Dispersion of particles lagged that of the gas in all cases investigated. (Author)

A78-36623 Marine thermic energy and the combination of solar, radiative and aeolian energies (L'énergie thermique marine et la combinaison des énergies solaire, radiative et éolienne). A. Dauvillier. *Revue de l'Energie*, vol. 29, Mar. 1978, p. 142-145. In French.

A thermodynamic process for the generation of energy is presented which uses meteorological elements through the creation of a heat source due to day-time rays and a cold source due to night-time rays plus a minor addition of aeolian energy obtained by a heat pump. Marine thermic energy, the radiation process, aeolian energy and the problem of sites and construction are all successively studied in this article. (Author)

A78-36650 Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ (Solarthermische Heizungssysteme: Technische Aspekte und wirtschaftliche Grenzen /2nd revised edition/). H. Grallert. Munich, R. Oldenbourg Verlag GmbH, 1978. 216 p. 24 refs. In German. \$23.06.

The book attempts to show the technical possibilities for a utilization of solar energy. Its main objective is to provide information for engineers, technicians, and architects, concerned with the design and the employment of solar heating installations. The general principles of solar heating are examined, taking into account functional aspects, weather conditions, questions related to the solar spectrum and the radiation exchange with the environment, the theoretical solar energy irradiation, effects due to the presence of clouds, environmental temperature and pressure effects, and the general requirements which a solar heating system has to satisfy. In an investigation of the technical possibilities, attention is given to system concepts, the collector cycle, control problems, the connection between the collector cycle and the consumption cycle, solar energy collectors, the collector concept for solar house heating, thermal and optical material characteristics, geometrical dimensions in the direction of the normal of the plane, special construction types and design relations for flat-plate collectors, and heat pumps. A study of the economy of solar heating is also conducted. G.R.

A78-36679 Pollution control with SO₂ recovery. K. S. Gaur (Davy Powergas, Inc., Lakeland, Fla.). *Pollution Engineering*, vol. 10, May 1978, p. 51-55.

The Wellman-Lord sulfur dioxide recovery system is described. The method is based on the reaction between the absorbent sodium sulfite solution and sulfur dioxide. This produces sodium bisulfite.

Three primary operating procedures are identified: gas pretreatment/SO₂ absorption, chemical regeneration, and purge treatment. Based on the performance of the first-generation plant, it is found that SO₂ removal efficiency exceeds 90%, particulate emissions do not exceed 0.1 lb/million Btu heat input, and Na₂CO₃ averages 94% of the maximum allowable. Capital and operating costs are discussed along with energy requirements. Future development is centered on reducing capital requirements in sulfate purge treatment, reducing steam consumption for chemical regeneration, and reducing pressure drop across the absorption system. S.C.S.

A78-36697 The role of advanced transit in the implementation of the polycentric city concept. J. Schneider (Washington, University, Seattle, Wash.) and T. Noguchi. (Advanced Transit Association, International Conference, Indianapolis, Ind., Apr. 25-28, 1978.) *High Speed Ground Transportation Journal*, vol. 12, Spring 1978, p. 1-22. 7 refs. Research supported by the U.S. Department of Transportation.

The paper reviews the activity centers concept and examines its relationship to the public transit part of the regional development plan. The polycentric city concept is discussed, and the planned development of regional centers in four metropolitan areas - Toronto, Vancouver, Minneapolis-St. Paul, and Denver - is indicated. Policy decisions that would foster the development of major diversified centers are considered, with attention to the question of whether rapid transit linkage of a regional center to downtown aids or hinders regional center growth. The implementation of the polycentric city concept is favored because it is thought that an urban area of this type is more able to support a viable public transportation system than would a monocentric city. M.L.

A78-36700 The German research and technology program concerning advanced tracked ground-transportation systems. H. Schulz (Bundesministerium für Forschung und Technologie, Bonn, West Germany). *High Speed Ground Transportation Journal*, vol. 12, Spring 1978, p. 101-111. 8 refs.

The paper discusses the rationale, program, and goals of tracked ground transportation systems research which is sponsored by the Federal Republic of Germany's Federal Minister for Research and Technology. The state-of-the-art of the magnetic levitation technique is reviewed, and a comparison of transport modes is presented. Data are provided for the primary energy consumption of different modes, investment costs versus topographic conditions, and noise emission versus speed. M.L.

A78-36701 The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Parts 1 & 2. Meeting sponsored by AAS, AIAA, American Society for Quality Control, et al. Edited by R. A. Van Patten (Stanford University, Stanford, Calif.), P. Siegler, and E. V. B. Stearns (Lockheed Missiles and Space Co., Inc., Sunnyvale, Calif.). San Diego, Calif., American Astronautical Society (Advances in the Astronautical Sciences. Volume 36, pts. 1 & 2); Univelt, Inc., 1978. Pt. 1, 608 p.; pt. 2, 541 p. Price of two parts, \$85.

The technical aspects of large space structures are discussed, taking into account freedoms from constraints in solar power satellite design, the automated space fabrication of structural elements, a near-term space demonstration program for large structures, solar power satellite construction concepts, and structural and assembly concepts for large erectable space systems. Advanced transportation systems are considered along with the technical aspects of systems implementation, the key steps in the development program to space industrialization, communications and navigation, the technical aspects of space habitation, historical precursors and analogs, the economic realities of space operations, psycho-social and biological considerations, and problems of space law. Questions of space community planning are also investigated, giving attention to space community planning in a down-to-earth context, design

principles and cultures, a preliminary investigation of space habitat atmospheres, alternative social structures in a vacuum, and space industrialization as a challenge to private enterprise capitalism. G.R.

A78-36702 Freedoms and constraints in solar power satellite design. R. Sperber and H. Zipursky. In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 7-26. 31 refs. (AAS 77-200)

The term 'freedom' is used to denote the ability to choose between several options, each of which is compatible with the constraints. A description is presented of geometric, structural, electrical, optical assembly, and implementation freedoms and constraints as they affect satellite power design. Geometric design is the positioning and orientation of system components. Primary constraints in geometric design for a power satellite as a whole are basic orientation, moments of inertia as they affect attitude control, thermal radiative requirements, and meteoroid flux direction. The main structural constraint on a power satellite is the large distance the main structure will have to span, up to tens of kilometers. Electrical design considerations for power satellites as compared to similar earthbound systems seem to be mainly a series of thermal constraints. G.R.

A78-36705 Solar power satellite construction concepts. K. H. Miller (Boeing Aerospace Co., Seattle, Wash.). In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1.

San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 79-99. Contract No. NAS9-15196. (AAS 77-203)

In-space construction of a photovoltaic solar power satellite that is 5 1/2 by 25 km in size and weighs 81,000 tons is discussed. One of the construction approaches being considered requires 1/8-size power collection satellite modules to be constructed in low earth orbit (LEO) and transported to geosynchronous orbit (GEO) using self-powered electric thrusters. At GEO, these 1/8-size modules are connected and the antenna is constructed and attached. This construction approach will require about 300 people at LEO and 380 people at GEO working 10 hour shifts for 90 day staytimes. This paper describes the construction operations and construction equipment. Also discussed are some of the human factors considerations. (Author)

A78-36712 A baseline of logistic and power requirements for full-scale manufacturing of metallic materials in earth orbit. H. Bloom (General Electric Co., Space Div., Valley Forge, Pa.). In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 277-295. 11 refs. (AAS 77-237)

Typical space-processed materials and their potential uses are considered, taking into account tungsten for X-ray targets, high-temperature tungsten-nickel eutectics for aircraft gas turbine blades, beryllia dispersion in beryllium for nuclear reactor reflectors, refractory metals (Mo) for aircraft gas turbine blades, tantalum or niobium-based alloys for electronic component substrates, monotectic alloys (W-Cu) for electric power contacts, superalloys with dispersed rare earth oxides for gas turbine components and high-temperature structures, superconducting monotectics (Nb Sn-Sn) for electrical components, and metal foams (Al/Ar). Attention is given to the functional requirements for logistics, the functional requirements of power, a set of metallic materials for establishing logistics and power requirements, and logistics and power requirements. G.R.

A78-36716 A road map to space products. R. L. Hammel and D. M. Waltz (TRW Defense and Space Systems Group, Redondo

Beach, Calif.). In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 363-390. 6 refs. (AAS 77-239)

The advantages of a processing of materials in space are related to the presence of the low-gravity environment, the vacuum conditions, and the readily available solar energy. Five basic types of processes envisioned are related to crystal growth, purification/separation, mixing, solidifications, and processes in fluids. Potential space products are listed in a table. Electronic products considered include semiconductors, integrated circuit chips, magnetic switches, relays, magnetic detectors, ultrasonic and optical frequency filters, superconductors, and X-ray targets. Optical and biological products envisaged are related to large diameter crystals, uniformly doped crystals, high index of refraction glasses, IR-transmitting glasses, improved fiber optics, holographic storage devices, high-purity biologicals for use in making vaccines, human cell purification, enzyme isolation, and protein purification and production. Materials for structural uses comprise better turbine blade materials, high strength composites, and high purity materials. A description is presented of the development of space manufacturing during the flight research phase (1965-1984), the product and process development phase (1982-1990), and the industrial utilization phase (1990-2000). G.R.

A78-36717 * Satellite mirror systems for providing terrestrial power - System concept. K. W. Billman, W. P. Gilbreath (NASA, Ames Research Center, Moffett Field, Calif.), and S. W. Bowen. In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 391-414. 11 refs. (AAS 77-240)

A system of orbiting reflectors, SOLARES, has been studied as a possible means of providing terrestrial power with a space system of minimum mass and complexity. The key impact that such a system, providing continuous and slightly concentrated insolation, makes on the economic viability of solar farming is demonstrated. New developments in solar sailing are incorporated to reduce mirror mass and transportation cost. The system is compatible with incremental implementation and continual expansion to produce the world's power needs. Key technology, environmental, and economic issues and payoffs are identified. SOLARES appears to be economically superior to other advanced, and even conventional, energy systems and could be scaled to completely abate our fossil fuel usage for power generation. (Author)

A78-36718 * In orbit manufacture of solar reflector satellites. R. M. Muller (NASA, Goddard Space Flight Center, Greenbelt, Md.). In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 1. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 415-428. (AAS 77-241)

The implementation of an idea reported by Oberth (1929) is discussed. This idea is concerned with the reflection of sunlight to the ground by means of orbiting metal mirrors. The approach used for implementing Oberth's idea makes use of aluminized Mylar as a reflecting material which is supported with the aid of a structure which includes six booms and a peripheral mirror cable. Four low resistance one turn coils are formed by the structure. Magnetic forces for attitude maneuvers are obtained by energizing the coils. A bipropellant propulsion system is to be used to raise the initial 330 km circular parking orbit to a 330 by 1000 km elliptical orbit. Two thrusters are employed. They are oriented parallel to each other and the mirror surface. The mirror satellite can be completely folded so as to maximize the launch capability of the Shuttle. G.R.

A78-36729 Space industrialization - The long-range view and the near and intermediate steps. C. L. Gould (Rockwell International Corp., Space Div., Downey, Calif.). In: The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Part 2. San Diego, Calif., American Astronautical Society; Univelt, Inc., 1978, p. 697-728. (AAS 77-230)

A summary is provided of the results of a study on space industrialization. It is found that the industrial utilization of space is important to the nation, and facilitates the advancement of developing countries. It is both technologically feasible and economically rewarding on a need/market oriented basis. The most immediate rewards and the most favorable investment conditions in the 1980's are indicated in the service area both for information transmission and acquisition. The Shuttle/Spacelab combination provides an early step toward a general-purpose manufacturing R and D facility. The prospects for meaningful production levels of a number of biochemical and directional solidification products by the mid-1980's are promising. Attention is also given to energy-related developments in space for the near-term (1984-1990) and the intermediate term (1995-2010), plasma research in orbit to achieve controlled fusion, and the use of lunar materials, including an employment of lunar oxygen for spacecraft propulsion applications. G.R.

A78-36825 Broadlands - A gas-dominated geothermal field. M. A. Grant (Department of Scientific and Industrial Research, Wellington, New Zealand). *Geothermics*, vol. 6, no. 1-2, 1978, p. 9-29. 15 refs.

Characteristics of the Ohaki region in the Broadlands geothermal field in New Zealand are analyzed and are shown to be a consequence of the presence of a few percent of CO₂ in a two-phase system. At the 260 C level, the rock is 80% saturated with liquid and 20% saturated with vapor. The large overpressures of CO₂ indicate that the field is boiling to 2 km, and all the producing bores exploit two-phase aquifers. The two phases in the rock impede each other's flow, and the field would be unusable for energy purposes if the aquifer were less permeable. Topics investigated in the analysis include equations of flow, linearized perturbation equations - permeability in the Ohaki aquifer, mathematical modeling of field behavior, and results of model simulation. The differences between the Ohaki bores and the rest of Broadlands are described, gas contents of the field and initial state are reported, and characteristics of Broadlands and Wairakei geothermal fields are compared. M.L.

A78-36854 Output power and lifetime of high-voltage, low-temperature thermoelectric batteries. L. D. Dudkin, A. N. Moskalev, A. E. Nadzhip, O. B. Sokolov, and A. Ia. Terekov (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istoknikov Toka, Moscow, USSR). (*Geliotekhnika*, no. 3, 1977, p. 3-7.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 1-4. Translation.

The article discusses the design of low-temperature high-voltage thermopiles featuring a high ratio of output voltage to unit power drain U/W (ratio roughly ten) capable of operating at temperatures from 50 to 300 C over a 200 C temperature drop. Extruded rods of low-temperature thermoelectric materials with such a ratio are used in fabricating the thermopiles. 4000-h lifetime tests run on specimens with hot-junction temperatures near 270 C revealed no degradation of thermopile energy output or performance. R.D.V.

A78-36855 Photoelectric and electric properties of nSiC-nCdS heterojunctions. Sh. A. Mirsagatov, M. Duisenbaev, and D. T. Rasulov (Akademiiia Nauk Uzbekskoi SSR, Fiziko-Tekhnicheskii Institut, Tashkent, Uzbek SSR). (*Geliotekhnika*, no. 3, 1977, p. 8-11.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 5-8. 5 refs. Translation.

Dark voltage-current and voltage-capacitance characteristics of n-type (SiC + CdS) heterojunctions were investigated, in order to ascertain the mechanism of current transport through the structure. The heterojunctions were fabricated by thermal vaporization of CdS

A78-36856 Determination of the thermodynamic parameters of a thermal compressor. A. G. Popov and V. S. Trukhov (Akademiia Nauk Uzbekskoi SSR, Fiziko-Tekhnicheskii Institut, Tashkent, Uzbek SSR). (*Geliotekhnika*, no. 3, 1977, p. 12-19.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 9-14. 7 refs. Translation.

A procedure for calculating the thermodynamical performance characteristics of a thermocompressor operating on a modified Stirling cycle is worked out. An ideal thermocompressor model is developed, with constant temperatures in hot and cold zones, identical masses of working fluid taken in and exhausted over a cycle at constant pressures, no leaks, no friction, no drag, and with an ideal regenerator. Design with rod diameter taken into account and left out of account are considered. The thermal efficiency of the ideal thermocompressor is found to increase with compression ratio and to decline when monatomic working fluid is replaced by diatomic.

R.D.V.

A78-36858 Truncated 'focones' and 'foclines'. M. V. Braslavskia and V. K. Baranov. (*Geliotekhnika*, no. 3, 1977, p. 25-30.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 19-22. Translation.

Graphs and tabular data are presented on the parameters of parabolic torus solar energy concentrators and parabolic cylinder focusing wedges. Straightforward determination of the performance parameters of shortened focusing concentrators and focusing wedges as functions of specified element depth or allowable degradation of concentration ratio is addressed. Spatial selectivity and aperture dimensions of the solar array elements are defined and formulated. Shortening a concentrator by a third, and a wedge by a half, is found to result in only 10% degradation in concentration.

R.D.V.

A78-36859 Technique of testing silazane coatings. R. A. Zakhidov, A. I. Ismanzhanov, and L. A. Dubrovskii (Akademiia Nauk Uzbekskoi SSR, Tsentral'noe Proektno-Konstruktorskoe i Tekhnologicheskoe Biuro Nauchnogo Priborostroeniia, Uzbek SSR). (*Geliotekhnika*, no. 3, 1977, p. 31-35.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 23-26. 6 refs. Translation.

Procedures for accelerated ageing tests on Silazan resin protective coatings and statistical processing of test data are outlined. Resin coatings on solar concentrators are tested under various intensified solar UV radiation patterns simulating five-fold or forty-fold UV intensities. Mercury lamps are employed in the accelerated exposures. Parameters for the accelerated ageing tests, functions linking the lifetime and operating conditions of the coated object, and conversion of test results are discussed.

R.D.V.

A78-36860 Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations. R. A. Zakhidov and Sh. I. Klychev (Akademiia Nauk Uzbekskoi SSR, Tsentral'noe Proektno-Konstruktorskoe i Tekhnologicheskoe Biuro Nauchnogo Priborostroeniia, Uzbek SSR). (*Geliotekhnika*, no. 3, 1977, p. 39-44.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 29-33. 7 refs. Translation.

Radiative heat transfer in cavity type solar collectors was investigated with the object of arriving at useful simplifications in early-design selection of cavity parameters. A computer program is developed and the effect of optical-geometrical cavity parameters on heat flux is investigated, with attention given to the concentration field. Relationships between influx distribution and redistributions of outward-going flux are explored.

R.D.V.

A78-36862 Development of a solar-power cadaster. R. B. Salieva (Tashkentskii Elektrotekhnicheskii Institut Sviasi, Tashkent, Uzbek SSR). (*Geliotekhnika*, no. 3, 1977, p. 56-64.) *Applied Solar Energy*, vol. 13, no. 3, 1977, p. 43-48. 18 refs. Translation.

Basic purposes of a solar energy cadastral survey incorporating objective numerical data based on an adequate stochastic model are outlined. The survey is intended to provide a data base for exploitation and storage of solar energy and for forecasting of favorable insolation conditions, with benefits in electric power, communications, refrigeration and heating, irrigation, and water resources management. The microstructure of solar radiation exposure is broken down from a continuous series to phase-homogeneous periods lasting one calendar month. Histograms, tables, and graphs are compiled as aids in determining repeatability of solar radiation patterns.

R.D.V.

A78-36863 Analysis and classification of concentrating-system design methods. R. A. Zakhidov (Akademiia Nauk Uzbekskoi SSR, Tsentral'noe Proektno-Konstruktorskoe i Tekhnologicheskoe Biuro Nauchnogo Priborostroeniia, Uzbek SSR). (*Geliotekhnika*, no. 4, 1977, p. 3-13.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 1-9. 47 refs. Translation.

A review and classification is presented of the methods for calculating the radiation field and the design parameters of concentrating systems in solar energy equipment having single-mirror, multi-mirror, and facet type configurations. The method of elementary conical beams, the Gaussian-beam method, and the method of Gaussian deflection of the normal are described. Attention is given to the accuracy and limits of the various techniques.

S.C.S.

A78-36864 Focone and focline concentration of radiation scattered by circumsolar parts of the sky. V. K. Baranov. (*Geliotekhnika*, no. 4, 1977, p. 14-21.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 10-16. 9 refs. Translation.

Previously derived formulas defining the ability of conical and cylindrical concentrators to concentrate the energy of extended radiation sources are combined with a model of solar-radiation scattering (in a clear sky, a lightly-clouded sky, and a densely-clouded sky) for the purpose of estimating the contribution of scattered radiation to the overall energy concentrated by such solar collectors. The analysis shows that in a densely-clouded sky the contribution of scattered radiation is negligible. In a clear or lightly-clouded sky the total radiation concentrated by the two types of collectors exceeds concentrated direct radiation by 5-10%, and even (for the cylindrical concentrators) up to 15%. When a silicon element is used as a receiver, the difference in the spectral composition of direct and scattered radiation does not significantly influence the system's effectiveness.

S.C.S.

A78-36865 Prospect for using Fresnel lenses for the concentrating systems of solar installations. N. S. Lidorenko, K. V. Zhukov, F. Kh. Nabiullin, and E. V. Tver'ianovich (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). (*Geliotekhnika*, no. 4, 1977, p. 22-25.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 17-19. 11 refs. Translation.

A78-36868 Some results of an experimental investigation of a Stirling engine. G. Ia. Umarov, V. S. Trukhov, Iu. E. Kliuchevskii, I. A. Tursunbaev, E. P. Orda, and N. P. Vogulkin (Akademiia Nauk Uzbekskoi SSR, Fiziko-Tekhnicheskii Institut, Tashkent, Uzbek SSR). (*Geliotekhnika*, no. 4, 1977, p. 34-37.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 26-28. Translation.

This model Stirling engine, developed for solar energy systems, incorporates a displacer and a piston in a single cylinder. The volume measured by the displacer is found to be 60 cu cm. The engine's thermodynamic characteristics are studied in various operating modes. The engine rotations fluctuate within a range of up to 100 atm. The results obtained are compared with the theory.

S.C.S.

A78-36869 Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature. D. I. Tepliakov and R. R. Aparisi (Gosudarstvennyi Nauchno-Issledovatel'skii Energeticheskii Institut, Moscow, USSR). (*Geliotekhnika*, no. 4, 1977, p. 38-47.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 29-36. 10 refs. Translation.

The thermal interface of the concentrator and steam generator of a solar power plant is studied with emphasis on the concentrator efficiency and the temperature of the working medium in the steam generator. The dependence of the thermodynamic efficiency of conversion of radiation into mechanical work on the coordination between the concentrator and the steam generator is demonstrated. It is shown that in each particular case optimal coordination can be achieved between the concentrating power and the temperature of the heat transfer agent to provide maximum thermodynamic efficiency of a plant operating in the Carnot cycle. S.C.S.

A78-36870 Comparative analysis of geometric characteristics of solar power plant boilers. L. N. Vladimirova and B. A. Garf (Gosudarstvennyi Nauchno-Issledovatel'skii Energeticheskii Institut, Moscow, USSR). (*Geliotekhnika*, no. 4, 1977, p. 48-53.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 37-41. Translation.

A78-36871 Experience in operating a solar absorption cooling plant with open solution regenerator. A. A. Kakabaev, O. Klyshchaeva, A. Khandurdyev, and N. Kurbanov (Akademiia Nauk Turkmensoi SSR, Fiziko-Tekhnicheskii Institut, Ashkhabad, Turkmen SSR). (*Geliotekhnika*, no. 4, 1977, p. 73-76.) *Applied Solar Energy*, vol. 13, no. 4, 1977, p. 57-59. Translation.

Results are reported of a four-year study of a nine-room three-floor model home utilizing absorption-cooling solar equipment with a cooling power of 50,000 kcal/hour. Some improvements in design and use of such equipment are suggested. It is seen that absorption-cooling equipment has potential for use in buildings located in southern regions. S.C.S.

A78-36945 The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry (Bedeutung des Hausmüllrecyclings für Rohstoffbedarf und Energieverbrauch der NE-Metallindustrie). R. Turowski (Kernforschungsanlage Jülich GmbH, Jülich, West Germany). *Metall*, vol. 32, May 1978, p. 498-500. In German.

The reported investigation has the objective to evaluate the economic feasibility of domestic refuse cycling in West Germany, taking into account the competitive position of refuse cycling in comparison to other refuse disposal methods. The investigation makes use of the methods of energy analysis to determine the energy required for obtaining the various products. Fractions of special interest for recycling include paper, glass, iron, nonferrous metals, and plastics. Textiles are separated together with paper and cardboard. They are used as fiber material in the manufacture of paper. Recycling installations are found to be economically feasible in areas in which a high population density assures the minimum material quantities required for an economic operation. Attention is given to the reduction of raw material requirements as a consequence of recycling operations, the recycling potential and the use of the secondary metal, the relief provided for the energy balance, energy consumption in the case of aluminum, and possibilities for a saving of energy on a global basis. G.R.

A78-36964 Thermoelectric power and ac conductivity of A-type Nd₂O₃. V. Pratap and B. K. Verma (Gorakhpur, University, Gorakhpur, India). *Pramana*, vol. 10, Feb. 1978, p. 173-177. 10 refs.

A78-37114 Aero engines climb towards better fuel efficiency. M. Hewish. *New Scientist*, vol. 78, May 11, 1978, p. 380, 381.

The low-bypass-ratio turbofans of the early 1960s had specific fuel consumptions about 15 percent lower than the previous straight turbojets. The introduction of high-bypass turbofans in the early 1970s led to a further 20 percent reduction. Studies financed by NASA have the objective to reduce fuel consumption by another 12 percent. Gains to be made are related to improved components performance, revised maintenance procedures to reduce deterioration in use, reduced sensitivity to factors which cause performance to fall while the engine is in service, and a modified operating cycle, mainly involving changes in bypass ratio, overall pressure ratio, and turbine inlet temperatures. The integrated fan duct, which provides structural strength and damps out fan noise, contributes to performance gains by more efficient mixing of the fan flow and hot gas stream from the engine core. G.R.

A78-37139 Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave. R. J. Faehl and N. F. Roderick (California, University, Los Alamos, N. Mex.). *Physics of Fluids*, vol. 21, May 1978, p. 793-797. 13 refs. ERDA-sponsored research.

Using both a simple analytic model and exact one-dimensional calculations, the intensity dependence of inverse bremsstrahlung absorption in a nonuniform standing wave in a plasma is investigated. The heuristic model for intensity corrections to the absorption coefficient is extrapolated to Airy-like field distributions. The numerical calculations simultaneously solve Maxwell's equations with the ion and electron fluid equations on the electromagnetic time scale. Values are found for the fractional reduction in inverse bremsstrahlung absorption. Good agreement is found between calculated and model results. It is noted that the study has applications in laser fusion. S.C.S.

A78-37143 Wall stabilization of axisymmetric modes in noncircular tokamak plasmas. M.-S. Chu and R. L. Miller (General Atomic Co., San Diego, Calif.). *Physics of Fluids*, vol. 21, May 1978, p. 817-826. 20 refs. Contract No. EY-76-C-03-0167-PA-38.

The axisymmetric stability of tokamak equilibria with arbitrary cross section is studied numerically using the energy principle. The contribution to delta W from the plasma region is minimized analytically with respect to displacements in the toroidal and poloidal directions. The formulation of Lüst and Martensen is used for the vacuum contribution. Bessel-Fourier and other sets of trial functions are then employed to cast the minimization of delta W into a matrix eigenvalue problem. A computer code named AXISYM evaluates these matrix elements and solves for the eigenvalues. The code is fully toroidal and compressible mode trial functions are included. Wall stabilization is studied by placing a conducting wall around the vacuum region. (Author)

A78-37147 Mode mixing of large scale fluctuations in JFT-2 tokamak. K. Odajima, M. Wakatani, M. Maeno, and N. Fujisawa (Japan Atomic Energy Research Institute, Tokai, Ibaraki, Japan). *Physics of Fluids*, vol. 21, May 1978, p. 846-851. 14 refs.

Low frequency fluctuations in the JFT-2 tokamak are investigated. The fluctuations propagate in the direction of the electron diamagnetic drift velocity and have a toroidal mode number $n = 1$. Density fluctuations reveal that the $m = 2$ mode is dominant; on the other hand, magnetic field fluctuations show a poloidal mode number $m = 3$. The apparent discrepancy is explained by a sum of $m = 2$, $m = 3$, and/or $m = 4$ modes. Theoretical analysis based on the magnetohydrodynamic theory of kink and tearing modes agrees well with experimental observations. (Author)

A78-37172 Waste pyrolysis - Alternative fuel source. L. M. Puce. *Power*, vol. 122, June 1978, p. 101-103.

Four means for producing alternative fuel sources via waste pyrolysis are considered. In the first, low-Btu gas is produced by waste pyrolysis in a refractory-lined rotary kiln. The second is based on solid waste passing through a gasifier, and then through stages of drying, pyrolysis, and combustion. This also yields a low-Btu gas. The third method produces a medium-Btu gas by using oxygen reacting with char residue to produce hot gases which pyrolyze incoming waste. In the fourth technique, a flash-pyrolysis process produces a high-Btu liquid fuel. S.C.S.

A78-37174 Photo-galvano-voltaic cell - A new approach to the use of solar energy. H. T. Tien and J. M. Mountz (Michigan State University, East Lansing, Mich.). *International Journal of Energy Research*, vol. 2, Apr.-June 1978, p. 197-200. 9 refs. Research supported by Michigan State University.

A novel photo-electrochemical cell based on a combined principle of photogalvanic and photovoltaic effects is proposed and tested. The principal element of the cell consists of a pigmented membrane separating two aqueous solutions, one of which contains thionine dye and ferrous ions. The photo-emf generated across the cell is equal to the sum of the voltages derived from the photogalvanic and photovoltaic processes. The feasibility of such a photo-galvano-voltaic device for light transduction has been demonstrated. (Author)

A78-37177 Ideal flux concentrators with reflector gaps. R. Winston (Chicago, University, Chicago, Ill.). *Applied Optics*, vol. 17, June 1, 1978, p. 1668, 1669. 7 refs. Contract No. ER-78-5-02-4657.

Although it has been argued that solar concentrators with the maximum theoretical concentration ratio must have reflecting surfaces connecting the absorbers to the entrance apertures, this feature may not always be possible in practical devices. Accordingly, a design strategy is developed to preserve ideal flux concentration on the absorber while slightly oversizing the reflector. The design strategy is applicable to arbitrary convex receiver shapes and quite general illumination of the entrance aperture; the design is also adaptable to case involving refractive elements. J.M.B.

A78-37189 Modeling solar cells for use as optical detectors - Background illumination effects. L. A. Mallette and R. L. Phillips (Florida Technological University, Orlando, Fla.). *Applied Optics*, vol. 17, June 1, 1978, p. 1786-1788. 12 refs.

Solar cells have traditionally been used for direct sunlight to energy conversion, but there has been relatively little investigation into their use as a low data rate optical detector. This paper presents an experimental procedure used to determine the ac model of a specific solar cell. A lumped circuit model and governing equations are developed. Open circuit responses to pulses are used to determine values for the internal capacitances as a function of background illumination. Possible problems encountered with noise generation are also reviewed. (Author)

A78-37260 # Thin film CdS-CuI heterojunction photocells. V. E. Stoianov, M. S. Lakova, D. I. Dimova, and I. K. Baltov (B'lgarska Akademiia na Naukite, Institut po Fizika na Tv'rdoto Tialo, Sofia, Bulgaria). *Bolgarskaia Akademiia Nauk, Doklady*, vol. 30, no. 12, 1977, p. 1697-1700. 11 refs.

The development of a new type of CdS heterojunction referred to as CdS-CuI is described. The factors justifying the use of CuI as a junction to CdS are that CuI is a stable p-type material, is a wide-bandgap material, is easily processed, and can serve as an antireflective coating. The samples are prepared by consecutive deposition of CdS and CuI on glass or Kapton substrates cleaned previously by standard technology. The vacuum-deposited CdS film has a thickness of 4-5 microns, while the CuI film has a thickness of 0.05-0.1 micron. Different metals such as Au, Al, and Ni are vacuum deposited as ohmic contacts to CdS and Au to CuI. CdS-CuI

photocells with stable parameters up to 80 C are obtained. The best samples exhibit at 80 mW/sq cm an open-circuit voltage of 450-500 V, a short-circuit current of 3-4 mA/sq cm, and an efficiency of 1-2% for a fill factor of about 0.5. The photovoltaic effect observed shows a very good stability at elevated temperatures up to 80 C for several thousands of hours. Better parameter values can be obtained after optimization of the technological processes involved. S.D.

A78-37261 # Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS.Cr2O3 system. M. S. Lakova, D. I. Dimova, S. K. Kunev, and I. K. Baltov (B'lgarska Akademiia na Naukite, Institut po Fizika na Tv'rdoto Tialo, Sofia, Bulgaria). *Bolgarskaia Akademiia Nauk, Doklady*, vol. 30, no. 12, 1977, p. 1701-1704. 9 refs.

A78-37297 Analysis of spray combustion in a research gas turbine combustor. P. B. Patil, M. Sichel, and J. A. Nicholls (Michigan, University, Ann Arbor, Mich.). *Combustion Science and Technology*, vol. 18, no. 1-2, 1978, p. 21-31. 9 refs. U.S. Environmental Protection Agency Grant No. R-802925-02-2.

This paper deals with the analysis of liquid fuel spray combustion in an idealized gas turbine combustor. The flow, which is assumed to be one dimensional, is divided into two regions: (1) the heat up region and (2) the combustion region. Appropriate non-dimensional equations have been solved for each region and the solutions matched at the common boundary. Analytical expressions have been developed for the burning velocity eigenvalue as well as for the solution in the combustion region. The effects of the properties of the fuel and the air as well as effects of the conditions prevalent within the combustor on the solution are discussed. Typical results for JP-4 fuel are presented. The research gas turbine combustor designed and built at The University of Michigan comes very close to satisfying the assumptions made in this analysis. (Author)

A78-37299 Performance and NO_x emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines. J. J. Fagelson, W. J. McLean, and P. C. T. de Boer (Cornell University, Ithaca, N.Y.). *Combustion Science and Technology*, vol. 18, no. 1-2, 1978, p. 47-57. 35 refs. U.S. Department of Transportation Contract No. OS-30113.

A computer simulation of the performance and NO_x emissions of hydrogen fueled spark ignition engines is described. The engine combustion process is modeled by employing a semiempirical turbulent flame speed expression, and the NO_x emissions are determined by integrating the chemical rate equations resulting from the extended Zeldovich mechanism over the boundary conditions determined by the cycle analysis. Maximum NO_x emissions are predicted and experimentally found for lean mixtures whose equivalence ratio is in the vicinity of 0.8, while for richer mixtures the rapid decomposition of NO during the expansion stroke lowers exhaust emissions. Lean hydrogen-air mixtures are attractive from an efficiency standpoint, but the near stoichiometric mixtures required for full power operation lead to excessively high pressure rise rates. Exhaust gas recirculation moderates the burning rate and reduces the power output at little or no loss in efficiency. M.L.

A78-37421 # Operational experience with a 5m Darrieus wind turbine. V. A. L. Chasteau (Auckland, University, Auckland, New Zealand). *Institution of Engineers, Australian Hydraulics and Fluid Mechanics Conference, 6th, Adelaide, Australia, Dec. 5-9, 1977, Paper. 4 p.* 11 refs.

A demonstration Darrieus wind turbine with a rotor diameter of 4.72 m was found to provide a power output much different from the output predicted by theory. Whereas a peak power of about 6

kW in a 14 m/sec wind was expected, the turbine in fact developed ever-increasing power with wind speed increments, registering a maximum output of 23 kW in a 22 m/sec wind. The relationship between power coefficient and tip speed ratio was studied on the basis of line current and windspeed records; the blade Reynolds numbers appeared to have a significant influence on the shape of the power coefficient curve. J.M.B.

A78-37462 Silicon solar cell designs based on physical behavior in concentrated sunlight. J. G. Fossum, E. L. Burgess (Sandia Laboratories, Albuquerque, N. Mex.), and F. A. Lindholm (Florida University, Gainesville, Fla.). *Solid-State Electronics*, vol. 21, May 1978, p. 729-737. 17 refs. ERDA-supported research.

A theoretical and experimental analysis is presented for the performance of silicon solar cells in concentrated sunlight. An understanding of the fundamental device physics is used to work out three distinct cell designs of the n-on-p type with much higher efficiencies than achieved before. The three types of n-on-p cells are (1) n(+)-p with base resistivity = 0.3 ohm-cm; (2) n(+)-p with base resistivity = 10 ohm-cm; and (3) n(+)-p-p(+) back-surface-field cell with base resistivity = 10 ohm-cm. None of the designs involves significant departures from basically conventional silicon solar cell structures. Theoretical performance projections for these designs - based on relevant device physics, numerical analysis, and experiment - predict conversion efficiencies of about 20% at illumination levels in the range 25-100 suns under AM1 conditions. S.D.

A78-37464 Influence of bandgap narrowing on the performance of silicon n-p solar cells. P. Lauwers, J. Van Meerbergen, P. Bulteel, R. Mertens, and R. Van Overstraeten (Leuven, Katholieke Universiteit, Heverlee, Belgium). *Solid-State Electronics*, vol. 21, May 1978, p. 747-752. 18 refs. Research sponsored by the Instituut tot Aanmoediging van het Wetenschappelijk Onderzoek in Nijverheid en Landbouw and Nationale Fonds voor Wetenschappelijk Onderzoek.

The effectiveness of incorporating an experimentally determined bandgap narrowing in the modeling of n(+)-p silicon solar cells was examined. Within every batch of solar cells fabricated, the substrate resistivity of the different cells was variable to ensure that all cells, with variable substrate concentration, were treated in an identical way. The discussion covers the physical model on which the computations are based, the technology used to fabricate the solar cells, the measurement of the minority carrier lifetime in the substrate, a comparison between the measured and computed values for the short-circuit current and open-circuit voltage and maximum output current, a theoretical case with only Auger recombination, and computed results for solar cells with different surface concentrations. It is shown that incorporation of bandgap narrowing is necessary for obtaining a good agreement between computed and measured results, without using lifetime values inconsistent with experimental data. An experimentally determined lifetime versus substrate doping relation is also required. S.D.

A78-37466 Analysis of generation in space charge regions of solar cells. H. J. Pauwels, P. de Visschere, and P. Reussens (Gent, Rijksuniversiteit, Ghent, Belgium). *Solid-State Electronics*, vol. 21, May 1978, p. 775-779. 8 refs.

A mathematical formulation of carrier transport in space charge regions in the presence of photoexcitation is presented. The analysis is only useful if bulk recombination can be neglected or is an a priori known function of position. The physical insight offered by this formulation is illustrated for the case of carrier transport in the space charge region of a heterojunction, and in a surface field region.

(Author)

A78-37467 Polycrystalline silicon p-n junctions. T. L. Chu, S. S. Chu, G. A. van der Leeden, C. J. Lin, and J. R. Boyd (Southern Methodist University, Dallas, Tex.). *Solid-State Electronics*, vol. 21, May 1978, p. 781-783, 785, 786. 5 refs. Contract No. EY-76-C-03-1285.

Silicon films deposited on recrystallized metallurgical silicon substrates have been used for the fabrication of low cost solar cells. The substrate is polycrystalline, and the active region of the solar cell is epitaxial with respect to the substrate. Since the dark current-voltage characteristics of a solar cell are important factors affecting its conversion efficiency, the characteristics of a number of epitaxial mesa diodes of the configuration n(+)-silicon/p-silicon/p(+)-metallurgical silicon/graphite have been measured over a wide temperature range to study the effects of grain boundaries. The results were analyzed on the basis of the two-exponential model of Stirn (1972). (Author)

A78-37468 Frequency limitations of transferred electron devices related to quality of contacts. L. F. Eastman (Cornell University, Ithaca, N.Y.) and M. S. Shur (Wayne State University, Detroit, Mich.). *Solid-State Electronics*, vol. 21, May 1978, p. 787-791. 8 refs.

Output power, efficiency and negative resistance of transferred electron generators are estimated in the frame of a simple model. The results are used to analyze how the finite contact resistance and the skin-effect set up a limit for the upper frequency of the generation. (Author)

A78-37469 Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure. A. Luque, A. Cuevas, and J. Eguren (Madrid, Universidad Politécnica, Madrid, Spain). *Solid-State Electronics*, vol. 21, May 1978, p. 793, 794. 7 refs.

An experimental method is described which permits measurement of the open-circuit voltage (Voc) and the short-circuit current (Isc) of a solar cell having a variable surface recombination velocity (SRV) at the face opposite to the junction. Therefore, the Isc and Voc for very high SRV such as that of conventional cells, or for very low SRV such as that of a cell using back surface field (BSF), can be experimentally compared using the same cell, thus avoiding sample-to-sample variations. In particular, the double-side illuminated (DSI) cell can be compared to the cited structures and experimental studies can be performed for interdigitated back contact cells. The experimental results for a symmetrical n(plus)-p-n(plus) cell structure suggest a novel low-cost DSI structure consisting of n(plus)-p-p(plus) cell structure in which a metal grid is deposited on both sides for contact. When this cell is illuminated on the face where the n(plus)-p junction is formed, its Voc x Isc product is the same as that of a BSF cell. S.D.

A78-37860 Investigating the efficiency of gas turbines in off-design operation. G. G. Ol'khovskii and N. I. Ol'khovskaia (Vsesoiuznyi Nauchno-Issledovatel'skii Teploekhnicheskii Institut, Moscow, USSR). (*Teploenergetika*, vol. 24, no. 9, 1977, p. 25-29.) *Thermal Engineering*, vol. 24, no. 9, 1978, p. 16-19. 8 refs. Translation.

Parameters useful in characterizing the efficiency of gas turbines have been studied on the basis of information accumulated while refining the starting and operating performance of multistage gas turbines. Among the parameters discussed are the expansion ratio, the characteristic ratio (on which individual turbine-stage efficiency is strongly dependent), available heat drop, and internal efficiency. In addition, the internal capacity of the turbines is obtained from the capacity balance (allowance being made for the capacity of the starting motor). A number of the parameters are monitored for multistage gas turbines from cold start to operational gas temperature. J.M.B.

A78-37861 The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture. E. Kh. Verbovetskii, V. I. Babii, I. T. Zhukov, and M. P. Kutlunin (Vsesoiuznyi Nauchno-Issledovatel'skii Teploekhnicheskii Institut, Moscow, USSR). (*Teploenergetika*, vol. 24, no. 9, 1977, p. 37-40.) *Thermal Engineering*, vol. 24, no. 9, 1978, p. 23-25. Translation.

A78-37862 Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations. A. D. Gorbatenko, L. A. Fanas'eva, E. V. Bozhevol'nova, V. A. Krutiev, and S. G. Shtal'man (Vsesoiuznyi Nauchno-Issledovatel'skii Teploekhnicheskii Institut, Moscow, USSR). (*Teploenergetika*, vol. 24, no. 9, 1977, p. 74-77.) *Thermal Engineering*, vol. 24, no. 9, 1978, p. 51-54. 8 refs. Translation.

A78-37901 Korea Atomic Energy Research Institute, Collected Reprints. Volume 4. Seoul, Korea Atomic Energy Research Institute, 1977. 363 p. In Korean and English.

Construction of an economical superradiant N2 laser with high peak power, the minority carrier lifetimes of three different silicon solar cells, and the development of a single-side drift-field silicon solar cell are among the topics discussed. Attention is also given to a statistical approach to comparing alternative fuel cycles for a 1125-MWe power plant, a technique for grafting acrylic acid onto polyvinyl chloride fibers, and countermeasures for Xe-135 poisoning in nuclear reactors. J.M.B.

A78-37903 # Minority carrier lifetime measurement of silicon solar cell. H. Y. Lee and Y. S. Kim (Korea Atomic Energy Research Institute, Seoul, South Korea). (*New Physics*, vol. 16, Dec. 1976, p. 203-206.) In: Korea Atomic Energy Research Institute, Collected Reprints. Volume 4. Seoul, Korea Atomic Energy Research Institute, 1977, p. 83-86. 5 refs. In Korean, with abstract in English.

A78-37904 # Ion-implanted drift field silicon solar cell. H. Y. Lee, J. K. Kim, and Y. S. Kim (Korea Atomic Energy Research Institute, Seoul, South Korea). (*Korean Nuclear Society, Journal*, vol. 8, Mar. 1976, p. 29-40.) In: Korea Atomic Energy Research Institute, Collected Reprints. Volume 4. Seoul, Korea Atomic Energy Research Institute, 1977, p. 112-123. 22 refs.

Development of a single-side drift-field silicon solar cell with the structure p(+)-p-n is discussed. The p-n junction is obtained by use of a gas discharge and heating implanter, which deposits dopant atoms onto the substrate by the processes of radiation-enhanced diffusion and, secondarily, hot implantation. The open-circuit voltage of the experimental solar cells is 0.44 V and the conversion efficiency is 5%. The simplicity of the p-n junction formation is the chief advantage of this solar cell fabrication technique. J.M.B.

A78-37912 # Heat transfer in a dense layer at large Biot numbers (Teploobmen v plotnom sloe pri bol'shikh znacheniiakh chisla Bio). E. I. Merzliakov, I. A. Ryzhenko, and A. S. Tsyur'nikov (Akademiiia Nauk Ukrainskoi SSR, Institut Tekhnicheskoi Teplofiziki, Kiev, Ukrainian SSR). *Teplofizika i Teploekhnika*, no. 34, 1978, p. 44-48. 5 refs. In Russian.

A method of solving systems of thermoconvection equations for two-dimensional filtration of a liquid in a dense layer (Biot number much greater than unity), is proposed, in which the blocks of the matrices are modeled by real physical bodies. The assumption of linear interphase heat transfer even under conditions of a thermally homogeneous medium is made. The limits of applicability of the laws of quasi-steady regime in the determination of the temperature fields in the layer are established. P.T.H.

A78-37944 # Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells (K raschetu fototoka i predel'nogo K.p.d. plenochnykh p-CdTe - n-CdS-fotoelementov). N. Lunusov, Sh. A. Mirsagatov, and D. T. Rasulov (Akademiiia Nauk Uzbekskoi SSR, Fiziko-Tekhnicheskii Institut, Tashkent, Uzbek SSR). *Geliotehnika*, no. 2, 1978, p. 6-13. In Russian.

A78-37945 # Thermal deformations of solar concentrators (Temperaturnye deformatsii kontsentratorov solnechnoi energii). V. M. Korolev, Iu. I. Machuev, A. Nazarov, E. V. Sokolov, L. A. Solodovnikova, and V. G. Fokin (Akademiiia Nauk Turkmenskoi SSR, Fiziko-Tekhnicheskii Institut, Ashkhabad, Turkmen SSR). *Geliotehnika*, no. 2, 1978, p. 20-28. In Russian.

An analysis is presented of the symmetrical and obliquely symmetrical thermal deformations of a paraboloid-mirror concentrator. The concentrator is treated as a shell of revolution reinforced by radial and annular ribs and the thermal deformation of the reinforced structure is described by the differential equation of bending of an isotropic shell of revolution. As an illustration, attention is given to the thermal deformation of a concentrator with a diameter of 4.7 m. B.J.

A78-37946 # Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings (Preobrazovatel' solnechnogo izlucheniia v teplovuiu energiiu na osnove koaksial'nykh vakuumirovannykh trubchatykh elementov s mnogosloinnyimi i selektivnymi pokrytiami). V. B. Eliseev, M. M. Koltun, O. A. Nevezhin, V. P. Matveev, I. P. Gavrilova, A. V. Romankevich, S. V. Riabikov, and E. M. Iurin (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). *Geliotehnika*, no. 2, 1978, p. 29-40. 9 refs. In Russian.

A78-37947 # Characteristics of the utilization of N2O4 in solar gas-turbine power plants (Ob osobennostiakh primeneniia N2O4 v solnechnoi gazoturbinnoi ustanovke). V. V. Chikovani and M. S. Dzitoev. *Geliotehnika*, no. 2, 1978, p. 41-45. 8 refs. In Russian.

The use of N2O4 as the working fluid in a solar gas-turbine power plant is evaluated experimentally. An analysis of the turbine cycle has shown that the optimal conditions of utilization of N2O4 are characterized by its dissociation in the compressor and heat supply with 'frozen' expansion at the turbine. The optimal utilization of N2O4 enables a significant reduction in temperature before the turbine without a reduction in the thermodynamic efficiency as compared with the utilization of a monatomic gas as working fluid. B.J.

A78-37948 # Experimental study of the joint operation of wind- and solar-plants (Eksperimental'noe issledovanie sovmestnoi raboty vetro- i gelioustanovok). B. I. Lemasov, I. G. Savchenko, A. N. Smirnova, and B. V. Tarnizhevskii (Vsesoiuznyi Nauchno-Issledovatel'skii Institut Istochnikov Toka, Moscow, USSR). *Geliotekhnika*, no. 2, 1978, p. 46-49. 5 refs. In Russian.

The paper presents results of a year-long investigation of wind-power and solar-photovoltaic plants (with nominal outputs of 140 and 200 W, respectively) operating on a common load. The aim of the study was to determine the capacity of storage equipment during independent and joint operation of the plants. It is found that joint operation is significantly better than independent operation if the yearly cycle is divided into three parts with different levels of daily energy consumption. This is because the required capacity and nonuniformity of user supply are significantly less than in the case of independent operation. B.J.

A78-37949 # Investigation of the dynamics of melting processes in a solar furnace (Izuchenie dinamiki protsessa plavleniia materialov na solnechnoi ustanovke). M. G. Shekoiian and V. V. Shakhparonian. *Geliotekhnika*, no. 2, 1978, p. 53-57. In Russian.

The paper presents results of an experimental investigation of the initial stages of melting of aluminum-oxide powder in a solar furnace with automatic control of radiative flux. The effect on the melting process of having the radiative flux emitted from different annular zones of the solar-concentrator surface is investigated. Attention is also given to the effect of cylindrical shading devices (an integral part of the flux-control system) on the melting process. B.J.

A78-37950 # Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range (Analiz kharakteristik poluprovodnikovyykh fotopreobrazovatelei v diapazone temperatur 100-400 K). L. I. Gromovoi, L. I. Tikhonov, M. V. Sedik, V. G. Doroshenko, and M. B. Zaks. *Geliotekhnika*, no. 2, 1978, p. 74-81. 9 refs. In Russian.

A78-38051 Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977. Forum sponsored by the Roaring Fork Resource Center. Edited by G. E. Franta and K. R. Olson (Roaring Fork Resource Center, Aspen, Colo.). Ann Arbor, Mich., Ann Arbor Science Publishers, Inc., 1978. 327 p. \$15.

While the main emphasis is on passive solar design, attention is also directed to greenhouse construction, active systems, alternative energy sources, and educational programs on solar energy. Topics include prediction of performance of passive solar-heated buildings, energy-processing building materials, self-inflating movable insulation, northern windows and solar architecture fallacies, energy flows in greenhouses, solar collector sizing, and wind power as a viable energy source. Case studies of projects in Colorado are reported, and solar energy resource centers and their programs are characterized. M.L.

A78-38054 Heat transfer and thermal control systems; Aerospace Sciences Meeting, 15th, Los Angeles, Calif., January 24-26, 1977 and Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Technical Papers. Meeting and Conference sponsored by the American Institute of Aeronautics and Astronautics. Edited by L. S. Fletcher (Virginia, University, Charlottesville, Va.). New York, American Institute of Aeronautics and Astronautics, Inc. (Progress in Astronautics and Aeronautics. Volume 60), 1978. 395 p. Members, \$20.; nonmembers, \$35.

Developments related to heat pipes are examined, taking into account axially grooved heat pipes, the effects of one-sided heat input and removal on axially grooved heat-pipe performance, a thermal diode heat pipe for cryogenic applications, two-phase working fluids for the temperature range from 100 to 350 C, excess liquid in heat-pipe vapor spaces, the performance of gravity-assisted heat pipes operated at small tilt angles, a zero-G variable-conductance heat pipe using bubble pump injection, and a reentrant groove heat

pipe. Topics concerned with thermal control systems are related to flexible deployable-retractable space radiators, the effects of space radiation on thin polymers and nonmetallics, instrument canister thermal control, a precise satellite thermal control system using cascaded heat pipes, a controllability analysis for passively and actively controlled heat pipes, and a low-temperature phase-change material package. Attention is also given to the influence of refractive index on emittance, a finite-element methodology for thermal analysis of convectively cooled structures, the effect of a conducting wall on a stratified fluid in a cylinder, and the effective conductivity of regularly packed spheres.

G.R.

A78-38055 The hydrogen energy economy: A realistic appraisal of prospects and impacts. E. M. Dickson, J. W. Ryan (Stanford Research Institute, Menlo Park, Calif.), and M. H. Smulyan. Research supported by the National Science Foundation; NSF Grant No. ERS-73-02706. New York, Praeger Publishers, Inc., 1977. 327 p. 460 refs. \$22.95.

Major conclusions and recommendations considered are related to the use of hydrogen, the transition to hydrogen, the future of hydrogen, and recommendations for research and development. The concept of technology assessment is considered along with aspects of hydrogen production, the storage of hydrogen, the distribution of hydrogen, the end-uses of hydrogen, questions of hydrogen safety, energy end-use alternatives to hydrogen, hydrogen costs and economic relationships to other fuels, impacts of hydrogen-fueled private and fleet automotive vehicles, and the consequences of a hydrogen economy for commercial aviation, the utilities, steel-making, and ammonia synthesis. Attention is given to energy and hydrogen in the future, transition scenarios in the transition to a hydrogen economy, and energy carrier, distribution, and storage alternatives to hydrogen. G.R.

A78-38068 # Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production (Contribution à l'analyse globale du système énergétique - Gestion optimale d'une production électro-solaire). E. Thiebaut. Toulouse III, Université, Docteur-Ingénieur Thesis, 1978. 138 p. 67 refs. In French.

Methods of analyzing energy systems are examined with attention to the energy balance. The modeling of systems is discussed, and a model for the central power station is adapted for problems of optimum command. Techniques for optimum calculation of random and dynamic features of solar energy station operation are described, and the results suggest certain constraints in the choice of the solar energy system. M.L.

A78-38108 Temperature sheaths on probes or electrodes in MHD plasmas. H. K. Messerle and A. Manglick (Sydney, University, Sydney, Australia). *Journal of Physics D - Applied Physics*, vol. 11, May 11, 1978, p. 1073-1084. 11 refs.

A simplified model which accounts for the temperature and electrostatic sheaths on probes or electrodes in MHD plasmas is developed. Based on model results and the findings of experiments carried out on argon as a carrier gas and potassium sulphate as seed material, it is found that the most important factor governing the nature of the electrostatic layer is the temperature gradient at the wall. This leads to a thin temperature sheath determined by the heat flux into the wall. The temperature sheath may be found by thermal and fluid dynamic layers. For currents of practical orders, sheath magnitude must electrically break down. This is primarily caused by the electric field in the sheath near the electrode. S.C.S.

A78-38200 Study of the thermodynamics of coal gasification (Untersuchungen zur Thermodynamik der Kohlevergasung). K.-K. Neumann (Uhde GmbH, Dortmund, West Germany). *Erdöl und Kohle Erdgas Petrochemie vereinigt mit Brennstoff-Chemie*, vol. 31, May 1978, p. 228-233. 8 refs. In German.

The paper presents a method for estimating with a fairly simple thermodynamic model the process-variables for certain gas-producing processes and processes for the treatment of such gas mixtures. The mathematical model is based on a calculation of the simultaneous chemical equilibria. For coal gasification and methanization, equilibrium compositions and the temperature-dependence of the enthalpy are given for temperatures between 200 and 1200 C for 1 bar and for 40 bar. (Author)

A78-38245 Hydrogen sulfide as an air pollutant. D. F. S. Natusch and B. J. Slatt (Illinois, University, Urbana, Ill.). In: *Air pollution control. Part 3 - Measuring and monitoring air pollutants*. New York, Wiley-Interscience, 1978, p. 459-518. 288 refs.

Major sources of atmospheric hydrogen sulfide include kraft pulp mills, petroleum and natural gas refineries, coal gasification plants, viscose processing plants, and sewage disposal installations. These hydrogen sulfide sources require monitoring, which involves collection through absorption, adsorption or direct-sampling techniques, and evaluation through volumetric, gravimetric, spectrophotometric, electrochemical, radiochemical or gas chromatographic methods. Analytical determinations of hydrogen sulfide may be performed with indicator tubes, the methylene blue method, impregnated paper densitometry or hydrogen sulfide-sulfur dioxide UV analysis. Examples of sulfide corrosion of telephone relay contacts and rotary switch contacts are also discussed. J.M.B.

A78-38269 # Natural convection in compound parabolic concentrators - A finite-element solution. S. I. Abdel-Khalik, H.-W. Li, and K. R. Randall (Wisconsin, University, Madison, Wis.). *ASME, Transactions, Journal of Heat Transfer*, vol. 100, May 1978, p. 199-204. 14 refs. Contract No. E(11-1)-2588.

Natural convection heat transfer coefficients between absorber surfaces and cover plates for vertically oriented two-dimensional compound parabolic concentrators (CPC) are evaluated using finite-element techniques. Values of the critical Rayleigh number for different concentrations (C between 2 and 10) with 1/3, 2/3, and full CPC heights are determined. Generalized charts for estimating the average absorber plate Nusselt number as a function of Rayleigh number and concentration for both full and truncated CPC cavities are given. The results are useful for evaluating the convective loss coefficients from such collectors. (Author)

A78-38402 Modular approach for emergency and stand-by electric power in Northern Canada. D. McGuinness (Northern Canadian Power Commission, Canada). *Turbomachinery International*, vol. 19, Jan.-Feb. 1978, p. 40-43.

The article discusses a modular approach for providing emergency and stand-by electric power to Northern Canada. Various aspects involved in planning the project are identified, including climatic conditions, the local populations, transportation, community isolation, and costs. The modular units are described, noting specifications including mobility, internal temperature control, installation procedures, self-monitoring, required fuels, and the recovery of waste heat energy. The complete generating unit is outlined in terms of its three subsystems: the machinery, control, and exhaust modules. S.C.S.

A78-38403 Early coal hydrogenation catalysis. E. E. Donath and M. Hoering. *Fuel Processing Technology*, vol. 1, Aug. 1977, p. 3-20. 14 refs.

The early stages of research and development of coal hydrogenation catalysts and their use in hydrogenating coal to produce liquid fuels are reviewed. The preparation of sulfur-resistant hydrogenation catalysts allowed production of fuels that met petroleum-fuel specifications. The discussion is focused on catalyst development for the liquid and vapor phases. The catalysts used for the hydrogenation of brown coal tar residue in the liquid phase are described. The vapor phase is divided into the prehydrogenation (hydrorefining) and the splitting-hydrogenation (hydrocracking) steps. It is concluded that the continuing development of catalysts together with progress in the hydrogenation process and plant engineering are largely responsible for the rapid acceptance of the process. S.D.

A78-38404 New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data. H. Schulz and A. Zein el Deen (Karlsruhe, Universität, Karlsruhe, West Germany). *Fuel Processing Technology*, vol. 1, Aug. 1977, p. 31-56. 61 refs.

The homologous series of straight-chain and branched alcohols, ketones and acids are determined in products of carbon monoxide hydrogenation through medium-pressure synthesis with iron catalysts in the fixed-bed and entrained phase processes. The various correlations of product composition confirm a reaction mechanism of chain growth in steps of addition of species with one carbon to the growing chain. Individual reaction steps of the Fischer-Tropsch synthesis are derived on the basis of product composition data and published information on this type of synthesis. S.D.

A78-38405 Residence time measurements in a coal hydrogenation process. J. M. Lytle, R. E. Wood, W. H. Wisser, and M. G. Madejovsky (Utah, University, Salt Lake City, Utah). *Fuel Processing Technology*, vol. 1, Jan. 1978, p. 95-102. 9 refs.

Residence time of coal in the University of Utah 'coiled tube' coal hydrogenation reactor has been measured. This has been done with an electronic device which detects a tracer (usually iron) as it passes specific places at the beginning and end of the reactor. The measured coal solids residence time in the reactor has varied from a few seconds to a few minutes. Calculated vapor and gas residence times are one or two seconds. Short vapor residence time terminates further hydrogenation of vapors and thus reduces gas production and hydrogen consumption. The relatively longer coal solids residence time permits further hydrogenation which increases liquid yields. (Author)

A78-38406 Desulfurization of petroleum residues and their carbonization properties. I. Mochida, K. Maeda, K. Takeshita (Kyushu University, Fukuoka, Japan), N. Kaji, Y. Suetsugu, and T. Yoshida (Nittetsu Chemical Industrial Co., Tokyo, Japan). *Fuel Processing Technology*, vol. 1, Jan. 1978, p. 103-115. 23 refs.

The desulfurization of petroleum residues of high sulfur content was carried out using three kinds of Lewis acids under a nitrogen flow of atmospheric pressure at 150 - 330 C. Considerable amounts of sulfur were eliminated from the residue as hydrogen sulfide with the aid of aluminum chloride at 150 C or higher temperatures. Ferric or zinc chloride was found also to eliminate sulfur from the residue in the form of the corresponding metal sulfides at 330 C without the evolution of hydrogen sulfide. Although the original residues gave

cokes with a mosaic arrangement of anisotropic domains, benzene-soluble fractions of the desulfurized residue gave a graphitizable needle coke. The desulfurized residues were further analyzed by chemical techniques to study the structural change brought about by acidic desulfurization. This kind of desulfurization was revealed to be carried out without decreasing the aromaticity of the residue, being different from the hydrodesulfurization with cobalt-molybdena catalysts. (Author)

A78-38407 Electrofluid gasification of coal with nuclear energy. A. H. Pulsifer and T. D. Wheelock (Iowa State University of Science and Technology, Ames, Iowa). *Fuel Processing Technology*, vol. 1, Jan. 1978, p. 117-132. 19 refs. Research supported by the Alexander von Humboldt Stiftung; Contract No. E(49-18)-479.

The gasification of coal by reaction with steam requires addition of large amounts of energy. This energy can be supplied by a high-temperature nuclear reactor which is coupled to a fluidized bed gasifier either thermally or electrically via an electrofluid gasifier. A comparison of the economics of supplying energy by these two alternatives demonstrates that electrofluid gasification in combination with a high-temperature nuclear reactor may in some circumstances be economically attractive. In addition, a review of recent experiments in small-scale electrofluid gasifiers indicates that this method of gasification is technically feasible. (Author)

A78-38417 On the trends in nuclear fusion research. B. Lehnert (Kungl. Tekniska Hogskolan, Stockholm, Sweden). *International Journal of Fusion Energy*, vol. 1, June 1977, p. 5-24. 49 refs.

The paper presents a broad outline of the trends in nuclear fusion research. Major areas of research are identified as plasma physics, reactor technology and full-scale operation. Several approaches to controlled fusion are reviewed including: (1) magnetic bottles such as tokamaks, stellarators and related devices, theta-pinch systems, toroidal screw pinches, ring systems, mirror-type systems, and cusp-type systems, (2) magnetically guided systems, and (3) nonmagnetic schemes including quasi-stationary systems and inertia systems. Major areas for future work are proposed. S.C.S.

A78-38418 An assessment of laser-driven fusion. *International Journal of Fusion Energy*, vol. 1, June 1977, p. 25-54.

An overview is presented of laser-driven fusion research. In terms of engineering and scientific feasibility, procedures for computing pellet parameters are noted along with required reactor power levels. Comparisons are made between research associated with laser-driven fusion and controlled thermonuclear fusion. A summary of ERDA funding of laser-fusion-power programs is given for the 1963-1977 period. Basic laboratory research concerning absorption mechanisms, energy flows from the laser deposition region, and pellet implosions is outlined. In terms of an engineering assessment, research is proposed in the areas of pellet design, first-wall design, nuclear core configuration, laser technology, gas production, fusion-fission hybrids, and a laser-assisted fusion engineering reactor facility. S.C.S.

A78-38419 Production of fusion energy by vortex structure compression. D. R. Wells (Miami University, Miami, Fla.) and P. Ziajka. *International Journal of Fusion Energy*, vol. 1, Winter 1978, p. 3-39. 46 refs.

The heating and confinement of stable force-free plasma vortex structures created by theta-pinch guns are discussed. The conceptual development of vortex motion theories is reviewed, noting vorticity in MHD and plasma physics, corotational and contrarotational plasma structures, vortex rings, force-free fields, and the production of collinear force-free structures. The evolution of plasma vortex theory is described with reference to orthovortex structures, the theoretical proof of vortex existence without using variational calculus, and the application of the vortex theory to controlled thermonuclear fusion. In the area of experimental work on plasma vortices, the TRISOPS program is described in terms of plasma

vortex formation, the interaction of two vortex structures, the role of the guide field, and the application of vortex structures to thermonuclear fusion. S.C.S.

A78-38426 Application of solar energy to a solvent reclamation system. B. Nimmo and A. Litka (Florida Technological University, Orlando, Fla.). *Arabian Journal for Science and Engineering*, vol. 3, Nov. 1977, p. 29-38. 9 refs.

An operating industrial acetone reclamation system is studied to determine whether or not solar collectors should be installed to supply a portion of the thermal energy required. Two possible solar systems were studied. Each of these systems assumed the use of commercially available flat plate solar collectors. Results of the analysis indicate that annual fuel savings of up to 31 percent can be realized compared to the present non solar operation. An economic analysis, however, indicates that the rate of return under present conditions would not favor installing the solar equipment. (Author)

A78-38550 SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device. A. K. Ghosh, C. Fishman, and T. Feng (Exxon Research and Engineering Co., Linden, N.J.). *Journal of Applied Physics*, vol. 49, June 1978, p. 3490-3498. 23 refs. Contract No. E(04-3)-1283.

The performance of SnO₂/Si solar cells has been measured and analyzed in detail. This has given us an insight into cell characteristics never revealed in previous studies. Though the device is a junction between two semiconducting materials, SnO₂ and Si, it performs like an MIS device and in the thin-oxide limit as a Schottky-barrier device. The dark I-V characteristics are attributed to a combination of thermionic and diffusion processes. The diode constant associated with the former is close to 2 or higher and that associated with the latter is unity. It has been demonstrated that under certain conditions the diode constant can be independent of the reverse-saturation current. An MIS-type model can explain the spectral-response curve, the short-circuit photocurrent, the open-circuit photovoltage, and the light and dark I-V characteristics. A theoretical limit of the efficiency is estimated for the device. (Author)

A78-38551 * Comparative radiation resistance calculation for graded- and constant-composition n Al_x/Ga_{1-x}/As-p Al_z/Ga_{1-z}/As solar cells. J. A. Hutchby (NASA, Langley Research Center, Hampton, Va.). *Journal of Applied Physics*, vol. 49, June 1978, p. 3499-3502. 12 refs.

The performance and radiation resistance of a new double-graded-band-gap solar cell are theoretically determined. The performance of this device is similar to that of the single-graded-band-gap cell. The power-conversion efficiencies of both graded-band-gap structures are shown to be less sensitive to minority-carrier lifetime degradation than a similar constant-composition heterojunction cell. (Author)

A78-38552 * A simple theory of back surface field (BSF) solar cells. O. von Roos (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Journal of Applied Physics*, vol. 49, June 1978, p. 3503-3511. 21 refs.

A theory of an n-p-p/+ junction is developed, entirely based on Shockley's depletion layer approximation. Under the further assumption of uniform doping the electrical characteristics of solar cells as a function of all relevant parameters (cell thickness, diffusion lengths, etc.) can quickly be ascertained with a minimum of computer time. Two effects contribute to the superior performance of a BSF cell (n-p-p/+ junction) as compared to an ordinary solar cell (n-p junction). The sharing of the applied voltage among the two junctions (the n-p and the p-p/+ junction) decreases the dark current and the reflection of minority carriers by the built-in electron field of the p-p/+ junction increases the short-circuit current. The theory predicts an increase in the open-circuit voltage (V_{oc}) with a decrease in cell thickness. Although the short-circuit current decreases at the

same time, the efficiency of the cell is virtually unaltered in going from a thickness of 200 microns to a thickness of 50 microns. The importance of this fact for space missions where large power-to-weight ratios are required is obvious. (Author)

A78-38553 **Ultrafine chromium particles for photothermal conversion of solar energy.** C. G. Granqvist and G. A. Niklasson (Chalmers Tekniska Högskola, Göteborg, Sweden). *Journal of Applied Physics*, vol. 49, June 1978, p. 3512-3520. 64 refs. Research supported by the Statens Naturvetenskapliga Forskningsrad.

Individually isolated chromium particles were prepared by evaporation onto KBr plates in a mixture of argon and air. Such coatings were taken as a model substance simulating the properties of electrodeposited chromium black - a well-known material for efficient photothermal conversion of solar energy. Median diameters of the particles were 5-13 nm; their shapes were spherical or cubelike. Optical transmittance at normal incidence was recorded by spectrophotometry in the interval 0.3-25 micrometers. Excellent spectral selectivity was documented with high absorptance over the wavelength range for solar radiation and high transmittance further out in the infrared. The optical data were interpreted within the Maxwell Garnett theory, which was generalized so as to encompass dipole-dipole coupling among aggregated spheres, cubelike shapes, and oxide pellicles. Agreement between theory and experiments was achieved by considering aggregation of spherical particles into linear chains. The effects of having cubic particles, as well as oxide-coated spherical ones, were calculated and found to be rather unimportant for understanding the spectral selectivity. (Author)

A78-38554 **Dynamics of a pistonless engine capable of utilizing solar energy.** S. C. Bhargava, R. Rup, R. P. Saxena, and P. K. Srivastava (Delhi, University, Delhi, India). *Journal of Applied Physics*, vol. 49, June 1978, p. 3521-3526.

The dynamics of a liquid piston engine capable of working at low temperature differences is discussed in detail. Two working fluids have been considered, viz., dry air and air saturated with water vapor. A resonance condition for the length of the liquid columns is obtained by solving the linearized equations of motion. In a study of the complete equations of motion, it is found that the engine using wet air is capable of delivering about 70% of its kinetic energy every second while operating at a temperature difference of only 40 C. It is also found that the dry-air engine operates at only very high temperature differences. (Author)

A78-38634 **Simplest physical model of a magnetohydrodynamic generator.** I. Ia. Plotnikov (Akademiiia Nauk SSSR, Institut Kosmofizicheskikh Issledovaniy i Aeronomii, Yakutsk, USSR). (*Geomagnetizm i Aeronomiya*, vol. 17, July-Aug. 1977, p. 772, 773.) *Geomagnetism and Aeronomy*, vol. 17, Feb. 1978, p. 517, 518. Translation.

A physical model is developed to study the ambiguity of the MHD approximation caused by the effects of the density of the vortical and static electromotive force. A stationary shear flow is constructed whose vortex lines are directed along an applied magnetic field with the shear flow formed by two parallel walls of a rectangular tube. The profile of the Couette flow obtained reveals the character of the local interaction of the magnetic field and the vortex flow where the magnetic field facilitates deceleration and reversal of the stream in the region of the stationary wall. S.C.S.

A78-38673 **Laminar flow of a conducting liquid between coaxial cylinders in a traveling magnetic field.** S. Kamiyama (Tohoku University, Sendai, Japan) and Y. Kawai (Kawasaki Steel Corp., Chiba, Japan). (*Magnitnaia Gidrodinamika*, vol. 13, July-Sept. 1977, p. 84-88.) *Magnetohydrodynamics*, vol. 13, no. 3, Jan. 1978, p. 325-329. 6 refs.

A numerical analysis is presented for the laminar flow of an incompressible conducting fluid. The fluid is located between coaxial

cylinders in a traveling magnetic field. Expressions are derived for the effect of inner core substances, the ratio of the inner radius to the outer radius, the ratio of the outer radius to the pole, the time-averaged velocity distribution, and the ideal efficiency of an induction MHD machine. S.C.S.

A78-38770 **Hydrothermal alteration in active geothermal fields.** P. R. L. Browne (New Zealand Geological Survey, Lower Hutt, New Zealand). In: Annual review of earth and planetary sciences. Volume 6. Palo Alto, Calif., Annual Reviews, Inc., 1978, p. 229-250. 119 refs.

Subsurface hydrothermal alteration refers to the reaction of geothermal fluids (i.e., hot springs) with rocks leading to changes in the compositions of both fluids and rocks. The paper presents a survey of hydrothermal alteration in several geothermal systems recently explored by drilling. Attention is given to systems in the Imperial and Mexicali Valleys, Yellowstone, Japan, and Iceland, and considers such parameters of the alteration process as fluid temperature and pressure, rock type, permeability, fluid composition, and duration of activity. B.J.

A78-38774 **Structure assembly demonstration slated.** C. Covault. *Aviation Week and Space Technology*, vol. 108, June 12, 1978, p. 49, 52, 53.

A proposal to test the large structures fabrication capability of the STS is presented with reference to a 10 x 30 meter structure that could be deployed as early as 1983 with a science/applications payload, or remain attached to the Shuttle. Attention is given to the prospect of deploying large antennas in both LEO and GEO, the first of which would be powered by a 25 kW module. The use of aluminum rolls, which could be processed into beams once in space, is viewed as the most likely approach to the problem of large structure fabrication. D.M.W.

A78-38775 **Aerospace aids fusion power concept.** C. A. Robinson, Jr. *Aviation Week and Space Technology*, vol. 108, June 12, 1978, p. 61-66.

Materials technology developed by the aerospace industry is applied to a scheme for tokamak power generation using throwaway modules. A module, called a Riggatron, would have an encapsulated lithium blanket surrounding a plasma core. Energy production on the order of 300 MW electrical is foreseen over a 30-day life cycle for a single module. At the end of 30 days, the Riggatron would be removed and submerged in a cooling pool for 24 days (the half-life of copper). The copper and other transmuted materials would then be reprocessed. Attention is given to the physics ignition and burn experiment (Philbex), designed to test the feasibility of plasma ignition through ohmic heating. The principle is compared to the operation of a bipropellant rocket engine, whereby an ignition current is used to achieve burn. A fusion power demonstration of 300 MW thermal over successive 2 sec pulsed periods is foreseen by 1982 at an overall cost of \$55 million, contingent upon congressional funding. D.M.W.

A78-38776 **Summer Computer Simulation Conference, Chicago, Ill., July 18-20, 1977, Proceedings.** Conference sponsored by AGU, AIAA, AMS, BMES, IAMCS, IEEE, ISA, SCS, and S.H.A.R.E. Montvale, N.J., AFIPS Press, 1977. 951 p. \$30.

Aspects of simulation methodology are discussed along with questions of simulation credibility. Applications of simulation in various areas are also considered, taking into account chemical sciences, physical sciences, environmental sciences, biomedical systems, managerial and social sciences, energy, system engineering, and simulation for training. The use of hybrid systems for simulation applications is also reported. Attention is given to a generalized

simulator for computerized manufacturing systems, the use of queuing diagrams and event file strategy for simulation, computer algorithms for controlling disturbances, an evaluation of a correction method for digital computer lag in hybrid systems, microprogramming and simulation, the improvement of real time aerodynamic models by high speed function generation, the Magdalen Islands wind turbine hybrid computer model, hybrid computer models as a design aid for gas turbine control systems for helicopters, the magnetic attitude control of the Atmosphere Explorer-E spacecraft, and the microprocessor implementation of advanced control modes. G.R.

A78-38781 Magdalen Islands wind turbine hybrid computer model. J. R. Amyot, R. E. Gagne, R. J. Templin, and R. S. Rangi (National Research Council, Ottawa, Canada). In: Summer Computer Simulation Conference, Chicago, Ill., July 18-20, 1977, Proceedings. Montvale, N.J., AFIPS Press, 1977, p. 196-204. 5 refs.

A hybrid computer model of a 200 kW vertical axis wind turbine prototype connected to the Magdalen Island power grid by an induction generator is described. The model was implemented to obtain operational experience and uncover potential system difficulties in advance of the prototype trials. The physical system is described briefly including wind turbine rotor and spoilers, rotor/generator coupling and gearing, brake, induction generator, flywheel, start-up transformer and control, circuit breaker and power system. The mathematical model used to represent the physical system is presented using information flow diagrams followed by a description of how it was implemented on a hybrid computer including analog/digital split, digital program organization and operator interaction. Typical simulation trial results are given. (Author)

A78-38790 Hierarchical modeling of solar heating and air conditioning systems. G. H. Marcus and D. Spalding (Analytic Services, Inc., Falls Church, Va.). In: Summer Computer Simulation Conference, Chicago, Ill., July 18-20, 1977, Proceedings. Montvale, N.J., AFIPS Press, 1977, p. 749-752. 5 refs.

A description is presented of three levels of model development. The first level abstracts the single family home solar system into a block diagram useful for creating a qualitative model. That model permits insight into the overall behavior of the system. The second level quantifies the first level model as simply as possible by using steady state submodels for each solar subsystem. The quantitative model is used to estimate the effect on performance of technological changes to solar subsystems. The third level develops the detail of the second level model by introducing time dependence for the solar system operation. The third level model is too precise relative to cost data which has been used with the model, but it does provide a means for verifying the range of validity of the second level model. G.R.

A78-38791 A simplified physics airflow model for evaluating wind power sites in complex terrain. R. G. Derickson (Go-Flow Consulting, Fort Collins, Colo.) and R. N. Meroney (Colorado State University, Fort Collins, Colo.). In: Summer Computer Simulation Conference, Chicago, Ill., July 18-20, 1977, Proceedings. Montvale, N.J., AFIPS Press, 1977, p. 763-769. 13 refs. Contract No. EY-76-S-06-2438.

It appears that numerical simulations may provide the most accurate and economical means for the assessment of prospective wind power generation sites, especially for regions with irregular terrain. A description is presented of an airflow model which has been developed to handle arbitrary specifications of topography and a wide range of meteorological conditions. Initial results show excellent agreement with wind tunnel measurements. The model consists essentially of a fully coupled, nonlinear system of steady state momentum and energy equations in which the physics are simplified by neglecting viscosity and explicit turbulence. The two-dimensional version of the model employs a stream function-

vorticity approach which is more convenient than the primitive momentum equations for 2-D. However, the 3-D version, still under development, requires use of the momentum equations since a stream function in the usual sense, does not apply to 3-D. G.R.

A78-38814 # Giant wind turbines (Riesen-Windturbine). U. Hütter (Stuttgart, Technische Universität, Stuttgart, West Germany). In: Problems of the theory of strength related to aircraft construction and civil engineering; Structural Mechanics Meeting, Ottobrunn, West Germany, June 1, 2, 1977, Lectures and Discussion Contributions. Braunschweig, Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, 1977, p. 230-244. 5 refs. In German.

The reasons for designing giant wind turbines and various problems that the construction and operation of such giant wind turbines entail are discussed. The possibility of turbines with self-deploying blades is discussed. P.T.H.

A78-38841 * The beamed power microwave transmitting antenna. R. M. Dickinson (California Institute of Technology, Jet Propulsion Laboratory, Telecommunications Science and Engineering Div., Pasadena, Calif.). *IEEE Transactions on Microwave Theory and Techniques*, vol. MTT-26, May 1978, p. 335-340. 19 refs. Contract No. NAS7-100.

Beamed power refers to radiation techniques employing directional antennas for purposes of transferring energy in microwave form from one place to another. The peaceful uses of beamed power as applied to electric utilities functions and transportation concepts are considered. An investigation is conducted regarding the design approaches and techniques which can be used by the microwave component engineer to render beamed power systems potentially safe for humans and other biota. High-power microwave transmission antennas are proposed for beaming power from earth-orbiting satellites to receiving antennas (rectennas) on earth. Other applications include beaming power to run helicopters, aircraft, and aerostats equipped with rectennas. System designs must provide for techniques to yield microwave radiation levels that do not exceed allowable limits. Attention is given to beam surveillance techniques and the effects of an implementation of these techniques on the beamed power systems. G.R.

A78-38893 Water dissociation by a thermochemical cycle - A thermodynamic analysis of principles and efficiencies (Dissociation de l'eau par cycle thermochimique - Une analyse thermodynamique des principes et des rendements). V. Kaiser (Compagnie Française d'Etudes et de Construction, France). *Entropie*, vol. 14, Mar.-Apr. 1978, p. 29-33. 8 refs. In French.

The article presents a theoretical analysis of water dissociation by a thermochemical process. The analysis is developed on the basis of fundamental laws of thermal cycles and a comparison to thermomechanical cycles. Expressions are derived for material, energy, and entropy balances. It is suggested that a combined thermoelectrical-thermochemical cycle has the greatest potential for industrial implementation. S.C.S.

A78-38933 # Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler (Optimizatsiia parametrov Knudsenovskogo termoemissionnogo preobrazovatel'ia s Cs-Ba napolneniem). V. I. Babanin, V. I. Kuznetsov, A. S. Mustafae, V. I. Sitnov, and A. Ia. Ender (Akademiia Nauk SSSR, Fiziko-Tekhnicheskii Institut, Leningrad, USSR). *Zhurnal Tekhnicheskoi Fiziki*, vol. 48, Apr. 1978, p. 754-766. 16 refs. In Russian.

Consideration is given to the optimization of the saturation current and the power of a Cs-Ba thermionic converter operating in the Knudsen mode with surface ionization. An analysis is presented of potential distribution in the region of transition from a super-

compensated to a subcompensated mode. A method for optimizing saturation current is presented and the maximum current of the thermionic converter is compared with the chaotic current in an equilibrium isothermal cavity. In developing a power-optimization procedure, a general volt-ampere characteristic is introduced which is used to determine the anodic work function and output power. Experimental data agree well with computational results and indicate that a Cs-Ba converter is highly efficient. B.J.

A78-38934 # The problem of optimizing the output characteristics of an ideal thermionic converter (K voprosu optimizatsii vykhodnykh kharakteristik ideal'nogo TEP). A. S. Titkov. *Zhurnal Tekhnicheskoi Fiziki*, vol. 48, Apr. 1978, p. 767-769. 5 refs. In Russian.

The problem of obtaining maximum output power is solved for an ideal thermionic converter with prescribed temperatures of emitter and collector and prescribed output current. An exact analytical expression is obtained for the limiting envelope of volt-ampere curves for an ideal converter; this expression can be used as a standard to evaluate the efficiency of real thermionic converters. As an example, calculations are conducted for the case of an emitter temperature of 2100 K and a collector temperature of 1050 K. A maximum output power of 5×10 to the 8th W/sq cm is obtained. B.J.

A78-38941 # Photocells based on AlGaAs heterostructure with a transition layer (Fotoelementy na osnove geterostruktur Al-Ga-As s 'perekhodnym' sloem). Zh. I. Alferov, V. M. Andreev, Iu. M. Zadiranov, V. I. Korol'kov, and T. S. Tabarov (Akademiia Nauk SSSR, Fiziko-Tekhnicheskii Institut, Leningrad, USSR). *Pis'ma v Zhurnal Tekhnicheskoi Fiziki*, vol. 4, Mar. 26, 1978, p. 305-308. 11 refs. In Russian.

The paper describes the fabrication of solar cells on the basis of a smooth heterostructure, in which there is a transition layer of variable composition between a highly doped solid-solution layer and the substrate. Specifically, a thin (0.2-0.4 microns) layer of p-type solid solution, smoothly varying in composition from GaAs to Al(x)Ga(1-x)As (x is between 0.4 and 1.0), is located between a GaAs substrate and a highly doped layer of p-type Al(x)Ga(1-x) solid solution (x is between 0.85 and 1.0). An analysis of load characteristics shows that a high photocurrent density (19.1 mA/sq cm) is attained at a solar irradiation power density of 0.064 W/sq cm. Concentration of solar radiation has permitted the achievement of a conversion efficiency of 24.7%. B.J.

A78-38963 # Subsonic flow in an MHD channel (Dozvukovoe techenie v kanale MGD-generatora). N. P. Isakova and S. A. Medin (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur, Moscow, USSR). *Teplotfizika Vysokikh Temperatur*, vol. 16, Mar.-Apr. 1978, p. 377-383. 8 refs. In Russian.

An exact numerical solution to the three-dimensional magneto-hydrodynamics equations is obtained for the subsonic flow of a conducting gas in a large MHD channel with solid ideally segmented electrodes. It is assumed that the external magnetic field is known and that the induced fields may be neglected. The operational characteristics, current-voltage characteristics, and the gas dynamic and electrical parameters are determined. The strong influence of the Hall parameter on the local characteristics of the channel is demonstrated. V.P.

A78-38965 # Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions (Elektroprovodnost' plazmy produktov sgoraniia uglevodородnykh topliv s shchelochnoi prisdadkoi). V. A. Atrazhev, B. V. Zelener, and I. T. Iakubov (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur, Moscow, USSR). *Teplotfizika Vysokikh Temperatur*, vol. 16, Mar.-Apr. 1978, p. 396-410. 56 refs. In Russian.

The conductivity of various combustion product plasmas in electric and magnetic fields is analyzed. The electron-molecule scattering cross sections required in the numerical calculations are taken from the literature. The reliability of these data for conductivity calculations at temperatures between 2000 and 3000 K is assessed. Universal formulas for the conductivity and the Hall parameter are proposed for systematizing extensive experimental and numerical conductivity data over a wide range of pressures, temperatures, and alkali contents of the fuels. The influence of various factors, in particular of the type of addition, of the conductivity and the Hall parameter is evaluated. V.P.

A78-38968 # Development of a mathematical model for interelectrode breakdown in an MHD generator (K postroeniiu matematicheskoi modeli mezhelektrodnogo probioa v MGD-generatore). L. P. Poberezhskii (VNIIPtransprogress, USSR). *Teplotfizika Vysokikh Temperatur*, vol. 16, Mar.-Apr. 1978, p. 435-437. 19 refs. In Russian.

A78-38969 # The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel (Vlianie svoistv rabochego tela na vybor temperatury poverkhnosti elektrodov kanala MGD-generatora). A. V. Bagdonas, V. A. Bashilov, V. L. Bobrov, and Iu. V. Makarov. *Teplotfizika Vysokikh Temperatur*, vol. 16, Mar.-Apr. 1978, p. 438, 439. 6 refs. In Russian.

A78-38971 Use of heat pumps with solar collectors for domestic space heating in the United Kingdom. W. B. Gillett (University College, Cardiff, Wales). *Applied Energy*, vol. 4, July 1978, p. 187-197. 9 refs.

A78-38972 Fundamentals of wind energy. N. P. Cheremisinoff (Union Camp Corp., Princeton, N.J.). Ann Arbor, Mich., Ann Arbor Science Publishers, Inc., 1978. 173 p., 93 refs. \$6.95.

The book presents a broad overview of the fundamental principles and applications of wind energy systems. The historical development of wind machines is outlined. Several applications of wind energy are identified such as agricultural uses, rural and municipal uses, projects involving pumping and compressed gas, and large-scale energy production. Further consideration is given to wind machines and generators, noting horizontal-axis rotors, vertical-axis rotors, and cross-wind horizontal-axis rotors. The performance and design characteristics of wind energy systems are discussed and economic factors are identified. The major aspects influencing the selection of sites for wind-energy systems are presented. Systems for energy storage are proposed, including electrochemical, thermal, and mechanical energy storage. S.C.S.

A78-38998 Is solar power more dangerous than nuclear. H. Inhaber. *New Scientist*, vol. 78, May 18, 1978, p. 444-446.

In an evaluation of the comparative danger involved in the use of different energy systems, it is important to take into account all factors related to the provision of a certain amount of energy by means of a specific energy system. Values concerning the total risk per unit energy output for 10 energy systems are presented in a graph. It is found that electricity produced from natural gas has the lowest risk. It is a factor of about two lower than the next highest, nuclear power. Third is a nonconventional system, ocean thermal, which can convert the temperature difference of ocean layers into electricity. The higher risk values of systems based on the direct utilization of solar radiation are related to the large quantity of materials required for their construction in connection with the diffuse nature of the incoming energy. Coal and oil are found to have the highest risk, with values about 400 times that of natural gas. G.R.

A78-39123 Solar energy conversion through biology. Could it be a practical energy source. D. O. Hall (King's College, London, England). *Fuel*, vol. 57, June 1978, p. 322-333. 135 refs.

The article reviews the ways in which solar energy may be converted through biological systems both in terms of short-term and long-term goals. The efficiency of photosynthesis is discussed with reference to various high short-term dry weight yields of crops and their short-term photosynthetic efficiencies. Means for complete crop utilization for food, fuel, and fertilizer are proposed along with the development of energy farms and the feasibility studies which have been undertaken in the U.S., Brazil, Australia, and Europe. Consideration is also given to using cellulose as an energy source, the use of algal systems for food, fuel, and waste disposal, and the optimization of photosynthetic yield via selective plant breeding. The wide-scale use of controlled environments is described as are processes associated with nitrogen fixation and biocatalytic hydrogen-producing systems. S.C.S.

A78-39124 Pyrolysis of 1,2-diphenylethane in the presence of tetralin. B. M. Benjamin (Oak Ridge National Laboratory, Oak Ridge, Tenn.). *Fuel*, vol. 57, June 1978, p. 378. 7 refs. Research sponsored by the U.S. Department of Energy.

The pyrolysis of pure compounds in the presence of tetralin or other donor solvents is an important consideration in the chemical changes during the solvent refining of coal. By heating a mixture of 1,2-diphenylethane and tetralin at 400 C for one hour it was found that traces of toluene and naphthalene were present. After 24 hours 36% of the parent compound was consumed and the molar ratio of toluene to naphthalene was 1.83:1. For the case of stilbene heated with tetralin at 400 C for one hour, nearly half the stilbene was reduced. When 1,2-diphenylethane was heated alone for 24 hours at 400 C it yielded a product consisting of 71% toluene, 9% stilbene, and 20% starting material. The heating of stilbene at 400 C for 24 hours yielded 29% toluene, 24% 1,2-diphenylethane, 47% stilbene, and a black polymer. S.C.S.

A78-39125 Hydroconversion of a bituminous coal with CO-H₂O. D. S. Ross and J. E. Blessing (SRI International, Menlo Park, Calif.). *Fuel*, vol. 57, June 1978, p. 379, 380. 10 refs. Contract No. EF-76-01-2202.

A study is made of the hydroconversion of a bituminous coal with the production of a hydrogen-rich, benzene-soluble fraction in a CO-H₂O-KOH system without an organic vehicle solvent. For the experiments a 300 cu cm, 136 stainless steel, stirred batch reactor was used. Ten grams each of 85% aqueous KOH and dried coal were placed in the reactor. The system was charged to a given CO (or H₂) pressure; reactor temperature was maintained at 400 C for twenty minutes. After the reactor cooled, the product gases were analyzed and the reaction slurry was neutralized. The product was filtered, freed from water, and dried. The data indicate that approximately 50% of the organic sulfur content reduced along with 25% of the nitrogen content and 50% of the oxygen content. It is concluded that the CO-H₂O system with an additional base is an effective conversion system for bituminous coal. S.C.S.

A78-39179 # Experiments on flat-plate solar energy collectors. G. J. Hwang and T.-S. Ueng (National Tsing Hua University, Hsinchu, Nationalist China). *National Science Council, Proceedings*, vol. 2, Jan. 1, 1978, p. 53-59. 19 refs.

This paper presents experimental results of flat-plate solar energy collectors for cases of no-load and load conditions. For no-load test, three identical solar energy collectors, each with an absorption area of 50 x 50 cm, were built. Test data including variations in cover materials, air gaps, layer of cover glass, and side wall effects are shown. Based on the data from the no-load test, a flat-plate solar energy collector with an absorption area of 92 x 214 cm and including a storage tank, a rotameter, a check valve, and 26 thermocouples was constructed. The no-load and load data have been plotted and compared with the existing data. A reasonable agreement has been observed. (Author)

A78-39196 # Gasdynamic calculation of gas-turbine combustion chambers with successive air injection (Gazodinamicheskii raschet gazoturbinnykh kamer sgoraniia s posledovatel'nyim vvedom vozdukh). G. N. Liubchik, V. A. Khristich, and V. P. Kuts (Kievskii Politehnicheskii Institut, Kiev, Ukrainian SSR). *Energetika*, vol. 21, Mar. 1978, p. 68-74. 7 refs. In Russian.

The paper analyzes the effects of heat transfer and mass flowrate on the gas dynamics of air flow in the constant-cross-section chamber of a small gas-turbine power plant. The analysis is based on equations of continuity, state and heat and is valid for low values of supercharging. B.J.

A78-39367 Advanced lasers for fusion applications. W. F. Krupke and E. V. George (California, University, Livermore, Calif.). *Optical Engineering*, vol. 17, May-June 1978, p. 238-246. 36 refs. Contract No. W-7405-eng-48.

Advanced laser subsystems performance requirements for a fusion power reactor are presented and analyzed in the context of an energy-storage laser medium. Three types of energy-storing laser media are identified: (1) Group VI atoms, (2) selected rare-earth doped solids, and (3) rare-earth molecular gases. The operating principles, basic parameters, and conceptual designs for high energy amplifiers are outlined for (a) atomic selenium pumped photo-lytically with rare-gas excimer radiation, (b) thulium-doped glass pumped with XeF excimer radiation, and (c) terbium chelate vapor pumped with KrF excimer radiation. (Author)

A78-39369 A novel square Fresnel lens design for illuminating circular solar cells. E. L. Burgess, D. L. Marchi (Sandia Laboratories, Albuquerque, N. Mex.), and H. Walter (Fresnel Optics, Inc., Rochester, N.Y.). *Optical Engineering*, vol. 17, May-June 1978, p. 299, 300. Research supported by the U.S. Department of Energy.

A78-39389 Plasma edge cooling during RF heating. S. Suckewer and R. J. Hawryluk (Princeton University, Princeton, N.J.). *Physical Review Letters*, vol. 40, June 19, 1978, p. 1649-1651. 15 refs. Contract No. EY-76-C-023073.

A new approach to prevent the influx of high-Z impurities into the core of a tokamak discharge by using RF power to modify the edge plasma temperature profile is discussed. This concept is based on spectroscopic measurements on PLT (Princeton Large Torus) during ohmic heating and ATC (Adiabatic Toroidal Compressor) during RF heating. (Author)

A78-39453 Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Conference sponsored by the U.S. Navy; Contract No. N00014-76-G-0057. Edited by A. Heller (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). Princeton, N.J., Electrochemical Society, Inc. (Electrochemical Society, Proceedings. Volume 77-3), 1977. 339 p. \$7.00.

Some of the subjects discussed are the principles of solar-cell operation, the diagnostics and chemistry of surfaces at semiconductor liquid junctions, the kinetics and mechanisms at semiconductor liquid interfaces, the stability of such interfaces, the photoelectrochemistry of nonaqueous solvents, materials for semiconductor liquid junction solar cells, and the photoelectrolysis of water. Particular papers are presented on a model for the I-V curve of photoexcited semiconductor electrodes, stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes, competitive oxidation at semiconductor photoanodes, and n-CdS/n-GaAs voltage-enhanced photoanodes. B.J.

A78-39454 State of the art homojunction cells. J. M. Woodall (IBM Thomas J. Watson Research Center, Yorktown Heights, N.Y.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 20-27. 26 refs.

An assessment of Si and GaAs homojunction solar cells is presented, including both concentrator and low-cost cells. In addition, some recent results on a new fabrication technique ('etchback' epitaxy) for Ga(1-x)Al(x)As-GaAs high efficiency cells are presented. Recent developments in high efficiency Si and GaAs cells indicate their possible near-term use in concentrator systems for large-scale power generation. It is not clear at this time where the breakthroughs will be for low-cost moderate-efficiency cells in systems with no solar concentration. B.J.

A78-39455 Photoelectrochemical storage cells - The importance of the second and third electrodes. J. Manassen, G. Hodes, and D. Cahen (Weizmann Institute of Science, Rehovot, Israel). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 34-37.

A bipolar design for series connection of photoelectrochemical cells is described. This design may be extended to accommodate various storage modes. Storage of the photogenerated electricity can be achieved by using a storage electrode (e.g. zinc) or through electrolysis of water by the photogenerated electricity to give H₂, which is electrochemically oxidized at a fuel cell electrode in the storage compartment of the cell in the dark. New counter electrodes of Cu₂S and PbS are described which can be made in porous forms by simple electroplating techniques. (Author)

A78-39456 Photocurrent spectroscopy of semiconductor electrodes in liquid junction solar cells. A. Heller, K.-C. Chang, and B. Miller (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 54-66. 7 refs.

Photocurrent spectra obtained by a two beam spectroscopic method on the semiconductor electrode of liquid junction solar cells can vary with the level of irradiance. In cells with n-type CdS, CdSe, CdTe and GaAs photoanodes and chalcogenide anion solutions this irradiance dependence results from and sensitively detects the presence of carrier recombination centers. With semiconductors showing no detectable recombination centers by this technique, cells with external solar to electrical conversion efficiencies of 8-9% have been made. Poor short wavelength response is due to surface or near surface recombination centers and resembles p-n junction solar cells in this respect. Lowered long wavelength response is associated with shrinkage of the depletion region of imperfect and overdoped semiconductors. (Author)

A78-39457 A model for the current-voltage curve of photoexcited semiconductor electrodes. R. H. Wilson (General Electric Co., Schenectady, N.Y.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 67-83. 21 refs.

A model to describe the behavior of photoexcited electrodes in an electrochemical cell is developed. In addition to the bulk semiconductor properties the important parameters are a surface recombination parameter, $S_{\text{sub } r}$, and a surface electron transfer parameter, $S_{\text{sub } t}$. It is the electron transfer process across the

interface that leads to current in the external circuit. Using experimental curves for oxygen evolution at an n-type TiO₂ electrode and Hall-Shockley-Read recombination to determine $S_{\text{sub } r}$, it is shown that the I-V curve in anodic bias is controlled by the competition between $S_{\text{sub } r}$ and $S_{\text{sub } t}$. The physical basis for $S_{\text{sub } t}$ is discussed and experimented approaches to investigate surface reactions are suggested. (Author)

A78-39459 A new description of electrochemical kinetics. G. Beni (Bell Telephone Laboratories, Inc., Holmdel, N.J.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 108-119. 16 refs.

The mechanism of charge transfer at the electrode-electrolyte interface is described by extending the formalism of the small polaron theory. We obtain a general current-voltage relation for electrochemical processes, which holds for the adiabatic, nonadiabatic limits and all intermediate cases. As an illustration, we apply the model to the photoelectrolysis of water in a semiconductor-electrolyte-metal system and find that the minimum energy gap for hydrogen evolution must be at least approximately 2.5 eV. (Author)

A78-39461 Stable semiconductor liquid junction cell with 9% solar to electrical conversion efficiency. K. C. Chang, A. Heller, B. Schwartz, S. Menezes, and B. Miller (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 132-137. 11 refs.

The semiconductor liquid junction cell n-GaAs/0.8F K₂Se₂-1F KOH/C has been shown to deliver 9% photovoltaic power conversion efficiency in sunlight. Accelerated tests under 3100 K light sources of several solar intensities indicate very low photocorrosion currents and high output stability. (Author)

A78-39462 * Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes. M. S. Wrighton, A. B. Bocarsly, J. M. Bolts, A. B. Ellis, and K. D. Legg (MIT, Cambridge, Mass.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 138-156. 19 refs. NASA-ERDA-supported research.

The behavior of n-type CdX (X = S, Se, Te) and GaP, GaAs, and InP in alkaline electrolytes containing X(-) and X_{sub n}(-) ions is reviewed. Of the 18 combinations of electrode and electrolyte, 12 alliances are completely stable to photoanodic dissolution of the n-type photoanode. In each case the oxidation of the chalcogenide species at the photoanode is reversed at the cathode to complete an electrochemical cycle involving no net chemical change. The best system in terms of light-to-electric energy conversion seems to be the CdTe-based cell employing the Te(-)/Te₂(-) electrolyte, with roughly 10% efficiency at an output voltage of 0.35 V for monochromatic 633 nm input optical energy at about 25 mW/sq cm. B.J.

A78-39464 Stability and voltammetry of illuminated semiconductor-liquid interfaces. B. Miller, S. Menezes, and A. Heller (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). In: Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 186-194. 15 refs.

The operation of semiconductor liquid junction solar cells in a regenerative mode has two primary chemical requisites: (1) no net change of the redox electrolyte concentration with time and (2) minimum photocorrosion rate of the semiconductor. If these conditions are not fulfilled, gross change of the electrolyte and/or loss of the semiconductor will result. Even more pressing for stability, surface degradation of the semiconductor may be sufficient to inhibit charge separation and transfer in the interfacial region and cause failure of the light-to-electric power conversion mechanism. The present paper elaborates a rotating electrode methodology for studying such processes and presents experimental results relating to CdS single-crystal disk specimens. B.J.

A78-39465 * Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems. A. J. Bard (Texas, University, Austin, Tex.) and M. S. Wrighton (MIT, Cambridge, Mass.). In: *Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination*, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 195-209. 26 refs. NSF-NASA-supported research.

A78-39466 Competitive oxidation at semiconductor photoanodes. T. Inoue, T. Watanabe, A. Fujishima, and K. Honda (Tokyo, University, Tokyo, Japan). In: *Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination*, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 210-221. 6 refs.

The rotating ring-disk electrode (RRDE) technique has been applied to the study of photosensitized oxidation of redox agents in competition with the oxidation of water (on TiO₂ photoanode) or with the oxidative dissolution of the electrode (on CdS photoanode). The redox agents were competitively oxidized at potentials more anodic than the flatband potential of the semiconductor electrode. Percentages of competitive oxidation of redox agents were determined as a function of their concentration and/or the pH value of the electrolyte solution, and the results are discussed referring to their standard redox potentials. The dissolution of CdS photoanode was effectively suppressed through the competitive oxidation of reducing agents. (Author)

A78-39467 n-CdS/n-GaAs voltage-enhanced photoanode. S. Wagner and J. L. Shay (Bell Telephone Laboratories, Inc., Holmdel, N.J.). In: *Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination*, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 231-235. 9 refs.

A class of three-layer two-contact double-junction devices that contain two equipolar photodiodes in series is described. The device consists of two junctions with a common semiconductor layer, with one of the junctions forming an isotype heterodiode. The device is demonstrated with a photoelectrochemical solar cell that consists of an inert platinum-cathode, an aqueous polysulfide electrolyte and an n-CdS/n-GaAs photoanode. The heterodiode device raises output voltage and efficiency over those attainable with a simple n-CdS anode. B.J.

A78-39469 Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells. M. Robbins, B. Miller, A. Heller, S. Menezes, K. C. Chang, and J. Thomson, Jr. (Bell Telephone Laboratories, Inc., Murray Hill, N.J.). In: *Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination*, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 261-271. 22 refs.

Pressure sintered electrodes of cadmium selenide subsequently doped with cadmium vapor have shown solar energy conversion efficiencies approaching 3/4 of those of single crystal specimens in sun-light experiments. The cell CdSe/1F Na₂S-1F S-1F NaOH/C has operated at 5.1% conversion efficiency under AM 2 conditions with polycrystalline electrodes. The relatively small sacrifice of efficiency from single crystal values of 7.5 plus or minus 0.5% suggests the possibility of substantial cost advantage. The temperature and pressure conditions, cadmium doping procedure, material characterization, and the voltammetric behavior of the cell are discussed.

(Author)

A78-39470 Optimal electrode properties and the selection of stabilizing electrolytes. R. E. Schwerzel, E. W. Brooman, R. A. Craig, and V. E. Wood (Battelle Columbus Laboratories, Columbus, Ohio). In: *Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination*, Airlie, Va., May 3-5, 1977. Princeton, N.J., Electrochemical Society, Inc., 1977, p. 293-314. 27 refs. Contract No. W-7405-eng-92. ERDA Task 95.

As part of a program evaluating the commercial feasibility of hydrogen production by the solar photoelectrolysis of water, a theoretical study was undertaken of the electrode material processes required for optimal photoelectrolysis efficiency and of the criteria governing the selection of redox electrolytes capable of stabilizing the photoactive electrodes and/or suppressing oxygen evolution. It is found that the effects of limiting electrolyte-exchange current density may be extremely important in setting practical lower limits of about 2.3 eV on the band gap of n-type oxide anode materials: this limitation effectively reduces the ultimate overall efficiency of the electrode from about 48 to 25%. The IR drop across such an electrode can be made negligibly small if the depletion layer is of the order of several microns and if the semiconductor itself is either highly conductive or no thicker than the depletion layer. In addition, it may be possible to identify effective electrode-stabilizing redox electrolytes in available raw-water supplies under certain conditions.

B.J.

A78-39567 * High-purity silicon for solar cell applications. V. D. Dosaj, L. P. Hunt (Dow Corning Corp., Midland, Mich.), and A. Schei (Elkem-Spigerverket A/S, Norway). *Journal of Metals*, vol. 30, June 1978, p. 8-13. 6 refs. Research supported by the U.S. Department of Energy; Contract No. JPL-954559.

The article discusses the production of solar cells from high-purity silicon. The process consists of reducing the level of impurities in the raw materials, preventing material contamination before and after entering the furnace, and performing orders-of-magnitude reduction of metal impurity concentrations. The high-purity raw materials are considered with reference to carbon reductants, silica, and graphite electrodes. Attention is also given to smelting experiments used to demonstrate, in an experimental-scale furnace, the production of high-purity SoG-Si. It is found that high-purity silicon may be produced from high-purity quartz and chemically purified charcoal in a 50-kVA arc furnace. The major contamination source is shown to be impurities from the carbon reducing materials. S.C.S.

A78-39636 * Flat-sided rectilinear trough as a solar concentrator - An analytical study. D. G. Burkhard, G. L. Strobel, and D. R. Burkhard (Georgia, University, Athens, Ga.). *Applied Optics*, vol. 17, June 15, 1978, p. 1870-1883. 11 refs. Research supported by the University of Georgia; Contract No. NAS8-32149.

Formulas are derived for the concentration factor and irradiance distribution at the base of the flat-sided linear trough. Performance is affected by the number of reflections the solar rays undergo before reaching the base, the cone apex angle, and the coefficient of reflection. Results are presented graphically in such a way that one can choose the optimum configuration, which is the minimum material required, to achieve a given concentration factor. Practical concentration factors range from 1.5 to 4 depending on the geometry and coefficient of reflection. (Author)

A78-39637 Effect of substrate on graphite and other solar selective surfaces. D. R. McKenzie (Sydney, University, Sydney, Australia). *Applied Optics*, vol. 17, June 15, 1978, p. 1884-1888. 6 refs. Research supported by the Australian Research Grants Committee.

Solar selective surfaces consisting of a substrate of copper, silver, or nickel underlying a single layer of material of refractive index $N = n + ik$ are compared using the criterion of maximum available power. Copper is shown to be slightly superior to silver, and both are shown to be superior to nickel for operating temperatures of 200 C. For operating temperatures of 100 C and below the three metals are comparable as substrates. The absorbance and emittance properties of graphite films on copper, silver, nickel, and titanium are found. The effect of aging of these films at temperatures up to 400 C is investigated and interpreted in terms of diffusion. Graphite films on copper and silver are candidates for high temperature evacuated collectors. (Author)

A78-39671 Solar energy prospects in Saudi Arabia. H. K. Abdel-Aal and F. Al-Somait (University of Petroleum and Minerals, Dhahran, Saudi Arabia). *Energy Communications*, vol. 4, no. 3, 1978, p. 271-291. 8 refs.

Potential applications and research developments in the field of solar energy for Saudi Arabia are examined. Water desalination, among other possible projects, has been treated in depth. The outline of a multi-purpose water desalination plant is described. The scheme, which utilizes direct solar radiation, would produce fresh water, a concentrated brine to be used as a feed stock for the chlor-alkali industry, and some valuable salts such as magnesium chloride. Other topics discussed include: heating and cooling for housing, deep water pumping, and the assessment of meteorological data pertinent to Saudi Arabia. (Author)

A78-39776 # Design of high efficiency flat plate solar collectors for space and water heating. T. A. Hewett, D. C. Hill, and R. W. McCullough (Union Carbide Corp., Tarrytown, N.Y.). *American Society of Mechanical Engineers, Design Engineering Conference and Show, Chicago, Ill., Apr. 17-20, 1978; Paper 78-DE-7*. 16 p. 30 refs. Members, \$1.50; nonmembers, \$3.00.

Solar energy utilization for space heating is emerging as a viable supplement to conventional space heating. Techniques for designing high efficiency flat-plate solar collectors, including such aspects as reduction of thermal losses, maximization of heat removal, and selection of materials, are discussed. The performance implications for air- and liquid-heating systems are evaluated. (Author)

A78-39783 Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volumes 1 & 2. Symposium sponsored by IEEE, DOE, ORNL, and ANS. Edited by M. S. Lubell and C. Whitmire, Jr. (Oak Ridge National Laboratory, Oak Ridge, Tenn.). Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977. Vol. 1, 939 p.; vol. 2, 929 p. Price of two volumes, members, \$56.25; nonmembers, \$75.

The topics considered are related to copper magnets and coil engineering, systems engineering, engineering problems of fusion reactors, energetic plasma and particle sources, superconducting magnets, instrumentation and data handling, homopolar generators and power supplies, tokamak plasma heating systems, engineering problems of future fusion reactors; conductor stability and systems in the case of superconducting magnets, energy storage and supply systems, vacuum engineering, neutral beam power supplies, conductors and ac losses in superconductivity applications, the engineering design of power reactor blankets, advanced reactor concepts and plasma engineering, components of devices for energy storage and supply, and materials problems in copper magnets and coil engineer-

ing. Attention is given to the role of fusion in the energy future of the U.S., the neutronics and thermal hydraulics of a tokamak hybrid blanket, and field, force, stress, and eddy calculations related to copper magnets and coil engineering. G.R.

A78-39784 The technology of mirror machines - LLL facilities for magnetic mirror fusion experiments. T. H. Batzer (California, University, Livermore, Calif.). In: *Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1*. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 2-12. 5 refs. Contract No. W-7405-eng-48.

Two new mirror experiments have been proposed to succeed the currently operating 2XIIB facility. The first of these called TMX (Tandem Mirror Experiment) has been approved and is currently under construction. TMX is designed to utilize the intrinsic positive plasma potential of two strong, and relatively small, minimum B mirror cells to enhance the confinement of a much larger, magnetically weaker, centrally-located mirror cell. The second facility, MFTF (Mirror Fusion Test Facility), is currently in preliminary design with line item approval anticipated for FY 78. MFTF is designed primarily to exploit the experimental and theoretical results derived from 2XIIB. Beyond that, MFTF will develop the technology for the transition from the present small mirror experiments to large steady-state devices such as the mirror FERF/FTR. (Author)

A78-39785 TFTR Toroidal Field coil design. G. E. Smith (Grumman Aerospace Corp., Bethpage, N.Y.) and W. F. B. PUNCHARD (Magnetic Corporation of America, Waltham, Mass.). In: *Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1*. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 15-19. Contract No. E(11-1)-3073.

This paper addresses the design of the Tokamak Fusion Test Reactor (TFTR) Toroidal Field (TF) magnetic coils. The TF coil is a 44-turn, spiral-wound, two-pancake, water-cooled configuration which, at a coil current of 73.3 kiloamperes, produces a 5.2-Tesla field at a major radius of 2.48 meters. The magnetic coils are installed in titanium cases, which transmit the loads generated in the coils to the adjacent supporting structure. The TFTR utilizes 20 of these coils, positioned radially at 18 deg intervals, to provide the required toroidal field. (Author)

A78-39789 Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX. E. Broser, J. Gernhardt, F. Hartz, M. Keilhacker, G. Klement, P. Krüger, T. v. Larcher, H. Niedermeyer, M. Pillsticker, and H. Wedler (EURATOM and Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany). In: *Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1*. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 39-43. 7 refs.

A78-39790 Design of the TEXT toroidal and poloidal field coils. P. Wildi, G. L. Cardwell, and D. F. Brower (Texas, University, Austin, Tex.). In: *Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1*. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 48-53.

The proposed Texas Fusion Plasma Research Tokamak (TEXT) has a major radius of 100 cm, a minor radius of 28 cm and a field intensity of 3 T at the center of the torus. Both toroidal and poloidal coil systems were initially designed to be powered by a homopolar rotational energy store and the coil design takes full advantage of the

high current, low voltage characteristic of this power source. The paper discusses the engineering aspects peculiar to a toroidal field coil matched to such a source. Alternatives to the chosen plate coil design are discussed and compared. The chosen design consists of 16 coils of 6 turns each, machined from solid copper plates. The coils are water cooled. Individual turns are insulated from each other with glass-epoxy which solidly bonds the individual turns. (Author)

A78-39791 The Alcator C magnetic coil systems. C. Weggel, W. Hamburger, B. Montgomery, and N. Pierce (MIT, Cambridge, Mass.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 54-58. Research sponsored by the U.S. Department of Energy.

The Alcator C toroidal, ohmic, and equilibrium coil systems are described. The toroidal field coil is a Bitter-type monolithic coil generating 14 T at a central major radius of 64 cm. The liquid nitrogen cooled coil operates from a 150 MW, 530 MJ rotating alternator driving SCR units capable of full inversion. The ohmic and equilibrium systems are air-core multicoil systems. The central ohmic heating coil is driven by a 36 MW SCR power supply and can supply 1.8 volt-seconds of flux in a single swing. The equilibrium field system is driven by a 15 MW unit and supplies sufficient field for a 1,000,000 ampere plasma. The dynamic response of the equilibrium field during constant plasma current operation is 0.4%/millisecond. (Author)

A78-39792 Stress and deflection analysis of the PLT-coil using ANSYS computer code. P. Rogoff (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 59-62. 7 refs. Contract No. E(11-1)-3073.

A new PLT-TF coil deflection and stress analysis is performed using the ANSYS computer code and STIF45 incompatible mode version isoparametric eight node elements. The coil is treated as an assembly of these elements where each turn of copper and epoxy is clearly and separately defined. This model offers the opportunity for turn by turn study of both spiral and circular configurations. Coil behavior due to various boundary conditions, material property changes and loading profiles are calculated, discussed and summarized. Final deflection results are compared with actual measurements which were obtained during the PLT machine power tests. Model inadequacies and possible improvements are discussed and suggested. (Author)

A78-39793 Establishment of design and performance requirements using cost and systems analysis. L. M. Waganer, L. A. Carosella, and D. A. Defreese (McDonnell Douglas Astronautics Co., St. Louis, Mo.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 63-70.

The current uncertainty in design approach and performance requirements for a commercial fusion power plant poses a problem for the designer in configuring the plant and for the utilities in analyzing the attractiveness of a future fusion power plant. To provide direction and insight in this area, a systems analysis model was constructed, utilizing fusion subsystem algorithms with subsystem cost-estimating relationships, into a self-consistent computerized model for several fusion reactor concepts. Using the computer model, sensitivities to plasma, reactor, and plant parameters are a few of the options that have been evaluated to yield recommended concepts/techniques/solutions. This is a very beneficial tool in assessing the impact of the fusion reactor on the electrical power community and charting the optimum developmental approach. (Author)

A78-39794 Impact of confinement physics on reactor design and economics. D. A. Defreese, R. B. Campbell, and L. M. Waganer (McDonnell Douglas Astronautics Co., St. Louis, Mo.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 71-75.

A variety of confinement laws were employed in a transient zero-dimensional plasma code which was coupled to the TOCOMO systems code. The purpose was to determine the impact of the confinement laws on reactor design, power costs, and changes in the utility interface. A satisfactory reactor and power plant has been defined for the large majority of combinations of confinement law, power plant size, and plasma shape. Trapped ion mode (TIM) has been the easiest to work with, since the plasma is thermally stable with a good power density and minimal alpha-particle buildup. Neoclassical and pseudoclassical along with TEM II result in satisfactory reactor performance, but require active feedback control (by injecting impurities) to prevent plasma-temperature excursions. These laws also require some form and degree of confinement-time spoiling to allow long burn times; otherwise, alpha particles build up to an unacceptable level. TEM I results in thermal equilibrium at 5 keV and must be driven to provide a reactor-quality plasma. (Author)

A78-39797 An approach to decision modeling for an ignition test reactor. H. R. Howland and T. C. Varljen (Westinghouse Electric Corp., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 91-94. 8 refs. Contract No. W-7405-eng-26.

A comparison matrix decision model is applied to candidates for a D-T ignition tokamak (INS), including assessment of semiquantifiable or judgmental factors as well as quantitative ones. The results show that TNS is mission-sensitive with a choice implied between near-term achievability and reactor technology. (Author)

A78-39798 Tritium systems preliminary design for TNS. H. J. Garber (Westinghouse Electric Corp., Fusion Power Systems Dept., Pittsburgh, Pa.) and J. S. Watson (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 95-100.

The salient features of a tentative configuration for a fuel handling system were evolved in connection with the joint Oak Ridge National Laboratory-Westinghouse The Next Step (TNS) tokamak preconceptual design studies. The tritium-fuel system comprises seven main subsystems: tritium storage and supply, fuel fabrication and delivery, vacuum system spent fuel reprocessing, cryogenic distillation, detritiation of secondary containment, sweep gas, surface cleanup processing, and reactor-cell-atmosphere cleanup. Additionally, the tritium system has close tie-ins with other systems such as neutral-beam deuterium injection; torus vacuum pumping, including a divertor if this is required for impurity control; radioactive waste treatments; ventilation of experimental areas; vacuum vessel and shielding coolants; and central instrumentation and control. (Author)

A78-39800 Control system of plasma position and cross-sectional shape in large tokamak device. Y. Suzuki, A. Ogata, H. Ninomiya (Japan Atomic Research Institute, Tokai, Ibaraki, Japan), S. Nakagawa, N. Tsuzuki, and T. Yamagishi (Tokyo Shibaura Electric Co., Ltd., Fuchu, Japan). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977,

Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 112-116.

In the large tokamak device, JT-60, a control system for the plasma position and cross-sectional shape are required to avoid undesirable plasma contact with the limiter. This paper describes comparative investigations of two vertical-field control systems based on computer simulations. The physical model of the plasma is simplified on the assumption that the torus plasma has a circular cross section and large aspect ratio. Components of the control devices are taken into account. In the comparative investigations, systems properties of each system are also taken into consideration. (Author)

A78-39802 Engineering features of ISX-B. T. E. Smith, R. L. Dearstone, and P. L. Goranson (Union Carbide Corp., Nuclear Div., Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 121-124.

The ISX-B device will be a major modification of the existing ISX tokamak now in operation at Oak Ridge National Laboratory. This device will permit the study of intense neutral-particle heating and elongated plasmas in the 3-5% beta range. The modification will consist of replacing the ISX vacuum vessel, torque restraint system, and poloidal-field coils. The principal design features of the device are: major radius of 92 cm, minor radius of 27 cm with a plasma elongation of approximately 1.9 to 1, maximum toroidal field of 1.8 T, maximum vertical field of 0.1 T (with a toroidal field of 1.2 T), and maximum plasma current of 200 kA. Design of ISX-B began in February, 1977, with fabrication of major components starting in June, 1977. The present ISX-B schedule calls for completion of all tokamak components and shutdown of the existing ISX in February, 1978. The ISX-B device should begin operation in June, 1978. The program status at the present seems to support this anticipated startup. (Author)

A78-39805 TMX - A new facility. S. R. Thomas, Jr. (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 134-137. 8 refs. Contract No. W-7405-eng-48.

As a mirror fusion facility, the Tandem Mirror Experiment (TMX) at the Lawrence Livermore Laboratory is both new and different. It utilizes over 23,000 sq ft of work area in three buildings and consumes over 14 kWh of energy with each shot. As a systems design, the facility is broken into discreet functional regions. Among them are a mechanical vacuum pumping system, a liquid-nitrogen system, neutral-beam and magnet power supplies, tiered structures to support these supplies, a neutron-shielded vacuum vessel, a control area, and a diagnostics area. Constraints of space, time, and cost have all affected the design. (Author)

A78-39806 Design of an electrostatic end-plugged plasma-confinement device. R. W. Moir, T. J. Dolan, and W. L. Barr (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 138-143. Contract No. W-7405-eng-48.

A laboratory-scale experimental device having an outside diameter of 1.2 m has been designed to test the idea of electrostatic end plugging of an open-ended magnetic-field configuration. The configuration is a toroidal quadrupole having four very thin (less than 1 mm thick) line cusps produced by four circular copper coils. Iron is used to concentrate the magnetic flux density to 2.0 T; without the use of iron, the power consumption, which is about 1 MW, would be about 25 times higher. The use of iron also produces a precisely known

magnetic field and allows good access for diagnostics and pumping. Iron is also used for both the flux return path and the vacuum chamber. A hollow anode with an adjustable (nominally 1 mm wide) gap is biased from 10 to 20 kV. Plasma densities of about 10 trillion per cu cm and temperatures of about 1 keV might be produced by an electron beam and by electron cyclotron resonance heating. Higher-order multipoles (hexapoles and octopoles) are also described.

(Author)

A78-39810 Toroidal field ripple effects in TNS design. N. A. Uckan, J. D. Callen, K. T. Tsang, and J. R. Moore (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 169-172. 6 refs. Research sponsored by the U.S. Department of Energy.

In the design of TNS, the choice of the number of TF coils has been made on the basis of tradeoff studies among the plasma physics considerations and engineering design requirements. The theory of the magnetic-field ripple effects has been studied to include the effects of noncircular cross sections such as those encountered in high-beta equilibria. A computer simulation model (RIPPLE) was developed to examine the field ripple effects on plasma transport and scaling. The magnetic-field computer program BOVAL was used to calculate the magnetic field due to current flowing in a noncircular coil of finite rectangular cross section. The number of toroidal-field (TF) coils is then determined by calculating the maximum magnetic-field ripple that can be tolerated from plasma physics considerations. (Author)

A78-39812 Hybrid equilibrium field coils for the ORNL TNS. Y.-K. M. Peng, D. J. Strickler, and R. A. Dory (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 186-192. Research sponsored by the U.S. Department of Energy.

A comparative study is made of the power supplies required by interior and exterior (to the toroidal-field coils) equilibrium-field coils that are separately appropriate for high-beta D-shaped plasmas in TNS. It is shown that the interior coils need power supplies that are an order of magnitude below those required by the exterior coils (while the latter are much less difficult to build than the former). A hybrid EF coil concept is proposed that combines the interior and exterior coils to retain their advantages in avoiding large interior coils while lowering the power supplied to the exterior coils by an order of magnitude. (Author)

A78-39814 Advantages of iron core in a tokamak. E. S. Bettis, J. K. Ballou, W. R. Becraft, Y.-K. M. Peng, and H. L. Watts (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 198-205. 11 refs. Research sponsored by the U.S. Department of Energy.

A quantitative comparison of the iron core versus air core concepts was carried out on the basis of a representative tokamak reactor design. The results indicate substantial savings in power supply in the start-up phase by the use of an iron core, without impeding the required equilibrium fields for a D-shaped plasma. Further advantages which accrue from the use of iron cores are: elimination of the need for a complex superconducting poloidal coil system; by using shell-like high-beta EF coils, the need for OH coils is eliminated, and long pulse operation with saturated iron core becomes possible; and substantial simplifications in design and maintenance. V.P.

A78-39815 Direct energy conversion of exhaust fusion plasma by magnetic deflection. K. Denno (New Jersey Institute of Technology, Newark, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 206-210. 8 refs.

Energy extraction from the exhaust plasma of the divertor in the PRDM fusion reactor could be feasible by the action of magnetic separation and deflection. The exhaust chamber could be modified into a cylindrical form with the collecting electrodes lining its internal surface. Range of feasible deflecting radii, axial travel and angle of inclinations have been obtained for the impinging exhaust plasma electrons. (Author)

A78-39822 Impurity and gas throughput control for TNS. E. W. Sucof (Westinghouse Electric Corp., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 243-249. 19 refs. Contract No. W-7405-eng-26.

A model of the interaction between an ignited plasma and a wall is utilized to study the impact of impurities, recycled fuel ions, and helium ash on the burn time of the plasma. The model indicates that the impurity concentration grows exponentially toward a maximum value determined by the confinement time for impurities, the sputtering coefficient, and the isolation coefficient. The time for the impurity concentration to reach a critical value and quench the plasma was determined for representative impurities, C, Mo, W, Fe, under various conditions of plasma temperature. Methods for extending the burn time by minimizing the effective sputtering coefficient of the wall and increasing the isolation of the plasma from the wall are reviewed. The carbides, B₄C and SiC, are found to have encouraging sputtering properties, but their thermal, chemical, and mechanical properties need to be evaluated before they can be recommended for use as first walls. The magnetic divertor is the preferred isolation scheme. Because the divertor carries impurities, leaked fuel, and helium ions to a burial chamber, required pumping speeds are found to be very high for TNS plasmas, so that supplemental particle-trapping systems must be introduced in order to reduce the required pump speed to attainable values. (Author)

A78-39832 Acceleration of one ampere negative ion beams to energies up to 120 keV. C. Lam and T. Sluyters (Brookhaven National Laboratory, Upton, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 300-302. 5 refs. Research sponsored by the U.S. Department of Energy.

A 150-kV short-pulse test facility developed to accelerate one-ampere negative ion beams from a plasma source is described. In this close coupled accelerator structure (without prefocusing), the source is located immediately upstream the accelerator, as applied in short-pulsed low-density preinjectors for high-energy accelerators. In a first attempt, it proved possible to extract negative ions at approximately 15 keV and to accelerate them across a single gap to energies of 120 keV. The pertinent parameters of the 4-cm magnetron source and accelerator are tabulated. V.P.

A78-39834 Engineering of beam direct conversion for a 120-kV, 1-MW ion beam. W. L. Barr, J. N. Doggett, G. W. Hamilton, J. D. Kinney, and R. W. Moir (California University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 308-314. 7 refs. Contract No. W-7405-eng-48.

Practical systems for beam direct conversion are required to recover the energy from ion beams at high efficiency and at very high beam power densities in the environment of a high-power neutral-injection system. Such an experiment is now in progress using a 120-kV beam with a maximum total current of 20 A. After neutralization, the H(+) component to be recovered will have a power of approximately 1 MW. A system testing these concepts has been designed and tested at 15 kV, 2 kW in preparation for the full-power tests. The engineering problems involved in the full-power tests affect electron suppression, gas pumping, voltage holding, diagnostics, and measurement conditions. Planning for future experiments at higher power includes the use of cryopumping and electron suppression by a magnetic field rather than by an electrostatic field. Beam direct conversion for large fusion experiments and reactors will save millions of dollars in the cost of power supplies and electricity and will dispose of the charged beam under conditions that may not be possible by other techniques. (Author)

A78-39840 S.C. magnet design for 10 MJ homopolar machine. D. C. Litz, P. W. Eckels, and H. Riemersma (Westinghouse Research and Development Center, Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 344-348. 11 refs.

Westinghouse has designed a fast discharge, drum homopolar machine with superconducting field coils for use as an energy storage device for fusion experiments. The machine stores 10 MJ of energy inertially at 7330 rpm. At this speed, the machine develops a voltage of 719 volts and when delivering energy to the inductive load coil in 30 ms, the current crests at 1.46 MA. The machine utilizes a superconducting field excitation system. This paper describes the mechanical design, superconductor design, and the steady-state and transient cooling analysis of the superconducting field excitation system for the machine. (Author)

A78-39848 Application of homopolar generators for high voltage plasma experiments. W. H. Lupton, D. Conte, R. D. Ford, P. J. Turchi, and I. M. Vitkovitsky (U.S. Navy, Naval Research Laboratory, Washington, D.C.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 430-433. 8 refs.

Devices used to produce relativistic electron and ion beams use electrical pulse generators with voltages of megavolts. When the needed level of stored energy increases, it is desirable to exploit the economies of inertial and inductive energy storage. A design is developed for modification of the NRL inductive storage system to operate at one megavolt with 3.8 MJ of stored energy. The inductor is energized with 200 kA directly by a homopolar generator. Explosive switches opening in 70 microsec are matched to the generator and used for the primary switching to be followed by underwater exploding foil fuses to achieve high voltage. (Author)

A78-39855 Energy storage and transfer system for Experimental Power Reactor. J. N. Brooks, R. E. Fuja, R. L. Kustom, and W. F. Praeg (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 459-463. 6 refs. Research supported by the U.S. Department of Energy.

The energy storage and transfer system for the Experimental Power Reactor is designed to include homopolar generators to reverse the ohmic heating coil field and inductor/convertor bridge circuits to relay energy from the superconducting energy storage

inductor to the equilibrium field coil, the ohmic heating coil, and the neutral beam heating system. A peak power voltage of 30 kV and a peak current of 56 kA are planned for the homopolar generators of the ohmic heating system. The superconducting magnet system and homopolar generators should provide considerable economies and improved efficiency over the conventional motor-generator-flywheel sets with ac-dc convertors. J.M.B.

A78-39861 Design of the power amplifier for the HEGLF at LASL. J. Jansen and V. L. Zeigler (California, University, Los Alamos, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 489-493. Research sponsored by the U.S. Department of Energy.

The evolution of the principal design parameters for the Antares power amplifier is presented. It is shown how design requirements and constraints practically dictate the choice of the cross-sectional area of the pumped volume. Number of axial sections and length of the volume result from a trade-off study between amplifier and pulse generator parameters. (Author)

A78-39877 Design related RD&D assessment for TNS. T. C. Varljen and C. A. Flanagan (Westinghouse Electric Corp., Fusion Power Systems Dept., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 586-589. Contract No. W-7405-eng-26.

The assessment of The Next Step (TNS) describes design issues and considers the scope, timing, and cost of their resolution. A total of 139 specific research, development and demonstration tasks were identified in the assessment, and the total cost is estimated to be \$179,000,000, exclusive of contingency, escalation, and technical management. Topics such as superconducting coil technology, poloidal field system, and plasma heating are summarized. M.L.

A78-39878 Engineering features of an upgradable ignition test reactor. P. Sager, J. Alcorn, D. Doll, R. Field, D. Vrabie, and T. Woods (General Atomic Co., San Diego, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 590-596. 6 refs. Contract No. EY-76-C-03-0167.

A conceptual design has been developed for an upgradable ignition test reactor (UITR) as part of a program to identify the next major tokamak device beyond Doublet III and TFTR. This reactor, which is based on the doublet plasma concept, has a major radius of 4.2 m, a minor radius of 1.2 m, and a plasma height-to-width ratio of 2.7. The plasma is contained in a water-cooled vacuum vessel. A 25-cm thick helium-cooled blanket made of 316 stainless steel is installed outboard of the plasma chamber. The field-shaping coil system, shielding system, toroidal field coils, and induction coil system are installed outside the blanket. In its ITR mode, the reactor operates in moderate length pulses (30 sec) with a duty factor of 0.1 (5 min cycles). For net power experimental power reactor (EPR) operating mode, the machine operates with 90 sec pulses and a duty factor of 0.78. (Author)

A78-39881 Fusion reactor development scenarios for the laser solenoid concept. P. H. Rose, L. C. Steinhauer, and R. T. Taussig (Mathematical Sciences Northwest, Inc., Bellevue, Wash.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 609-613. 22 refs.

A program for utilizing the fusion-fission hybrid or symbiotic

technology to produce fuel for the installed light water reactor capacity is proposed. In particular, the laser solenoid fusion concept is examined. The experimental status of the laser solenoid, which combines laser heating and magnetic confinement, is reviewed, and its suitability to the fusion hybrid breeder reactor (FHBR) is considered. Development programs for FHBR/fusion and for the laser solenoid are outlined. M.L.

A78-39884 Magnet conceptual design for a high field tokamak reactor. J. E. C. Williams, R. D. Hay (MIT, Francis Bitter National Magnet Laboratory, Cambridge, Mass.), and M. Okabayashi (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 625-629. Research supported by the U.S. Department of Energy.

A78-39887 The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects. E. Bertolini (U.K. Atomic Energy Authority, Culham Laboratory, Abingdon, Oxon, England). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 638-643. 11 refs.

The status of the Joint European Torus (JET) Project, aimed at developing a large tokamak device, is reviewed. Manufacture of the vacuum vessel bellows and rigid sectors, the toroidal field coil copper, and the toroidal magnet is in progress. More than 50% of the total JET expenditures have been contracted for, and costs remain within the original estimates. Unresolved questions about siting and management authority for the JET Project are presently causing delays. J.M.B.

A78-39888 System design for the new TMX machine. A. K. Chargin, M. O. Calderon, L. J. Mooney, and G. E. Vogtlin (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 644-648. 11 refs. Contract No. W-7405-eng-48.

The Tandem Mirror Experiment (TMX) is designed to test the physics of a new approach to Q-enhancement in open confinement systems. In the tandem mirror concept, the ends of a long solenoid are plugged electrostatically by means of ambipolar potential barriers created in two mirror machines or plugs, one at each end of the solenoid. The ambipolar potential in mirror machines develops as a consequence of the higher scattering rate of electrons and the balancing of electron and ion loss rates. The TMX experiment incorporates very few new engineering developments, but it does involve a new way of combining in an integrated system many previously developed ideas. The engineering task is to design the machine that would provide a proof-of-principle evaluation of the tandem mirror concept as rapidly as possible. The preliminary design was started in September 1976 and was completed by December 1976. It led to a cost estimate of \$11 million and a scheduled construction period of 18 months. (Author)

A78-39889 Design for the magnetic field requirements of the tandem mirror experiment. F. K. Chen and A. K. Chargin (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 649-654. 5 refs. Contract No. W-7405-eng-48.

The tandem mirror magnetic geometry is described, followed by an analysis of the magnet set designed to meet the requirements of

the TMX experiment. The final magnet line-up is composed of a baseball coil with two C coils for each plug, six solenoidal coils for the central cell, and two RC coils plus one octupole coil for each transition. (Author)

A78-39894 Economics of tokamak power systems. R. L. Reid and D. Steiner (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 675-680. 7 refs. Research sponsored by the U.S. Department of Energy.

In this study we determine the impact of plasma operating characteristics, engineering options, and technology on the capital cost trends of tokamak power plants. Tokamak power systems are compared to other advanced energy systems and found to be economically competitive. A three-phase strategy for demonstrating commercial feasibility of fusion power, based on a common-site multiple-unit concept, is presented. (Author)

A78-39895 Economic analysis of EBT reactor. J. T. Woo (MIT, Cambridge, Mass.; Rensselaer Polytechnic Institute, Troy, N.Y.), N. A. Uckan (Oak Ridge National Laboratory, Oak Ridge, Tenn.), and L. M. Lidsky (MIT, Cambridge, Mass.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 681-684. 6 refs. Research sponsored by the U. S. Department of Energy.

In order to establish the economic potential of the Elmo Bumpy Torus (EBT) reactor, two independent system-costing models have been developed. Both models predict capital costs of approximately \$400/kW(th). These relatively low costs reflect the simplicity of the EBT design. In particular, the modular nature of the individual blanket-shield segments, the low costs 'accelerator style' containment building, high beta, and steady-state operation lead to relatively low reactor costs. A detailed cost breakdown for subsystems is analyzed. High cost and high uncertainty subsystems are identified to direct further emphasis into those areas. The calculated capital costs for the EBT reactor are compared with those costs quoted for tokamak reactors. (Author)

A78-39896 Cryostabilization of large superconducting magnets using pool boiled helium II. S. W. Van Sciver (Wisconsin, University, Madison, Wis.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 690-694. 23 refs. ERDA-supported research.

Large superconducting magnets such as the toroidal field (TF) coils of tokamak reactors may have significantly improved performance if cooled with superfluid helium (T about 1.8 K) rather than normal atmospheric pool-boiled helium (T about 4.2 K). A comparison of the two methods of cooling is presented with emphasis on heat transfer. The basis for the analysis is a laboratory measurement of heat transfer from aluminum to He II, the important features of which are summarized. The UWMAK III TF coil conductor design is discussed as an example of improved design performance at 1.8 K compared to its planned use at 4.2 K. (Author)

A78-39897 Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system. G. Pasotti and M. Spadoni (Comitato Nazionale per l'Energia Nucleare, Laboratorio di Superconduttività, Frascati, Italy). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 700-702. 22 refs.

The today's situation of the experiment towards a fusion reactor seems to imply that in the next future a superconducting magnet system has to be used. A reliable and effective cabling system is one of the fundamental steps towards the reliability of the whole magnet system. This paper deals with the advantages of cooling systems based on forced circulation of liquid helium in hollow conductors. Available experimental data on forced flow of supercritical, sub-cooled and boiling helium are discussed. The analysis shows that, for the large superconducting magnets of a fusion reactor, forced circulation of two-phase helium seems to be very attractive. In view of the scatter of data, we are designing an experimental set up to study heat transfer, stabilization and hydrodynamic features in forced flow cooling. (Author)

A78-39901 The coil winder for the magnet of the Mirror Fusion Test Facility. R. C. Ling (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 728-732. Contract No. W-7405-eng-48.

A78-39902 * Potential damage to dc superconducting magnets due to high frequency electromagnetic waves. G. J. Gabriel (Notre Dame, University, Notre Dame, Ind.) and J. A. Burkhart (NASA, Lewis Research Center, Cleveland, Ohio). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 741-745. 7 refs. NASA-supported research.

Studies of a d.c. superconducting magnet coil indicate that the large coil behaves as a straight waveguide structure. Voltages between layers within the coil sometimes exceeded those recorded at terminals where protective resistors are located. Protection of magnet coils against these excessive voltages could be accomplished by impedance matching throughout the coil system. The wave phenomenon associated with superconducting magnetic coils may create an instability capable of converting the energy of a quiescent d.c. superconducting coil into dissipative a.c. energy, even in cases when dielectric breakdown does not take place. J.M.B.

A78-39905 Computational model for superconducting toroidal-field magnets for a tokamak reactor. L. R. Turner and M. A. Abdou (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 762-766. 6 refs. Research supported by the U.S. Department of Energy.

A computational model for predicting the performance characteristics and cost of superconducting toroidal-field (TF) magnets in tokamak reactors is presented. The model can be used to compare the technical and economic merits of different approaches to the design of TF magnets for a reactor system. The model has been integrated into the ANL Systems Analysis Program. Samples of results obtainable with the model are presented. (Author)

A78-39908 Magnetic forces in the PDX toroidal field coils. S. A. Dreskin (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 797-801.

A complete mapping of the magnetic force distribution in the toroidal field of a tokamak fusion reactor is presented; families of curves are developed to show the functional relationship between the centering and vertical forces and the radius and angular position in

the curved regions. Three particular regions are examined: a solid current-carrying rod of rectangular cross-section; a circular coil of rectangular cross-section; and a region sufficiently close to the center of the torus to be characterized by well-known analytic expressions for the magnetic field. A total centering force of 1.6 million lbs is calculated for the entire toroidal field coil. J.M.E.

A78-39909 PDX PF power tests. G. M. Brown and P. J. Heitzenroeder, Jr. (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 814-816. Contract No. EY-76-C-02-3073.

Power tests have been performed on the poloidal coil systems of the PDX machine to verify the engineering designs. The tests included both steady-state and pulsed current operating modes. The steady-state current levels were gradually increased to their maximum ratings, which ranged from 1.0 to 3.0 kA and the outlet water temperature of each coil was measured. The thermally-induced strains were measured in the poloidal coil cans located within the vacuum vessel. Pulsed power tests were made at gradually increasing levels on individual magnetic systems until their design current ratings were attained. The current ratings vary from 7.0 to 22.0 kA with a maximum equivalent square wave time of 1.5 seconds and a 120 second repetition rate. Measurements of stresses and/or deflections and outlet water temperature vs. time were made on selected coils. The pulsed tests were repeated for various combinations of systems in simultaneous operation until normal simultaneous operation of all magnetic systems was attained. (Author)

A78-39915 Bending free toroidal shells for tokamak fusion reactors. W. H. Gray, W. C. T. Stoddart (Oak Ridge National Laboratory, Oak Ridge, Tenn.) and J. E. Akin (Tennessee University, Knoxville, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 855-861. 15 refs. Research sponsored by the U.S. Department of Energy.

Several authors have suggested a novel shape for the toroidal field coils of a tokamak fusion reactor. Collectively, these magnet shapes have been referred to as the 'Princeton D-coil'. This coil shape can be derived by assuming that for a thin conductor to be in a state of 'pure tension,' its radius of curvature must be proportional to the toroidal radius. A principal disadvantage of this derivation is that out-of-plane support is neglected. In this paper, a derivation of a bending free toroidal shell for a tokamak fusion reactor is presented. The out-of-plane structure is considered to be an integral part of the fusion reactor and therefore its shape is optimized to produce a bending free stress distribution. This shape, which is nearly circular for aspect ratios greater than 2.5, is derived by solving the equilibrium, constitutive, and kinematic relationships for a uniform toroidal membrane. This membrane is subjected to a magnetic pressure which is inversely proportional to the square of the toroidal radius. A comparison between this bending free shape and the D-shape is presented. (Author)

A78-39916 Lateral support structure for constant tension D-shaped coils in tokamak fusion devices. R. Fernandes (Westinghouse Electric Corp., Advanced Energy Systems Div., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 862-864. Contract No. W-7405-eng-26.

A78-39918 Electrical design of TNS. F. M. Heck, J. H. Schultz, and G. S. Smeltzer (Westinghouse Electric Corp., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research,

7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 870-873. Contract No. W-7405-eng-26.

The electrical design of the ORNL-Westinghouse next step (TNS) fusion reactor was begun in 1976, using a set of ground rules which were based on the overall program objectives. These objectives were to identify the design of reasonably-priced reactors, which would achieve ignition and be technology forcing. The term 'technology forcing' was understood to mean the desirability of a large number of ignited D-T pulses and the incorporation of superconducting toroidal field (TF) coils, if at all possible. A trade study methodology was developed to compare different machine sizes and TF coil technologies and to aid in the selection of system and subsystem design approaches. The logic which led from the program objectives to the design ground rules and from the ground rules to the circuit selection is described below. The circuit design approaches were generalized and these models were incorporated into a computer program (COAST) which was used to examine the cost of overall tokamak systems as key design parameters were varied. (Author)

A78-39920 A 25 megajoule energy storage and delivery system for the Shiva laser. W. L. Gagnon, P. R. Rupert, L. Berkbigler, B. M. Carder, D. G. Gritton, R. W. Holloway, M. M. Howland, and K. Whitham (California University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 880-885. Contract No. W-7405-eng-48.

A 25-megajoule, 20-kV capacitive energy storage and delivery system has been built and tested for Shiva - a 20-arm, 10-kJ, 20-TW neodymium glass fusion research laser. This system supplies over 3.5 megamperes to xenon flashlamps for optical pumping of the laser amplifier. About 15% of the energy is used to establish magnetic field within Faraday rotator glass. A digital based control and diagnostics scheme is employed through the entire pulse power system. This scheme utilizes a distributed digital data bus that addresses every element through two levels of optical isolation. The interfacing of low level circuitry to a pulse power environment is discussed, as well as the design and performance of the total system. The projected cost goal of 27 cents/joule, installed and operating, has been met. The general approach to the design, transient analysis, manufacture, and activation of this large power conditioning system are also discussed. (Author)

A78-39921 System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak. W. L. Bird, G. B. Grant, W. F. Weldon, H. G. Rylander, and H. H. Woodson (Texas University, Austin, Tex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 1. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 886-890. ERDA-supported research.

A78-39928 General Electric conceptual design of a test coil for the large coil program. R. Quay, R. W. Bryant, R. F. Koenig, J. J. Ferrante, C. L. Linkinhoker, J. W. Donato (General Electric Co., Schenectady, N.Y.), J. P. Henrich, W. D. Markiewicz, B. A. Zeitlan, and R. L. Rhodenizer (Intermagetics General Corp., Guilderland, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 926-930. 8 refs. ERDA-supported research.

A conceptual design for a toroidal field (TF) coil for a six coil test array has been developed. The electromagnetic, cryogenic, structural, manufacturing, quality assurance and verification testing

requirements have been analyzed. The bore is oval shaped and is 2.35 meters horizontally and 3.35 meters vertically. The coil is designed to operate at 8T peak field at rated current of 10450 amperes when the other 5 coils in the toroidal array are at 80% rated current. Using flat-wound NbTi conductor this pool-boiling, pancake wound coil is fully cryostable, and is enclosed in a 316LN stainless steel coil structure and helium container capable of supporting all expected in-plane loads and out-of-plane loads due to pulsed fields and unsymmetrical current distributions in the other 5 coils. (Author)

A78-39935 Pulse coil concepts for the LCP facility. B. E. Nelson and P. B. Burn (Union Carbide Corp., Nuclear Div., Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 962-965. Research sponsored by the U.S. Department of Energy.

The pulse coils described in this paper are resistive copper magnets driven by time-varying currents. They are included in the Large Coil Test Facility (LCTF) portion of the Large Coil Program (LCP) to simulate the pulsed field environment of the toroidal coils in a tokamak reactor. Since TNS (a 150 sec, 5MA, igniting tokamak) and the Oak Ridge EPR (Experimental Power Reactor) are representative of the first tokamaks to require the technology developed in LCP, the reference designs for these machines, especially TNS, are used to derive the magnetic criteria for the pulse coils. This criteria includes the magnitude, distribution, and rate of change of pulsed fields in the toroidal coil windings. Three pulse coil concepts are evaluated on the basis of magnetic criteria and factors such as versatility of design, ease of fabrication and cost of operation. The three concepts include (1) a pair of poloidal coils outside the LCTF torus, (2) a single poloidal coil threaded through the torus, and (3) a pair of vertical axis coil windings inside the bore of one or more of the toroidal test coils. (Author)

A78-39936 The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility. C. G. Lawson and J. P. Kois (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 966-968. Research sponsored by the U.S. Department of Energy.

The liquid helium supply and cryogenic distribution system for the toroidal magnetic coils of advanced tokamaks is discussed. The system includes a 1050-kW, two-stage compressor, a refrigeration unit capable of delivering the gas at two thermodynamic states, and a 19,000-liter helium storage dewar. Either supercritical helium at temperatures to about 3.5 K or saturated liquid helium with temperatures down to about 3.5 K may be delivered by the refrigeration unit. The compressor is an oil-flooded screw device with a capacity of 30 to 300 g/sec of helium gas. J.M.B.

A78-39938 Performance of a turbomolecular pump in a pulsed magnetic field. W. Bieger, K. H. Dippel, F. Richter (EUR-ATOM and Kernforschungsanlage Jülich GmbH, Jülich, West Germany), and E. Usselmann (Leybold-Heraeus GmbH and Co., Cologne, West Germany). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 976-980.

Turbomolecular pumps used in fusion experiments may be subjected to rotor heating and destructive expansion by eddy currents when pulsed magnetic fields are present. A study indicates that a turbomolecular pump in homogeneous magnetic fields perpendicular to the rotor axis can operate without excessive rotor heating if the magnetic pulse length and repetition time are kept within certain limits. Shielding of the pump with a high-permeability casing is also discussed. J.M.B.

A78-39939 Remote leak detection for the TFTR. C. R. Walthers (Grumman Aerospace Corp., Bethpage, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2.

Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 981-984. Contract No. E(11-1)-3073.

The planned design for the TFTR (Tokamak Fusion Test Reactor) remote leak detection system consists of a central console which controls the application of tracer gas to possible leak areas. Seals are tested by admitting tracer gas to machined cavities on the atmospheric side of the seal. The tracer gas is brought to the seal cavity by 1/8-inch diameter tubes which connect to local tracer gas/vacuum manifolds located outside the protective radiation shielding. Vacuum shell walls and welds are checked by flowing tracer gas through annular heating/cooling passages. The detector will be either an MSLD (mass spectrometer leak detector) or an RGA (residual gas analyzer), the location of which is not finalized. Feasibility tests performed and planned include response and sensitivity measurements of possible tubing/detector configurations with several tracer gases. (Author)

A78-39947 Constructing the vacuum vessel for J.E.T. /Joint European Torus/. G. H. Rappé (Atomic Energy Research Establishment, Culham Laboratory, Abingdon, Oxon, England). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1015-1020.

Engineering details of the all-welded vacuum vessel for the Joint European Torus (JET) are discussed. The 32 rigid and wedge-shaped metal components of the vessel are joined by parallel bellows to form a torus. Inconel 625 has been selected for the bellows because of its electrical resistivity properties, while Inconel 600, an alloy with good welding characteristics, is to be used for the rigid sections. A rolling process creates the convolutions in the bellows; a predetermined guidance system generates the D-shaped bellows profile. J.M.B.

A78-39951 Cryogenic supplies for the TFTR neutral beam line cryopanels. G. Pinter (Grumman Aerospace Corp., Bethpage, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1035-1039. Contract No. E(11-1)-3073.

The neutral beam lines of the Tokamak Fusion Test Reactor make use of cryocondensing panels capable of providing a pumping speed of 2.5 million liters per sec of hydrogen or deuterium at 10 to the minus sixth or fifth power torr pressure levels. Operated at 3.8 or 4.5 K for hydrogen or deuterium pumping respectively, the cryocondensing panels are thermally shielded by liquid nitrogen panels and chevrons. The liquid helium system includes a distribution network carrying large quantities of liquid/gas mixtures over a distance of 500 feet. J.M.B.

A78-39952 Cryopumping system for TFTR neutral beam injectors. L. E. Valby (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1040-1044a. 9 refs. Contract No. W-7405-eng-48.

The neutral beam injectors of the Tokamak Fusion Test Reactor include cryocondensing pumping systems capable of pumping 2500 cu m of deuterium per second at 4.5 K. Eight modular cryopumps thermally protected by liquid nitrogen systems have been developed. The welded stainless steel framework and conduction-cooled black-

ened copper chevrons of the vacuum system are described; the liquid helium 'dewar' and manifolding are also considered. Cooling and steady-state operations of the cryocondensing pumping systems are reviewed, and the relief system designed to counteract the effects of a massive vacuum break and the accompanying rapid pressure rise is mentioned. J.M.B.

A78-39954 Pulsed power conversion with inductive storage. E. C. Cnare, M. Cowan, T. P. Wright, and W. K. Tucker (Sandia Laboratories, Albuquerque, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1049-1052. 8 refs.

The PULSAR compressed magnetic flux, pulse power generator system has applications as a topping stage in commercial power generation. A plasma armature mode of operation is described which could be powered by an inertially confined fusion reactor. The paper summarizes the development of a plasma armature and experimental results from its application in a PULSAR generator which utilizes a 0.5 m diameter superconducting magnet. A larger generator under construction which utilizes a 1 m diameter magnet is briefly described and estimates of its performance are given. (Author)

A78-39955 Design of the energy storage system for the high energy gas laser facility at LASL. K. B. Riepe and M. J. Kircher (California, University, Los Alamos, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1053-1055.

The Antares laser is being built in the High Energy Gas Laser Facility (HEGLF) at Los Alamos to continue laser fusion experiments at very high power. The laser medium will be pumped by an electrical discharge, which requires an energy input of about 5 MJ in a few microseconds at about 500 kV. The energy storage system which will provide the pulsed power will be a bank of high-voltage pulse-forming networks. Tradeoff studies have been performed comparing the performance of multi-mesh networks with single-mesh networks. The single-mesh network requires about 20% more energy than a two-mesh network, but will tolerate three times the inductance of a two-mesh network. Analysis also shows that amplifier gain is not sensitive to impedance mismatch among the pulse-forming network, the transmission cables, and the gas discharge. A prototype pulse-forming network is being built to test components and trigger performance. It is a Marx generator storing 300 kJ at 1.2 MV open circuit, with 3 microhenrys internal inductance. (Author)

A78-39956 Argonne national laboratory energy storage and transfer experimental program. R. L. Kustom, R. B. Wehrle, R. P. Smith, and R. E. Fuja (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1056-1059. Research supported by the U.S. Department of Energy.

The inductor-converter bridge and the homopolar generator have been suggested to minimize the amount of energy required from a power grid during a fusion-reactor cycle. The inductor-converter bridge has the advantage of permitting the transfer of energy at a controlled and variable rate; a microprocessor may be adopted to perform the control function. The homopolar generator is especially suited to the cycling of the ohmic heating coil current of a fusion reactor. Testing of a 40 kJ, 2500-A, air-supported, aluminum-drum homopolar generator is reported. J.M.B.

A78-39957 Design of the ZT-40 power crowbar system. W. C. Nunnally and G. P. Boicourt (California, University, Los Alamos, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1061-1065. ERDA-sponsored research.

A power crowbar system for fusion reactor applications has been designed to establish a current greater than 10 million amps in two plasma-coupled inductance loads and maintain the currents with less than a 7% variation for 250 microsec. The design selected for testing is a series-type system with a low-leakage transformer and a high-density 10-kV paper-oil capacitor bank. Adaptation of the system to the requirements of a changing plasma load is also discussed. J.M.B.

A78-39959 Dual 30 kA, HVDC interrupter test facility. E. M. Honig (California, University, Los Alamos, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1071-1075. Research sponsored by the U.S. Department of Energy.

A dual dc interrupter or switch test facility capable of either 30-kA, 60-kV independent operation or 60-kA, 60-kV parallel operation has been developed. The facility permits variation of such parameters as recovery voltage, event timing, saturable reactance and repetition rate. Switch reliability and lifetime assessments for switches in series and parallel, axial field switches, and hybrid switches may be performed on the test facility. J.M.B.

A78-39961 Voltage protection scheme for MG sets used to drive inductive energy storage systems. G. L. Campen and R. B. Easter (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1079-1081. Research sponsored by the U.S. Department of Energy.

A voltage protection scheme has been designed for the motor-generator sets which drive the ohmic heating coil of a tokamak. A vacuum interrupter equipped with a commutating capacitor bank and an ignitron switch is adopted for each output terminal of the generators; the interrupters permit negligible energy drain from the load while completely disconnecting the generators on both sides. In addition, suppression of high-voltage transients during both normal and fault conditions in the generators is analyzed through use of a computer study. J.M.B.

A78-39964 A 40-kV, 26-ms neutral-beam power supply for TMX. G. A. Leavitt (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1093-1095. Contract No. W-7405-eng-48.

A 40-kV, 80-A, 25-ms neutral-beam power supply has been developed for the Tandem Mirror Experiment. Modifications to the accelerating voltage, suppressor, arc and filament power supplies are discussed. The problems of anode heating on the series-regulator tetrode and faulty firing of the two pulse lines used to obtain a 25-ms pulse also receive attention. J.M.B.

A78-39965 Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms neutral-beam power supply. G. G. North (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1096-1099. 5 refs. Contract No. W-7405-eng-48.

A78-39969 TTMP heating studies on Petula Tokamak. R. Bardet, M. Bernard, G. Briffod, M. Clement, A. Gauthier, M. Gregoire, P. Grelot, M. Hesse, R. Legardeur, and F. Parlange (EURATOM and Commissariat à l'Energie Atomique, Département de Physique du Plasma et de la Fusion Contrôlée, Grenoble, France). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1121-1124. 5 refs.

Compressional transit time magnetic pumping has been tested as a heating technique in the Petula Tokamak. To obtain clean walls for the transit time magnetic pumping experiment, the metallic vacuum vessel was replaced by a vessel made of alumina. In a further modification, modulation in space and time was provided for the toroidal field by six meridian RF coils located outside the vacuum vessel. Positioning the coils outside the vessel eliminates undesirable side effects such as arcing or outgassing from the coils when the RF power is turned on. J.M.B.

A78-39971 Parametric study of plasma startup systems for tokamaks. H. F. Vogel (California, University, Los Alamos, N. Mex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1129-1131. Research supported by the U.S. Department of Energy.

Plasma initiation from a poloidal coil set is discussed for inducing the startup voltage where no magnetic flux is generated in the plasma region. A mathematical expression is reported which states the current distribution necessary in a toroidal shell for the zero field condition inside. The combination of the startup coil in one physical unit with the vertical field coil is considered. A flux plot is discussed for the case that the coil set is mounted outside the toroidal field coils and iron used for reducing the magnetic field energy. (Author)

A78-39972 A lower hybrid heating system for an ignition tokamak. J. Brooks, S. Harkness, J. Jung, B. Misra, A. Moretti, J. Norem, and H. Stevens (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1132-1137. 7 refs. Research supported by the U.S. Department of Energy.

An investigation was conducted of suitable approaches for plasma heating by means of radio frequency (RF) power in the lower hybrid frequency range. The reasons for this investigation are related to the availability of power in this frequency range (1 to 5 GHz), the experimental success of the grill launching structure proposed and studied by Brambilla (1976) and Lallia et al. (1976), the overall simplicity and flexibility of the resulting system, and the general compatibility of this system with the high-radiation environment. It has been assumed for the purposes of the investigation that the Lower Hybrid Resonance Heating System would be the only supplementary heating system. The launcher for supplying 50 MW of supplemental heating consists of about 40 narrow-height WR-430 waveguides forming a rectangular array, 4 waveguides high and 10 waveguides wide. Attention is given to problems of system engineering, the choice of waveguide materials, the problems associated with shielding the vacuum windows from the plasma, and the cooling of waveguides. G.R.

A78-39974 The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators. G. C. Barber, A. Y. Broverman, R. E. Hill, C. M. Loring, N. S. Ponte, G. Schilling, and R. E. Wright (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1142-1146. Research sponsored by the U.S. Department of Energy.

A78-39975 The Princeton neutral injection power supply system. D. L. Ashcroft and H. E. Zuvers (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1147-1150. Contract No. EY-76-C-02-3073.

Four ion-source power supplies developed for the neutral injection system of the Princeton Large Torus are described. The power supplies attain accelerating voltages of 44 kV in operation; a twelve-pulse ignitron rectifier with precise regulation performed by a series tetrode provides this accelerating voltage. Adoption of variable autotransformers instead of saturable reactors to adjust ac voltage presented to arc and filament rectifiers is discussed. Problems related to the slow startup of the accelerating voltage supplies also receive attention. J.M.B.

A78-39976 The TFTR neutral beam power system. A. Deitz, H. Murray, and R. Winje (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1151-1155.

The neutral beam power system for the Tokamak Fusion Test Reactor is designed to operate three ion sources. The neutral beam power supply provides both high-voltage pulses (120 kV) and long pulse widths (0.5 sec). Conversion of ac power for the reactor to unregulated high-voltage dc power, gating and regulation of power delivered to the ion sources, and the supply of arc and filament power to the ion sources are discussed. The high-voltage switch tube used in the gating and regulation of output power delivered to the ion sources has presented special development problems because it is required to hold off voltages approaching 200 kV and pass currents of 70 A for long pulses. J.M.B.

A78-39977 Poloidal field coil design for a fusion-fission breeder reactor. H. R. Howland, J. L. Kelly, and J. W. H. Chi (Westinghouse Electric Corp., Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1156-1160. Research sponsored by the Electric Power Research Institute.

Magnetic, structural and thermal design parameters are presented for superconducting poloidal field coils of a fusion-fission (hybrid) reactor. Plasma heating and shaping requirements, as well as the constraints imposed by long pulse (75 sec) and high duty cycle (83.3%) operation are taken into account in developing the poloidal field coils. The electrical design of the ohmic heating coil set and the shaping field coil set (which provides part of the flux swing) is described. The mechanical design of the field coils involved electrical and thermal insulation for the coils, structural support for forces generated within the coils, and enclosures and supports for the cryogenic cooling system. J.M.B.

A78-39978 A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors. D. C. Quimby, R. T. Taussig (Mathematical Sciences Northwest, Inc., Bellevue, Wash.), and A. Hertzberg (Washington, University, Seattle, Wash.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1161-1165. 11 refs. Research supported by the Electric Power Research Institute.

A radiation energy conversion scheme capable of transforming the X-ray output of steady fusion reactors to electricity with a high degree of thermal efficiency is discussed. The radiation energy conversion technique is compatible with reactors utilizing advanced neutron-free fusion fuels which yield 50% or more of their output energy in the form of X-rays. In the energy conversion scheme, the X-rays heat a working fluid in a boiler; the energy is subsequently

exchanged to a conventional turbine generator. A peak working fluid temperature between 2000 and 3000 K could be attained with a number of gases. Development of an efficient energy exchanger with high temperature capability is also necessary. J.M.B.

A78-39982 A tokamak hybrid blanket design. V. L. Teofilo, B. R. Leonard, Jr., R. T. Perry, M. C. C. Bampton, M. A. McKinnon, C. H. Bloomster, and L. L. Fassbender (Battelle Pacific Northwest Laboratories, Richland, Wash.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1181-1184. ERDA-supported research.

A modular blanket assembly has been developed for the Tokamak Engineering Test Reactor, which is designed to yield a high neutron flux for engineering and materials testing. Type 316 stainless steel was selected for the helium-cooled modular blanket assembly components. Dimensional constraints on the blanket assembly derived from the poloidal field coils, divertor channels, and neutral beam ports of the fusion driver system. The blanket could provide for the generation of 780 MW of thermal power and 760 kg of plutonium per year. J.M.B.

A78-39983 Tritium handling trade studies and design options for the GA/ANL TNS. J. M. Mintz (General Atomic Co., San Diego, Calif.), R. G. Clemmer, and V. A. Maroni (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1185-1190. 5 refs. Contract No. EY-76-C-03-0167. ERDA Project 38.

A comprehensive effort involving members of both the General Atomic Company (GA) and the Argonne National Laboratory (ANL) has been undertaken to define the objectives, criteria and potential systems design solutions that accrue to the tritium handling systems for the next logical step in tokamak reactor development (TNS). A primary focus of these activities has been a systematic analysis of fuel cycle parameters and trade studies on the sensitivity of these parameters to reactor design and operating conditions. Principal results of these analyses and an assembly of potentially useful design concepts for various subsystems of the fuel cycle are presented.

(Author)

A78-39985 Bundle divertor designs for the ILB advanced fuel tokamaks. G. M. Swift and F. H. Southworth (Illinois University, Urbana, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1198-1202. 10 refs. Research supported by the Electric Power Research Institute.

A divertor creates a region of low-density plasma between the reactor wall and the main plasma body. The region is magnetically connected to the outside. The divertor-produced effects can be used to reduce the plasma bombardment of the wall and to ionize and remove neutrals from the wall before they reach the main plasma. Other functions of the divertor are related to the removal of fusion products, the recovery of fusion fuel, and a provision of thermal insulation for the main plasma. The reported investigation is mainly concerned with still another function which has been envisioned for a divertor. This function involves the connection of a tokamak to a direct collector. Both poloidal and toroidal divertors have been suggested for this function. It appears, however, that the bundle divertor in connection with its geometric configuration is particularly suited for this task. The bundle divertor can be positioned on the outside of the tokamak and attached easily to an expander which is terminated with a direct collector, possibly of the venetian blind type. G.R.

A78-39986 CODAS - The proposed control and data acquisition system for JET. F. Bombi, D. Ciscato, S. Congiu, P. Noff, and D. Zimmermann (Atomic Energy Research Establishment, Culham Laboratory, Abingdon, Oxon, England). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1203-1208. 5 refs.

CODAS, a computerized control and data acquisition system, is being developed for the JET experiment, a proposed large tokamak experiment being designed by European scientists and engineers. The present paper deals with the organization of the system and its subdivision in a number of subsystems, each of which is serviced by a minicomputer. Each machine subsystem includes all the equipment needed to provide independent operation. The poloidal field subsystem, for example, comprises coils, power supplies, switching network, power amplifiers, and cooling system. The plasma diagnostics available from the beginning of the experimental phase will be grouped in five diagnostic subsystems. Additional diagnostics will be applied during the experimental phase and connected to CODAS in the same way. The solution (based on the use of two computers) proposed for the computer communication system is discussed, and the expected performance figures are given. V.P.

A78-39991 Some design aspects of computer based control systems for pulsed fusion experiments. H. R. Whittle, K. Fullard, E. G. Murphy, and D. Richardson (EURATOM and U.K. Atomic Energy Authority Association for Fusion Research, Culham Laboratory, Abingdon, Oxon, England). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1223-1227. 7 refs.

A78-40006 An apparatus to examine pulsed parallel field losses in large conductors. J. R. Miller and S. S. Shen (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1297-1300. Research sponsored by the U.S. Department of Energy.

In the case of most superconducting magnet applications, it has been sufficient to decouple the superconducting filaments from pulsed transverse fields. However, for conductors in toroidal field (TF) coils of tokamak machines losses due to transient field components parallel to the winding could also become very important. Measurements of such losses in small conductors have been carried out by Shen and Miller (1976) and Miller and Shen (1977). The reported investigation is concerned with an extension of these measurements to fairly large models of proposed TF coil conductors or elements of the full size conductors. Attention is given to the magnetic field environment of a tokamak, a conductor for the pulsed torus winding, the components of the toroidal coil form assembly, the slow ramp hysteresis loss, and the eddy current loss during fast discharge. G.R.

A78-40007 Time dependent study of eddy current loss in a superconducting composite. W. Y. Chen, W. E. Toffolo, and J. R. Purcell (General Atomic Co., San Diego, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1301-1304. 7 refs. Contract No. EY-76-C-03-0167.

A numerical technique which has been developed by Chen et al. (1977) to study the eddy current loss for the special case of a wide flat conductor is extended to cases involving a more conventional conductor. Calculations are conducted, taking into account the effective resistivity and a sinusoidal external field with no transport current in the conductor. To study a situation more resembling the operating condition in the tokamak toroidal field coils, a finite

duration ramp external field with a transport current flowing in the conductor is considered. The eddy current loss is computed for different values of the transport current. Saturation patterns in the conductor cross section for three values of transport current at different instants of time are shown in a graph. Another graph shows the eddy current power as a function of time for different values of transport current in the conductor. G.R.

A78-40008 Losses in a coil where the multifilamentary composite is subjected to simultaneous orthogonal and parallel induction variations. A. Fevrier and J. J. Peninou (Compagnie Générale d'Electricité, Marcoussis, Essonne, France). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1305-1309. 8 refs. Research supported by the Délégation Générale à la Recherche Scientifique et Technique.

The paper deals with measured and computed losses in a 'S-T coil', where the conductor that carries a time-dependent current experiences simultaneous orthogonal and parallel induction variations. The S-T coil consists of an inner solenoid of square cross section and a toroidal coil about the solenoid. The losses per cycle are plotted against the rate of transport-current variation. With respect to the experiment, the calculated values are accurate to within 10 percent. V.P.

A78-40009 Fast ramp superconductor for ohmic heating coils. M. S. Walker, B. A. Zeitlin (Intermagetics General Corp., Guilderland, N.Y.), and R. E. Schwall (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1310-1314. 11 refs. Research sponsored by the U.S. Department of Energy.

An investigation was conducted concerning practical 10,000 ampere conductor designs to meet the operating constraints for the ohmic heating coils of TNS ('The Next Step') and experimental tokamak reactors. It is pointed out that the conductor must simultaneously meet the requirements for mechanical support, cryostabilization, high overall winding current density, low mechanical and electrical losses, and mechanical and electrical integrity for cyclic pulsed operation from -7 T to +7 T in one second. A hybrid multilayer stacking of pancake-wound coils is considered as the preferred coil design. The ohmic heating coil consists of a fiberglass and epoxy central column, which is surrounded successively by thinner concentric epoxy-fiberglass shells. The recommended conductor is a flat braid. An approximately 10 micrometer diameter filament is suggested for the superconductor strands. To reduce coupling losses and retain an adequate intrastrand heat transfer capability, it is suggested that these filaments be placed in a mixed-matrix configuration incorporating comparable amounts of copper and NbTi in copper-clad filaments within a copper-10% nickel resistive matrix. G.R.

A78-40010 Superconducting energy storage coils. M. A. Janocko, J. H. Murphy, P. W. Eckels, D. C. Litz, and C. J. Heyne (Westinghouse Research and Development Center, Pittsburgh, Pa.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1315-1321. 37 refs. Research sponsored by the U.S. Department of Energy.

Design of a 300- and a 400-kJ rapidly pulsed, superconducting energy-storage coil is discussed. Elements of the conductor selection program include consideration of the conductor support structure, the degree of compaction, the type of electrical transposition, the stabilization requirements, the cooling method, and the electrical insulation. Particular attention is given to the influence of ac losses on the temperature profile within a superconducting winding, and to the effects of magnetic field and temperature on conductor

performance. The 400-kJ conductor design employs a multicomponent matrix of smaller diameter than the copper matrix of the 300-kJ conductor; adoption of the multicomponent matrix reduces per-cycle ac losses by a factor of three. J.M.B.

A78-40013 Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks. R. J. Goldston, D. L. Jassby, H. H. Townner (Princeton University, Princeton, N.J.), R. H. Fowler, J. F. Lyon, J. A. Rome (Oak Ridge National Laboratory, Oak Ridge, Tenn.), and T. Brown (Grumman Aerospace Corp., Bethpage, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1333-1338. 11 refs. Research supported by U.S. Department of Energy.

A test of ripple-assisted neutral-beam injection will be performed on the ISX-B device in 1978-79, using a low-power beam with a beam energy of about 10 to 20 keV, and possibly also on the TFTR device around 1982 with a high-power 80-keV beam. In both cases, the optimal coil configuration for establishing the required vertically asymmetric toroidal-field (TF) ripple consists of a pair of trapezoidal current loops located between the TF coils and the vacuum vessel, and bracketing the vertically injected beam. This report describes the design of the ripple coils for ISX-B, the ripple contours in the elliptical ISX-B and circular TFTR plasmas, and the objectives and parameters of the ISX-B experiment. The formation of magnetic islands in the plasma is examined for an arbitrary number of ripple-injection locations. (Author)

A78-40014 Pulsed acceleration of exhaust plasma in a fusion-MHD power plant. K. Denno (New Jersey Institute of Technology, Newark, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1339-1342. 10 refs. Research supported by the New Jersey Institute of Technology.

Modification of the poloidal field divertor system of the Princeton Reference Design Model of a fusion power plant could render it serviceable as an accelerator-induction generator channel. In particular, the modification involves placing an accelerating dc field on the inward part of the divertor exhaust chamber and an ac exciting field on the outward part. The resultant MHD-induction generator would also add to the effective confinement of the separatrix surface. J.M.B.

A78-40019 Magnetic field computations for ISX using GFUN-3D. W. D. Cain (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1362-1366. Research sponsored by the U.S. Department of Energy.

Magnetic fields generated by an iron-core tokamak which uses rectangular water-cooled copper toroidal field coils are analyzed through adoption of a three-dimensional computer program. The three-dimensional computer program is capable of treating magnetic fields for conductors and nonlinear (variable permeability) magnetic materials. Various sizes and numbers of iron elements are employed for the iron yoke model; an intuitive understanding of the magnetization-vector behavior proves helpful in developing the magnetic field analyses. J.M.B.

A78-40026 Using computer graphics to analyze the placement of neutral-beam injectors for the Mirror Fusion Test Facility. J. A. Horvath (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2.

Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1400-1404. Contract No. W-7405-eng-48.

A78-40027 Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system. K. H. Berkner, W. S. Cooper, K. W. Ehlers, and R. V. Pyle (California, University, Berkeley, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1405-1407. 9 refs. Research sponsored by the U.S. Department of Energy.

A description is presented of the operation of a 120-kV, 0.5-sec injector module which, from an 8- x 10-cm accelerator-grid array, produces 14 A of hydrogen ions or 10 A of deuterium ions. This module was used to test the design concepts of the 10- x 40-cm, 120-kV, 65-A, 0.5-sec Tokamak Fusion Test Reactor (TFTR) which is currently under test. A cross-section of the injector module is shown in a graph. The ions are produced in a high-current low-voltage discharge with no externally applied magnetic field. A four-grid multiple-slot accelerator array is used. Ions are accelerated and electrostatically focused in the first two gaps. The third gap has a weak decelerating field to suppress down-stream electrons. Attention is given to calculated beam trajectories and equipotentials for a 120-kV accelerator, a typical beam-pulse sequence, and aspects of device performance. G.R.

A78-40032 Thermal-mechanical design of a 150-mA, direct-current, 400-keV accelerator for production of 14-MeV neutrons. C. L. Hanson (California, University, Livermore, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1431-1434. Contract No. W-7405-eng-48.

A78-40040 Mechanical and thermal design of a gas-cooled fusion blanket module. D. W. Kearney, D. W. Culver, J. A. Dalessandro, S. N. Rosenwasser, D. L. Vrabie, and C. Wong (General Atomic Co., San Diego, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1483-1489. 8 refs. Contract No. EY-76-C-03-0167. ERDA Project 38.

A modular fusion blanket design is presented which utilizes an Inconel 718 structure, helium-cooling, and solid lithium compounds for breeding tritium. The mechanical features were chosen to minimize remote maintenance operations and to satisfy recognized design criteria. Quasi-equilibrium and transient thermal analysis results are presented to show the effectiveness of helium cooling over a range of wall loads. The extent and nature of coolant and first wall thermal fluctuations are examined from the viewpoint of steam generator, steam turbine, and first wall lifetimes. The concept is shown to be feasible on the basis of present considerations. (Author)

A78-40041 Blanket structure design for JAERI Experimental Fusion Reactor. K. Sako (Japan Atomic Energy Research Institute, Tokai, Ibaraki, Japan) and A. Minato. In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1490-1494.

The design of the 200-ton blanket structure developed for the 100-MW Japan Atomic Energy Research Institute Experimental Fusion Reactor is described. Eight blanket modules, each consisting of 284 blanket vessels and a 1.2-m diameter aperture for neutral beam injection and evacuation, comprise the blanket structure. Stress analysis of a blanket vessel, an elastic analysis of a blanket vessel under internal pressure, and a study of temperature effects on the blanket structure are reported. Use of a protective wall to limit the temperature effects and the thermal stress expected during accidental plasma bursts are also investigated. J.M.B.

A78-40047 Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation. K. F. Hwang and S. O. Hong (Wisconsin, University, Madison, Wis.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1531-1534. 10 refs. ERDA-supported research.

The dielectric strength of vapor and liquid He-4 under highly inhomogeneous fields is measured at 1.8 K and 4.2 K in saturated vapor pressure. The results show a strong polarity effect for both liquid and vapor helium. Paschen's law can be used to explain the vapor strength. In addition, the dielectric strength of epoxy-fiberglass in helium is measured. Preliminary results are presented. (Author)

A78-40049 Facility for the testing of the TFTR prototype neutral beam injector. J. M. Haughian (California, University, Berkeley, Calif.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1540-1544. 5 refs.

A description is presented of some of the features of the facility where the prototype neutral beam injection system for the Tokamak Fusion Test Reactor will be assembled and tested. The available working space at the facility is large enough to stage, assemble, and operate both a neutral beamline and the ion source's high-voltage power supply. The shielding enclosure for the neutral beamline is considered along with the control-computer area, the high voltage power supply areas, the cryogenic supply system for the cryopanel, the auxiliary vacuum system, and the utilities supply. The thickness of the concrete walls and roof of the shielding enclosure were determined by calculating the radiation flux that would come from the calorimeter in the injector vessel and the beamdump in the target chamber. G.R.

A78-40052 A computer program for parameter studies of a neutral injection beam line. J.-H. Feist (Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1554-1557. 6 refs.

Neutral injection heating experiments in the W 7a stellerator and in the ASDEX tokamak are studied by computer analysis, with attention to the influence of neutral beam line on the neutral power arriving at the plasma surface. Parameters influencing the available neutral power include: beam energy, ion current and species composition, ion source pressure, beam line geometry, pumping speeds, desorption of gas by fast particles, and beaming effects of the gas flow. An iterative solution for a system of nonlinear equations is solved to account for steady-state conditions. The performance of the ASDEX neutral line injectors is evaluated as an illustration of the analysis. D.M.W.

A78-40064 PLT OH system operation. E. H. Lefkowitz (Princeton University, Princeton, N.J.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1601-1604. Contract No. EY-76-C-02-3073.

The purpose of the ohmic heating (OH) system is to provide energy to a small amount of gas within the machine in order to complete ionization and establish a circulating current in the plasma which produces heating and a poloidal component of the confining field. A circuit diagram with the basic elements of the PLT OH system is presented. The rectifier is a unique twelve pulse design which can supply 22,000 A at about 1100 V for several seconds, and then has the capability of interrupting this current and withstanding a 20 kV maximum surge voltage. Attention is given to details of operational timing, the rectifier mode of operation, problems of system protection, the OH-dc system, the noise characteristics, control problems, and approaches for the enhancement of the reliability of ignitron operation.

G.R.

A78-40065

A comparison between an air core and an iron core Ohmic Heating system for The Next Step. J. K. Ballou (Oak Ridge National Laboratory, Oak Ridge, Tenn.) and J. H. Schultz (Westinghouse Electric Corp., Pittsburgh, Pa.). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1605-1607. Research sponsored by the U.S. Department of Energy.

The reported investigation has the objective to compare the costs of the major components of an air core and iron core Ohmic Heating (OH) system. The comparison is conducted by replacing the air core OH magnets with a set of magnets operating with an iron core. The air core and iron core systems are required to supply the same volt-seconds on the same schedule, and both systems will use the same equilibrium field coil system. The comparison is not between two optimized systems but between two systems which differ only in the type of OH system they use. The comparison is made on the basis of the peak power required in the OH power supply circuits necessary for initiation of the plasma and on the basis of the peak stored magnetic energy. It is found that the peak power requirements can be substantially reduced by the use of an iron core to power levels handled by industry today. The cost of the power conversion system is expected to be less than that of an air core system (dual rectifier and dc switch).

G.R.

A78-40072

Structural analysis of a two-component torus /TCT/ hybrid reactor first wall. M. C. C. Bampton and R. A. McCann (Battelle Pacific Northwest Laboratories, Richland, Wash.). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1637-1641. 10 refs. ERDA-sponsored research.

An analysis was conducted of the first wall of a tokamak fusion-fission reactor. Coolant line penetration problems were reduced by making the first wall a vacuum barrier. The first consideration in establishing the wall dimensions was the general stability of the surface under atmospheric pressure. A double wall held together by regularly spaced poloidal webs was selected and a logical system for coolant control was derived. A full toroidal model was used to evaluate the general stability characteristics of the shell. To arrive at localized stress levels, a simplified model was derived using the assumption that the major radius was infinite. A computer model was formulated to analyze the local stability of the shell inner wall between stiffeners. The analysis shows that the two wall concept for the class of thermal reactor under consideration will undoubtedly contain manufacturing complexities. The concept has, however, in compensation for these complexities aspects of considerable durability.

G.R.

A78-40074

Tritium removal from liquid metals by sorption on yttrium. S. D. Clinton and J. S. Watson (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J.,

Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1647-1649. Research sponsored by the U.S. Department of Energy.

A technique is described for the recovery of tritium from liquid lithium or potassium by sorption onto a hydrogen-gettering material, i.e., yttrium. Tests conducted in a batch contactor at 300 and 400 C using metal sorbent samples of yttrium and zirconium are analyzed in terms of mass transfer rate at contact times of less than 30 minutes. It is found that tritium sorption rates from lithium (833 plus or minus 54 ppb) were substantially higher than those obtained with potassium. A mass transfer coefficient of 6×10^{-4} cm/sec was observed, with the ratio of yttrium surface area to lithium volume of 0.82 plus or minus 0.02 per cm. The estimated accumulation of tritium in the yttrium is recorded at 0.78 Ci, and the tritium recovered after dissolution of the yttrium sample is given as 0.90 Ci (27 ppm). It is noted that the mass transfer rate can be increased with forced convection.

D.M.W.

A78-40075

TFTR tritium valve for pulsed gas feed, test results. J. W. Rockensies, B. Sue (Grumman Aerospace Corp., Bethpage, N.Y.), and R. Walls (Princeton University, Princeton, N.J.). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1650-1652. Contract No. E(11-1)-3073.

This paper presents the results of a test program currently being conducted at the PPPL (Princeton Plasma Physics Lab) to evaluate the design of an engineering-model valve to be used for controlling pulsed-feed tritium injection scenarios into the TFTR (tokamak) torus. The test program is designed to characterize the performance of the valve and determine throughput modulation and repeatability. Testing is being performed primarily with helium gas, but the capability to test with argon, deuterium, and hydrogen gases is available in order to provide an adequate data base to extrapolate to the tritium case. The TFTR proposed tritium feed system line configurations have also been simulated to evaluate dynamic effects of the pulsed feed.

(Author)

A78-40081

Plasma engineering problems associated with superthermal fusion products. G. H. Miley, T. Petrie, P. R. Meka, L. Hively, and M. Wang (Illinois University, Urbana, Ill.). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1673-1677. 14 refs. Research supported by the U.S. Department of Energy.

In the present paper, the effects which might result from high-energy fusion products in reactor development are analyzed with particular reference to plasma heating, rotation, impurity buildup, first wall bombardment, and anomalous effects of possible induced instabilities. The analysis is based on computations of alpha-particle transport in tokamak systems. A wall detector experiment is proposed which would help to gain insight into the phenomena discussed. With energy discrimination, both the escape profile of first-orbit losses and any anomalous lower energy escape (instabilities) could be varied by this experiment. The wall detector observations could be complemented by additional measurements of induced fields, rotation, etc. to provide a better understanding of the physics of fusing plasma.

V.P.

A78-40083

Ignition of catalyzed-D reactor from D-T burning. A. Iiyoshi, O. Motojima, and M. Ohnishi (Kyoto University, Uji, Japan). In: *Symposium on Engineering Problems of Fusion Research*, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1683-1687. 10 refs.

The dynamics of the transition from the D-T-burning mode to the catalyzed-deuterium (Cat-D) operating mode in a toroidal reactor is investigated. The thermal stability and transition dynamics in a

reactor containing an arbitrary D-T mixture (including Cat-D) are also analyzed, and ignition conditions for Cat-D, pure D-T, and an arbitrary D-T mixture are examined. A numerical analysis is performed which shows that the Cat-D operating mode can be achieved in roughly 300 sec by controlling the fuel injection rate and mixture. The required transition time is found to be restricted mainly by the time needed to reduce the tritium concentration to the level of the Cat-D mode that suppresses the temperature excursion. It is concluded that additional heating would not aid in reducing the transition time and that feedback control to maintain steady operation is one of the most important tasks for the Cat-D reactor since the plasma is always unstable with respect to density and temperature deviations. F.G.M.

A78-40093 High temperature blankets for the production of synthetic fuels. J. R. Powell, M. Steinberg, J. Fillo, and H. Makowitz (Brookhaven National Laboratory, Upton, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1732-1735. 11 refs. Research sponsored by the U.S. Department of Energy.

The application of very high-temperature blankets to improved efficiency of electric power generation and production of H₂ and H₂-based synthetic fuels is described. The blanket modules have a low-temperature (300-400 C) structure (SS, V, Al, etc.) which serves as the vacuum/coolant pressure boundary, and a hot (exceeding 1000 C) thermally insulated interior. Approximately 50-70% of the fusion energy is deposited in the hot interior because of deep penetration by high-energy neutrons. Separate coolant circuits are used for the two temperature zones: water for the low-temperature structure and steam or He for the hot interior. Electric generation efficiencies of about 60% and H₂ production efficiencies of approximately 50-70%, depending on design, are projected for fusion reactors using these high-temperature blankets. (Author)

A78-40095 Mechanical design and analysis for a EPR first wall/blanket/shield system. H. C. Stevens, B. Misra, and C. K. Youngdahl (Argonne National Laboratory, Argonne, Ill.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1741-1748. Research supported by the U.S. Department of Energy.

Reducing costs, improving thermal efficiency and facilitating maintenance are among the goals in the development of an advanced first wall/blanket/shield and power conversion system for a tokamak-type Experimental Power Reactor. Features of the first wall/blanket design include a small number of components and few coolant connectors, high thermal plant efficiency through use of superheater blocks, ease of testing for the superheater modules, and measures to deal with eddy current effects. A simple stress analysis to evaluate cooling channel design, as well as more detailed stress analyses for the final blanket configuration, are mentioned. The shield has an inner block of B4C-stainless steel and a less expensive outer block of stainless steel-graphite-boron-lead mortar-aluminum. J.M.B.

A78-40096 A metallic contact, fast-closing, high current switch. P. Wildi and J. Gully (Texas University, Austin, Tex.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1749-1752.

A metallic-contact switch capable of carrying about 2 million amps with a rise time on the order of 2.9 times 10 to the ninth power amps/sec has been developed for the fast-discharge experiment of a controlled thermonuclear research program. The switch involves use of electromagnetic repulsion to drive a movable contact which, when in place, bridges two stationary electrodes. A very small internal resistance and minimal inductance characterize the closed switch. J.M.B.

A78-40099 High energy density, long life energy storage capacitor dielectric system. D. H. Nichols and S. R. Wilson (General Electric Co., Capacitor Products Dept., Hudson Falls, N.Y.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1760-1763.

Energy storage dielectric systems are discussed with reference to their development. Early designs including castor oil-paper systems and filter capacitors using a polypropylene-paper-phthalate ester based liquid are noted. Major failure mechanisms are identified as: localized heating caused by low insulation resistance, long-time electrification 'wear-out', dielectric breakdown caused by pad over-stressing, corona damage due to operating the system above corona inception voltage during the discharge regime, and defects in materials and manufacture. S.C.S.

A78-40108 Design and performance of large cryopumps for high power neutral injectors. J. R. Coupland, D. P. Hammond, and E. Thompson (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1796-1800. 7 refs.

A78-40112 Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K. P. W. Fisher and J. S. Watson (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volume 2. Piscataway, N.J., Institute of Electrical and Electronics Engineers, Inc., 1977, p. 1816-1819. 5 refs. Research sponsored by the U.S. Department of Energy.

Cryosorption pumping of a 95% deuterium-5% helium mixture has been studied in order to determine whether hydrogen isotopes and helium can be pumped by a single cryosorptive panel during fusion reactor plasma recovery. The cryosorption pump used here contains a molecular sieve adsorption panel cooled by liquid helium. Results of the investigation indicate that relatively stable pumping speeds may be obtained for operational pressures below about 5 times 10 to the minus fifth power torr. If stable operation at higher pressures cannot be effected through improvements in the adsorbent or modifications in the panel temperature, a compound pump option may be preferable to the single cryosorption panel. J.M.B.

A78-40221 The OMEGA fusion laser system. J. Hoose (Rochester University, Rochester, N.Y.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 22-28.

The article describes the 30-terawatt, neodymium glass laser irradiation facility called OMEGA, used for fusion experiments. General system objectives are given in terms of characteristics and requirements (including energy over 6 KJ at 200 ps FWHM, variable pulse shape, 1.054-micron wavelength, 15-20 cm beam aperture, and 24 beams in spherical geometry). A schematic design of the operational interactions between the laser and target data base, the sponsors, and the users is presented along with a design plan of the entire laser system. A review is made of the functions of each of the subsystems which include the laser, alignment, control room and computer, target, facilities, and structures. S.C.S.

A78-40222 An automatic alignment system for a multi-beam laser system. A. L. Levine and G. Stadlander (Raytheon Co., Missile Systems Div., Bedford, Mass.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash.,

Society of Photo-Optical Instrumentation Engineers, 1977, p. 29-36.

Attention is given to the Optical Adjustment and Control Subsystem (OACS) used to align a multibeam laser system. The OACS baseline system consists of an amplifier and preamplifier, driver line, beam splitter array, 24 beam lines, end, injection, and turning mirrors, and a focusing lens. The system may be used for a variety of operations including: (1) alignment of master and test oscillators, (2) beam centering through the driver line, (3) driver-line alignment, (4) beam-line test-oscillator alignment, (5) beam-line centering to the mid-line sensor, (6) beam-line centering to the end mirror sensor, (7) beam-line centering to turning mirror sensor, (8) beam-line focusing on target, and (9) timing adjustment for each beam line. It is noted that the system requirements are pointing to plus or minus 5 ps at the target, focusing at plus or minus 5 microns at the target, centering at plus or minus 1 mm at each aperture, and timing at plus or minus 5 ps at the target. S.C.S.

A78-40223 Practical interferometry at 1.06 microns. J. L. McLaughlin (Itek Corp., Optical Systems Div., Lexington, Mass.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 37-40.

The paper describes the Laser Unequal Path Interferometer designed for testing high-energy laser focusing lenses at 1.06 microns. The advantages of this configuration over equal-path interferometry are noted. Particular attention is given to the (1) refractive beam expander, (2) beam splitter, (3) swing-down reference flat, (4) diverger mounted on an X-Y-Z mount, and (5) projection lens. S.C.S.

A78-40224 Focusing systems for high energy glass lasers. S. Kumpan (Rochester, University, Rochester, N.Y.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 41-47.

The focusing system designed for the Omega-Ten 30-TW glass laser system developed for fusion experiments is described. The baseline configuration consists of 24 four-element f/1.6 lenses in a symmetrical 4-8-8-4 configuration. Numerical models of the irradiation uniformly at the target surface for single- and multiple-lens systems are noted along with the lens design specifications including the prediction of ghost-images which may be formed within the lens elements. The mechanical design of the focusing system is outlined with reference to the support structure and the lens mount. S.C.S.

A78-40225 Diffraction analysis for multiple-beam pellet irradiance. J. M. Vanderhoff (Itek Corp., Optical Systems Div., Lexington, Mass.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 48-56. 5 refs.

An analytical technique has been developed for the diffraction analysis of multiple-beam pellet irradiance. On the basis of geometrical optics, a diffraction-based point-spread function is used to determine single-beam irradiance profiles on spherical pellet surfaces. The function accounts for pellet absorption factors, measured wavefronts, apodization functions, and classical errors. The diffraction integral is written in polar coordinates so as to minimize boundary fitting errors in the numerical integration. On the basis of the single-beam analysis, computer codes are developed to determine multiple-beam irradiance contours on spherical pellet surfaces. A multiple point-spread function specifies the irradiance profiles for varying degrees of pointing error. Tolerance values may be found on the basis of the rms irradiance quality factor. S.C.S.

A78-40226 The Shiva laser - Nearing completion. J. A. Glaze and R. O. Godwin (California, University, Livermore, Calif.). In: Systems integration and optical design II - Another look; Proceedings of the Seminar, Reston, Va., April 18-21, 1977.

Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 57-66. 11 refs. Contract No. W-7405-eng-48.

Construction of the Shiva laser system is nearing completion. This laser will be operating in the fall of 1977 and will produce over 20 terawatts of focusable power in a subnanosecond pulse. Fusion experiments will begin early in 1978. It is anticipated that thermonuclear energy release equal to one percent that of the incident light energy will be achieved with submillimeter deuterium-tritium targets. From other experiments densities in excess of a thousand times that of liquid are also expected. (Author)

A78-40241 Applications of submillimeter waves in plasma physics and controlled fusion research. N. C. Luhmann, Jr. and A. Semet (California, University, Los Angeles, Calif.). In: Far infrared/submillimeter wave: Technology/applications; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, 1977, p. 52-65. 5 refs. NSF Grant No. Eng-75-14452; Contract No. E(11-1)-GEN-10-PA-26.

The paper reviews the use of far-infrared laser and detection systems for the measurement of plasma parameters. Attention is given to such techniques as interferometry, synchrotron radiation measurements, the Thomson-scattering determination of ion temperature in fusion plasmas, the holographic imaging of plasmas, and FIR studies of nonlinear plasma parameters. It is noted that FIR systems have great potential for plasma diagnostics and nonlinear plasma wave experiments, but that many of these applications require significant advances over present FIR technology. B.J.

A78-40267 Microchannel plate response to hard X-rays. K. W. Dolan (Sandia Laboratories, Livermore, Calif.) and J. Chang (Sandia Laboratories, Albuquerque, N. Mex.). In: X-ray imaging; Proceedings of the Seminar, Reston, Va., April 18-21, 1977. Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers, p. 178-188. 7 refs. ERDA-supported research.

Measurements are presented for the current response and pulse response of a microchannel plate to hard X-rays incident at a 45-degree angle and in the 8-100 keV energy range. The data are used to determine X-ray detection efficiency, pulse height distributions, and the sensitive depth of the microchannel plate. The results indicate that: (1) current response is directly proportional to the gain at a given bias voltage, (2) efficiency does not depend on gain or bias voltage, (3) efficiency extrapolates to zero below 8 keV, (4) the efficiency in the 10-600 keV range is relatively constant, (5) pulse height distributions are proportional to pulse height to the -1.1 to -1.6 power, and (6) 90% of the current is produced in the initial 25-30% of the microchannel plate thickness. S.C.S.

A78-40301 Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977. Meeting sponsored by the Society of Engineering Science. Edited by G. C. Sih (Lehigh University, Bethlehem, Pa.). Bethlehem, Pa., Lehigh University, 1977. 1360 p. \$40.

Recent theoretical and experimental progress in penetration mechanics, elastodynamics, polymer science, composites and laminates, fatigue crack propagation, heat transfer, turbulent flow, nonlocal continuum mechanics, viscoelasticity, numerical methods, machinery noise, and wind and solar energy is documented. Individual studies include adhesive fracture in mixed-mode loading, crack stability in epoxy-bonded aluminum components, forced convection over nonisothermal surface by means of universal functions, structural model of the turbulent boundary layer, periodic fluid transients in MHD duct flows, symmetry groups in finite elasticity, statistical finite element analysis for composite materials, and vortex augmented wind energy conversion. P.T.H.

A78-40361 Vortex augmented wind energy conversion. P. M. Sforza (New York, Polytechnic Institute, Brooklyn, N.Y.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1233-1236. 8 refs. Research supported by the Polytechnic Institute of New York; Contract No. E(49-18)-2358.

It is pointed out that under certain predictable conditions vortices appear in a flowing fluid. An investigation is conducted regarding the utilization of the unusual aerodynamic characteristics of vortices for the development of improved wind energy conversion systems. Key factors for such a development are related to the generation and control of discrete vortices of high power density by appropriate interaction of aerodynamic surfaces with natural winds of relatively low power density. Suitably designed turbines are used to extract energy from this compacted vortex field. The considered idea is termed the Vortex Augmentor Concept (VAC). The vortex generating surface amplifies the wind speed within the vortex field in which the swirling flow tends to concentrate the low energy flux wind from a large upstream area into a high energy flux flow in a small (vortex) area. Attention is given to VAC wind tunnel studies, the construction of a rotor-test facility, and aspects of prototype development. G.R.

A78-40362 Electrofluid dynamic (EFD) wind driven generator research. J. E. Minardi and M. O. Lawson (Dayton, University, Dayton, Ohio). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1237-1247. 10 refs. Contract No. E(11-1)-4130.

The theory of electrofluid dynamic (EFD) wind generators is based on an intimate combination of aerodynamic and electrical considerations. It has been shown by Minardi (1966) that a successful EFD generator must use colloid particles to achieve reasonable efficiencies. The basic equations of the theory constitute a combination of the relations of the ideal wind converter theory provided by Betz (1927) and the one-dimensional EFD theory developed by Lawson et al. (1961) for charged particles. The performance of the EFD wind generator as a function of mobility is shown in a graph. The performance characteristics for an EFD wind driven generator made of 1 ft tubes are also presented and attention is given to a computer study of suitable EFD wind generator configurations. G.R.

A78-40365 Experimental analysis of a straight bladed Darrieus wind turbine. P. G. Migliore, J. B. Fanucci, K. D. Kuhlke, and W. P. Wolfe (West Virginia University, Morgantown, W. Va.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1265-1269.

An experimental program for determining the aerodynamic characteristics of a straight bladed Darrieus wind turbine are described. Data presented show torque, power coefficients and zero lift drag coefficients. (Author)

A78-40366 Aerodynamic augmentation of wind turbines. R. A. Oman and J. T. Yen (Grumman Aerospace Corp., Bethpage, N.Y.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1271-1280. 11 refs. Contracts No. E(11-1)-2616; No. E(49-18)-2555.

In connection with the very low energy density of the wind and the dynamic problems associated with the use of the required large rotating elements, the employment of static surfaces as aerodynamic augmentors might become a decisive factor for a large-scale extension in the utilization of wind energy. The augmenting surfaces can reduce substantially the size and the dynamic loading of the large rotor blades necessary to produce large unit levels of power. The prospects of two augmentation concepts are investigated. In the

Diffuser Augmented Wind Turbine concept, the turbine is mounted at the inlet of a diverging shroud that recovers the kinetic energy in the turbine exhaust by converting it to a pressure rise. The Tornado Wind Turbine uses the low pressure at the core of a confined vortex to provide aerodynamic augmentation for a vertical axis turbine mounted in the floor of a large hollow tower in which the vortex is established. G.R.

A78-40367 Madaras Rotor Power Plant. D. H. Whitford, J. E. Minardi, F. L. Starner, and B. S. West (Dayton, University, Dayton, Ohio). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1281-1290. Contract No. E(49-18)-2273.

The Madaras Rotor Power Plant project, investigated in the 1930 to 1934 time period, used 90-ft high by 22.2-ft diameter rotating, vertically-mounted cylinders to convert wind power to Magnus effect forces which propelled an endless train of cars around a closed track. Generators geared to the car axles produced electric power. An investigation has been conducted to modernize the design of and to evaluate the economic potential of a Madaras system at the present time. The investigation included a review of the major wind tunnel tests on rotating cylinders conducted since the mid 1920's and computer simulation studies of the system performance. It was found that the cylinder aerodynamic performance determined in a wind tunnel study fulfilled all expectations. Early 1934 cost estimates indicated that the Madaras system was economically competitive and the preliminary cost estimates based on the current work indicate that the Madaras system will be economical today. On the basis of an analysis it is concluded that the low-speed, high performance feature is the key to the promising potential of the Madaras concept. G.R.

A78-40368 The potential for geothermal and solar thermal power systems. J. H. Anderson (Sea Solar Power, Inc., York, Pa.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1297-1315. 17 refs.

An approximate evaluation of potential sources of energy in the world is made. It is concluded that geothermal power, and ocean thermal power have by far the greatest potential. A comparison of cooling requirements for various thermal power plants is made. The operating principles of vapor turbine geothermal and sea thermal power plants are discussed. Sea thermal power is concluded to be, by far, our largest potential source of future energy and provides many additional products, such as fresh water, food, fuels, fertilizer, and other chemicals. (Author)

A78-40369 New designs and applications of medium sized wind systems. D. E. Cromack and J. G. McGowan (Massachusetts, University, Amherst, Mass.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1317-1326. 8 refs.

This paper presents recent developments in and applications for medium sized (10 to 100 kW) wind driven systems. Applications discussed include residential, agricultural, and commercial heating as well as hybrid electrical-thermal energy generation. The status of currently available wind turbines is given, and on-going research on wind energy systems is summarized. (Author)

A78-40370 Solar heating and air conditioning for the southwestern United States. G. Darkazalli and T. J. Lawley (Texas, University, Arlington, Tex.). In: Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Bethlehem, Pa., November 14-16, 1977. Bethlehem, Pa., Lehigh University, 1977, p. 1327-1338.

This paper is a feasibility study of solar energy use for heating and cooling of residential dwellings in the southwest region of the United States. Performance results of solar heating and cooling systems are obtained from the experimental solar energy facilities at

the University of Texas campus at Arlington. The solar system consists of 42 concentrating solar collector panels with selective black chrome coating on copper absorber surfaces, a three ton Arkla absorption air conditioning unit, and three ton water to water two speed heat pump. (Author)

A78-40384 # Thermo-nuclear fusion study by glass laser 'Gekko II'. T. Sasaki, K. Tanaka, H. Azechi, T. Norimatsu, M. Suzuki, K. Aono, S. Oda, H. Hashizume, T. Kanabe, and T. Mochizuki (Osaka University, Osaka, Japan). *Osaka University, Technology Reports*, vol. 28, Mar. 1978, p. 169-183. 9 refs.

Two types of the experiments have been performed to investigate the energy transport and the implosion process as well as to obtain information on pellet design for laser fusion. The first is a physical simulation experiment of compression using multilayer thin film targets. The anomalous transmitted laser light was observed in the multilayer target of thin metal and polyethylene. The second is a spherical compression experiment of glass microballoon pellets pressurized by deuterium gas. Experiments of an exploding pusher type have been performed. The density scale length under the laser irradiation was estimated to be 1 or 2 microns. The optimum thickness of wall is used to obtain the maximum neutron yield.

(Author)

A78-40385 # Thermo-nuclear fusion plasma produced by CO₂ laser. H. Nishimura, H. Fujita, Y. Kawamura, N. Banjo, Y. Daido, Y. Yanase, T. Seki, K. Iba, M. Matoba, and S. Nakai (Osaka University, Osaka, Japan). *Osaka University, Technology Reports*, vol. 28, Mar. 1978, p. 185-192.

The coupling mechanism of CO₂ laser with plasma has been investigated. With respect to the laser power density, three different absorption regions are observed: the classical absorption, the parametric decay instability, and the resonant absorption. The resonant absorption is clearly testified by the spatial directivity of the scattered light due to the polarization of the light. In this power density region, total energy absorption coefficient is up to 80%.

(Author)

A78-40386 # Computer simulation on laser plasma compression. N. Kimura, T. Taguchi, K. Hosokawa, H. Takabe, K. Nishihara, and C. Yamanaka (Osaka University, Osaka, Japan). *Osaka University, Technology Reports*, vol. 28, Mar. 1978, p. 193-203. 6 refs.

The structure of implosion is studied on the basis of a one-dimensional Lagrangian hydrodynamic code which accounts for ion-electron energy exchange, classical electron thermal conductivity, bremsstrahlung loss, and classical absorption of laser light by inverse bremsstrahlung. The results of the simulation are compared to the theory of a stationary propagating deflagration wave, and good agreement is found. The dependence of compression efficiency on parameters including laser wavelength, incident laser intensity, and absorbed intensity is considered. It is found that hydrodynamic efficiency and shock speed are only functions of absorbed power.

S.C.S.

A78-40456 # The stationary regimes of open cycle MHD power units - A mathematical model. I. I. Csereny, I. T. Dogaru, and L. J. Katona (ICPET, Bucharest, Rumania). *Revue Roumaine des Sciences Techniques, Série Electrotechnique et Energétique*, vol. 23, Apr.-June 1978, p. 285-299. 7 refs.

The paper presents a coherent mathematical model of the main nonconventional subassemblies of open cycle MHD power units. The model proposed for the MHD power unit can be easily split into models for the individual equipments. Real fluid properties are considered, including thermodynamical and transport properties of plasma taking into account the real variation of composition as function of static pressure and temperature. All possible stationary flow regimes are considered, including smooth transition from supersonic to subsonic flow velocities inside the conversion channel, or shock wave. (Author)

A78-40457 # Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite. I. Nistor, I. Minea, L. Dragos, E. Sischin, M. Popa, G. Segă, and E. Damaceanu (ICPET, Bucharest, Rumania). *Revue Roumaine des Sciences Techniques, Série Electrotechnique et Energétique*, vol. 23, Apr.-June 1978, p. 301-310. 6 refs.

A78-40509 Large superconducting magnets - A key issue in commercialization of MHD. V. A. Ovcharenko (United Nations, Centre for Natural Resources, Energy and Transport, New York, N.Y.). *Cryogenics*, vol. 18, June 1978, p. 358-362. 12 refs.

Basic principles of the design and operation of large superconducting magnets in MHD generators are reviewed with reference to economic and environmental factors. It is noted that MHD plants are considerably more efficient than conventional plants in that they reject only one unit of heat per unit of generated electricity (thereby, also, reducing thermal pollution). Two types of MHD magnets are compared, saddle and race track, in terms of maximum channel field, dimensions, cold weight, and operational status. Attention is given to the U-25 pilot plant in the USSR, which is expected to produce 600 MW using magnetic field of 6 T inlet, and 3.5 T outlet. D.M.W.

A78-40531 Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces. M. A. Butler and D. S. Ginley (Sandia Laboratories, Albuquerque, N. Mex.). *Nature*, vol. 273, June 15, 1978, p. 524, 525. 7 refs. Contract No. AT(29-1)-789.

Experiments concerning the effect of heat on solar energy conversion cells are described for single crystal TiO₂ electrodes cut perpendicular to the C-axis. The electrodes were reduced in a hydrogen atmosphere (700-800 C) and had bulk resistivities of 0.3 ohms/cm. The flatband potential was determined by measuring the photocurrent as a function of the potential, with the electrode illuminated with monochromatic light (3500 Å). The variation with temperature of the bandgap was measured, and found to decrease on the order of 0.01 eV between 20 and 90 C. The change in electron affinity is estimated at -0.005 eV. D.M.W.

A78-40534 Summary of 1977 geothermal drilling - Western United States. J. L. Smith, C. F. Iselhardt, and J. S. Matlick (Republic Geothermal, Inc., Santa Fe Springs, Calif.). *Geothermal Energy*, vol. 6, May 1978, p. 11-19.

A survey of geothermal drilling projects conducted in 1977 is presented. Geothermal field development in California is discussed with reference to the seven new wells in the Imperial Valley, the 32 wells drilled in the geyser region, and the Coso Hot Springs area. Drilling projects in Nevada, Idaho, Utah, and New Mexico are also reviewed. It is noted that in 1977 the primary concentration was on development drilling for new dry steam plants and flow testing to determine design characteristics for hot water resource power plants. S.C.S.

A78-40535 Geothermal energy resources map of the western United States. P. J. Grim (NOAA, National Geophysical and Solar Terrestrial Data Center, Boulder, Colo.). *Geothermal Energy*, vol. 6, May 1978, p. 37-43. 10 refs. ERDA-supported research.

A78-40592 Engineering development of a short residence time, coal hydropyrolysis process. M. I. Greene (Cities Service Research and Development Co., Cranbury, N.J.). (*American Chemical Society, Annual Meeting, Chicago, Ill., Aug. 28-Sept. 2, 1977.*) *Fuel Processing Technology*, vol. 1, June 1978, p. 169-185. 12 refs.

A process has been developed for the noncatalytic, vapor-phase, hydrogenation of carbonaceous feedstocks. The process is based upon the use of a short residence time hydrogenation procedure. The feedstocks considered include lignite, bituminous and subbituminous coals, oil shale, tar sands, and coal tars. A description is presented of investigations, involving the use of a bench-scale unit, which have been conducted to study suitable processing procedures for a North Dakota lignite. Attention is given to the experimental apparatus,

temperature and residence time measurements, aspects of coal preparation, material balance calculations, the mechanisms involved in the short residence time hydrolysis of coal, coal hydrogen reactions, the rate of conversion of rapid-rate carbon, aspects of coal drying, coal feeding, the reactor design, the multitube reactor concept, and the use of a molten metal heat exchanger system. G.R.

A78-40593 Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal. C. J. Ladelfa (Cities Service Co., Tulsa, Okla.) and M. I. Greene (Cities Service Research and Development Co., Cranbury, N.J.). *Fuel Processing Technology*, vol. 1, June 1978, p. 187-208. 6 refs. Research supported by the Cities Service Gas Co.

The considered process involves a 'slow' heating of coal to the incipient devolatilization temperature, a 'rapid' heating of coal from the incipient devolatilization temperature to hydrolysis temperature, and a use of the reactant, hydrogen, as the heat carrier. A turbulent fast-fluidized bed reactor is used. The product vapors are quenched in a process involving a total residence time of less than two seconds. After the completion of a design study concerning the implementation of the process, a multipart, bench-scale run plan was formulated to approximate the set of yield data postulated at the start of the design study. An overall process flow diagram for a conceptual plant producing pipeline gas and light aromatic liquid is presented. Attention is given to a new lignite drying process with coal moisture recovery, dense-phase coal feeding without lock hoppers, the development of a high throughput hydrolysis reactor, aspects of gas/liquor separation, gas purification, trim methanation, hydrogen recovery by cryogenic separation, and questions of thermal efficiency. G.R.

A78-40594 Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product. C. M. White, F. K. Schweighardt, and J. L. Shultz (U.S. Department of Energy, Pittsburgh Energy Research Center, Pittsburgh, Pa.). *Fuel Processing Technology*, vol. 1, June 1978, p. 209-215. 14 refs.

Nitrogen base components of light oil produced during the catalytic hydrodesulfurization of coal were isolated by precipitation with hydrogen chloride and analyzed by combined gas chromatography-mass spectrometry. Anilines and alkyl pyridines, 71 and 16 weight percent, respectively, were the major components. This is the first quantitative report of anilines and pyridines in materials produced by the hydrogenation of coal. Analytical techniques described provide a rapid and precise method for the analysis of pyridines and anilines. (Author)

A78-40595 Viscosity of coal-derived liquids. B. C. Bockrath, R. P. Noceti (U.S. Department of Energy, Pittsburgh Energy Research Center, Pittsburgh, Pa.), and R. B. LaCount (Waynesburg College, Waynesburg, Pa.). *Fuel Processing Technology*, vol. 1, June 1978, p. 217-226. 10 refs.

It is pointed out that viscosity is one of the important characteristics of interest in the case of liquid products derived from coal hydrogenation processes. An investigation is conducted concerning the quantitative relationships between viscosity and product composition. It is found that the natural logarithm of the viscosity ratio shows a linear dependence on the solution concentration within the examined range. This relationship provides a basis for the approximate estimation of the viscosities of liquids of varying asphaltene and toluene insolubles content. The toluene insolubles, on a weight basis, produce a viscosity about twice that found for the whole asphaltene fraction. The basic asphaltene subfraction has a greater effect on viscosity than either the acid-neutral subfraction or the whole asphaltene. G.R.

A78-40596 Non-catalytic hydrogenation of Australian coals. J. F. Cudmore (Australian Coal Industry Research Laboratories, Ltd., North Ryde, New South Wales, Australia). *Fuel Processing Technology*, vol. 1, June 1978, p. 227-241. 8 refs. Research supported by the National Coal Research Committee.

Thirteen Australian coals ranging from brown coals ($C = 67.11\%$ dry ash free (DAF)) to semi-anthracites ($C = 89.87\%$ DAF) were hydrogenated batchwise under prescribed conditions in a 4-liter stirred reactor using tetralin as vehicle. No catalysts were used. Conversion, and liquid product yield data for such coals and correlation of properties of the coals and characteristics of the hydrogenation products are described. (Author)

A78-40617 Lead-strontium alloys for battery grids. N. E. Bagshaw (Chloride Industrial Batteries, Ltd., Swinton, Manchester, England). *Journal of Power Sources*, vol. 2, May 1978, p. 337-350. 27 refs.

Lead-strontium alloys were studied with reference to their possible use in lead-acid battery grids. Hardness, tensile, creep, rapid anodic corrosion, and stress corrosion tests were performed, and castability and metallography were investigated. Alloys recommended for consideration are lead-0.1% strontium for standby batteries, lead-0.5% tin-0.1% strontium for automotive batteries, and lead-0.5% tin-0.01-0.25% silver-0.1% strontium for special motive power batteries if the cost could be afforded. A small addition of aluminum protected all alloys from loss of alloying constituents in the molten state by oxidation. The effects on alloy properties of various percentages of alloy constituents are reported. M.L.

A78-40618 Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes (Untersuchung von polymeren Eisenphthalocyaninen als Elektrokatalysatoren der Sauerstoffreduktion in sauren Elektrolyten). C. Kretzschmar, K. Wiesener (Dresden, Technische Universität, Dresden, East Germany), M. Musilova, J. Mrha (Ceskoslovenska Akademie Ved, Ustav Fyzikalni Chemie a Elektrochemie, Prague, Czechoslovakia), and R. Dabrowski (Wojkowska Akademia Techniczna, Warsaw, Poland). *Journal of Power Sources*, vol. 2, May 1978, p. 351-360. 9 refs. In German.

Different preparations of polymeric iron phthalocyanine in association with two types of single-layer diffusion electrodes were tested for their ability to reduce oxygen in 4.5 N H₂SO₄ with the long-range goal of determining the suitability of polymeric iron phthalocyanine as a cheap replacement for platinum for use in fuel cells. It was found that the carrier material strongly influences catalytic activity and that the efficiency of the electrodes was improved by the addition of acetylene black. The best preparation technique was precipitation of the phthalocyanine on carbon, but neither type of electrode was able to maintain the initially high activity. M.L.

A78-40619 Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes (Einfluss der Aktivschichtzusammensetzung auf die Katalytische Wirksamkeit von Zweischichtdiffusionselektroden für die Reduktion von Sauerstoff in saurem Elektrolyten). C. Kretzschmar, K. Wiesener (Dresden, Technische Universität, Dresden, East Germany), A. Kaisheva, and I. Iliev (B'lgarska Akademiia na Naukite, Tsentralna Laboratoriia po Elektrokhimichni Iztochnitsi na Tok, Sofia, Bulgaria). *Journal of Power Sources*, vol. 2, May 1978, p. 361-368. 5 refs. In German.

A78-40620 A lithium solid-state cell based on the Li₃75S0.75P0.25O₄ electrolyte. B. Di Pietro and B. Scrosati (Roma, Università, Rome, Italy). *Journal of Power Sources*, vol. 2, May 1978, p. 387, 388. Research supported by the Consiglio Nazionale delle Ricerche.

A78-40621 On the discharge mechanism of silver/alkylammonium polyiodide solid state cells. M. Lazari, B. Rivolta, and F. Bonino (CNR, Centro Studio Processi Elettrodici, Milan, Italy). *Journal of Power Sources*, vol. 2, May 1978, p. 389-391. 5 refs. Research supported by the Consiglio Nazionale delle Ricerche.

A78-40819 # A pressurized-liquid concept for solar-thermal energy storage. M. E. Talaat (Maryland, University, College Park, Md.). *Journal of Energy*, vol. 2, May-June 1978, p. 136-141. 5 refs.

The paper addresses the solution of the problem of solar energy irregularity by investigating the technical feasibility of efficiently storing solar-thermal energy at sufficiently high temperature levels to insure the operation of any thermal-to-mechanical or electrical energy conversion system continuously over the 24-hr period of the day and at good overall powerplant efficiencies. The concept of pressurized-liquid energy storage is analytically evaluated using a modular design of a laboratory-size system; this consists of a well-insulated energy storage pressure vessel, filled with pressurized liquid water at 170.1 atm, and a suitable parabolic cylindrical collector. The results indicate that it is feasible to design and operate a pressurized-liquid solar-thermal energy storage system to continuously supply a thermal power input to a thermomechanical energy conversion system, within cyclic maximum and minimum temperature levels that would yield reasonably good overall thermal efficiencies. S.D.

A78-40821 # Determination of optimum arrays of wind energy conversion devices. G. M. Bragg and W. L. Schmidt (Waterloo, University, Waterloo, Ontario, Canada). *Journal of Energy*, vol. 2, May-June 1978, p. 155-159. 9 refs.

This paper discusses the use of large-scale wind energy conversion systems consisting of arrays of individual wind machines. The arrays have been analyzed in some detail with the aid of a rough boundary-layer velocity profile model. The analysis indicates inter-machine spacings that will provide for maximum output from either the total array or individual machines within the array. These arrangements are not coincident. Using the results obtained, detailed optimization and economic analyses may be made for large-scale wind systems. (Author)

A78-40822 # Wind tunnel performance data for two- and three-bucket Savonius rotors. R. E. Sheldahl, L. V. Feltz (Sandia Laboratories, Albuquerque, N. Mex.), and B. F. Blackwell (Louisiana Tech University, Ruston, La.). *Journal of Energy*, vol. 2, May-June 1978, p. 160-164. 6 refs. Research supported by the U.S. Department of Energy.

Fifteen configurations of a Savonius rotor wind turbine were tested in a 4.9 x 6.1-m low-speed wind tunnel to determine aerodynamic performance. The range of values of the varied parameters was as follows: number of buckets, 2 and 3; nominal freestream velocity, 7 and 14 m/s; Reynolds number per meter, 4.32 times 10 to the 5th power and 8.67 times 10 to the 5th power; rotor height, 1 and 1.5 m; rotor diameter (nominal), 1 m; bucket overlap, 0.0-0.1 m. The measured test variables were torque, rotational speed, and tunnel conditions. It is concluded that increasing Reynolds number and/or aspect ratio improves performance. The recommended configuration consists of two sets of two-bucket rotors, rotated 90 deg apart, with each rotor having a dimensionless gap width of 0.1-0.15. (Author)

A78-40823 # Performance characteristics of compressed air energy storage systems. R. Decher and R. N. Davis (Washington, University, Seattle, Wash.). *Journal of Energy*, vol. 2, May-June 1978, p. 165-174. 8 refs.

The paper examines the thermodynamic performance potential of compressed-air energy-storage (CAES) systems considered as effective means of dealing with the peak-power problem because of the availability of required system components, minor need for new technology, and potentially attractive cost. The study focuses on a mathematical description of the CAES system and on identification of relevant parameters governing the system performance. The impact of power pulse shape and the role of thermodynamic parameters are stressed. For the small vessel, the problem of matching thermocomponents is discussed. The ratio of cyclic energy stored to the volume available is considered an important parameter governing the thermodynamic performance and cost. To maximize performance, intercooling the compressor is most effective, especially when vessel pressures are high. Regeneration is cost effective only

if the vessel pressure is low. A CAES system should be operated at an energy density per unit pressure as low as possible. S.D.

A78-40824 # The Lebest Wind Turbine - Laboratory tests and data analysis. M. I. Hoffert, G. L. Matloff, and B. A. Rugg (New York University, New York, N.Y.). *Journal of Energy*, vol. 2, May-June 1978, p. 175-181. 22 refs.

Previous research work on windmills suggests the desirability of wind energy machines with the advantages of a vertical axis and a flow-focusing housing or shroud. Such a vertical-axis device was proposed by Lebest (1977) and called Lebest Wind Turbine, which incorporates flow-focusing inlets fixed to a housing shroud surrounding blades rotating normal to the flow. In this paper, preliminary results are presented from a series of wind tunnel tests assessing the aerodynamic torque and power characteristics of the Lebest Wind Turbine, along with a comparison with other windmills. The advantages of the Lebest Wind Turbine for wind energy conversion include a relatively high power coefficient based on projected frontal area, a vertical rotation axis with concomitant reduction of gyroscopic forces as wind direction shifts, good load matching characteristics for hydraulic pump-type and brake-heating loads, reduced centrifugal rotor stresses, reduced bearing wear, operation in higher velocity winds owing to low rotation rates, and a high safety factor associated with the restraining influence of the housing structure. S.D.

A78-40826 * # Comment on 'Heat-pipe reactors for space power applications'. R. E. English (NASA, Lewis Research Center, Cleveland, Ohio). *Journal of Energy*, vol. 2, May-June 1978, p. 191, 192: Authors' Reply, p. 192.

A78-40834 # Optimization of the current profile in MHD generators. R. Ramberger (Innsbruck, Universität, Innsbruck, Austria). *AIAA Journal*, vol. 16, July 1978, p. 740-746. 28 refs. Research supported by the Scientific and Industrial Austrian Research Councils.

A method is discussed to reduce the extremely high current density at certain ends of the electrodes in a Faraday MHD generator caused by the Hall effect. To begin with, criteria are developed for improving the electric current profile. With the help of these criteria, a variational principle is formulated for numerically obtaining the 'optimal' profile for fixed gasdynamic flow. This optimum is compromising between maximal uniformity of the current pattern and the minimal electrode losses. It can be realized by choosing a suitable conductivity profile in the electrodes. The results of the numerical optimization with the finite element method show that it is indeed possible to achieve a reduction of the current concentration, but only to a certain extent, in order to avoid high potential drops in the electrodes. (Author)

A78-40864 Stationary and dynamic behavior of heat pipes (Stationäres und dynamisches Verhalten von Wärmerohren). J. Nestler and I. Tzivelekas. *Wissenschaftliche Berichte AEG-Telefunken*, vol. 51, no. 1, 1978, p. 25-29. 12 refs. In German. Research supported by the Bundesministerium für Forschung und Technologie.

A number of commercial heat pipes together with their design characteristics and their prices are listed in a table. Heat pipes for the transfer of thermal energy have power ratings up to 2 kW, in exceptional cases even up to 10 kW. Special constructional forms are supplied which insure the maintenance of a constant temperature for a greater number of constructional elements. Cooling elements for integrated circuits are available together with flexible heat pipes for vibrating superstructures. Particular attention is given to a heat pipe which has been provided by the manufacturer with a mounting plate for the attachment of the components which are to be cooled. A radiator for dissipating the heat has also been added. In the case of some heat pipes, ohmic heating resistors are used as heat sources to simplify the design used for providing the desired heating effects. G.R.

A78-40865 Transistor inverters for satellite onboard networks of higher power (Transistorwechselrichter für Satellitenbordnetze höherer Leistung). S. Aubram, P. Grumbrecht, and S. Rolle. *Wissenschaftliche Berichte AEG-Telefunken*, vol. 51, no. 1, 1978, p. 64-70. 5 refs. In German. Research supported by the Bundesministerium für Forschung und Technologie.

Several system variants for a-c voltage generation are discussed and a description is presented of various circuits for the static converter component and the filter designs. One concept is shown to represent the most favorable solution. Approaches for implementing the concept are described, taking into account aspects of the energy-distribution system and problems of circuit technology and construction. Data concerning the prototype of an inverter module are provided and oscillograms are shown of internal and external voltages and currents. The efficiency as a function of input voltage in the case of full load and constant output voltage are shown in a graph. It is characteristic for the considered device that the best efficiency with about 0.9 is reached for small input voltages. G.R.

A78-40866 Investigations concerning direct-current operated local-traffic vehicles with low reactive effects (Untersuchungen an rückwirkungsarmen, gleichstromgespeisten Nahverkehrsfahrzeugen). R. Schwarzenau. *Wissenschaftliche Berichte AEG-Telefunken*, vol. 51, no. 1, 1978, p. 71-76. 5 refs. In German. Research supported by the Bundesministerium für Forschung und Technologie.

It is the objective of power electronics in propulsion technology to transform with low losses electric energy into mechanical work by combining electronic power positioning elements with control devices and economic driving engines. With the aid of an example involving two prototype subway vehicles it is shown on the basis of various frequency analyses regarding the vehicle flow that the introduction of modern power electronics will, in addition to operational and traction-technological advantages, not have any significant effects on signal technology. The considered vehicles are equipped with a chopper and direct-current traction motors or asynchronous traction motors using static frequency changers. Measured data for thyristor vehicles are compared with data for comparable standard vehicles with conventional switch mechanism controls. G.R.

A78-40919 Microprocessor-based solar cell measurement system. L. Castañer, A. Alabau, M. Sanchez-Nonell, J. Cabestany, and J. Ventosa (Escuela Técnica Superior de Ingenieros de Telecomunicación, Barcelona, Spain). *IEEE Transactions on Instrumentation and Measurement*, vol. IM-27, June 1978, p. 152-156. 8 refs. Research supported by the Comisión Asesora de la Presidencia.

A microprocessor-based solar cell standard characteristics measurement system is described. Data acquisition and digital conversion of the current-to-voltage characteristics and the spectral response allows the performance of several operations as averaging, storage, minicomputer connection, and parameter determination of the theoretical models introduced. Several results are shown concerning the accuracy of the method on the determination of series resistance, reverse saturation current, and the minority carriers lifetime on the base region of solar cells. (Author)

A78-41000 Water in synthetic fuel production: The technology and alternatives. R. F. Probststein (Water Purification Associates, MIT, Cambridge, Mass.) and H. Gold (Water Purification Associates, Cambridge, Mass.). Research sponsored by the National Science Foundation. Cambridge, Mass., MIT Press, 1978. 296 p. 190 refs. \$14.95.

The book is intended to be a guide to understanding the role water plays in synthetic fuel production. It is pointed out that plants to manufacture synthetic fuels from coal and oil shale require large quantities of fresh water and produce large quantities of dirty water. In the U.S. this poses a problem. It is attempted to present the practically achievable technology that can be incorporated in synthetic fuel plants to minimize water consumption and pollution.

General considerations are examined, taking into account hydrogenation and other process water, mining, fuel preparation, residuals disposal, coal and shale deposits, water availability, and constraints. Coal and shale conversion fundamentals are discussed along with cooling fundamentals, gas production, liquid and solid fuel production, and water treatment. Resources and water requirements are considered, giving attention to coal and oil shale, western water resources, eastern and central water resources, water consumption and residual totals, and water requirements for synthetic fuel production. G.R.

A78-41217 Capturing sunlight - A revolution in collector design. A. L. Hammond and W. D. Metz. *Science*, vol. 201, July 7, 1978, p. 36-39.

In the last 5 years a modern technology of capturing sunlight has taken form. Collector designs range from low-cost, low-temperature versions to devices capable of concentrating sunlight 10,000 times. A few years ago the flat plate collector was the only type of collector available. But now flat plate collectors are facing growing competition. Passive systems are increasingly used for space heating of homes and commercial buildings. At least five distinct techniques are used in modern passive systems. The simplest is direct gain through extensive south-facing windows. Other techniques use a thermal storage wall, a roof pond, the circulation of a fluid in a natural convective loop, and a greenhouse built into or against a house. High-technology competitors of the flat-plate collector are evacuated tube collectors. Attention is also given to the employment of nonfocusing and focusing concentrators of solar energy and various systems of high temperature collectors. G.R.

A78-41221 Kinetics of thermal liquefaction of Belle Ayr subbituminous coal. D. C. Cronauer, R. G. Ruberto (Gulf Research and Development Co., Pittsburgh, Pa.), and Y. T. Shah (Gulf Research and Development Co., Pittsburgh, University, Pittsburgh, Pa.). *I & EC - Industrial and Engineering Chemistry, Process Design and Development*, vol. 17, July 1978, p. 281-288. 17 refs. Research supported by the Electric Power Research Institute.

A kinetic study of thermal liquefaction of Belle Ayr subbituminous coal is reported. Experiments were performed in a laboratory-scale continuous stirred tank reactor, and data on coal conversion and the production of pre-asphaltenes, asphaltenes, oils, and gases such as C1 through C6 hydrocarbons, NH3, H2S, CO, CO2, and water are presented. Experimental conditions involved a temperature range of 400 to 470 C, space times of approximately 5 to 55 min, a total unit pressure of 2000 psig, and a coal-to-solvent ratio of 1:1.5. Two solvents, hydrogenated anthracene oil and hydrogenated phenanthrene, were studied. A kinetic model which assumes reaction rates to be pseudo-first order with respect to reacting species is found suitable at 400-450 C for all space times, and at 460 and 470 C for small space times. M.L.

A78-41222 Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor. Y. T. Shah (Gulf Research and Development Co., Pittsburgh, University, Pittsburgh, Pa.), D. C. Cronauer, H. G. McIlvried, and J. A. Paraskos (Gulf Research and Development Co., Pittsburgh, Pa.). *I & EC - Industrial and Engineering Chemistry, Process Design and Development*, vol. 17, July 1978, p. 288-301. 22 refs.

A78-41223 Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor. D. Liederman, S. M. Jacob, S. E. Voltz, and J. J. Wise (Mobil Research and Development Corp., Paulsboro, N.J.). *I & EC - Industrial and Engineering Chemistry, Process Design and Development*, vol. 17, July 1978, p. 340-346. 18 refs. Research supported by the Mobil Research and Development Corp.; Contract No. E(49-18)-1773.

The conversion of methanol to high octane gasoline was studied in a fluid bed reactor. Some effects of temperature, pressure, and space velocity on methanol conversion and product yields were determined. Catalyst deactivation due to coke formation and

steaming were investigated during a kinetic aging test. The activity loss from coking can be regained by oxidative regeneration. Coupling the methanol conversion process with the commercially proven technology for the production of methanol from coal provides an alternate route for the conversion of coal to high octane gasoline.

(Author)

A78-41225 * Weight propagation and equivalent horsepower for alternate-engined cars. G. J. Klose and D. W. Kurtz (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Society of Automotive Engineers, Congress and Exposition, Detroit, Mich., Feb. 27-Mar. 3, 1978, Paper 780348*. 13 p.

In order to evaluate properly the consequences of replacing conventional Otto-cycle engines with alternate power systems, comparisons must be carried out at the vehicle level with functionally equivalent cars. This paper presents the development and application of a procedure for establishing equivalent vehicles. A systematic weight propagation methodology, based on detailed weight breakdowns and influence factors, yields the vehicle weight impacts due to changes in engine weight and power. Performance-matching criteria, utilizing a vehicle simulation program, are then employed to establish Otto-engine-equivalent vehicles, whose characteristics can form the basis for alternative engine evaluations.

(Author)

A78-41251 A study of production and growth of sulfate particles in plumes from a coal-fired power plant. A. C. Dittenhoefer and R. G. de Pena (Pennsylvania State University, University Park, Pa.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 297-306. 12 refs. Contract No. E(11-1)-2463.

A number of airborne plume sampling experiments designed to examine the importance of sulfate particle-generating chemical reactions within coal-burning power station plumes are described. The flights were conducted in western Pennsylvania. On-board aerosol sampling instrumentation included a condensation nucleus counter, an optical particle counter, and an electrical aerosol analyzer. A cascade impactor containing electron microscope copper grids coated with carbon film was used to collect particles at varying distances from the stacks. These samples were analyzed for sulfate content and particle size distribution. Measurements of SO₂ were made with a rapid-response pulsed fluorescent analyzer. Atmospheric pressure, temperature, dewpoint, winds and aircraft position were also monitored. For each flight, a vertical spiral aircraft sounding was made upwind of the power station to determine atmospheric stability and background aerosol particle and SO₂ concentrations. Downwind, the flight pattern consisted of a series of cross wind and longitudinal plume penetrations out to distances at which SO₂ reached background levels. It was found that when relative humidity was low, stability near-neutral, and solar radiation intense, the production of new Aitken particles was the primary mechanism of SO₂ oxidation.

(Author)

A78-41253 Nuclei formation rates in a coal-fired power plant plume. K. T. Whitby, B. K. Cantrell, and D. B. Kittelson (Minnesota, University, Minneapolis, Minn.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 313-321. 17 refs. U.S. Environmental Protection Agency Grant No. R-803851-02.

A78-41254 Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume. B. K. Cantrell and K. T. Whitby (Minnesota, University, Minneapolis, Minn.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 323-333. 14 refs. U.S. Environmental Protection Agency Grant No. R-803851-02.

A78-41267 Sulphur emissions in Europe. A. Semb (Norwegian Institutt for Luftforskning, Lillestrom, Norway). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 455-460. 22 refs.

Natural and man-made emissions of sulfur to the atmosphere are discussed. Within Europe the man-made emissions, which are closely associated with the consumption of fossil fuels, are overwhelmingly dominant. Emissions from the 11 countries participating in the OECD study were 8.8 M tonnes S in 1973, and have been estimated at about 25 M tonnes for the whole of Europe. Based on information from the participating countries, and from various other sources, an emission survey has been worked out. This gives the emissions in 1/2 deg latitude x 1 deg longitude geographical reference system which has been transferred to a 127 x 127 km grid used in dispersion model calculations.

(Author)

A78-41275 Sulfur budget of a power plant plume. R. B. Husar, D. E. Patterson, J. D. Husar, N. V. Gillani (Washington University, St. Louis, Mo.), and W. E. Wilson, Jr. (U.S. Environmental Protection Agency, Aerosol Research Branch, Research Triangle Park, N.C.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 549-568. 20 refs. U.S. Environmental Protection Agency Grant No. R-803896.

The summer sulfur budget of the plume of the 2400 MW coal-fired Labadie power plant near St. Louis is assessed by use of aircraft data, ground monitoring network data, and a two-box model. The particulate sulfur formation rates for noon hours and night are determined from three-dimensional plume mapping combined with a high time-resolution particulate sulfur sampling technique. Daytime and nighttime transport rates are reported. Plume sulfur budgets are estimated by means of a described two-box model which incorporates diurnally periodic rate constants for transformation and removal. Transformation and removal occur mainly during daytime, while transport is fastest at night. The study is part of the Midwest Interstate Sulfur Transformation and Transport study.

M.L.

A78-41284 MAP3S - An investigation of atmospheric, energy related pollutants in the northeastern United States. M. C. MacCracken (California, University, Livermore, Calif.). (*International Symposium on Sulfur in the Atmosphere, Dubrovnik, Yugoslavia, Sept. 7-14, 1977.*) *Atmospheric Environment*, vol. 12, no. 1-3, 1978, p. 649-659. 74 refs. Contract No. W-7405-eng-48.

The Multi-State Atmospheric Power Production Pollution Study (MAP3S) is a major atmospheric research program of the U.S. Energy Research and Development Administration. The goal of the MAP3S program is to develop and demonstrate an improved verified capability to simulate present and potential future changes in pollutant concentration, atmospheric behavior, and precipitation chemistry as a result of pollutant releases to the atmosphere from large-scale power production processes, primarily coal combustion. A major motivation of this program is to provide those agencies charged with the task of meeting the nation's energy needs with the knowledge required to assess alternative strategies for generating power, while ensuring ample protection of human health and adequate preservation of the natural environment. Since coal is the most abundant domestic fossil energy resource and since electric power production is a major and growing sector of the energy economy, this study focuses on the effects of emissions from coal-fired electric power plants, particularly sulfur oxide emissions. The study domain is the high-population energy-intensive northeastern quadrant of the United States. Research projects are underway to measure present sulfur oxide concentrations and composition, to assess the potential for long-range transport, and to investigate transformation processes in plumes from point and urban sources.

(Author)

A78-41466 Alternative automobile engines. D. G. Wilson (MIT, Cambridge, Mass.). *Scientific American*, vol. 239, July 1978, p. 39-49.

In connection with the objective to increase the efficiency of the automobile engine and to reduce the amount of air-polluting emissions, investigations have been conducted concerning the possibility to achieve the desired objectives by replacing the currently employed spark-ignition (Otto) engine with another propulsion system. Possible choices for such a replacement include the compression-ignition (Diesel) engine, the steam (Rankine) engine, the gas turbine (Brayton engine), the Stirling engine, and battery-electric drives. The operational characteristics of the considered systems are examined. It is pointed out that the proposed power plants may excel the present-day engine in efficiency, particularly under partial loads. However, the projected manufacturing costs are high with the possible exception of the gas turbine. The biggest present virtue of the considered power plants (the Diesel excepted) is low exhaust emissions. It is proposed that the Government should promote the development and the use of a better engine by placing a graduated tax on the measured emissions of each make and model of car and an energy tax increasing the price of fuel, or possibly a comparable energy-thrift tax on each model's measured fuel consumption. G.R.

A78-41506 Israel Conference on Mechanical Engineering, 11th, Technion - Israel Institute of Technology, Haifa, Israel, July 11, 12, 1977, Proceedings. *Israel Journal of Technology*, vol. 15, no. 4-5, 1977. 187 p.

Consideration is given to the development of aircraft engine design and the computer-aided design of radial gas turbines. Procedures are outlined for optimizing the cooling system of air-cooled internal combustion engines, simulating single and double-staged reciprocating compressor systems, and calculating jet misalignment in rocket nozzles. Turbulent diffusion from conditionally intermittent sources is discussed along with the optimum codes for sequential-system programmers, iron-based sintered friction materials, and a computer-controlled system for fatigue testing under simulated service loading. S.C.S.

A78-41518 Experimental work on oil shale at Lawrence Livermore Laboratory and predictions of retorting characteristics of oil shales. A. J. Rothman and A. E. Lewis (California, University, Livermore, Calif.). (Israel Conference on Mechanical Engineering, 11th, Haifa, Israel, July 11, 12, 1977.) *Israel Journal of Technology*, vol. 15, no. 4-5, 1977, p. 273-282. 12 refs. Contract No. W-7405-eng-48.

An experimental program is being carried out to advance oil-shale retorting technology. This paper summarizes some results of laboratory and pilot retorting and gives the reactions of oil-shale char with gases. A computer model of the retorting process has been compared with retort experiments and has been used to predict in situ retorts under various operating conditions. Finally, the results of a retort using Negev (Israel) oil shale are compared with those using Colorado oil shale. (Author)

A78-41521 Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation. J. H. Campbell, G. H. Koskinas, N. D. Stout (California University, Livermore, Calif.), and T. T. Coburn (Boston, University, Boston, Mass.). *In Situ*, vol. 2, no. 1, 1978, p. 1-47. Contract No. W-7405-eng-48.

A study of the evolution of oil during pyrolysis of cylindrical blocks and powders of oil shale shows that coking reactions are the major source of intraparticle oil degradation and that particle size (up to 17.2 cm) and grade (14 to 49 gal/ton) have little effect on the degree of intraparticle oil degradation during shale retorting. The degree of coking depends strongly on the heating rate - for example, for both powders and 17.2-cm diameter blocks, a heating rate of 2 C/hr led to the collection of 83% of Fischer assay oil, while a heating rate of 180 C/hr produced a yield of 99%. The experimental results are analyzed by means of a simple mathematical model, and model

calculations for the rate of oil production, the degree of oil degradation, and the thermal profile through the material are found to agree very closely with the experimental data. M.L.

A78-41522 Instrumentation for in situ coal gasification. I - Background and overview. D. A. Northrop (Sandia Laboratories, Albuquerque, N. Mex.). *In Situ*, vol. 2, no. 2, 1978, p. 93-115. 7 refs. Research supported by the U.S. Department of Energy.

The Hanna II in situ coal gasification experiment was conducted during 1975-76. As part of this experiment, seven instrumentation techniques and several variations were designed, fielded, and evaluated. These belonged to two general classes: (1) diagnostic techniques (thermal, in-seam gas sampling and pressure, and overburden tilt and displacement) to obtain data for process characterization and (2) remote monitoring techniques (electrical, passive acoustic, and induced seismic) which are being developed to provide a continuous real-time map of the in situ process which would be used in a process control system. Assessments of these techniques have been made with respect to their feasibility, information obtainable, and future development and applications; in general, very positive assessments were obtained. Instrumentation development is continuing based upon these results, and a major effort has been designed and fielded for the Hanna IV experiment. (Author)

A78-41523 Shale oil retention on crushed unretorted shale. A. L. Hines (Colorado School of Mines, Golden, Colo.) and J. J. Duvall (U.S. Department of Energy, Laramie Energy Research Center, Laramie, Wyo.). *In Situ*, vol. 2, no. 2, 1978, p. 117-126. 9 refs.

The ability to predict the quantity of oil retained on unretorted shale is necessary if viable models of the retorting process are to be formulated. A knowledge of the amount of retained oil is important because a portion of it may be cracked and thus increase the quantity of carbon residue found on the spent shale. Carbon residue not only provides a significant portion of the energy needed to sustain retorting but also plays an important role in the kinetics of the process. In this study, retention data of oil on unretorted shale are presented for shale samples ranging in size from 1/2 inch to number 14 U.S. mesh. The data are correlated in terms of the residual saturation and capillary number. (Author)

A78-41524 Highlights of the LLL Hoe Creek No. 2 underground coal gasification experiment. D. R. Stephens, R. W. Hill, and C. B. Thorsness (California, University, Livermore, Calif.). *In Situ*, vol. 2, no. 2, 1978, p. 127-132.

A78-41795 Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances (Charakterisierung von Katalysatoren für Brennstoffzellen-Elektroden mit Hilfe von Vakuum-Mikrowaagen). H. Behret, H. Binder, and E. Robens (Battelle-Institut, Frankfurt am Main, West Germany). *Vakuum-Technik*, vol. 26, no. 5, 1977, p. 147, 148. In German.

An investigation was conducted concerning the selection and development of suitable cathode materials, without noble metals, which would catalyze oxygen conversion in acid electrolytes. Thermogravimetric methods were employed under microscale conditions to determine the parameters of the methods of preparation, the chemical characteristics of the material, and the properties of the pore structure. Inorganic compounds and organic polymers were thermally decomposed on the balance. Gravimetric sorption measurements were conducted for a determination of the specific surface and the pore structure of FeCo₂S₄ and a number of organic materials. The sorption measurements were conducted with nitrogen at 77 K with the aid of an automatic surface and pore measurement device. G.R.

A78-41812 A survey of applications of fusion power technology for the chemical and material processing industries. M. Steinberg, M. Beller, and J. R. Powell (Brookhaven National Laboratory, Upton, N.Y.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 207-253. 19 refs.

The forms of energy available in amounts of 30% or greater of the total power developed in a controlled thermonuclear reactor (CTR) operating on a deuterium-tritium fuel cycle are (1) high-temperature thermal energy, (2) electric energy-high voltage, and (3) neutron and gamma high-energy radiation. The thermal and electric forms of CTR energy can supply a significant fraction of the needs of a conventional heavy chemical and material processing industry. The minor forms of CTR energy, based on a deuterium-tritium fuel cycle, available in amounts less than 10% of the total power developed in CTR reactors, include ultraviolet energy from the plasma, secondary high-energy particle energy, and ionized particle energy from the blanket. These forms will be useful mainly as a byproduct from either thermal or electric CTR power generators. Eventually larger ultraviolet efficiencies may be available from the advanced deuterium-deuterium fuel cycle. (Author)

A78-41813 Hydroelectric solar energy conversion. R. L. Liboff (Cornell University, Ithaca, N.Y.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 255-261. 17 refs. Contract No. N00014-76-C-0030.

A means of direct conversion of solar energy to hydroelectric energy is discussed: The mechanism is appropriate to low-lying coastal desert regions with high potential evaporation rates. Formulas for output power are obtained. Climate and related data appropriate to suitable locations are included. (Author)

A78-41814 Characterization of nitrogen compounds in tar produced from underground coal gasification. S. B. King, C. F. Brandenburg, and W. J. Lanum (U.S. Department of Energy, Laramie Energy Research Center, Laramie, Wyo.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 263-275.

The composition of low-boiling coal tars, which contribute about 5% of the total energy produced in underground coal gasification, has been analyzed. Tar acid, tar base and neutral oil fractions were separated; the tar base fraction was found to consist primarily of nitrogen-containing alkyl pyridines. The relative concentrations of these compounds could be correlated with the gasification conditions. The coal tars boiled between 600 and 950 F and yielded little or no residue, as demonstrated by simulated distillation. The use of these coal tars as petrochemical feedstock is discussed. J.M.B.

A78-41815 Energy for agriculture and the gasification of crop residues. B. Horsfield and R. O. Williams (California, University, Davis, Calif.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 277-292. 27 refs.

Conversion of crop residues from corn, wheat, soybeans, sugar cane, cotton, rice and other products may provide the U.S. with up to 6.4 times 10 to the 15th power Btu per year, if suitable collection and processing facilities can be developed. Extraction of a combustible gas from crop residues by burning in a fixed bed with limited air supplies is proposed as the most efficient means for exploiting the residues. Updraft, downdraft and crossdraft gas producers are described, and applications of the gas producers to lumber milling, heating, cotton ginning and pumping irrigation water are mentioned. J.M.B.

A78-41816 * California's geothermal resource potential. L. P. Leibowitz (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 293-311. 13 refs. Research sponsored by the California Energy Resource Conservation and Development Commission and ERDA; Contract No. NAS7-100.

According to a U.S. Geological Survey estimate, recoverable hydrothermal energy in California may amount to 19,000 MW of electric power for a 30-year period. At present, a geothermal installation in the Geysers region of the state provides 502 MWe of capacity; an additional 1500 MWe of electric generating capacity is

scheduled to be in operation in geothermal fields by 1985. In addition to hydrothermal energy sources, hot-igneous and conduction-dominated resources are under investigation for possible development. Land-use conflicts, environmental concerns and lack of risk capital may limit this development. J.M.B.

A78-41817 * Catalytic hydrosolvation process converts coal to low-sulfur liquid fuel. S. A. Qader (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, Calif.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 323-337. 11 refs. ERDA-supported research.

Development of the catalytic hydrosolvation process for converting coal to low-sulfur fuel oil is described in this paper. Coal impregnated with catalyst was slurried with oil, and the mixture was hydrogenated at a temperature of 475 C, and 30 min residence time under 3600 psi pressure. A ton of coal yielded 3.5 bbl of fuel oil containing 0.2% sulfur, with naphtha and C1-C4 hydrocarbon gases as byproducts. A preliminary economic evaluation of the process indicated potential for further development. (Author)

A78-41818 Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing. P. J. Starr (Minnesota, University, Minneapolis, Minn.), D. W. Finn-Carlson, and C. J. Nachtsheim. *Energy Sources*, vol. 3, no. 3-4, 1978, p. 353-373. 5 refs. Research sponsored by the Minnesota Pollution Control Agency and University of Minnesota.

The collection, shipping and preparation of crop residues for direct firing in currently operational coal-fired utility boilers may provide a significant energy source in some areas of the U.S. In particular, it is estimated that crop residues could supply more than 40% of the state of Minnesota's energy demand. For typical power plants, a low-cost strategy would incur an expense of \$0.34 per million Btus for delivered residue and an overall system operation cost of \$0.57 per million Btus. These cost figures compare well with the expenses involved in coal firing of the boilers. J.M.B.

A78-41819 Tar sand evaluation using geophysical well logs. W. H. Fertl (Continental Oil Co., Ponca City, Okla.) and G. V. Chilingarian (Southern California, University, Los Angeles, Calif.). *Energy Sources*, vol. 3, no. 3-4, 1978, p. 375-384. 8 refs.

Geophysical well logging can provide a record of the lithological variations and oil yield of tar sands. Probes lowered into bore holes at the end of insulated cables yield such records as the spontaneous potential log, the focused resistivity log, the gamma-ray log, the acoustic log and the neutron log. The accuracy of correlations between gamma-ray log response and fines content and between various log responses and tar content is discussed. An economical digital technique for log analysis of tar sand deposits is also described. J.M.B.

A78-41870 # The effect of coherent structures on open-cycle generators. M. H. Scott, J. B. Dicks, Jr., and B. Winkleman (Tennessee, University, Tullahoma, Tenn.). *American Institute of Aeronautics and Astronautics, Fluid and Plasma Dynamics Conference, 11th, Seattle, Wash., July 10-12, 1978, Paper 78-1173*. 7 p. Contract No. EX-76-C-01-1760.

The fluid dynamic and electrical parameters measured in an open-cycle MHD generator and associated flow train have characteristic time-varying behavior that reflect such phenomena as the non-uniform properties of the combustion plasma. Experimental studies of time-varying characteristics of parameters have been conducted in order to characterize behavior that is ultimately required for process control as well as to delineate the nature of plasma non-uniformities and their effect on generator performance. It was determined that coherent structures created during the combustion process exert a significant effect on parameters in the system and hence the performance of the MHD generator. (Author)

A78-41909 Effect of Faraday rotation on stimulated Brillouin backscattering. Z. A. Pietrzyk and R. S. Massey (Washington, University, Seattle, Wash.). *Applied Physics Letters*, vol. 32, June 15, 1978, p. 796-798. 7 refs. ERDA-NSF-supported research.

Based on a laser-heated solenoid, the influence of Faraday rotation on stimulated Brillouin backscattering is examined. It is assumed that the long homogeneous plasma is located in a strong axial magnetic field and that the incident laser beam is linearly polarized. Values are given for the distance in which ion acoustic waves reduce their amplitude to zero due to two-wave interaction, and for the spectrum of backscattered radiation. It is concluded that the Faraday rotation effect in backscattering theory predicts a reduced level of backscattering for long columns and a broadening of the spectrum. S.C.S.

A78-41910 Selective absorption of solar energy in granular metals - The role of particle shape. C. G. Granqvist (Chalmers Tekniska Högskola, Göteborg, Sweden) and O. Hunderi (Norges Tekniske Høgskole, Trondheim, Norway). *Applied Physics Letters*, vol. 32, June 15, 1978, p. 798-800. 19 refs.

Coatings for efficient photothermal conversion of solar energy should have high absorption at wavelengths less than the critical wavelength and low absorption at wavelengths greater than the critical wavelength, where the critical wavelength is approximately 2 microns. For granular metals, it is shown by computation that the critical wavelength depends strongly on the shape of the metal particles. Increasing eccentricity of ellipsoidal grains is seen to displace the critical wavelength towards the infrared. A similar shift is found also for spherical metallic shells surrounding dielectric cores of increasing size. Some implications for practical absorber surfaces are pointed out. (Author)

A78-41913 Low-resistivity ZnCdS films for use as windows in heterojunction solar cells. N. Romeo, G. Sberveglieri, and L. Tarricone (CNR, Istituto di Fisica, Parma, Italy). *Applied Physics Letters*, vol. 32, June 15, 1978, p. 807-809. 8 refs. Research supported by the Consiglio Nazionale delle Ricerche.

A78-41931 # Gasification and residence time of hard-coal particles in a cyclone reaction chamber (Zgazowanie a czas pobytu czastek wegla kamiennego w reakcyjnej komorze cyklonowej). J. Stasiak, P. Domanski, and M. A. M. Saudi (Gdansk, Politechnika, Gdansk, Poland). *Politechnika Gdanska, Zeszyty Naukowe, Mechanika*, no. 28, 1977, p. 89-100. 12 refs. In Polish.

The possibility of complete gasification of coal dust in a cyclone reactor is examined by comparing the gasification time with the residence time of coal in the reactor. An approximate method of calculating these times is given. P.T.H.

A78-42015 Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas. C. Breton, C. De Michelis, M. Finkenthal, and M. Mattioli (EURATOM and Commissariat à l'Énergie Atomique sur la Fusion, Département de Physique du Plasma et de la Fusion Contrôlée, Fontenay-aux-Roses, Hauts-de-Seine, France). *Physical Review Letters*, vol. 41, July 10, 1978, p. 110-113. 15 refs.

A78-42016 Ion-cyclotron instability in the TFR tokamak. J. Adam, J. F. Bonnal, A. Bresson, C. Breton, J. Breton, P. Brossier, J. P. Bussac, R. Cano, M. Chatelier, and M. Cotsaftis (EURATOM and Commissariat à l'Énergie Atomique sur la Fusion, Département de Physique du Plasma et de la Fusion Contrôlée, Fontenay-aux-Roses, Hauts-de-Seine, France). *Physical Review Letters*, vol. 41, July 10, 1978, p. 113-116. 12 refs.

Density fluctuations in the ion-cyclotron frequency range have been observed in the TFR tokamak by microwave scattering. The geometry was such that the selected fluctuation wave vector was

aligned across the confining magnetic field in the outside region of the torus. A threshold for the onset of the instability as a function of the discharge current has been observed. A plausible explanation of this instability in terms of current-driven ion-cyclotron electrostatic wave is discussed. (Author)

A78-42022 Shear stabilization of collisional drift instability. S. Inoue, K. Itoh (Tokyo, University, Tokyo, Japan), and S. Yoshikawa (Princeton University, Princeton, N.J.). *Physical Society of Japan, Journal*, vol. 44, May 1978, p. 1707-1710. 8 refs. Research supported by the Ministry of Education, Science and Culture of Japan.

The collisional drift waves of a slab plasma in a sheared magnetic field are estimated by application of the normal mode expansion. The growth rate of the collisional drift wave is proportional to the square root of the electron collision frequency. An eigenmode method is used to estimate the anomalous transport coefficient. Both the growth rate of the mode and the induced transport indicate that the collisional drift mode is responsible for a density limitation for high-density tokamaks even when a fairly strong shear is present. M.L.

A78-42030 Radiation transfer through specular passages - A simple approximation. A. Rabl (Argonne National Laboratory, Argonne, Ill.). *International Journal of Heat and Mass Transfer*, vol. 20, Apr. 1977, p. 323-330. 13 refs. ERDA-supported research.

A technique is developed for approximating exchange factors for specular radiation passages. It is shown that for a large class of configurations, even with curved reflector surfaces, the average number of reflections, avg n , can be calculated by a simple analytic formula and without any ray tracing. The fraction of radiation transmitted through the passage, tau (one of the exchange factors), can then be approximated by the formula tau is approximately equal to rho raised to the power avg n if the specular reflectivity (rho) of the passage wall is high. A rigorous lower bound is derived which agrees with the exact result within a few percent for any reflector emissivity, provided the product of reflector emissivity and avg n is not too large. Several examples are discussed, including cylindrical passages, V-troughs and compound parabolic concentrators. The method is particularly useful for calculating transmission and absorption of radiation in solar concentrators. (Author)

A78-42064 The natural circulation solar heater-models with linear and nonlinear temperature distributions. Y. Zvirin, A. Shitzer, and G. Grossman (Technion - Israel Institute of Technology, Haifa, Israel). *International Journal of Heat and Mass Transfer*, vol. 20, Sept. 1977, p. 997-999.

A78-42080 The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs. K. H. Lau (Hawaii, University, Hilo, Hawaii) and P. Cheng (Hawaii, University, Honolulu, Hawaii). *International Journal of Heat and Mass Transfer*, vol. 20, Nov. 1977, p. 1205-1210. 6 refs. NSF Grant No. GI-38319; Contract No. E(04-3)-1093.

A78-42101 National Solar Energy Convention, Jadavpur University, Calcutta, India, November 29-December 1, 1976, Proceedings. Convention sponsored by the Solar Energy Society of India. Edited by S. Deb (Jadavpur University, Calcutta, India). Calcutta, Jadavpur University, 1977. 274 p.

Solar energy research in India is examined. Most of the papers are concerned with equipment and techniques and are listed under the following headings: solar concentrator, photovoltaics, thermoelectric, photo, and biochemical conversion, instrumentation and environment, solar heating, solar collector, and solar distillation and cooling. Future solar energy use and costs are estimated. Industrial, domestic, and agricultural applications of solar energy in India are

discussed; topics considered include the testing of five solar cookers at Jodhpur and a commercial solar dryer for Indian conditions. Reports on research programs in some other countries are presented. M.L.

A78-42102 Key-note address - Solar energy research and development. A. Ramachandran (Department of Science and Technology, New Delhi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 9-13.

Solar energy research and utilization in India are discussed. Desired rural sector applications include irrigation pumps, solar convective dryers, solar refrigeration devices, distillation plants, small electric stations, and domestic electric supply. Urban applications could include domestic and large-scale water heating systems, refrigeration facilities, dryers for tea, milk, and paper industries, and desalination plants. Advances in these areas are briefly surveyed, and research projects involving thermal devices and direct conversion are listed. It is suggested that the use of solar energy to provide low-grade heat for solar cookers or to operate directly heated air and water heating systems is economically viable, but that the conversion of solar energy into mechanical or electrical energy has a low thermal efficiency, and high-efficiency photovoltaic systems are far more costly than alternative systems. M.L.

A78-42103 Progress report from Central Electronics Ltd., Delhi. E. V. Bhaskar (Central Electronics, Ltd., Sahibabad, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 18-20.

Research projects involving solar cells, solar cell materials, and photogalvanic cells are surveyed with attention to the relation between research activities in India and research conducted in other countries. Solar-cell research areas considered include the conventional silicon solar cell, silicon ribbons for solar cells, polycrystalline silicon solar cells, the amorphous silicon solar cell, high-concentration GaAs solar cells, tracking and nontracking system for solar cells, CdS solar cells, and the MOS solar cell. Materials research in India includes the development of a reactive glass blowing method for preparing pure silicon, the preparation of pure CdS, and gallium extraction from Bayer's liquid. Photogalvanic cell research in India involves investigation of the use of thionine chloride and ferride salts. M.L.

A78-42104 Solar energy for use as a source of power. S. Rangarajan, O. Chacko, and C. G. Rahalkar (Meteorological Office, Poona, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 24-29. 5 refs.

Regular measurements of global and diffuse solar radiation are made at several stations in India using thermoelectric pyranometers. From the data collected from 12 stations for periods up to 15 years, the horizontal and vertical components of radiation received directly from the sun have been computed. The values of these components on inclined surfaces and of the horizontal component on vertical surfaces facing different directions have been computed and the results discussed. The temporal and spatial distribution of irradiation on surfaces of different orientations has been presented from the point of view of the utilization of solar energy as a source of power. The spectral values of radiation received directly from the sun on inclined as well as vertical surfaces based on measurements made at Poona have been presented and their seasonal and diurnal variations discussed. (Author)

A78-42105 Progress in the utilization of solar energy in Chile. J. G. Hirschmann and B. Seifert (Valparaiso, Universidad Técnica, Valparaiso, Chile). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 29-37.

11 refs.

Solar energy research in Chile is discussed in terms of indirect and direct utilization. Solar evaporation, solar distillation, and solar heating are examples of indirect utilization. Specific projects involving the production of table salt from sea water are explained, and equipment used for solar desalination, cookers, and furnaces is described. Research on the direct utilization of solar energy includes studies of photovoltaic cells and of photosynthesis in plastic tents located in desert areas. The relation between university research and industrial application is considered. M.L.

A78-42106 Spectral distribution of global solar radiation at Poona. S. Rangarajan and C. G. Rahalkar (Meteorological Department, New Delhi and Poona, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 38-43.

Thermoelectric pyranometers with hemispherical glass filters as well as a photocell radiometer with a band pass ultraviolet filter were used to measure global solar radiation in the whole spectrum and in different spectral regions at Poona, India. Spot measurements of diffuse solar radiation were obtained by shading the global instruments. Results for 1974 are reported. Seasonal and diurnal variations for short-wave and long-wave radiation are described, and the effects of clouds and the monsoon season are considered. The proportion of short-wave radiation is minimum during the summer months and maximum during winter. Factors which affect the ratio of spectral to integral global solar radiation are examined. M.L.

A78-42107 Some data collected by experiments to be utilised for solar energy application. M. Ghosh. In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 44-48.

The paper contains some experimental data for solar energy work in its utilization in evaporation of water, heating of water, village industries, other village requirements and preservation of heat for its use when the sun is off. It also contains some data on (1) the maximum temperature raised with different sets of glass pane to allow solar energy into the Hot Box, and (2) the temperature variation in the Hot Box with the inclination of the sun at Jamshedpur - an industrial town - Lat. 22 deg 44 sec N and Longitude 86.2 deg E. It also discusses the comparative position of utilizing nuclear and solar energies as alternate sources to fossil fuels. (Author)

A78-42108 Research and Product Development programme in the area of solar thermal energy. H. N. Sharan (Bharat Heavy Electricals, Ltd., New Delhi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 49-51.

Priority projects in the Solar Thermal Energy Research and Product Development Program in India are listed, and the status of current research is characterized. Collector development, domestic water heaters, cooling systems, solar vapor pumps, and a 10-kW solar electric power plant are considered with attention to the research activities of the Bharat Heavy Electricals Ltd. and the Central Electronics Ltd. It is concluded that it is too early to evaluate the technical performance and economic viability of solar energy projects in the Indian context. M.L.

A78-42109 Radiation measurements for solar energy utilization. A. Mani (Raman Research Institute, Bangalore, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 52-55.

Solar data requirement for various solar energy systems are tabulated. The relationship between global, direct and diffuse

radiation is explained. The principal types of instruments for measurement of solar radiation are briefly described and the accuracy achievable mentioned. The paucity of data required for solar energy utilization is pointed out and theoretical computation of terrestrial solar data from the available extraterrestrial ones, as a way out of this, is advocated. The need for coordination and standardization in solar data collection is particularly emphasized. (Author)

A78-42110 Solar energy reflector using metallised polystyrene. R. N. Mitra and A. N. Daw (Institute of Radio Physics and Electronics, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 56-58.

Efficient utilization of solar energy and its conversion to other forms of energy require among other things a reflector which will concentrate the energy on a suitably positioned energy converter. In this paper, a new method of fabrication of reflector is described. The reflector basically consists of a light, high impact polystyrene base coated with a shiny metallic layer by an electroless-cum-electroplating technique. It possesses the virtue of being light and cheap and can be fabricated on a large scale with the help of indigenous materials. The characteristics of the reflector are also studied and compared with those of existing types of reflectors.

(Author)

A78-42111 Non-tracking solar concentration for solar cell. C. M. Singal and S. K. Shil (Central Electronics, Ltd., Sahibabad, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 58-61. Research supported by the Department of Science and Technology of India.

A non-tracking type concentrator system utilizing a lens and a reflecting element is proposed. This system does away with the stringent conditions of accurate and continuous tracking generally needed for high concentration systems and requires periodic adjustments only. Further, it is also capable of working in diffused light. Two concentrator designs with concentration ratios of 25 and 100 are described.

(Author)

A78-42112 A non-tracking heat concentrator capable of giving concentration factor of the order of 20. Mr. Murlidhar, A. Gupta, and V. K. Tewary (Birla Institute of Technology and Science, Pilani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 62, 63. Research supported by the Department of Science and Technology of India.

A78-42113 Design of a non-tracking solar heat concentrator/collector system. A. Agarwala and V. K. Tewary (Birla Institute of Technology and Science, Pilani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 64, 65. Research supported by the Department of Science and Technology of India.

A novel design is proposed for a non-tracking solar concentrator which also serves as a very efficient collector and heat trap. It works as a body with high absorptivity and a very low emissivity. Thus, the heat trapping efficiency of such a device can be easily in excess of 70%. There is no theoretical limit to the concentration factor and solar rays incident at all angles are concentrated including the diffuse radiation. The design consists of a multiple coaxial system of reflecting cones. The angles and the lengths of the cones are adjusted in such a way that the annular space between the cones is enough to trap the incoming radiation.

(Author)

A78-42114 Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface. A. Gupta, S. Kumar, and V. K. Tewary (Birla Institute of Technology and Science, Pilani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University,

1977, p. 66, 67. 5 refs. Research supported by the Department of Science and Technology of India.

A78-42115 Semiconducting materials in solar energy conversion. N. Chaudhuri (Defence Institute of Stores Preservation and Packaging, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 69, 70.

The paper presents a brief account of different semiconducting materials useful for the direct conversion of solar energy into electrical power. A comparative study of the usefulness of the materials for the purpose has been reported. A brief account of the process involved in the fabrication of semiconductor solar cell has also been presented in the paper.

(Author)

A78-42116 Energy budget of single crystal silicon solar cells with the present state-of-art. A. Bhaskararao and S. Narahari (ECIL, Hyderabad, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 71-74.

The energy input for converting 1 kg of single crystal silicon into solar cells is estimated for 35 mm, and 75 mm diameter silicon single crystals, and the energy pay-back time in years at 10% conversion efficiency is estimated for the three sizes for 300-800 mWh/sq cm per day at 50, 70, and 90% production yields. The calculations indicate that a minimum of six years are required to achieve a break-even point in the energy budget. The processes for which energy input estimates are presented are described as polycrystalline silicon, single crystal growth, wafer preparation, p-n junction formation by diffusion, electrical contacts, AR coatings, and testing and evaluation. The breakdown of costs of silicon solar cell manufacture are considered.

M.L.

A78-42117 Effects of temperature on the performance of silicon solar cells. S. C. Bawa, T. B. Desai, K. S. Yadav, V. Holla, and B. R. Marathe (Central Electronics Engineering Research Institute, Pilani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 75, 76. 5 refs.

The effects of temperature on 4.84-mm-sq p-n silicon solar cells was studied by determining changes in open-circuit voltage, short-circuit current, reverse saturation current, fill factor, diode factor, maximum power output, and internal cell resistance. The data indicate that a temperature rise of about 20 C above ambient temperature causes a power loss of about 2%, but a greater increase in temperature causes a much larger loss of power. For example, a temperature rise of about 100 C above ambient causes power dissipation of about 40%. The loss in output power and efficiency can be minimized by using higher light intensity in conjunction with a heat bath that limits heat increase to less than 2 C.

(Author)

A78-42118 Deviation in solar cell characteristics from their ideal behaviour. P. K. Bhatnagar (Delhi, University, Delhi, India) and S. R. Dhariwal (Government College, Ajmer, Rajasthan, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 76-78. 7 refs.

Deviations in solar cells due to dark properties of the junction or to nonlinearity in photo-generated currents are considered with reference to silicon p-n junctions, and their propensity for light trapping.

D.M.W.

A78-42119 A note on the performance of a Si solar cell under partial illumination. S. Mukherjee (Jadavpur University, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 79-82.

A practical photovoltaic solar array has often to operate under

partial illumination. Experimental results on the performance of a solar cell with partial illumination are rather meagre. A series of observations was, therefore, made in the laboratory with single crystal silicon cells - both gridded and ungridded. The results are described in the paper. Results show that both the short-circuit current and the open-circuit voltage appear to depend upon the total area exposed to radiation and not on the way the area is selected with respect either to the edges of the cells or the strips of the grid. The cells behave as if the photo-generated carriers spread out evenly over the entire cross-section of the cell. Semi-quantitative evidences in favor of the conclusion are also given. (Author)

A78-42120 Performance of the novel solar cell. S. C. Rastogi, R. C. Goel, and B. N. Sharma (M.M.M. Engineering College, Gorakhpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 82-84.

The paper deals with the design and performance characteristics of the novel solar cell, in which the solar radiations obtained from the sun have been utilized for the phase transformation of the crystal, developing a potential difference between the electrodes. Further investigations on the long life performance of the cell in respect of emf developed and available current as function of the temperature have been made. Suggestions to make improvement in shape, size and construction of the cell are also given. (Author)

A78-42121 Investigation on the non-uniform thickness of the skin region of a CdS solar cell. M. K. Mukherjee and S. N. Das (Jadavpur University, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 84-87. 7 refs. Research supported by the Alexander von Humboldt-Stiftung.

On the basis of the theoretical analysis of the spectral response of Cu(x)S-CdS solar cell, a nonuniform skin region of the cell has been proposed. An experimental work to verify the proposed structure was carried out by one of the authors in the University of Stuttgart, West-Germany. CdS cells were lapped and etched to expose grains and junction region. SEM pictures of such sections show that the thickness of the skin layer is highly nonuniform due to reaction at the grain boundaries. The present paper reports these along with the implications of such structures on the properties of the cell. (Author)

A78-42122 Evaporated CdS film based heterojunction solar cells. K. L. Chopra, S. R. Das, P. Nath, P. J. George, and A. Banerjee (Indian Institute of Technology, New Delhi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 88-90. 8 refs. Research supported by the Department of Science and Technology and Central Electronics, Ltd.

A solid state reaction method using CdS films with a thickness of 4 microns is employed in the fabrication of heterojunction Cu₂S-CdS solar cells having an efficiency of 2-3%. The physical properties of the films are noted, including low resistivity (10 ohm/cm), high mobility (10 sq cm/V/sec), and sharp optical absorption edge. The preparation of the CdS films, using vacuum evaporation of pellets followed by dipping onto a glass substrate, is described. Two types of solar cells using the films were examined, the second type having a substantially thinner CdS layer. It is found that the second type is more stable and lasts longer, i.e., it exhibits no degradation after three months, while the first type showed degradation after a few weeks. D.M.W.

A78-42123 Sprayed CdS thin film solar cells. K. L. Chopra, A. Banerjee, S. R. Das, P. Nath, and V. Dutta (Indian Institute of Technology, New Delhi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 91-93. 13 refs. Research supported by the Department

of Science and Technology and Central Electronics, Ltd.

An inexpensive spray technique has been developed to grow large-area cadmium sulphide films on different substrates. The as-deposited high resistivity films are photoconducting and exhibit a photoconducting gain of about 6 orders of magnitude. Subsequent annealing in vacuum yields films of low resistivity (10-100 ohm-cm) and high mobility (10-100 sq cm per volt per sec) suitable for fabrication of solar cells. Junctions have been formed by the conventional chemiplating method and a novel solid state reaction developed by the authors. Cells with maximum open-circuit voltage of 450 mV efficiency of about 2% have been reproducibly obtained. (Author)

A78-42124 Failure analysis of cadmium sulphide solar cells. N. R. Pillai and M. K. Mukherjee (Indian Space Research Organization, Vikram Sarabhai Space Centre, Trivandrum, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 94, 95.

Work has been carried out on the development of thin film CdS solar cells based on Mo and Kapton (a polyimide film) substrates. Cells processed on Mo substrate gave an open-circuit voltage of 450 mV and a short-circuit current of 5 mA/sq cm. Kapton has the advantage of having less weight and therefore higher power to weight ratio for cells based on this material. However, there are a number of factors, including environmental ones, that can cause damage to these cells. Accordingly, a study of such deterioration for CdS solar cells based on both Mo and Kapton substrates has been undertaken. The comparative data reveal very clearly the sources of failure of the cells as well as remedial measures to be taken that may enhance the cell reliability. (Author)

A78-42125 Power increase from solar cells under pyramidal-horn type concentrator. R. A. Mahabala, S. D. Gomkale, and R. L. Datta (Central Salt and Marine Chemicals Research Institute, Bhavnagar, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 96-100. 8 refs.

It is known that the current output from silicon or gallium arsenide solar cell increases almost linearly with the incident solar radiation. A pyramidal-horn type concentrator has been designed to concentrate solar radiation uniformly over the solar cell surface. It has been found that the short-circuit current has increased from 70 to 248 mA and the power output has been increased from 114 to 225 mW for opening area (concentrator aperture) to base area (target area), ratio of 10:1 for pyramidal-horn type concentrator having buffed aluminum reflectors. The open-circuit voltage dropped from 2.55 to 2.10 V while the temperature of the cell increased from 27 to 82 C. (Author)

A78-42126 Performance characteristics of a solar battery concentrator system using Si and CdS cells. S. Deb (Jadavpur University, Calcutta, India) and H. Saha (Kalyani, University, Kalyani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 100-105. 8 refs.

The multifaceted role played by a concentrator when used in conjunction with a solar cell panel is first described. The various loss factors affecting the overall efficiency of the battery-concentrator system are evaluated for a typical concentrator using a quasi-cylindrical array of flat mirrors arranged in rows and columns. The problem of mismatching of the output with the variation in insolation is considered and possibilities of its reduction are discussed. The effect of regular diurnal variations of insolation on the battery output and its minimization through the use of optimum concentration in both Si and CdS solar cell panels are also described. The compatibility of the use of concentrators for optimum matching and smoothing of the output of a solar battery using Si and CdS cells are pointed out. Finally, the cost per watt and the effective cost

reduction factors for both Si and CdS solar batteries are estimated.
(Author)

A78-42127 Technology of Cu₂S-CdS solar cells - German state-of-the-art. W. H. Bloss and G. H. Hewig (Stuttgart, Universität, Stuttgart, West Germany). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 105-107. Research supported by the Bundesministerium für Forschung und Technologie.

Solar energy can be converted in different ways. The most attractive application is the direct conversion of solar radiation to electricity. For large-scale application large-area photovoltaic devices are necessary. Highly efficient solar cells can be produced on the basis of thin semiconducting films. An automated pilot line production for CdS layers, which are evaporated under high-vacuum conditions, and their subsequent treatment to get an encapsulated thin film solar cell are described. The thin-film solar cells with an area of 50 sq cm show efficiencies between 4 and 5%. On the basis of the results of pilot line production, an evaporation plant with a daily manufacturing rate of 60 sq m thin-film solar cells is proposed. Material costs and energy consumption of a large-scale production process for thin-film solar cells are estimated to be 20 dollars/sq m and 30 Wh/sq m, respectively.
(Author)

A78-42128 Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer. S. Srivastava, N. K. Swami, and H. M. Ghule (Birla Institute of Technology and Science, Pilani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 107-110. Research supported by the Department of Science and Technology of India.

A78-42129 Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell. B. Bhaumik and R. Sharan (Indian Institute of Technology, Kanpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 111-113. 10 refs.

A78-42130 Back-wall Schottky barrier solar cells - with and without an interfacial layer. P. Basu, K. Bhattacharya, and H. Saha (Kalyani, University, Kalyani, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 114-118. 8 refs. Research supported by the University Grants Commission.

The relative merits and demerits of a conventional front-wall Schottky barrier solar cell are first pointed out. The possible advantages and limitations of a back-wall Schottky barrier solar cell are discussed. Transport equations are set up for the analysis of back-wall Schottky barrier solar cells assuming (1) negligible recombination/generation of photocarriers in the depletion region, and (2) negligible tunneling effect. Possible performances of Si, GaAs, CdTe and Cu₂S back-wall Schottky barrier solar cells are examined by studying the variation of maximum conversion efficiency with the thickness of the semiconductor layers having surface recombination velocity as parameter. It is seen that with realistic parametric values, conversion efficiency of the order of 5-6% should be obtainable for Si and GaAs cells if the potential barrier is nearly 1 eV and there is no interfacial layer. The presence of a suitable interfacial layer in Si and GaAs cells leads to the same value of efficiency even with a much lower value of potential barrier and to much greater efficiency if potential barrier is nearly 1 eV.
(Author)

A78-42131 Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes. S. K. Srivastava, R. Dwivedi, and P. Lal (Banaras Hindu University, Varanasi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 120, 121. 8 refs.

A78-42133 Utilisation of solar energy by thermoelectric generators. K. K. Gopinathan, V. Sundaram, and C. V. Suryanarayana (Central Electrochemical Research Institute, Karaikudi, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 126-128. 13 refs.

The article discusses the use of solar thermoelectric generators for energy production in India. It is noted that flat-plate collectors may be used for low temperatures (to 100 C). The coating materials of the heat-absorbing surfaces include Cr₂O₃, PbS, silicon, germanium, the mixed oxides of copper, and the mixed sulfides of zinc and nickel. For high temperatures, solar-energy concentration devices (such as paraboloids of revolution, circular cylinders, Fresnel lenses, and dual mirror systems) are used. Various commercial thermoelectric generator systems are described. Current research concerning the application of such generators in India is outlined.
S.C.S.

A78-42134 A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters. A. R. Saha (Jadavpur University, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 128-131. 5 refs.

A method for optimizing the stability, life, and efficiency of thermoelectric energy converters is proposed. The adaptive thermal impedance of a gas-buffered heat-pipe system maintains a constant-temperature surface. Liquid sodium heat-pipe systems may be used to achieve constant temperatures near 500 C in thermoelectric generators constructed of materials having peak efficiency near 500 C. Various thermoelectric materials are classified into three groups on the basis of their operating range of temperatures.
S.C.S.

A78-42135 Photochemical and photoelectrochemical routes and solar energy conversion. P. N. Moorthy, J. P. Mittal, M. D. Karkhanavala, A. V. Sapre, T. Mukherjee, S. K. Sarkar, and P. V. Kamat. (Bhabha Atomic Research Centre, Bombay, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 131-134. 8 refs.

Photochemical mechanisms operating in ferrous-thionine photo-galvanic cells are discussed with reference to modifications aimed at enhancing the power output of the cells. One such modification is the solubilization of chlorophyll-a (in cells using that substance as the sensitizer) in the miscellar system and subsequent electrodeposition. Also discussed, in photochemical cells employing TiO₂ and other oxide films in various redox electrolytes, is triplet-triplet energy transfer from doubly excited naphthalene, giving H₂ as a product, and the photo-assisted electrolysis of water, producing both H₂ and O₂.
D.M.W.

A78-42136 Photochemical conversion and storage of solar energy /An overview/. U. Samanta, R. Tarafdar, and K. K. Rohatgi-Mukherjee (Jadavpur University, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 135-138. 20 refs.

It is noted that an important natural mechanism for the storage of solar energy is green plant photosynthesis. Three approaches involving the use of photochemical reactions in deliberate engineering schemes to store solar energy are discussed. In the first, photochemical endergonic reactions store energy in stable photo-products, e.g., Glauber's salt sensitized with CuCl, which release heat

energy later on, as needed. The second involves photoelectrochemical devices, e.g., Fe-thionine cells, which generate electrode-active species under illumination, and undergo a reverse reaction in the dark, generating an electrical current. Finally, a method is presented whereby a photosynthetic membrane having the properties of a semiconductor is used to separate photooxidized and photo-reduced forms, which can then couple as required through a recycling of electrons through an external circuit. D.M.W.

A78-42137 A study of biochemical fuel cells utilizing animal and kitchen waste as fuel. J. Singh and V. Dev Gupta (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 139-141.

A preliminary study has been carried out on experimental biochemical fuel cells, fueled with gobar in one and kitchen waste including starch in the second. The yeast is employed as catalyst in the biochemical reaction. The V-I, Power-I, Voltage-power and discharge characteristics have been studied for these cells. The peak power made available is 612 microW/sq cm with Cu-Zn electrodes and peak current drawn is 2.2 mA/sq cm. The open-circuit voltage available is 1 volt. (Author)

A78-42138 Solar energy and storage batteries /Invited Lecture/. G. Cooper (Chloride Technical, Ltd., Manchester, England). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 142-148.

A description is presented of a preliminary study which was carried out to obtain information regarding the state-of-the-art of solar cells, their storage battery requirements, and likely applications. A sodium thermoelectric generator considered operates at 800 C through the development of a temperature gradient across beta-alumina which is only conductive to sodium ions. A potential difference is developed across the ceramic. Thus electricity is produced directly from heat with no moving parts and with a projected efficiency of about 20%. The minimum cost system in the case of an employment of solar cells and storage batteries depends upon the relative prices of solar cells and storage batteries. If solar cells were cheap, then the solar array could be increased in size to eliminate the summer/winter storage cycle completely. The storage demand could then be reduced to that required at night or for a peak load situation, plus contingencies. To simplify the design procedure a computer program has been written which optimizes the design, with appropriate allowance for contingencies, given monthly solar radiation data and load requirements. Nickel cadmium and lead acid battery types are currently being considered for energy storage applications. G.R.

A78-42141 Flow-measurement using solar radiations. J. P. Tewari, K. A. Misra, and G. S. Srivastava (M.M.M. Engineering College, Gorakhpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 155, 156.

Accurate measurement of low flow rate is important for the efficient utilization of energy reserves in solar storage tanks. Two methods are presented, thermistors and thermocouples, for providing real-time (on the order of 1 sec) information on flow rate using electronic prediction. It is noted that the suitability of the filter unit depends on the noise level in the system. D.M.W.

A78-42143 Some aspects of radiation climatology in relation to applied solar energy. M. Chandra (Central Building Research Institute, Roorkee, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976,

Proceedings. Calcutta, Jadavpur University, 1977, p. 159-162. 12 refs.

The aim of this paper is to survey briefly the basic data which have been collected over the years by I.M.D. and to discuss them in the light of different aspects of radiation climatology important in solar energy utilization. Some of the measurements by the author at Roorkee are also discussed. The computational procedure of estimating solar radiation at places where no long-term observed data are available have been critically examined and described along with some of the author's own computations. Other important aspects of radiation climatology like frequencies of periods of radiation low enough to affect efficient utilization have also been briefly touched upon. (Author)

A78-42144 Cheap packed-bed solar air heaters. P. Singh (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 162-164. 11 refs.

Experimental investigation has been conducted on solar air heaters using cheap packed bed absorbers. These absorbers consist of iron wires and iron fillings which are available in abundance as waste material. Four models of single pass air heaters employing different absorbers, but identical in all other respects, were fabricated. Only single layer of glass sheet was used. Experiments were conducted regarding stagnation temperature and collection efficiencies on clear days. These packed bed absorbers were found to be very efficient. (Author)

A78-42145 Design and evaluation of an inexpensive heat pipe. Y. P. Gupta and D. Singh (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 164, 165.

An inexpensive heat pipe was fabricated out of indigenously available plastic pipes and kerosene lamp wicks. The effect of operating temperatures and the amount of charge on the performance of this heat pipe has been investigated. (Author)

A78-42146 A suggestion for improving the heat transfer from solar heaters. A. S. Zadaonkar (Government College of Engineering and Technology, Raipur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 166, 167.

The paper investigates transient heat conduction rates in the storage tank of a solar water heater with different materials. To improve the heat transfer the materials, i.e., window glass and transparent plastic coated glass, were subjected to electric field. It is found that with the increase of electric field the heat transfer increases. As such it is found that the application of an electric field to solar heater materials will increase the heat transfer and also the efficiency of solar heaters. (Author)

A78-42147 Performance study of spray-type solar water heater. H. C. Agarwal and R. K. Shah (Indian Institute of Technology, Kanpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 168-170.

A new design of solar water heater working on forced circulation principle, suitable for large-scale applications, has been developed and tested. The design introduces spray nozzles inside the collector which sprays fluid in the form of fine particles upon the bottom surface of the black absorber plate which increases the heat exchange considerably. (Author)

A78-42148 A simple technique of fabrication of paraboloidal concentrators. M. Srinivasan, L. V. Kulkarni, and C. S. Pasupathy (Bhabha Atomic Research Centre, Bombay, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 173-176. 6 refs.

A technique for fabricating simple and compound paraboloidal concentrators for solar radiation, starting from a plane sheet of material has been evolved. Aluminized Mylar is an ideal reflector material for fabricating cheap solar concentrators for various applications. Pasted on thin sheet-metal backing, concentrators of various geometrical shapes such as cones, paraboloids and combinations, of these were fabricated. The focusing property of the concentrators was tested using a portable He-Ne laser. Water heating and boiling measurements at various times of the day established that the net efficiency of absorption of solar energy for the different sizes and designs of collectors tested varied up to about 40% depending on the concentrator and absorber vessel design. (Author)

A78-42149 Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems. V. Muthuveerappan, M. Kunchitapatham, A. Ramanathan (Annamalai University, Annamalaiagar, India), and M. Kathiresan (Pittsburgh, University, Pittsburgh, Pa.). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 176-180. 5 refs.

A78-42150 Optimum solar energy collection. S. K. Acharya and L. N. Misra (Regional Engineering College, Rourkela, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 181-185.

The optimum day and water flow rate for solar energy collection from a parabolic cylindrical concentrator are studied. The concentrator, consisting of a nickel-plated mild steel sheet, has a 3.24 sq m area. Aluminum, copper, and galvanized iron pipes serve as collectors. Daily and seasonal variations are simulated via manual rotation. It is found that: (1) collectors constructed out of materials with high thermal conductivity yield better solar energy collection, (2) blackened tubes improve collection efficiency, (3) stagnant water yields a higher rise in temperature and a lower rate of energy collection than flowing water, and (4) tilting arrangements yield improved collection efficiency. S.C.S.

A78-42151 Experimental studies of selective coatings for solar energy collectors. K. Singh and K. D. Mannan (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 186, 187.

A78-42152 Development of selective solar surfaces. A. Chandra and J. S. Puri (Central Building Research Institute, Roorkee, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 188, 189. 11 refs.

This paper discusses the reflectivity of a system consisting of a single dielectric layer deposited on a metallic substrate. From the condition of zero reflectance, a relationship between optical constant of dielectric film and metal is derived. The oxide layers developed on copper and aluminum is also reported. The temperature difference between selectively and lamp-black coated Al plate is 15 C. (Author)

A78-42153 Effect of buoyancy on heat transfer rates in a solar collector. M. L. Verma, B. K. Shapak (Government College of Engineering and Technology, Raipur, India), and P. K. Nag (Indian Institute of Technology, Kharagpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 190-192.

A78-42154 Experimental investigation of circular cylindrical solar heat collector of stationary type. K. Singh and K. D. Mannan (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 193-195.

The present study was undertaken to experimentally evaluate the suitability of circular cylindrical solar energy collector of stationary type for collection of solar energy in the temperature range of 80 to 140 C. A cylindrical concentrator of circular profile was fabricated having a length and aperture width as 245 cms and 101.4 cms respectively. The reflector was made of buffed aluminum sheets. The experiments were conducted with flat-plate target and triangular targets of three different sizes over a range of concentration ratios between 1.94 and 2.8. The solar energy collection efficiencies at various temperatures have been determined. (Author)

A78-42155 Determination of shading factor for flat-plate collectors. S. L. Daga (Central Salt and Marine Chemicals Research Institute, Bhavnagar, India) and C. P. Gupta (Roorkee, University, Roorkee, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 196-198.

Research supported by the Council of Scientific and Industrial Research.

A mathematical technique is presented which is designed to calculate the effects of shadow on both flat-plate and tilted solar collectors. In the case of the latter, an azimuth angle for the tilted surface is defined. Attention is given to the modeling of hourly variations in shadow for both types of collectors. D.M.W.

A78-42156 Condition for no shadow, and effective shadow due to plane reflectors. S. L. Daga (Central Salt and Marine Chemicals Research Institute, Bhavnagar, India) and C. P. Gupta (Roorkee, University, Roorkee, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 199-201. Research supported by the Council of Scientific and Industrial Research.

Plane reflectors with flat-plate collectors increase the amount of energy reaching the collectors and permit operation at higher temperatures (90-100 C). The classical system of Shuman, which has side mirrors on the north and south edges of the collector, is discussed in terms of a mathematical formulation for calculating the position and effect of shadow. Attention is given to optimizing collector position to ensure the greatest possible amount of no-shadow. D.M.W.

A78-42157 Flat-plate solar collector design for industrial air heating using design data hand book. V. Muthuveerappan, M. Ramalingam, G. Ambalavanan, and G. Kamaraj (Annamalai University, Annamalaiagar, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 201-204.

A78-42158 Solar energy Architectural imperative and problem of collectors. R. G. Sathyanarayan (Kudremukh Iron Ore Co., Ltd., Bangalore, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 204-206.

The basic problem in the use of solar energy involves its storage. Design criteria encountered by architects planning buildings which store solar energy are discussed, noting that it is considerably less difficult to construct a solar building from scratch than to add a solar unit to an existing building. D.M.W.

A78-42159 Analysis of solar space cooling systems suitable for tropical climates. M. C. Gupta and P. Gandhidasan (Indian Institute of Technology, Madras, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976,

Proceedings. Calcutta, Jadavpur University, 1977, p. 214-216. 9 refs.

Tropical climates are divided into two types, dry and humid, in an evaluation of the type of solar cooling systems suitable for each. Concentrating collectors are considered a better source of power for the dry tropics, while flat plate collectors are considered more suited for hot, humid regions. Attention is given to solar powered cooling systems using $H_2O-LiBr$ in a continuous cycle and $NH_3-NaSCN$ in an intermittent cycle. For the dry tropics, regenerative evaporative cooling is regarded as a simple and effective system. In the humid tropics, an open cycle cooling system is proposed, whereby water cooled to 7-12 C by partial evaporation in an elevator circulates through an absorber. D.M.W.

A78-42160 Air conditioning using ocean thermal gradients. K. D. Mannan and D. Singh (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 221, 222.

A large (1000 ton) centralized air conditioning facility is proposed for the city of Madras, India. The city has an average dry bulb temperature of 38.5 C in summer, with a relative humidity of 47%. The air conditioning facility, to be located 4.5 km offshore, would use the deep layers (below 1000 m) of sea water to provide indoor temperatures of 26 C and 65% relative humidity. The cost of manufacturing such a facility would be roughly equal to the cost of conventional air conditioning, but its energy requirements are expected to be 70% lower. Critical to the practicability of the scheme is the assumption that the water reaches the air conditioning unit at 59 F or less. D.M.W.

A78-42161 A new design of organic vapour engine for solar systems. R. M. Engira, K. D. Mannan, and A. Lal (Punjab Agricultural University, Ludhiana, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 223-225.

This paper describes the design construction and preliminary performance of vapor cycle engine which has desirable characteristics for use in solar power units. The essential features of this engine are the use of existing I. C. engines main components and modifying the valve and valve timing system. The new design permits adjustment of cut-off as per requirement and also involving no recompression of vapors. The inlet valve of this engine is a modified version of a double beat valve which permits the adjustment of cut-off as well as results in a leak-proof system. Preliminary testing of the engine has been performed and the information so obtained indicates superior performance of this engine over the conventional steam engines. (Author)

A78-42162 Solar energy operated oscillating heat engine. H. V. Rao (Indian Institute of Technology, Kharagpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 226-229.

An analogy is drawn between a drinking bird toy and an oscillating heat engine using reciprocating, rotary, or turbine expanders. It is pointed out that both devices rely on ambient air as a heat source, and water at thermodynamic wet-bulb temperature as a heat sink. Attention is given to the design of heat transfer areas in the engine in order to provide optimized thermodynamic flow. A water-lifting engine using solar collectors as a heat source is diagrammed in terms of an idealized thermodynamic cycle. D.M.W.

A78-42163 Solar sea power plants - Prospects and problems. D. K. Dixit and M. S. Ramaprasad (Visvesvaraya Regional College of Engineering, Nagpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 230-232. 8 refs.

The feasibility of energy production using solar sea power plants (SSPP) located off the coasts of tropical countries is discussed in terms of the basic physical principles involved in their operation. It is noted that the thermal efficiency of SSPP is low compared to that of conventional plants due to the smaller available temperature differential. Thus, boiler tube area must be increased. The expense of the increase is offset, however, by a reduction in tube thickness made possible by the lower vapor pressures encountered, and by the lower temperature in the tubes, which obviate the necessity of expensive alloys. The possibility of generating vapor by fluids other than water, e.g., ammonia or propane, is discussed. Hazards to SSPP are considered, especially microbial fouling (which can be dealt with using 0.25 ppm chlorine) and storms (whose effects are lessened by submergence). D.M.W.

A78-42164 Solar ponds for power production. D. K. Dixit and B. D. Shiwalkar (Visvesvaraya Regional College of Engineering, Nagpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 232-235. 6 refs.

The operation of a meter-deep, black-bottom water pool for the collection of solar thermal energy is discussed. Salt water is used in quantity near the bottom to maintain a density gradient. Water temperatures near 90 C can be obtained from the lower regions of the pool. Attention is given to the mechanisms of transient and steady-state temperature rise in the pool at various depths, optimization of water withdrawal rate, and overall thermal stability. D.M.W.

A78-42165 A domestic multi-purpose solar energy unit. M. K. Ghosh. In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 237-239.

The design of the unit is made on Hot-Box principle. The loss of the heat through the glass cover of the box has been reduced to a great extent by designing the cover of the cooking box with a kind of chamber. A mirror lining is also hinged on the inward side of the wooden cover for the protection of the glass panes of the cooking box, when not in use and fixed at different angles to get additional light through reflection from the mirror. The main body of the cooking box had been tried with different materials, e.g., timber, iron sheet, mud, brick and cement and all of them were found to serve the purpose with difference in efficiency. The unit was successfully tried for some other purposes viz. heating of water, boiling of paddy for husking rice etc. (Author)

A78-42166 Testing of five solar cookers. Jodhpur. H. P. Garg (Central Arid Zone Research Institute, Jodhpur, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 240-243. 15 refs.

The design and functional characteristics of solar cookers are described in terms of their effectiveness in cooking staple foods (chicken, fish, potatoes, etc.) and in boiling water for rice or cereals. The tests were conducted in a desert environment under clear sky conditions. Attention is given to different reflector types, e.g., silvered glass, Cr-plated, anodized Al, simple Al, and plain glass. It is reported that temperatures of 350 C are attainable under optimum conditions in summer using a box with plain glass reflectors, and that paraboloid and step-type reflectors using anodized aluminum can bring 1 liter of water to a boil in 25-30 minutes if wind speed remains below 4 kmh. D.M.W.

A78-42168 Solar energy for tractors. P. Som and J. S. Chatterjee (Jadavpur University, Calcutta, India). In: National Solar Energy Convention, Calcutta, India, November 29-December 1, 1976, Proceedings. Calcutta, Jadavpur University, 1977, p. 253, 254.

The paper deals with the production and the safe storage of hydrogen fuel for Tractor engines in the form of NaH , which reacts with water to produce hydrogen fuel and the by-product $NaOH$.

which is electrolyzed according to Castner's process to recycle the Na and H for producing NaH. The energy required for electrolysis is obtained by collecting solar energy for conversion into electrical power. Within the present scope of the paper authors study the feasibility of the land-use factor for collecting solar energy to ensure steady supply of NaH for tractor tilling 237.749 Macres cereal crop in India. (Author)

A78-42184 Energy perspectives for the year 2000 (Situations énergétiques à l'horizon 2000). M. Mentre and J.-R. Frisch (Electricité de France, Direction Générale, Paris, France). *ICF, SFEN, IFE, and AFTP, Rencontre sur les Situations Énergétiques à l'Horizon 2000, Paris, France, Feb. 22, 1978.* *Sciences et Techniques*, June 1978, p. 32-38. In French.

The paper presents a broad survey of projected energy resources and requirements throughout the world; noting world energy consumption during the 1950-1975 period. Perspectives for a national energy policy in France are proposed, with reference to energy conservation measures and areas for technological research. Individual energy sources are discussed with attention to present and projected availability including carbon, hydraulic power, petroleum, natural gas, and nuclear energy. S.C.S.

A78-42201 International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Symposium sponsored by the Kernforschungsanlage Jülich and Commission of the European Communities. Oxford and New York, Pergamon Press, 1977. 738 p. In English and German. \$65.

A variety of topics concerning plasma-wall interactions is discussed. Attention is given to divertor experiments for impurity control, plasma-wall charge-exchange interactions, a kinetic theory of plasmas in the limiter-shadow region, and models for impurity production in tokamaks. Papers are presented on impurity content and transport noting radial impurity transport and collision-dominated multiion diffusion. Surface effects are studied, including arcing surface phenomena, desorption of surface contaminants, blister formation, and wall erosion. Several diagnostic methods are described with reference to mass spectroscopy and resonance scattering in the vacuum ultraviolet. Methods to control plasma-wall interactions are proposed including surface cleaning, wall conditioning, and mechanical divertors. Potential first-wall problems in large confinement devices are identified. S.C.S.

A78-42202 Recent results on plasma-wall interaction in the T. F. R. tokamak. In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 3-20. 16 refs.

The paper reviews studies in plasma-wall interactions in the TFR tokamak. Impurity behavior during particle injection is discussed with reference to cold deuterium and oxygen injections and the injection of a powerful fast neutral beam. The influence of variations in limiter radius (20-12.5 cm) is evaluated in order to discriminate between the limiter and walls as the primary source of plasma pollution. Several experiments with boron carbide and graphite limiters are outlined noting the results of studies where the QWASS device was connected to the TFR tokamak. The results are examined in terms of edge diffusion, desorption, thermal load, sputtering, and chemical processes. S.C.S.

A78-42203 Divertors for impurity control and review of impurity effects in PPL tokamaks. D. M. Meade (Princeton University, Princeton, N.J.). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 21-37. 34 refs. Contract No. E(11-1)-3073.

Impurity effects on toroidal plasma and methods to reduce impurities have been studied at PPL on a variety of devices. The concentration of impurities has been measured directly using UV and X-ray spectroscopy and from the scattering of injected energetic

ions. These methods indicate the presence of both low-Z impurities such as oxygen and high-Z impurities such as iron or molybdenum. Impurity injection experiments of FM-1 and ATC are explained by a 'semi-classical' transport that is a superposition of classical collisional transport and anomalous transport. Methods to reduce impurities include wall control and divertors. In addition, the interior vacuum wall surface has been monitored during discharge cleaning and plasma operation in an attempt to correlate impurities with wall conditions. Analyses of surface conditions in PLT indicate a decrease in carbon impurities in the plasma as hydrocarbons are removed from the surface test sample. The principles of divertor operation are reviewed. Requirements and methods of obtaining a shielding divertor are described. (Author)

A78-42204 A review of work on plasma-wall interactions and divertor experiments on DITE. P. E. Stott, J. Burt, S. K. Erements, S. J. Fielding, D. H. J. Goodall, M. Hobby, J. Hugill, G. M. McCracken, J. W. M. Paul (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England), and A. Pospieszczyk (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England; EURATOM and Kernforschungsanlage Jülich GmbH, Jülich, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 39-51. 13 refs.

Experimental results from DITE are reviewed, with particular emphasis on the study of plasma-wall interactions. The energy and particle fluxes to the walls and limiters, and the return flux of particles into the discharge, have been measured by several methods. The effect of the bundle divertor on these fluxes, and the resulting changes in the plasma parameters are discussed. (Author)

A78-42205 Energy flux and surface temperature measurements at surfaces in the DITE tokamak. D. H. J. Goodall (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 53-58. 5 refs.

The surface temperature of a diagnostic probe and the target plate of the DITE bundle divertor, has been measured using an infra-red scanning camera. From the surface temperature measurements the incident energy flux on the surface is calculated. The spatial distribution of energy on the divertor target plate is non-uniform and the maximum energy flux is received near the centre line and the inside edge of the plate. The energy input to the plate reaches a maximum near the end of the discharge pulse. The energy flux to a probe has been obtained as a function of radial position in the shadow of a standard probe limiter. The diagnostic probe receives energy mainly at the beginning and end of the discharge for a normal pulse. (Author)

A78-42206 Wall analysis in TFR performed by QWASS. In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 59-61. 8 refs.

The paper reports measurements of Mo deposition onto a graphite sample. Results are given for an Mo limiter radius of 20 cm and for a graphite limiter inner radius of 19 cm. The amount of Mo deposited is evaluated as a function of sample position and the number of discharges at a fixed position near the plasma. The competing mechanisms of deposition and erosion are considered. S.C.S.

A78-42207 Plasma-wall charge-exchange interactions in the 2X11B magnetic mirror experiment. B. W. Stallard, F. H. Coensgen, W. F. Cummins, B. G. Logan, A. W. Molvik, W. E. Nexsen, T. C. Simonen, W. C. Turner (California, University, Livermore,

Calif.), and C. Gormezano (EURATOM and Commissariat à l'Énergie Atomique, Grenoble, France). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 63-68. 5 refs. Contract No. W-7405-eng-48.

Consideration is given to plasma-wall interactions by charge-density exchange wall bombardment in the 2XIIB magnetic mirror experiment. The plasma is sustained by a neutral beam configuration with 12 neutral beam injectors having extraction energies up to 20 keV. The plasma is maintained in marginal stability with respect to the drift-cyclotron loss-cone instability. The charge energy flux is peaked near 90 degrees. An 11-channel analyzer in the 0.5-39.0 keV range analyzes the neutral-charge exchange flux from the plasma surface. The averaged backscattering coefficient is used to estimate the expected reflux coefficient. Time-dependent radial density profiles created by neutral beam injection are computed. It is noted that: (1) the plasma shield causes a reduced ion heat loss by cold-gas charge exchange, and (2) neutral beam trapping is not the only mechanism for supplying particle input to the plasma boundary.

S.C.S.

A78-42208 Effect of neutral injection heating on the impurity level in the W VII A Stellarator. J. H. Feist, W. Ott, and E. Speth (EURATOM and Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 69-73.

The effect of neutral injection in the MW range on the impurity content of the plasma in the W VII A device is calculated. The wall bombardment due to loss of injected particles and to plasma particles neutralized by charge exchange with the injected beam is calculated. The absolute value of the impurity influx does not depend very strongly on the plasma density, whereas the increase of the effective Z is considerably reduced for higher densities. For constant power absorbed by the plasma, the impurity increase becomes smaller with increasing beam energy. As a realistic example the increase of the effective Z is calculated for a plasma with an initial electron density of 10 to the 14th/cu cm and an effective Z of 2 and cold gas puffing during the discharge. A power of 1.5 MW, shared between the 30, 15 and 10 keV particles of the beam, is transferred to the plasma. For this case the effective Z rises within 100 msec to 2.4, which is considered a reasonably small increase. (Author)

A78-42209 Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI. Y. Suzuki (Japan Atomic Energy Research Institute, Tokai, Ibaraki, Japan). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 75-93. 16 refs.

A review is presented on the research activities at Japan Atomic Energy Research Institute on plasma-wall interaction in tokamak plasma confinement. It describes experimental studies in this field made in the existing tokamak devices JFT-2 and JFT-2a/DIVA, basic tests and evaluation on various methods for impurity control made in the design studies of JT-60, and current progress in the design of JT-4. It further presents the results of measurements of basic particle-surface interaction processes and theoretical studies on the impurity-related processes in plasmas. (Author)

A78-42210 Surface and impurity studies in ORMAK and ISX. R. J. Colchin, R. E. Clausen, L. C. Emerson, L. Heatherly, and R. C. Isler (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 95-104. 12 refs. ERDA-sponsored research.

A study is made of surface and impurity studies in the ORMAK and ISX devices. For the ORMAK device it is noted that hydrocarbons initially contaminate the gold surface. Carbon ceases to be an important contaminant following oxygen discharge cleaning. Residual hydrocarbons are controlled by hydrogen or oxygen

discharge cleaning. Results from soft X-ray appearance potential spectroscopy indicate that the iron oxides appearing on the liner surface may originate via diffusion through the one-micron-thick gold surface. The primary light-ion contaminant is oxygen and the primary heavy contaminant is iron. The ISX tokamak includes an ultrahigh vacuum system for surface and plasma impurity studies.

S.C.S.

A78-42211 Alumina-plasma interaction in the Petula tokamak. R. Bardet, M. Bernard, G. Briffod, M. Clement, R. Frank, A. Gauthier, M. Gregoire, P. Grelot, M. Hesse, and G. Lamboley (EURATOM and Commissariat à l'Énergie Atomique, Département de Physique du Plasma et de la Fusion Contrôlée, Grenoble, France). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings.

Oxford and New York, Pergamon Press, 1977, p. 105-114. 8 refs.

In connection with the construction of an alumina vacuum vessel on the Petula tokamak, measurements of the outgassing properties of alumina and studies of alumina-plasma interaction have been undertaken. Outgassing rates of 10 to the -11th and 10 to the -12th torr l/s sq cm are achieved for baking temperature ranging between 150 and 200 C. Two categories of results have been obtained from the studies of alumina-plasma interaction depending on the plasma interacting with the alumina. For dense and cold plasmas (with electron density of about 10 to the 13th and electron temperature of a few eV), impurity concentrations lower than 1 percent are measured - the Elisa experiment. For dense and hot plasmas, a comparison between discharges produced with tungsten and alumina limiters shows an improvement of plasma characteristics in the case of alumina: ohmic power and oxygen contamination are significantly reduced. (Author)

A78-42212 Kinetic theory of plasma in the limiter-shadow region. U. Daybelge and B. Bein (Ruhr-Universität, Bochum, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings.

Oxford and New York, Pergamon Press, 1977, p. 117-124.

In this paper, using a simplified model, an analysis for the structure of the plasma boundary layer in the neighborhood of the limiter-aperture edge is given. In this layer, the plasma is assumed to consist of weakly collisional ions and collisional electrons. This assumption requires a rather hot (or clean) plasma. An asymptotic solution to the ion drift-kinetic equation with a full Fokker-Planck term is obtained. The influence of the loss-regions in velocity space upon the collision processes is properly accounted for. From the solution of the boundary layer problem, plasma particle and energy losses to the limiter are calculated. Limiter load profiles as functions of the poloidal angle are given. Results represent boundary conditions on plasma transport inside the core, which may be used in tokamak transport codes for the calculation of the confinement times. (Author)

A78-42213 Screening property of the limiter shadow region for heavy wall impurities. H. A. Claassen and H. Repp (EURATOM and Kernforschungsanlage Jülich GmbH, Institut für Plasmaphysik, Jülich, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 125-130.

The impurity problem in the plasma scrape-off layer of a tokamak discharge with a poloidal limiter is considered. In a preliminary study the migration of iron impurities leaving the vacuum wall (liner) with a half-Maxwellian distribution is investigated. Their density and temperature are assumed to be low in comparison to the plasma density and the plasma ion temperature respectively. For the plasma parameters a density of 2×10 to the 12th/cu cm, an electron temperature of 20 eV, and an ion temperature of 100 eV are assumed. The production and motion of the various ion states of impurity are described by a system of

coupled drift-kinetic equations. To calculate the impact ionization rates, the electron density profile, which is taken from an analysis similar to that given by Hinton and Hazeltine for the divertor case is used. (Author)

A78-42214 Protection of walls from hard disruptions in large tokamaks. A. Sestero (EURATOM and Comitato Nazionale per l'Energia Nucleare sulla Fusione, Centro Gas Ionizzati, Frascati, Italy). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 131-136. 5 refs.

During hard disruptions, dangerous overheatings of the limiter can be avoided if the latter is protected by a dense, cold, high-Z plasma blanket - the virtual limiter, as we shall term it here - whose function is to intercept the particles escaping from the hot plasma, and radiate away the absorbed energy as a flux of soft X-rays. A virtual limiter could be artificially produced by various means; but it could also occur spontaneously, as a result of the vapourization of the small amount of limiter material in the early stages of the disruption. The density inside the virtual limiter can be determined by exploiting the requirement that it should be able to slow down the energetic particles originating from the hot plasma. The average state of ionization and the temperature can be in turn determined by investigating the ionization and energy balances. The virtual limiter turns out not to be in coronal equilibrium, due to the vigorous interaction with the hot plasma. The theory of the virtual limiter can also be relevant to the problem of the interaction of a hot plasma with probes and plans-de-preuve. (Author)

A78-42215 The effect of electric field in the divertor scrape-off layer. K. M. Srivastava and A. El Nadi (Ruhr-Universität, Bochum, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 137-145. Deutsche Forschungsgemeinschaft Contract No. SFB-162; Contract No. EURATOM-JET-B-GK-78.

The effect of the radial electric field on the particle orbits in the scrape-off layer in a tokamak with an axisymmetric poloidal divertor is investigated. It is assumed that the ions are hot and collisionless and that the electrons are cold and collisional. A wider range of the ratio of electron temperature to ion temperature, i.e., from 1 to .6 has been considered. The ion density, electrostatic potential and electric field in the scrape-off layer are obtained. Plasma diffusion across the separatrix and the particle flow to the collector plates through the drift kinetic equation are considered. The effect of the electric field is seen to be predominant in the boundary layer. The particle and energy fluxes to the collector plates in presence of the radial electric field have been calculated. (Author)

A78-42216 Neutral particle emission of the pulsator plasma during high-density discharges. F. Wagner and H. M. Mayer (Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 149-154. 6 refs.

Experimentally determined absolute values of the fast hydrogen flux are compared with the predictions of a 6-regime-transport code. Remarkable agreement is obtained. By varying the location of the pulsed gas inlet it was shown that the emitted flux decays markedly with toroidal distance from the position of the gas inflow by an amount which is fairly independent of particle energy. Radial profiles of ion temperature and particle flux show a high degree of symmetry. The observed ion temperature at the plasma edge is 190 eV which is attributed to a considerable number of fast neutrals which are reflected from the container wall. (Author)

A78-42217 Models for impurity production and transport in tokamaks. J. T. Hogan (Oak Ridge National Laboratory, Oak Ridge, Tenn.). In: International Symposium on Plasma Wall Inter-

action, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 155-165. 9 refs. ERDA-sponsored research.

Computer models for impurity production and transport in tokamaks are described. A model based on the Oak Ridge Tokamak Code for edge effects is used to describe the time evolution of the energy and densities of electrons in the near-limiter and vacuum chamber wall regions. Measurements used to test the neoclassical impurity diffusion model are presented for two cases. In the first case, estimates provided by central impurity densities for the anomalous spreading usually added to neoclassical impurity diffusion rates are evaluated. In the second case, the interaction of the tokamak's MHD stability and a large oxygen flux is investigated. S.C.S.

A78-42218 Investigation of plasma-wall interaction by the aid of a plasma accelerator. C. Martin, K. G. Müller, and B. Tuczek (Universität Essen-Gesamthochschule, Essen, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 167-170. Research, supported by the Deutsche Forschungsgemeinschaft.

A plasma beam is produced by the quasicontinuous plasma accelerator 'KOBRA' and impinges on a metallic target. The plasma in front of the wall is influenced by the electric field and by emitted and reflected particles. The working principle of KOBRA and preliminary results of the diagnostic of the plasma are presented. (Author)

A78-42221 Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations. H. Vernickel, B. U. U. Scherzer, R. Behrisch (EURATOM and Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany), and J. Bohdansky. In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 209-217. 14 refs.

A78-42227 Thermochemistry of the reactions of the metals Nb, V, and Mo with the residual gases of a vacuum (Thermochemie von Reaktionen der Metalle Nb, V und Mo mit Restgasen des Vakuums). H. Migge (Hahn-Meitner-Institut für Kernforschung Berlin GmbH, Berlin, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 275-283. 11 refs. In German.

The paper reports a study of the reaction of the refractory metals Nb, V, and Mo with CO, CO₂, H₂, H₂O, and CH₄ - gases that might continue to be present after evacuation of a fusion reactor vacuum chamber. One concern is that if the solid solubility limit is reached, oxides or carbides might be precipitated. Thermochemical calculations concerning the Nb-O-C, V-O-C, and Mo-O-C systems are presented. The stability ranges of the metals and their pure oxides and carbides are indicated in isothermal phase diagrams for 1000 and 1500 K as a function of the partial pressure of CO and of the ratio of the partial pressures of water and hydrogen. The effects of methane on stability are considered. The data are applied in a discussion of metal damage reported to occur in reactor metals exposed to vacuum conditions. M.L.

A78-42242 On toroidal divertors for tokamaks. H. Gerhauser, H. Kever, and A. Rogister (EURATOM and Kernforschungsanlage Jülich GmbH, Institut für Plasmaphysik, Jülich, West Germany). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 551-557.

Consideration is given to the implementation of toroidal divertors in tokamak devices. The influence of a toroidal divertor on

particle balance in the scrape-off layer is discussed with reference to numerical expressions for the fraction of trapped particles, the change in the total number of trapped particles, and the thickness of the scrape-off layer. The influence of a toroidal divertor on plasma stability is reviewed. Means to overcome the effects of a toroidal divertor are proposed, including increasing the toroidal magnetic field, reducing the longitudinal current, and increasing neutral injection heating. S.C.S.

A78-42245 First wall surface treating in the Frascati Tokamak FT. A. Boschi, C. Ferro (EURATOM and Comitato Nazionale per l'Energia Nucleare sulla Fusione, Centro Gas Ionizzati, Frascati, Italy), G. Luzzi, and L. Papagno (Calabria, Università, Cosenza, Italy). In: International Symposium on Plasma Wall Interaction, Jülich, West Germany, October 18-22, 1976, Proceedings. Oxford and New York, Pergamon Press, 1977, p. 583-588. 6 refs.

A high-field, medium-size tokamak, the Frascati Torus, is being assembled at the Centro Gas Ionizzati. Due to the high fields, a strong plasma-wall interaction is expected. In order to reduce the amount of impurities released from the walls, attention has been given to vacuum design and the surface treatments. These treatments include degreasing, bright-dipping, and baking. Very low outgassing rates have been achieved. Samples of the materials selected for the first wall, subjected to different treatments, have been comparatively analyzed by means of AES combined with ion bombarding erosion. Many monolayers of oxygen have been found, although in quite different amounts, depending on the quality of the material and the kind of treatment. (Author)

A78-42257 Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing. V. L. Blinkin and V. M. Novikov (Akademiia Nauk SSSR, Institut Atomnoi Energii, Moscow, USSR). *Nuclear Fusion*, vol. 18, July 1978, p. 893-900. 12 refs. Translation.

The paper discusses a symbiotic fusion and fission reactor system. The method is based on producing U-233 in the blanket of the fusion reactor from thorium which circulates as ThF₄ in a mixture of sodium and beryllium fluoride melts. The U-233 produced in the blanket supplies a fission reactor and generates fuel for additional symbiotic installations. Electric power and breed fuel with a doubling time of 4-5 years are produced when the ratio of thermal capacities of the fusion and fission reactor is 1:11. The reprocessing system consists of removing U-233 from the salt circulating in the reactor blanket and removing xenon from the fuel salt of the molten-salt reactor. It is also noted that tritium is produced in the fission reactor, the fusion reactor blanket is almost clean, and in principle all the thorium in the fusion reactor blanket can be used to produce U-233. S.C.S.

A78-42258 Transport calculations for a wall-confined liner-compressed plasma. R. E. Waltz (General Atomic Co., San Diego, Calif.). *Nuclear Fusion*, vol. 18, July 1978, p. 901-916. 41 refs. Research supported by the Electric Power Research Institute.

Theory and computations for a wall-confined slow-liner-compressed plasma are presented. The liner device considered has axial open-ended field lines. The numerical calculations include cross-field diffusion of magnetic field, heat, and impurities; compressional effects; heat loss to materially plugged ends; and radiation loss (including coronal impurity radiation). Both insulating and conducting liner boundary conditions are treated. The formation of a cold dense boundary layer is particularly severe in the former case. The heat transport is treated classically with some comparison to possible anomalous behaviour. While impurities are driven out of a straight high-beta plasma by thermal forces, critical trace level amounts present at injection can be catastrophic. Some simple scaling laws for various loss mechanisms are given. (Author)

A78-42259 The ambipolarity paradox in toroidal diffusion, revisited. S. P. Hirshman (Princeton University, Princeton,

N.J.). *Nuclear Fusion*, vol. 18, July 1978, p. 917-927. 24 refs. Contract No. EY-76-C-02-3073.

The radial current in an axisymmetric toroidal plasma is shown to damp away because of parallel ion viscosity on the ion-ion collision time scale. After this transient phase, the electrostatic potential is quasi-statically related to the toroidal angular momentum of each flux surface, and the cross-field particle fluxes are ambipolar and independent of the radial electric field. (Author)

A78-42260 Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions. I. R. Lindemuth (California, University, Livermore, Calif.) and T. R. Jarboe (California, University, Los Alamos, N. Mex.). *Nuclear Fusion*, vol. 18, July 1978, p. 929-938. 21 refs. Contract No. W-7405-eng-48.

A numerical analysis is made of the behavior of a Z-pinch plasma under linear implosion conditions. A time-dependent two-dimensional MHD plasma model is used. The model includes ionization, radiation, resistive diffusion, and thermal conduction. A computer code using implicit generalized Eulerian finite-difference methods solves the MHD partial differential equations. The calculations are based on assumed parameters of plasma volume 10-cm long and initially 30-cm in diameter, and constant linear velocity of 1 cm/microsec. Two-dimensional effects including the formation of a relatively cold dense region on the axis and the development of a wall-induced instability at the liner are noted. Comparisons are made with infinite-cylinder one- and two-dimensional calculations. S.C.S.

A78-42261 Tearing-mode-stable diffuse-pinch configurations. D. C. Robinson (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England). *Nuclear Fusion*, vol. 18, July 1978, p. 939-953. 43 refs.

It is demonstrated that tearing-mode-stable diffuse-pinch configurations of the reverse-field pinch type exist at zero beta for a current-carrying column surrounded by a small vacuum region. The conducting wall plays a vital role in this stability both to $m = 0$ and $m = 1$ modes. The core of the plasma, which has to satisfy a resistive-stability criterion, is of the form given by Taylor for a minimum-energy state but the outer region is quite different. Values of the pinch configuration parameter up to 3 are possible, permitting strong ohmic heating with zero or low current densities near the wall. Such configurations can be stable to ideal hydromagnetic modes for central values of beta of up to 17% (average beta 35%). (Author)

A78-42262 Cyclotron oscillations of a large-Larmor-radius plasma. A. V. Timofeev (Akademiia Nauk SSSR, Institut Atomnoi Energii, Moscow, USSR). *Nuclear Fusion*, vol. 18, July 1978, p. 955-963. 9 refs. Translation.

A method is proposed for investigating plasma oscillations in axially symmetric systems with a longitudinal magnetic field, which can be used for an arbitrary ratio of the Larmor radius of charged particles to the radius of the system. An anisotropic ion cyclotron instability and a modified negative-mass instability are analysed with this method. The analysis was performed for a system with parameters similar to those of the Ogra-3 device. It is shown, in particular, that in the case of a modified negative-mass instability, the threshold density for oscillations of the first azimuthal mode has a lower value than for the zero mode. This result corresponds to experimental data. (Author)

A78-42263 Two-component, multiple-mirror reactor with depressed ion temperature. S. T. Yang and M. A. Lieberman (California, University, Berkeley, Calif.). *Nuclear Fusion*, vol. 18, July 1978, p. 965-969. 18 refs. NSF Grant No. ENG-75-02709; Contract No. E(04-3)-34-PA-215.

The power balance equations for a two-component multiple-mirror reactor have been solved. The electron- and warm-ion-component power flows are treated separately. Significant depression of the ion temperature is found, slowing the multiple-mirror losses. For P (net electrical) = P (beam), a typical calculated reactor length is 230 m for a midplane field of 9.3 T. (Author)

A78-42264 Non-resonant pump field modification of the sidescatter threshold. P. N. Guzdar (Princeton University, Princeton, N.J.) and A. Sen (MIT, Cambridge, Mass.; Physical Research Laboratory, Ahmedabad, India). *Nuclear Fusion*, vol. 18, July 1978, p. 970, 971. 5 refs.

The modification of the dispersion relation for the ion-acoustic wave in the presence of an electromagnetic pump wave obliquely incident on the plasma is studied. Furthermore, its effect on the Brillouin sidescatter threshold is examined. (Author)

A78-42265 Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device. J. Salge, U. Braunsberger, B. Fell (Braunschweig, Technische Universität, Braunschweig, West Germany), I. Ueno (Tokyo, University, Tokyo, Japan), and H. Conrads (EURATOM and Kernforschungsanlage Jülich GmbH, Jülich, West Germany). *Nuclear Fusion*, vol. 18, July 1978, p. 972-974. 6 refs. Research sponsored by the Deutsche Forschungsgemeinschaft and Alexander-von-Humboldt-Stiftung.

The possibility of increasing the neutron yield of a dense plasma focus by several focus events during a single discharge of an energy store is discussed. On a small focus device supplied with a long-lasting current pulse from an inductive energy store, experiments were carried out where several radiation flashes in rapid succession during one discharge could be observed. By the time-of-flight method the generation of fast neutrons was proved. (Author)

A78-42266 Reversed-field pinch-burn dynamics. H. R. Stimpson and G. H. Miley (Illinois, University, Urbana, Ill.). *Nuclear Fusion*, vol. 18, July 1978, p. 974-977. 12 refs. ERDA-sponsored research.

The behaviour of a plasma contained in a reversed-field pinch device has been described in a global computer code which uses a helical-current model. The potential stability of the plasma during the burn is monitored. Results show that proper selection of key initial parameters, particularly plasma radius and imposed magnetic field, is essential if the burn is to be initiated with the most favourable conditions for prolonged stability and the associated enhanced energy multiplication. (Author)

A78-42267 Experimental transfer function analysis of a dissipative and a reactive mode. D. P. Grubb and G. A. Emmert (Wisconsin, University, Madison, Wis.). *Nuclear Fusion*, vol. 18, July 1978, p. 977-981. NSF-supported research.

Experimental measurements of the transfer function of both a dissipative and a reactive instability in the same device - the Linear Multi-Mirror experiment - are reported. The results illustrate clearly the dissipative and reactive nature of each mode and are consistent with the theoretical form of the transfer function. (Author)

A78-42268 Electron and ion heating by neutral injection in the DITE tokamak. K. B. Axon, R. D. Gill, R. S. Hemsworth, J. Hugill, P. J. Lomas, J. W. M. Paul, B. A. Powell, R. Prentice, P. E. Stott, and D. D. R. Summers (EURATOM and U.K. Atomic Energy Authority Fusion Association, Culham Laboratory, Abingdon, Oxon, England). *Nuclear Fusion*, vol. 18, July 1978, p. 981-984. 8 refs.

Neutral-injection heating experiments are reported in which an ion temperature increase of 52% and a central electron temperature increase of 75% were observed. It is shown that the rise in electron temperature is consistent with the added neutral-injection power and that the heating occurs without an increase in impurity level in the plasma. (Author)

A78-42269 Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977. R. W. Conn, G. L. Kulcinski (Wisconsin, University, Madison, Wis.), T. G. Frank (U.S. Department of Energy; California, University, Los Alamos, N. Mex.), R. Hancox (Atomic Energy Research Establishment, Culham Laboratory, Abingdon, Oxon, England), K. H. Schmitter (Max-Planck-Institut für Plasmaphysik GmbH, Garching, West Germany), and W. M. Stacey, Jr. (Georgia Institute of Technology, Atlanta, Ga.). *Nuclear Fusion*, vol. 18, July 1978, p. 985-1016. 5 refs.

A summary is given of the experimental, demonstration and commercial fusion reactor concepts presented at the Second IAEA Technical Committee Meeting and Workshop on Fusion Reactor Design. The potential role of fusion power as an inexhaustible energy source is discussed, the advances and trends in fusion reactor design assessed, and the major conclusions and recommendations of five workshop groups given. At present, designs for tokamaks are most heavily represented, with the emphasis on near-term reactor studies. Conceptual commercial reactors are becoming compact, high-power-density units. Reactor concepts are also presented for Q-enhanced mirror machines, alternate magnetic fusion concepts, and laser- and electron-beam-driven inertial confinement reactors. The fusion-fission hybrid concepts open up several approaches to fusion power, and special-topic papers cover technology problems and fusion commercialization. (Author)

A78-42415 Photocells with intermediate radiation conversion and enhanced concentration of solar radiation ($K=2500$). Zh. I. Alferov, V. M. Andreev, D. Z. Garbuzov, V. R. Larionov, and V. D. Rumiantsev (Akademii Nauk SSSR, Fiziko-Tekhnicheskii Institut, Leningrad, USSR). (*Pisma v Zhurnal Tekhnicheskoi Fiziki*, vol. 3, Oct. 26, 1977, p. 1090-1093.) *Soviet Technical Physics Letters*, vol. 3, Oct. 1977, p. 449, 450. 6 refs. Translation.

The manufacture and properties of heterojunction photocells with intermediate conversion of radiation are described. Al and Zn are heated with a n-GaAs:Te substrate, and four epitaxial layers, distinguished by their concentrations of AlAs and Zn, are produced. The composition and p-n characteristics of the layers are explained, and the spectrum of the photoresponse, with a peak at about 780 nm, is shown. The volt-ampere characteristics for varying degrees (from 236- to 2470-fold) of concentration of solar radiation are also indicated and discussed. M.L.

A78-42417 The influence of blade thickness on the output of vertical axis wind turbines. J. V. Healy (Belfast, Queen's University, Belfast, Northern Ireland). *Wind Engineering*, vol. 2, no. 1; 1978, p. 1-9.

Data in NACA TR 586 were used to compute power coefficients for NACA profiles 0009, 0012, 0015, and 0018 for a wide range of turbine Reynolds numbers and tip speed ratios from 2.25 upwards. Lift and drag matrices are determined from the data, and a standard subroutine was used to interpolate for the lift and drag coefficients for given values of angle of attack and blade Reynolds number. The computer program is based on the multiple-stream tube model, and takes inflow into account. The maximum power coefficient is about 0.5 at the highest turbine Reynolds number used (2,000,000), and is approximately the same for all profiles. The maximum occurs at a solidity of about 0.27 and a tip speed ratio around 3. In general, thicker profiles are better at low turbine Reynolds numbers. Effects of reduced drag for the 0012 profile are considered. M.L.

A78-42418 Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission. C. J. Todd, R. L. Eddy, R. C. James, and W. E. Howell (U.S. Bureau of Reclamation, Engineering and Research Center, Denver, Colo.). *Wind Engineering*, vol. 2, no. 1, 1978, p. 10-24. 15 refs.

The generation of windpower at the windiest available sites in the U.S. is considered in association with pumped-storage hydroelectric plants for load-leveling and existing types of transmission lines for interconnecting the windfarms and energy-storage sites with load centers up to 2000 km away. Potential energy harvest from windfarm sites in the 17 western states is estimated at well over 100 GW, and the yield in Arctic North America is estimated to be many times this much. At the 100-GW level of development, it is estimated that bus bar cost at the windfarm would be about 3 mills/MJ (10 mills/kWh), energy storage for load leveling would be about 1.8 mills/MJ, and transmission costs would be about 2.1 mills/MJ, for a total cost at the load center of 6 mills/MJ (21 mills/kWh), in 1976 dollars. M.L.

A78-42419 Calculation of the geometry and performance of a high-speed wind rotor. Y. Mercadier (Sherbrooke, Université, Sherbrooke, Quebec, Canada). *Wind Engineering*, vol. 2, no. 1, 1978, p. 25-36.

Methods of calculating rotor geometry and rotor performance are presented. The procedure involves blade element theory combined with conservation principles applied to flow through a disk. Calculated data on rotor performance efficiency as a function of the operating parameter, power as a function of wind speed and rotational speed, and shaft torque as a function of wind speed and rotational speed are presented. It is suggested that modern materials and fabrication techniques permit the construction of rotors of maximum efficiency. Successful design requires assessment of the performance over the whole range of operating conditions. M.L.

A78-42420 Secondary parameters affecting the performance of resistance-type vertical-axis wind rotors. S. Sivasegaram (University of Sri Lanka, Paradeniya, Sri Lanka). *Wind Engineering*, vol. 2, no. 1, 1978, p. 49-58. 11 refs.

An experimental study of the effect of four parameters - Reynolds number, wake aspect ratio, the size of the end plate, and the shaft diameter - on resistance-type vertical-axis wind rotors is described. The optimum diameter of the end plate is found to be just in excess of the wake width, and the shaft's adverse effect upon performance is found to become significant only when the shaft diameter is relatively large. Design profiles of some resistance-type vertical-axis rotors are shown, and differences in their characteristics are considered. M.L.

A78-42446 High-power lasers. J. P. Reilly. *Technology Review*, vol. 80, June-July 1978, p. 57-63. 6 refs.

In the earliest lasers, the waste heat generated in the course of lasing limited the average power of the device's beam to very low amounts. The heat produced at the center of a tube laser had to diffuse to the walls of the tube. The limit on average power was relieved by designing lasers in which the laser medium flows. The heat transfer by convection involved made it possible to remove heat 100,000 times more rapidly than it can be removed in a laser in which the medium is stationary. Gasdynamic lasers were scaled up in 1967 and 1968 from 8 to 135 kilowatts of laser output. With the additional advantage of running on power from an ordinary electrical outlet, the high-power continuous electric discharge laser, operating at up to 20-kilowatt output, has opened the way to an extraordinary variety of new industrial uses of the laser in the field of metalworking. A single laser can weld, cut, surface harden, and surface alloy. Attention is also given to problems of laser-induced fusion, the use of infrared chemical lasers in connection with the magnetic confinement fusion concept, and laser beam transmission in the atmosphere. G.R.

A78-42475 Views change on power satellite work. C. Covault. *Aviation Week and Space Technology*, vol. 109, July 17, 1978, p. 42, 43, 45, 46.

Two concepts of SSPS are discussed in terms of their similarities and differences. The first, proposed by the Marshall Space Flight Center, envisions a 5 GW microwave antenna positioned in the center of a 21.3 x 3.8 km focusing solar array. The structure is to be assembled entirely in geosynchronous orbit using an electric orbital transfer vehicle to ferry men and supplies from LEO. The other proposal, advanced by the Johnson Space Center, differs from the Marshall concept in that modules of the geosynchronous SSPS would first be assembled in LEO; and in the positioning of the microwave antenna(s), i.e., either one or two 5 GW antennas would be mounted at one or both ends of a 21 x 5 km unfocused solar array. Both systems would use a 100 sq km rectenna as an earth station for the actual generation of electric power, and both would rely on a 400 ton-payload HLLV for the initial transport of crew and construction materials. Either system, or a combination of both, could be online by the turn of the century, producing electricity at a user cost of 40 mill/kwh. D.M.W.

A78-42482 Classical diffusion in large-aspect toroidal plasmas. Y.-P. Pao (New York University, New York, N.Y.). *Physics of Fluids*, vol. 21, July 1978, p. 1120-1126. 9 refs. Contract No. E(11-1)-3077.

The problem of time-dependent classical diffusion of toroidal plasmas is considered for the case of a large-aspect ratio and a circular cross section. The parallel heat conductivity is assumed to be much larger than the other transport coefficients. Explicit calculations for the high-beta case indicate that toroidal effects are insignificant. For the low-beta case, fast and slow phases are considered, noting the difference between the slow phase and the quasi-stationary theory. S.C.S.

A78-42487 Turbulence theory for the dissipative trapped electron instability. K. T. Tsang, J. D. Callen (Oak Ridge National Laboratory, Oak Ridge, Tenn.), and G. Vahala (College of William and Mary, Williamsburg, Va.). *Physics of Fluids*, vol. 21, July 1978, p. 1172-1180. 22 refs. Contracts No. W-7405-eng-26; No. E(04-1)-5260.

A theory is developed for the turbulent response of the trapped electrons from a bounce averaged drift kinetic equation. It is noted that the turbulence influences the trapped electron nonadiabatic response primarily via turbulent collisions. The nonlinear dispersion relation is found and the turbulent response of trapped electrons is considered perturbatively. It is found that turbulence-induced collisions on trapped electrons are important in the nonlinear saturation of the dissipative trapped electron instability, particularly for a plasma deep in the banana regime. Numerical examples are compared with experimental results and the distinction between strong and weak turbulence is discussed. S.C.S.

A78-42491 Finite Larmor radius equations in an arbitrary near-theta pinch geometry. L. D. Pearlstein (California, University, Livermore, Calif.) and J. P. Freidberg (California, University, Los Alamos, N. Mex.). *Physics of Fluids*, vol. 21, July 1978, p. 1218-1226. 16 refs.

A set of fluid-like equations is derived which describes the stability of a diffuse, high-beta, arbitrary, near-theta pinch configuration. The equations simultaneously include geometric effects which drive ideal magnetohydrodynamic instabilities and kinetic effects which give rise to finite Larmor radius stabilization. A simple heuristic procedure is given for determining these equations in addition to a full derivation starting from basic principles. (Author)

A78-42492 Reversed-field configuration generated by a rotating relativistic electron beam. J. D. Sethian, D. A. Hammer, K. A. Gerber, D. N. Spector, A. E. Robson (U.S. Navy, Naval Research Laboratory, Washington, D.C.), and G. C. Goldenbaum (Maryland, University, College Park, Md.). *Physics of Fluids*, vol. 21, July 1978, p. 1227-1235. 22 refs. Navy-supported research.

A reversed-field plasma confinement geometry has been produced by plasma currents induced by a rotating relativistic electron beam injected into 85 mTorr neutral hydrogen. The resulting belt-pinch-like configuration has a rectangular cross section, with length-to-width ratio of 20, and midplane of 0.5. An equilibrium model, fitted to measurements of the excluded flux and induced axial and azimuthal magnetic fields, is in agreement with the annular plasma observed with radial Thomson scattering scans, CO₂ interferometry, and end-on streak photographs. After beam passage, the induced axial magnetic field remains constant for 5 microsec until the azimuthal magnetic field becomes small; at which time the plasma collapses radially. The observed decay times of the 4 microsec and concurrent increase in electron temperature (from 5 to 10 eV) are consistent with classical dissipation of the induced currents. (Author)

A78-42509 Platform designed for numerous uses. C. Covault. *Aviation Week and Space Technology*, vol. 108, June 19, 1978, p. 67, 68, 73.

An 82 x 31 meter GEO platform, expected to be operational by 1986, is described in terms of the antennas it will carry. It is noted that the platform is designed to be able to take over the function of more than a dozen communications and meteorological satellites now serving North America. Primary hardware on the platform includes: a 30 m dia C-band antenna capable of directing 37 spot beams to the 48 contiguous states and one beam each to Alaska, Hawaii, and Puerto Rico; one 12 m Ku-band antenna and 4 independently gimballed Ku-band antennas of 4.5 m each, permitting direct-broadcast to earth receivers as small as 1.6 m; S- and K-band capability; and an L-band system for use both in conjunction with the Marisat, Marots, and Aerosat programs, and for direct broadcast links to mobile receivers, e.g. automobiles. The platform would be assembled on two external Shuttle tanks over the course of three Space Shuttle missions. D.M.W.

A78-42638 # Design of a heat pipe with separate ducts for vapor and fluid (Raschet teplovoy trubyy s razdel'nymi kanalami dlya para i zhidkosti). Iu. E. Dolgirev, Iu. F. Gerasimov, Iu. F. Maidanik, and V. M. Kiseev (Ural'skii Politekhnikeskii Institut, Sverdlovsk, USSR). *Inzhenerno-Fizicheskii Zhurnal*, vol. 34, June 1978, p. 988-993. In Russian.

The heat transfer capacity and operating conditions of an antivibration heat pipe, with separate ducts for vapor and liquid, operating in evaporation regime, are calculated. The initial data for the calculation are the height of the heat pipe, geometric dimensions, characteristics of the capillary-porous structure of the pipe, and the temperature of the vapor and condensate arriving at the feed. The temperature drop at the barrier wall of the wick is determined and the condition for nonboiling of the liquid in the equalizing gap is verified. The dependence of heat pipe operation on temperature drop at the barrier wall of the wick, dP/dT of the heat carrier at a given temperature, and hydraulic resistance of the outer circuit is determined. Computer calculations for a specific heat pipe were performed, and agreement with experimental data was good. P.T.H.

A78-42773 Union Oil gets up steam for geothermal energy. J. Quirt. *Fortune*, vol. 98, July 31, 1978, p. 94-96.

Union Oil has drilled almost 300 wells in the U.S. and Canada in an effort to find reliable sources of geothermal power. The capital investment has thus far been on the order of \$150 million, with an additional \$100 million foreseen in the near future. Up till now, the return has been substantially less than the original investment (between \$15-20 million), but is expected to begin yielding a profit in the mid-eighties. A prime customer for the power generated by geothermal steam has been Pacific Gas and Electric, which erected a series of generating plants at geothermal sites having a combined output of 396,000 kW. Also mentioned is a series of three geothermal plants in the Philippines, which is expected to furnish one third of Manila's electrical needs by 1980. D.M.W.

A78-42807 # Computer aided two-dimensional analysis of junction type solar cells. A. M. Mazzone (CNR, Laboratorio LAMEL, Bologna, Italy). *Alta Frequenza (English Edition)*, vol. 47, May 1978, p. 285 E-292 E. 12 refs. Research supported by the Consiglio Nazionale delle Ricerche.

A two-dimensional modeling of the active region of a junction cell has been performed: having recourse to gradual assumptions the structure has been simulated through an aggregate of one-dimensional devices coupled through the current flowing in the surface region. This analysis accounts for phenomena such as drift and diffusion currents, recombination effects, field and doping dependent mobilities and non-ideal contacts. The method is here employed to evaluate the efficiency of cells having different doping profiles under one- or multi-sun exposure for different values of the distance between contact fingers. (Author)

A78-42858 Application of laser fusion to the radiolytic production of hydrogen. N. Vagelatos, N. A. Lurie, D. A. Vroom, D. H. Houston, R. D. Baird, and V. C. Rogers (IRT Corp., San Diego,

Calif.). *International Journal of Hydrogen Energy*, vol. 3, June 30, 1978, p. 177-201. 46 refs. ERDA-supported research.

A proposed design for a plant which would produce hydrogen by laser-fusion-induced steam radiolysis consists of a suppressed ablation lithium wetted wall cavity surrounded by pure and borated steam regions. Fusion neutrons deposit a substantial fraction of their energy in the steam regions, which causes nuclear heating in the steam and structural materials, as well as radiolysis of water molecules. Energy characteristics were determined by coupled photon-neutron transport calculations, and costs are estimated by an economic analysis. M.L.

A78-42859 Experimental and theoretical investigation of thermochemical hydrogen production. K. F. Knoche, H. Cremer, D. Breywisch, S. Hegels, G. Steinborn, and G. Wüster (Rheinisch-Westfälische Technische Hochschule, Aachen, West Germany). *International Journal of Hydrogen Energy*, vol. 3, June 30, 1978, p. 209-216. 6 refs. Research supported by the Deutsche Forschungsgemeinschaft.

Hydrolysis, chlorination and the reverse Deacon reaction as steps of thermochemical water splitting cycles have been investigated in a laboratory scale with respect to feasibility and chemical engineering aspects. The results are discussed. Some general theoretical considerations concerning the efficiency of thermochemical water splitting cycles are presented. Using general criteria, some chemical reactions of proposed schemes of water splitting processes are selected and compared. (Author)

A78-42860 * Air terminals and liquid hydrogen commercial air transports. P. F. Korycinski (NASA, Langley Research Center, Hampton, Va.). *International Journal of Hydrogen Energy*, vol. 3, June 30, 1978, p. 231-250. 9 refs.

An initial appraisal is made of results of two studies of the ground requirements of liquid hydrogen (LH2) air transports. Each hypothesized the use of a 400-passenger 5500 nautical mile range subsonic commercial LH2 transport. Two of the world's busiest commercial airports, Chicago O'Hare International and San Francisco International, were selected for study. The current and predicted wide-body traffic at these airports was assumed to simulate the LH2 transport traffic at these airports in the 1990-1995 time period. Both studies produced conceptual designs for facilities to generate the required quantities of fuel from pipeline gaseous hydrogen and to deliver liquid hydrogen to the airplanes. Although the LH2 and jet fuel facilities were kept apart, both study teams found it practical to converge the fuel supply lines so that with proper safety and operational procedures, and specialized LH2 equipment both LH2 and jet fuel transports can use common ramp and gate facilities. (Author)

A78-42890 Daily input modelling for solar collectors and systems. B. J. Brinkworth (University College, Cardiff, Wales). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 4-7. 11 refs.

A technique for determining a solar energy input function applicable to system modeling is proposed. The function, which may be derived for the effective insolation at a particular location, represents the daily variation with time of insolation which would yield the same long-term output as actual insolation. The function takes into account collector characteristics and the system to which it is connected. S.C.S.

A78-42891 Solar energy for industrial processes - A simplified design method. F. Butera, G. Cannistraro, and G. Silvestrini (Palermo, Università, Palermo, Italy). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 8-14. 15 refs.

A simulation model is developed to predict the long-term thermal output of solar energy systems for industrial applications. The systems are assumed to use liquids as energy transfers and storage media and flat plate collectors. The mathematical model accounts for the collectors, heat exchangers, circulating pumps, and pump controllers. Measurements of dry bulb temperature and total and diffusive solar radiation on a horizontal surface are used as hourly data. Various factors influencing optimal economical designs of solar energy systems are identified, including heat transfer media capacitance rate, storage tank size, monthly load pattern, fuel cost, and the weather characteristics of the particular site. It is noted that the model may be used in Mediterranean climates for systems operating at temperatures to 100 C. S.C.S.

A78-42892 Study of the performance of flat plate collectors in the transient regime (Contribution à l'étude du comportement des capteurs plans en régime transitoire). R. Gicquel, B. Bourges, and D. Schmoll (Paris, Ecole Nationale Supérieure des Mines, Paris, France). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 15-19. In French.

One- and two-temperature mathematical models are developed to describe the performance of flat-plate collectors in the transient regime. The models yield first-order partial-differential equations which may be used in global studies of solar energy systems. The numerical results are compared to experimental curves. S.C.S.

A78-42893 The theoretical and experimental performance of a solar heater equipped with flat plate collectors (Performances théoriques et expérimentales d'une chaudière solaire à capteurs plans). R. Ployart and J. Colomes (Commissariat à l'Energie Atomique, Centre d'Etudes Nucléaires de Saclay, Gif-sur-Yvette, Essonne, France). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 20-28. In French.

A comparison is made between the results obtained for a 320-sq-m solar heater equipped with flat plate collectors and the results determined by the ORIENT computer program which simulates solar heater performance. Consideration is given to the origin of thermal inertia, noting that larger solar heaters yield less heat per unit area than smaller units. The performance of a solar heater is discussed in terms of its operation at 80 and 100 C. S.C.S.

A78-42894 A 400 kW high temperature solar test facility. J. D. Walton, S. H. Boimar, C. T. Brown, and N. E. Poulos (Georgia Institute of Technology, Atlanta, Ga.). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 29-32. 6 refs.

The paper discusses a 400-kW(th), high-temperature, receiver-type solar test facility located in Georgia. The facility employs 550 circular, back-silvered mirrors that are 111-cm in diameter and 3-mm thick. The mirrors, which may be operated in flat or focused configurations, are arranged in an octagonal pattern. The receiver is located 20 meters above the center of the field. Actual total thermal energy yield is a function of the number of mirrors, the incident direct solar radiation, the time of year, and the time of day. Studies during the initial stages of operation will concentrate on (1) the efficiency of the heliostat drive system, (2) the efficiency of the boiler-superheater, (3) the range of feedwater flow rates and pressures, and (4) the resulting steam conditions. S.C.S.

A78-42895 Experimental determination of optimal operating conditions for circular-profile solar concentrators (Détermination expérimentale des conditions d'emploi optimales de concentrateurs solaires à section circulaire). J. Robin, J. Pivot, J.-A. Roger, and C. H. S. Dupuy (Lyon I, Université, Villeurbanne, Rhône, France). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 40-43. In French.

A simulation technique has been employed for the determination of the optimal operating conditions of a cylindrical mirror with a circular profile. A 100-W lamp represents the apparent solar angle.

Results are presented for the variation in concentration as a function of mirror size, the variation in concentration strength as a function of defocalization, and the influence of mirror size on the density of the concentration region. S.C.S.

A78-42896 Algae cultures and methanization - The role of these techniques in the bioconversion of solar energy (Cultures d'algues et méthanisation - Place de ces techniques dans la bioconversion de l'énergie solaire). F. Sauze (Institut National de la Recherche Agronomique, Narbonne, France). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 44-48. 19 refs. In French.

The paper discusses the potential exploitation of algae cultures for energy production noting urban, agricultural, and industrial liquid wastes. It is suggested that the physical-chemical characteristics of the effluents may be improved by processes including pH correction, nitrogen enrichment, and polyphenol elimination. The effluent sources are considered in terms of potential annual yield of algae, protein, and methane. The potential costs of developing bioconversion facilities are outlined and prospects for other biomass-based energy-production schemes are proposed. S.C.S.

A78-42897 Fluids serving as heat transfer agents in solar energy conversion (Les fluides caloporteurs dans la conversion de l'énergie solaire). M. de Moncuit (Rhône-Poulenc Industries, Décines, Rhône, France). *Coopération Méditerranéenne pour l'Energie Solaire, Revue Internationale d'Héliotechnique*, 1st Quarter, 1978, p. 56, 57. In French.

Consideration is given to solar energy conversion on the basis of fluids serving as heat transfer agents, noting heat collection, transfer, and utilization processes. Two collection procedures are identified: pressure and trapping between two surfaces, and concentration using convergent mirrors. The primary factors influencing the choice of a heat-transfer fluid are given with reference to those which may be utilized to 120 C (aqueous and anhydrous fluids), from 120 to 400 C (organic fluids), and above 400 C (nitrate mixtures). S.C.S.

A78-42902 Emissions and energy conservation in residential oil heating. A. C. S. Hayden, R. W. Braaten, and T. D. Brown (Department of Energy, Mines and Resources, Ottawa, Canada). *Air Pollution Control Association, Journal*, vol. 28, July 1978, p. 669-672.

Emissions from oil-fired residential heating equipment can be reduced by improved steady running and cyclic efficiencies. Techniques which reduce the heating demand (thermostat cut-back) or reduce envelope losses (chimney damper) lead to reductions in SO₂ and NO emissions proportional to the fuel saving. Higher savings in CO and particulates result from cyclic modification. Reductions in nozzle size lead to an increase in unit cycle duration, reducing the off-cycle losses, with emissions reduced similarly. Changing the thermostat anticipator yields little reduction in fuel, SO₂ or NO, but significantly reduces CO and particulate emissions, by decreasing the number of cycles. Improved burner performance, with combustion at low excess air, offers the largest fuel savings, with commensurate reductions in SO₂ and NO, and greater reductions in CO and particulates. (Author)

A78-42906 Efficiency and reliability of sulfur dioxide scrubbers. W. H. Megonnell. *Air Pollution Control Association, Journal*, vol. 28, July 1978, p. 725-731. 19 refs.

Characteristics of 32 utility company flue gas desulfurization units classified as operational are summarized, and performance data for these units are examined. Data on reported fuel sulfur contents and removal efficiencies are presented. Measured removal efficiencies of 90% or greater were reported for only two units. The performance data, described in terms of availability, reliability, operability, and utilization, seem to suggest that present flue gas desulfurization systems would be unable to operate continuously in compliance with EPA's draft proposed standards. M.L.

A78-42978 # Fuel-combustion control in the combustion chamber of an MHD generator (Regulirovanie protsessy szhiganiia topliva v kamere sgoraniia MGD generatora). M. S. Pinkhasik, V. D. Mironov, Iu. A. Zakharko, A. I. Plavinskii, and N. A. Miniaev (Akademiia Nauk SSSR, Nauchno-Issledovatel'skii Institut Vysokikh Temperatur; Vsesoiuznyi Nauchno-Issledovatel'skii Teplo tekhnicheskii Institut, Moscow, USSR). *Teploenergetika*, May 1978, p. 41-44, 6 refs. In Russian.

The combustion chamber of the U-25 MHD power plant is experimentally studied as a control plant; functional relations between the input and output parameters of the combustion chamber, as control plant, are examined. An analysis of the static and dynamic characteristics of the plant indicates that the governing parameter in the controlled process is the oxidizer-excess coefficient, α . The control system must assure operation in the α range of 0.9-1.0. A transfer function is obtained for this range of α .

B.J.

A78-43026 Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, University of Pittsburgh, Pittsburgh, Pa., April 21, 22, 1977. Parts 1 & 2. Conference sponsored by the University of Pittsburgh. Edited by W. G. Vogt and M. H. Mickle. Pittsburgh, Pa., Instrument Society of America, 1977. Pt. 1, 648 p.; pt. 2, 544 p. Price of each part, \$37.50.

The papers in this volume present and discuss new models for analysis in the fields of energy systems, transportation systems, vehicle dynamics, estimation and control theory, reliability, network analysis, signal processing, computer systems, biomedical systems, ecosystems, societal decision making, urban and regional planning, and economics. Individual studies include turbulence and stability estimates in atmospheric dispersion modeling, station analysis of a personal rapid transit system, hybrid technique for spacecraft attitude interpolation with arbitrary attitude data gaps, Routh approximations in state space, optimal preventive maintenance and replacement strategies under Markovian deterioration, vector processing in simulation, hierarchy of simulation models for a turboprop gas engine, and a high-speed programmable computer monitoring, simulation, and analysis system using distributed microprocessor techniques.

P.T.H.

A78-43044 Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel. D. R. Markus and R. Krutz (Carnegie-Mellon University; Pittsburgh, Pa.). In: Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, Pittsburgh, Pa., April 21, 22, 1977. Part 1. Pittsburgh, Pa., Instrument Society of America, 1977, p. 287-292. 8 refs.

Modern inertial energy storage devices offer attractive possibilities as a power source in electric vehicles. To demonstrate this, a flywheel powered electric vehicle is designed and simulated in detail. Simulation is carried out subject to the characteristics of commercially available equipment; where actual device characteristic curves are used whenever possible. Hence, the effects of component nonlinearities and variable efficiencies as well as system constraints are included. Based upon this approach, vehicle performance may be evaluated in greater breadth and depth than traditionally done.

(Author)

A78-43072 Energy resources. J. T. McMullan, R. Morgan, and R. B. Murray (Ulster, New University, Coleraine, Northern Ireland). New York, Halsted Press, 1977. 183 p. 39 refs. \$7.95.

The book presents a survey of energy resources and of the technologies by which they can be exploited. Energy resources, their practicality, and their distribution are considered with attention to recent features in the pattern of energy use. The basic laws of energy conversion are explained, and examples of their application to energy problems are presented. Power from natural sources (solar, water, wind, sea, and geothermal) is discussed, and the theory, development, and application of nuclear power is analyzed. Topics associated with power production inefficiencies, including waste heat, waste products, the heat pump, insulation, transport, and investment in energy saving, are examined.

M.L.

A78-43101 Baseload reliability in a combustion turbine. V. Cooper and R. Duncan (Electric Power Research Institute, Palo Alto, Calif.). *EPRI Journal*, vol. 3, June 1978, p. 17-21.

Combustion turbines in connection with their low capital cost and short construction lead time have found increasing application in electric utility systems to supply peak demand power. However, the combustion turbine has a low fuel economy and a high operating cost, and is not counted on for long-run reliability or operating economy. The considered turbine is basically the same unit that powers the world's jet aircraft. The difference in service conditions for utility turbines and aircraft turbines is investigated and approaches are discussed for improving the performance and efficiency of the ground-based turbines. From earlier exploratory studies has emerged a multiphase program to develop a new combustion-turbine-combined-cycle configuration that has inherent baseload reliability and is capable of economical operation of a broad spectrum of fuels.

G.R.

A78-43176 Open-cycle MHD energy conversion - Prospects and developments for central station power generation. F. Hals, S. Petty, D. Stickler, and A. Solbes (Avco Everett Research Laboratory, Inc., Everett, Mass.). *Illinois Institute of Technology, American Power Conference, Chicago, Ill., Apr. 18-20, 1977, Paper*. 13 p. 7 refs.

The principles of MHD, MHD research projects, and the conservational and environmental benefits offered by MHD are described. Topics discussed include the MHD channel, the superconducting magnet, coal combustion for an MHD plant, air preheaters, seed recovery and regeneration, and a bottoming plant including NOx emission control. It is concluded that significant progress has been achieved in the development of open-cycle MHD; an experimental MHD generator has been tested under conditions which realistically simulate those of projected full-scale coal-burning MHD generators. The development of a pilot-scale engineering test facility is considered.

M.L.

A78-43270 Modeling the sectors of production and energy transformation - The situation in France (Modélisation des secteurs de production et de transformation de l'énergie - Le cas Français). D. Babusiaux, P. Offant, and M. Valais (Institut Français du Pétrole, Rueil-Malmaison, Hauts-de-Seine, France). *Institut Français du Pétrole, Revue*, vol. 33, Mar.-Apr. 1978, p. 177-190. In French.

The paper describes a dynamic linear model which represents all energy production and energy transformation sectors in France. The purpose of the model is to help determine investment plans which would fulfill, at the least cost, consumption demands which change in a known manner over time. While the model is linear, the submodels concerned with electric power stations or refinery units are calibrated by more sophisticated means. The modeling of the petroleum sector and of the electric sector are first presented in terms of a static model. The multienergy dynamic model is then explained, and, as an example, predictions of the proportions of different kinds of refineries and electric power plants for each year over the 1980-1996 period are presented.

M.L.

A78-43276 Unrealities in the energy R & D program. R. W. Schmitt and P. J. Stewart (GE Corporate Research and Development Center, Schenectady, N.Y.). *Research Management*, vol. 21, July 1978, p. 7-9.

It is suggested that the large increase in federal funding of energy R & D will cause the fraction of new technical developments actually commercialized to go down, and the risk of commercialization of new energy technologies to individual companies to go up. An increase in research funds might foster prolonged research projects and delay decisions as to which techniques should be developed for commercial purposes. The multiplicity of technologies developed as a result of federal sponsorship might fragment and confuse the market, so that the risk of commercial development of any single technology would be increased. It is suggested that the

Federal Government use its resources to support and develop an adequate knowledge base for a limited number of the most promising technologies - some short term, others long term - and to develop a reasonable number of demonstration projects. At this point normal market and competitive forces could take over except for national security needs.

M.L.

A78-43287 Air flow in the central valley of Maui, Hawaii. P. A. Daniels and T. A. Schroeder (Hawaii, University, Honolulu, Hawaii). *Journal of Applied Meteorology*, vol. 17, June 1978, p. 812-818. 19 refs. NSF Grant No. AER-76-05596; Contract No. EG-77-6-03-1617.

Low-level winds in the central valley of the island of Maui were investigated in a field program during August 1976. Forty-one sites were occupied using three mobile stations during a period of persistent trade winds. Contemporaneous data from the Kahului Weather Service Office as well as other Hawaiian stations were collected to relate field observations to large-scale events. Streamline analyses reflect the diurnal variation of the low-level circulation which is profoundly influenced by Haleakala and West Maui volcanoes. The field survey was utilized in planning new fixed stations to monitor wind characteristics for wind power applications. Preliminary fixed station results are discussed. The importance of diurnal mesoscale patterns on wind power planning was emphasized.

(Author)

A78-43291 A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains. M. R. Hjelmfelt, R. D. Farley, and P. C. S. Chen (South Dakota School of Mines and Technology, Rapid City, S. Dak.). *Journal of Applied Meteorology*, vol. 17, June 1978, p. 846-857. 60 refs. NSF Grants No. 36910X; No. DES-75-03882.

The paper reports a numerical simulation study of the possible effects of air pollution from coal-fired power plants on cloud and precipitation processes in the northern Great Plains. The ice phase is not considered. Observational data are used to develop natural and polluted particulate distributions, and cloud droplet growth on these distributions is simulated in a condensation model. The results indicate that the number concentration and dispersion coefficient (breadth) of the cloud droplet size distributions are increased by the addition of pollutant particles. Coalescence calculations show that the rate of production of large drops, while being slowed by an increase in the number concentration, is hastened by an increase in the dispersion coefficient; the two effects nearly cancel each other out. The dispersion coefficient and warm cloud precipitation are dependent on pollutant particle size distribution and chemical composition.

M.L.

A78-43296 Development of a new combustion system /MCA-jet/ in gasoline engine. Y. Nakamura, Y. Kiyota, K. Akishino, Y. Tsukamoto, K. Hori, T. Nakagami, and T. Ohinoue (Mitsubishi Motors Corp., Japan). *Mitsubishi Heavy Industries Technical Review*, vol. 15, Feb. 1978, p. 46-53.

The article discusses the jet-controlled lean combustion system. Particular attention is given to (1) fuel consumption versus air-fuel ratios under 40 km/h road-load, (2) the effects of EGR conforming to severe NOx regulations, and (3) the effects of jet port diameter and jet flow direction on fuel consumption.

S.C.S.

STAR ENTRIES

N78-22149* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

CLOSED LOOP SOLAR ARRAY-ION THRUSTER SYSTEM WITH POWER CONTROL CIRCUITRY Patent Application Robert P. Gruber, inventor (to NASA) Filed 29 Mar. 1978 20 p

(NASA-Case-LEW-12780-1; US-Patent-Appl-SN-891370) Avail: NTIS HC A02/MF A01 CSCL 21C

A solar array-ion thruster system is described which includes a power control circuit that permits use of the thruster itself in operating the solar array at the maximum power point. The power control circuit, connected between the solar array and the ion thruster and receiving voltage and current signals from the former, multiplies the voltage and current signals together to produce a power signal which is differentiated with respect to time. The differentiator output is detected by a zero crossing detector and, after suitable shaping, the detector output is phase compared with a clock in a phase demodulator. An integrator receives no output from the phase demodulator when the operating point is at the maximum power point, but is driven toward the maximum power point for non-optimum operation. A ramp generator provides minor variations in the beam current reference signal produced by the integrator in order to obtain the first derivative of power. NASA

N78-22184* Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena: **COMPATIBILITY STUDIES OF VARIOUS REFRACTORY MATERIALS IN CONTACT WITH MOLTEN SILICON**

T. O'Donnell, M. Leipold, and M. Hagan 1 Mar. 1978 119 p refs Prepared for DOE

(Contract NAS7-100)

(NASA-CR-156181; JPL-Pub-78-18; DOE/JPL-1012-77/6) Avail: NTIS HC A06/MF A01 CSCL 07D

The production of low cost, efficient solar cells for terrestrial electric power generation involves the manipulation of molten silicon with a present need for noncontaminating, high temperature refractories to be used as containment vessels, ribbon-production dies, and dip-coated substrates. Studies were conducted on the wetting behavior and chemical/physical interactions between molten silicon and various refractory materials. Author

N78-22243* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

EXPERIMENTAL EVALUATION OF FUEL PREPARATION SYSTEMS FOR AN AUTOMOTIVE GAS TURBINE CATALYTIC COMBUSTOR

Robert R. Tacina 1977 22 p refs Presented at the 2d Workshop on Catalytic Combust., Raleigh, N. C.; sponsored by EPA Prepared for DOE

(NASA-TM-78856; DOE/NASA-1011-78/23; E-9585) Avail: NTIS HC A02/MF A01 CSCL 21D

Spatial fuel distributions, degree of vaporization, pressure drop and air velocity profiles were measured. Three airblast injectors and an air-assist nozzle were tested. Air swirlers were used to improve the spatial fuel-air distribution. The work was done in a 12 cm tubular duct. Test conditions were: a pressure of 0.3 and 0.5 MPa, inlet air temperatures up to 800 K, air velocities of 10 to 20 m/s and fuel-air ratios up to 0.020. The fuel was Jet A. The best results were obtained with an airblast configuration that used multiple cones to provide high velocity

air for atomization and also straightened the inlet airflow. With this configuration, uniform spatial fuel-air distributions were obtained with mixing lengths greater than 17.8 cm. In this length, vaporization of the fuel was 98.5 percent complete at an inlet air temperature of 700 K. The total pressure loss was 1.0 percent with a reference velocity of 20 m/s and 0.25 percent at 10 m/s. The air velocity was uniform across the duct and no autoignition reactions were observed. Author

N78-22386* Booz-Allen and Hamilton, Inc., Bethesda, Md. Transportation Consulting Div.

TRANSIT BUS PROPULSION SYSTEMS ALTERNATE POWER PLANT INSTALLATION Final Report

Sep. 1977 42 p

(Contract DOT-UT-10008)

(PB-276612/9; UMTA-IT-06-0025-78-2) Avail: NTIS

HC A03/MF A01 CSCL 13F

Installation characteristics of the most suitable engines for each of the three prototype Transbus designs are presented. Listed and illustrated are: (1) the engine compartments of the three prototype Transbus designs; (2) the candidate engines; and (3) the candidate engines fitted into the three prototypes. The results presented show that two engine types, the 4-cycle diesel engine and the gas turbine engine, may challenge the 2 cycle diesel engine for the transit coach market. Author

N78-22435* Geological Survey, Denver, Colo.

THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 3: HEAT DISCHARGE FROM MOUNT ST. HELENS, WASHINGTON Final Report, 1972 - 1975

Jules D. Friedman and David Frank, Principal Investigators May 1977 34 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(NASA Order S-70243-AG)

(E78-10122; NASA-CR-156972) Avail: NTIS HC A03/MF A01 CSCL 08K

The author has identified the following significant results. Two thermal anomalies, A at 2740 m altitude on the north slope, and B between 2650 and 2750 m altitude on the southwest slope at the contact of the dacite summit dome of Mount St. Helens, Washington were confirmed by aerial infrared scanner surveys between 1971 and 1973. LANDSAT 1 data collection platform 6166, emplaced at site B anomaly, transmitted 482 sets of temperature values in 1973 and 1974, suitable for estimating the differential radiant emission as 84 W/sq m, approximately equivalent to the Fourier conductive flux of 89 W/sq m in the upper 15 cm below the surface. The differential geothermal flux, including heat loss via evaporation and convection, was estimated at 376 W/sq m. Total energy yield of Mount St. Helens probably ranges between 0.1 and 0.4 x 10 to the 6th power W.

N78-22439* Federal Energy Administration, Washington, D. C. Strategic Petroleum Reserve Office.

STRATEGIC PETROLEUM RESERVE: FINAL ENVIRONMENTAL IMPACT STATEMENT FOR KLEER MINE

Sep. 1977 598 p refs

(FES-77-2; FEA/S-77/324) Avail: NTIS HC A25/MF A01

This site-specific Environmental Impact Statement has identified particularly sensitive environmental parameters for the Kleer Mine, Texas Early Storage site. The most sensitive parameters to be affected by oil storage development appear to be water quality, air quality, and socioeconomic factors. The significant adverse impacts to the physical environment that could result from the program include: degradation of surface water quality due to sedimentation from runoff and erosion during pipeline construction activities; a moderate increase in hydrocarbon emissions during transfer and temporary storage of oil in the Winnsboro storage tanks; locally significant increases in hydrocarbon emissions during transport of oil from the Gulf of Mexico to Winnsboro Terminal; and the potential for an increase in the frequency of oil spills along the transportation corridors. Changes

in water quality would have a short term impact on the aquatic organisms. Author

N78-22451# Cornell Univ., Ithaca, N. Y. Dept. of Agricultural Economics.

ENHANCED OIL RECOVERY: THE IMPACT OF POLICY OPTIONS

Robert J. Kalter Jul. 1977 30 p refs
(Grant NSF SIA-74-21846)
(PB-276763/O; STAFF-PAPER-77-27; NSF/RA-770324) Avail: NTIS HC A03/MF A01 CSCL 10A

Enhanced recovery processes are evaluated under the assumption of information certainty, using forecasts of production, price and cost profiles for selected reservoirs. Alternative public policy options, designed to foster private sector development, are evaluated under this assumption. A second analysis, using subjective probability distribution of key input variables, is conducted in an effort to ascertain the impact of these and other policy alternatives designed for situations of uncertainty. The following potential public policy actions are analyzed and evaluated: (1) alternative regulated and/or market price levels; (2) price and/or purchase guarantees for enhanced oil production over the lifetime of a producing facility and (3) alternative taxation policies. GRA

N78-22452# Office of Technology Assessment, Washington, D. C.

ENHANCED OIL RECOVERY POTENTIAL IN THE UNITED STATES

Jan. 1978 232 p
(PB-276594/9; OTA-E-59; LC-77-600063) Avail: NTIS HC A11/MF A01 CSCL 081

The potential for increasing domestic production from known reservoirs using enhanced oil recovery (EOR) techniques is discussed. The study examines five EOR processes, including in situ combustion, steam injection, and flooding. The report discusses the economic, environmental, and legal impacts of enhanced oil recovery, and includes appendices on the oil resource and supporting materials for enhanced oil recovery projections, as well as additional information on the legal aspects of EOR. GRA

N78-22458 Pittsburgh Univ., Pa.
DEVELOPMENT OF A Ti/Fe REDOX COUPLE FLOW BATTERY SYSTEM Ph.D. Thesis

Robert Francis Savinell 1977 243 p
Avail: Univ. Microfilms Order No. 78-01888

A flow redox cell with graphite foil electrodes and an anion permeable membrane separator were designed, constructed and operated. The Fe/Ti redox couple reaction was employed. Both the flow cell and a stationary cell were used to evaluate the limiting factors of this battery system. The effects of polarizations on the cell performance were investigated. These polarizations included those from diffusion, activation and internal resistance. It was found that this battery system was not diffusion controlled and was greatly affected by activation. The activation influence was attributed to the oxidation reaction of titanous chloride. The internal resistance polarization was more dominant for cells with large electrode surface area. The application of a pulsating flow to the flow battery system did not affect or improve the battery performance. However, the use of different electrode material showed a marked difference in the performance of the stationary cell. Dissert. Abstr.

N78-22462 Iowa State Univ. of Science and Technology, Ames.
EFFECTS OF LARGE INTERCONNECTED WIND GENERATORS ON THE ELECTRIC POWER SYSTEM Ph.D. Thesis

David Kelly Pantalone 1977 135 p
Avail: Univ. Microfilms Order No. 78-05966

When one considers the direct interfacing of wind generator systems (WGSs) with the electric power system, there is an interest in WGS dynamics and compatibility with the power system. Two general effects that may occur as a result of the presence of many large WGSs in the system were considered.

The first effect deals with the possibility of contributing to dynamic instability in the large interconnected power system. A modal analysis of a set of WGSs on a radial line was used to examine this possibility. The effect of certain components, parameters, and conditions on the eigenvalues was studied. The second effect deals with a load tracking constraint in automatic generation control as affected by the power spectrum of the wind. A frequency response analysis was used to determine the frequency content of the WGS output. Dissert. Abstr.

N78-22464*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
HISTORICAL EVIDENCE OF IMPORTANCE TO THE INDUSTRIALIZATION OF FLAT-PLATE SILICON PHOTO-VOLTAIC SYSTEMS, VOLUME 2

Jeffrey L. Smith, William R. Gates, and Tom Lee Apr. 1978 67 p refs Sponsored by NASA Prepared for JPL
(NASA-CR-156185; DOE/JPL-1012-78/1-Vol-2; JPL-Pub-78-36-Vol-2; Rept-5104-Vol-2) Avail: NTIS HC A04/MF A01 CSCL 10A

Problems which may arise as the low cost silicon solar array (LSSA) project attempts to industrialize the production technologies are defined. The charge to insure an annual production capability of 500 MW peak for the photovoltaic supply industry by 1986 was critically examined, and focused on one of the motivations behind this goal-concern over the timely development of industrial capacity to supply anticipated demand. Conclusions from the analysis are utilized in a discussion of LSSA's industrialization plans, particularly the plans for pilot, demonstration and commercial scale production plants. Specific recommendations for the implementation of an industrialization task and the disposition of the project quantity goal were derived. Author

N78-22465*# IBM Federal Systems Div., Huntsville, Ala.
SYSTEM DESIGN PACKAGE FOR SIMS PROTOTYPE SYSTEM 2, SOLAR HOT WATER

Dec. 1977 112 p Prepared for DOE
(Contract NAS8-32036)
(NASA-CR-150521) Avail: NTIS HC A06/MF A01 CSCL 10A

Information necessary to evaluate the design and assembly of a solar hot water system is presented. A prototype system designed for use in a single family dwelling is investigated in terms of the following subsystems: collector, storage, energy transport, and control. M.V.

N78-22466*# Wyle Labs., Inc., Huntsville, Ala. Solar Energy Systems Div.
INDOOR THERMAL PERFORMANCE EVALUATION OF THE SEPSCO AIR COLLECTOR

Sep. 1977 35 p Revised Prepared for DOE
(Contract NAS8-32036)
(NASA-CR-150631; TR-531-11-Rev-B) Avail: NTIS HC A03/MF A01 CSCL 10A

The procedures used and the results obtained during the evaluation test program on the Solaron solar air collector, model EF-212, under simulated conditions for comparison with data collected in outdoor tests on the same collector are given. The test article was a single glazed collector with a nonsensitive absorber plate, aluminum box frame, and one inch isocyanurate foam insulation. Author

N78-22467*# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

SOLAR HEATING AND COOLING SYSTEM DESIGN AND DEVELOPMENT Quarterly Report, 1 Oct. - 31 Dec. 1977

10 Mar. 1978 9 p Prepared for DOE
(Contract NAS8-32093)
(NASA-CR-150640; F3437-QR-108) Avail: NTIS HC A02/MF A01 CSCL 10A

The progress of the program during the sixth program quarter is reported. The program calls for the development and delivery of eight prototype solar heating and cooling systems for installation and operational test. The William O'Brien single-family heating system was installed and is operational. The New Castle

single-family heating residence is under construction. The Kansas University (KU) system is in the final design stages. The 25 ton cooling subsystem for KU is the debugging stage. Pressure drops that were greater than anticipated were encountered. The 3 ton simulation work is being finalized and the design parameters for the Rankine system were determined from simulation output.

Author

N78-22488* National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

KINE-PAK: A SELF-CONTAINED, ELECTRICAL POWER GENERATOR SYSTEM Patent Application

David C. Grana and Richard T. Wilem, inventors (to NASA) Filed 3 Mar. 1978 9 p

(NASA-Case-LAR-11551-1; US-Patent-Appl-SN-883090) Avail: NTIS HC A02/MF A01 CSCL 10A

A self contained electrical generator which is powered by random environmental movement such as wave action is described. The self contained generator is used in a buoy, or other devices, to generate electrical power to operate test equipment or weather observation equipment and eliminate or reduce the replacement rate of batteries. The generator is comprised of a rotor, a stator, a helical spring, and a housing. The rotor is rotated relative to the stator and electrical current is generated as the armature winding cuts the lines of magnetic force. The current is supplied to batteries or instruments. NASA

N78-22489* National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, Ala.

WIND WHEEL ELECTRIC POWER GENERATOR Patent Application

John W. Kaufman, inventor (to NASA) Filed 24 Feb. 1978 16 p

(NASA-Case-MFS-23515-1; US-Patent-Appl-SN-880726) Avail: NTIS HC A02/MF A01 CSCL 10A

An electric generator driven by the wind is described. Primary and auxiliary funnel-type, venturi ducts are mounted upon a housing for capturing wind currents and conducting the currents to a bladed wheel connected to generator apparatus. Additional air flows are also conducted onto the bladed wheel, rotating the wheel. The auxiliary ducts are disposed at an acute angle with respect to the longitudinal axis of the housing, and together with the rotatability of the housing and the ducts, permits capture of wind currents within a variable directional range. NASA

N78-22470* National Aeronautics and Space Administration, Pasadena Office, Calif.

DOUBLE-SIDED SOLAR CELL PACKAGE Patent Application

Benjamin Shelpuk, inventor (to NASA) (JPL) Filed 29 Mar. 1978 17 p

(Contract NAS7-100)

(NASA-Case-NPO-14199-1; NASA-Case-NPO-14200-1; US-Patent-Appl-SN-891243) Avail: NTIS HC A02/MF A01 CSCL 10A

A solar cell array for terrestrial use is described. The solar cell package consists of a double sided photovoltaic cell having a metallized P contact and N contact provided on opposite faces of the cell; a transparent tubular body forming a transparent enclosure for the cell; a supporting pedestal formed of conductive metallic material electrically connected with the cell; and a reflector having a surface disposed in substantially opposed relation with one face of the cell for redirecting light to impinge thereon whereby the cell is subjected to incident radiation at each of the opposite faces thereof. By employing the double sided solar cell supported by a pedestal forming a path for heat and electrical currents, the overall efficiency of the array was enhanced. NASA

N78-22472* CALMAC Mfg. Co., Englewood, N. J.

PRELIMINARY DESIGN PACKAGE FOR SOLAR COLLECTOR AND SOLAR PUMP

Apr. 1978 41 p Prepared for DOE

(Contract NAS8-32253)

(NASA-CR-150630) Avail: NTIS HC A03/MF A01 CSCL 10A

A solar-operated pump using an existing solar collector, for use on solar heating and cooling and hot water systems is described. Preliminary design criteria of the collector and solar-powered pump is given including: design drawings, verification plans, and hazard analysis.

Author

N78-22473* Sigma Research, Inc., Richland, Wash.

PRELIMINARY DESIGN PACKAGE FOR MAXI-THERM HEAT EXCHANGER MODULE

Apr. 1978 30 p refs Prepared for DOE

(Contract NAS8-32260)

(NASA-CR-150620) Avail: NTIS HC A03/MF A01 CSCL 10A

Heat exchangers were developed for use in a solar heating and cooling system installed in a single family dwelling. Each of the three exchangers consisted of a heating and cooling module and a submersed electric water heating element. Information necessary to evaluate the preliminary design of the heat exchanger is presented in terms of the development and verification plans, performance specifications, installation and maintenance, and hazard analysis.

Author

N78-22474* IBM Federal Systems Div., Huntsville, Ala.

INSTALLATION PACKAGE FOR SIMS PROTOTYPE SYSTEM 2, SOLAR HOT WATER

Jan. 1978 22 p Prepared for DOE

(Contract NAS8-32036)

(NASA-CR-150639) Avail: NTIS HC A02/MF A01 CSCL 10A

The prototype system 2 solar hot water was designed for use in a single family dwelling and consists of the following subsystems: collector, storage, energy transport, and control. Guidelines are presented for utilization in the development of detailed installation plans and specifications. Instruction on operation, maintenance, and repair of the system is discussed.

Author

N78-22475* Owens-Illinois, Inc., Toledo, Ohio.

AIR-LIQUID SOLAR COLLECTOR FOR SOLAR HEATING, COMBINED HEATING AND COOLING, AND HOT WATER SUBSYSTEMS Contractor Report, 1 Nov. 1976 - 31 Oct. 1977

Mar. 1978 79 p refs Prepared for DOE

(Contract NAS8-32259)

(NASA-CR-150569) Avail: NTIS HC A05/MF A01 CSCL 10A

A collection of quarterly reports consisting of the installation and layout design of the air collector system for commercial applications, completion of the preliminary design review, detailed design efforts, and preparation of the verification test plan are given. Performance specifications and performance testing of a prototype model of a two manifold, 144 tube air collector array is presented.

Author

N78-22476* American Univ., Washington, D. C.

DEFINITION OF CHEMICAL AND ELECTROCHEMICAL PROPERTIES OF A FUEL CELL ELECTROLYTE Interim Technical Report, 25 Mar. - 24 Dec. 1977

T. Sarada, John F. McIntyre, and R. T. Foley Feb. 1978 46 p refs

(Contract DAAK70-77-C-0080)

(AD-A050920) Avail: NTIS HC A03/MF A01 CSCL 10/2

The present research is oriented toward the task of developing an improved electrolyte for the hydrocarbon-air fuel cell. A literature study of the properties of organic acids indicated that the following types of compounds warranted further investigation: Aromatic poly carboxylic acids partially neutralized perfluoroaliphatic carboxylic acids, Mono, di and poly sulfonic acids and substituted sulfonic acids. This was followed by an experimental program wherein the vapor pressure, wetting characteristics, electrical conductivity, chemical stability, and electrochemical stability were measured.

Author (GRA)

N78-22477# North Dakota Legislative Council, Bismarck.
LEGISLATIVE HANDBOOK ON ENERGY-RELATED TOPICS
 1977 63 p

(Grant NSF ISP-76-10209)

(PB-276766/3; NSF/RA-770010)

Avail: NTIS

HC A04/MF A01 CSCL 10A

Activities are highlighted of the seven task forces created by the States of North Dakota, South Dakota, Montana, and Wyoming to study the interstate effects of the Fort Union Coal Formation which underlies parts of each of these states. Topics studied included air quality, water quality, water allocation, plant siting, energy development, reclamation, taxation, and social and economic impact. The task forces examined methods to assist member states in problem solving as well as acquainting the members with the energy development positions and accompanying laws and regulations of their sister states. Brief summaries outlining the research performed for each task, as well as a list of the members in each group, are presented. GRA

N78-22478# City of Davis, Calif.
DAVIS ENERGY CONSERVATION REPORT, PRACTICAL USE OF THE SUN Final Report

Mar. 1977 136 p

(Grant HUD-B-75-S1-06-001)

(PB-276616/0; DAC/PL-77/101)

Avail: NTIS

HC A07/MF A01 CSCL 10A

A comprehensive energy conservation program for the City of Davis is described, including: Building Code, planning, solar houses, and public education. GRA

N78-22480# Purdue Univ., Lafayette, Ind.
SYSTEMS STUDIES OF COAL CONVERSION PROCESSES USING A REFERENCE SIMULATOR

G. V. Reklaitis, J. M. Woods, F. Kayihan, and M. Sood Jul. 1977 41 p refs

(Contract EX-76-C-01-2275)

(FE-2275-4) Avail: NTIS HC A03/MF A01

Preliminary user's manuals were prepared for the physical properties code package and for the process block material balancing code. The equipment calculation system was linked with the properties package and expansion of the module library was proceeding. Development work continued on the equipment costing system and the hydrotreating models. The cost data files were implemented on the computer and work was in progress on the file manipulation and costing subroutines. Literature review was complete on the hydrotreating section and semiempirical model equations have been assembled and fitted to available data. ERA

N78-22482# European Space Agency, Paris (France).
SOME EXPERIMENTAL RESULTS ON SELECTIVE ABSORBING SURFACES FOR LOW TEMPERATURE SOLAR COLLECTORS

Georg Paul Goerler Feb. 1978 66 p refs Transl. into ENGLISH of 'Einige Messungen an selektiv absorbierenden Oberflächen fuer Niedertemperatur-Solarkollektoren', DFVLR, Cologne Report DLR-FB-77-23, 27 May 1977 Original report in GERMAN previously announced as N78-14686 Original German report available from DFVLR, Cologne DM 25 (ESA-TT-432; DLR-FB-77-23) Avail: NTIS HC A04/MF A01

The efficiency of a flat plate solar collector can be greatly enhanced by the use of a selectively absorbing layer, that is, a surface with high absorptance for the solar spectrum and low emittance for thermal radiation. From various methods known from literature for realizing coatings with these properties, the process of electroplating selective black nickel coatings was chosen and studied in detail. One finding of this investigation was that the effectiveness of these layers results from optical interference. With the production of black nickel two-layer coatings on a copper substrate one obtains surfaces with an absorptance as high as 0.95 when weighted with the terrestrial solar spectrum. The simultaneous emittance is in the order of 0.05. The superiority of absorber plates with such values, in comparison with nonselective solar collectors is outlined using the results of a numerical calculation. Author (ESA)

N78-22483# Colorado Dept. of Local Affairs, Denver.
COLORADO ENERGY IMPACT ASSISTANCE PLAN

Ross M. Bolt, Lydia Watkins, and John M. Fernandez, ed. Jan. 1977 108 p

(Contract EDA-05-09-01600)

(PB-276587/3; EDA-78-016) Avail: NTIS HC A06/MF A01 CSCL 10A

A plan was developed to assist the people of Colorado in their attempts to minimize the adverse effects of energy resource development on the communities in the state. The plan provided those communities affected by energy projects with a clear, documented process for identifying their service and capital needs. Technical and financial assistance programs available to local jurisdictions are outlined, as are the varied roles of local, state and federal governments and industry to be adopted in marshalling resources to solve impact problems. GRA

N78-22484# Brookhaven National Lab., Upton, N. Y.
HEALTH AND ECONOMIC COSTS OF ALTERNATIVE ENERGY SOURCES

L. D. Hamilton and A. S. Manne (Stanford Univ.) 1977 19 p refs Presented at Intern. Conf. on Nucl. Power and its Fuel Cycles, Salzburg, Austria, 2-13 May 1977; sponsored by IAEA Sponsored by ERDA

(IAEA-CN-36/448; Conf-770505-72)

Avail: NTIS

HC A02/MF A01

Biomedical and environmental costs of energy production and use, including new technologies, are being considered. Beginning with a compilation of pollutants from the energy system, the various paths to man are traced and health effects evaluated. Excess mortality and morbidity in the U.S. attributable to a total fuel cycle to produce 6.6×10^9 to the 9th power kwh are being estimated. Estimates are provided of relative impacts to identifying where the important health hazards in each fuel cycle arise, thereby identifying key areas for judging the total costs of alternative energy sources, and those areas of research likely to improve the accuracy of the estimates. It was estimated that the production of electric power from all sources in the U.S. in 1975 was associated with between in U.S. ages 1 to 74. The differences in the year 2000 between health impacts of the U.S. energy system under normal growth expectations and under conditions of a nuclear moratorium were estimated. ERA

N78-22487# Federal Energy Administration, Washington, D. C.
STRATEGIC PETROLEUM RESERVE. TEXOMA GROUP SALT DOMES. DRAFT ENVIRONMENTAL IMPACT STATEMENT. VOLUME 1: WEST HACKBERRY EXPANSION, BLACK BAYOU, VINTON, BIG HILL

Sep. 1977 387 p refs

(FEA/S-77/323-Vol-1; DES-77-8-Vol-1)

Avail: NTIS

HC A17/MF A01

A site specific Environmental Impact Statement (EIS) is presented for four proposed candidate sites from the Texoma group of salt domes located in the Gulf Coast region of southwestern Louisiana and southeastern Texas. The primary site for Strategic Petroleum Reserve (SPR) development in this group is an expansion of the West Hackberry Early Storage Reserve

(ESR) facility located in Cameron, Parish, Louisiana. The three other candidates are new sites. They are the Black Bayou salt dome located in Cameron Parish, Louisiana, the Vinton salt dome in Calcasieu Parish, Louisiana, and the Big Hill salt dome in Jefferson County, Texas. One or a combination of these three sites may be developed as an alternative to the expansion of the West Hackberry ESR facility. This site specific EIS analyzes the environmental impacts caused by site preparation and operation at each of the four locations. Author

N78-22488# Federal Energy Administration, Washington, D. C. **STRATEGIC PETROLEUM RESERVE. TEXOMA GROUP SALT DOMES. DRAFT ENVIRONMENTAL IMPACT STATEMENT. VOLUME 2, APPENDICES A AND B: WEST HACKBERRY EXPANSION, BLACK BAYOU, VINTON, BIG HILL**

Sep. 1977. 440 p refs
(FEA/S-77/323-Vol-2; DES-77-8-Vol-2) Avail: NTIS
HC A19/MF A01

A description is given of the regional environment of the proposed salt dome site, West Hackberry, and the environment of the three alternate sites - Black Bayou, Vinton, and Big Hill. Regional geology, water environment, climatology, air quality, ecosystems, natural and scenic resources, archaeological and historical resources, and socioeconomic characteristics are discussed. The environmental setting of the sites, the crude oil distribution systems, brine disposal systems, and the displacement/leaching water systems are also discussed. The oil storage facilities are presently in the preliminary design stage. Engineering feasibility analyses were prepared as the basis for evaluation of the socioeconomic and environmental impacts of the project. Author

N78-22490# Federal Energy Administration, Washington, D. C. **STRATEGIC PETROLEUM RESERVE. TEXOMA GROUP SALT DOMES. DRAFT ENVIRONMENTAL IMPACT STATEMENT. VOLUME 4, APPENDICES D-S: WEST HACKBERRY EXPANSION, BLACK BAYOU, VINTON, BIG HILL**

Sep. 1977. 657 p refs
(FEA/S-77/323-Vol-4; DES-77-8) Avail: NTIS
HC A99/MF A01

Precipitation data are given for the areas of Texas and Louisiana in which primary and secondary sites would be located. The possibilities of oil spills occurring and their ecological consequences are discussed. Additional data are given on possible effects of brine spills, tanker collisions, hydrocarbon emissions and other environmental hazards associated with the project. P.R.A.

N78-22495# Southern Research Inst., Birmingham, Ala. **PARTICULATE CONTROL HIGHLIGHTS: RESEARCH ON ELECTROSTATIC PRECIPITATOR TECHNOLOGY Final Report, Nov. 1976 - Nov. 1977**

S. Oglesby, Jr. and G. Nichols. Dec. 1977. 23 p refs
(Contract EPA-68-02-2114)
(PB-276643/4; SORI-EAS-77-677; EPA-600/8-77-020a) Avail:
NTIS HC A02/MF A01 CSCL 13B

Highlights are given of a major EPA research program on electrostatic precipitator (ESP) technology, directed toward improving the performance of ESPs in controlling industrial particulate emissions, notably fly ash from coal combustion in electric power plants. Relationships between electrical effects, such as reverse corona, caused by high resistivity of the deposited fly ash, were investigated. The influence of fly ash particle size and chemical composition on the resistivity and dielectric strength of the deposited fly ash was also studied. Relationships were between fly ash resistivity and chemical composition, especially its alkali metal content, for ESP operating temperatures below about 250C. Based on these relationships, a mechanism for ionic surface conduction was that complements the ionic mechanism in bulk conduction in fly ash particles at higher operating temperatures. The efficacy of conditioning fly ash by adding SO₃ to flue gas (to lower fly ash resistivity) was established in trials at electric power plants. GRA

N78-22497# Cottrell Environmental Systems, Inc., Bound Brook, N. J.

DEVELOPMENT OF A HIGH-TEMPERATURE/HIGH-PRESSURE ELECTROSTATIC PRECIPITATOR Final Report, Aug. 1975 - Aug. 1977

J. R. Bush, R. L. Feldman, and M. Robinson. Nov. 1977. 85 p refs

(Contract EPA-68-02-2104)
(PB-276626/9; EPA-600/7-77-132) Avail: NTIS
HC A05/MF A01 CSCL 13B

Results are given of a laboratory test demonstrating the feasibility of electrostatic precipitation at high temperatures and pressures. Corona currents were stable at all temperatures. Detailed current/voltage characteristics under negative and positive polarity were obtained in dry air, in a simulated combustion gas, and in a substitute fuel gas for each temperature and pressure level. Major effects of temperature, pressure, and electrode geometry on precipitator design characteristics (sparking voltages, corona starting voltages, and current levels) were evaluated. It is established that no practical temperature or pressure limitation exists to the levels tested. A preliminary cost estimate is presented for a commercial-size precipitator design applied to a commercial fluidized-bed combustor and turbine system. GRA

N78-22500# Environmental Protection Agency, Research Triangle Park, N.C. Emissions Standards and Engineering Div. **CONTROL OF VOLATILE ORGANIC EMISSIONS FROM STORAGE OF PETROLEUM LIQUIDS IN FIXED ROOF TANKS**

Richard K. Burr, Kerri C. Brothers, and Robert Quaney. Dec. 1977. 44 p refs
(PB-276749/9; EPA-450/2-77-036; OAQPS-1.2-089) Avail:
NTIS HC A03/MF A01 CSCL 13B

This report provides the necessary guidance for development of regulations limiting emissions of volatile organic compounds (VOC) from the storage of petroleum liquids in fixed roof tanks. Reasonably available control technology (RACT) is defined in this document; cost analysis for RACT is included for evaluating the cost effectiveness of controlling fixed roof storage tank resources. GRA

N78-22534# Bendix Field Engineering Corp., Grand Junction, Colo.

PRELIMINARY STUDY OF THE FAVORABILITY FOR URANIUM IN SELECTED AREAS IN THE BASIN AND RANGE PROVINCE, NEVADA

G. M. Cupp, S. H. Leedom, T. P. Mitchell, K. D. Kiloh, and R. C. Horton. Oct. 1977. 115 p refs
(Contract EY-76-C-13-1664)
(GJBX-74(77)) Avail: NTIS HC A06/MF A01

In the Virgin Valley area, the Canyon Rhyolite Formation contained as much as 27 ppm U₃₀₈ and was an excellent source rock. Uranium deposits in the underlying Virgin Valley Formation were small but larger deposits may exist. The northern portion of the Reese River Valley contained several small uranium deposits but none of mineable grade or size. Rhyolitic volcanic rocks in the area contained above-average amounts of uranium, and larger deposits may lie beneath these potential source rocks. The East Walker River area may be part of a larger uranium province. Intrusive and extrusive rocks in the area contained above-average amounts of uranium and low-grade supergene deposits were found. Large areas of potential source rocks and host rocks, and two small uranium deposits, were found in the Coaldale area. Many rhyolite plugs were also found. The Carol R prospect was an isolated uranium occurrence in Tertiary lacustrine rocks. Uranium deposits in Meadow Valley were in the Panaca Formation, a Pliocene lacustrine formation of varied lithology. The uranium deposits were small and low grade. ERA

N78-22915# Oak Ridge National Lab., Tenn. **COMMERCIAL FEASIBILITY OF FUSION POWER BASED ON THE TOKAMAK CONCEPT**

R. L. Reid and Don Steiner. 1977. 21 p refs. Presented at ANS Winter Meeting, San Francisco, 27 Nov. 1977

(Contract W-7405-eng-26)

(CONF-771109-55) Avail: NTIS HC A02/MF A01

The impact of plasma operating characteristics, engineering options, and technology on the capital cost trends of Tokamak power plants was determined. Tokamak power systems were compared to other advanced energy systems and found to be economically competitive. A three phase strategy for demonstrating commercial feasibility of fusion power, based on a common site multiple unit concept, is presented. ERA

N78-22968# Committee of the Whole House on the State of the Union (U. S. House).

ENERGY TRANSPORTATION SECURITY ACT OF 1977

Washington GPO 1977 87 p Report on H.R. 1037 together with additional views presented by the Comm. on Merchant Marine and Fisheries to the Comm. of the Whole House on the State of the Union, 95th Congr., 1st Sess., 26 Aug. 1977 (H-Rept-95-589; GPO-89-006) Avail: U.S. Capitol, House Document Room

The legislative history of a bill requiring that a percentage of the United States oil imports be carried on U.S. flag commercial vessels is reviewed. Benefits of the bill are discussed as well as the cost of the legislation as determined by the General Accounting Office. A.R.H.

N78-22970* Ford Motor Co., Dearborn, Mich.

AUTOMOTIVE STIRLING ENGINE DEVELOPMENT PROGRAM Quarterly Technical Progress Report, Oct. 1977 - Dec. 1977

Ernest W. Kitzner Jan. 1978 98 p Sponsored in part by NASA

(Contract EC-77-C-02-4396)

(NASA-CR-135331; CONS/4396-1; QTPR-1) Avail: NTIS HC A05/MF A01 CSCL 13F

The Ford/DOE automotive Stirling engine development program is directed towards establishing the technological and developmental base that would enable a decision on whether an engineering program should be directed at Stirling engine production. The fuel economy assessment aims to achieve, with a high degree of confidence, the ERDA proposal estimate of 20.6 MPG (gasoline) for a 4500 lb 1WC Stirling engine passenger car. The current M-H fuel economy projection for the 170 HP Stirling engine is 15.7 MPG. The confidence level for this projection is 32%. A confidence level of 29% is projected for a 22.1 MPG estimate. If all of the planned analyses and test work is accomplished at the end of the one year effort, and the projected improvements are substantiated, the confidence levels would rise to 59% for the 20.6 MPG projection and 54% for the 22.1 MPG projection. Progress achieved thus far during the fuel economy assessment is discussed. Author

N78-22979# CH2M/Hill, Bellevue, Wash.

MARKET ANALYSIS OF RECOVERED MATERIALS AND ENERGY FROM SOLID WASTE, EXECUTIVE SUMMARY

Jan. 1977 219 p Sponsored by Washington State Dept. of Ecology

(PB-277143/4; LC-77-624084)

Avail: NTIS

HC A10/MF A01 CSCL 13B

Existing and potential market conditions for material and energy recovered from solid wastes are described and the quantity and composition of residential and commercial wastes available for material and energy recovery from specific geographic waste shed areas in the State of Washington are presented. Major aspects of various resource recovery processes were listed and their suitability for specific waste sheds in the state were listed. The existing markets for material resources were identified and quantified, and the resource recovery potential of existing (1976) and (1980 and 1990) material and energy markets was evaluated. Author

N78-23072# Technische Univ., Berlin (West Germany). Inst. fuer Luft- und Raumfahrt.

SITUATION OF AIR TRAFFIC IN COMPARISON TO GROUND TRANSPORTATION NOTING ESPECIALLY**ENERGETIC PROBLEMS [DIE SITUATION DES LUFTVERKEHRS IM VERGLEICH ZU DEN BODENGEBUNDENEN VERKEHRSMITTELN UNTER BESONDERER BERUECKSICHTIGUNG ENERGETISCHER PROBLEME]**

K. Dieter Kricke 1977 191 p refs In GERMAN

(ILR-20; ISBN-3-7983-0588-9)

Avail: NTIS

HC A09/MF A01

The effects of increasing fuel costs on the future development of air traffic in competition with ground transportation were investigated, also taking into account other factors. Possibilities of fuel economies by operational and technical savings measures are discussed, and limits in technical feasibility (effort) and economical effect (profits) are indicated. The effects of increasing fuel prices on the competitive position of air traffic vis-a-vis ground traffic are not considered serious from the present point of view, and limitations in future expansion of air traffic are not confirmed. ESA

N78-23238# California Univ., Livermore. Lawrence Livermore Lab.

MATERIALS EVALUATION FOR GEOTHERMAL APPLICATIONS: TURBINE MATERIALS

A. Goldberg and R. E. Garrison 13 Apr. 1977 4 p refs Presented at Geothermal Resources Council, San Diego, Calif., 9 May 1977

(Contract W-7405-eng-48)

(UCRL-79360; Conf-770569-2)

Avail: NTIS

HC A02/MF A01

A number of candidate turbine materials were evaluated for their resistance to erosion, corrosion, and stress corrosion cracking (SCC) in geothermal brines. These materials include Fe-, Ni-, Co and Ti-base alloys, coatings and ceramics. Tapered wearblades, simulating the leading edge of a turbine blade, are exposed to the direct impact of a two-phase nozzle exhaust. Bent beam SCC specimens, which were constrained in fixtures attached to the wearblade holders, were also exposed to the exhaust. Results of a test series were reported in which acidified liquid brine expanded to atmospheric pressure are reported. Evaluation of the exposed materials indicates that Ti-base alloys show the most promise for turbine wheel components in the high salinity geothermal environments. ERA

N78-23249# Argonne National Lab., Ill.

MODIFICATIONS AND COSTS OF CONVERTING TO LOW SULFUR WESTERN COALS

G. N. Reddy and G. C. Krohm 1977 19 p refs Presented at NCA/BCR Coal Conf., Louisville, Ky., 19 Oct. 1977

(Contract W-31-109-eng-38)

(CONF-771024-3) Avail: NTIS HC A02/MF A01

It thus appears that the conversion of existing boilers burning high sulfur Midwestern coals to low-sulfur Western coals is not a simple matter. The difficulties of burning this fuel can be traced to the inherent problems of operating the boiler outside of its designed operating limits. The operating parameters that are affected by coal characteristics are summarized. These factors must be considered carefully when planning conversion of a power plant to burn Western coal: Excessive dusting of coal enroute to power plant; reduced conveyor belt capacity (10-20%); loss of boiler efficiency due to increased moisture (up to 30%); water-side scale buildup due to decreased slagging; increased fouling with high sodium coal; larger dust handling system requirements within the boiler; carbon carryover; decreased electrostatic precipitators efficiency because of the decrease in sulfur trioxide concentrations in the flue gases. ERA

N78-23250# Institute of Gas Technology, Chicago, Ill.

RISER CRACKING OF COAL TO OIL AND GAS

Dennis A. Duncan, Justin L. Beeson, and R. Donald Oberle 1977 8 p refs Presented at Ann. Am. Chem. Soc. Meeting, Chicago, 28 Aug. - 2 Sep. 1977

(Contract EX-76-C-01-1221)

(CONF-770814-10) Avail: NTIS HC A02/MF A01

A short residence time entrained flow process for converting low-rank coal to gases and hydrocarbon liquids that can be used as gasoline blending stock and fuel oil was investigated. In the hydropyrolysis process, lignite was heated concurrently

with hydrogen at a high pressure in a helical coil reactor having a predetermined temperature profile to yield ethylene, pyrolysis gasoline, and other products. Results indicate that: (1) fifty percent of the carbon in the feed lignite can be converted to oils and gases at a system operating pressure of 2000 psig, a coil out temperature of from 1400 to 1500 F, and a residence time of approximately 2 second; (2) approximately 15% of the feed carbon reports as oils, and by choice of temperature and hydrogen dilution, some selectivity with respect to the constituents present in the make oil is possible; and (3) high operating temperatures and hydrogen dilutions tend to suppress the appearance of phenol, toluene, and xylene in the make oil. It is concluded that high yields of methane, hydrocarbon oils, and blending gasoline constituents make the hydrolysis process economically favorable to pyrolysis of coal. ERA

N78-23251# Los Alamos Scientific Lab., N. Mex.
FUSION ENERGY APPLIED TO SYNTHETIC FUEL PRODUCTION: A REPORT TO THE DOE DIVISION OF MAGNETIC FUSION ENERGY BASED ON A PRELIMINARY STUDY BY AN AD-HOC ADVISORY GROUP

Lawrence A. Booth Oct. 1977 125 p refs Presented at the Conf. on Fusion Energy Appl. to Syn. Fuel Production, Germantown, Md., 9 May 1977

(Contract W-7405-eng-36)
 (CONF-770593) Avail: NTIS HC A06/MF A01

The general conclusion is that the potential for utilization of fusion energy for synthetic fuel production is favorable. Three basic methods of hydrogen production are identified: (1) high-temperature electrolysis, (2) thermochemical cycles, and (3) direct radiolysis. Combinations of these and their use as in combined cycles for electric power generation were considered.

Author (ERA)

N78-23253# Intergroup Consulting Economists Ltd., Winnipeg (Manitoba).

ECONOMIC PRE-FEASIBILITY STUDY: LARGE-SCALE METHANOL FUEL PRODUCTION FROM SURPLUS CANADIAN FOREST BIOMASS. PART 2: WORKING PAPERS
 Sep. 1976 249 p refs Prepared in cooperation with SNC, Inc., Montreal (Quebec), Chainell (Gordon S.) and Associates, Vancouver (British Columbia) and Gardiner (S. G.) Engineering Services Ltd., Vancouver (British Columbia)

(NP-22159/2) Avail: NTIS (US Sales Only) HC A11/MF A01;
 ERDA Depository Libraries

The practicability of using methanol produced from surplus renewable Canadian forest roundwood as a substitute for non-renewable hydrocarbons in meeting Canadian energy requirements is addressed. Titles of the five working papers are: methanol plant technologies, characteristics and costs; resource harvesting; opportunity costs; product demand analysis; and alternative feedstocks for methanol production. ERA

N78-23261# Miami Univ., Coral Gables, Fla. Dept. of Mechanical Engineering.

CHARACTERIZATION OF METHANOL/GASOLINE BLENDS AS AUTOMOTIVE FUEL: PERFORMANCE AND EMISSIONS CHARACTERISTICS

R. R. Adt, Jr., K. A. Chester, C. N. Kurucz, J. Pappas, S. Rajan, and M. Swain Jul. 1977 204 p refs
 (Contract EPA-R-803401-01-3)

(PB-277135/O; EPA-460/3-77-012a) Avail: NTIS
 HC A10/MF A01 CSCL 21D

Recent concern about environmental problems and the eventual shortage of conventional petroleum based fuels coupled with the potential of obtaining methyl alcohol (methanol) as a product of coal gasification has brought about a recent interest in the use of methanol as a fuel. In order to assess the feasibility of using methanol as a motor vehicle fuel, either alone (neat) or as a blend in gasoline type base stocks, its performance, emissions and practical use characteristics must be ascertained. A series of experiments was conducted to determine methanol blend fuel engine characteristics information. GRA

N78-23263 National Technical Information Service, Springfield, Va.

OFFSHORE PIPELINES. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, 1964 - Jan. 1978

Guy E. Habercom, Jr. Mar. 1978 126 p Supersedes NTIS/PS-77/0098

(NTIS/PS-78/0179/8; NTIS/PS-77/0098) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 13J

Citations on construction, utilization, wave action, and environmental aspects of offshore pipelines are presented. Hydrodynamics, benefit costs of underwater pipeline transportation, and risk analysis are among the parameters researched. This updated bibliography contains 121 abstracts. GRA

N78-23378 Cornell Univ., Ithaca, N. Y.

GEOTHERMAL ENERGY-RELATED PROBLEMS OF NATURAL CONVECTION IN POROUS MEDIA Ph.D. Thesis

Robert John Ribando 1977 179 p
 Avail: Univ. Microfilms Order No. 7805723

The effects of a number of variables on natural convection in a two-dimensional saturated porous layer are assessed. The effects of constant temperature and constant heat flux lower thermal boundary conditions are contrasted, as are the effects of permeable and impermeable upper boundaries. Cases with spatially varying permeability are presented. The critical Rayleigh number is derived for several sets of boundary conditions, and results at several values of Rayleigh number are presented for nearly all the sets of boundary conditions considered. The surface heat fluxes computed in these saturated layer cases are used to interpret the sinusoidally-varying heat fluxes measured in the ocean floor transverse to the axis of a mid-ocean spreading center. The results show that barring hot springs, the convective component of surface heat flux is very small even with mass flow through a permeable upper boundary. Dissert. Abstr.

N78-23384*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

HIGH TEMPERATURE HEAT PIPE RESEARCH AT NASA LEWIS RESEARCH CENTER

L. K. Tower and W. B. Kaufman 1978 15 p refs Presented at the 3d Intern. Heat Pipe Conf., Palo Alto, Calif., 22-24 May 1978; sponsored by AIAA

(NASA-TM-78832; E-9537) Avail: NTIS HC A02/MF A01
 CSCL 20D

High temperature refractory metal heat pipes with alkali metal working fluids, for use in thermionic space power systems, were studied. The main effort involved a concept for an out-of-core thermionic nuclear reactor power system. For this a lithium filled heat pipe of 335 cm length with 18 kW capacity was built in several modifications; one of them ultimately tested. Fabrication studies included the manufacture of a heat pipe tube of wire reinforced tantalum by chemical vapor deposition (CVD) and the extension to a reinforced pipe with integral arteries made by the CVD process. A lithium-filled CVD tungsten heat pipe of about 3 kW capacity ran several thousand hours above 1800 K. Materials compatibility studies of several liquid metals in tantalum alloy pipes were performed. Author

N78-23440# Oak Ridge National Lab., Tenn.

REPORT OF SURVEY OF VALVE INDUSTRY CAPABILITIES

W. A. Bush and E. C. Slade 1977 24 p refs Presented at Workshop on Valves for Solids Handling Service in Coal Conversion, Morgantown, West Virginia, 14 Nov. 1977 (Contract W-7405-eng-26)

(CONF-771145-2) Avail: NTIS HC A02/MF A01

To evaluate the valve requirements associated with coal conversion, seven prospective coal conversion design concepts were studied; and flow streams were determined; valve types were assigned and the valves were sized. At present, it appears that the coal conversion processes operate in the range of the present petrochemical industry, except for that portion of the process where the coal is converted to gas and oil. The analysis resulted in the identification of twenty four high temperature

valve applications that appeared more stringent than the petrochemical industry needs. ERA

N78-23441# Consolidated Controls Corp., El Segundo, Calif.
COAL GASIFICATION VALVES, PHASE 2 Quarterly Technical Progress Report, Jun. - Aug. 1977
Oct. 1977 30 p

(Contract EX-76-C-01-2355)

(FE-2355-2-Rev-D) Avail: NTIS HC A03/MF A01

Efforts in the design of valves to operate at high temperature in coal gasification plants are detailed. The properties of materials, such as ceramics, which may be satisfactory at these temperatures were determined. The particular properties measured were porosity, permeability, thermal expansion, resistance to mechanical and thermal shock, etc. With these properties known, the problem then was to design the valves to operate within the limits of these properties. Prototype valves are being designed and fabricated for testing. Author (ERA)

N78-23442# Ford Motor Co., Dearborn, Mich. Engineering and Research Staff.

STIRLING ENGINE FEASIBILITY STUDY OF AN 80 TO 100 hp ENGINE OF IMPROVEMENT POTENTIAL FOR EMISSIONS AND FUEL ECONOMY Final Report

D. W. Barton, R. C. Belaire, J. E. Bradley, W. R. Chase, J. R. Corcoran, D. D. Dodge, E. F. Dore, J. E. Fenton, R. K. Fenzan, and L. L. Fobes Nov. 1977 136 p

(Contract EY-76-C-02-2631)

(COO-2631-22) Avail: NTIS HC A07/MF A01

A study was made to evaluate the potential of a Stirling engine for significant improvement in emissions and fuel economy over the present day internal combustion engine and to initiate, on the basis of the experience gained in the Ford/Philips 170 hp Stirling engine development program, the design of an engine in the 80 to 100 hp range suitable for use in a passenger car in the 2,500 to 3,000 lb weight class. The final report given covers two major tasks: testing of a 170 hp Stirling engine powered Torino passenger vehicle; and a design study of an 80 to 100 hp engine in a passenger car in the 2,500 to 3,000 lb weight class based on the 170 hp Torino installation. Despite optimization of the engine to achieve minimum length, the Stirling powered compact car was 89 mm (3.5 inches) longer than its Pinto baseline. Fuel economy of the swashplate engine was adversely affected by attempts to fit it within the Pinto engine compartment. ERA

N78-23498# Geological Survey, Denver, Colo.
THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PREFACE AND PART 1: THE SURTSEY, ICELAND, TEMPERATURE DATA RELAY EXPERIMENT VIA LANDSAT-1 Final Report, 1972 - 1975

Jules D. Friedman, David Frank, Duane M. Preble, and Sveinn Jakobsson, Principal Investigators (Museum of Natural History, Reykjavik, Iceland) Dec. 1975 89 p refs Submitted for publication Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(NASA Order S-70243-AG)

(E78-10121; NASA-CR-156971)

Avail: NTIS

HC A05/MF A01 CSCL 08K

The author has identified the following significant results. Combined aerial IR surveys and DCP heat flux estimates at Mt. Baker, Washington, revealed that recurrent snow, ice, and debris avalanches were in part induced by subglacial geothermal emission and led to the prediction that geothermally-induced volcanic events would occur again at Mt. Baker. On March 10, 1975, the prediction was substantiated when significant and sudden increase in subglacial steam emission perforated the crater glacier in Sherman Crater at Mt. Baker. Analysis of stereographic pairs of LANDSAT MSS images led to the discovery of three large ring structures (the largest, 34 km in diameter) that were interpreted as volcanic centers and possible collapsed calderas or volcanotectonic depressions of post Miocene age in Lassen volcanic region.

N78-23499# Geological Survey, Denver, Colo.

THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 4: LASSEN VOLCANIC REGION Final Report, 1972 - 1975

Jules D. Friedman and David Frank, Principal Investigators Apr. 1978 83 p refs Original contains imagery. Original photography may be purchased from the EROS Data Center, Sioux Falls, S. D. 57198 ERTS

(NASA Order S-70243-AG)

(E78-10123; NASA-CR-156973)

Avail: NTIS

HC A05/MF A01 CSCL 08K

The author has identified the following significant results. Analysis of LANDSAT 1 MSS images of October 6, 24, and 25, 1972 of the Lassen volcanic region, California, revealed the existence of three large geomorphic rings between Lassen Peak and Lake Almanor. Ring 1, about 16 x 33 km and 490 sq km in area, was centered on the North Branch of the North Fork of the Feather River. Ring 2, 18 x 20.5 km and 300 sq km in area, was concentric to and enclosed by ring 1. Ring 3, 23 x 11 km and 230 sq km in area, was centered on Butt Mountain and cuts ring 1 on the south. All three rings consisted of composite curvilinear features that represent geologic features of two categories: (1) geologically mapped structures and volcanic landforms, and (2) landforms and lines of geomorphic origin that were inferred to represent the surface expression of subsurface structures. Stream-valley and lake-shoreline continuations of mapped faults, escarpments, and aligned segments of stream valleys were included in the 2d category. The rings overlap a gravity low 5300 sq km in area, and might be the surface expression of volcanotectonic collapse structures that followed eruption of voluminous ash flow tuffs beginning in Miocene times.

N78-23500# Geological Survey, Denver, Colo.

THERMAL SURVEILLANCE OF ACTIVE VOLCANOES USING THE LANDSAT-1 DATA COLLECTION SYSTEM. PART 5: ELECTRONIC THERMAL SENSOR AND DATA COLLECTION PLATFORM TECHNOLOGY Final Report, 1972 - 1975

Duane M. Preble, Jules D. Friedman, and David Frank, Principal Investigators Feb. 1976 64 p refs ERTS

(NASA Order S-70243-AG)

(E78-10124; NASA-CR-156974)

Avail: NTIS

HC A04/MF A01 CSCL 08K

The author has identified the following significant results. Five LANDSAT data collection platforms were integrated electronically with thermal sensing systems, emplaced and operated in an analog mode at selected thermal significant volcanic and geothermal sites. The DCP's transmitted 3260 messages comprising 26,080 ambient, surface, and near surface temperature records at an accuracy of + or - 1.15 C for 1121 instrument days between November 14, 1972 and April 17, 1974. In harsh, windy, high altitude volcanic environments, the DCP functioned best with a small dipole antenna. Sixteen kg of alkaline batteries provided a viable power supply for the DCP systems, operated at a low duty cycle, for 5 to 8 months.

N78-23539# Kewanee Oil Co., Tulsa, Okla.

NORTH STANLEY POLYMER DEMONSTRATION PROJECT First Annual Report

Jarl P. Johnson, J. W. Cunningham, and B. M. DuBois 26 Jul. 1976 169 p refs

(Contract EY-76-C-02-0029)

(COO-0029-1) Avail: NTIS HC A08/MF A01

The efficiency and economics of recovering tertiary oil from a highly heterogeneous reservoir by injecting a polymer slug of tapered concentrations to improve the sweep efficiency of the reservoir were demonstrated. All injection wells were equipped with plastic coated tubing, and packers were set approximately 100 ft above the Burbank sand to prevent the possibility of subsequent casing leaks thiefing off injected polymer. Producing wells were worked over to insure maximum producing capability. The necessary surface facility changes were made to allow the injection of fresh water only and to provide for the disposal of 35,000 BPD of produced water. Polymer storage and blending facilities were constructed in such a manner as to allow control

of the mixing process with a minimum of supervision and manpower. A one well mini-injection test was conducted which included a fresh water preflush period, injection of 5,000 lb of Pusher 700 at 1,000 ppm followed by 1,000 lb of Pusher 1,000 at 100 ppm, and a fresh water afterflush period. The mini test established that there would be no significant well bore problems associated with the injection of the polymer. ERA

N78-23554 Oregon State Univ., Corvallis.

HEAT TRANSFER EFFECTS IN FORCED GEOHEAT RECOVERY SYSTEMS Ph.D. Thesis

Jonathan Mackey Hanson 1978 226 p
 Avail: Univ. Microfilms Order No. 7805355

Forced geoheat recovery using naturally occurring fluid conductors, viz., fault zones, basaltic dikes, and open formation contacts, is considered in terms of the system physical-economic feasibility. The heat transfer surface area required for an economically viable forced recovery system for direct contact heating applications is estimated based on various geologic and economic parameters. The heat transfer surface area reflects the required dimensions of the subsurface system and therefore serves as an indicator of the feasibility of the system. The results indicate that, under current economic conditions and regional geothermal gradients of 50 C/km or more, the minimum heat transfer surface area per injection/production borehole pair required for an economically viable direct-contact heating system with a 10 to 20 year system lifetime is less than 1 sq km.

Dissert. Abstr.

N78-23555* Aerospace Corp., El Segundo, Calif. Advanced Orbital Systems Div.

HIGH EFFICIENCY SOLAR PHOTOVOLTAIC POWER MODULE CONCEPT Final Report

I. Bekey Mar. 1978 151 p refs

(Contract NASw-3078)

(NASA-CR-157002; ATR-78(7666)-1)

Avail: NTIS

HC A08/MF A01 CSCL 10A

The investigation of a preliminary concept for high efficiency solar power generation in space is presented. The concept was a synergistic combination of spectral splitting, tailored bandgap cells, high concentration ratios, and cool cell areas. Author

N78-23556* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

COMPARISON OF COMPUTER CODES FOR CALCULATING DYNAMIC LOADS IN WIND TURBINES

David A. Spera 1977 39 p refs Presented at the 3d Bien. Conf. and Workshop on Wind Energy Conversion Systems, Washington, D. C., 19-21 Sep. 1977

(Contract E(49-26)-1028)

(NASA-TM-73773; DOE/NASA/1028-78/16; E-9577) Avail:

NTIS HC A03/MF A01 CSCL 10B

Seven computer codes for analyzing performance and loads in large, horizontal axis wind turbines were used to calculate blade bending moment loads for two operational conditions of the 100 kW Mod-0 wind turbine. Results were compared with test data on the basis of cyclic loads, peak loads, and harmonic contents. Four of the seven codes include rotor-tower interaction and three were limited to rotor analysis. With a few exceptions, all calculated loads were within 25 percent of nominal test data. Author

N78-23557* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

PERFORMANCE POTENTIAL OF COMBINED CYCLES INTEGRATED WITH LOW-Btu GASIFIERS FOR FUTURE ELECTRIC UTILITY APPLICATIONS

Joseph J. Nainiger and Raymond K. Burns [1977] 42 p refs Presented at the 69th Ann. Meeting of the Am. Inst. of Chem. Engr., Chicago, 28 Nov. - 2 Dec. 1976

(NASA-TM-73775; E-9567) Avail: NTIS HC A03/MF A01 CSCL 10A

A comparison and an assessment of 10 advanced utility power systems on a consistent basis and to a common level of detail were analyzed. Substantial emphasis was given to a

combined cycle systems integrated with low-Btu gasifiers. Performance and cost results from that study were presented for these combined cycle systems, together with a comparative evaluation. The effect of the gasifier type and performance and the interface between the gasifier and the power system were discussed.

Author

N78-23558* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

WAKE CHARACTERISTICS OF A TOWER FOR THE DOE-NASA MOD-1 WIND TURBINE

Joseph M. Savino, Lee H. Wagner, and Mary Nash Apr. 1978 76 p refs

(Contract E(49-26)-1028)

(NASA-TM-78853; E-9575; DOE/NASA/1028-78/17) Avail:

NTIS HC A05/MF A01 CSCL 10A

A 1/40th scale model of a tower concept designed for a MOD-1 wind power turbine was tested in a low speed wind tunnel. Wake wind speed profiles were measured, and from these were determined local values of wake minimum velocity ratio, average velocity ratio, and width over a range of tower elevations and wind approach angles. Comparison with results from two other all tubular models (MOD-0 and eight leg designs) tested earlier in the same tunnel indicated that wake width and flow blockage at the rotor plane of rotation were slightly larger for the MOD-1 tower than for the other two models. The differences in wake characteristics were attributed to differences in tower geometry and member dimensions. Author

N78-23559* Kaman Aerospace Corp., Bloomfield, Conn.

DESIGN STUDY OF WIND TURBINES, 50 kW TO 3000 kW FOR ELECTRIC UTILITY APPLICATIONS: EXECUTIVE SUMMARY Final Report

Jul. 1977 95 p

(Contracts NAS3-19404; E(49-26)-1010)

(NASA-CR-134936; R-1382; DOE/NASA/9404-7611) Avail:

NTIS HC A05/MF A01 CSCL 10A

Preliminary designs of low power (50 to 500 kW) and high power (500 to 3000 kW) wind generator systems (WGS) for electric utility applications were developed. These designs provide the bases for detail design, fabrication, and experimental demonstration testing of these units at selected utility sites. Several feasible WGS configurations were evaluated, and the concept offering the lowest energy cost potential and minimum technical risk for utility applications was selected. The selected concept was optimized utilizing a parametric computer program prepared for this purpose. The utility requirements evaluation task examined the economic, operational and institutional factors affecting the WGS in a utility environment, and provided additional guidance for the preliminary design effort. Results of the conceptual design task indicated that a rotor operating at constant speed, driving an AC generator through a gear transmission is the most cost effective WGS configuration. Author

N78-23560* Kaman Aerospace Corp., Bloomfield, Conn.

DESIGN STUDY OF WIND TURBINES 50 kW TO 3000 kW FOR ELECTRIC UTILITY APPLICATIONS: ANALYSIS AND DESIGN Final Report

Feb. 1976 567 p refs

(Contracts NAS3-10094; E(49-26)-1010)

(NASA-CR-134937; R-1382; DOE/NASA/9404-76/2) Avail:

NTIS HC A24/MF A01 CSCL 10A

In the conceptual design task, several feasible wind generator systems (WGS) configurations were evaluated, and the concept offering the lowest energy cost potential and minimum technical risk for utility applications was selected. In the optimization task, the selected concept was optimized utilizing a parametric computer program prepared for this purpose. In the preliminary design task, the optimized selected concept was designed and analyzed in detail. The utility requirements evaluation task examined the economic, operational, and institutional factors affecting the WGS in a utility environment, and provided additional guidance for the preliminary design effort. Results of the conceptual design task indicated that a rotor operating at constant speed, driving an AC generator through a gear transmission is the most cost effective WGS configuration. The optimization task results led

to the selection of a 500 kW rating for the low power WGS and a 1500 kW rating for the high power WGS. Author

N78-23561*# Lamar Univ., Beaumont, Tex. Chemical Engineering Dept.

PROCESS FEASIBILITY STUDY IN SUPPORT OF SILICON MATERIAL TASK 1 Quarterly Technical Progress Report C. S. Fang, Keith C. Hansen, Joseph W. Miller, Jr., and Carl L. Yaws Mar. 1978 81 p refs (Contract JPL-954343)

(NASA-CR-157030; ERDA/JPL-954343-78/1; QTPR-1) Avail: NTIS HC A05/MF A01 CSCL 10A

Initial results for gas thermal conductivity of silicon tetrafluoride and trichlorosilane are reported in respective temperature ranges of 25 to 400 C and 50 to 400 C. For chemical engineering analyses, the preliminary process design for the original silane process of Union Carbide was completed for Cases A and B, Regular and Minimum Process Storage. Included are raw material usage, utility requirements, major process equipment lists, and production labor requirements. Because of the large differences in surge tankage between major unit operations the fixed capital investment varied from \$19,094,000 to \$11,138,000 for Cases A and B, respectively. For the silane process the original flowsheet was revised for a more optimum arrangement of major equipment, raw materials and operating conditions. The initial issue of the revised flowsheet (Case C) for the silane process indicated favorable cost benefits over the original scheme. Author

N78-23562*# Texas Instruments, Inc., Dallas. **AUTOMATED ARRAY ASSEMBLY TASK, PHASE 1** Final Report

Bernard G. Carbajal Oct. 1977 213 p refs Prepared for DOE

(Contract JPL-954405) (NASA-CR-156985; ERDA/JPL-954405-77/7; TI-03-77-44) Avail: NTIS HC A10/MF A01 CSCL 10A

State-of-the-art technologies applicable to silicon solar cell and solar cell module fabrication were assessed. The assessment consisted of a technical feasibility evaluation and a cost projection for high volume production of solar cell modules. Design equations based on minimum power loss were used as a tool in the evaluation of metallization technologies. A solar cell process sensitivity study using models, computer calculations, and experimental data was used to identify process step variation and cell output variation correlations. Author

N78-23563*# Westinghouse Electric Corp., Pittsburgh, Pa. Research and Development Center.

LOW COST SILICON SOLAR ARRAY PROJECT LARGE AREA SILICON SHEET TASK: SILICON WEB PROCESS DEVELOPMENT Quarterly Report

C. S. Duncan, R. G. Seidensticker, J. P. McHugh, P. D. Blais, and J. R. Davis, Jr. 31 Dec. 1977 54 p refs Prepared for JPL, Pasadena, Calif.

(Contracts NAS7-100; JPL-954654) (NASA-CR-156984; ERDA/JPL-954654-77/3; QR-3) Avail: NTIS HC A04/MF A01 CSCL 10A

Growth configurations were developed which produced crystals having low residual stress levels. The properties of a 106 mm diameter round crucible were evaluated and it was found that this design had greatly enhanced temperature fluctuations arising from convection in the melt. Thermal modeling efforts were directed to developing finite element models of the 106 mm round crucible and an elongated susceptor/crucible configuration. Also, the thermal model for the heat loss modes from the dendritic web was examined for guidance in reducing the thermal stress in the web. An economic analysis was prepared to evaluate the silicon web process in relation to price goals. Author

N78-23566*# ARCO Solar, Inc., Chatsworth, Calif. **TERRESTRIAL SOLAR CELL MODULE AUTOMATED ARRAY ASSEMBLY, TASK 4** Final Report

Jan. 1978 27 p Prepared for JPL Sponsored in part by DOE (NASA-CR-156982; ERDA/JPL-954751-78/1; ASI-1277-1) Avail: NTIS HC A03/MF A01 CSCL 10A

A cost effective design and manufacturing process which would produce solar cell modules capable of meeting qualification test criteria was developed. Emphasis was placed on the development of an aluminum paste back contact process. Author

N78-23566# Comptroller General of the United States, Washington, D.C.

AN EVALUATION OF THE NATIONAL ENERGY PLAN Report to the Congress

25 Jul. 1977 185 p refs (EMD-77-48) Avail: NTIS MF A01; GAO HC \$1.00

An analysis of the National Energy Plan was made by the General Accounting Office. Recommendations were made for increasing energy conservation if satisfactory progress is not made in achieving the energy goals. Additional recommendations were made to strengthen the plan. Specific suggestions include: adopting a set of national energy goals and designing a program to meet these goals, establishing a set of milestones upon which to judge progress in meeting these goals and, establishing a set of standby initiatives. Many of these alternatives will have to be mandatory if the milestones indicate that satisfactory progress is not made. P.R.A.

N78-23567*# National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

COMBINED SOLAR COLLECTOR AND ENERGY STORAGE SYSTEM Patent Application

Ronald N. Jensen, inventor (to NASA) Filed 28 Apr. 1978 12 p

(NASA-Case-LAR-12205-1; US-Patent-Appl-SN-900843) Avail: NTIS HC A02/MF A01 CSCL 10A

A solar heating system comprised of a combined solar energy collector, fluid chiller and energy storage system was developed. A movable interior insulated panel in a storage tank is positionable flush against the storage tank wall to insulate the tank for energy storage. The movable interior insulated panel is alternately positionable to form a solar collector or fluid chiller through which the fluid flows by natural circulation. NASA

N78-23568# Oregon State Univ., Corvallis. Engineering Experiment Station.

AN EVALUATION OF USES FOR LOW TO INTERMEDIATE TEMPERATURE GEOTHERMAL FLUIDS IN THE KLAMATH BASIN, OREGON

Gordon M. Reistad, Wilson E. Schmisser, J. Ralph Shay, and James B. Fitch Mar. 1978 137 p refs Sponsored by the Pacific Northwest Regional Commission (Bull-55) Avail: NTIS HC A07/MF A01

The potential is considered of using geothermal energy in the low to intermediate temperature range (30 to 150 C) for industrial and agricultural processes in the Klamath Basin in Oregon. Resource-based industries that could utilize hot water in an integrated or cascaded system were emphasized. Integrated systems for geothermal fluid use are those in which the fluid is shared jointly between several processes and cascaded from higher to successively lower temperature uses. A wide variety of processes were screened. From this initial screening, nine were identified for more extensive engineering and economic analysis: greenhouse tree seedling production, greenhouse tomato

production, controlled environment swine production, barley malting, methane generation from swine wastes, lumber drying, potato flake dehydration, fish protein concentration, and catfish production in heated ponds. Author

N78-23569# Committee on Agriculture, Nutrition, and Forestry (U. S. Senate).

ENERGY POLICY AND STRATEGY FOR RURAL DEVELOPMENT, PART 1

Washington GPO 1977 237 p refs Hearings before Subcomm. on Rural Development of the Comm. on Agriculture, Nutrition, and Forestry, 95th Congr., 1st Sess., 13-14 Jul. 1977 (GPO-94-275) Avail: Subcomm. on Rural Development

Addressed are the energy problems and strategies developed to combat the Nation's energy problems as they affect rural development. Witnesses from various organizations, primarily the U.S. Department of Agriculture and Energy Research and Development Administration, offer testimonies and answer questions concerning the energy problems and strategies. G.Y.

N78-23570# Committee on Agriculture, Nutrition, and Forestry (U. S. Senate).

ENERGY POLICY AND STRATEGY FOR RURAL DEVELOPMENT, PART 2

Washington GPO 1977 56 p refs Hearings before Subcomm. on Rural Development of the Comm. on Agriculture, Nutrition, and Forestry, 95th Congr., 1st Sess., 13 Sep. 1977 (GPO-97-394) Avail: Subcomm. on Rural Development

For abstract, see N78-23569.

N78-23577# California Univ., Berkeley. Lawrence Berkeley Lab.

ERDA GEOTHERMAL COMPONENT TEST FACILITY (GCTF), EAST MESA, IMPERIAL VALLEY, CALIFORNIA. TEST OPERATIONS MANAGEMENT PLAN

1976 22 p refs

(Contract W-7405-eng-48)

(TID-28010) Avail: NTIS HC A02/MF A01

Discussion of the operation of the geothermal component test facility, established for testing heat extraction and energy conversion equipment and materials, is presented under the following section headings: purposes of the facility; operating policies; service, conflicts, safety and environmental, investigator activities, shops and equipment, and test certification; organization; chart; organization, responsibilities, individual responsibilities, and funding. ERA

N78-23578# Brookhaven National Lab., Upton, N. Y.

ENERGETICS OF THE UNITED STATES OF AMERICA: AN ATLAS

F. R. Drysdale and C. E. Calef Oct. 1977 447 p refs

(Contract EY-76-C-02-0016)

(BNL-50501-R) Avail: NTIS HC A19/MF A01

A description of the United States' energy system is presented in the form of maps and major tables. The country was chosen as the basic unit for reporting estimations of many energy, demographic and economic variables. The variables include production of all fuels (including hydroelectricity), uses of fuels and electricity broken down by sector and end-use, existing and planned electricity generation capacity, refinery capacities, and emissions of air pollutants from fuel use. ERA

N78-23579# Brookhaven National Lab., Upton, N. Y.

ENERGY INFORMATION AND ANALYTIC SYSTEM FOR NEW YORK STATE

T. O. Carroll, J. Allentuck, M. D. Goldberg, R. Nathans, P. F. Palmedo, R. Pouder, and D. Svei 9 Aug. 1976 98 p refs Prepared in cooperation with State Univ. of New York, Stony Brook

(Contract EY-76-C-02-0016)

(BNL-22677) Avail: NTIS HC A05/MF A01

A review of energy information needs and activities in New York and in 20 other states provided background for the types of policy issues and data critical to the design of an energy information/analytic system. The system was structured as a

set of four basic elements: a broad base of state specified data and information, a computerized retrieval system with easy terminal access to national data bases, adaptation of useful analytical models, and a modular construction which will allow sequential development of full capacities of the total system. Author

N78-23580# Department of Energy, Washington, D. C.

ENERGY EMERGENCY PLANNING GUIDE: WINTER 1977 - 1978

Nov. 1977 177 p

(DOE/ERA/0031) Avail: NTIS HC A09/MF A01

This guide was prepared in order to identify and evaluate actions available to deal with energy emergencies this winter; provide an advance indication to the public of those actions considered most likely to be taken by the government, and provide industry, state, and local governments with suggestions about actions which they can take to deal with energy emergencies. Flexible implementation guidelines are proposed for natural gas, petroleum, electricity/coal, and propane shortages. ERA

N78-23581# Hudson Inst., Inc., Croton-on-Hudson, N. Y.

SUGGESTIONS FOR A PHASE-2 NATIONAL ENERGY POLICY Final Report, Mar. - Sep. 1977

W. M. Brown and H. Kahn Sep. 1977 236 p

(Contract EF-77-C-01-2660)

(FE-2660-1) Avail: NTIS HC A11/MF A01

In order to obtain sufficient and secure long term supplies of oil and gas at stable prices a number of suggestions were made for the next phase of the U.S. energy program. The discussion emphasizes those relevant to the early requirements for the proposed synfuels program, the current domestic issues; particularly regulatory policy in the changing sociopolitical milieu, and some international approaches involving cooperation with the IEA and other fuel-importing countries, and the potential for cooperation as well as confrontation with OPEC. ERA

N78-23582# Argonne National Lab., Ill.

TRANSITION TO DECENTRALIZED ENERGY SYSTEMS

J. Cavallo and G. C. Krohm 1977 8 p refs Presented from 5th Natl. Conf. on Energy and the Environ. Cincinnati, 31 Oct. 1977

(Contract W-31-109-eng-38)

(CONF-7710101-1) Avail: NTIS HC A02/MF A01

Alternative system designs were compared for annualized costs and reliability. The alternative base and intermediate load generating plants tested were conventional large nuclear and coal units and small (120 MW) fluidized bed coal combustion units. ERA

N78-23583# Battelle Pacific Northwest Labs., Richland, Wash.

DEVELOPMENT, CHARACTERIZATION, AND EVALUATION OF MATERIALS FOR OPEN CYCLE MHD Quarterly Report, Mar. 1977

J. L. Bates Jun. 1977 112 p refs

(Contract EY-76-C-06-1830)

(BNWL-2004-6) Avail: NTIS HC A06/MF A01

Program objectives were to develop, test, characterize, and evaluate materials for open cycle, coal fired MHD power generators. The specific immediate goals emphasized electrode and insulator materials, including: (1) testing and evaluation of the enhanced effects of alkali seed on materials in a dc electric field; (2) development and testing of improved electrodes and insulators with controlled microstructures, compositions and properties; and (3) characterization and evaluation of materials relating to both the US MHD Program and the US-USSR Cooperative Program for MHD power generators. ERA

N78-23584# Argonne National Lab., Ill.

LONG-TERM AVAILABILITY OF WATER RESOURCES FOR ENERGY DEVELOPMENT IN THE CENTRAL UNITED STATES

L. J. Habegger, S. Y. Chiu, and L. J. Hoover 1977 9 p Presented at 5th Natl. Conf. on Energy and the Environ. Cincinnati, 31 Oct. 1977

(Contract W-31-109-eng-38)

(CONF-7710101-5) Avail: NTIS HC A02/MF A01

An analysis was made of water resources and demands over the next 40 to 50 years in the Central U.S. Various subregions in which significant water shortages are likely to occur were identified. These shortages would constrain energy development patterns, restrict development of competing water uses, or alternatively, require implementation of water resource enhancement options. ERA

N78-23585# Energy Research and Development Administration, Washington, D. C. Div. of Physical Research.

FOSSIL ENERGY RESEARCH MEETING

R. H. Kropschot and G. C. Phillips Dec. 1977 560 p Presented at Fossil Energy Research Meeting, Wash., D. C. (CONF-7706100) Avail: NTIS HC A24/MF A01

Research programs in fossil energy were reviewed with brief descriptions, budgets, etc. Discussions related to the capabilities for such research of national laboratories, universities, energy centers, etc. are presented. ERA

N78-23587# McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.

CENTRAL RECEIVER SOLAR THERMAL POWER SYSTEM. PHASE 1, CRDL ITEM 2: PILOT PLANT PRELIMINARY DESIGN REPORT. VOLUME 3, BOOK 2: COLLECTOR SUBSYSTEM

Raymon W. Hallet, Jr. and Robert L. Gervais Oct. 1977 454 p refs (Contract EY-76-C-03-1108)

(SAN/1108-8/3; MDC-G-6776-Vol-3-Bk-2) Avail: NTIS HC A20/MF A01

The methods and plans for the manufacture of the 10 MW collector heliostats and associated controls for the pilot plant are given. An in depth description of the production, installation, and verification testing of heliostats for the pilot plant is presented. Specifications for the performance, design, and test requirements for the pilot plant collector subsystem are included. Also, a heliostat location summary report is given. ERA

N78-23588# Chase Manhattan Bank, New York. Energy Consulting Div.

US OIL AND NATURAL GAS FINDING COSTS. VOLUME 2: STATISTICAL APPENDIX

Jul. 1977 322 p Sponsored in part by DOE

(Contract FEA-CR-05-60731-00)

(FEA/G-77/357-Vol-2) Avail: NTIS HC A14/MF A01

Costs were established for U.S. oil and gas exploration efforts historically, and the level of such costs in 1980, 1985, and 1990 were projected. Data were developed for 17 onshore and 2 offshore regions in the Continental U.S. where the petroleum industry had traditionally focused its operations. Onshore and offshore sectors of Alaska as well as the offshore Atlantic Coast region that are the focal points of exploratory activity, were also examined. The research results are presented in terms of total dollar costs per foot drilled for oil and gas wells. ERA

N78-23589# Kentucky Univ., Lexington.

SURFACE STRUCTURE AND MECHANISMS OF GASIFICATION CATALYST DEACTIVATION Quarterly Report, Jan. - Apr. 1977

P. J. Reucroft, E. B. Bradley, R. J. DeAngelis, and G. A. Sargent Aug. 1977 72 p

(Contract EX-76-C-01-2229).

(FE-2229-5) Avail: NTIS HC A04/MF A01

NiS was found to have very little surface charging and small chemical shifts, compared to the Ni metal. A quantitative analysis of the L140 catalysts revealed that particle sizes did not change greatly with increasing metal loading; binding energies and peak shapes corresponded to a nickel aluminate complex. Catalysts were studied in order to assess the effects of exposure to synthesis gas and presulfiding. The presulfiding treatment effectively saturated the catalyst with sulfur. Thermal gravimetric analysis was used to study the effects of temperature and hydrogen flow rates on the reduction kinetics of NiO dispersed on silica and alumina supports. ERA

N78-23590# Michigan Univ., Ann Arbor. Dept. of Chemical Engineering.

STUDIES ON THE SEPARATION OF COAL EXTRACT FROM SOLID RESIDUE IN LIQUEFIED COAL Final Report

D. E. Briggs, D. B. McAlpine, C. D. Bedford, Benedict Ho, Phillip J. Johnson, Jeffrey A. McKeen, Uptal SenGupta, J. Andrew Stirling, Peter A. S. Smith, John R. Cameron et al Sep. 1977 458 p refs

(Grant NSF AER-75-15213; DRDA Proj. 013722)

(NSF/AER-75-15213) Avail: NTIS HC A20/MF A01

Coal liquefaction residues from the SYNTHOIL (Pittsburgh Seam) and H-Coal (Illinois No. 6) processes were fractionated by solvent extraction into oils and resins, asphaltenes, pre-asphaltenes, and mineral solids for adsorption, filtration, surface tension, and viscosity measurements. Suspended solids in liquefied coal range in size from less than 0.05 microns to greater than 1 microns. The specific resistance of filter cakes varies as an inverse function of the number average particle size. At temperatures below 200 C, the H-Coal filter cake compressibility was 0.36. The specific filtration resistance is temperature dependent above 200 C, being from 50 to 100 percent higher at 232 C than at 177 C. Surface tension and reduced viscosity data for oils, resins, and asphaltenes in tetralin indicate intermolecular association and colloid micellization. ERA

N78-23591# Institute of Gas Technology, Chicago, Ill.

PREPARATION OF A COAL CONVERSION SYSTEMS TECHNICAL DATA BOOK Monthly Status Report, 1-31 Aug. 1977

Oct. 1977 50 p refs

(Contract EX-76-C-01-2286; Proj. 8979)

(FE-2286-21) Avail: NTIS HC A03/MF A01

Various correlations for estimating the calorific value of coal from its elemental composition were compared using an extended data base of American coals. Charts that give partial pressures of NH3 and H2S in the NH3-H2S-H2O subsystem are presented. The equilibrium constants for reactions of interest in coal conversion processes are presented as functions of temperature. Correlations for saltation velocity in horizontal gas-solid transport are evaluated using available data on saltation velocities. Heat transfer coefficient curves are presented as functions of temperature for various solvent/coal ratios and fluid velocities. ERA

N78-23593# Sandia Corp., Albuquerque, N. Mex. Computer-Aided Design Div.

PVSS: A PHOTOVOLTAIC SYSTEM SIMULATION PROGRAM MANUAL

Lawrence H. Goldstein and Glenn R. Case Jun. 1977 46 p refs

(Contract EY-76-C-04-0789)

(SAND-77-0814) Avail: NTIS MF A01

The PVSS code was developed to accurately simulate the performance of a photovoltaic system. System configurations were modeled using such components as batteries, inverters, dc-voltage regulators, and maximum power point trackers. Data describing incident light intensity and load demand was supplied and, the PVSS program computed the power available at the output terminals of each system component, the energy surplus produced or deficit incurred by the system as a whole, and the battery state of charge for systems possessing battery storage. Procedures for defining a photovoltaic system and specifying a simulation are discussed. ERA

N78-23594# Resource Planning Associates, Inc., Washington, D. C.

COMPREHENSIVE COMMUNITY PLANNING FOR ENERGY MANAGEMENT AND CONSERVATION: DEVELOPING AND APPLYING A COORDINATED APPROACH TO ENERGY-RELATED COMMUNITY DEVELOPMENT, VOLUME 1

14 Oct. 1977 140 p

(Contracts EX-76-C-10-3879; E(49-1)-3879)

(HCP/M3879-Vol-1; RA-77-0319)

Avail: NTIS HC A07/MF A01

Physical and institutional characteristics that determine a community's levels and patterns of energy use were defined

and methods of coordinating its energy systems established. The characteristic problems of rapid growth are described and their causes traced. A number of domestic and European community development approaches that might be applicable to managing rapid growth in the boomtown context are surveyed. ERA

N78-23595# Resource Planning Associates, Inc., Washington, D. C.

COMPREHENSIVE COMMUNITY PLANNING FOR ENERGY MANAGEMENT AND CONSERVATION: DEVELOPING AND APPLYING A COORDINATED APPROACH TO ENERGY-RELATED COMMUNITY DEVELOPMENT, VOLUME 2

14 Oct. 1977 336 p
(Contracts EX-76-C-10-3879; E(49-1)-3879)
(HCP/M3879-1-Vol-2; RA-77-0319) Avail: NTIS HC A15/MF A01

Analytical outputs that shaped the general approach and its adaptation to the selected target community (Mercer County, North Dakota) were produced. Methodologies of the development of analytical tools and investigation of community-development approaches and the selection of communities are given. ERA

N78-23596# Resource Planning Associates, Inc., Washington, D. C.

COMPREHENSIVE COMMUNITY PLANNING FOR ENERGY MANAGEMENT AND CONSERVATION: DEVELOPING AND APPLYING A COORDINATED APPROACH TO ENERGY-RELATED COMMUNITY DEVELOPMENT: EXECUTIVE SUMMARY

Dec. 1977 36 p
(Contract E(49-1)-3879)
(HCP/M3879-0003) Avail: NTIS HC A03/MF A01

This summary highlights and condenses the community development process and formulates an organizational approach to resolving the institutional and financial issues arising from energy related community development. ERA

N78-23597# Battelle Pacific Northwest Labs., Richland, Wash.
EFFECT OF GENERALIZED WIND CHARACTERISTICS ON ANNUAL POWER ESTIMATES FROM WIND TURBINE GENERATORS

William C. Cliff Oct. 1977 57 p refs
(Contract EY-76-C-06-1830)
(PNL-2436) Avail: NTIS HC A04/MF A01

A technique is presented for estimating the average power output of a wind turbine using the mean annual wind magnitude. Hourly wind speeds were assumed to have a Rayleigh frequency distribution which required a single parameter input. Based upon a general shape, for the wind speed versus machine output, a generic set of curves was developed to estimate the average power output of wind turbines. ERA

N78-23598# Technische Univ., Berlin (West Germany). Inst. fuer Luft- und Raumfahrt.

THE MODULAR SOLAR ENERGY SATELLITE. PROJECT PROPOSAL AND DEVELOPMENT STRATEGY

Jan Ruth and Wolfgang Westphal [1977] 21 p refs In GERMAN; ENGLISH summary
Avail: NTIS HC A02/MF A01

The concept of a modular solar energy satellite (MOSES) for microwave energy transmission to earth is discussed. Economics can be obtained by using the modular concept proposed combined with part completion in space. The basic advantages and disadvantages of the modular type structure are exemplified and a description is given of the range of the most suitable module forms. Research on possible construction methods shows that with advancing technologies an increasing use in time of space manufacturing will be feasible. An evolutionary development strategy is presented based on the use of the space shuttle/Spacelab research platform. ESA

N78-23599# Istituto Superiore di Sanita, Rome (Italy). Lab. delle Radiazioni.

HEALTH AND ENVIRONMENTAL ASPECTS OF ENERGY DEVELOPMENT

G. Campos Venuti, S. Frullani, E. Tabet, and P. Vecchia 30 Apr. 1977 67 p refs In ITALIAN; ENGLISH summary Presented at the 2d Intern. Meeting on Environ. Policy and Energy Crisis, Turin, 26-29 Apr. 1977
(ISS-P-77/2) Avail: NTIS HC A04/MF A01

Health and environmental aspects related to different energy sources were examined, both for those which are at present employed (fossil fuels and fission) and those still under development (solar, geothermal, fusion). The advantages of energy saving by using energy more efficiently are also analyzed. Author (ESA)

N78-23600# International Institute for Applied Systems Analysis, Laxenburg (Austria).

WHICH WAY TO GO? OBSERVATIONS BASED ON DISCUSSION ON GLOBAL PERSPECTIVES AND ENERGY STRATEGIES

W. Sassini, A. Lovins (Friends of the Earth), D. Meadows (Dartmouth Coll.), and P. Penczynski Sep. 1977 13 p refs (IIASA-PP-77-9) Avail: NTIS HC A02/MF A01

An attempt is made to trace some of the roots of the divergence of views on the approach to securing future energy demands. Research topics which could help to clarify the implications of alternate paths have been included. ESA

N78-23601# International Institute for Applied Systems Analysis, Laxenburg (Austria).

REPORT TO THE ADVISORY COMMITTEE OF IIASA'S ENERGY PROGRAM

W. Haefele, H. Porias, ed. et al Sep. 1977 42 p refs (IIASA-RM-77-42) Avail: NTIS HC A03/MF A01

The general time scale, the general aims and concepts, and the present status of the ENP (Energy Systems Program) are reviewed. Specific activities and results of the ENP in energy models, coal potential, energy production and climate, and risk assessment are summarized. ESA

N78-23602# National Physical Lab., Teddington (England).
ENERGY AUDIT SCHEME Progress Report, 1 Jun. 1975 - 30 Nov. 1976

Aug. 1977 21 p refs
(NPL-Chem-72: PR-1) Avail: NTIS HC A02/MF A01

Progress on the Department of Industry Energy Audit Scheme (EAS) is reported. The scheme seeks to measure the energy used in the different stages of manufacture of industrial products, to identify areas of intensive wasteful energy use, and to provide information on the needs for research and development on the more efficient use of energy in industry. Industrial sectors covered are non-ferrous metals, mechanical engineering, electrical engineering, textiles, ceramics, paper, glass, and paint. Energy audits for all these sectors, except the paint sector, are presented. ESA

N78-23603# Oregon State Univ., Corvallis. Engineering Experiments Station.

SIMULATING OREGON'S FUTURE ELECTRICAL ENERGY DEMAND

W. D. Devine, Jr., C. C. Calligan, and O. D. Osborne Jul. 1977 232 p Sponsored by the Pacific Northwest Regional Commission
(PB-276970/1; BULL-54) Avail: NTIS HCA11/MF A01 CSCL 10B

An overview of the Oregon State Simulation Model (OSSIM), detailed documentation of OSSIM's energy component, a summary of liaison and training activities, and a discussion of model implementation are presented. GRA

N78-23604# Argonne National Lab., Ill.
SUPPORTIVE STUDIES IN FLUIDIZED-BED COMBUSTION Annual Report, Jul. 1976 - Jun. 1977

A. Jonke, G. Vogel, I. Johnson, S. Lee, J. Lenc, A. Lescarret, J. Montagna, F. Nunes, J. Shearer, and R. Snyder Dec. 1977 212 p refs
(Contract EPA-IA-G-D5-a681)
(PB-276974/3; ANL/CEN/FE-77-3; EPA-600/7-77-138) Avail: NTIS HC A10/MF A01 CSCL 07A

The report gives results of studies supporting the development of atmospheric and pressurized fluidized-bed combustion (FBC) of coal. It includes laboratory and bench-scale studies to provide needed information on combustion optimization, regeneration process development, solid waste disposal, synthetic SO₂-sorber studies, emission control and other tasks. It includes characterization of a variety of limestone and dolomites from various parts of the U.S. for suitability in FBC combustors. Reduction in solid waste volumes to reduce the environmental impact of the waste sulfated limestone is a major goal of this program.

GRA

N78-23605# General Accounting Office, Washington, D. C. Energy and Minerals Div.

THE MAGNITUDE OF THE FEDERAL SOLAR ENERGY PROGRAM AND THE EFFECTS OF DIFFERENT LEVELS OF FUNDING

2 Feb. 1978 66 p
(PB-277018/8; EMD-78-27) Avail: NTIS HC A04/MF A01 CSCL 10A

The Federal solar energy program, its objectives, and major efforts are discussed; projected program costs through 1983; effects of increased/decreased funding on the solar energy program; and, mechanisms available to encourage the use of solar energy.

GRA

N78-23607 National Technical Information Service, Springfield, Va.

FLUIDIZED BED COMBUSTION, VOLUME 2. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1970 - 1976

Diane M. Cavagnaro Mar. 1978 212 p
(NTIS/PS-78/0195/4) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 21B

This bibliography of worldwide research reports includes fluidized bed processes and processors for the combustion of oil, coal, and industrial as well as municipal wastes. The citations cover sludge incineration, fluidized bed boilers, and air pollution abatement by fluidized bed combustion.

GRA

N78-23608 National Technical Information Service, Springfield, Va.

FLUIDIZED BED COMBUSTION, VOLUME 1. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1977 - Mar. 1978

Diane M. Cavagnaro Mar. 1978 110 p Supersedes NTIS/PS-77/0195 and NTIS/PS-76/0162
(NTIS/PS-78/0196/2; NTIS/PS-77-0195; NTIS/PS-76/0162) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 21B
For abstract, see N78-23607.

N78-23609 National Technical Information Service, Springfield, Va.

FLUIDIZED BED COMBUSTION, VOLUME 2. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1977 - Mar. 1978

Diane M. Cavagnaro Mar. 1978 135 p Supersedes NTIS/PS-77/0194; NTIS/PS-76/0161 and NTIS/PS-75/256
(NTIS/PS-78/0197/0; NTIS/PS-77/0194; NTIS/PS-76/0161; NTIS/PS-75/256) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 21B

The bibliography cites studies on fluidized bed processes and processors for the combustion of coal, oil, and industrial and municipal wastes. It also covers sludge incineration, fluidized bed boilers, nuclear fuel reprocessing, and air pollution control by fluidized bed combustion.

GRA

N78-23614# Meteorology Research, Inc., Altadena, Calif.
OXIDANT MEASUREMENTS IN WESTERN POWER PLANT PLUMES. VOLUME 1: TECHNICAL ANALYSIS Final Report

J. A. Ogren, D. L. Blumenthal, and A. H. Vanderpol Jul. 1977 119 p refs Sponsored by EPRI
(EPRI-EA-421-Vol-1) Avail: NTIS HC A06/MF A01

Airborne measurements were carried out at fossil fuel power plants in northwestern New Mexico. The extent of ozone formation

in power plant plumes was ascertained. The formation of secondary pollutants NO₂, SO₄ was also studied.

ERA

N78-23623 National Technical Information Service, Springfield, Va.

AUTOMOBILE AIR POLLUTION: NEW AUTOMOTIVE ENGINES AND ENGINE IMPROVEMENTS. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, 1970 - Mar. 1978

Diane M. Cavagnaro Mar. 1978 186 p Supersedes NTIS/PS-77/0227; NTIS/PS-76/0187; NTIS/PS-75/312
(NTIS/PS-78/0208/5; NTIS/PS-77/0227; NTIS/PS-76/0187; NTIS/PS-75/312) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 13B

Designs of automobile engines are presented. The engine types include gas turbines; stratified charged engines; steam engines; hybrid engines using electric motors of flywheels; and rotary engines. Improving fuel economy while lowering emissions were examined, and retrofit devices were excluded.

GRA

N78-23627 National Technical Information Service, Springfield, Va.

AUTOMOBILE AIR POLLUTION: AUTOMOTIVE FUELS. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, 1970 - Mar. 1978

Diane M. Cavagnaro Mar. 1978 214 p Supersedes NTIS/PS-77/0230; NTIS/PS-76/0188 and NTIS/PS-75/313
(NTIS/PS-78/0235/8; NTIS/PS-77/0230; NTIS/PS-76/0188; NTIS/PS-75/313) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 07D

The use of fuels and fuel additives to reduce pollution from automobiles is covered in this bibliography. The use of methyl alcohol, natural gas, methane, and hydrogen is reported. Improvements to gasoline and its properties which affect air pollution are discussed, along with studies on lead additives.

GRA

N78-23666# North Carolina Univ., Chapel Hill. Dept. of Geology.

TECTONIC ATLAS OF URANIUM POTENTIAL IN CRYSTALLINE ROCKS OF THE EASTERN US

Jeffrey K. Greenberg, Stephen A. Hauck, Paul C. Ragland, and John J. W. Rogers Jun. 1977 98 p refs
(Contract EY-76-C-13-1661)
(GJBX-69(77)) Avail: NTIS HC A05/MF A01

The atlas format includes all areas of uranium exploration potential shown by state. Tectonic divisions are shown and explained on the tectonic index map. Each entry (locality) on the state maps has a number referring to its place on the descriptive tables. Each tabulated entry includes the locality name, county(ies), latitude and longitude, tectonic affinity, exploration potential, ore host rock, ore type, alteration, important mineralogy, age, trace element data, and a key to pertinent references listed at the end of the section. Cross reference listing of localities by exploration potential and by tectonic affinity are also included. A listing of aeroradiation survey references used in evaluating the Eastern U.S. is included.

ERA

N78-23899# Los Alamos Scientific Lab., N. Mex.
REACTOR TECHNOLOGY Progress Report, Apr. - Jun. 1977

John L. Warren, comp. Aug. 1977 50 p refs
(Contract W-7405-eng-36)
(LA-6931-PR) Avail: NTIS HC A03/MF A01

Progress is reported in eight program areas. Steady progress was made on defining the design of space electric power supply components. There were three significant advances in heat pipe technology. Criteria were set forth for the selection of compatible combinations of ceramics and metal coats for heat pipes. A system to avoid molecular absorption of the laser light in sodium vapor lasers was devised and tested. A mercury heat pipe to remove heat from stored fuel elements is being fabricated. Work

continues on the evaluation of computer codes used in the analysis of gas-cooled nuclear reactors to be used for nuclear process heat. Work is nearly complete on a model of a gas core reactor power plant. Criticality experiments are being run in the plasma core critical assembly. Several other critical assemblies are in routine use for verifying calculations and supporting research being done by other groups in the laboratory. ERA

N78-23900# Department of Energy, Washington, D. C. Div. of Magnetic Fusion Energy.
PERSPECTIVES ON THE DEVELOPMENT OF FUSION POWER BY MAGNETIC CONFINEMENT, 1977
 1977. 7 p.
 (DOE/ET/0002) Avail: NTIS HC A02/MF A01

The Committee concludes: that recent progress of the magnetic fusion energy program provides a tangible basis for the belief that the development of fusion power will prove feasible; that the primary near-term objective of the program should now be to demonstrate actual reactor-level conditions; and that the potential long-term benefits of fusion power are sufficiently great to warrant a sustained national effort to advance the fusion power option to the stage of commercial availability at an early time. ERA

N78-23927# Florida Univ., Gainesville. Dept. of Engineering Sciences.
TWO-PHASE HARTMANN FLOWS IN THE MHD GENERATOR CONFIGURATION Annual Report, Dec. 1976 - Dec. 1977

Rush E. Elkins, III, U. H. Kurzweg, Thomas A. Trivillion, and E. Rune Lindgren Feb. 1978 59 p refs
 (Contract N00014-76-C-0410)
 (AD-A051450) Avail: NTIS HC A04/MF A01 CSCL 10/2

Since the mass density and viscosity of the liquid in a two-phase Faraday generator are much greater than those of the gas, consideration of the liquid phase alone should lead to a good description of force distribution in the generator. Averaging the motion over the liquid phase gives us a set of equations which is similar to equations describing a steady flow of a fluid with spatially variable properties. Solutions of these equations are discussed first in the limit of negligible inertia and viscosity, and then in the limit of negligible inertia and non-zero viscosity. The cross stream pinch pressure gradient and its possible effects on the two-phase flow are discussed. The wall region in Faraday generators is a region of very large shear and is important in determining efficient generator operation, as is demonstrated in finite difference calculations carried out under a variety of conditions and also in an analytical boundary layer approximation which has been developed. A section has also been devoted to the possibilities of improved generator efficiency by subpartitioning the generator duct. The last section concerns similitude between two-phase generators and two-phase gravity flows. There are two velocity scales in the systems which must be scaled separately. GRA

N78-23988# Mound Lab., Miamisburg, Ohio.
INTERACTIVE DATA MANAGEMENT AND ANALYSIS SYSTEM FOR THE EASTERN GAS SHALE PROGRAM

Purtle W. Seabaugh and Ronald E. Zielinski 1977 8 p refs
 Presented at the Eastern Gas Shale Program Conf., Morgantown, W.Va., 17 Oct. 1977

(Contract EY-76-C-04-0053)
 (MLM-2469(OP); Conf-771038-5) Avail: NTIS
 HC A02/MF A01

A versatile, easy to use data base system is described. The system provides flexibility in display formats as well as input and output options such as format compatibility adaptive to field data. Versatility is attained through logical, Boolean, and arithmetic expressions. Consequently, computational capability is available so that data input can be minimized. Browsing and recursive searches are available through a search criteria command that allows the user to modify and narrow the request without restart. The system provides plotting options; data can be plotted in a well profile format. Through GEOLOG, a software synergistic log system, well log data can be integrated with geochemical

and geophysical experimental data. This integration will provide a more accurate assessment of the resources potential of the well. Utilization of these features provides not only a fully interactive data management system but also an enhanced statistical capability for data analysis. ERA

N78-23992# Committee on Banking, Housing and Urban Affairs (U. S. Senate).

NATIONAL ENERGY CONSERVATION POLICY ACT

Washington GPO 1977 385 p refs Hearings on S. 1469 before Comm. on Banking, Housing, and Urban Affairs, 95th Congr., 1st Sess., 27-29 Jun. 1977

(GPO-94-843) Avail: Comm. on Banking, Housing, and Urban Affairs

Representatives from Government and private agencies met to discuss and propose a Bill on energy conservation in residential buildings. Of primary concern was the use of insulations to control energy use and how through Government and private loans and tax incentives this program could be implemented. The proposed Bill was outlined as follows: Part 1 - Energy Conservation for Existing Residential Buildings - Utility Program, Financing Program; Part 2 - Energy Efficiency of Consumer Products - Energy Efficiency Standards for Consumer Products other than Automobiles, Disclosure of Automobile Fuel Efficiency Tax, and Disclosure of Automobile Fuel Efficiency Rebate; Part 3 - Energy Conservation Program for Schools and Hospitals; Part 4 - Natural Gas; Part 5 - Public Utility Regulatory Policies - General Provisions, National Electric Rate Design Policies, Bulk Power Supply, Natural Gas Rate Design Policies; Part 6 - Amendments to the Energy Supply and Environmental Coordination Act; Part 7 - Federal Energy Initiatives - Federal Vanpooling Program, Amendments to Section 381 of the Energy Policy and Conservation Act, Demonstration of Solar Heating and Cooling in Federal Buildings. G.Y.

N78-24003# Culp/Wesner/Culp Clean Water Consultants, Santa Ana, Calif.

ENERGY REQUIREMENTS FOR MUNICIPAL POLLUTION CONTROL FACILITIES Final Report

Nov. 1977 86 p refs

(Contract EPA-68-03-2186)

(PB-276989/1; EPA-600/2-77-214) Avail: NTIS
 HC A05/MF A01 CSCL 21D

Information is presented on energy requirements in municipal pollution control facilities for several major areas of interest: (1) pumping energy for filtration and granular carbon adsorption of secondary effluent; Pump of the filtration process. (3) Utilization of anaerobic digester gas; cost estimates are presented for cleaning and storing digester gas, and for use as fuel in internal combustion engines that are coupled to pumps, blowers or electrical generators. (4) Secondary energy requirements; estimations were made for off-site production of some of the consumables used in waste water treatment processes. GRA

N78-24128# Association Aeronautique et Astronautique de France, Paris.

HELICOPTERS AND ENERGY SAVINGS [LES HELICOPTERES ET LES ECONOMIES D'ENERGIE]

Georges Petit 1977 35 p In FRENCH Presented at the 13th Intern. Aeron. Congr., Paris, 2-3 Jun. 1977

(AAAF-NT-77-25; ISBN-2-7170-0450-5) Avail: NTIS
 HC A03/MF A01; CEDOCAR, Paris FF 25 (France and EEC)
 FF 29 (others)

Possibilities of reducing the energy consumption of helicopters are discussed. The order of magnitude of the problem, i.e., the part helicopters play in total energy consumption, was established. The share of fuel consumption in comparison with total operational costs is dealt with. The energy balance of the helicopters Gazelle, Dauphin, and Puma is presented. Proposals for energy reduction are made which might lead to a 30% reduction due to engine improvements and 15% reduction resulting from aerodynamic improvements. Finally, a comparison with competitive aircraft, i.e., vertical takeoff aircraft, is made. ESA

N78-24131# Association Aeronautique et Astronautique de France, Paris.

SUPERSONIC TRANSPORTATION FACED WITH ENERGY SAVINGS [LE TRANSPORT SUPERSONIQUE FACE AUX ECONOMIES D'ENERGIE]

G. Cormery 1977 20 p In FRENCH Presented at the 13th Intern. Aeron. Congr., Paris, 2-3 Jun. 1977

(AAAF-NT-77-28; ISBN-2-7170-0453-X) Avail: NTIS HC A02/MF A01; CEDOCAR, Paris FF 15 (France and EEC) FF 19 (others)

Energy savings aspects for supersonic aircraft are dealt with. Topics include air transportation and energy; supersonic transportation and air transportation; short and medium term technological innovation; and long term technological innovation. ESA

N78-24237*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **DEVELOPMENT OF A UNIFIED CRITERION FOR SOLAR COLLECTOR SELECTION**

F. L. Lansing In *its* The Deep Space Network 15 Apr. 1978 p 224-235 refs

Avail: NTIS HC A14/MF A01 CSDL 10A

To assist in making engineering or management decisions, the possibility of building a single selection criterion was explored to distinguish between different solar collector subsystems for a specific application or between different complete solar-powered systems. The development of two analogous criteria are discussed. The criteria combined both performance and unit area costs, and presented the dollar per unit power and the dollar per unit energy produced from a solar plant. Typical values for current focusing and nonfocusing solar collectors were included. The first phase development showed that the criteria evaluation was in need of more data about the annual dynamic behavior of the collector subsystem only, the transit site-specific parameters such as solar flux, wind, and ambient temperature. Author

N78-24255*# Little (Arthur D.), Inc., Cambridge, Mass. **IMPACTS AND BENEFITS OF A SATELLITE POWER SYSTEM ON THE ELECTRIC UTILITY INDUSTRY Final Report.**

B. M. Winer 14 Jul. 1977 136 p refs Sponsored by NASA Prepared for JPL (Contract JPL-954639)

(NASA-CR-157157; C-80020) Avail: NTIS HC A07/MF A01 CSDL 10A

The purpose of this limited study was to investigate six specific issues associated with interfacing a Satellite Power System (5 GW) with large (by present standards) terrestrial power pools to a depth sufficient to determine if certain interface problems and/or benefits exist and what future studies of these problems are required. The issues investigated are as follows: (1) Stability of Power Pools Containing a 5 GWe SPS; (2) Extra Reserve Margin Required to Maintain the Reliability of Power Pools Containing a 5 GWe SPS; (3) Use of the SPS in Load Following Service (i.e. in two independent pools whose times of peak demand differ by three hours); (4) Ownership of the SPS and its effect on SPS Usage and Utility Costs; (5) Utility Sharing of SPS related RD and D Costs; (6) Utility Liability for SPS Related Hazards. Author

N78-24324# Energy Research and Development Administration, Bartlesville, Okla.

GLC ANALYSIS OF N-PARAFFIN DISTRIBUTIONS IN CRUDE OILS AND TOPPED CRUDE OILS FOR OIL IDENTIFICATION

P. L. Grizzle and H. J. Coleman Oct. 1977 25 p refs (BERC/RI-77/12) Avail: NTIS HC A02/MF A01

Weight-percent distributions of normal paraffins obtained from gas-liquid chromatographic analyses were evaluated for their importance in oil identification. By use of statistical analysis, the weight percents for the C11 through C35 n-paraffins were determined to be significant variables for the differentiation of unweathered crude oil samples. Similarly, the ratios of pristane

to n-heptadecane, phytane to n-octadecane, and phytane to pristane were determined to be important. By use of weight-percent distributions, two numerical methods were evaluated for reducing the variations in the analytical data between weathered crude oil samples and corresponding unweathered crude oils, resulting from environmental weathering. ERA

N78-24325# Energy Resources Co., Inc., Cambridge, Mass. **STUDY TO DETERMINE THE TECHNICAL AND ECONOMIC FEASIBILITY OF RECLAIMING CHEMICALS USED IN MICELLAR POLYMER AND LOW TENSION SURFACTANT FLOODING Progress Report, 24 Apr. - 20 May 1977**

Vaqar Zakaria May 1977 7 p

(Contract EF-77-C-01-2600)

(FE-2600-1) Avail: NTIS HC A02/MF A01

Laboratory procedures for formation and analysis of emulsions were developed, and pilot units for evaluation of recovery techniques were test run: A state-of-the-art review of oil/water separation technologies is well on the way. ERA

N78-24326# Energy Resources Co., Inc., Cambridge, Mass. **STUDY TO DETERMINE THE TECHNICAL AND ECONOMIC FEASIBILITY OF RECLAIMING CHEMICALS USED IN MICELLAR POLYMER AND LOW TENSION SURFACTANT FLOODING Progress Report, 20 May - 17 Jun. 1977**

Richard H. Stephens Jun. 1977 7 p

(Contract EF-77-C-01-2600)

(FE-2600-2) Avail: NTIS HC A02/MF A01

The literature search to review and evaluate the state-of-the-art oil/water separation was completed except for obtaining vendor information on specific oil field equipment. Preliminary ultrafiltration runs of oil-water-surfactant mixtures and reverse osmosis of surfactant/water solutions were made to evaluate the testing procedure and the analytical techniques. ERA

N78-24366 South African Bureau of Standards, Pretoria. **CODE OF PRACTICE FOR THE PETROLEUM INDUSTRY. PART 1: THE HANDLING, STORAGE, AND DISTRIBUTION OF PETROLEUM PRODUCTS**

Jun. 1977 165 p In AFRIKAANS and ENGLISH

(SABS-089-1977-Pt-1; ISBN-0-626-04348-4) Copyright. Avail: Issuing Activity

Practices are recommended for the layout, design, and operation of petroleum marketing installations and depots, and for the installation of equipment of the types normally used for the handling, storage, and distribution of petroleum products and their derivatives, other than of equipment used for storage, and dispensing at consumer premises (including service stations). Author

N78-24369*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

IMPACT OF FUTURE FUEL PROPERTIES ON AIRCRAFT ENGINES AND FUEL SYSTEMS

R. A. Rudey and J. S. Grobman 1978 33 p refs To be presented at Lecture Ser. 96, Paris, Munich, and London, 12-20 Oct. 1978; sponsored by AGARD

(NASA-TM-78866; E-9597) Avail: NTIS HC A03/MF A01 CSDL 21D

This paper describes and discusses the propulsion-system problems that will most likely be encountered if the specifications of hydrocarbon-based jet fuels must undergo significant changes in the future and, correspondingly, the advances in technology that will be required to minimize the adverse impact of these problems. Several investigations conducted are summarized. Illustrations are used to describe the relative effects of selected fuel properties on the behavior of propulsion-system components and fuel systems. The selected fuel properties are those that are most likely to be relaxed in future fuel specifications. Illustrations are also used to describe technological advances that may be needed in the future. Finally, the technological areas needing the most attention are described, and programs that are under way to address these needs are briefly discussed. Author

N78-24370* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

CHARACTERISTICS AND COMBUSTION OF FUTURE HYDROCARBON FUELS

R. A. Rudey and J. S. Grobman 1978 26 p Proposed for presentation at Lecture Series 96, Paris, Munich, London, 12-20 Oct. 1978; sponsored by AGARD (NASA-TM-78865; E-9596) Avail: NTIS HC A03/MF A01 CSDL 21D

As the world supply of petroleum crude oil is being depleted, the supply of high-quality crude oil is also dwindling. This dwindling supply is beginning to manifest itself in the form of crude oils containing higher percentages of aromatic compounds, sulphur, nitrogen, and trace constituents. The result of this trend is described and the change in important crude oil characteristics, as related to aircraft fuels, is discussed. As available petroleum is further depleted, the use of synthetic crude oils (those derived from coal and oil shale) may be required. The principal properties of these syncrudes and the fuels that can be derived from them are described. In addition to the changes in the supply of crude oil, increasing competition for middle-distillate fuels may require that specifications be broadened in future fuels. The impact that the resultant potential changes in fuel properties may have on combustion and thermal stability characteristics is illustrated and discussed in terms of ignition, soot formation, carbon deposition flame radiation, and emissions. Author

N78-24372* Air Force Inst. of Tech., Wright-Patterson AFB, Ohio.

THE DETERMINANTS OF THE DEMAND FOR RESIDUAL FUEL OIL IN THE U.S. EAST COAST MARKET, 1960-1976 M.S. Thesis

Ray Martin Cole, Jr. Dec. 1977, 146 p refs In SPANISH; ENGLISH summary (AD-A051131; AFIT-CI-78-19) Avail: NTIS HC A07/MF A01 CSDL 21/4

This thesis is a study of the demand for a primary export product of Venezuela which is, as well, an important imported fuel with respect to the East Coast of the U.S. The objectives are: (1) to determine the most likely factors which bear upon the demand for fuel oil on the East Coast; (2) to pose and estimate an econometric model for the demand; and (3) to attempt short-range forecasts with the model. A prior economic study reveals the most likely variables which are then incorporated in two possible models which are thought to reflect the reality of the demand. The best specified models reveal that the essential factors of the demand are: (1) the lagged demand; (2) the price spread between fuel oil and coal; and (3) income per capita. Subsequent forecasts of the demand, given the same historical conditions which are the basis for the model, signal a reduction through 1980. This conclusion is important to Venezuela because of her position as a marginal supplier and a certain inflexibility in her hydrocarbon export package. Author (GRA)

N78-24375* Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **STEAM REFORMING OF METHYL FUEL, PHASE 1 Final Report**

D. J. Cerini, R. D. Shah, and G. E. Voecks Jun. 1977 142 p (AD-A044787; JPL-5030-131) Avail: NTIS HC A07/MF A01 CSDL 07/3

An experimental study was made on the effects of gasoline contamination of methanol relative to steam reforming of the mixture. At the conventional steam reforming temperature of 350-400 F soot was produced with a 90/10 mixture of methanol and gasoline by weight. A parametric study was conducted to evaluate the effects of higher temperature and higher steam to carbon ratio with four different catalysts. Soot-free operation was obtained with Girdler catalyst T-2107 at an operating temperature of 750 F at a steam to total carbon ratio of 3.8. Essentially all the gasoline is converted into light gaseous hydrocarbons, primarily methane. A trace of light-yellow oil droplets could be detected in the cooled product gas condensate. A 100 hour test showed no deterioration of the T-2107 catalyst activity under the above conditions. Author (GRA)

N78-24382* Institute of Gas Technology, Chicago, Ill. **RESEARCH AND DEVELOPMENT OF RAPID HYDROGENATION FOR COAL CONVERSION TO SYNTHETIC MOTOR FUELS (RISER CRACKING OF COAL) Annual Report, 1 Apr. 1976 - 31 Mar. 1977**

D. A. Duncan, J. L. Beeson, and R. D. Oberle Jun. 1977 54 p refs

(Contract EX-76-C-01-2307)

(FE-2307-17) Avail: NTIS HC A04/MF A01

The use of a short residence-time riser reactor, of the type used in contemporary catalytic cracking was extended to the conversion of coals and lignites to gaseous and liquid products by reaction with gases such as hydrogen, synthesis gas, or mixtures of carbon monoxide and steam. The gases also carry the feed coal through the riser reactor. A maximized production of high-octane gasoline constituents (C4 to 400 F boiling range including BTX) is an important aspect of this investigation. Light gases (C1 to C3) will also be produced and will contain substantial proportions of methane and other light hydrocarbons that could be used either for fuel or for petrochemical feedstock. Spent char would be used for synthesis gas or hydrogen production for use in the riser reactor. ERA

N78-24383* Sandia Labs., Albuquerque, N. Mex. **POTENTIAL FUEL PRODUCTION FROM MAGMA**

C. J. M. Northrup, Jr., T. M. Gerlach, P. J. Modreski, and J. K. Galt Jun. 1977 33 p refs

(Contract EY-76-C-04-0789)

(SAND-77-0509) Avail: NTIS HC A03/MF A01

Recent calculations and measurements indicate that basaltic magma is a new, extensive source for fuels (hydrogen, carbon monoxide, and methane). The fuel production processes are found to occur in nature as well as the laboratory and as a result, the work indicates that current concepts of geothermal energy can be broadened beyond producing only steam and heat. When magma is considered as a geothermal resource, its use for the direct production of fuels should be included. It is possible to generate several mole percent hydrogen when water-rich fluid is equilibrated with the ferrous and ferric iron in magma. The basis of the fuel production processes, the fuel yields for injected water and water plus natural organic matter, and the increased geothermal resources that would be made available by these processes are described. ERA

N78-24387* National Aeronautics and Space Administration, Pasadena Office, Calif.

UNDERGROUND MINERAL EXTRACTION Patent Application

Charles G. Miller (JPL) and James B. Stephens, inventors (to NASA) Filed 19 Apr. 1978 27 p

(Contract NAS7-100)

(NASA-Case-NPO-14140-1; NASA-Case-NPO-14381-1;

US-Patent-Appl-SN-897832) Avail: NTIS HC A03/MF A01 CSDL 081

A method is described for mining coal or other minerals from underground seams without requiring personnel underground. The method involves a jet head which emits a high pressure water stream in a coal seam to comminute the coal around the jet head as it moves along a passage that is cuts in the seam. The jet head is connected to a pipeline that extends along the passage and up to the surface of the earth where a pumper rig pumps water from a water line into the pipeline. The coal slurry resulting from the mixture of water and comminuted coal, flows down an inclined passage to a previously cut drain gallery that carries the slurry to a lifting apparatus so it can be pumped into a slurry pipeline. Each passage cut in the coal seam is formed by advancing the jet head forwardly, while the head emits water in a forward direction to cut a pilot hole. Then the jet head retreats along the pilot hole while emitting water sideways to comminute coal along a wide passage. The effectiveness of the jet head in breaking up coal is increased by injecting droplets of an explodable material into the water stream. The droplet vaporizes to produce an explosion that drives a water slug into cracks in the seam and helps fracture the coal. NASA

N78-24431# Air Force Environmental Technical Applications Center, Scott AFB, Ill.
ESTIMATES OF SATELLITE-TO-EARTH MICROWAVE ATTENUATION BY CLOUD, RAIN, OXYGEN, AND WATER VAPOR

Allen R. Davis Apr. 1977 26 p refs
 (AD-A052581; USAFETAC-8345) Avail: NTIS
 HC A03/MF A01 CSCL 20/14

This paper provides estimates of attenuation of space-to-earth radar transmissions due to cloud, rain, and gaseous factors. Attenuation of microwaves of 58-62 GHz and 92-96 GHz are examined. Attenuations through the atmosphere for elevation angles of 50.69 deg to 90 deg are calculated and 50, 95, and 99 percentile levels provided. Estimates are based on climatological frequencies of cloud amounts, rain rates, and water vapor, and are provided for two locations: one high-latitude temperate; the other, tropical. Author (GRA)

N78-24511# Eidgenoessisches Flugzeugwerk, Emmen (Switzerland).

DESIGN STUDY OF AN EXPERIMENT COOLING SYSTEM WITH LIQUID/AIR HEAT EXCHANGER FOR SPACELAB PAYLOADS (ECLA) Final Report

Felix Berner Paris ESA Aug. 1977 158 p refs
 (Contract ESTEC-2886/76-NL-PP(SCI))
 (FW-FO-1378; ESA-CR(P)-1002) Avail: NTIS
 HC A08/MF A01

Results are presented of a detailed study of a particular fluid loop which will be used on Spacelab. Its purpose is to control the temperature of experiments by the judicious removal of heat by means of a liquid coolant which circulates in a closed loop and to transfer this heat to the Spacelab's avionics air loop. A modular liquid/air crossflow heat exchanger constitutes the thermal link between coolant and air loops. The control of the heat pump operation for minimum power consumption was investigated, and solutions are given for the case that this control becomes unstable. The optimization of the fluid loop design for selected operating conditions is also dealt with. The conclusion from an integration study is that a fluid loop without heat pump can be mounted in a single module rack but a fluid loop with heat pump must probably be mounted in a double rack on Spacelab if reasonable space is to be available for the payload.

Author (ESA)

N78-24545* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

AUTOMOTIVE GAS TURBINE FUEL CONTROL Patent

Harold Gold, inventor (to NASA) Issued 14 Mar. 1978. 14 p
 Filed 8 Nov. 1976 Supersedes N77-13426 (15 - 04, p 0477)
 (NASA-Case-LEW-12785-1; US-Patent-4,078,378;
 US-Patent-Appl-SN-739909; US-Patent-Class-60-39,28R) Avail:
 US Patent Office CSCL 21A

A fuel control system is reported for automotive-type gas turbines and particularly advanced gas turbines utilizing variable geometry components to improve mileage and reduce pollution emission. The fuel control system compensates for fuel density variations, inlet temperature variations, turbine vane actuation, acceleration, and turbine braking. These parameters are utilized to control various orifices, spool valves and pistons.

Official Gazette of the U.S. Patent Office

N78-24549 South African Bureau of Standards, Pretoria.
STANDARD SPECIFICATION FOR CAST IRON GATE VALVES FOR GENERAL PURPOSES

8 Mar. 1978 48 p In ENGLISH and AFRIKAANS
 (SABS-665-1978; ISBN-0-626-04552-5) Copyright. Avail:
 Issuing Activity

This specification covers the material and constructional requirements for cast iron gate valves (50-600 mm nominal bores) for the control of water (at a temperature not exceeding 50 C) in general purpose (mining, industrial, and irrigation) applications. Author

N78-24564# Maine Dept. of Transportation, Bangor. Material and Research Div.

ENERGY USE AND OTHER COMPARISONS BETWEEN DIESEL AND GASOLINE PICKUP TRUCKS Interim Report, Oct. 1976 - Jun. 1977

Kenneth M. Jacobs Jan. 1978 25 p refs
 (Contract DOT-TSC-1299)
 (PB-277464; DOT-TSC-OST-77-6) Avail: NTIS
 HC A02/MF A01 CSCL 13F

The State of Maine Department of Transportation (MDOT) was planning to acquire 28 new pickup trucks in the fall of 1976. When the U.S. Department of Transportation's Transportation Systems Center became aware of this, preliminary discussions were initiated relative to the possibility of an energy and cost study being completed on these units. It was believed that if 14 diesel and 14 gasoline units were ordered and monitored it would provide a good base for analyzing these two factors. GRA

N78-24597# Council on Environmental Quality, Washington, D.C.

OIL AND GAS IN COASTAL LANDS AND WATERS

Katherine Gillman Apr. 1977 159 p refs
 Avail: NTIS HC A08/MF A01

The most promising domestic sources for yet undiscovered oil are, first, onshore Alaska and, next, the continental shelves in the Gulf of Alaska, the Gulf of Mexico, the Atlantic, and Pacific. The conflicts between energy needs and other vital interests of people and the coastal environments in which they live are clear. The impacts of oil on the coastal zone are described, so far as they are known, and possible effects of new development are discussed. Ways in which energy sources can be exploited with the least harm to the environment and most benefit to man are discussed. Author

N78-24601# Committee on Energy and Natural Resources (U. S. Senate).

ALASKA NATURAL RESOURCE ISSUES

Washington GPO 1977 212 p refs Hearings on S. 499, S. 1500 and S. 1546 before Comm. on Energy and Natural Resources, 95th Congr., 1st Sess., 17 and 20 Jun. 1977
 (GPO-95-110) Avail: Comm. on Energy and Natural Resources

Hearings were held to provide the Committee on Energy and Natural Resources with an overview of the Department of the Interior's perceptions of Alaska natural resource issues. Specific issues addressed were: (1) the Alaska national interest lands legislation; (2) the Alaska Native Claims Settlement Act; (3) route selection for the Alaska natural gas pipeline; (4) procedures for the startup and operation of the trans-Alaska pipeline system; (5) plans for oil and gas development on the outer continental shelf off Alaska; (6) exploration, planning, and administration of the national petroleum reserve; and (7) the Department of the Interior's efforts to relate each of these issues to a general strategy for the conservation, development, and transportation of Alaska's natural resources. P.R.A.

N78-24608* National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

ENERGY STORAGE APPARATUS Patent

Philip A. Studer and Harold E. Evans, inventors (to NASA) Issued 7 Mar. 1978 9 p Filed 30 Jul. 1976 Supersedes N76-30652 (14 - 21, p 2749)

(NASA-Case-GSC-12030-1; US-Patent-4,077,678;
 US-Patent-Appl-SN-710035; US-Patent-Class-308-10;
 US-Patent-Class-310-153; US-Patent-Class-310-269;
 US-Patent-Class-310-154; US-Patent-Class-310-178) Avail: US
 Patent Office CSCL 10B

A high efficiency, flywheel type energy storage device which comprises an electronically commutated d.c. motor/generator unit having a massive flywheel rotor magnetically suspended around a ring shaped stator is presented. During periods of low energy demand, the storage devices were operated as a motor, and the flywheel motor was brought up to operating speed. Energy was drawn from the device functioning as a generator as the flywheel rotor rotated during high energy demand periods.

Official Gazette of the U.S. Patent Office

N78-24609* National Aeronautics and Space Administration, Goddard Space Flight Center, Greenbelt, Md.

PROCESS FOR UTILIZING LOW-COST GRAPHITE SUBSTRATES FOR POLYCRYSTALLINE SOLAR CELLS

Patent

Ting L. Chu, inventor (to NASA) (Southern Methodist Univ.) Issued 7 Mar. 1978 16 p Filed 4 Jun. 1976 Supersedes N76-26695 (14 - 17, p 2218) Continuation-in-part of US Patent Appl. SN-576488 filed 12 May 1975, US Patent-3,961,997 Sponsored by NASA

(NASA-Case-GSC-12022-2; US-Patent-4,077,818; US-Patent-Appl-SN-693074; US-Patent-Class-148-174; US-Patent-Class-29-572; US-Patent-Class-136-89SG; US-Patent-Class-357-30; US-Patent-Class-357-59; US-Patent-Class-427-86; US-Patent-Class-427-113; US-Patent-Class-427-248J; US-Patent-Class-427-249; US-Patent-3,961,997; US-Patent-Appl-SN-576488) Avail: US Patent Office CSCL 10A

Low cost polycrystalline silicon solar cells supported on substrates were prepared by depositing successive layers of polycrystalline silicon containing appropriate dopants over supporting substrates of a member selected from the group consisting of metallurgical grade polycrystalline silicon, graphite and steel coated with a diffusion barrier of silica, borosilicate, phosphosilicate, or mixtures thereof such that p-n junction devices were formed which effectively convert solar energy to electrical energy. To improve the conversion efficiency of the polycrystalline silicon solar cells, the crystallite size in the silicon was substantially increased by melting and solidifying a base layer of polycrystalline silicon before depositing the layers which form the p-n junction.

Official Gazette of the U.S. Patent Office

N78-24610* Contemporary Systems, Inc., Jaffrey, N. H.
PRELIMINARY DESIGN PACKAGE FOR PROTOTYPE SOLAR HEATING SYSTEM

23 Nov. 1976 54 p Prepared for DOE

(Contract NAS8-32243)

(NASA-CR-150615) Avail: NTIS HC A04/MF A01 CSCL 10A

A preliminary design review on the development of a prototype solar heating system for single family dwellings is presented. The collector, storage, transport, control, and site data acquisition subsystems are described.

Author

N78-24611* RHO Sigma, Inc., North Hollywood, Calif.
PRELIMINARY DESIGN PACKAGE FOR RS600 MICRO-PROCESSOR CONTROL SUBSYSTEM

1978 15 p Prepared for DOE

(Contract NAS8-32256)

(NASA-CR-150628) Avail: NTIS HC A02/MF A01 CSCL 10A

Microprocessor control subsystems developed for use in heating, heating and cooling, and/or hot water systems for single family, multi-family, or commercial applications are described.

Author

N78-24613* Wyle Labs., Inc., Huntsville, Ala. Solar Energy Systems Div.

INDOOR TEST FOR THERMAL PERFORMANCE EVALUATION ON THE SUNWORKS (AIR) SOLAR COLLECTOR

Jan. 1978 34 p refs Prepared for DOE

(Contract NAS8-32036)

(NASA-CR-150666; WYLE-TR-531-17) Avail: NTIS HC A03/MF A01 CSCL 10A

The test procedure used and the results obtained from an evaluation test program conducted to obtain thermal performance data on a Sunworks single glazed air solar collector under simulated conditions are described. A time constant test and incident angle modifier test were conducted to determine the transient effect and the incident angle effect on the collector. These results and the results of the collector load test are also discussed.

Author

N78-24614* Wyle Labs., Inc., Huntsville, Ala. Solar Energy Systems Div.

OUTDOOR THERMAL EFFICIENCY EVALUATION OF THE YING SOLAR COLLECTOR

14 Mar. 1978 17 p ref Revised Prepared for DOE

(Contract NAS8-32036)

(NASA-CR-150675; WYLE-TR-531-21-Rev-A) Avail: NTIS HC A02/MF A01 CSCL 10A

The test procedure used and the test results obtained during an evaluation test program to obtain thermal efficiency performance data are presented. The flat plate collector used water/ prestone antifreeze solution as the working fluid.

Author

N78-24616* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

RAPID, EFFICIENT CHARGING OF LEAD-ACID AND NICKEL-ZINC TRACTION CELLS

John J. Smithrick 1978 9 p refs To be presented at the 13th Intersoc. Energy Conversion Eng. Conf., San Diego, Calif., 20-25 Aug. 1978

(Contract EC-77-A-31-1011)

(NASA-TM-78901; E-9637; DOE/NASA/1011-78/26) Avail: NTIS HC A02/MF A01 CSCL 10C

Lead-acid and nickel-zinc traction cells were rapidly and efficiently charged using a high rate tapered direct current (HRTDC) charge method which could possibly be used for on-the-road service recharge of electric vehicles. The HRTDC method takes advantage of initial high cell charge acceptance and uses cell gassing rate and temperature as an indicator of charging efficiency. On the average, in these preliminary tests, 300 amp-hour nickel-zinc traction cells were given a HRTDC (initial current 500 amps, final current 100 amps) to 78 percent of rated amp-hour capacity within 53 minutes at an amp-hour efficiency of 92 percent and an energy efficiency of 52 percent. Three hundred amp-hour lead-acid traction cells were charged to 69 percent of rated amp-hour capacity within 46 minutes at an amp-hour efficiency of 91 percent with an energy efficiency of 64 percent. In order to find ways to further decrease the recharge times, the effect of periodically (0 to 400 Hz) pulse discharging cells during a constant current charging process (94% duty cycle) was investigated. Preliminary data indicate no significant effect of this type of pulse discharging during charge on charge acceptance of lead-acid or nickel-zinc cells.

Author

N78-24618* Institute of Gas Technology, Chicago, Ill.

MOLTEN SALT THERMAL ENERGY STORAGE SYSTEMS

Final Report

Hansraj C. Maru, John F. Dullea, Alan Kardas, Larry Paul, Leonard G. Marianowski, Estela Ong, Viji Sampath, Vincent M. Huang, and Jerome C. Wolak Mar. 1978 129 p refs Sponsored by NASA

(Contract EY-76-C-02-2888; Proj. 8981)

(NASA-CR-135419; COO-2888-3)

Avail: NTIS

HC A07/MF A01 CSCL 10C

The feasibility of storing thermal energy at temperatures of 450 C to 535 C in the form of latent heat of fusion was examined for over 30 inorganic salts and salt mixtures. Alkali carbonate mixtures were chosen as phase-change storage materials in this temperature range because of their relatively high storage capacity and thermal conductivity, moderate cost, low volumetric expansion upon melting, low corrosivity, and good chemical stability. Means of improving heat conduction through the solid salt were explored.

Author

N78-24619* Joint Economic Committee (U. S. Congress).

THE IMPACT OF THE PRESIDENT'S ENERGY PLAN ON THE NORTHEAST

Washington GPO 1977 138 p refs Hearing before the Subcomm. on Energy of the Joint Economic Comm., 95th Congr., 1st Sess., 13 May 1977

(GPO-97-013) Avail: SOD HC

Conversion from oil to coal, transportation of coal, gasoline consumption targets, incentives for development of solar energy, and energy-efficient homes, electrical appliances, and automobiles

are considered in terms of the regional economic impact of the national energy plan. Emphasis is placed on establishing equity of energy costs among regions. J.M.S.

N78-24622*# Westinghouse Electric Corp., Pittsburgh, Pa.
SILICON MATERIALS TASK OF THE LOW COST SOLAR ARRAY PROJECT, PHASE 2 Quarterly Report, 1 Oct. - 31 Dec. 1977

R. H. Hopkins, J. R. Davis, Jr., P. D. Blais, A. Rohatgi, P. Rai-Choudhury, M. H. Hanes, and J. R. McCormick (Dow Corning Corp., Midland, Mich.) 31 Dec. 1977 96 p refs Sponsored in part by DOE Prepared for JPL (Contracts NAS7-100; JPL-954331) (NASA-CR-157082; DOE/JPL-954431-78/1; QR-9) Avail: NTIS HC A05/MF A01 CSCL 10A

The object of phase 2 of this program is to investigate and define the effects of various processes, contaminants and process-contaminant interactions in the performance of terrestrial solar cells. The major effort this quarter was in the areas of crystal growth and thermal processing, comparison of impurity effects in low and high resistivity silicon, modeling the behavior of p-type ingots containing Mo, and C and, quantitative analysis of bulk lifetime and junction degradation effects in contaminated solar cells. The performance of solar cells fabricated on silicon web crystals grown from melts containing about 10 to the 18th power/cu cm of Cr, Mn, Fe, Ni, Ti, and V, respectively were measured. Deep level spectroscopy of metal-contaminated ingots was employed to determine the level and density of recombination centers due to Ti, V, Ni, and Cr. Author

N78-24627*# Honeywell Corporate Material Sciences Center, Bloomington, Minn.

DIP-COATING PROCESS: SILICON SHEET GROWTH DEVELOPMENT FOR THE LARGE-AREA SILICON SHEET TASK OF THE LOW-COST SILICON SOLAR ARRAY PROJECT Quarterly Report, 20 Sep. - 27 Nov. 1977

J. D. Zook, J. D. Heaps, R. B. Maciolek, B. Koepke, C. D. Gutter, and S. B. Schuldt 30 Dec. 1977 59 p refs Sponsored in part by ERDA Prepared for JPL (Contracts NAS7-100; JPL-954356) (NASA-CR-157072; ERDA/JPL-954356-77/4; HONEYWELL-QR-7) Avail: NTIS HC A04/MF A01 CSCL 10A

The objective of this research program is to investigate the technical and economic feasibility of producing solar-cell-quality sheet silicon by coating one surface of carbonized ceramic substrates with a thin layer of large-grain polycrystalline silicon from the melt. The past quarter demonstrated significant progress in several areas. Seeded growth of silicon-on-ceramic (SOC) with an EFG ribbon seed was demonstrated. Different types of mullite were successfully coated with silicon. A new method of deriving minority carrier diffusion length, $L_{sub n}$ from spectral response measurements was evaluated. ECOMOD cost projections were found to be in good agreement with the interim SAMIS method proposed by JPL. On the less positive side, there was a decrease in cell performance which we believe to be due to an unidentified source of impurities. Author

N78-24629*# Varian Associates, Lexington, Mass. Vacuum Div.

SLICING OF SILICON INTO SHEET MATERIAL SILICON SHEET GROWTH DEVELOPMENT FOR THE LARGE AREA SILICON SHEET TASK OF THE LOW COST SILICON SOLAR ARRAY PROJECT Quarterly Report, 19 Sep. - 17 Dec. 1977

S. C. Holden and J. R. Fleming 12 Jan. 1978 118 p Sponsored in part by ERDA Prepared for JPL (Contracts NAS7-100; JPL-954374) (NASA-CR-157080; ERDA/JPL-954374-77/4; QR-7) Avail: NTIS HC A06/MF A01 CSCL 10A

Fabrication of a prototype large capacity multiple blade slurry saw is considered. Design of the bladehead which will tension up to 1000 blades, and cut a 45 cm long silicon ingot as large

as 12 cm in diameter is given. The large blade tensioning force of 270,000 kg is applied through two bolts acting on a pair of scissor toggles, significantly reducing operator set-up time. Tests with an upside-down cutting technique resulted in 100% wafering yields and the highest wafer accuracy yet experienced with MS slicing. Variations in oil and abrasives resulted only in degraded slicing results. A technique of continuous abrasive slurry separation to remove silicon debris is described. Author

N78-24630*# Motorola, Inc., Phoenix, Ariz.
LASER-ZONE GROWTH IN A RIBBON-TO-RIBBON (RTR) PROCESS. SILICON SHEET GROWTH DEVELOPMENT FOR THE LARGE AREA SILICON SHEET TASK OF THE LOW COST SILICON SOLAR ARRAY PROJECT Technical Quarterly Report No. 6, 10 Oct. - 31 Dec. 1977

R. W. Gurtler, A. Baghdadi, R. Legge, B. Sopori, and R. J. Ellis 31 Dec. 1977 106 p Prepared for JPL (Contracts NAS7-100; JPL-954376) (DOE/JPL-954376-78/1; Rept-2256/8) Avail: NTIS HC A06/MF A01 CSCL 10A

The Ribbon-to-Ribbon (RTR) approach to silicon ribbon growth is investigated. An existing RTR apparatus is to be upgraded to its full capabilities and operated routinely to investigate and optimize the effects of various growth parameters on growth results. A new RTR apparatus was constructed to incorporate increased capabilities and improvements over the first apparatus and to be capable of continuous growth. New high power lasers were implemented and this led to major improvements in growth velocity -- 4 inch/min growth has been demonstrated. A major step in demonstration of the full feasibility of the RTR process is reported in the demonstration of RTR growth from CVD polyribbon rather than sliced polyribbon ingots. Average solar cell efficiencies of greater than 9% and a best cell efficiency of 11.7% are reported. Processing was shown to provide a substantial improvement in material minority carrier diffusion length. An economic analysis is reported which treats both the polyribbon fabrication and RTR processes. Author

N78-24636*# Springborn Labs., Inc., Enfield, Conn.
INVESTIGATION OF TEST METHODS, MATERIAL PROPERTIES, AND PROCESSES FOR SOLAR CELL ENCAPSULANTS. ENCAPSULATION TASK OF THE LOW-COST SILICON SOLAR ARRAY PROJECT Quarterly Progress Report, 12 Aug. - 12 Nov. 1977

Nov. 1977 46 p Sponsored in part by ERDA Prepared for JPL (Contracts NAS7-100; JPL-954527; JPL Proj. 6072.1) (NASA-CR-157149; ERDA/JPL-954527-77/4) Avail: NTIS HC A03/MF A01 CSCL 10A

During this quarter, flat-plate solar collector systems were considered and six basic construction elements were identified: outer coatings, superstrates, pottants, substrates, undercoats, and adhesives. Materials surveys were then initiated to discover either generic classes or/and specific products to function as each construction element. Cost data included in the surveys permit ready evaluation of each material. Silicones, fluorocarbons, glass, and acrylic polymers have the highest inherent weatherability of materials studied to date. Only acrylics, however, combine low costs, environmental resistance, and potential processability. This class will receive particular emphasis. Author

N78-24637*# Dow Corning Corp., Midland, Mich. Solid State Research and Development Lab.
SOLAR SILICON VIA THE DOW CORNING PROCESS Quarterly Report

L. P. Hunt, V. D. Dosaj, and J. R. McCormick Jan. 1978 17 p refs Sponsored in part by DOE Prepared for JPL (Contracts NAS7-100; JPL-954559) (NASA-CR-157065; DOE/JPL-954559-78/1; QR-6) Avail: NTIS HC A09/MF A01 CSCL 10A

Carbon, as a reductant for quartz, must be made available so as to have suitable reactivity in conjunction with high purity, especially with respect to boron and phosphorus. A detailed experimental plan was developed to do this. Different sources of carbon were selected to be subjected to various purification

methods and reactivity-enhancement processes. A developmental scale arc furnace was installed to perform quartz-carbon reactivity testing. Author

N78-24639* Solarex Corp., Rockville, Md.
SILICON SOLAR CELLS WITH A TOTAL POWER CAPACITY OF 30 KILOWATTS Final Technical Report
 31 Oct. 1977 17 p Revised Sponsored by NASA Prepared for JPL
 (Contract JPL-954577)
 (NASA-CR-157066) Avail: NTIS HC A02/MF A01 CSCL 10A

The bulk of the contract effort was carried out in the following two phases: Phase 1 -- module design, Pre-production module fabrication, inspection and test. Phase 2 -- Production, test and delivery. Effort during the first two months of the contract concentrated on design of a solar module to meet specification. Basic module design resulting from this effort is as follows: (1) frame design; (2) cell pan design; (3) cell interconnection; (4) encapsulation; (5) electrical performance. Author

N78-24640* Westinghouse Electric Corp., Trafford, Pa. Power Circuit Breaker Div.
LOW COST SILICON SOLAR ARRAY PROJECT SILICON MATERIALS TASK Quarterly Technical Report, Jul. - Sep. 1977
 Sep. 1977 35 p refs Sponsored in part by DOE Prepared for JPL
 (Contracts NAS7-100; JPL-954589)
 (NASA-CR-157092; ERDA/JPL-954589-77/3) Avail: NTIS HC A03/MF A01 CSCL 10A

A program was established to develop a high temperature silicon production process using existing electric arc heater technology. Silicon tetrachloride and a reductant will be injected into an arc heated mixture of hydrogen and argon. Under these high temperature conditions, a very rapid reaction is expected to occur and proceed essentially to completion, yielding silicon and gaseous sodium chloride. Techniques for high temperature separation and collection of the molten silicon will be developed using standard engineering approaches, and the salt vapor will later be electrolytically separated into its elemental constituents for recycle. Preliminary technical evaluations and economic projections indicate not only that this process appears to be feasible, but that it also has the advantages of rapid, high capacity production of good quality molten silicon at a nominal cost. Author

N78-24642* Solarex Corp., Rockville, Md.
ENERGY REQUIREMENT FOR THE PRODUCTION OF SILICON SOLAR ARRAYS Quarterly Report, 21 Jun. - 20 Sep. 1977
 Joseph Lindmayer, Manfred Wihl, and Alan Scheinine Oct. 1977 73 p refs Sponsored in part by ERDA Prepared for JPL
 (Contracts NAS7-100; JPL-954606)
 (NASA-CR-157074; SX/111/3; ERDA/JPL-954606-77/3; QR-3) Avail: NTIS HC A04/MF A01 CSCL 10A

Refinement techniques are assessed in terms of their energy demands. It is found that all of them are potentially acceptable alternatives to the conventional silane process. Refinement technologies reviewed include: (1) pure silicon via the metallic reduction of silicon tetrahalides; (2) synthesis of silane for solar grade silicon by means of catalytic redistribution of chlorosilanes; (3) refined silicon via a silicon fluoride polymer transport process; and (4) purified silicon from upgraded conventional arc furnace processes. It is shown that the current development of these refinement processes would yield payback times in the range of 0.2 to 1.2 years if a 12.5% efficient cell could be achieved. Compared to the conventional process which is characterized by a payback time of 3.2 years these technologies appear to be endowed with the potential to provide the silicon necessary for energy demands. Author

N78-24643* Solarex Corp., Rockville, Md.
ENERGY REQUIREMENT FOR THE PRODUCTION OF SILICON SOLAR ARRAYS Final Report, 21 Sep. - 20 Dec. 1977

Joseph Lindmayer, Manfred Wihl, Alan Scheinine, Thomas Rosenfield, Charles Y. Wrigley, Andrew Morrison, Jack Anderson, Anthony Clifford, and Wendell Lafky Dec. 1977 146 p refs Sponsored in part by DOE Prepared for JPL
 (Contracts NAS7-100; JPL-954606)
 (NASA-CR-157071; SX/111/4; ERDA/JPL-954606-77/4) Avail: NTIS HC A07/MF A01 CSCL 10A

The results of a study to investigate the feasibility of manufacturing photovoltaic solar array modules by the use of energy obtained from similar or identical photovoltaic sources are presented. The primary objective of this investigation was the characterization of the energy requirements of current and developing technologies which comprise the photovoltaic field. For cross-checking the energies of prevailing technologies data were also used and the wide-range assessment of alternative technologies included different refinement methods, various ways of producing light sheets, semicrystalline cells, etc. Energy data are utilized to model the behavior of a future solar breeder plant under various operational conditions. Author

N78-24645* Sincal Corp., Sunnyvale, Calif.
SOLAR THERMOELECTRIC GENERATORS Final Report
 29 Jul. 1977 96 p Prepared for JPL
 (Contract JPL-954637)
 (NASA-CR-157097) Avail: NTIS HC A05/MF A01 CSCL 10A

The methods, the findings and the conclusions of a study for the design of a Solar Thermoelectric Generator (STG) intended for use as a power source for a spacecraft orbiting the planet Mercury are discussed. Several state-of-the-art thermoelectric technologies in the intended application were considered. The design of various STG configurations based on the thermoelectric technology selected from among the various technologies was examined in detail and a recommended STG design was derived. The performance characteristics of the selected STG technology and associated design were studied in detail as a function of the orbital characteristics of the STG in Mercury and throughout the orbit of Mercury around the sun. Author

N78-24649* Optical Coating Lab., Inc., City of Industry, Calif. Photoelectronics Div.
HIGH EFFICIENCY, LONG LIFE TERRESTRIAL SOLAR PANEL Quarterly Report, 1 Sep. - 30 Nov. 1977
 T. Chao, S. Khemthong, R. Ling, and S. Olah 30 Nov. 1977 26 p Sponsored in part DOE Prepared for JPL
 (Contracts NAS7-100; JPL-954831)
 (NASA-CR-157060; DOE/JPL-954831-77/12; QR-1) Avail: NTIS HC A03/MF A01 CSCL 10A

The design of a high efficiency, long life terrestrial module was completed. It utilized 256 rectangular, high efficiency solar cells to achieve high packing density and electrical output. Tooling for the fabrication of solar cells was in house and evaluation of the cell performance was begun. Based on the power output analysis, the goal of a 13% efficiency module was achievable. Author

N78-24650* Spectrolab, Inc., Sylmar, Calif.
ARRAY AUTOMATED ASSEMBLY, PHASE 2 Quarterly Report
 William E. Taylor Feb. 1978 65 p refs Sponsored by NASA and DOE Prepared for JPL
 (Contract JPL-954853)
 (NASA-CR-157057; DOE/JPL-954853-78/1) Avail: NTIS HC A04/MF A01 CSCL 10A

An analysis was made of cost tradeoffs for shaping modified square wafers from cylindrical crystals. Tests were conducted of the effectiveness of texture etching for removal of surface damage on sawed wafers. A single step texturing etch appeared adequate for removal of surface damage on wafers cut with multiple blade reciprocating slurry saws. Author

N78-24653* Texas Instruments, Inc., Dallas.
AUTOMATED ARRAY ASSEMBLY, PHASE 2 Quarterly Technical Progress Report

Bernard G. Carbajal Jan. 1978 29 p Sponsored in part by DOE Prepared for JPL (Contracts NAS7-100; JPL-954881) (NASA-CR-157134; TI-03-77-56; DOE/JPL-954881-78-1; QTPR-4) Avail: NTIS HC A03/MF A01 CSCL 10A

This contract includes solar cell module process development activities in the areas of surface preparation, plasma processing, diffusion, cell processing and module fabrication. In addition, a High Efficiency Cell Development Activity is included. The overall goal is to advance solar cell module process technology to meet the 1986 goal of a production capacity of 500 megawatts per year at a cost of less than \$500 per kilowatt. This contract will focus on the process element developments stated above and will propose an overall module process. During this quarter, effort was concentrated on wafer etching for saw damage removal, establishing a standard phosphorous diffusion process and a baseline solar cell process as a test bed, designing a large area square cell including test sites, analyzing module layouts for optimum packing efficiency and fabricating the first Tandem Junction Cells (TJC) for this contract. A TJC with backside contacts gave 15.1% efficiency at AM1. Author

N78-24654*# Solarex Corp., Rockville, Md.
DEVELOPMENT OF AN IMPROVED HIGH EFFICIENCY THIN SILICON SOLAR CELL Quarterly Report

Joseph Lindmayer et al Jan. 1978 17 p Prepared for JPL (Contracts NAS7-100; JPL-954883) (NASA-CR-157058; Sx/115/1Q) Avail: NTIS HC A02/MF A01 CSCL 10A

Efforts were concerned with optimizing techniques for thinning silicon slices in NaOH etches, initial investigations of surface texturing, variation of furnace treatments to improve cell efficiency, initial efforts on optimization of gridline and cell sizes and Pilot Line fabrication of quantities of 2 cm x 2 cm 50 micron thick cells. Author

N78-24656*# Simat, Helliesen and Eichner, Inc., Newton Center, Mass.

LSSA LARGE AREA SILICON SHEET TASK: CONTINUOUS LIQUID FEED CZOCHRALSKI GROWTH Quarterly Report, Oct. - Dec. 1977

Walter Torbet Jan. 1978 15 p Sponsored in part by DOE Prepared for JPL (Contracts NAS7-100; JPL-954886) (NASA-CR-157135; DOE/JPL-954886-78/1; Rept-0140-0080) Avail: NTIS HC A02/MF A01 CSCL 10A

The development of a Czochralski furnace that permits the growing of silicon crystals with a continuous liquid replenishment of the molten silicon of the growth crucible is described. Author

N78-24659*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

ENERGY CONVERSION ALTERNATIVES STUDY (ECAS): Summary Report

Sep. 1977 101 p refs Sponsored in part by NSF (Contract E(49-18)-1751) (NASA-TM-73871; E-8596) Avail: NTIS HC A06/MF A01 CSCL 10A

ECAS compared various advanced energy conversion systems that can use coal or coal-derived fuels for baseload electric power generation. It was conducted in two phases. Phase 1 consisted of parametric studies. From these results, 11 concepts were selected for further study in Phase 2. For each of the Phase 2 systems and a common set of ground rules, performance, cost, environmental intrusion, and natural resource requirements were estimated. In addition, the contractors defined the state of the associated technology, identified the advances required, prepared preliminary research and development plans, and assessed other factors that would affect the implementation of each type of powerplant. The systems studied in Phase 2 include steam systems with atmospheric- and pressurized-fluidized-bed boilers; combined cycle gas turbine/steam systems with integrated gasifiers or fired by a semiclean, coal derived fuel; a potassium/steam system with a pressurized-fluidized-bed boiler; a closed-cycle gas turbine/organic system with a high-temperature, atmospheric-

fluidized-bed furnace; a direct-coal-fired, open-cycle magnetohydrodynamic/steam system; and a molten-carbonate fuel cell/steam system with an integrated gasifier. The sensitivity of the results to changes in the ground rules and the impact of uncertainties in capital cost estimates were also examined.

Author

N78-24660*# National Aeronautics and Space Administration, Washington, D. C.

PATENT APPLICATION. VARIABLE-VOLUME ENGINE

Stephane Convers May 1978 12 p Transl. into ENGLISH from French Patent no. 77-35813, 9 Nov. 1977 8 p Transl. by SCITRAN, Santa Barbara, Calif. (Contract NASw-2791)

(NASA-TM-75094) Avail: NTIS HC A02/MF A01 CSCL 10A

A description is given of an engine using the expansion-contraction of bodies subjected to controlled thermal variations and making use of free natural heat sources. Author

N78-24661# Committee on Energy and Natural Resources (U. S. Senate).

PETROLEUM INDUSTRY INVOLVEMENT IN ALTERNATIVE SOURCES OF ENERGY

Washington GPO 1977 395 p refs Rept. for Subcomm. on Energy Res. and Development of the Comm. on Energy and Natural Resources, 95th Congr., 1st Sess., Sep. 1977 (GPO-93-800; Publ-95-54) Avail: Subcomm. on Energy Res. and Development

Information from the public record about the nonpetroleum resource holdings and research and development activities of the nation's oil companies is presented. Resources considered are coal, oil shale, geothermal, and uranium. Author

N78-24662# Committee on Energy and Natural Resources (U. S. Senate).

SOLAR ENERGY

Washington GPO 1977 406 p refs Joint hearing before the Subcomm. on Energy Production and Supply and the Subcomm. on Energy Res. and Development of the Comm. on Energy and Natural Resources and the Select Comm. on Small Business, 95th Congr., 1st Sess., 1 Jun. 1977 (GPO-94-910; Publ-95-65) Avail: Subcomm. on Energy Production and Supply

Testimony was presented to provide important perspectives on solar energy, particularly as related to small businesses. Means of encouraging optimum commercial development of all the alternative energy industries were discussed. Discussion centered around the opportunities and problems facing small businesses in the emerging alternative energy industries. Institutional and economic barriers to commercialization and dissemination of alternative energy products and services were outlined and the role of government in promoting commercial development was discussed. P.R.A.

N78-24665# Boston Univ., Mass. Dept. of Chemistry.
PHOTOISOMERIZATION OF BIS 9-ANTHRYL METHANE AND OTHER LINKED ANTHRACENES: THE ROLE OF EXCIMERS AND BIRADICALS IN PHOTODIMERIZATION Technical Report, 1 Nov. 1976 - 31 Dec. 1977

William R. Bergmark, Guilford Jones, II, Thomas E. Reinhardt, and Arthur M. Halpern 1 Mar. 1978 43 p refs (Contract N00014-76-C-0442) (AD-A051336; TR-7) Avail: NTIS HC A03/MF A01 CSCL 07/3

A series of linked anthracenes capable of storing photon energy through endoergic valence photo-isomerization have been studied. Photophysical and photochemical characteristics of the systems have been completely characterized by measurement of fluorescence quantum yields and lifetimes, and efficiencies for forward and reverse isomerization. The release of energy stored in photoisomers has been measured using kinetic and calorimetric techniques. From emission and lifetime data the respective roles of excimers and biradicals in anthracene photodimerization have been defined. Author (GRA)

N78-24667# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
COMPUTER PROGRAM FOR DESIGN AND PERFORMANCE ANALYSIS OF NAVIGATION AID POWER SYSTEMS PROGRAM DOCUMENTATION. VOLUME 2: USER'S MANUAL Final Report

G. Goltz and H. Weiner Jul. 1977 102 p
 (Contract MIPR-Z-70099-5-50352)
 (AD-A047356; JPL-5040-27-Vol-2-Change-1;
 USCG-D-11-77-Vol-2; CGR/DC-18/76-Vol-2) Avail: NTIS
 HC A06/MF A01 CSCL 09/2

A computer program has been developed for designing and analyzing the performance of solar array/battery power systems for the U.S. Coast Guard Navigational Aids. This program is called the Design Synthesis/Performance Analysis (DSPA) Computer Program. The basic function of the Design Synthesis portion of the DSPA program is to evaluate functional and economic criteria to provide specifications for viable solar array/battery power systems. The basic function of the Performance Analysis portion of the DSPA program is to simulate the operation of solar array/battery power systems under specific loads and environmental conditions. This document provides all the information necessary to access the DSPA programs, to input required data and to generate appropriate Design Synthesis or Performance Analysis Output. GRA

N78-24669# Thermo Electron Corp., Waltham, Mass.
THERMODYNAMIC ANALYSIS OF A TIN-STEAMED LMMHD SYSTEM Final Technical Report

29 Jul. 1977 60 p ref
 (Contract N00014-77-C-0523)
 (AD-A052395; TE5471-10-78) Avail: NTIS HC A04/MF A01
 CSCL 10/2

In this report, we evaluate the thermodynamic analyses and data of a tin-steam liquid metal magnetohydrodynamic power system proposed by Argonne National Laboratory, Argonne, Illinois, to the Office of Naval Research, Washington, D.C. Our evaluations consisted of: (1) an analysis of the ideal or limiting performance of the proposed system; (2) a comparison of the results obtained by means of a computer model developed by Argonne with those obtained by simplified hand calculations by Thermo Electron Corporation; (3) an analysis of the sensitivities of the computer results to the values of key but uncertain input parameters; (4) an analysis of the major efficiency losses in the system; and (5) a comparison of the proposed system with one that does not use magnetohydrodynamics but does require effective steam heat management (reheat and feedwater heating). Author (GRA)

N78-24672# Energy Research and Development Administration, Albuquerque, N. Mex.

SOLAR TOTAL ENERGY SYSTEM, LARGE SCALE EXPERIMENT, SHENANDOAH, GEORGIA. VOLUME 2. SECTION 3: FACILITY CONCEPT DESIGN Final Technical Progress Report

17 Oct. 1977 193 p refs Prepared in cooperation with Stearns-Roger Corp., Denver, Colo. and McDonnell Douglas Corp., St. Louis, Mo.
 (Contract EG-77-C-04-3987)

(ALO/3987-1/2-Vol-2) Avail: NTIS HC A09/MF A01

A large scale experiment to design, construct, test, evaluate, and operate a solar total energy system (STES) for the purpose of obtaining experience with large scale hardware systems and to establish engineering capability for subsequent demonstration projects is described. The solar total energy system is sized to supply 1.720 MW thermal power and 383.6 kW electrical power. The STES is sized for the extended knitwear plant of 3902 M2 (42,000 sq-ft) which will eventually employ 300 people. Conceptual design requirements of the facility are presented. Facility concept design, system concept design, performance analysis, operation plan, component and subsystem development, procurement plan, cost estimating and scheduling, and technical and management plans are among the topics discussed. ERA

N78-24673# Energy Research and Development Administration, Albuquerque, N. Mex.

SOLAR TOTAL ENERGY SYSTEM, LARGE SCALE EXPERIMENT, SHENANDOAH, GEORGIA. VOLUME 3 Final Technical Progress Report

17 Oct. 1977 124 p Prepared in cooperation with Stearns-Roger Corp., Denver, Colo. and McDonnell Douglas Corp., St. Louis, Mo.

(Contract EG-77-C-04-3987)

(ALO/3987-1/3-Vol-3) Avail: NTIS HC A06/MF A01
 For abstract, see N78-24672.

N78-24674# Thermo Electron Corp., Waltham, Mass.
ERDA/NASA ADVANCED THERMIONIC TECHNOLOGY PROGRAM Progress Report

May 1977 24 p refs
 (Contracts NAS3-20302; EY-76-C-02-3056)

(NASA-CR-157117; PR-23; TE-4217/4220-140-77;
 COO-3056-25) Avail: NTIS HC A02/MF A01 CSCL 10A

Research progress is outlined in the areas of surface studies (basic experiments and direct beam chamber), plasma studies (converter theory and advanced mode conversion experiments), component development (low-temperature and high-temperature converter experiments), and component hardware (hot shell development). ERA

N78-24675# Battelle Columbus Labs., Ohio.
AGGLOMERATING BURNER GASIFICATION PROCESS: DESIGN, INSTALLATION, AND OPERATION OF A 25-TON-A-DAY PROCESS DEVELOPMENT UNIT Monthly Progress Report

8 Sep. 1977 18 p
 (Contract EX-76-C-01-1513)

(FE-1513-64) Avail: NTIS HC A02/MF A01

Extensive solids circulation tests were completed and a correlation relating solids circulation rate to pressure loss in the vertical riser was developed. Efforts to complete an integrated gasification run were retarded by failure of a section of steel pipe in the solids transfer line and failure of portions of the combustor distributor plate. Fabrication of the erosion test rig was completed and made ready for hot-gas calibration. Activity on the turbine engineering study is presented. ERA

N78-24676# Brookhaven National Lab., Upton, N. Y.
SOME RATE AND MODELING STUDIES ON THE USE OF IRON-TITANIUM HYDRIDE AS AN ENERGY STORAGE MEDIUM FOR ELECTRIC UTILITY COMPANIES

Gerald Strickland and Wen-Shi Yu 26 Apr. 1977 62 p refs
 (Contract EY-76-C-02-0016)

(BNL-50667) Avail: NTIS HC A04/MF A01

Dynamic tests and modeling studies were made on the chemical energy storage portion of an electrical energy conversion and storage system proposed for leveling the load of an electric utility company. The concept utilizes off-peak power to produce hydrogen by electrolyzing water, storing the hydrogen as iron-titanium hydride, FeTiH/sub x/, and subsequently, releasing the hydrogen to a fuel cell where the reaction with air generates electrical power. ERA

N78-24677# Institute of Gas Technology, Chicago, Ill.
OPTIMIZATION STUDY OF OTEC DELIVERY SYSTEMS BASED ON CHEMICAL-ENERGY CARRIERS Final Report

Alex J. Konopka, Abu Talib, Bernard Yudow, and Nicholas Biederman Dec. 1976 331 p refs Sponsored in part by DoE

(Contract NSF C-1008; Grant NSF AER-75-00033)

(ERDA/NSF/00033-76/TI) Avail: NTIS HC A15/MF A01

The technoeconomic feasibility of chemical energy carriers was studied. The chemical energy carriers analyzed were hydrogen, as a gas and as a liquid, and liquid ammonia. Designs of systems for producing and transporting chemical energy to shore were completed. Estimates of the cost at which chemical energy would be available from an onshore terminal were prepared. A technical and economic evaluation of conversion delivered ammonia to

ammonium nitrate and urea was completed and a general analysis of chemical energy reconverted into electricity onshore was also made. The information for the major project tasks--production, transmission, terminaling, and conversion back to electricity--is given. ERA

N78-24678# Los Alamos Scientific Lab., N. Mex.

GAS STIMULATION STUDIES AT LASL

W. J. Carter, B. W. Olinger, N. E. Vanderborgh, and T. E. Springer 1977 27 p refs Presented at the 3d Ann. ERDA Symp. on Enhanced Oil and Gas Recovery, Tulsa, Okla., 30 Aug. - 1 Sep. 1977

(Contract W-7405-eng-36)

(LA-UR-77-1937; Conf-770836-5)

Avail: NTIS

HC A03/MF A01

Hugoniot, dynamic spall strengths, wave profiles on shock and release, and ultrasonic elastic constants were determined as functions of material density and bedding orientation for Devonian shales. These data form the basis of predictive explosive stimulation technology. Weapons-developed shaped charges using heavy metal liners are investigated for downhole use in order to produce a horizontal manifold system leading to a central borehole. Applications of the paths produced by these devices include intersection of the natural fracture patterns, explosive or chemical emplacement, or producing hydrofractures displaced from the borehole. Laser pyrolysis studies showed that pulsed laser heating results in a rapid deposition of precise quantities of thermal energy into selected shale volumes. Such laser-induced pyrolysis forms the basis for a rapid assay technique which can be used at the wellhead or as a downhole logging tool. Finally a computational technique using a hybrid (analog and digital) computer is being developed with the ultimate objective of simulating proposed extraction technologies to establish optimum economic stimulation methods. ERA

N78-24679# Pittsburgh and Midway Coal Mining Co., Merrian, Kans.

SOLVENT REFINED COAL (SRC) PROCESS Monthly Report

Sep. 1977 15 p

(Contract EX-76-C-01-0496)

(FE-496-138) Avail: NTIS HC A02/MF A01

The progress of the SRC project for the month of July 1977 is reported. A blend of Kentucky 9 and 14 coal was processed and a material balance run was completed. ERA

N78-24680# Pittsburgh Univ., Pa.

MEASUREMENT OF THE FLOW PROPERTIES AND CAPILLARY PRESSURE RELATIONSHIPS OF CERTAIN COALS PERTAINING TO UNDERGROUND COAL GASIFICATION Quarterly Report, Mar. - May 1977

P. F. Fulton and A. A. Reznik Jun. 1977 40 p

(Contract EY-76-S-02-4129)

(COO-4129-3) Avail: NTIS HC A03/MF A01

Measurement of the absolute permeability to gas, porosity, and effective and relative permeability to gas of the Pittsburgh bituminous coal and the Hanna, Wyoming subbituminous coal was extended. The same measurements were made on several samples from the Gillette, Wyoming subbituminous coal. Shrinkage of both coals with drying was also measured. The gas relative permeability curves of the coals are compared and the difference is striking. The rate of increase in permeability to gas past the critical gas saturation is significantly greater as the rank of the coal decreases. Similarly values of absolute permeability, shrinkage, and porosity are inverse functions of rank. The critical gas saturation does not appear to be a function of rank. ERA

N78-24681# Union Carbide Corp., Tonawanda, N.Y.

OCEAN THERMAL POWER PLANTS HEAT EXCHANGERS Final Report

A. M. Czikk, C. F. Fails, G. W. Fenner, D. L. McLaughlin, and R. Zawierucha 21 May 1976 150 p refs

(Contract EX-76-C-01-2448)

(ERDA/NSF/43441-76/1) Avail: NTIS HC A07/MF A01

The cycle considered herein is a closed Rankine system, in which a working fluid (ammonia or propane) is evaporated and condensed in heat exchange with the seawater streams. The cost-performance characteristics of OTEC heat exchangers were studied. Corrosion, biofouling, and material selection were discussed in great detail. In order to decrease the exchanger cost, the use of heat transfer enhancement were studied, including a nucleation promoter for the evaporator, a surface tension motivated condensate film-thinner for the condenser, and boundary layer turbulence promoters for the seawater flows. The heat exchangers can only be optimized as part of the entire plant, as a system, in order to properly apportion temperature differences between the evaporator, condenser, and turbine, and to make optimum choice of the internal power consumptions. An optimization program was written and used to obtain the optimum systems designs. ERA

N78-24683# Battelle Pacific Northwest Labs., Richland, Wash.
CHARACTERIZATION OF SUBSTANCES IN PRODUCTS, EFFLUENTS AND WASTES FROM SYNTHETIC FUEL DEVELOPMENT PROCESSES Quarterly Report, 1976

J. S. Fruchter, M. R. Petersen, and P. W. Ryan Jan. 1977 15 p

(Contract EY-76-C-06-1830)

(BNWL-2224; QR-4) Avail: NTIS HC A02/MF A01

Constituents occurring in products, effluents, and emissions from the technology processes that warrant consideration in the development of control measures were identified and quantified. ERA

N78-24684# Brookhaven National Lab., Upton, N. Y.

SYNTHESIS AND PROPERTIES OF USEFUL METAL HYDRIDES. A REVIEW OF RECENT WORK AT BROOKHAVEN NATIONAL LABORATORY

J. J. Reilly Aug. 1977 32 p refs Presented at Intern. Symp. on Hydrides for Energy Storage, Geilo, Norway, 14 Aug. 1977 (Contract EY-76-C-02-0016)

(BNL-23047; Conf-770823-3) Avail: NTIS HC A03/MF A01

The reaction of hydrogen with intermetallic compounds was investigated. Alloy systems of interest for hydrogen storage discussed include: Mg-Cu, Mg-Ni, Fe-Ti, and Ti-Cu. The properties of their corresponding hydrides are reviewed. ERA

N78-24685# Sandia Labs., Albuquerque, N. Mex.

PHYSICS UNDERLYING IMPROVED EFFICIENCY OF HIGH-LOW-JUNCTION EMITTER SILICON SOLAR CELLS

J. G. Fossum, F. A. Lindholm (Florida Univ., Gainesville), and C. T. Sah (Illinois Univ., Urbana) 1977 4 p refs Presented at IEEE Intern. Electron Devices Meeting, Wash., D. C., 5 Dec. 1977

(Contract EY-76-C-04-0789)

(SAND-77-1610C; Conf-771201-6)

Avail: NTIS

HC A02/MF A01

The physical behavior of a HLE solar cell, that yields substantial increases in the open-circuit voltage and in the power-conversion efficiency of p-n junction silicon solar cells, is described. The structure differs from the conventional cell structure (n+-n-p) in that it contains a high-low (H-L) junction in the emitter (n+-p). For cells having low base resistivities (approximately 0.1 ohm cm), efficiency improvements of about 15 percent at AM1 and about 40 percent at 50 suns can be expected. The improvement at 50 suns results in an efficiency of about 20 percent at 27 C. ERA

N78-24686# Sandia Labs., Albuquerque, N. Mex.

MODAL ANALYSIS OF THE FIRST PRODUCTION DESIGN HELIOSTAT USED AT THE SOLAR THERMAL TEST FACILITY (STTF)

John R. Janczy Sep. 1977 122 p refs

(Contract EY-76-C-04-0789)

(SAND-77-1393) Avail: NTIS HC A06/MF A01

Dynamic modal characteristics of a heliostat to be used at a solar thermal test facility are studied. Two studies were conducted of the yoke and one on the facet assembly. During the course of the test, power spectra density studies were performed using wind-loading and transport environmental data.

The modal (frequency, damping and stiffness) data are presented. The data obtained through the various studies compared favorably. The data indicates a possible structural modification, and this modification is discussed. ERA

N78-24888# Aerospace Engineering Office, Zurich (Switzerland). **STUDY OF TEST METHODS FOR LARGE FLEXIBLE SOLAR ARRAYS (VELSA) Final Report**

C. R. Vincent, K. J. Zimmermann, and H.-R. Luessi Paris ESA Jul. 1977 276 p refs Prepared jointly with Pilatus Aircraft Ltd.

(Contract ESTEC-2990/76-NL-HP(SC))
(ESA-CR(P) 1016) Avail: NTIS HC A13/MF A01

Methods and means to predict and verify the dynamic on-orbit characteristics of large flexible solar arrays are discussed. The actual status is given by surveys of available computer programs, recent correlation work, test facilities, and test methods. Required verification tests are listed and, in the outline of particular tests, the gravity effects are checked. Analytical methods investigated for the prediction of the dynamic characteristics take into account material and geometrical nonlinearities as well as thermal transient loads. Algorithms for the correlation of the mathematical model to test results are discussed. Based on cost estimates, feasibility of tests and analytical aspects, suitable verification programs are elaborated for both stowed and deployed configurations. Considering test priorities, a reduced cost program is set up in parallel. The accuracy in the prediction of the solar array dynamic characteristics is mainly improved by a logic sequence of tests starting at component level and following various assembly stages as well as by the correlation of the mathematical model.

Author (ESA)

N78-24889# National Technical Information Service, Springfield, Va.

PETROLEUM EXPLORATION, PRODUCTION, AND RECOVERY METHODS. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1964 - Feb. 1978

Audrey S. Hundemann Mar. 1978 189 p Supersedes NTIS/PS-77/0231; NTIS/PS-75/254
(NTIS/PS-78/0277; NTIS/PS-77/0231; NTIS/PS-75/254)
Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 08G

Various methods of oil recovery such as water flooding, gas flooding, steam flooding, and thermal recovery methods are discussed in this bibliography of Federally-funded research. Also included are methods used in prospecting for oil and predicting oil recovery; production processes and costs; and mining and petroleum laws of various countries. Offshore drilling and recovery are not included. GRA

N78-24890# Resources for the Future, Inc., Washington, D. C. **THE ENERGY/REAL GROSS DOMESTIC PRODUCT RATIO: AN ANALYSIS OF CHANGES DURING THE 1966-1970 PERIOD IN RELATION TO LONG-RUN TRENDS**

Jack Alterman Oct. 1977 92 p refs
(PB-277235; BEA/SP-77/30) Avail: NTIS HC A05/MF A01 CSCL 10A

The factors underlying the 1966-1970 reversal in the long term decline in the BTU/GDP ratio were analyzed. In attempting to place the 1966-1970 reversal in a longer term perspective, it was found that there had been a slowdown in the secular rate of decline in the ratio since 1929, culminating in the most recent period, between 1966 and 1975, when there was a net increase in the ratio. As a result, the study was broadened to include an analysis of some of the factors underlying the reduction in the long term rate of decline in the BTU/GDP ratio and the connection, if any, between the 1966-1970 reversal and the slowdown in the secular rate. Author

N78-24894# Energy Research and Development Administration, Washington, D. C. **OIL SHALE, FY 1977**

J. D. Powderly and R. Franklin Jun. 1977 56 p
(EDP/F-01(77)) Avail: NTIS HC A04/MF A01

The environmental, health, safety, and socioeconomic issues concerning the development of the program were identified and examined, and the requirements and actions needed to resolve

these issues, and a time phased action plan for the evaluation and mitigation of environmental impacts is presented. The plan addressed the oil shale energy system including mining, crushing and sizing, fracturing, in situ and surface retorting, product recovery and upgrading, transportation, and end use. ERA

N78-24695# Oak Ridge National Lab., Tenn. **KINETIC MODEL FOR PREDICTING THE COMPOSITION OF CHLORINATED WATER DISCHARGED FROM POWER PLANT COOLING SYSTEMS**

Milton H. Lietzke 1977 13 p refs Presented at the Conf. on Water Chlorination: Environ. Impact and Health Effects, Gatlinburg, Tenn., 31 Oct. 1977

(Contract W-7405-eng-26)
(CONF-771070-1) Avail: NTIS HC A02/MF A01

The results of applying a kinetic model to the chlorination data on the once-through cooling system at the Quad Cities Nuclear Station provide a validation of the model. The two examples given demonstrate that the model may be applied to either once-through cooling systems or to cooling systems involving cooling towers. ERA

N78-24696# Oak Ridge National Lab., Tenn. **ENVIRONMENTAL HEALTH, AND CONTROL ASPECTS OF COAL CONVERSION. AN INFORMATION OVERVIEW, VOLUME 1**

H. M. Braunstein, ed., E. D. Copenhaver, ed., and H. A. Pfuderer, ed. Apr. 1977 538 p refs

(Contract W-7406-eng-26)
(ORNL-EIS-94-Vol-1) Avail: NTIS HC A23/MF A01

Topics include: coal, its origin, classification, and physical and chemical properties; coal conversion processes; process effluents (quantities and control technologies), and the analysis of coal and coal products (including wastes). ERA

N78-24697# Oak Ridge National Lab., Tenn. **ENVIRONMENTAL HEALTH, AND CONTROL ASPECTS OF COAL CONVERSION: AN INFORMATION OVERVIEW, VOLUME 2**

H. M. Braunstein, ed., E. D. Copenhaver, ed., and H. A. Pfuderer, ed. Apr. 1977 797 p refs

(Contract W-7405-eng-26)
(ORNL-EIS-95-Vol-2) Avail: NTIS HC A99/MF A01

The five chapters from this second volume entered individually into EDB, ERA and EPA deal with the environmental behavior of possible pollutants (polycyclic aromatic hydrocarbons, sulfur dioxide, nitrogen oxides, trace elements, etc.) from coal conversion plants and the possible biological effects of these pollutants on microbes, plants, animals and man (including occupational diseases). The results presented are very detailed, but made reasonably accessible by the incorporation of appendices giving IUPAC names and structural formulae of common polycyclic aromatic hydrocarbons and a chemical index. ERA

N78-24731# Sandia Labs., Albuquerque, N. Mex. **MECHANICAL PROPERTIES OF OIL SHALE OF IMPORTANCE TO IN-SITU RUBBLIZATION**

K. W. Schuler and R. A. Schmidt 1977 16 p Presented at Amer. Nucl. Soc. Topical Meeting on Energy and Mineral Recovery Research, Golden, Colo., 12 Apr. 1977

(Contract EY-76-C-04-0789)
(SAND-77-0499C; Conf-770440) Avail: NTIS HC A02/MF A01

Current proposals for true in-situ processing of oil shale employ deeply buried explosive charges to produce the desired rubblization. At short times after the explosion, the dynamic behavior of the material is of interest and can be studied in shockwave experiments. At intermediate times the divergence of the flow field requires a multidimensional specification of the material behavior which appears to be best determined from triaxial test data. At late times the possible formation of tensile stresses requires knowledge of the fracture mechanics and tensile behavior of the shale. This report presents a summary of techniques and results of triaxial compression, extension and fracture toughness tests on two grades of oil shale. Results indicate that oil shale differs significantly from most rocks and suggest

N78-24790

that models originally developed for composite materials may be appropriate for describing the mechanical behavior of oil shale. ERA

N78-24790# National Inst. for Occupational Safety and Health, Cincinnati, Ohio.

OCCUPATIONAL EXPOSURE TO REFINED PETROLEUM SOLVENTS. CRITERIA FOR A RECOMMENDED STANDARD

Jul. 1977 256 p refs

(Contract CDC-99-74-31)

(DHEW/Pub/NIOSH-77/192) Avail: NTIS MF A01; HC SOD

The National Institute for Occupational Safety and Health recommends standards to protect employees from exposure to petroleum ether, rubber solvent, varnish makers' and painters' naphtha, mineral spirits, Stoddard solvents and kerosene in the workplace. The standards are designed to protect the health and provide for the safety of employees for up to a 10 hour work shift, 40 hour workweek, over a working life. Compliance with all sections of the standards should prevent adverse effects of these chemicals on the health of employees and provide for their safety. Techniques recommended are valid, reproducible, and available to industry and government agencies. Sufficient technology exists to permit compliance with the recommended standards. Although the environmental limits for the workplace are considered to be safe levels based on current information, the employer should regard these as the upper boundary of exposure and every effort should be made to keep the exposure as low as is technically feasible. Author

N78-24920# Argonne National Lab., Ill.

ALTERNATIVE FUEL CYCLE OPTIONS: PERFORMANCE CHARACTERISTICS AND IMPACT ON NUCLEAR POWER GROWTH POTENTIAL

Y. I. Chang, C. E. Till, R. R. Rudolph, J. R. Deen, and M. J. King Sep. 1977 43 p refs

(Contract W-31-109-eng-38)

(ANL-77-70) Avail: NTIS HC A03/MF A01

The fuel utilization characteristics for LWR, SSCR, CANDU and LMFBR reactor concepts are quantified for various fuel cycle options, including once-through cycles, thorium cycles, and denatured cycles. The implications of various alternative reactor deployment strategies on the long-term nuclear power growth potential are then quantified in terms of the maximum nuclear capacity that can be achieved and the growth pattern over time, subject to the constraint of a fixed uranium-resource base. The overall objective was to shed light on any large differences in the long-term potential that exists between various alternative reactor/fuel cycle deployment strategies. ERA

N78-24923# Nuclear Regulatory Commission, Washington, D. C. Office of Management Information and Program Control.

REPORT TO CONGRESS ON ABNORMAL OCCURRENCES JULY - SEPTEMBER 1977

Nov. 1977 22 p

(PB-278534; Nureg-0090-9) Avail: NTIS HC A02/MF A01 CSDL 18H

An abnormal occurrence is identified as an unscheduled incident or event which the Nuclear Regulatory Commission determines to be significant from the standpoint of public health or safety. It is determined that during this period there were no abnormal occurrences neither at the 65 nuclear power plants licensed to operate nor at fuel cycle facilities. There was one abnormal occurrence at other licensed facilities, which involved the loss and recovery of a radioactive source and probable preexposure. GRA

N78-24974# Barry (Theodore) and Associates, Los Angeles, Calif.

SAMICS SUPPORT STUDY. VOLUME 1: COST ACCOUNT CATALOG Final Report

Sep. 1977 94 p refs Sponsored in part by ERDA Prepared for JPL

(Contracts NAS7-100: JPL-954800)

(NASA-CR-157131; ERDA/JPL-954800-77/2.1) Avail: NTIS HC A04/MF A01 CSDL 05A

The Jet Propulsion Laboratory (JPL) is examining the feasibility of a new industry to produce photovoltaic solar energy collectors similar to those used on spacecraft. To do this, a standardized costing procedure was developed. The Solar Array Manufacturing Industry Costing Standards (SAMICS) support study supplies the following information: (1) SAMICS critique; (2) Standard data base--cost account structure, expense item costs, inflation rates, indirect requirements relationships, and standard financial parameter values; (3) Facilities capital cost estimating relationships; (4) Conceptual plant designs; (5) Construction lead times; (6) Production start-up times; (7) Manufacturing price estimates. Author

N78-25000# Committee on Interstate and Foreign Commerce (U. S. House).

NATIONAL ENERGY ACT, PART 4

Washington GPO 1977 918 p refs Hearings on H.R. 6831, H.R. 687, H.R. 1562, H.R. 2088, H.R. 2818, H.R. 3317, H.R. 3664, H.R. 6660, and all similar and identical bills before Subcomm. on Energy and Power of the Comm. on Interstate and Foreign Commerce, 95th Congr., 1st Sess., 25-27 May 1977

(GPO-96-231) Avail: Subcomm. on Energy and Power

The topic of discussion for this hearing was the use of coal conversion to supplement the nation's energy needs. Included in the testimonies is the emphasis placed on coal conversion as it relates to economics, public health and environmental impact. G.Y.

N78-25001# Committee on Interstate and Foreign Commerce (U. S. House).

NATIONAL ENERGY ACT, PART 5

Washington GPO 1977 505 p refs Hearings on H.R. 6831, H.R. 687, H.R. 1562, H.R. 2088, H.R. 2818, H.R. 3317, H.R. 3664, H.R. 6660, and all similar and identical bills before the Subcomm. on Energy and Power of the Comm. on Interstate and Foreign Commerce, 95th Congr., 1st Sess., 1 Jun. 1977 (GPO-98-577) Avail: Subcomm. on Energy and Power

Evaluation of the President's proposed National Energy Act on a broad and long term view are reported. Through economic analysis the overall goals and impacts of the President's plan are evaluated and recommendations are set forth. A collection of data are presented to give a better understanding to the proposed plan and recommendations. G.Y.

N78-25002# Committee on Finance (U. S. Senate).

THE FUEL EFFICIENCY INCENTIVE TAX PROPOSAL: ITS IMPACT UPON THE FUTURE OF THE US PASSENGER AUTOMOBILE INDUSTRY

Washington GPO 1977 302 p refs Rept. on Investigation No. 332-86 under Section 332 of the Tariff Act of 1930 to the Comm. on Finance, 95th Congr., 1st Sess., Jul. 1977 (GPO-93-188) Avail: SOD HC

The impact of the fuel inefficiency tax and the fuel efficiency rebate (sections 1201-1204 of the proposed National Energy Act) on consumption and sales of U.S. and foreign automobiles, on employment in the U.S. automobile industry, and on U.S. consumers of passenger automobiles is assessed. This analysis, which is for the period 1978 through 1985, is based on three different assumptions: (1) the U.S. market under existing laws and regulations; (2) the U.S. market with the implementation of both the tax and the rebate; and (3) the U.S. market with the implementation of the fuel efficiency tax only. Author

N78-25003# ECON, Inc., Princeton, N. J.

POLITICAL AND LEGAL IMPLICATIONS OF DEVELOPING AND OPERATING A SATELLITE POWER SYSTEM Final Report

George A. Hazelrigg, Jr. 15 Aug. 1977 234 p refs Sponsored by NASA Prepared for JPL (Contract JPL-954652)

(NASA-CR-157077; ECON-77-195-1)

Avail: NTIS

HC A11/MF A01 CSCL 05D

A number of political and legal implications of developing and operating a satellite power system (SPS) are identified and studied in this report. These include the vulnerability of SPS to actions of adversaries, communications impacts, the legality of an SPS in orbit including on-orbit military protection, alleviation of political concerns about deployment and operation of SPS, programmatic planning for SPS and the interaction of SPS with federal regulatory agencies and major departments. In comparing SPS to terrestrial power stations, it is seen that the political problems are neither clearly larger nor clearly smaller--they are clearly different and they are international in nature. If SPS is to become a reality these problems must be dealt with. Five major issues are identified. These must be resolved in order to obtain international acceptance of SPS. However, this study has found no insurmountable obstacles that would clearly prohibit the deployment, operation and protection of an SPS fleet.

Author.

N78-25006# Committee on Science and Technology (U. S. House).

THE 1978 ERDA AUTHORIZATION; THE CLINCH RIVER BREEDER REACTOR PROGRAM, VOLUME 4

Washington GPO 1977 1129 p refs. Hearings before Subcomm. on Fossil and Nuclear Energy Res., Development and Demonstration of the Comm. on Sci. and Technol., 95th Congr., 1st Sess., 7-10 Jun. 1977

(GPO-92-462) Avail.: Subcomm. on Fossil and Nuclear Energy Res., Development and Demonstration

Testimony was given on different technical alternatives for the breeder reactor research and development program. Particular emphasis was given to the Clinch River breeder reactor project. The minimum criterion of acceptability for the commercialization of an energy supply alternative was discussed. The plutonium breeder and its associated fuel cycle was not felt by many to meet the minimum criterion of acceptability and alternative energy sources were discussed such as the denatured uranium-thorium fuel cycle.

Author

N78-25012# National Aeronautics and Space Administration, Washington, D. C.

WASTE HEAT UTILIZATION IN INDUSTRIAL PROCESSES
M. Weichsel and W. Heitmann Apr. 1978 35 p refs Transl. into ENGLISH from Tech. Mitt. (West Ger.), v. 70, no. 5, May 1977 p 259-272 Transl. by Sci. Transl. Serv., Santa Barbara, Calif.

(Contract NASw-2791)

(NASA-TM-75210) Avail.: NTIS HC A03/MF A01 CSCL 10B

A survey is given of new developments in heat exchangers and heat pumps. With respect to practical applications, internal criteria for plant operation are discussed. Possibilities of government support are pointed out. Waste heat steam generators and waste heat aggregates for hot water generation or in some cases for steam superheating are used. The possibilities of utilization can be classified according to the economic improvements and according to their process applications, for example, gascooling. Examples are presented for a large variety of applications.

Author

N78-25047# National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

STUDIES OF ADVANCED TRANSPORT AIRCRAFT

A. I. Nagel May 1978 35 p refs Presented at CTOL Transport Technol. Conf., Hampton, Va., 28 Feb. - 3 Mar. 1978. Published in NASA-CP-2036

(NASA-TM-78697; L-12276) Avail.: NTIS HC A03/MF A01 CSCL 01C

Concepts for possible future airplanes are studied that include all-wing distributed-load airplanes, multi-body airplanes, a long-range laminar flow control airplane, a nuclear powered airplane designed for towing conventionally powered airplanes during long range cruise, and an aerial transportation system comprised of continuously flying liner airplanes operated in

conjunction with short range feeder airplanes. Results indicate that each of these concepts has the potential for important performance and economic advantages, provided certain suggested research tasks are successfully accomplished. Indicated research areas include all-wing airplane aerodynamics, aerial rendezvous, nuclear aircraft engines, air-cushion landing systems, and laminar flow control, as well as the basic research discipline areas of aerodynamics, structures, propulsion, avionics, and computer applications.

Author

N78-25096# Maxwell Labs., Inc., Woburn, Mass. Utility Products Div.

INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES Final Report, Jan. 1974 - Feb. 1977

J. Tenko, R. L. Bryan, S. Ghoshroy, L. M. Lontai, and O. K. Sonju Apr. 1977 248 p

(Contract F33615-74-C-20; AF Proj. 3145)

(AD-A052750; AFAPL-TR-77-15)

Avail.: NTIS

HC A11/MF A01 CSCL 10/2

This report presents the results of a study program undertaken to perform a comparative analysis of several approaches to the generation of high electrical power by storing tens to hundreds of kilojoules of energy in a compact, superconducting inductive system with efficient extraction in short bursts at high repetition rates. The critical factors for the comparison were the weight, volume, dissipation and reliability of the system and components for various operating regimes characterized by pulse power, repetition rate and pulse shape. Research and development work hitherto undertaken in the U.S. and abroad indicate the engineering feasibility of operating inductive storage systems storing ten to perhaps one hundred kilojoules of energy with extraction rates of tens of pulses per second at pulse durations of the order of a few hundred microseconds with state-of-the-art technology. The major effort of this study was directed towards developing analytical tools to predict the performance of superconducting coils at repetition rates of 100 - 1000 pps with pulse discharge times of 20 - 40 microseconds and to evaluate the relative merits of different circuit configurations for storage and extraction of energy at high average power (3 - 10 MW). At frequencies of a few hundred pulses per second, it appears that inductive storage has a distinct advantage over capacitive storage at power levels of the order 1 - 10 MW.

GRA

N78-25225# Cities Service Oil Co., Tulsa, Okla.

EL DORADO MICELLAR-POLYMER DEMONSTRATION PROJECT REPORT Annual Report, Jun. 1976 - Aug. 1977

G. W. Rosenwald, ed., R. J. Miller, ed., and J. Vairogs, ed. Feb. 1978 296 p

(Contract EY-76-C-02-4100)

(BERC/TPR-77/12; AR-3) Avail.: NTIS HC A13/MF A01

The El Dorado Demonstration Project is designed to allow a side-by-side comparison of two distinct micellar-polymer processes in the same field so that the reservoir conditions for the two floods are as nearly alike as possible. Selection of sulfonates and polymers for both patterns was completed. Salinity changes in produced fluids and in observation well samples have shown that breakthrough of preflush (or preflood) has occurred at some wells in both patterns. Observation well sampling and logging data showed that preflush arrived earlier at the observation wells in the north pattern than the south pattern. Injectivities of the micellar system designed for the south pattern and components of that system were tested in three monitoring wells. Similarly, extensive injectivity testing of the surfactant and polymer slugs designed for the north pattern was conducted using two monitoring wells.

ERA

N78-25226# Gary Operating Co., Englewood, Colo.

BELL CREEK FIELD MICELLAR-POLYMER PILOT DEMONSTRATION Annual Report, Jul. 1976 - Sep. 1977

Arnold Goldberg 1978 168 p refs

(Contract EY-77-C-02-4207)

(BERC/TPR-77/13; COO-4207-15)

Avail.: NTIS

HC A08/MF A01

A pilot demonstration is being conducted to determine whether micellar-polymer flooding is an economically feasible technique for enhanced oil recovery from the Muddy Sand Unit, A Reservoir of the Bell Creek Field, Powder River and Carter Counties, Montana. During the first year of this project extensive reservoir studies, site and pattern selection, design and selection of an optimal micellar-polymer system, water flood history matching and preliminary process simulations by numerical models, and development of pilot injection and production wells were completed. The major effort during the first contract year was the design for the Bell Creek pilot of two optimal micellar-polymer processes - one oil external and one water-external; and the concomitant development of a selection methodology by which to decide upon the more suitable process by means of a standard set of laboratory experiments and numerical simulations. This effort was completed. ERA

N78-25233*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. APPLICATIONS OF AEROSPACE TECHNOLOGY TO PETROLEUM EXTRACTION AND RESERVOIR ENGINEERING

Leonard D. Jaffe, Lloyd H. Back, C. Martin Berdahl, Earl E. Collins, Jr., Paul G. Gordon, John Houseman, Marshall F. Humphrey, George C. Hsu, John D. Ham, Jack E. Marte et al 30 Oct. 1977 343 p refs

(Contract NAS7-100)

(NASA-CR-157167; JPL-Pub-78-22)

Avail: NTIS

HC A15/MF A01 CSCL 21D

Through contacts with the petroleum industry, the petroleum service industry, universities and government agencies, important petroleum extraction problems were identified. For each problem, areas of aerospace technology that might aid in its solution were also identified, where possible. Some of the problems were selected for further consideration. Work on these problems led to the formulation of specific concepts as candidate for development. Each concept is addressed to the solution of specific extraction problems and makes use of specific areas of aerospace technology. Author

N78-25235*# Gordian Associates, Inc., New York. COMPUTER MODEL FOR REFINERY OPERATIONS WITH EMPHASIS ON JET FUEL PRODUCTION. VOLUME 3: DETAILED SYSTEMS AND PROGRAMMING DOCUMENTATION Final Report

Daniel N. Dunbar and Barry G. Tunnah 27 Jun. 1978 53 p (Contract NAS3-20620)

(NASA-CR-135335; Rept-1099-1-Vol-3)

Avail: NTIS

HC A04/MF A01 CSCL 21D

The FORTRAN computing program predicts flow streams and material, energy, and economic balances of a typical petroleum refinery, with particular emphasis on production of aviation turbine fuels of varying end point and hydrogen content specifications. The program has a provision for shale oil and coal oil in addition to petroleum crudes. A case study feature permits dependent cases to be run for parametric or optimization studies by input of only the variables which are changed from the base case. Author

N78-25237*# National Aeronautics and Space Administration, Pasadena Office, Calif. SURFACTANT-ASSISTED LIQUEFACTION OF PARTICULATE CARBONACEOUS SUBSTANCES Patent Application

George C. Hsu, inventor (to NASA) (JPL) Filed 7 Oct. 1976 20 p (Contract NAS7-100)

(NASA-Case-NPO-13904-1; US-Patent-Appl-SN-730468) Avail: NTIS HC A02/MF A01 CSCL 21D

Enhanced and improved quality yields are achieved in coal liquefaction by adding to the coal slurry in solvent a small amount of an oil soluble organic surfactant capable of dispersing the asphaltene particles. The liquefaction system described includes a slurring means having a stirrer in which is formed a slurry of surfactant, particulate coal or other carbonaceous substance and solvent. The slurry is converted in the liquefaction reactor under

the influence of heat and high pressure hydrogen to a gaseous hydrocarbon product and to a product slurry which is then separated into a light and heavy oil product, solvent, and coal residue by process steps which include extraction, filtration, and distillation. The effects of surfactant on coal conversion, product distribution, conversion rate and filtration time are demonstrated. NASA

N78-25239# Exxon Research and Engineering Co., Linden, N. J. Government Research Lab. EVALUATION OF METHODS TO PRODUCE AVIATION TURBINE FUELS FROM SYNTHETIC CRUDE OILS; PHASE 3, VOLUME 3 Final Report, 24 Apr. 1976 - 30 Apr. 1977

William F. Taylor, J. L. Kaufman, E. C. Brown, A. R. Cunningham, and C. A. Smith Jun. 1977 88 p refs (Contract F33615-74-C-2036; AF Proj. 3048)

(AD-A053106; EXXON/GRU.3PEA.77-Vol-3; AFAPL-TR-75-10-Vol-3) Avail: NTIS HC A05/MF A01 CSCL 21/4

An engineering planning study was made of the effect of processing shale oil in a refinery processing both shale oil and petroleum to a full product slate including jet fuel. This study was part of an overall program whose object was to investigate the feasibility of producing aviation turbine fuels from synthetic crude oils. In this Phase 3 engineering planning study the results and conclusions of the Phase 1 state-of-the-art assessment and Phase 2 pilot plant experimental study were further investigated. The Exxon RESCUE Linear Program for Refinery Planning was used to provide a framework for the analysis. The study which involved a number of arbitrary but well-defined assumptions, was done in the context of a grass roots refinery processing shale oil and petroleum in segregated operations. Shale oil processing was restricted to distillation and hydrotreating of the kerosene and gas oil fractions, whereas petroleum processing involved a full spectrum of refinery processes with a relatively high level of conversion of heavier fractions to lighter fractions to meet a high motor gasoline demand. GRA

N78-25240# Exxon Research and Engineering Co., Linden, N. J. Government Research Lab. ALTERNATE FUELS NITROGEN CHEMISTRY Final Technical Report, 19 Oct. 1976 - 20 Oct 1977

John W. Frankenfeld and William F. Taylor Nov. 1977 62 p refs (Contract N00019-76-C-0675)

(AD-A053299; EXXON/GRUS.1KWC.77) Avail: NTIS HC A04/MF A01 CSCL 21/4

An investigation of the effects of nitrogen compounds on sediment formation was initiated. Several different nitrogen compounds were studied, including 2,5-dimethylpyrrole, indole, carbazole and a number of aromatic and aliphatic amines. The diluent employed was purified n-decane. All of the compounds caused darkening of the fuel although appreciable amounts of sediment were formed only with the pyrrole derivatives. The sediment formation was found to be strongly catalyzed by light and by organic acids. Some phenols retarded the sedimentation. A start was made toward characterizing the sediment obtained from 2,5-dimethylpyrrole. It appeared to be a low molecular weight oligomer of partially oxidized pyrrole units. Author (GRA)

N78-25241# California Univ., Livermore. Lawrence Livermore Lab. ALTERNATIVE FUELS UTILIZATION PROGRAM

C. J. Anderson 7 Dec. 1977 73 p refs (Contract W-7405-eng-48)

(UCID-17645) Avail: NTIS HC A04/MF A01

The goals, scope, and objectives of the Department of Energy's plan for government participation in alternative fuels research and development are discussed. Because the transportation and transportation energy systems in the U.S. consist mainly of privately-owned companies that provide goods and services to individuals and because the market system is regulated by the government, decision making processes and decisions that link alternative fuels R&D should be responsive to the nation's predominantly private energy system. This plan anticipates the failure of the market to achieve a timely commercialization of alternative fuels for transportation. ERA

N78-25242# American Energy Research Co., McLean, Va.
SOURCES OF ALCOHOL FUELS FOR VEHICLE FLEET TESTS

W. J. Barr and F. A. Parker 31 Aug. 1977 88 p refs
 (Contract EG-77-X-01-2693)
 (CONS/2693-1) Avail: NTIS HC A05/MF A01

Twenty-five coal gasification projects were reviewed for the purpose of determining if they offered an opportunity to provide a source of methanol for a fleet vehicle test program. All were concerned with the gasification of coal to produce a low, medium, or high Btu gas or a liquid fuel. The analysis revealed that only four programs offered a reasonable opportunity for completion of a commercial scale gasification plant and full operation in the foreseeable future. Further, all four, elected to use the Lurgi gasification technology together with the Lurgi Rectisol gas cleanup process incorporating methanol as the absorbing medium. Consequently all four projects are candidates for supplying the 150 ton needed for a fleet vehicle test program. ERA

N78-25243# Exxon Research and Engineering Co., Linden, N. J.
 Government Research Labs.

PRODUCTION ECONOMICS FOR HYDROGEN, AMMONIA AND METHANOL DURING THE 1980-2000 PERIOD

H. G. Corneli, Fred J. Heinzelmann, and Edward W. S. Nicholson
 Apr. 1977 178 p refs Prepared for BNL
 (Contracts EY-76-C-02-0016; BNL-368150-S)
 (BNL-50663) Avail: NTIS HC A09/MF A01

Refinery hydrogen, ammonia, and methanol, the principal industrial hydrogen products, are now manufactured mainly by catalytic steam reforming of natural gas or some alternative light-hydrocarbon feed stock. Anticipated increases in the prices of hydrocarbons are expected to exceed those for coal, thus gradually increasing the incentive to use coal gasification as a source of industrial hydrogen during the 1980 to 2000 period. Although the investment in industrial hydrogen plants will exceed those for reforming by a factor of 2 or more, coal gasification will provide lower production costs (including 20%/y before tax return) for methanol manufacture in the early 1980's and for ammonia 5 years or so later. However, high costs for transporting coal to major refining centers will make it difficult to justify coal gasification for refinery hydrogen production during the 1980 to 2000 period. ERA

N78-25244# Rockwell International Corp., Canoga Park, Calif.
 Rocketdyne Div.

HYDROGASIFIER DEVELOPMENT FOR THE HYDRANE PROCESS Quarterly Report, Mar. - May 1977

J. A. Gray and K. M. Sprouse Jun. 1977 116 p refs
 (Contract EF-77-C-01-2518)
 (FE-2518-4) Avail: NTIS HC A06/MF A01

Short residence, hydrolysis of coal experiments in entrained flow reactors are reviewed. Fifty percent carbon conversion was attained with lignite at a temperature of 1600 to 1800 F, a residence time of about 1 second, and a hydrogen pressure of at least 1000 psi; with bituminous coal, 50 percent carbon conversion, was attained at 1500 F, a residence time of 0.6 second and a hydrogen pressure of 1000 psi. Small differences in the results (2 to 5 percent carbon conversion) are likely due to variations in the heat up rate and in the conditions of contacting the coal and hydrogen. Product yields are mainly methane and light hydrocarbon liquids with relative amounts of each depending on the temperature. Individual experimental results are reported and certain theoretical results related to scaling laws of chemical reactors used for this purpose are developed. ERA

N78-25245# Energy Research and Development Administration,
 Washington, D. C.

ALTERNATIVE FUELS DEMONSTRATION PROGRAM, VOLUME 1 OF 2 Final Environmental Impact Statement

Sep. 1977 780 p refs
 (ERDA-1547-Vol-1) Avail: NTIS HC A99/MF A01

While processes for converting coal, oil shale and other domestic resources into synthetic fuels have been known for many years, they have not been applied on a commercial scale in the U.S. because, in the past, the synthetic products were not competitive in cost with petroleum and natural gas. In order

to remedy this situation, a program to accelerate alternative fuels production was proposed. An environmental statement examines impacts of the program on a plant-by-plant basis and in the aggregate. To examine aggregate impacts, four options for total program implementation were analyzed. The statement deals with the potential environmental impacts that could occur as the result of implementing the Alternative Fuels Demonstration Program under each of these strategies. The statement also uses a building block approach to assess the potential environmental impacts of a synthetic fuels industry, which allows for assessing the impacts related to any combination of production levels, technological mixes, and buildup rates. ERA

N78-25248# Dynatech R/D Co., Cambridge, Mass.

FUEL GAS PRODUCTION FROM ANIMAL WASTE, PHASE 1 Quarterly Progress Report, 1 Jun. - 1 Sep. 1977

E. Ashare, R. L. Wentworth, D. L. Wise, and D. C. Augenstein
 28 Sep. 1977 16 p
 (Contract EY-76-C-02-2991)
 (COO-2991-23; Rept-1665; QPR-4) Avail: NTIS
 HC A02/MF A01

During this quarter, a quarterly review meeting with ERDA contractors was held. The agenda is included in the appendix. Site visits were made to various ERDA contractors. A preliminary engineering report on digester gas scrubbing was submitted to ERDA. ERA

N78-25249# General Electric Co., Wilmington, Mass. Aircraft
 Equipment Div.

SPE WATER ELECTROLYSIS TECHNOLOGY DEVELOPMENT FOR LARGE SCALE HYDROGEN PRODUCTION Progress Report, 1 Jan. - 31 Mar. 1977

25 Apr. 1977 42 p
 (Contract EY-76-C-02-2675)
 (COO-2675-6; PR-6) Avail: NTIS HC A03/MF A01

The following topics are discussed: Low cost current collector development; high temperature operation; catalytic electrode development; low cost polymer development; evaluation of the effect of hydrogen enrichment on older gas pipelines; cell and SPE optimization; cell assembly design; stack assembly design; manufacturing process development; and system analysis and definition. ERA

N78-25250# Institute of Gas Technology, Chicago, Ill.

STATUS OF STEAM-IRON PILOT PLANT OPERATIONS

Paul B. Tarman 1977 12 p Presented at the 9th Syn. Pipeline Gas Symp., Chicago, 31 Oct. - 2 Nov. 1977
 (Contract EX-76-C-01-2435)
 (CONF-771092) Avail: NTIS HC A02/MF A01

Start-up operations of a pilot plant designed to produce 1.1 million SCF of hydrogen per day began in October 1976. Operations during the first year are summarized. Pilot plant operations were initially directed towards separate startup of the three main systems; the slurry vaporizer, the producer reactor, and the steam-iron reactor. Once these systems were operable on an individual basis, efforts were then concentrated on combined operation of all three systems. Four slurry vaporization tests, six solids circulation tests in the steam-iron reactor, and five char feed and gasification tests were conducted in the producer reactor. The last three tests were directed towards combined operation of the entire system. ERA

N78-25251# Mobil Research and Development Corp., Princeton, N. J.

RESEARCH GUIDANCE STUDIES TO ASSESS GASOLINE FROM COAL BY METHANOL-TO-GASOLINE AND SASOL-TYPE FISCHER-TROPSCH TECHNOLOGIES Monthly Report, Nov. 1977

Max Schreiner Dec. 1977 10 p
 (Contract EF-77-C-01-2447)
 (FE-2447-12) Avail: NTIS HC A02/MF A01

The results of an economic comparative evaluation of the methanol-to-gasoline and Fischer-Tropsch syntheses are reported. It was concluded that the methanol conversion technology is superior to the F-T technology. The thermal energy loss converting

the methanol to gasoline is not excessive. The fluid-bed process is somewhat better than its fixed-bed process. The results of the evaluation are tabulated. Author (ERA)

N78-25252# Natural Dynamics, Des Moines, Iowa.
FAST PRODUCTION OF METHANE BY ANAEROBIC DIGESTION Progress Report, 7 Nov. - 6 Dec. 1977

C. D. Finney, R. S. Evans, II, and K. A. Finney Dec. 1977 32 p

(Contract EY-76-C-02-2900)

(COO-2900-11) Avail: NTIS HC A03/MF A01

Pressure data at 62.5 C were taken for three digesters operating at 50 rpm pulsed to 350 rpm for 15 seconds every five minutes; 50 rpm pulsed to 350 rpm for 45 seconds every five minutes; and 50 rpm pulsed to 350 rpm for 135 seconds every five minutes. Kinetic data in the form of reducing sugars, soluble COD, volatile acids, and methane concentrations for digesters operating at 58.0, 62.5, and 66.0 C are analyzed using first order rate expressions. A table of rate coefficients is presented. ERA

N78-25253# Gordian Associates, Inc., New York.
SMALL REFINER BIAS ANALYSIS Final Report

Jan. 1978 218 p refs

(Contract EM-77-C-01-8758)

(HCP/B70258-01) Avail: NTIS HC A10/MF A01

The small refiner bias program, part of the entitlements program, was intended to help maintain the competitive viability of small and independent refiners. The bias program provides for issuance of additional entitlements to small refiners on a sliding scale basis as a function of company size. The impact of differences in refinery size, refinery type, and type of crude run, by means of engineering and economics analysis of a wide range of possible refinery operations was studied. Estimates were made of refinery investment costs, operating costs, product realizations, and operating margins before and after capital charges. The appropriate government policy toward small and independent refiners is discussed. Author (ERA)

N78-25254# Institute of Gas Technology, Chicago, Ill.
DEVELOPMENT OF THE STEAM-IRON PROCESS FOR HYDROGEN PRODUCTION Quarterly Report, 1 Jan. - 31 Mar. 1977

Nov. 1977 71 p refs Sponsored in part by the Am. Gas Assoc., Inc., Arlington, Va.

(Contract EX-76-C-01-2435; Proj. 9010)

(FE-2435-12; QR-3) Avail: NTIS HC A04/MF A01

Controlled operation of the producer and the steam iron reactor was achieved. A second ore circulation test was completed in the steam iron reactor, and a char feed test was conducted in the producer reactor. Char water slurries, containing solids concentrations up to 30 wt percent solids, were pumped through the slurry heater and vaporized without difficulty for 36 hrs. Some modifications were made in the lift line expansion joint and the 145 degree elbow in the solids transfer line of the steam iron reactor to improve their performance. The objective of Task 4 is to develop improved solids, with high chemical reactivity, high attrition resistance, and no tendency to agglomerate, for use in the steam iron reactor. Fifteen reactivity tests and 10 attrition tests were conducted. The reactivity of iron-chromia 5 was found to be about twice as high as that of siderite. ERA

N78-25335# Los Alamos Scientific Lab., N. Mex.
DEVELOPMENT OF A LOW COST, 10 kV CAPACITOR

E. L. Kemp, G. P. Boicourt, and K. J. Bickford 1977 4 p refs Presented at 7th Symp. on Fusion Res. Proj., Knoxville, Tenn., 25-28 Oct. 1977

(Contract W-7405-eng-36)

(LA-UR-77-2408; Conf-771029-32)

Avail: NTIS HC A02/MF A01

The cost of an energy storage capacitor is largely determined by the quantity of material in it. Labor cost is typically less than 25 percent of the total cost. A 170 F, 10 kV capacitor has been developed which presently sells for less than four cents per joule. The 10-kV rating was chosen because this is the

optimum voltage for minimum cost. A development specifications was written to evaluate only a single parameter such as paper thickness and a small number of capacitors were purchased and tested to destruction in a standardized 85 kJ test bank. The capacitors were then dissected to determine cause of failure. Over six designs have been evaluated. Recently a new dielectric sandwich and a new impregnant have been evaluated with encouraging results. The details of the various designs, the test conditions and the test results are presented. ERA

N78-25337# United Technologies Research Center, East Hartford, Conn.

VENTURE ANALYSIS CASE STUDY OF COMBINED GAS AND STEAM POWER SYSTEMS FOR THE GENERATION OF UTILITY ELECTRIC POWER Technical Progress Report, 16 Oct. - 15 Nov. 1977

W. R. Davison 1 Dec. 1977 17 p refs

(Contract EX-77-C-01-2483)

(APAE-2483-5; TPR-5; R77-952907-5)

Avail: NTIS HC A02/MF A01

A logical and consistent framework of venture analysis which could be used by government personnel to analyze a wide variety of business related programs was defined. The use of the methodology was demonstrated in analyzing the potential commercialization of the gas turbine as part of combined gas and steam (COGAS) systems for the generation of utility electric power in the period through 2000. The study was conducted in three phases: simulation of the venture from the specific standpoint of the private sector gas turbine manufacturers; identification and quantification of the social benefits which would accompany the commercialization of COGAS systems; and estimation of government assistance and incentives required to assure the commercial development of the system. Extension of the diffusion analysis model to multicompetitor situations was undertaken and calculations of initial deterministic venture returns as well as estimates of the sensitivity of the results to variations in the individual input parameters were made. Author

N78-25340# Johnson (Bernard), Inc., Houston, Tex.
REPORT ON EMERGENCY ELECTRICAL POWER SUPPLY SYSTEMS FOR NUCLEAR FUEL CYCLE AND REACTOR FACILITIES SECURITY SYSTEMS

1977 70 p

(Contract W-7405-eng-26)

(Y/Sub-77-14263/1) Avail: NTIS HC A04/MF A01

Basic considerations for establishing system requirements for emergency electric power systems for physical security and special nuclear materials accountability operations are presented. Methods of supplying emergency power that are available at present and methods predicted to be available in the future are discussed. The characteristics of capacity, cost, safety, reliability and environmental and physical facility considerations of emergency electric power techniques are presented. Considerations for the development of a system concept and the preparation of a detailed system design are included. ERA

N78-25342# Stanford Univ., Calif. Edward L. Ginzton Library.

SUPERCONDUCTING POWER TRANSMISSION LINE MATERIALS RESEARCH AND CONDUCTOR DEVELOPMENT Final Report

T. H. Geballe and M. R. Beasley Jul. 1977 96 p refs

(Contract EY-76-S-03-0326)

(SAN/0326-1) Avail: NTIS HC A05/MF A01

The feasibility of transferring the conductor technology developed on tubes to more practical tape conductors was investigated and studies aimed at improving the basic understanding of the important superconducting properties crucial to superconducting power transmission line (SPTL) applications were continued. The major objectives were: to produce one to three meter long tapes of multi-layered prototype Nb₃Sn tape conductors based on the results obtained earlier on tubular

conductors. Also to measure the electrical characteristics of these conductors at 4.2 K; to study the dynamics of the flux penetration process in superconductors at low fields; to study and attempt to improve the stability of SPTL conductors; to investigate codeposited third element depositions using electron beam coevaporation as an alternative to layering to achieve growth morphologies conducive to strong flux pinning; and to complete dielectric studies. ERA

N78-25376# Battelle Columbus Labs., Ohio.
STUDY OF HEAT TRANSFER THROUGH REFRACTORY LINED GASIFIER VESSEL WALLS Quarterly Progress Report, Jun. - Aug. 1977

J. R. Schorr, Aug. 1977, 48 p refs
 (Contract EX-76-C-01-2210)

(FE-2210-20) Avail: NTIS HC A03/MF A01

The objective of this program is to develop an empirically derived computer model suitable for use by the vessel designer to determine heat flow through multicomponent, refractory-lined gasifier vessel walls, so that the effects of parameters such as lining thickness, density, refractory composition, physical form, metal anchor spacing and configuration, and gas pressure and composition can be predicted. The program includes the design, construction, and operation of test apparatus for evaluating the parameters which influence heat flow through refractory lining materials. ERA

N78-25382# National Technical Information Service, Springfield, Va.

HEAT PIPES, VOLUME 2. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1974 - Mar. 1977

William E. Reed, Mar. 1978, 225 p
 (NTIS/PS-78/0303) Copyright. Avail: NTIS
 HC \$28.00/MF \$28.00 CSCL 20D

Research reports covering the thermodynamics, design, fabrication, and applications of heat pipes are cited from worldwide literature. Applications are described in the areas of electronics cooling, spacecraft thermal control, heat exchangers, heating and refrigeration, and waste heat utilization. This updated bibliography contains 216 abstracts, none of which is a new entry to the previous edition. Author

N78-25383# National Technical Information Service, Springfield, Va.

HEAT PIPES, VOLUME 3. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, Apr. 1977 - Mar. 1978

William E. Reed, Mar. 1978, 140 p Supersedes NTIS/PS-77/0276; NTIS/PS-76/0251
 (NTIS/PS-78/0304; NTIS/PS-77/0276; NTIS/PS-76/0251)
 Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 20D

Research reports covering the thermodynamics, design, fabrication, and applications of heat pipes are cited from worldwide literature. Applications are described in the areas of electronics cooling, spacecraft thermal control, heat exchangers, heating and refrigeration, and waste heat utilization. This updated bibliography contains 131 abstracts, all of which are new entries to the previous edition. Author

N78-25384# National Technical Information Service, Springfield, Va.

HEAT PIPES, VOLUME 3. CITATIONS FROM THE NTIS DATA BASE Progress Report, Mar. 1976 - Mar. 1978

William E. Reed, Mar. 1978, 177 p Supersedes NTIS/PS-77/0275; NTIS/PS-76/0249; NTIS/PS-75/317
 (NTIS/PS-78/0302; NTIS/PS-77/0275; NTIS/PS-76/0249; NTIS/PS-75/317) Copyright. Avail: NTIS
 HC \$28.00/MF \$28.00 CSCL 20D

The theory, design, fabrication, testing, and operation of heat pipes are discussed in these federally-sponsored research reports. Applications are described in the areas of heating and air conditioning power generation, electronics cooling, spacecraft, nuclear reactors, cooling engines, and thermodynamics. This updated bibliography contains 170 abstracts, 83 of which are new entries to the previous edition. Author

N78-25434# Transport and Road Research Lab., Crowthorne (England).

ENERGY LOSSES IN HEAVY COMMERCIAL VEHICLES

T. Williams, 1977, 52 p refs
 (PB-277354; TRRL-Suppl-329) Avail: NTIS HC A04/MF A01
 CSCL 13F

This report examines the factors affecting the fuel consumption of heavy commercial vehicles. It covers power loss in the engine, tires, vehicle warm-up, and aerodynamic shaping. GRA

N78-25439# Mechanical Technology, Inc., Latham, N. Y.
DESIGN STUDY FOR HIGH-PRESSURE HIGH-FLOW OXYGEN CENTRIFUGAL COMPRESSOR, PHASE 1 Final Report

D. G. Dominy, Dec. 1976, 258 p refs
 (Contract EX-76-C-01-2366)

(MTI-77TR17) Avail: NTIS HC A12/MF A01

Activities are reported in a program to produce a conceptual design for an oxygen centrifugal compressor which will satisfy the flow rate and pressure requirements for commercial size coal gasification plants. Program results show that the basic engineering technologies for aerothermodynamic and mechanical design together with stress analysis, bearing technology, etc., exist now and has existed for many years for the construction of large flow, high-pressure centrifugal compressors. A fundamental requirement for any compressor flowing hazardous or non-hazardous gas is a good sound mechanical design reflecting the best facets of the mechanical designs art unhindered by cost restrictions. The mechanical design and control system must protect the compressor as much as possible against human error in any form. ERA

N78-25442# Curtiss-Wright Corp., Wood-Ridge, N. J.
HIGH TEMPERATURE TURBINE TECHNOLOGY PROGRAM. PHASE 1: COMBINED CYCLE ELECTRIC POWER PLANT WITH COAL DERIVED LOW BTU GAS OR COAL-LIQUID FUEL, BOOK 2 Final Report

May 1977, 155 p refs
 (Contract EY-76-C-01-2291)

(FE-2291-18-Bk-2) Avail: NTIS HC A08/MF A01

The overall objective of the ERDA High Temperature Turbine Technology program is to develop a high temperature turbine subsystem capable of operating in an environmentally acceptable manner on a coal-derived low BTU gas or on a coal-derived liquid fuel at inlet temperatures of from 2600 to 3000 F. The Phase 1 objective was to define the systems and the development efforts required during Phase 2 (Technology Testing and Support Studies) and the Phase 3 (Verification Test Program) to bring these systems to technology readiness. Conceptual designs of commercial combined/cycle plants utilizing the coal-fueled high temperature turbine system were part of the Phase 1 effort. Selection of the turbine cooling concept and design definition of the high temperature turbine subsystem were also established. This volume contains information on the preliminary design of the three low-BTU gas combustors; low BTU combustor technology development plan; program plans for Phase 2 and Phase 3; research and technology requirements; and reliability including failure mode analysis. ERA

N78-25443# Department of Energy, Morgantown, W. Va. Energy Research Center.

HIGH PRESSURE ROTARY PISTON COAL FEEDER

John F. Gardner, H. T. Gencsoy (West Va. Univ., Morgantown), and Donald C. Strimbeck, Dec. 1977, 12 p
 (MERC/SP-77/6) Avail: NTIS HC A02/MF A01

A coal feeder with discharge capabilities of 1500 psig and 350 F was designed and described. The feeder consists of a rotating disk in a cylindrical feed chamber containing a reciprocating piston. The piston seals the feed chamber after the coal is dumped into a reactor vessel so that there is no loss of gas from the reactor. These are the only moving parts in the feeder, and their rugged construction should present minimum wear problems. The feeder is designed for 1200 pounds per hour, operating at 30 rpm. The compact design makes it possible to use more than one feeder in parallel to get higher coal feed rates. Higher values of rotational speed could also

increase the feed capacity. The drive requirement of a single unit at 30 rpm is 5.3 horsepower. ERA

N78-25484 World Meteorological Organization, Geneva (Switzerland).

METEOROLOGICAL ASPECTS OF LOCAL AND URBAN AIR POLLUTION WITH SPECIAL CONSIDERATION OF ENERGY PRODUCTION AND CONSUMPTION

J. M. Giovannoni and A. Junod *In its Educ. and Training in Meteorol. Aspects of Atmospheric Pollution and Related Environ. Probl.* 1977 p 157-193 refs

Copyright. HC A17/MF A01; WMO, Geneva, Sw. Fr. 40

Two case studies serving to document points for a syllabus for the training of air pollution meteorologists are presented in addition to general remarks and discussions about topics regarding educational requirements. The case studies present problems of urban air pollution in Lausanne (Switzerland) due to district heating and electricity producing thermal plants, and the dispersion of fluorine from an aluminum plant in rural Martigny (Switzerland). ESA

N78-25510# Gary Operating Co., Englewood, Colo.
PILOT DEMONSTRATION-ENHANCED OIL RECOVERY BY MICELLAR-POLYMER WATERFLOODING BELL CREEK FIELD Monthly Technical Progress Report, Aug. 1977
10 Sep. 1977 22 p refs
(Contract EX-76-C-01-2237)

(COO-4207-14; MTPR-14) Avail: NTIS HC A02/MF A01
This fourteenth Monthly Technical Progress Report describes tasks for: Micellar-polymer systems selection and evaluation; site development; pilot performance predictions, and fluid distribution facilities. The major activity at this time is Phase 2, Task 1, the Micellar-polymer systems selection as between two competing designs being developed. ERA

N78-25511# Tulsa Univ., Okla.
PULSE TEST ANALYSIS OF VERTICALLY FRACTURED WELLS M.S. Thesis. Final Report, 1 Feb. 1976 - 30 Jun. 1977

R. Raghaven 1977 214 p refs
(Contract EY-76-S-21-8036)

(ORO-8036-5) Avail: NTIS HC A10/MF A01

Generalized correlations are presented whereby an engineer may easily analyze and/or design pulse tests in fractured wells from pulse tests. The results of the study can be used to obtain the compass orientation of a vertical fracture as well as the degree of reservoir anisotropy by pulse tests provided the formation permeability and fracture half-length are known. These two parameters may be easily obtained from a pressure test at the fractured well by type curve matching. This pressure test may be conducted subsequent to the pulse test or during the pulse test. If the formation permeability is known, then the results may be used to determine fracture half-length and compass orientation. Procedures to obtain the desired results are discussed in an example. The results can also be used to design pulse tests. Conditions necessary to insure that the response obtained is maximum are described. ERA

N78-25512# Brandywine Associates, Bellport, N. Y.
LAND USE CONFIGURATIONS AND THE UTILIZATION OF DISTRIBUTED ENERGY TECHNOLOGY Final Report

30 Sep. 1977 64 p refs
(Contract W-7405-eng-48)

(UCRL-13773) Avail: NTIS HC A04/MF A01

The feasibility of future development is considered in which energy systems utilizing distributed technologies are employed to meet state energy demands. Distributed technologies were defined as favoring the use of renewable, small scale energy support systems. Land use was viewed both as a factor which limits the use of such systems and as providing a set of institutional mechanisms for aiding their utilization. Land use was treated in the context of development on a community and regional scale to take place over a period of approximately 50 years. ERA

N78-25513# Booz-Allen and Hamilton, Inc., Bethesda, Md.
Development Research Div.

INTERACTION OF LAND-USE PATTERNS AND RESIDENTIAL ENERGY CONSERVATION

25 May 1977 212 p refs Sponsored in part by DOE and FEA

(TID-28058) Avail: NTIS HC A10/MF A01

The purpose of this report to evaluate the relationships between land-use patterns, energy consumption, and public land use policies is studied. The major objectives of the research program are to: (1) provide empirical data on energy consumption for various configurations of single- and multi-family residential units in relation to their location within an urban area; (2) evaluate the potential short term public land use policy options and their subsequent savings in energy consumption; and (3) identify and prioritize future data and research needs in the fields of land use and energy consumption relationships within urbanized areas. Primary energy consumption data were collected for 4 neighborhoods each in the SMSA's of Tucson, Washington, D.C., and Chicago. ERA

N78-25514# Gruy Federal, Inc., Arlington, Va.
OIL AND GAS REPLACEMENT COST: DEVELOPMENT AND PRODUCTION. VOLUME 1: DISCUSSION OF METHODOLOGY, EXHIBITS, AND PROJECTIONS Final Report

5 Aug. 1977 101 p

(Contract FEA-CR-05-60813-00)

(TID-28043/1) Avail: NTIS HC A06/MF A01

The development and production costs by region and well depth interval were projected for the benchmark years 1980, 1985, and 1990. The identification and collection of reliable and consistent historical series disaggregate to these levels are considered essential to the generation of accurate and viable forecasts of replacement costs for oil and gas production systems. Twenty-four geographical regions were specified and six depth classes. A clear delineation is drawn between the cost of drilling and completing development wells and the cost of operating producing wells. Development well costs are projected on a cost per foot basis. Operating costs of producing wells are projected on a cost per month basis. ERA

N78-25515# Gruy Federal, Inc., Arlington, Va.
OIL AND GAS REPLACEMENT COST: DEVELOPMENT AND PRODUCTION. VOLUME 2: EXHIBITS Final Report

5 Aug. 1977 294 p

(Contract FEA-CR-05-60813-00)

(TID-28043/2) Avail: NTIS HC A13/MF A01

Data tables are presented relative to the replacement cost of petroleum and natural gas in the USA for the benchmark years 1980, 1985, and 1990. ERA

N78-25518# Indiana Univ., Bloomington.
CARBONACEOUS SHALES OF INDIANA AS SOURCES OF ENERGY, PETROCHEMICALS, AND CERAMIC MATERIALS Quarterly Technical Progress Report, Oct. - Dec. 1977

1977 11 p

(Contract EY-76-C-05-5204)

(TID-28179) Avail: NTIS HC A02/MF A01

Activities during the report period include selection of drill site locations and compilation of three west-to-east cross sections of the New Albany shale equivalents in the Michigan basin. Work is also reported on isopach maps of lithologic units in the New Albany shale interval. ERA

N78-25519# City of Long Beach, Calif.
PILOT DEMONSTRATION OF ENHANCED OIL RECOVERY BY MICELLAR POLYMER WATERFLOODING, PHASE B Quarterly Report, 1977

James E. Wade and H. L. Staub 24 Oct. 1977 16 p

(Contract EF-77-C-03-1395)

(SAN/1395-14; QR-3) Avail: NTIS HC A02/MF A01

A field test to demonstrate an improved oil recovery process which will displace economic quantities of otherwise non-recoverable viscous oil from the Wilmington oil field, as well as to determine its suitability for application to other sites is

presented. Favorable preliminary results on core-flood tests were obtained using a sulfonate formulated from Wilmington crude oil. ERA

N78-25526# National Academy of Sciences - National Research Council, Washington, D. C. Commission on Natural Resources. **OCS OIL AND GAS: AN ASSESSMENT OF THE DEPARTMENT OF THE INTERIOR ENVIRONMENTAL STUDIES PROGRAM**

18 Feb. 1978 119 p refs
(Contract DI-AA550-CT6-30)
(PB-277493) Avail: NTIS HC A06/MF A01 CSCL 08G
The concepts, procedures, and results of the Department of Interior Environmental Studies Program were examined in order to provide an evaluation and some recommendations that the Department could use as a basis for improvement of the program. The program and the actual or potential use of the results. GRA

N78-25527* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

SOLAR CELL COLLECTOR Patent
John C. Evans, Jr., inventor (to NASA) Issued 4 Apr. 1978
5 p Filed 22 Feb. 1977 Supersedes N77-17564 (15 - 08, p 1052)

(NASA-Case-LEW-12552-1; US-Patent-4,082,569;
US-Patent-Appl-SN-770869; US-Patent-Class-136-89CC;
US-Patent-Class-357-30; US-Patent-Class-357-65;
US-Patent-Class-357-67; US-Patent-Class-29-572;
US-Patent-Class-427-75; US-Patent-Class-427-261) Avail: US Patent Office CSCL 10A

A method is provided for the fabrication of a photovoltaic device which possesses an efficient collector system for the conduction of the current generated by incident photons to the external circuitry of the device.

Official Gazette of the U.S. Patent Office

N78-25529* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

METHOD FOR PRODUCING SOLAR ENERGY PANELS BY AUTOMATION Patent

John C. Evans, Jr., inventor (to NASA) Issued 18 Apr. 1978
11 p Filed 25 Apr. 1977 Supersedes N77-22615 (15 - 13, p 1744)

(NASA-Case-LEW-12541-1; US-Patent-4,084,985;
US-Patent-Appl-SN-790637; US-Patent-Class-136-89P;
US-Patent-Class-29-572; US-Patent-Class-136-89H;
US-Patent-Class-136-89CC; US-Patent-Class-156-633) Avail: US Patent Office CSCL 10A

A solar cell panel was fabricated by photoetching a pattern of collector grid systems with appropriate interconnections and bus bar tabs into a glass or plastic sheet. These regions were then filled with a first, thin conductive metal film followed by a layer of a mixed metal oxide, such as InAsO or InSnO. The multiplicity of solar cells were bonded between the protective sheet at the sites of the collector grid systems and a back electrode substrate by conductive metal filled epoxy to complete the fabrication of an integrated solar panel.

Official Gazette of the U.S. Patent Office

N78-25530* National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

INORGANIC-ORGANIC SEPARATORS FOR ALKALINE BATTERIES Patent

Dean W. Sheibley, inventor (to NASA) Issued 18 Apr. 1978
4 p Filed 7 Sep. 1976 Supersedes N76-31674 (14 - 22, p 2890)

(NASA-Case-LEW-12649-1; US-Patent-4,085,241;
US-Patent-Appl-SN-720521; US-Patent-Class-427-385B;
US-Patent-Class-427-385C; US-Patent-Class-429-254) Avail: US Patent Office CSCL 10C

A flexible separator is reported for use between the electrodes of Ni-Cd and Ni-Zn batteries using alkaline electrolytes. The

separator was made by coating a porous substrate with a battery separator composition. The coating material included a rubber-based resin copolymer, a plasticizer and inorganic and organic fillers which comprised 55% by volume or less of the coating as finally dried. One or more of the filler materials, whether organic or inorganic, is preferably active with the alkaline electrolyte to produce pores in the separator coating. The plasticizer was an organic material which is hydrolyzed by the alkaline electrolyte to improve conductivity of the separator coating. Official Gazette of the U.S. Patent Office

N78-25532*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **PROCEEDINGS OF THE DOE CHEMICAL ENERGY STORAGE AND HYDROGEN ENERGY SYSTEMS CONTRACTS REVIEW**

James H. Kelley 15 Feb. 1978 296 p refs Meeting held at Hunt Valley, Md., 16-17 Nov. 1977
(Contracts NAS7-100; EC-77-A-31-1035)
(NASA-CR-157164; JPL-Pub-78-1) Avail: NTIS HC A13/MF A01 CSCL 10C

The background and objectives of thirty-nine hydrogen-related tasks were discussed, the status of the studies or technical effort is shown, and state projected solutions for resolving the identified problems are projected. Author

N78-25533*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **COAL DESULFURIZATION BY LOW TEMPERATURE CHLORINOLYSIS, PHASE 1 Final Report, 6 Jul. - 6 Nov. 1977**

John J. Kalvinskis, George C. Hsu, John B. Ernest, Duane F. Andress, and Donald R. Feller 23 Nov. 1977 105 p refs Sponsored in part by DOE

(Contract NAS7-100)
(NASA-CR-157172; JPL-Pub-78-8) Avail: NTIS HC A06/MF A01 CSCL 21D

The reported activity covers laboratory scale experiments on twelve bituminous, sub-bituminous and lignite coals, and preliminary design and specifications for bench-scale and mini-pilot plant equipment. Author

N78-25535*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **PROCESS HEAT IN CALIFORNIA: APPLICATIONS AND POTENTIAL FOR SOLAR ENERGY IN THE INDUSTRIAL, AGRICULTURAL AND COMMERCIAL SECTORS**

Rosalyn H. Barbieri, Ralph E. Bartera, E. S. Davis, George E. Hlavka, Donna S. Pivrotto, and Gilbert Yanow Mar. 1978 105 p refs Sponsored in part by Calif. Energy Resources Conservation and Develop. Comm.

(Contract NAS7-100)
(NASA-CR-157169; JPL-Pub-78-33) Avail: NTIS HC A06/MF A01 CSCL 10A

A summary of the results of a survey of potential applications of solar energy for supplying process heat requirements in the industrial, agricultural, and commercial sectors of California is presented. Technical, economic, and institutional characteristics of the three sectors are examined. Specific applications for solar energy are then discussed. Finally, implications for California energy policy are discussed along with recommendations for possible actions by the State of California. Author

N78-25536*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena. **POTENTIAL FOR COGENERATION OF HEAT AND ELECTRICITY IN CALIFORNIA INDUSTRY, PHASE 1 Final Report**

H. S. Davis, R. M. Gurfield, V. C. Moretti, and M. L. Slonski 1 May 1978 179 p Sponsored in part by Calif. Energy Resources Conserv. and Develop. Comm.

(Contract NAS7-100)
(NASA-CR-157168; JPL-Pub-78-42) Avail: NTIS HC A09/MF A01 CSCL 10B

Information collected during an industrial survey of 12 selected plants was organized into four categories: technical, economic,

N78-25537

environmental, and institutional. The technical aspects of industrial cogeneration are examined on a site-specific basis. The site-specific economics, environmental constraints, and institutional barriers that impact industrial cogeneration will be further investigated. Author

N78-25537*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Jul. - Sep. 1976

1 Oct. 1976 116 p Prepared for DoE
(Contract NAS8-32092)
(NASA-CR-150686) Avail: NTIS HC A06/MF A01 CSCL 10A

Eight prototype solar heating and combined heating and cooling systems are considered. This effort includes development, manufacture, test, installation, maintenance, problem resolution, and performance evaluation. Author

N78-25538*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Oct. - Dec. 1976

1 Jan. 1977 118 p Prepared for DoE
(Contract NAS8-32092)
(NASA-CR-150687) Avail: NTIS HC A06/MF A01 CSCL 10A
For abstract, see N78-25537.

N78-25539*# National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, Ala.

HARDWARE PROBLEMS ENCOUNTERED IN SOLAR HEATING AND COOLING SYSTEMS

Mitchell Cash May 1978 42 p Prepared for DoE
(NASA-TM-78172) Avail: NTIS HC A03/MF A01 CSCL 10A

Numerous problems in the design, production, installation, and operation of solar energy systems are discussed. Described are hardware problems, which range from simple to obscure and complex, and their resolution. Author

N78-25540*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Jan. - Mar. 1977

1 Apr. 1977 188 p Prepared for DoE
(Contract NAS8-32092)
(NASA-CR-150691; QR-3) Avail: NTIS HC A09/MF A01 CSCL 10A

System analysis activities were directed toward refining the heating system parameters. Trade studies were performed to support hardware selections for all systems and for the heating only operational test sites in particular. The heating system qualification tests were supported by predicting qualification test component performance prior to conducting the test. Author

N78-25541*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Apr. - Jun. 1977

1 Jul. 1977 75 p Prepared for DoE
(Contract NAS8-32092)
(NASA-CR-150692; QR-4) Avail: NTIS HC A04/MF A01 CSCL 10A

Eight prototype solar heating and combined heating and cooling systems are being developed. The effort includes development, manufacture, test, installation, maintenance, problem resolution, and performance evaluation. Author

N78-25542*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Jul. 1977 - Sep. 1977

3 Oct. 1977 69 p Prepared for DoE
(Contract NAS8-32092)

(NASA-CR-150693; QR-5) Avail: NTIS HC A04/MF A01 CSCL 10A

Schedules and technical progress in the development of eight prototype solar heating and combined solar heating and cooling systems are reported. Particular emphasis is given to the analysis and preliminary design for the cooling subsystem, and the setup and testing of a horizontal thermal energy storage tank configuration and collector shroud evaluation. Author

N78-25543*# General Electric Co., Philadelphia, Pa. Space Div.

PROTOTYPE SOLAR HEATING AND COMBINED HEATING AND COOLING SYSTEMS Quarterly Report, Oct. - Dec. 1977

6 Jan. 1978 41 p Prepared for DoE
(Contract NAS8-32092)
(NASA-CR-150694; QR-6) Avail: NTIS HC A03/MF A01 CSCL 10A

Designs were completed, hardware was received, and hardware was shipped to two sites. A change was made in the heat pump working fluid. Problem investigation of shroud coatings for the collector received emphasis. Author

N78-25545*# National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

PROGRESS ON COAL-DERIVED FUELS FOR AVIATION SYSTEMS

Robert D. Witcofski May 1978 27 p refs Presented at CTOL Transport Technol. Conf., Hampton, Va., 28 Feb. - 3 Mar. 1978. Published in NASA-CR-2036
(NASA-CR-78696; L-12275) Avail: NTIS HC A03/MF A01 CSCL 21D

Synthetic aviation kerosene (Syn. Jet-A), liquid methane (LCH₄), and liquid hydrogen (LH₂) appear to be the most promising coal-derived fuels. Liquid hydrogen aircraft configurations, their fuel systems, and their ground requirements at the airport are identified. These aircraft appear viable, particularly for long haul use, where aircraft fueled with coal derived LH₂ would consume 9 percent less coal resources than would aircraft fueled with coal derived Syn. Jet-A. Distribution of hydrogen from the point of manufacture to airports may pose problems. Synthetic JET-A would appear to cause fewer concerns to the air transportation industry. Of the three candidate fuels, LCH₄ is the most energy efficient to produce, and an aircraft fueled with coal derived LCH₄ may provide both the most efficient utilization of coal resources and the least expensive ticket as well. Author

N78-25546*# National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, Ala.

DESIGN AND OPERATION OF A SOLAR HEATING AND COOLING SYSTEM FOR A RESIDENTIAL SIZE BUILDING J. W. Littles, W. R. Humphries, and J. C. Cody May 1978 35 p Prepared for DOE

(NASA-TM-78169) Avail: NTIS HC A03/MF A01 CSCL 10A

The first year of operation of solar house is discussed. Selected design information, together with a brief system description is included. The house was equipped with an integrated solar heating and cooling system which uses fully automated state-of-the-art. Evaluation of the data indicate that the solar house heating and cooling system is capable of supplying nearly 100 percent of the thermal energy required for heating and approximately 50 percent of the thermal energy required to operate the absorption cycle air conditioner. Author

N78-25547*# Wyle Labs., Inc., Huntsville, Ala. Solar Energy Systems Div.

INDOOR TEST FOR THERMAL PERFORMANCE EVALUATION ON LIFE SCIENCES ENGINEERING (AIR) SOLAR COLLECTOR

Feb. 1978 33 p Sponsored by DOE Prepared for IBM Fed. Systems Div., Huntsville, Ala.
(Contract NAS8-32036)

(NASA-CR-150665; WYLE-TR-531-18) Avail: NTIS

HC A03/MF A01 CSCL 10A

The test procedure used and the results obtained from an evaluation test program conducted to obtain thermal performance data on a life sciences double-glazed air solar collector under simulated conditions is discussed. These tests were made using the Marshall Space Flight Center's solar simulator. A time constant test and incident angle modifier test were also conducted to determine the transient effect and the incident angle effect on the collector. These results and the results of the collector load test are also discussed. Author

N78-25548* Solar Engineering and Equipment Co., Metairie, La.

DESIGN DATA BROCHURE: SOLAR HOT AIR HEATER

May 1978 30 p Prepared for DOE

(Contract NAS8-32347)

(NASA-CR-150697) Avail: NTIS HC A03/MF A01 CSCL 10A

The design, installation, performance, and application of a solar hot air heater for residential, commercial and industrial use is reported. The system has been installed at the Concho Indian School in El Reno, Oklahoma. Author

N78-25549* Houston Chemical Co., Pittsburgh, Pa.

PRELIMINARY DESIGN PACKAGE FOR NONCORROSIVE FLUID SUBSYSTEM, SOLAR HEATING AND COOLING

May 1978 24 p Prepared for DOE

(Contract NAS8-32255)

(NASA-CR-150698) Avail: NTIS HC A02/MF A01 CSCL 10A

The preliminary evaluation includes drawings for subsystem definition, rationale for special handling, installation and maintenance tools, and an outline for hazard analysis, along with development and testing plans. Author

N78-25550* Owens-Illinois, Inc., Toledo, Ohio.

DEVELOPMENT OF PROTOTYPE AIR/LIQUID SOLAR COLLECTOR SUBSYSTEM Quarterly Report, 1 Feb. - 30 Apr. 1978

May 1978 7 p Prepared for DOE

(Contract NAS8-32259)

(NASA-CR-150703; QR-6) Avail: NTIS HC A02/MF A01 CSCL 10A

Testing of the evacuated tubular air collector in conjunction with air/liquid heat exchange and liquid storage elements was completed. Test results, emphasize matching of heat exchanger and collector characteristics with specific attention to the dynamic response of each of the elements. Author

N78-25551* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

PHOTON DEGRADATION EFFECTS IN TERRESTRIAL SOLAR CELLS

V. G. Weizer, H. W. Brandhorst, Jr., J. D. Broder, R. E. Hart, and S. H. Lamneck 1978 14 p refs Presented at the 13th Photovoltaic Specialists Conf., Washington, D. C., 5-8 Jun. 1978; sponsored by IEEE

(Contract E(49-26)-1022)

(NASA-TM-78924; DOE/NASA/1022-78/35; E-9684) Avail: NTIS HC A02/MF A01 CSCL 10A

Reduction in cell output was observed in $N(+)/P$ cells upon exposure to illumination or upon the application of a sufficiently high forward bias. Conversely, an enhancement in output was observed when $P(+)/N$ cells were illuminated. Investigations performed on $N(+)/P$ cells indicated that a recombination center located at $E_{sub} c - 0.37$ eV in the forbidden band was responsible for the loss in output. The center was electrically inactive in its ground state but was activated either by raising the minority carrier quasi-Fermi level sufficiently close to the latent center energy level in the band gap, or by direct excitation of electrons from the valence band to the latent center level. The center was identified as a complex of a lattice defect and a silver atom or cluster of atoms. Author

N78-25552* IBM Federal Systems Div., Huntsville, Ala.

DESIGN DATA BROCHURE: SIMS PROTOTYPE SYSTEM 3

30 May 1978 43 p Prepared for DOE

(Contract NAS8-32036)

(NASA-CR-150707; IBM-78W-0005)

Avail: NTIS

HC A03/MF A01 CSCL 10A

A closed hydronic solar system is reported for space and hot water heating. Design, performance, and hardware specifications are presented sufficient for architectural engineers and contractors to procure, install, operate, and maintain a similar solar application. Author

N78-25553* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

SOLAR CELL SYSTEM HAVING ALTERNATING CURRENT OUTPUT Patent Application

J. C. Evans, Jr., inventor (to NASA) Filed 9 Jun. 1978 11 p

(NASA-Case-LEW-12806-1; US-Patent-Appl-SN-915050) Avail:

NTIS HC A02/MF A01 CSCL 10A

A P-N junction solar cell modified by fabricating an integrated circuit inverter on the back of the cell to produce a device capable of generating an alternating current output was developed. In another embodiment, integrated circuit power conditioning electronics is incorporated in a module containing a solar cell power supply. NASA

N78-25557* National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, Ala.

STAINLESS STEEL PANEL FOR SELECTIVE ABSORPTION OF SOLAR ENERGY AND THE METHOD OF PRODUCING SAID PANEL Patent Application

Marion L. Roberts, Max H. Sharpe, and Albert C. Krupnick, inventors (to NASA) Filed 30 May 1978 23 p

(NASA-Case-MFS-23518-3; US-Patent-Appl-SN-910793) Avail:

NTIS HC A02/MF A01 CSCL 10A

A composite panel is reported that contains a coated metal substrate which absorbs solar energy selectively. The panel consisted either of an aluminum substrate with zinc and nickel layers and an outer coating of nickel oxide, or a copper substrate with nickel and nickel oxide layers. NASA

N78-25559* National Aeronautics and Space Administration, Pasadena Office, Calif.

LOW COST SOLAR ENERGY COLLECTION SYSTEM Patent Application

Charles G. Miller (JPL) and James B. Stephens, inventors (to NASA) (JPL) Filed 15 May 1978 23 p

(Contract NAS7-100)

(NASA-Case-NPO-13579-4; US-Patent-Appl-SN-906297) Avail:

NTIS HC A02/MF A01 CSCL 10A

A fixed, linear, ground based primary reflector was designed for use in a tracking solar energy collection system. The primary reflector was constructed at ground level by slip forming in concrete or stabilized dirt a trough with a segmented one dimensional circular cross section profile. This profile was covered with an inexpensive light-reflective material. The axis of the primary reflector was optimally aligned with respect to the sun path in the area. NASA

N78-25560* National Aeronautics and Space Administration, Pasadena Office, Calif.

A SOLAR ARRAY STRIP AND A METHOD FOR FORMING THE SAME Patent Application

Robert L. Mueller (JPL) and Robert K. Yasui, inventors (to NASA) (JPL) Filed 29 Mar. 1978 15 p

(Contract NAS7-100)

(NASA-Case-NPO-13652-3; US-Patent-Appl-SN-891358) Avail:

NTIS HC A02/MF A01 CSCL 10A

A method is provided for forming a flexible solar array strip adapted for storage in a helically wound roll. The method is applicable to automated production techniques where a continuous solar arrays strip may be used economically in converting solar flux to electrical energy. NASA

N78-25562# UOP, Inc. Des Plaines, Ill.

OPTIMIZATION OF PtDOPED KOCITE: ELECTRODES IN H3PO4 FUEL CELLS Interim Progress Report, 30 Mar. - 30 Dec. 1977

L. B. Welsh and R. W. Leyerle Jan. 1978 47 p refs
(Contract DAAG53-76-C-0014; DA Proj. 1G7-62708-AH-67)
(AD-A053300; IPR-4) Avail: NTIS HC A03/MF A02 CSCI 10/2

The use of Kocite(Trade Name) electrocatalysts as low-cost air and/or fuel electrocatalysts in phosphoric acid electrolyte fuel cells is being optimized with respect to some of the electrocatalyst and electrode structure parameters. Kocite electrocatalysts are made from Kocite materials, which are composite structures consisting of pyropolymers chemically bonded to refractory substrates. Fuel cell electrodes are fabricated from these electrocatalysts and normally tested as anodes or cathodes in model fuel cells with standard platinum-black counter electrodes. GRA

N78-25564# Oak Ridge National Lab., Tenn.

CENTRAL HEATING: PACKAGE BOILERS

Ebrahim Farahan May 1977 87 p refs Prepared for Argonne Natl. Lab., Ill.
(Contract W-31-109-eng-38)

(ANL/CES/TE-77-6) Avail: NTIS HC A05/MF A01

Performance and cost data for electrical and fossil-fired package boilers currently available from manufacturers are provided. Performance characteristics investigated include: unit efficiency, rated capacity, and average expected lifetime of units. Costs are tabulated for equipment and installation of various package boilers. The information supplied in this report will simplify the process of selecting package boilers required for industrial, commercial, and residential applications. ERA

N78-25565# Boeing Co., Seattle, Wash.

CENTRAL RECEIVER SOLAR THERMAL POWER SYSTEM PILOT PLANT PRELIMINARY DESIGN REPORT. VOLUME 3: COLLECTOR SUBSYSTEM

29 Apr. 1977 202 p refs

(Contract EY-76-C-03-1111)

(SAN/1111-8/2) Avail: NTIS HC A10/MF A01

A preliminary design of the collector (heliostat) subsystem for a 10 MW/sub e/ Solar Pilot Plant is presented. The collector subsystem concept, operating with a central receiver installation, is shown. In this concept, circular membrane reflectors formed with aluminized polyester film, direct sunlight to the central receiver. Transparent air-support Tedlar enclosures protect the lightweight reflectors from the environment. Reflectors are individually aimed with a 2 axis gimbal, driven by digital-controlled stepper motors. Minicomputers, located at the central control facility, provide signals to the stepper motors. Field geometry, performance, and cost analyses have resulted in specification of 1650 heliostats, to provide 42 MW/sub th/ to a cylindrical receiver at solar noon on the equinox. Overall efficiency of the heliostat field is 54.5 percent at the design point. Components, materials, and large scale hardware were developed and tested. ERA

N78-25566# Aerodyne Research, Inc., Bedford, Mass.

CHARACTERIZATION OF OPEN-CYCLE COAL-FIRED MHD GENERATORS, REVISION A Quarterly Technical Summary Report No. 4, 1 Apr. - 30 Jun. 1977

C. E. Kolb, V. Yousefian, J. Wormhoudt, M. Martinez-Sanchez, and J. L. Kerrebrock 15 Jul. 1977 90 p refs

(Contract EX-76-C-01-2478)

(FE-2478-4-Rev-A) Avail: NTIS HC A05/MF A01

Research progress on the effects of slags on the electron and alkali seed chemistry in a high temperature coal combustion system such as direct-fired MHD generators is reported. Problems studied include the formation of negative ions due to electron attachment processes in combustion flow, the role slag condensation may play in determining the electron density through recombination which adversely affects conductivity in the core flow, and the interaction of alkali seed with particles formed by slag condensation in the generator channel. Models will describe

the appropriate fluid mechanical conditions expected in direct fired MHD channels and will permit the calculation, through the appropriate chemical equilibrium or chemical kinetic equations, of the changes in negative ion, alkali and slag conditions as the fluid conditions change. A one-dimensional model of the fluid and MHD processes in the channel core flow has been completed. ERA

N78-25568# Argonne National Lab., Ill.

ANALYSIS OF A HIGH-TEMPERATURE COAL COMBUSTOR ACCORDING TO A ONE-DIMENSIONAL FLOW MODEL

P. M. Chung and R. S. Smith Oct. 1977 133 p refs

(Contract W-31-109-eng-38)

(ANL/MHD-77-2) Avail: NTIS HC A07/MF A01

A steady state, one-dimensional analysis for a high temperature coal combustor is presented. An existing solution of solid fuel ignition is employed to describe the ignition of the coal particles. A one-dimensional flow model with radiative heat loss is then constructed to describe the subsequent vaporization of ash and devolatilization, combustion, and gasification of the coal. Combustion is considered to take place either at a flame sheet in the diffusion layer surrounding each particle or at the particle surface. The combustion products are considered to be redistributed in the main gas stream of the combustor according to simplified chemical equilibrium criteria. A simplified devolatilization rate law is formulated, which incorporates in a tractable manner the various competing reactions within the coal particle. Data are presented for the variation of temperatures and mass fractions with position in the combustor and for the influence of various parameters on combustor performance. ERA

N78-25569# Acurex Corp., Mountain View, Calif. Aerotherm Div.

APPLICATION OF SOLAR ENERGY TO THE SUPPLY OF INDUSTRIAL PROCESS HOT WATER: PRELIMINARY DESIGN AND PERFORMANCE REPORT. VOLUME 1: TECHNICAL REPORT

14 Oct. 1976 167 p refs

(Contracts EY-76-C-03-1218; E(04-3)-1218)

(SAN/1218-3-Vol-1; TR-76-219-Vol-1)

Avail: NTIS

HC A08/MF A01

The design and performance of a solar hot water system for can washing are presented. The collector field is located on the roof of the finished products warehouse. Detail drawings and descriptions of the collector field, installation, piping, controls, data acquisition equipment, and roof structure are included. Furthermore, a program schedule with equipment and manpower costs for successfully completing Phase 2 of this contract is included. Also included is an organization chart of the Phase 2 program personnel. ERA

N78-25570# RAND Corp., Santa Monica, Calif.

NOBLE-GAS CLOSED-CYCLE SYSTEM OF MAGNETOHYDRODYNAMIC POWER GENERATION

R. Y. Pri and R. W. Hess Aug. 1977 94 p refs

(Contract EX-76-C-01-2261)

(R-2128-ERDA) Avail: NTIS HC A05/MF A01

The critical components of the closed cycle system, like those of the open cycle system, are the coal combustor, heat exchanger, MHD generator, seed recovery system, and power conditioning equipment. Although the components may be common, the technologies pacing the development of the two systems differ substantially. The current concept for the design of a closed cycle system calls for a regenerative heat exchanger in which the same refractory surface will come in contact with both the combustion gases and the working fluid. The heat exchanger must be designed to ensure a low enough level of contamination carry over and leakage to maintain the noble gas loop. The same type of heat exchanger used as the air preheater in an open cycle system presumably could tolerate greater leakage and contamination. ERA

N78-25571# Energy Research and Development Administration, Washington, D. C.

REPORT ON ERDA WORKSHOP WITH SOUTHEASTERN STATES AND CITIES ON IMPROVING COORDINATION IN ENERGY RD AND D ESPECIALLY FOR SOLAR PROGRAMS

1977 30 p Workshop held in Knoxville, Tenn., 7-8 Jul. 1977 (TID-27778) Avail: NTIS HC A03/MF A01

Issues and problems were identified and recommendations were made regarding ways to facilitate ERDA/State/City coordination and communication especially with regard to ERDA's solar energy RD and D program. Major recommendations resulting from the workshop are summarized. ERA

N78-25572# Seattle Dept. of Lighting, Wash.

OFFICE OF CONSERVATION Quarterly Report, Jul. - Sep. 1977

1977 161 p refs

(Contract EC-77-G-01-5097)

(TID-27998; QR-3) Avail: NTIS HC A08/MF A01

Progress in Seattle City Light's energy conservation program is reported. This program promoted electric power conservation in the industrial, commercial, and residential sector by performing energy audits on buildings, conducting energy conservation seminars, recommending educational and legislative programs for energy conservation, facilitating the purchase and certification of home insulation, providing educational displays, and sponsoring conservation research. It is claimed that electric power consumption for this area was reduced from projected consumption figures by 80 MW. ERA

N78-25573# Mechanical Technology, Inc., Latham, N. Y.

DESIGN, DEVELOP. AND MANUFACTURE PROCESS GAS LUBRICATED HOT RECYCLE GAS CIRCULATORS Final Technical Report

D. G. Dominy and J. D. Hurley Oct. 1976 150 p

(Contract EY-76-C-02-0004)

(COO-0004-1; MTI-77TR5) Avail: NTIS HC A07/MF A01

In the SYNTHANE coal gasification process raw product gas of approximately 35 mole % methane is passed through a methanator which increases the methane content (and heating value) to approximately 86 mole % methane. In order to limit the temperature rise of the reaction, high BTU methane process gas is diluted with raw product gas. A pressure increase is necessary to force the mixed gases back into the methanator. In addition, varying recycle ratios affect the total flow of the gas stream necessitating a compressor or other device to operate at varying flow capacities. The present hot gas recycle methanator system utilized an eductor to mix and raise the pressure of the product gas. This method has limitations. For commercial use a compressor is essential. ERA

N78-25575# Argonne National Lab., Ill.

LABORATORY SUPPORT FOR IN SITU GASIFICATION REACTION KINETICS Quarterly Report, Jan. - Mar. 1977

J. Fischer, J. E. Young, J. E. Johnson, D. C. Bowyer, and A. A. Jonke Jun. 1977 20 p refs

(Contract W-31-109-eng-38)

(ANL/CEN/FE-77-2) Avail: NTIS HC A02/MF A01

Support studies for the national endeavor on in-situ coal gasification are reported. The objective is to determine the reaction-controlling variables and reaction kinetics for gasification of chars resulting when coal is pyrolyzed in underground gasification. The reactions to be studied include steam-char, CO₂-char, H₂-char, and the water-gas shift reaction. Kinetic data related to the reaction of steam with Wyodak subbituminous coal are presented. The temperature dependence of the reaction, the apparent reaction order with respect to steam, and inhibitory effects of hydrogen are discussed. ERA

N78-25576# Oak Ridge National Lab., Tenn.

COAL-FIRED ALKALI METAL POWER SYSTEM DESIGN STUDY Quarterly Progress Report, 1 Apr. - 30 Jun. 1977

Garland Samuels Aug. 1977 32 p refs

(Contract W-7405-eng-26)

(ORNL-TM-6000; QPR-3) Avail: NTIS HC A03/MF A01

The report given is the third of a series of quarterly progress reports for the Coal-Fired Alkali Metal Power System Design Study. The effort during this quarter was devoted to the design and analysis of an atmospheric pressure fluidized bed furnace-boiler system for either cesium or potassium. The tasks receiving the most attention during this period were the selection and analysis of the basic plant arrangement, the design of the furnace-alkali metal boiler, and the analysis of the alkali metal condenser-steam boiler. ERA

N78-25578# Case Western Reserve Univ., Cleveland, Ohio. Dept. of Chemistry.

IMPROVED CATHODES FOR PHOSPHORIC ACID FUEL CELLS Final Report

Ernest B. Yeager, P. Bindra, N. Doddapaneni, J. C. Huang, R. K. Sen, and J. Zagal Jun. 1977 91 p refs

(EPRI Proj. 634-1)

(EPRI-EM-505) Avail: NTIS HC A05/MF A01

Oxygen reduction was examined on a number of electrode surfaces with both rotating disk and gas fed electrodes. Particular emphasis was placed on transition metal monomeric and polymeric phthalocyanines. The iron and cobalt complexes have substantial activity for O₂ reduction but are still well short of that for Pt and have long-term stability problems in 85% H₃PO₄. The objectives of the project were broadened to include the identification and optimization of the factors which control O₂ reduction on platinum in phosphoric acid. Kinetic studies on Pt in purified 85% H₃PO₄ indicate O₂ reduction via two parallel mechanisms with the non-peroxide pathway predominant over the peroxide pathway. ERA

N78-25579# Chevron Research Co., Richmond, Calif.

CATALYTIC HYDROPROCESSING OF SHALE OIL TO PRODUCE DISTILLATE FUELS

R. F. Sullivan and B. E. Stangeland 1977 42 p refs Presented at the 174th Natl. Am. Chem. Soc. Symp., Chicago, 28 Aug. - 2 Sep. 1977

(Contract EX-76-C-01-2315)

(CONF-770814-9) Avail: NTIS HC A03/MF A01

Results are presented of a study to demonstrate the feasibility of converting whole shale oil to a synthetic crude resembling a typical petroleum distillate. The synthetic crude thus produced can then be processed, in conventional petroleum-refining facilities, to transportation fuels such as high octane gasoline, diesel, and jet fuel. It is shown that whole shale oil can be catalytically hydrodenitrified with the resulting synthetic crude resembling a petroleum distillate that can be fractionated and further processed. Shale oil contains about 0.6% sulfur. Sulfur is more easily removed by hydrofining than is nitrogen. Oxygen contained in the shale oil is also reduced to low levels during hydrodenitrification. The shale oil contains appreciable quantities of iron and arsenic which are removed by a guard bed placed upstream from the hydrofining catalyst. The naphthas from the shale oil hydrofiner can readily be upgraded to high octane gasoline by catalytic reforming. The middle distillate fraction may require some additional hydrofining to produce salable diesel or jet fuel. ERA

N78-25581# International Institute for Applied Systems Analysis, Laxenburg (Austria).

SYSTEMS ASPECTS OF LARGE-SCALE SOLAR ENERGY CONVERSION

J. M. Weingart May 1977 36 p refs Presented at the Intern. Symp. on New Trends in Systems Anal., Versailles, France, 13-17 Dec. 1976

(IIASA-RM-77-23; Conf-761246-1) Avail: NTIS (US Sales Only) HC A03/MF A01; DOE Depository Libraries

The initial stage of solar energy development would include local low temperature applications for heating purposes, and the embedding of small amounts of solar electric generation capacity in the existing electric grids. Regional interconnections of solar electric power generation would be followed by increasing

production of solar fuels in locations with favorable insolation, and by long-distance transport of these fuels. Much more needs to be known about the behavior of very large integrated solar energy conversion systems. Market penetration calculations indicate that it takes roughly five decades for a major source of energy to be developed and used on a truly significant scale. It therefore would be necessary to initiate large-scale deployment of solar energy perhaps 50 years or more before fossil resources are finally depleted. ERA

N78-25582# Energy Research and Development Administration, Washington, D. C. Office of the Assistant Administrator to Fossil Energy.

FOSSIL ENERGY PROGRAM REPORT. Progress Report, Jul. 1975 - Oct. 1976
Sep. 1977 650 p
(ERDA-77-70) Avail: NTIS HC A99/MF A01

A review is given with respect to objectives, importance, and accomplishments US ERDA's research programs in coal liquefaction, coal gasification (high- and low-Btu gas), advanced power systems, combustion, materials research, process research, component research, magnetohydrodynamics (open- and closed-cycle systems), enhanced recovery of petroleum and natural gas, in-situ oil shale technology, commercial applications, and various program planning and analysis projects. ERA

N78-25583# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

SOLAR PILOT PLANT, PHASE 1, PRELIMINARY DESIGN REPORT. VOLUME 2, BOOK 2: CENTRAL RECEIVER OPTICAL MODEL USERS MANUAL, CDRL ITEM 2

1 May 1977 228 p
(Contract EY-76-C-03-1109)
(SAN/1109-8/3-Vol-2-Bk-2) Avail: NTIS HC A11/MF A01

A FORTRAN computer program (HELIAKI) which simulates the optical/thermal performance of a central receiver solar heat to electricity is described. The power retained by the cavity receiver at any point in time or the energy into the receiver over a year's time is calculated using a Monte Carlo ray trace technique to solve the multiple integral equations. An artist's concept of this plant is shown. ERA

N78-25584# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

SOLAR PILOT PLANT, PHASE 1, PRELIMINARY DESIGN REPORT. VOLUME 2, BOOK 3: DYNAMIC SIMULATION MODEL AND COMPUTER PROGRAM DESCRIPTIONS, CDRL ITEM 2

1 May 1977 358 p refs
(Contract EY-76-C-03-1109)
(SAN/1109-8/4-Vol-2-Bk-3) Avail: NTIS HC A16/MF A01

The mathematical models and computer program comprising the solar power plant (SPP) dynamic simulation are described. The SPP dynamic simulation is a computerized model representing the time-varying performance characteristics of the SPP. A master control/instrumentation system is utilized to coordinate the various plant operations. The master controller reacts to plant operator demands and control settings to effect the desired output response. The SPP dynamic simulation computer program is written in FORTRAN language. Various input options (e.g., insolation values, load demands, initial pressures/temperatures/flows) are permitted. Plant performance may be monitored via computer printout or computer generated plots. The detailed pilot plant dynamic model, the basis for this simulation, and the utilization of this simulation to obtain analytical plant performance results are described. ERA

N78-25585# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

SOLAR PILOT PLANT, PHASE 1, PRELIMINARY DESIGN REPORT. VOLUME 3: COLLECTOR SUBSYSTEM, CDRL ITEM 2

1 May 1977 571 p
(Contract EY-76-C-03-1109)
(SAN/1109-8/5-Vol-3) Avail: NTIS HC A24/MF A01

A low profile, multifaceted heliostat designed to provide high reflectivity and accurate angular and spatial positioning of the redirected solar energy under all conditions of wind load and mirror attitude within the design operational envelope is described. The heliostats are arranged in a circular field around a cavity receiver on a tower halfway south of the field center. A calibration array mounted on the receiver tower provides capability to measure individual heliostat beam location and energy periodically. This information and weather data from the collector field are transmitted to a computerized control subsystem that addresses the individual heliostat to correct pointing errors and determine when the mirrors need cleaning. Results of the SRE heliostat test program are presented. ERA

N78-25586# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

SOLAR PILOT PLANT, PHASE 1, PRELIMINARY DESIGN REPORT. VOLUME 6: ELECTRICAL POWER GENERATION; MASTER CONTROL SUBSYSTEMS; BALANCE OF PLANT CDRL ITEM 2

1 May 1977 373 p
(Contract EY-76-C-03-1109)
(SAN/1109-8/8-Vol-6) Avail: NTIS HC A16/MF A01

The relationship of the electrical power generation subsystem to the rest of the plant, the design methodology and evolution, the interface integration and control, and the operation and maintenance procedures were described. ERA

N78-25587# McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.

INDUSTRIAL APPLICATIONS OF SOLAR TOTAL ENERGY. VOLUME 1: SUMMARY Final Report

Apr. 1977 37 p
(Contract EY-76-C-03-1132)
(SAN/1132-2/1-Vol-1) Avail: NTIS HC A03/MF A01

A summary of the program to define solar energy systems that are technically and economically feasible that can satisfy all or part of selected industry demands and to determine the market potential of such systems is given. The primary emphasis was placed on the application of total energy systems where the industrial process heat, electrical demands, and space heating and cooling are satisfied at maximum possible efficiency. Industrial energy usage was first determined, leading to a survey of those which were energy-intensive. Concurrently with the industry survey, subsystem methodologies were established in the areas of insolation data retrieval, collector performance and sizing, thermal storage, energy conversion, and heat transport. In excess of 40, first-level designs were generated allowing a preliminary ranking and selection of industries for the conceptual design phase. Volumes 2, 3, 4 and 5 of this report contain detailed results. ERA

N78-25588# McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.

INDUSTRIAL APPLICATIONS OF SOLAR TOTAL ENERGY. VOLUME 2: TECHNICAL Final Report

Apr. 1977 240 p refs
(Contract EY-76-C-03-1132)
(SAN/1132-2/2-Vol-2) Avail: NTIS HC A11/MF A01
For abstract, see N78-25587.

N78-25589# McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.

INDUSTRIAL APPLICATIONS OF SOLAR TOTAL ENERGY. VOLUME 3: MARKET PENETRATION Final Report

Apr. 1977 179 p
(Contract EY-76-C-03-1132)
(SAN/1132-2/3-Vol-3) Avail: NTIS HC A09/MF A01

An integrated economic/market penetration model was developed to simulate the impact of the various quantifiable parameters on the economic viability and market penetration potential of specific solar total energy systems. The two basic types of solar total-energy-system configurations considered in this analysis are: (1) central receiver systems and (2) distributed concentrating systems. Conceptual-system designs have been developed for each of the systems and in each of the five

candidate-industry applications. The conceptual designs developed for each industry were used as reference baselines to determine economic viability of specific applications. The five industries that were selected are: (1) meat packing industry; (2) fluid milk industry; (3) sugar beet industry; (4) asphalt material industry; and (5) concrete block. ERA

N78-25590# McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.
INDUSTRIAL APPLICATIONS OF SOLAR TOTAL ENERGY. VOLUME 5: CATALOG OF CONCEPTUAL DESIGNS Final Report
 Apr. 1977 100 p
 (Contract EY-76-C-03-1132)
 (SAN/1132-2/5-Vol-5) Avail: NTIS HC A05/MF A01

Conceptual designs for five industries have been completed (meat packing, fluid milk, sugar beets, asphalt materials, and concrete block). Each industry was evaluated at a primary location corresponding to the location of an actual industry whose demand was used in sizing the Solar Total Energy Station (STES). Three alternate locations were selected for each industry. In all, 12 locations were analyzed. Six of the locations were assessed for more than one industry. Two different types of collector fields were sized and their performance analyzed for each industry/location. The collector types were central receiver and two-axis tracking distributed collectors. One industry, meat packing, was also analyzed using one-axis tracking distributed collectors as well. All of the designs are hybrid in nature, that is, they use auxiliary energy supplied by fossil-fueled heaters during times of reduced insolation. Component summaries including major subsystem descriptions and operating parameters are included. ERA

N78-25592# California Univ., Livermore. Lawrence Livermore Lab.
FIBER COMPOSITE FLYWHEEL PROGRAM Quarterly Progress Report, Jul. - Sep. 1977
 J. A. Rinde 2 Dec. 1977 8 p
 (Contract W-7405-eng-48)
 (UCRL-50033-77-3) Avail: NTIS HC A02/MF A01

Fiber composite flywheels are planned for use in energy storage systems because they have strength-to-density ratios, enabling them to store large amounts of kinetic energy per unit mass. Research progress is reported in the areas of stress rupture, composite properties, and composites with flexible matrices. ERA

N78-25593# Argonne National Lab., Ill.
HIGH-PERFORMANCE BATTERIES FOR STATIONARY ENERGY STORAGE AND ELECTRIC-VEHICLE PROPULSION Progress Report, Apr. - Jun. 1977
 Oct. 1977 77 p refs
 (Contract W-31-109-eng-38)
 (ANL-77-68) Avail: NTIS HC A05/MF A01

Research, development, and management activities of the program on lithium aluminum/metal sulfide batteries are described. The cells are of a vertically oriented, prismatic design with a central positive electrode of FeS or FeS₂, two facing negative electrodes of lithium - aluminum alloy, and an electrolyte of molten LiCl - KCl. The concepts receiving major attention are carbon-bonded positive electrodes, scaled-up designs of stationary energy storage cells, additives to extend electrode lifetime, alternative electrode separators, and pellet-grid electrodes. Materials development efforts included the development of a lightweight electrical feedthrough; studies of various current-collector designs; investigation of powder separators; wettability and corrosion tests of materials for cell components; and postoperative examinations of cells. Voltametric studies were conducted to investigate the reversibility of the FeS₂ electrode. The use of calcium and magnesium alloys for the negative electrode in advanced battery systems were investigated. ERA

N78-25595# Brookhaven National Lab., Upton, N. Y. Energy Technology Assessment Group.

ENERGY MODELING AND DATA SUPPORT FOR THE ELECTRIC POWER RESEARCH INSTITUTE Annual Report
 H. Ablock, M. Beller, E. A. Cheriavsky, A. Hermelee, L. L. Juang, and W. Marchuse Jul. 1977 75 p refs
 (Contract EY-76-C-02-0016; EPRI Proj. RP442-1)
 (BNL-50696) Avail: NTIS HC A04/MF A01

Reference energy systems were formulated for the base year 1972 and projections developed for the years 1980, 1985, and 2000 for the area serviced by the New York power pool. In addition, Brookhaven, EPRI, and the Tennessee Valley Authority entered into a cooperative effort to develop demand projections for the area serviced by TVA. The RES and associated data provided a baseline against which TVA evaluated the effect of substituting alternate technologies and policies for one another. Development of the dynamic energy systems optimization model is continuing, with effort this year directed toward better representation of the electrical sector within the model. The model was reformulated such that the year was divided into three seasons and two daily divisions, thus allowing the model to choose whether a summer or winter peak occur and to better depict the yearly time dependence of demands. ERA

N78-25596# Economics Research Group Ltd., Toronto (Ontario).
DYNAMIC MODELS OF THE INDUSTRIAL DEMAND FOR ENERGY Interim Report

Ernst R. Berndt, Melvyn A. Fuss, and Leonard Waverman Nov. 1977 147 p refs Prepared for EPRI, Palo Alto, Calif.
 (EPRI Proj. 683-1)
 (EPRI-EA-580) Avail: NTIS HC A07/MF A01

Econometric approaches to modeling the demand for electricity, petroleum, coal, and natural gas by the manufacturing sector of the U.S. economy are investigated. Aspects of the research are incorporation of dynamic effects as well as an introduction of the impact of technological change on energy usage. An analysis of the effects of an investment tax credit on both the long-run demand for energy and the adjustment path to the new long-run equilibrium demand was made. Several models were considered that were utilized in an analysis of endogenous technical change. The most promising model for future research was one which incorporated knowledge as a quasi-fixed factor within the cost of adjustment framework. ERA

N78-25598# Electric Power Research Inst., Palo Alto, Calif.
FORECASTING AND MODELING TIME-OF-DAY AND SEASONAL ELECTRICITY DEMANDS

Anthony Lawrence Dec. 1977 465 p refs Presented at the Workshop on Methodologies for Forecasting Time-of-Day and Seasonal Elec. Loads, Aspen, Colo., 30 Mar. - 1 Apr. 1977
 (EPRI-EA-578-SR; Conf-770391) Avail: NTIS HC A20/MF A01

The papers presented are divided into three main categories: econometric papers that deal with modeling and forecasting an individual households' demand for electricity with time-of-day pricing; econometric and statistical time-series papers that deal with forecasting the peak load of utility systems; and papers that provide insights into previous experience with peak-load pricing, benefit/cost analysis, model specification, and experimental design related to load forecasting and load control. ERA

N78-25599# Blalock (S. D., Jr.), Kingsport, Tenn.
HEAT EXTRACTION SYSTEM OF THE PERM THERMAL ELECTRIC POWER PLANT

1977 11 p Transl. into ENGLISH of "The Design and Operation of Heat Extraction Systems of Thermoelectric Power Plants and Nuclear Power Plants", Joint Sov.-Am. Coord. Comm. Theme 08.0203 Inst. of the Min. of Energy of the USSR, Uralsk Affiliate, Moscow, 1977 p 1-13 Sponsored by DOE Prepared for ORNL

(ORNL-TR-4492) Avail: NTIS HC A02/MF A01

The basic equipment of the 4800 MW Perm coal-fired power plant in the Ural region, U.S.S.R., its water supply source, the once through cooling system, measures taken to prevent thermal pollution in the water reservoir and damage to fish at the water supply intake point, and the ash and cinder removal system at the plant are discussed. ERA

N78-25600# Battelle Columbus Labs., Ohio.
AGGLOMERATING BURNER GASIFICATION PROCESS: DESIGN, INSTALLATION, AND OPERATION OF A 25-TON-A-DAY PROCESS DEVELOPMENT UNIT. Monthly Progress Report, Dec. 1977

B. C. Kim, comp. 9 Jan. 1978 9 p

(Contract EX-76-C-01-1513)

(FE-1513-69; PR-59) Avail: NTIS HC A02/MF A01

Progress on the operation of the 25 ton per day coal gasification PDU to study the Agglomerating Burner Gasification Process is summarized. Also reported is work on the process engineering task and the activity on the turbine engineering study. One run was made with subbituminous coal. For the first time solids circulation was maintained at a sufficient rate to provide adequate heat to the gasifier from combustion of coal in the combustor. The system pressure during much of the run was 90 psig with one period of operation at the design pressure of 100 psig. This run was terminated prematurely because an asbestos gasket in the bottom head of the gasifier failed resulting in a leak that could not be repaired safely. A draft report on the process engineering and economic task is currently undergoing internal technical review. Fabrication of the erosion test rig is complete and ready for installation at the appropriate time. ERA

N78-25601# Foster Wheeler Corp., Livingston, N.J.
DEVELOPMENT WORK FOR AN ADVANCED COAL GASIFICATION SYSTEM FOR ELECTRIC POWER GENERATION FROM COAL DIRECTED TOWARD A COMMERCIAL GASIFICATION GENERATING PLANT, PHASE 2. VOLUME 12: COLD-FLOW MODEL TESTING OF A TWO-STAGE ENTRAINED-FLOW SLAGGING COAL GASIFIER

Dec. 1977 182 p

(Contracts EX-76-C-01-1521; Contract E(49-18)-1521)

(FE-1521-31) Avail: NTIS HC A09/MF A01

Qualitative information regarding the operating characteristics of the two-stage entrained-flow coal gasifier is presented, using a series of cold flow tests in a scale model of the proposed prototype gasifier. Common, unreacting substances were used to simulate the flow of anticipated components in the prototype, with air representing product gas, granulated cork representing both coal and char feeds, and glycerine simulating the flow of slag in the lower stage of the gasifier. The flow rates for these substances were determined by matching numerical values of various dimensionless groups in the model to those expected in the prototype. Aspects of the flow patterns in both stages were examined, including possible problem areas concerned primarily with refractory erosion, slag drainage, and particulate agglomeration. ERA

N78-25602# Foster Wheeler Corp., Livingston, N.J.
DEVELOPMENT WORK FOR AN ADVANCED COAL GASIFICATION SYSTEM FOR ELECTRIC POWER GENERATION FROM COAL DIRECTED TOWARD A COMMERCIAL GASIFICATION GENERATING PLANT, PHASE 2. VOLUME 14: SYSTEM ANALYSIS

Dec. 1977 151 p refs

(Contract EX-76-C-01-1521)

(FE-1521-33) Avail: NTIS HC A08/MF A01

A detailed computer model was developed for the system simulation of an integrated coal gasification combined-cycle pilot plant using an air-blown, two-stage, entrained flow, slagging gasifier. The pilot plant system is described by a system of partial differential and algebraic equations governing the energy, material, and momentum balance of the pilot plant. An implicit finite-difference scheme was used to discretize the partial differential equations in both the time and space domain. The resulting set of non-linear algebraic equations was solved by the method of successive iteration. Model developments of various subsystems and components are given in detail. Both steady-state and transient studies were carried out with the computer code in order to investigate pilot plant performance characteristics as well as component interface under various operation conditions. Specifically, steady-state, full and part-load operations were studied. ERA

N78-25603# National Bureau of Standards, Washington, D. C.
Inst. for Materials Research.

MATERIALS RESEARCH FOR CLEAN UTILIZATION OF COAL Quarterly Progress Report, Jan. - Mar. 1977

S. J. Schneider Nov. 1977 69 p refs

(Contract EA-77-A-01-6010-002)

(FE-6010-11) Avail: NTIS HC A04/MF A01

Coal gasification processes require the handling and containment of corrosive gases and liquids at high temperature and pressures, and also the handling of flowing coal particles in this environment. These severe environments cause materials failures which inhibit successful and long-time operation of the gasification systems. The project entails investigations on the wear, corrosion, chemical degradation, fracture, and deformation processes which lead to the breakdown of metals and ceramics currently being utilized in pilot plants. A system was initiated to abstract and compile all significant operating incidents from coal conversion plants. ERA

N78-25605# Oak Ridge National Lab., Tenn.
COAL TECHNOLOGY PROGRAM Progress Report, Oct. 1977

Dec. 1977 48 p refs

(Contract W-7405-eng-26)

(ORNL-TM-6137) Avail: NTIS HC A03/MF A01

Blocks of Pittsburgh seam bituminous coal were pyrolyzed under reducing gas in the project in support of in situ gasification. Higher heating rates appear to reduce swelling of the block during pyrolysis, and higher final pyrolysis temperature results in lower boiling tars. Three pressurized residue carbonization tests were completed at 1100 F and 400 psi of methane with three feed materials. Modifications to experimental techniques were made to allow the heat treatment of tension specimens and simulated heat treatment of thick plate sections. Exposure of heat exchanger tubes in the Fluidyne Corporation atmospheric fluidized bed has reached a maximum of 1500 hr. Tube samples were recovered. In the gas-fired potassium boiler project, three preliminary runs of short duration were made in which the boiler was filled with potassium and heated up to or near the boiling temperature with the main burner. Operating problems that were encountered in these runs were resolved. ERA

N78-25606# Argonne National Lab., Ill.
NONDESTRUCTIVE EVALUATION NEEDS FOR COAL LIQUEFACTION

D. S. Kupperman Sep. 1977 47 p refs

(Contract W-31-109-eng-38)

(ANL-77-61) Avail: NTIS HC A03/MF A01

Nondestructive evaluation was highly rated in importance as a way to help alleviate problems in coal-conversion systems. The primary problems were associated with highly erosive and corrosive slurries being transferred throughout the coal-conversion process. Applicable NDE techniques for both preservice and in-service inspection include high-temperature ultrasonics, acoustic emission, radiography, acoustic holography, and ultrasonic spectroscopy. ERA

N78-25607# Oklahoma State Univ., Stillwater. Dept. of Chemistry.

MASS SPECTROMETRIC ANALYTICAL SERVICES AND RESEARCH ACTIVITIES TO SUPPORT COAL-LIQUID CHARACTERIZATION RESEARCH Annual Progress and Quarterly Report, 9 Mar. - 8 Jun. 1977

S. E. Scheppele Sep. 1977 47 p refs

(Contract EY-76-S-02-0020)

(COO-0020-8) Avail: NTIS HC A03/MF A01

Ion-source temperature markedly affects the sensitivity for field ionization of saturated hydrocarbons relative to sensitivity for FI of aromatic hydrocarbons. Using relative FI sensitivities determined for a number of organic compounds over a range of temperatures, excellent analytical data were obtained for a test mixture. Field-ionization mass spectrometry constitutes an ideal technique for group-type analysis of saturated hydrocarbons, and mixtures of saturated and aromatic hydrocarbons providing FI/MS are obtained with adequate resolution. Implementation of computer-assisted data reduction, correlation, and interpretation focused on converting mass spectral ion abundance data for a given gel-permeation chromatography (GPC) fraction into quantitative distributions and conversion of the data for the various fractions into distributions for the total sample. High-resolution 70-eV electron-impact mass spectra were recorded for 56 fractions obtained from separation of a tar sand sample on photographic plates. ERA

N78-25608# Mobil Research and Development Corp., Paulsboro, N. J. Process Research and Technical Service Div.

UPGRADING OF COAL LIQUIDS FOR USE AS POWER GENERATION FUELS Annual Report, Feb. 1976 - Jan. 1977

T. R. Stein, J. G. Bendoraitis, A. V. Cabal, R. B. Callen, M. J. Dabkowski, R. H. Heck, H. R. Ireland, and C. A. Simpson Oct. 1977 146 p refs

(EPRI-AF-444) Avail: NTIS HC A07/MF A01

The hydroprocessing of coal liquids (derived from the H-Coal and SRC processes) in fixed bed pilot units using commercially available catalysts is described. Distillate coal liquids were upgraded to the quality levels of existing petroleum-derived turbine fuels. Hydrogen consumption and processing severity depends upon the hydrogen and nitrogen contents of the feed. Product quality (e.g., heteroatom and aromatic content) was quantified in terms of process conditions by a kinetic reaction model. The distillate coal liquids were compatible with petroleum-derived fuels. Hydroprocessing of the non-distillable SRC product/process solvent (SRC) blends removed up to 90 wt.% of the heteroatoms and converted large quantities of the SRC to lower boiling, less aromatic material suitable as turbine fuel. Severe hydroprocessing is required to significantly improve the compatibility of SRC with heavy petroleum fuel. ERA

N78-25609# Princeton Univ., N. J. Dept. of Aerospace and Mechanical Sciences.

OPTIMIZATION OF PYROLYTIC CONVERSION OF COAL TO CLEAN FUEL Quarterly Report, Jan. - Mar. 1977

H. L. Friedman, M. J. Antal, Jr., T. J. Ohlemiller, R. L. Derham, and M. Summerfield 15 Apr. 1977 24 p refs

(Contract EX-76-C-01-2253)

(FE-2253-5) Avail: NTIS HC A02/MF A01

Computer programs were perfected to obtain kinetic parameters from thermogravimetry of coals heated at several linear rates of temperature rise, and were applied to Wyodak coal with success. Program development is underway to model the fixed bed coal pyrolysis reactor, and to combine thermogravimetry and differential scanning calorimetry for better understanding of the mechanism of pyrolysis and to get more accurate kinetic equations and parameters. Experimental activities included the following: the chemical data systems pyrolysis/gas chromatography/peak identifier system was studied further to select the specific method of its application to this research. Four coals were pyrolyzed under identical conditions and gas chromatography curves were obtained and were compared. Calibration samples are currently being run and are being compared with results of pyrolysis. ERA

N78-25610# Brookhaven National Lab., Upton, N. Y. Process Sciences Div.

REGENERATIVE PROCESS FOR DESULFURIZATION OF HIGH TEMPERATURE COMBUSTION AND FUEL GASES Quarterly Progress Report, 1 Apr. - 30 Jun. 1977

M. Steinberg and R. T. Yang 1977 28 p refs

(Contract EY-76-C-02-0016)

(BNL-50706; QPR-5) Avail: NTIS HC A03/MF A01

The sulfation rate of reagent-grade monocalcium silicate is of the same order of magnitude as that of limestone and higher than that of reagent-grade calcium oxide. Construction of a micro-pilot rotary kiln for regeneration of lime from the sulfated lime was completed. Design and construction of a micro-combustor used to test the regenerated lime are underway. Studies on sulfation of lime continue. The catalysis by Fe₂O₃ and/or coal ash was established and its mechanisms were studied. A process flow diagram for producing commercial strength sulfuric acid from regenerator off-gas was prepared. A preliminary comparison between a once-through sorbent system and the combined regenerative/H₂SO₄ system indicates that the net energy outputs (useful) of the two systems are approximately the same. The quantity of solid wastes generated by the once-through system is about 2.5 times the quantity generated by the combined system. ERA

N78-25611# Bituminous Coal Research, Inc., Monroeville, Pa. GAS GENERATOR RESEARCH AND DEVELOPMENT, BI-GAS PROCESS Interim Report, 1 Jul. 1976 - 30 Jun. 1977

Aug. 1977 344 p refs Prepared in cooperation with Phillips Petroleum Co., Homer City, Pa.

(Contracts EX-76-C-01-1207; EF-77-C-01-1207)

(FE-1207-33; BCR-L-828) Avail: NTIS HC A15/MF A01

Work continued on the evaluation of fluidized-bed methanation catalysts at both the bench-scale and PEDU-scale levels. In addition, assistance was given in planning, acquisition, and assessment of the BI-GAS pilot plant operation data. Bench-scale studies included four standard life tests and one extended life test to evaluate experimental fluidized-bed methanation catalysts. ERA

N78-25612# Arizona State Univ., Tempe. SOLAR ENERGY CONVERSION: AN ANALYSIS OF IMPACTS ON DESERT ECOSYSTEMS Progress Report, 1 Jun. - 31 Dec. 1977

Duncan T. Patten Sep. 1977 44 p refs

(Contract EC-77-S-02-4339)

(COO-4339-1) Avail: NTIS HC A03/MF A01

Some of the important potential ecological impacts that might occur when solar collector arrays are constructed and maintained in the desert Southwest are discussed. These impacts are categorized under major environmental consequences of solar collector development, that is, shading wind deflection and site destruction, and soil disturbance. Under these major categories secondary impacts are developed to show the significance of altering desert ecosystems with solar conversion systems. Some of the secondary impacts which include abiotic changes in radiation, temperature, heat flux, soil moisture and erosion, and biotic changes such as increased plant productivity and species diversity are discussed as to their short and long term significance in the desert system. A brief description of the solar collector simulator array being constructed in the desert to test many of the concepts developed during the early part of Phase 1 of this project is presented. ERA

N78-25613# Atomics International, Canoga Park, Calif. COMMERCIAL APPLICATIONS OF SOLAR TOTAL ENERGY SYSTEMS Quarterly Progress Report, 1 Nov. 1976 - 31 Jan. 1977

Sep. 1977 156 p refs

(Contracts EY-76-C-03-1210; E(04-3)-1210)

(AI-ERDA-13203; QPR-3) Avail: NTIS HC A08/MF A01

The application of Solar Total Energy System (STES) to the commercial sector stores is discussed. Candidate solar-thermal and solar-photovoltaic concepts are considered for providing on-site electrical power generation as well as thermal energy

for both heating and cooling applications. The solar-thermal concepts include the use of solar concentrators (distributed or central-receiver) for collection of the thermal energy for conversion to electricity by means of a Rankine-cycle or Brayton-cycle power conversion system. Recoverable waste heat from the power generation process is utilized to help meet the building thermal energy demand. Evaluation methodology is identified to allow ranking and/or selection of the most cost effective concept for commercial building applications. ERA

N78-25614# Bechtel Corp., San Francisco, Calif.
BATTERY STORAGE PERFORMANCE REQUIREMENTS FOR TERRESTRIAL SOLAR PHOTOVOLTAIC POWER SYSTEMS
 Final Report

Aug. 1977 306 p refs Prepared for ANL, Argonne, Ill.
 (Contract W-31-109-eng-38)
 (ANL/OEPM-77-3) Avail: NTIS HC A14/MF A01

A broad spectrum of terrestrial photovoltaic applications was evaluated by considering the types of loads served and the characteristics of system components. Low, intermediate, and high power systems, such as used in a single residence, a multiple residence, a shopping center or a central station power plant were studied. A computer program was developed to assist in determining battery voltages and currents during operation of the photovoltaic systems. Modeling was limited to single-crystal silicon solar cells and the characteristics of a Li-Al/FeS battery. Battery requirements for this application are generally no more severe than for other battery applications and, in some respects (e.g., energy density), may be less severe. Specific conclusions and recommendations are presented. System requirements and battery capabilities are summarized in tabular form. ERA

N78-25615# George Washington Univ., Washington, D. C. Behavioral Studies Group.
ANALYSIS OF POLICY OPTIONS FOR ACCELERATING COMMERCIALIZATION OF SOLAR HEATING AND COOLING SYSTEMS

Roger Bezdek, Joseph Margolin, Thomas Sparrow, George Sponsler, Allan Miller, Fred Meeker, Arthur Ezra, Robert Spongberg, Elliot Roseman, and Marion Misch Apr. 1977 475 p refs

(TID-27597; HCP/M2534-02) Avail: NTIS HC A20/MF A01
 Feasible policy options designed to accelerate the commercialization of solar heating and cooling (SHAC) systems are described and analyzed. Both qualitative and quantitative estimates of the costs/benefits of different policy options were made. The critical problem of interfacing dispersed SHAC systems with the public utilities was analyzed. A comprehensive discussion of the legal, regulatory, and institutional problems confronting the rapid commercialization of SHAC systems is presented. The complex problems involved in building codes, standards, and warranties are discussed. Marketing, manpower, consumer, and environmental issues are analyzed. ERA

N78-25617# Michigan Technological Univ., Houghton.
ENERGY AND PROTEIN PRODUCTION FROM PULP MILL WASTES Progress Report, 15 Sep. - 15 Dec. 1977
 M. F. Jurgensen and J. T. Patton 15 Dec. 1977 9 p
 (Contract EY-76-C-02-2983)

(COO-2983-6) Avail: NTIS HC A02/MF A01

The conversion of the protein production experiments from batch to continuous operation, and the identification of growth stimulants to increase methane yield were studied. Yeast production ranging from 0.5 to 5.0 grams of dry yeast per liter were obtained in batch cultures. Highest yields were consistently attained on SSL (spent sulfite liquor). Continuous fermentation studies using three hour ozonated SSL confirmed the characteristic yields demonstrated in previous batch tests. Contamination, which occurred at residence times less than two days, appeared to decrease protein production rate and yield. Vitamins and minerals, fatty acids, and low molecular weight alcohols were investigated as possible stimulants for methane production. ERA

N78-25618# General Electric Co., Philadelphia, Pa. Space Div.

SOLAR TOTAL ENERGY; LARGE SCALE EXPERIMENT. NO. 2, PHASE 2: CONCEPTUAL DESIGN Final Report
 12 Jan. 1978 593 p

(Contract ENG-77-C-04-3985)

(TID-27995; DOC-78SDS4200)

Avail: NTIS

HC A25/MF A01

The selected system incorporates a distributed collector/central generation system using parabolic dish collectors. A steam Rankine cycle power conversion system with extraction turbine/backpressure and condensing was selected. Therminol 66 will be the baseline heat transfer fluid for the solar collector field and thermal energy storage system (a rock and trickle oil system). Two-tank pressurized water storage will be used for low-temperature storage. A site requirements analysis is presented including site description, insolation methodology, and load analysis. A life-cycle cost analysis, energy displacement analysis, legal compliance study, health and safety analysis, environmental assessment, and utilities interface study are included. The overall project plan including schedules and costs is presented. ERA

N78-25619# Resource Planning Associates, Inc., Washington, D. C.

INSTITUTIONAL APPLICATIONS OF SOLAR TOTAL ENERGY SYSTEMS Quarterly Progress Report

Jul. 1977 177 p refs

(Contract EG-77-C-04-3786)

(ALO/3786-1; QPR-1) Avail: NTIS HC A09/MF A01

The meteorology followed to develop a data base for assessing market potential in the eight institutional subsectors is described. The subsectors are: elementary and high schools, colleges, and universities, hospitals, military installations, public administration buildings, post offices, airports, and prisons. The market characteristics to be studied in detail are defined, and the methodology to be followed in assessing the relative economic performance of representative STE systems is given. ERA

N78-25620# Sandia Labs., Albuquerque, N. Mex.
PRELIMINARY ECONOMIC ANALYSIS OF SOLAR IRRIGATION SYSTEMS (SIS) FOR SELECTED LOCATIONS

L. L. Lukens, A. M. Perino, and S. G. Vandevender Nov. 1977 52 p

(Contract EY-76-C-04-0789)

(SAND-77-1403) Avail: NTIS HC A04/MF A01

The economic feasibility was determined by comparing the life cycle cost (LCC) of the solar system to the LCC of conventional systems. The systems analyzed were point studies and do not represent either worst case or best case conditions. Therefore, general conclusions should not be drawn on the results presented here. The results show that for these cases, economic feasibility is dependent on utilization of the SIS for production of energy in addition to that required to water crops. ERA

N78-25621# Clemson Univ., S.C. College of Engineering.
FEASIBILITY EVALUATION: SOLAR HEATED TEXTILE PROCESS WATER Semiannual Progress Report, Jul. 1975 - Feb. 1976

J. C. Hester Dec. 1977 26 p

(Contract EY-76-S-09-0885)

(SRO-0885-75/1) Avail: NTIS HC A03/MF A01

The technical and economic feasibility of the use of solar energy for heating waters in the textile industry and to develop a plan for efforts beyond this feasibility study phase are reported. Specific objectives include (1) determine the industry requirements for heated process water, (2) assess particular schemes and their economic impact, (3) study the total cost environment for solar water heating in this industry, and (4) recommend future experiments. Major progress was made in terms of collaboration with textile firms, user needs, and dissemination of results. Software for facilitating the design of potential systems has reached an intermediate stage of development. The cost environment was probed and is being systematically documented. Long-term economic impact programs are in the advanced stage of development. Areas of future effort are prescribed. ERA

N78-25623# Oak Ridge National Lab., Tenn.

EXPERIMENTAL STUDY OF HEAT TRANSFER ENHANCEMENT FOR AMMONIA CONDENSING ON VERTICAL FLUTED TUBES

S. K. Combs Jan. 1978 128 p. refs

(Contract W-7405-eng-26)

(ORNL-5356) Avail: NTIS HC A07/MF A01

Experiments were run to determine heat transfer performance of single vertical tubes with ammonia condensing on the outside. The four test tubes (aluminum) were of 1 in. nominal diameter and 4 ft length with 0 (smooth), 24, 48, and 60 external flutes. Test parameter ranges are given. The condensing heat transfer coefficients are reported as composite coefficients that include the resistance of both the condensing side and the tube wall. All parameters were based on total condensing surface area. The data show that, for a given heat flux, a fluted tube can increase condensing coefficients by up to 7.2 times smooth tube values. ERA

N78-25624# Institute of Gas Technology, Chicago, Ill.

APPLICATION ANALYSIS OF SOLAR TOTAL ENERGY TO THE RESIDENTIAL SECTOR Quarterly Technical Status Report, 1 Apr. - 30 Jun. 1977

T. Whaley, B. Yudow, N. Malik, and L. Korobkin Aug. 1977 207 p. refs

(Contract EG-77-C-04-3787)

(TID-28103) Avail: NTIS HC A10/MF A01

A solar total energy system (STES) is defined as an energy system designed to maximize the efficient use of collected solar energy by supplying both the low grade (low temperature thermal) and high grade (electrical and/or mechanical) energy needs of selected applications. ERDA's Solar Total Energy Program is concerned primarily with those solar total energy systems that use heat engine or photovoltaic devices to produce electricity (and/or mechanical work) and apply the residual thermal energy from the conversion process to some useful purpose. ERA

N78-25625# Resource Planning Associates, Inc., Washington, D. C.

INSTITUTIONAL APPLICATIONS OF SOLAR TOTAL ENERGY SYSTEMS Quarterly Report

Oct. 1977 86 p. refs Prepared in cooperation with Intertechnology Corp., Warrenton, Va.

(Contract EG-77-C-04-3786)

(TID-22782; QR-2) Avail: NTIS HC A05/MF A01

The applicability of solar energy (STE) systems is being analyzed in the industrial, commercial, residential, and institutional building sectors. The applications analysis is being conducted in the institutional sector, which has been defined to include eight subsectors: hospitals, primary and secondary schools, colleges, and universities, public-administration buildings, military installations, prisons, post offices, and airports. The three major components of the study are: (1) a market assessment, (2) the development of conceptual designs, and (3) an examination of federal policies aimed at speeding the commercialization of STE systems. ERA

N78-25627# Argonne National Lab., Ill.

PERFORMANCE AND TESTING OF A STATIONARY CONCENTRATING COLLECTOR

R. L. Cole, J. W. Allen, N. M. Levitz, W. R. McIntire, and W. W. Schertz 1977 11 p. Presented at the Concentration Solar Collector Conf., Atlanta, 26-28 Sep. 1977

(Contract W-31-109-eng-38)

(CONF-770953-7) Avail: NTIS HC A02/MF A01

The development of nonimaging solar collectors for heating and cooling applications is reported. A totally stationary concentrating collector has been designed, built, and tested. The collectors employ compound parabolic concentrators coupled to tubular evacuated receivers. Performance of the collector is substantially better than flat plate collectors, and the collectors are suitable for powering mechanically driven air conditioning systems as well as conventional absorption cycle machines. ERA

N78-25628# Argonne National Lab., Ill. Chemical Engineering Div.

CPC THERMAL COLLECTOR TEST PLAN

Kent A. Reed 1977 5 p. refs Presented at the Concentrating Solar Collector Conf., Atlanta, 26-28 Sep. 1977

(Contract W-31-109-eng-38)

(CONF-770953-6) Avail: NTIS HC A02/MF A01

A comprehensive set of test procedures were developed for establishing the performance of compound parabolic and concentrating thermal collectors with large angular fields of view. The procedures range from separate thermal and optical tests, to overall performance tests. A calorimetric ratio technique was designed to determine the heat output of a collector without knowledge of the heat transfer fluid's mass flow rate and heat capacity. Special attention was paid to the problem of defining and measuring the incident solar flux with respect to which the collector efficiency was calculated. ERA

N78-25629# Argonne National Lab., Ill. Chemical Engineering Div.

CONCEPTUAL DESIGN OF A 5x CPC FOR SOLAR TOTAL ENERGY SYSTEMS

R. L. Cole, W. W. Schertz, and W. P. Teagan (Little, Arthur D., Inc., Cambridge, Mass.) 1977 13 p. refs Presented at the Concentrating Solar Collector Conf., Atlanta, 26-28 Sep. 1977

(Contract W-31-109-eng-38)

(CONF-770953-5) Avail: NTIS HC A02/MF A01

The results of a conceptual design of a nontracking collector for a solar total energy system are described. A cycle turbine, generator, controls, thermal storage, and air conditioning equipment were installed and tested. The thermal energy for the facility is to be provided by a large concentrating collector field. A portion of the area is installed as E-W oriented linear parabolic troughs. Three additional concepts for the remaining area were selected: a fixed mirror-moving receiver system; fixed receiver-moving reflector slats; and a two-axis tracking parabolic dish. All four systems use diurnal tracking and have the reflecting surfaces exposed to the elements. ERA

N78-25630# Westinghouse Electric Corp., Pittsburgh, Pa. Advanced Energy Systems Div.

SOLAR TOTAL ENERGY: LARGE SCALE EXPERIMENT. PHASE 2: FORT HOOD, TEXAS Final Technical Progress Report

J. J. Buggy Sep. 1977 500 p. refs

(Contract EG-77-C-04-3988)

(TID-18040) Avail: NTIS HC A21/MF A01

Descriptions of the application, the selected Conceptual Design, and the performance of the system, as well as documentation of the major supporting studies that led to selection of the concept are presented. The approach consisted basically of a detailed definition of the specific design requirements which included a description of the interface connections with the existing Ft. Hood Building Complex. Equipment availability which could satisfy, in a practical way, the general system configuration requirements was evaluated. Real equipment designs or design alternates were then selected to form the basis for the concept design analysis, selections and sizing. Power conversion system concepts were developed that provided the design summer day and winter day thermal requirements. These concepts included both single and dual turbine systems, and in the case of dual turbine systems, both series and parallel arrangements were investigated. A complete site description, environmental impact study, and life-cycle cost analysis are included. ERA

N78-25631# Sandia Labs., Albuquerque, N. Mex.

VERTICAL AXIS WIND TURBINE TIE-DOWN DESIGN WITH AN EXAMPLE

R. C. Reuter, Jr. Dec. 1977 35 p. refs

(Contract EY-76-C-04-0789)

(SAND-77-1919) Avail: NTIS HC A07/MF A01

Design of cable tie-down systems for vertical axis wind turbines (VAWT) is discussed and guidelines are furnished. Topics such as the number, size and material of the cables, cable elevation angle, tensioning, and thermoelastic effects are discussed in detail. The tiedown system of an existing 17 meter VAWT is used throughout as a numerical example. ERA

N78-25632# Sandia Labs., Albuquerque, N. Mex. Aerodynamics Div.

FREE-AIR PERFORMANCE TESTS OF A 5-METRE-DIAMETER DARRIEUS TURBINE

R. E. Sheldahl and B. E. Blackwell Dec. 1977 36 p refs
(Contract EY-76-C-04-0789)

(SAND-77-1063) Avail: NTIS HC A03/MF A01

The results of these tests and some of the problems associated with free air testing of wind turbines are presented. The performance data obtained follow the general trend of data obtained in extensive wind tunnel tests of a 2 meter diameter turbine. However, the power coefficient data are slightly lower than anticipated. The reasons for this discrepancy are explored along with comparisons between experimental data and a computerized aerodynamic prediction model. ERA

N78-25633# California Univ., Berkeley. Lawrence Berkeley Lab.

STUDY OF BRINE TREATMENT Final Report

Sidney L. Phillips, Ashwani K. Mathur, and Raymond E. Doebler Nov. 1977 253 p refs

(Contract W-7405-eng-48; Proj. 791-1)

(EPRI-ER-476; LBL-6371) Avail: NTIS HC A12/MF A01

Information pertinent to the treatment of geothermal brines was collected by literature search and then evaluated and summarized for use by the electric and geothermal industries. The information was screened from the geothermal, oil and gas, wastewater disposal, and boiler water treatment industries. The current state of knowledge and methodology concerning the treatment of geothermal brines to control scaling and corrosion in geothermal electric power production was assessed. Currently, geothermal scale in pipes and wells is removed by physical or chemical methods. There is a growing effort on developing methods to control scale formation for both fresh and spent brines, including pH adjustment and application of an electrical potential for fresh fluids, and coagulation to treat spent fluids. Current methods of corrosion control center around planned replacement of piping and other plant components, with efforts focused primarily on development of materials with improved corrosion resistance. ERA

N78-25634# California Univ., Livermore. Lawrence Livermore Lab.

PRELIMINARY TESTS USING A LASER PARTICLE-SIZE ANALYZER ON GEOTHERMAL BRINE

J. Grens 18 Nov. 1977 18 p refs

(Contract W-7405-eng-48)

(UCID-17637) Avail: NTIS HC A02/MF A01

A laser light-scattering particle-size analyzer was used for a two-day period under limited field conditions to observe the occurrence and growth of particles in geothermal brines. Tests were conducted under conditions where both pH and rate of cooling to room temperature strongly influence the size and nature of the particulate population, with a low (4.5) pH and rapid quenching favoring slow growth rates. A method for estimating particulate mass in time periods shorter than 6 h from quenching is presented. Some implications for sampling and solids analysis are discussed. ERA

N78-25635# California Univ., Livermore. Lawrence Livermore Lab.

POTENTIAL GROWTH OF ELECTRIC POWER PRODUCTION FROM IMPERIAL VALLEY GEOTHERMAL RESOURCES

D. L. Ermak Sep. 1977 33 p refs

(Contract W-7405-eng-48)

(UCRL-52252) Avail: NTIS HC A03/MF A01

The growth of geothermal electric power operations in Imperial Valley, California is projected over the next 40 years. With commercial power forecasts to become available in the 1980's, the scenario considers three subsequent growth rates: 40, 100, and 250 MW per year. These growth rates, along with estimates of the total resource size, result in a maximum level of electric power production ranging from 1000 to 8000 MW to be attained in the 2010 to 2020 time period. Power plant siting constraints are developed and used to make siting patterns for the 400 through 8000 MW level of power production. Two

geothermal technologies are included in the scenario: flashed steam systems that produce cooling water from the geothermal steam condensate and emit noncondensable gases to the atmosphere; and high pressure, confined flow systems that inject the geothermal fluid back into the ground. ERA

N78-25636# California Univ., Livermore. Lawrence Livermore Lab.

REMOVAL OF SILICA FROM SPENT GEOTHERMAL BRINE

Richard W. Ryon and John H. Hill Dec. 1977 8 p refs

(Contract W-7405-eng-48)

(UCID-17702) Avail: NTIS HC A02/MF A01

Preliminary survey experiments conducted at the LLL Salton Sea Geothermal Test Site in April and May, 1977 are reported. The addition of caustic to raise the brine pH to approximately 6 precipitated silica and other materials. The addition of flocculating agents, such as ferric hydroxide, aids settling and filtration. Small-scale pilot plant studies are recommended. ERA

N78-25637# California Univ., Berkeley. Lawrence Berkeley Lab. Energy and Environment Div.

RESOURCE, TECHNOLOGY, AND ENVIRONMENT AT THE GEYSERS

Oleh Weres, Karen Tsao, and Byron Wood Jun. 1977 348 p refs

(Contract W-7405-eng-48)

(LBL-5231) Avail: NTIS HC A15/MF A01

A general review, description, and history of geothermal development at the geysers is presented. Particular emphasis is placed on environmental impacts of development of the area. The discussion is presented under the following chapter titles: introduction; energy, enthalpy and the First Law; vapor-producing geothermal reservoirs-review and models; geothermal; entropy and the Second Law; power plants-basics; H₂S emissions; hydrogen sulfide-possible health effects and odor; other emissions; power plant hydrogen sulfide abatement; hot water based geothermal development; phytotoxicity of geothermal emissions; appendices; and bibliography. ERA

N78-25639# Babcock and Wilcox Co., Alliance, Ohio. EVALUATION OF DEVOLATILIZATION CONCEPT Final Report

R. K. Bhada, R. H. Boll, A. J. Kubasco, and W. L. Sage Dec. 1977 209 p refs

(EPRI Proj. 523-1)

(EPRI-AF-608) Avail: NTIS HC A10/MF A01

The concept of increasing gas heating value from an air-blown entrained gasifier by feeding some or all of the coal to a devolatilizer vessel downstream of the gasifier was evaluated. A pilot plant was constructed consisting of a one foot diameter gasifier and an eight inch I.D. by eight feet high devolatilizer. A total of forty-three test runs were conducted using an eastern bituminous coal as well as a western subbituminous coal. Three modes of operation were employed; all coal feed to the gasifier, all coal feed to the devolatilizer, and a 50 to 50 split between the two. The results of the analysis of the pilot plant data are presented. ERA

N78-25640# Argonne National Lab., Ill. INSTRUMENTATION AND PROCESS CONTROL FOR FOSSIL DEMONSTRATION PLANTS Quarterly Technical Progress Report, Apr. - Jun. 1977

E. F. Bennett, C. E. Cohn, S. A. Cox, L. R. Dates, R. W. Doering,

D. Duffey, E. F. Groh, C. L. Herzenberg, L. W. Kirsch, W. W.

Managan et al Jul. 1977 97 p refs

(Contract W-31-109-eng-38)

(ANL/FE-49622-9) Avail: NTIS HC A05/MF A01

Work was performed on updating the study of the state-of-the-art of instrumentation for fossil demonstration plants (FDP), development of mass-flow and other on-line instruments for FDP, process control analysis for FDP, and organization of a symposium on instrumentation and control for FDP. A solid gas flow test facility under construction for instrument development, testing, evaluation, and calibration is described. The development work for several mass-flow and other on-line instruments is described:

acoustic flowmeter, capacitive density flowmeter, neutron activation flowmeter and composition analysis system, gamma ray correlation flowmeter, optical flowmeter, and capacitive liquid interface level meter. ERA

N78-25641# Daystar Corp., Burlington, Mass.
SOLAR ENERGY IN HIGH-RISE BUILDINGS

Oct. 1977 86 p refs

(Contract EA-77-X-01-1963)

(DSE/1963-1) Avail: NTIS HC A05/MF A01

An 88 collector solar domestic hot water system was installed during the summer of 1976 on a subsidized elderly housing project in Brookline, Massachusetts. No government funding or support of any kind was associated with this installation which is believed to be the largest multi-family high-rise (16 stories) solar domestic hot water system in the USA. This case study report of the project was prepared as a guide for similar programs. A summary of the events which occurred in the proposal and approval phase of the project is included in addition to interviews with individuals who were involved in the decision-making process. Also included are a copy of the proposal used in selling the project, photographs of the completed system, and other support materials developed and utilized in marketing this project. ERA

N78-25642# Sandia Labs., Livermore, Calif.
ANALYSIS OF THE THERMAL FATIGUE INDUCED BY DNB OSCILLATIONS IN THE MDAC ROCKETDYNE PILOT AND COMMERCIAL PLANT SOLAR RECEIVER DESIGNS

J. F. Jones, Jr. and D. L. Siebers Dec. 1977 49 p refs

(Contract EY-76-C-04-0789)

(SAND-77-8283) Avail: NTIS HC A03/MF A01

A theoretical investigation is presented of the high cycle fatigue damage that may result from temperature oscillations in the boiler tube wall around the location of the point of departure from nucleate boiling (DNB) in a receiver subsystem for the pilot and commercial solar power plants. The problem was analyzed using the SAHARA and HEATMESH heat transfer codes and the GNATS structural analysis code. The results of the structural analysis show that fatigue damage due to DNB oscillations will not be a substantial problem in the pilot plant, but may cause a significant reduction in the life of the commercial receiver. It was found, however, that the results are highly dependent on the nature of the internal flow characteristics. ERA

N78-25643# Institute of Gas Technology, Chicago, Ill.
APPLICATION ANALYSIS OF SOLAR TOTAL ENERGY TO THE RESIDENTIAL SECTOR Quarterly Technical Status Report, 1 Oct. - 31 Dec. 1977

T. Whaley, B. Yudow, N. Malik (GKC), M. Gamze (GKC), B. Foster, T. Goff, J. Wurm, D. Deyoe (S. Cal. Gas), and G. Smith (Honeywell) Jan. 1978 287 p refs

(Contract EG-77-C-04-3787; IGT Proj. 8987)

(TID-28104) Avail: NTIS HC A13/MF A01

The application of solar total energy to appropriate segments of the residential sector, the market penetration potential for STE systems, and criteria for selecting suitable demonstration sites throughout the United States are presented. Concentration of single-family houses, townhouses, lowrise apartments, and high-rise apartments were projected to the 1980-1990 time frame for eleven regions of the country. The performance of both a low temperature system and a high-temperature system was analyzed by a computer program that simulates hourly performance of the conceptual STES designs. ERA

N78-25644# Energy Research and Development Administration, Albuquerque, N. Mex.

SOLAR TOTAL ENERGY SYSTEM: LARGE SCALE EXPERIMENT, SHENANDOAH, GEORGIA. VOLUME 1. SECTION 1: CONCLUSIONS AND RECOMMENDATIONS. SECTION 2: SYSTEMS REQUIREMENTS

17 Oct. 1977 153 p

(Contract EG-77-C-04-3987)

(ALO/3987-1/1-Vol-1) Avail: NTIS HC A08/MF A01

Baseline design recommendations, facility requirements, solar system, schedules and costs are described for a large scale

solar total energy experiment designed to provide both thermal and electrical power to a knitwear factory employing 300 people. The systems requirements analysis covers loads, energy displacement, local laws and ordinances, life cycle costs, health and safety, environmental and reliability assessments, and utility interface. ERA

N78-25645# California Univ., Livermore. Lawrence Livermore Lab.

MECHANICAL ENGINEERING DEPARTMENT Quarterly Report, Jul. - Sep. 1977

R. G. Stone, ed., M. B. Bathgate, ed., D. N. Cornish, D. W. Deis, A. R. Harvey, D. G. Hirzedl, J. E. Johnston, R. L. Leber, R. L. Nelson, J. P. Zbasnik et al 30 Sep. 1977 34 p refs

(Contract W-7405-eng-48)

(UCRL-50016-77-3) Avail: NTIS HC A03/MF A01

The initial efforts were directed toward developing optical and heat transfer codes to model the inflated cylindrical concentrator performances. These codes gave detailed information on how geometry, optical and thermal properties, and ambient conditions affect collector performance. It was found that surface properties of the receiver tube are critical. The annular gap size between the receiver tube and the surrounding plastic jacket was investigated. Results indicate that manually reorienting the collector tilt once a week in the north-south plane gives 90% of the obtainable by active tracking in the north-south plane each day. ERA

N78-25646# California Univ., Berkeley. Lawrence Berkeley Lab.

ANAEROBIC FERMENTATION OF SIMULATED IN-SITU OIL SHALE RETORT WATER

E. A. Ossio, J. P. Fox, J. F. Thomas, and R. E. Poulson (DOE, Laramie, Wyo.) Nov. 1977 13 p refs Presented at the Meeting of the Am. Chem. Soc., Anaheim, Calif., 22-23 Mar. 1978

(Contract W-7405-eng-48)

(LBL-6855; Conf-780305-6) Avail: NTIS HC A02/MF A01

The feasibility of removing soluble organics from oil shale retort water by anaerobic digestion with methane production was experimentally investigated. The following conclusions were made. The retort water studied had to be pretreated to remove toxic and add deficient constituents before it could be successfully treated with the anaerobic fermentation process. Pretreatment included pH adjustment to 7, ammonia reduction, and nutrient addition. A digested sludge from a conventional municipal sewage treatment plant was successfully acclimated to the retort water studied. A major fraction of the organics in the retort water studied was stabilized by conversion to CH₄ and CO₂ using the anaerobic fermentation process. ERA

N78-25647# Oak Ridge National Lab., Tenn. Chemical Technology Div.

EVALUATION OF IN SITU COAL GASIFICATION PROCESSES ON A REGIONAL BASIS

W. C. Ulrich Dec. 1977 61 p refs

(Contract W-7405-eng-26)

(ORNL-5279) Avail: NTIS HC A04/MF A01

A comparison was made of four candidate in situ coal gasification processes on the basis of a qualitative assessment of their technical merits and their suitability for application to various resource types and configurations in the continental United States. Three seam thickness, two seam dips, and seam depths to 3000 ft were considered. The United States was divided into four regions, and a predominant or representative coal type was selected within each region for purpose of displaying each candidate process to its best advantage. Russian experience, where it applies to the regional conditions under consideration, is described. Current techniques for linking wells drilled into coal seams are either slow, erratic, and/or costly. Therefore, to reduce the time and expense of in situ gasification, it is necessary to develop reliable, rapid linking techniques for the different coal types, various resource configurations, and diverse geological conditions. Author.

N78-25648# Combustion Engineering, Inc., Windsor, Conn. Power Systems Group.

SAMPLING AND ANALYSIS REQUIREMENTS FOR LOW-BTU GASIFICATION OF COAL FOR ELECTRIC POWER GENERATION Final Report, Feb. 1975 - Aug. 1976

David M. Farrell Apr. 1977 142 p refs
(Contract EX-76-C-01-1545)

(FE-1545-38) Avail: NTIS HC A07/MF A01

Process analytical instrumentation requirements were identified for a 5 ton per hour, low Btu, atmospheric pressure, entrained bed, coal gasification process development unit (PDU). Special process instruments (primarily used for gas analysis and not usually encountered in boiler design applications) which are needed to satisfy measurement requirements were selected from instrument operating characteristics/features to provide reliable and straightforward measurement. Both in situ and extractive type instruments were selected for purchase. The necessary extractive sampling network was defined. Application of the instruments selected for the PDU to a commercial scale gasification plant was examined. It was concluded that with only few modifications, the same of similar instruments used on the PDU, can be used on commercial scale plants. ERA

N78-25649# Dow Chemical Co., Midland, Mich. Hydrocarbons and Energy Research Dept.

ENERGY FROM IN SITU PROCESSING OF ANTRIM OIL SHALE Quarterly Technical Progress Report, Jul. - Sep. 1977

J. P. Humphrey 18 Oct. 1977 39 p
(Contract EX-76-C-01-2346)

(FE-2346-16; DOW/SRPR-16) Avail: NTIS HC A03/MF A01

The first in situ extraction trial has been completed using an electrical heater to initiate combustion. Evidence of oxidation was obtained by analysis of gases from the production well. An attempt to induce horizontal fractures, was halted when vertical fractures were induced by the pressure applied to seal off a zone with a packer. Shale characterization work and resource inventory activity are well underway. ERA

N78-25650# Energy Research and Development Administration, Pittsburgh, Pa. Energy Research Center.

RESEARCH IN COAL-BASED MAGNETOHYDRODYNAMICS Quarterly Technical Progress Report, Apr. - Jun. 1977

D. Bienstock 1977 20 p refs

(TID-27893) Avail: NTIS HC A02/MF A01

Runs were made in the nominal 5 megawatt pressurized MHD coal gasifier-combustor pilot plant including the first operation on coal. Several facility system improvements were made as a result of the first coal run. Testing of a scroll-type cyclone combustor was completed. Three additional tests using pittsburg seam coal were conducted with the original side-entry cyclone combustor. A third cyclone configuration, featuring top entry of fuel and air, was installed in the atmospheric pressure facility. Work was completed on a technical and economic evaluation of the PERC scheme for sulfur elimination from coal-fired MHD power plant. Program SCOOP (Staged Combustor Operation Optimizer Program) was run in routine support for about five computer hours. Implementation of the numerically stable linear programming code analyzes coals for enthalpy of formation in routine SCOOP runs. A cyclone combustor code was reviewed and coupled to a multiphase equilibrium code BUSTION. ERA

N78-25651# Argonne National Lab., Ill.

EXPERIMENTAL TWO-PHASE LIQUID-METAL MAGNETOHYDRODYNAMIC GENERATOR PROGRAM Annual Report, Aug. 1975 - Sep. 1976

M. Petrick, G. Fabris, E. S. Pierson, D. A. Carl, A. K. Fischer, and C. E. Johnson Sep. 1977 101 p refs
(Contract W-31-109-eng-38)

(ANL-MHD-77-3) Avail: NTIS HC A06/MF A01

The revised ambient-temperature NaK-nitrogen facility is described. The maximum liquid flow rate and generator inlet pressure are 10.9 kg/s (200 gpm) and 1.48 MPa/sub a/ absolute (200 psig), respectively, compared with the previous values of 6kg/s (110 gpm) and 0.72 MPa absolute (90 psig). Satisfactory loop operation was obtained, and new experiments with the second diverging-channel generator were completed. The principal

experimental results were a higher power density for the same generator operating conditions, and an apparent tendency for the efficiency to improve more with increasing quality at higher velocities than lower velocities. An evaluation of an annular generator geometry is presented. The advantages and disadvantages of the geometry are described, the equations developed, and solutions obtained for three cases-constant velocity and no armature reactions, laminar flow with no armature reaction, and armature reaction with constant velocity. ERA

N78-25652# Dow Chemical Co., Midland, Mich. Hydrocarbons and Energy Research Dept.

ENERGY FROM IN SITU PROCESSING OF ANTRIM OIL SHALE Monthly Technical Progress Report, Nov. 1977

John P. Humphrey 19 Dec. 1977 14 p

(Contract EX-76-C-01-2346)

(FE-2346-19; DOW/SRPR-19) Avail: NTIS HC A02/MF A01

Reported are in situ fracturing and assessment, in situ extraction trials; shale characterization and resource evaluating; and environmental, public, policy, and legal assessment. ERA

N78-25653# Sandia Labs., Albuquerque, N. Mex.

OIL SHALE PROGRAMS Quarterly Report, Apr. - Jun. 1977

R. R. Boade, ed. Oct. 1977 64 p refs
(Contract EY-76-C-04-0789)

(SAND-77-1497; QR-6) Avail: NTIS HC A04/MF A01

The operating characteristics of an oxygen probe (to monitor oxygen concentration in the effluent gases of a retort) were enhanced by improvements in the sensing electrodes and seals of the unit. Three hydrofractures were formed for the rubblization experiment scheduled for later this year. The dependence of the fracture properties of oil shale on rate of deformation was examined through an analysis in which theoretical predictions were compared with experimental observations. Author

N78-25655# New England Federal Regional Council. Energy Resource Development Task Force.

POTENTIAL OF WOOD AS AN ENERGY RESOURCE IN NEW ENGLAND

Joseph M. Pecoraro, Robert Chase, Peter Fairbank, and Richard Meister Sep. 1977 100 p refs

(TID-28131) Avail: NTIS HC A05/MF A01

Topics discussed include: the benefits of utilizing the forest as an energy resource; the availability of commercial forest land; the harvesting and transportation of timber for wood energy projects; and institutional problems associated with developing the forest as an energy resource in New England. ERA

N78-25657# National Technical Information Service, Springfield, Va.

TOTAL ENERGY SYSTEMS FOR BUILDINGS. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1984 - Mar. 1978

Audrey S. Hundemann, ed. Mar. 1978 74 p Supersedes NTIS/PS-77/0273; NTIS/PS-76/0275 (NTIS/PS-78/0306; NTIS/PS-77/0273; NTIS/PS-76/0275) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10B

Technology and economics associated with total energy systems are discussed in these Federally-funded research citations. These systems employ a primary source of energy, such as oil, natural gas, or solar heat to provide comprehensive energy requirements in the form of light, heating, cooling, air conditioning, drying, process heat, and power for an industrial plant or for a commercial or public building. Included are schemes for electricity generation, waste heat recovery, and direct drive of mechanical equipment coupled to a prime mover. Abstracts primarily pertain to Modular Integrated Utility Systems (MIUS) technology as applied to residential complexes; a few abstracts deal with MIUS technology for military facilities and commercial buildings. Topic areas cover social costs, energy conservation potential, and the use of solar energy in total energy systems.

GRA

N78-25658# National Technical Information Service, Springfield, Va.

TOTAL ENERGY SYSTEMS FOR BUILDINGS. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1964 - Mar. 1978

Audrey S. Hundemann, ed. Mar. 1978 157 p Supersedes NTIS/PS-77-0272; NTIS/PS-76/0274 (NTIS/PS-78/0305; NTIS/PS-77/0272; NTIS/PS-76/0274) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10B For abstract, see N78-25657.

N78-25659# National Technical Information Service, Springfield, Va.

PETROLEUM RECOVERY. VOLUME 2: RESERVOIR ENGINEERING AND RECOVERY METHODS. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1976 - Mar. 1977

Audrey S. Hundemann Mar. 1978 184 p (NTIS/PS-78/0278) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 08G

Thermal recovery methods and well stimulation using waterflooding, steam injection, gas injection, and fluid injection techniques are discussed. Topic areas cover fire flooding, caustic water flooding, miscible displacement, microemulsion flooding, polymer flooding, carbon dioxide miscible flooding, control of water mobility using polymers, and heat loss calculations. Reservoir modeling and simulation studies and studies pertaining to well logging, core analysis, and well perforation are included. A few abstracts discuss techniques of determining residual oil saturation, predicting oil recoverability, and monitoring the degree of flooding. (This updated bibliography contains 177 abstracts, none of which are new entries to the previous edition.)

GRA

N78-25660# National Technical Information Service, Springfield, Va.

PETROLEUM RECOVERY. VOLUME 3: RESERVOIR ENGINEERING AND RECOVERY METHODS. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, Apr. 1977 - Feb. 1978

Audrey S. Hundemann Mar. 1978 218 p Supersedes NTIS/PS-77/0233 (NTIS/PS-78/0279; NTIS/PS-77/0233) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 08G

For abstract, see N78-25659.

N78-25661# National Technical Information Service, Springfield, Va.

WASTE HEAT UTILIZATION. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1964 - Mar. 1978

Audrey S. Hundemann Mar. 1978 258 p Supersedes NTIS/PS-77/0283; NTIS/PS-76/0276; NTIS/PS-75/215; COM-74-11138; COM-73-11582 (NTIS/PS-78/0294; NTIS/PS-77/0283; NTIS/PS-76/0276; NTIS/PS-75/215; COM-74-11138; COM-73-11582) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10A

Federally-funded research on techniques of recovering waste heat from power plants, buildings, industrial processes, and waste disposal is covered. Studies of waste heat boilers and the use of waste heat for irrigation, sewage treatment, odor control, desalination, heating, and aquaculture are included. GRA

N78-25662# National Technical Information Service, Springfield, Va.

WASTE HEAT UTILIZATION. VOLUME 3. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1977 - Mar. 1978

Audrey S. Hundemann Mar. 1978 160 p Supersedes NTIS/PS-77/0284; NTIS/PS-76/0278 (NTIS/PS-78/0296; NTIS/PS-77/0284; NTIS/PS-76-0278) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10A

Worldwide research of waste heat from industrial process plants, electric power plants, buildings, and incineration of wastes is covered. Emphasis is on energy conservation in industrial plants. Studies of waste heat boilers and the use of waste heat for irrigation, sewage treatment, odor control, desalination, and heating are included. GRA

N78-25663# National Technical Information Service, Springfield, Va.

WASTE HEAT UTILIZATION. VOLUME 2. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1975-1976

Audrey S. Hundemann Mar. 1978 187 p (NTIS/PS-78/0295) Copyright. Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10A For abstract, see N78-25662.

N78-25671# New Hampshire Univ., Durham. **INVESTIGATION OF THE MECHANISM OF FLY-ASH FORMATION IN COAL-FIRED UTILITY BOILERS Quarterly Report, 1 May 1977 - 31 Jul. 1977**

G. D. Ulrich 24 Aug. 1977 10 p refs

(Contract EX-76-C-01-2205)

(FE-2205-8) Avail: NTIS HC A02/MF A01

A probe was developed and chemical analysis techniques were established for quantitative fly-ash analysis. The program for computing condensed-phase equilibria is ready for use in a theoretical analysis. A model for submicron fly-ash formation and growth was developed. ERA

N78-25674# Radian Corp., Austin, Tex. **ASSESSMENT, SELECTION, AND DEVELOPMENT OF PROCEDURES FOR DETERMINING THE ENVIRONMENTAL ACCEPTABILITY OF SYNTHETIC FUEL PLANTS BASED ON COAL, APPENDIX 2**

R. G. Oldham and R. G. Wetherold May 1977 495 p refs Revised

(Contract EX-76-C-01-1795; Contract E(49-18)-1795)

(FF-1795-3-Pt-2-Rev) Avail: NTIS HC A21/MF A01

Process engineering analyses were conducted on five processes considered representative of the emerging technologies: Koppers-Totzek, Lurgi, Solvent Refined Coal, Synthane, and Synthoil. A detailed analysis was performed on a generalized coal handling facility which was common to all of the above processes. The process engineering analyses were conducted from a mass and energy balance orientation. All process streams, including effluent streams, were fully characterized as to temperature, pressure, phase, bulk composition and flow rate. Possible paths of pollutants were followed through the selected processes. All gaseous, liquid and solid effluents were identified, with special emphasis being placed on the EPA criteria pollutants and trace organics and inorganics contained in these streams. A sampling approach generally applicable to all coal conversion processes was developed. ERA

N78-25678# Automation Industries, Inc., Silver Spring, Md. Vitro Labs. Div.

ENERGY/ENVIRONMENT 2. PROCEEDING OF 2ND

NATIONAL CONFERENCE ON THE INTERAGENCY R AND D PROGRAM

Richard Laska, ed. and Kathleen Dixon, ed. Nov. 1977 515 p
 refs Proc. held at Washington, D. C., 6-7 Jun. 1977
 (Contract EPA-68-01-2934)
 (PB-277917; EPA-600/9-77-025) Avail: NTIS
 HC A22/MF A01 CSCL 13B

The proceedings from the Second National Conference on the Interagency Energy/Environment R&D Program are reported. All papers presented at the conference along with discussion from question and answer periods are included in the text. This volume is part of the Energy/Environment R&D Decision Series. The series presents the key issues and findings of the Federal Interagency Energy/Environment Research and Development Program in a format conducive to efficient information transfer. Planned and coordinated by the Environmental Protection Agency (EPA), research projects supported by the program range from the analysis of health and environmental effects of energy systems to the development of environmental control technologies. The works in this series reflect the full range of program concerns.

GRA

N78-25701# National Technical Information Service, Springfield, Va.

POLLUTION AND ENVIRONMENTAL ASPECTS OF FUEL CONVERSION. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, 1964 - Mar. 1978

Audrey S. Hundemann Apr. 1978 218 p. Supersedes
 NTIS/PS-77/0212; NTIS/PS-76/0222 and NTIS/PS-75/371
 (NTIS/PS-78/0314; NTIS/PS-77/0212; NTIS/PS-76/0222;
 NTIS/PS-75/371) Avail: NTIS HC \$28.00/MF \$28.00 CSCL
 07A

Abstracts dealing with environmental impacts related to fossil fuel conversion processes (primarily coal gasification) are presented. A few citations concerning environmental considerations pertaining to future energy growth are included. GRA

N78-25719# Mound Lab., Miamisburg, Ohio. GEOCHEMICAL CHARACTERIZATION OF DEVONIAN GAS SHALE

Ronald E. Zielinski 1977 24 p refs Presented at the Eastern Gas Shale Program Conf., Morgantown, W. Va., 17 Oct. 1977
 (Contract EY-76-C-04-0053)
 (MLM-2467(OP); Conf-771038-4) Avail: NTIS
 HC A02/MF A01

Detailed geochemical analyses are being used to provide an accurate assessment of the oil and gas resources present in the Devonian shales in the Appalachian and Illinois Basins. The suite of geochemical analyses is designed to evaluate the organic richness, the hydrocarbon potential, the type of organic matter and the thermal maturity of the organic matter. Laboratory techniques such as pyrolysis gas chromatography and mass balance thermal extraction were also employed to measure thermally derived oil and gas yields from the Devonian shales. Stable carbon isotope geochemistry has also been initiated. The first phase of this study involved the determination of stable carbon isotope values for shale core samples. ERA

N78-25720# Mound Lab., Miamisburg, Ohio. PHYSIOCHEMICAL CHARACTERIZATION OF DEVONIAN GAS SHALE

R. E. Zielinski, A. Attalla, E. Stacy, B. D. Craft, and R. L. Wise 1977 24 p refs Presented at the Eastern Gas Shale Program Conf., Morgantown, W. Va., 17 Oct. 1977
 (Contract EY-76-C-04-0053)
 (MLM-2466(OP); Conf-771038-3) Avail: NTIS
 HC A02/MF A01

Several physicochemical analyses are being performed to better characterize the Devonian gas shales located in the Appalachian and Illinois Basins. The results of these analyses are being integrated with the geochemical analyses to present an accurate characterization of the Devonian shales and to accurately assess their resource potential. These studies are also providing data that are being used to evaluate the physical behavior of the shales. ERA

N78-25722# California Univ., Livermore. Lawrence Livermore Lab.

HYDROGEOCHEMICAL AND STREAM-SEDIMENT SURVEY OF THE NATIONAL RESOURCE EVALUATION (NURE) PROGRAM: WESTERN UNITED STATES Quarterly Progress Report, Apr. - Jun. 1977

20 Sep. 1977 16 p
 (Contract W-7405-eng-48)
 (UCID-16911-77-2) Avail: NTIS HC A02/MF A01

Field work was completed for two reconnaissance sampling projects in southern Nevada and California and a reconnaissance sampling project in western Utah and eastern Nevada was started. Sampling was also completed for two orientation study areas in Arizona and planning and site selections finalized for two reconnaissance sampling projects in Nevada. The Great Basin groundwater sampling program continued on schedule. Although the instrumental neutron-activation analysis facility operated in automatic mode, hardware, and software development are continuing to increase reliability and facilitate automatic data processing. Procedures and equipment for generation precision map overlays and digitizing map data are nearly complete. ERA

N78-25742# Texas A&M Univ., College Station. Dept. of Oceanography.

DEVELOPMENT AND COORDINATION OF A PROGRAM OF ENERGY-RELATED OCEANOGRAPHIC RESEARCH AND THE CONTINENTAL SHELVES OF THE GULF OF MEXICO Progress Report, 1 Jan. 1976 - 30 Sep. 1977

T. K. Treadwell 1977 7 p
 (Contracts EY-76-S-05-5017; E(40-1)-5017)
 (ORO-5017-3) Avail: NTIS HC A02/MF A01

A workshop was organized to obtain inputs from scientists most familiar with the scientific problems in the Gulf shelf area. The results of this workshop are briefly summarized. Initial efforts at organization of the program are reported. ERA

N78-25920# Department of Energy, Washington, D. C. Div. of Magnetic Fusion Energy.

TOKAMAK IMPURITY REPORT

Dec. 1977 136 p refs
 (DOE/ET-0001) Avail: NTIS HC A07/MF A01

In May 1976, a meeting of Tokamak physicists was held in order to discuss what is known about impurities in Tokamaks, what one should be able to learn from planned experiments, and what issues remain unaddressed by present or future programs. Background and perspective for discussion as well as detailed information on impurities in Tokamaks is given. Attention was focused on impurities, the effects of neutral beam heating on impurity generation and the effects of impurities on neutral beam penetration and heating are presented. ERA

N78-25923# Argonne National Lab., Ill. PLASMA DRIVING SYSTEM REQUIREMENTS FOR COMMERCIAL TOKAMAK FUSION REACTORS

J. N. Brooks 1977 8 p refs Presented at the 7th Symp. on Fusion Res. Proj., Knoxville, Tenn., 25 Oct. 1977
 (Contract W-31-109-eng-38)
 (CONF-771029-191) Avail: NTIS HC A02/MF A01

Results for a single reactor configuration together with several design concepts for the driving system are summarized. Both the reactor configuration and the driving system concepts are natural extensions from the EPR. Thus, the new results can be compared with the previous EPR results to obtain a consistent picture of how the driving system requirements will evolve--for one particular design configuration. ERA

N78-25930# Argonne National Lab., Ill. THERMAL HYDRAULIC ANALYSES OF TWO FUSION REACTOR FIRST WALL/BLANKET CONCEPTS

B. Misra and V. A. Maroni 1977 8 p refs Presented at the 7th Symp. on Eng. Probl. of Fusion Res., Knoxville, Tenn., 25-28 Oct. 1977
 (Contract W-31-109-eng-38)
 (CONF-771029-178) Avail: NTIS HC A02/MF A01

Two liquid lithium blanket concepts for Tokamak-type reactors are discussed and compared. In one concept, lithium is circulated through 60 cm deep cylindrical modules oriented so that the module axis is parallel to the reactor minor radius. In the other, helium carrying channels oriented parallel to the first wall are used to cool a 60 cm thick stagnant lithium blanket. Paralleling studies were carried out wherein the thermal and structural properties of the construction materials were based on those projected for either solution-annealed 316 stainless steel or vanadium-base alloys. The effects of limitations on allowable peak structural temperature, material strength, thermal stress, coolant inlet temperature, and pumping power/thermal power ratio were evaluated. Consequences to thermal hydraulic performance resulting from the presence of or absence of a divertor were also investigated. ERA

N78-25938# Illinois Univ., Urbana. Fusion Studies Lab.
EXPLORATORY STUDIES OF HIGH-EFFICIENCY ADVANCE FUEL FUSION REACTORS Annual Report, Feb. 1977
Nov. 1977 175 p refs Prepared in cooperation with BNL and California Univ., Lawrence Livermore Lab.
(EPRI Proj. 645)
(EPRI-ER-581) Avail: NTIS HC A08/MF A01

The potential advantages and feasibility of using deuterium and D-He-3 fusion fuels rather than D-T are examined. The present report describes the first part of the study which was concerned with the use of Tokamak reactors to burn such fuels on the expectation that, due to the emphasis on such systems in the national R and D program, they will form the basis for the first generation of fusion power plants. Parameters are presented for three classes of reactors: D-D plants designed for He-3 generations as well as electrical production; D-He-3 Tokamak that would serve as satellites to the generators by burning He-3 in smaller, relatively clean plants suitable for near-urban siting; and self-contained catalyzed-D Tokamaks that burn T and He-3 from D-D fusion in-situ. The size scaling for these plants is, in descending order, D-D generators, catalyzed-D plants, and D-He-3 satellites. This flexibility in size and fuel allows a wide variation in characteristics that could well be vital to the full utilization of fusion power. ERA

N78-25939# McDonnell-Douglas Astronautics Co., St. Louis, Mo.
ECONOMIC IMPACT OF USING REFRACTORY METALS FOR FUSION REACTORS, PHASE 1
J. W. Davis Oct. 1977 44 p refs
(Contract EG-77-C-02-4247)
(COO-4247-1) Avail: NTIS HC A03/MF A01

The following topics were considered: (1) TOCOMO computer code, (2) selection of a baseline reactor configuration, (3) selection of a power conversion system, (4) selection of refractory metals, (5) use of refractory metals in the first wall and blanket, (6) use of refractory metals in the primary coolant loop, and (7) the economic consequence of using an advanced conversion cycle. ERA

N78-25982# George Washington Univ., Washington, D. C.
LEGAL-INSTITUTIONAL ARRANGEMENTS FACILITATING OFFSHORE WIND ENERGY CONVERSION SYSTEMS (WECS) UTILIZATION Final Report
Louis H. Mayo Sep. 1977 103 p refs Sponsored by DOE
(Grant NSF APR-75-19137)
(DOE/NSF/19137-77/3) Avail: NTIS HC A06/MF A01

Concern for the continuing sufficiency of energy supplies in the U.S. has tended to direct increasing attention to unconventional sources of supply, including wind energy. Some of the more striking proposals for the utilization of wind energy relate to offshore configurations. The legal-institutional arrangements for facilitating the utilization of offshore wind energy conversion systems were examined by positioning three program alternatives and analyzing the institutional support required for the implementation of each. Author

N78-25983# George Washington Univ., Washington, D. C.
Program of Policy Studies in Science and Technology.
LEGAL-INSTITUTIONAL IMPLICATIONS OF WIND ENERGY CONVERSION SYSTEMS (WECS) Final Report
Sep. 1977 332 p refs Sponsored in part by DOE
(Grant NSF APR-75-19137)

(NSF/RA-770204) Avail: NTIS HC A15/MF A01

Because of the interplay between technical, economic, social, and legal factors, some information about wind systems, their likely applications, and the problems raised thereby is presented. The most significant legal obstacles to the utilization of land-based WECS are described. The features of the existing legal structure which may facilitate the implementation of such systems are discussed. The ways in which the legal situation varies with particular applications, and which applications pose the greatest and fewest legal difficulties are summarized. A separate section is devoted to the complex subject of offshore wind systems. ERA

N78-26007# North Dakota State Univ., Fargo. Dept. of Civil Engineering.

ULTRAFILTRATION AND HYPERFILTRATION OF PHENOLIC COMPOUNDS IN COAL GASIFICATION WASTEWATER STREAMS

Stanley L. Klemetson and Monte D. Scharbow [1977] 14 p refs Presented at the Intern. Conf. on Advan. Treat. and Reclamation of Wastewater Sponsored in part by DOE

(Grant NSF ENG-75-10251)

Avail: NTIS HC A02/MF A01

The treatment of phenolic compounds from coal gasification plants using ultrafiltration and hyperfiltration is presented. Dynamically formed hydrous zirconium (IV) oxide membranes on several types of supports were the focus of the investigation. The pH variations of 6.5 to 11, pressure variations of 250 to 1000 psig (1724 to 6895 kPa), and concentration variations of 1 to 400 mg/l were examined. Phenol reductions greater than 95 percent were obtained with several membranes, and flux rates were greater than 100 gpd/sq ft (4.08 cu m/day/sq m). Author

N78-26036# National Academy of Sciences - National Research Council, Washington, D. C. Committee on Advanced Energy Storage Systems.

DEVELOPMENT SCHEDULES FOR VEHICLE ENERGY STORAGE SYSTEMS

1977 25 p refs

(Contract EY-76-C-02-2708-012)

(TID-28030) Avail: NTIS HC A02/MF A01

The development of advanced energy storage systems for electric and hybrid electric powered vehicles is discussed. A minimum of one year for flywheels and two years for batteries will be necessary to translate most laboratory concepts into production prototype designs with a minimum of testing to establish confidence in the anticipated performance. ERA

N78-26038# Oak Ridge National Lab., Tenn.

SOLID WASTE UTILIZATION: PYROLYSIS

William J. Boegly, Jr., William R. Mixon, Clark Dean (Hamilton Std. Div., United Aircraft Corp., Windsor Locks, Conn.), and Daniel J. Lidas (Hamilton Std. Div., United Aircraft Corp., Windsor Locks, Conn.) Aug. 1977 77 p refs Prepared for Argonne Natl. Lab., Ill.

(Contract W-31-109-eng-38)

(ANL/CES/TE-77-15) Avail: NTIS HC A05/MF A01

The use of pyrolysis is considered as a method of producing energy from municipal solid waste. The energy can be in the form of a gas, oil, chars, or steam. Pyrolysis, the decomposition of organic matter in the absence of oxygen (or in an oxygen-deficient atmosphere), is used to convert organic matter to other products or fuels. This process is also described as destructive distillation. Four processes are described in detail: the Landgard System (Monsanto Environ-Chem Systems, Inc.); the Occidental Research Corporation Process. Also included is a listing of other pyrolysis processes currently under development for which detailed information was not available. ERA

N78-26039# Little (Arthur D.), Inc., Cambridge, Mass.
STUDY OF FUTURE HEAT ENGINE VEHICLE SYSTEMS
Final Report

D. A. Hurter Jul. 1977 31 p Prepared for California Univ., Lawrence Livermore Lab.
 (Contract W-7405-eng-48)

(UCRL-13781) Avail: NTIS HC A03/MF A01

The vehicles considered are all extensions of present heat engine technology. Data are given on the change in fuel economy, incremental change in consumer cost, and total vehicle weight by vehicle size for each of the time periods. The most likely technical improvements and the timing for their introduction are indicated. Fuel economy is possible with relatively low technical risk until the years 1990-2000. ERA

N78-26098*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

COLD-AIR PERFORMANCE OF THE COMPRESSOR-DRIVE TURBINE OF THE DEPARTMENT OF ENERGY BASELINE AUTOMOBILE GAS-TURBINE ENGINE Final Report

Richard J. Roelke and Kerry L. McLallin Jul. 1978 24 p refs (Contract EC-77-A-31-1011)

(NASA-TM-78894; E-9480; DOE/NASA/1011-78/25) Avail: NTIS HC A02/MF A01 CSCL 01A

The aerodynamic performance of the compressor-drive turbine of the DOE baseline gas-turbine engine was determined over a range of pressure ratios and speeds. In addition, static pressures were measured in the diffusing transition duct located immediately downstream of the turbine. Results are presented in terms of mass flow, torque, specific work, and efficiency for the turbine and in terms of pressure recovery and effectiveness for the transition duct. Author

N78-26146*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

LIQUID-COOLING TECHNOLOGY FOR GAS TURBINES REVIEW AND STATUS

G. James VanFossen, Jr. (Army Res. and Technol. Labs.) and Francis S. Stepka Aug. 1978 14 p refs Proposed for presentation at the 13th Intersoc. Energy Conversion Eng. Conf., San Diego, Calif., 20-25 Aug. 1978; sponsored by the SAE, ACS, AIAA, ASME, IEEE, AIChE, and ANS

(NASA-TM-78906; AVRADCOM-TR-78-26(PL); E-9517-1) Avail: NTIS HC A02/MF A01 CSCL 21E

A review of research related to liquid cooling of gas turbines was conducted and an assessment of the state of the art was made. Various methods of liquid cooling turbines were reviewed. Examples and results with test and demonstrator turbines utilizing these methods along with the advantages and disadvantages of the various methods are discussed. B.B.

N78-26154*# General Research Corp., McLean, Va.
SOLAR SAIL-SOLAR ELECTRIC TECHNOLOGY READINESS AND TRANSFER ASSESSMENT Final Report

Ramon L. Chase Aug. 1977 62 p

(Contract NASw-2973)

(NASA-CR-157239; Rept-709-01-CR; WGRC-77-4764) Avail: NTIS HC A04/MF A01 CSCL 22A

A method of conducting a technology readiness assessment was developed. It uses existing OAST technology readiness and risk criteria to define a technology readiness factor that considers both the required gain in technology readiness level to achieved technology readiness plus the degree of effort associated with achieving the gain. The results indicate that Solar Electric Propulsion is preferred based on technology readiness criteria. Both Solar Sail and Solar Electric Propulsion have a high level of transfer potential for future NASA missions, and each has considerable technology spillover for non-NASA applications. Author

N78-26190# Georgetown Univ., Washington, D.C.

INDUSTRIAL APPLICATION OF FLUIDIZED-BED COMBUSTION Quarterly Technical Progress Report, Jul. - Sep. 1977

Oct. 1977 15 p

(Contract EX-76-C-01-2461)

(FE-2461-5) Avail: NTIS HC A02/MF A01

Progress is reported in the design of a prototype plant and atmospheric fluidized bed boiler for burning high sulfur coals in an environmentally acceptable manner in an urban institutional complex. The boiler, to be located on the Georgetown University campus, will have the capacity to generate 100,000 pounds per hour of saturated steam. Data from the prototype operation will be used in the design and construction of commercially warranted industrial size fluidized bed boiler units. A.R.H.

N78-26217# Westinghouse Electric Corp., Pittsburgh, Pa. Advanced Energy Systems Div.

DEVELOPMENT, TESTING, AND EVALUATION OF MHD MATERIALS AND COMPONENT DESIGNS Quarterly Report, 1 Apr. - 30 Jun. 1977

J. W. Sadler, W. E. Young, L. H. Codoff, J. A. Dillmore, E. L. Kochka, J. A. Kuszyk, J. Lempert, B. R. Rossing, S. J. Schneider, and A. B. Turner Jul. 1977 106 p refs

(Contract EX-76-C-01-2248)

(FE-2248-15) Avail: NTIS HC A06/MF A01

Ceramic MHD electrodes for both clean fuel and coal fired environments were designed, fabricated, and evaluated. The tests verified design prediction of material temperatures and heat fluxes. Both the test facility and test section demonstrated their suitability as test vehicles for long duration testing of generator materials and designs. A number of designs reflecting various electrode to copper cooling block attachment techniques were examined. These techniques involved the use of a compliant material (metal or organic) to reduce mechanical stresses in the ceramic electrode structures. Laboratory screening tests indicate that both MgCr2O4 and MO2Si are resistant to slag corrosion and can be seriously considered as anode materials for semi-hot slagging wall operation (T/sub wall/ = 900 to 1500 C). ERA

N78-26223*# National Aeronautics and Space Administration, Washington, D. C.

AVIATION FUELS BEYOND THE 1980'S

Willson H. Hunter (NASA Senior Sci. Representative, Canberra, Australia) 1978 17 p refs Presented at the Symp. on Aviation Fuel in the 1980's, Melbourne, 26-27 Jun. 1978; sponsored by the Inst. of Engr. Australia and the Australian Inst. of Petrol. (NASA-TM-79510) Avail: Issuing Activity CSCL 21D

The competitive use and effect of coal-derived synthetic JET-A and cryogenic liquid methane (LCH4) and liquid hydrogen (LH2) fuels on the design, mass and operation of large subsonic, supersonic and hypersonic transport aircraft are analyzed. Overall energy and cost efficiency comparisons are presented from studies of JET-A and LH2 fuels usage in subsonic and supersonic transports. The probable concerns of the public and the aviation industry over the use of the coal-derived fuels are discussed. The possibility that space-flight-vehicle-derived technology may be applied to special purpose passenger transports is considered. The likelihood that petroleum-derived fuels similar to JET-A will continue in major use in aviation for the foreseeable future is predicted. Author

N78-26226# Department of Energy, Bartlesville, Okla. Energy Research Center.

EXPERIMENTS WITH NOVEL FUELS FOR DIESEL ENGINES

W. F. Marshall Feb. 1978 7 p

(BERC/TPR-77/8) Avail: NTIS HC A02/MF A01

Engine tests were conducted with two fuels that would be considered as novel for use in diesel engines. The fuels, methanol and a water/diesel fuel emulsion, were used because of their potential for reductions in exhaust emissions. The test results showed that these fuels yield no advantages over standard diesel fuel with respect to emissions of unburned hydrocarbons and oxides of nitrogen. Although smoke and carbon monoxide emissions were reduced with the use of the water/fuel emulsion, the same effect could also be achieved via engine adjustment. ERA

N78-26226# Oak Ridge National Lab., Tenn. Metals and Ceramics Div.

IMPACT OF ALTERNATE FUELS ON REFRACTORIES AND REFRACTORY INSULATIONS

May 1977 67 p refs Sem. held in Washington, D.C., 21 Sep. 1976

(Contract W-7405-eng-26)

(ORNL-TM-5895-Add; Conf-7609156)

Avail: NTIS

HC A04/MF A01

Topics covered in the seminar include: assessment of the impact of alternate fuels on refractories and refractory insulations; alternate fuel experience in refractory manufacturing; slagging of refractories by ash from alternate fuels; and substitution of coal for natural gas in face brick production. A panel discussion following the formal presentations is summarized. Author (ERA)

N78-26227# Department of Energy, Washington, D. C. Div. of Environmental Control Technology.

APPROACH TO LIQUEFIED NATURAL GAS (LNG) SAFETY AND ENVIRONMENTAL CONTROL RESEARCH

Feb. 1978 464 p refs

(Contracts EY-76-C-08-1830; EE-77-C-02-4234;

EE-77-C-02-4204; W-7405-eng-48; EY-76-C-08-0020)

(DOE/EV-0002) Avail: NTIS HC A20/MF A01

LNG safety and control information is presented for use by industry, regulatory bodies, and the general public. To achieve verified predictive capabilities and verified control methods, activities in six technical elements were identified: vapor generation and dispersion; fire and radiation hazards; flame propagation; release prevention and control; instrumentation and technique development; and scale effects experiments. ERA

N78-26232# Babcock and Wilcox Co., Alliance, Ohio. Research Center.

CHARACTERISTICS OF SOLVENT REFINED COAL: DUAL REGISTER BURNER TESTS Final Report

W. L. Sage, W. Downs, and P. L. Cioffi Jan. 1978 118 p refs

(EPRI Proj. 1235-5)

(EPRI-FP-628) Avail: NTIS HC A06/MF A01

Retrofitting requirements for pulverizers and for a dual register burner were identified. Changes made to the pulverizer included lessening of the grinding pressure, slowing of the grinding elements, changing of the feeder controls, and operating with cold primary air. The dual register burner was equipped with a water cooled coal nozzle, and eddy circulations were minimized in the vicinity of the burner front. These changes were necessary to prevent agglomeration and melting of the solvent refined coal in the equipment. ERA

N78-26237# General Motors Research Labs., Warren, Mich. **A COLLECTION OF STIRLING ENGINE REPORTS FROM GENERAL MOTORS' RESEARCH, 1958 TO 1970. PART 1.1: MODEL 3 GROUND POWER UNITS DESIGN, CONSTRUCTION AND TESTING. GOVERNMENT CONTRACT REPORTS**

Apr. 1978 184 p

(GMR-2690-Pt.1.1) Avail: NTIS HC A09/MF A01

Numerous progress reports concerning the performance of the Stirling ground power unit are presented. Acceptance tests results are included as well as an instruction manual and a listing of parts.

N78-26245# General Motors Research Labs., Warren, Mich. **STIRLING ENGINE GROUND POWER UNIT Quarterly Progress Report, 1 May - 31 Jul. 1965**

F. Earl Heffner In its A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.1: Model 3 Ground Power Units Design, Construct. and Testing. Govt. Contract Rept. Apr. 1978 12 p

(Contract DA-44-009-AMC-250(TI))

(GMR-2690-Sect-1.108; QPR-8)

Avail: NTIS

HC A09/MF A01

Progress toward the construction of two Stirling ground units to be delivered to the U.S. Army is reviewed. The major elements of the manual starting system for the GPU 3's were built and tested to show their complete feasibility. The final requirements for the crankcase were established by extensive governor and prototype engine generator testing. B.B.

N78-26247# General Motors Research Labs., Warren, Mich. **STIRLING ENGINE GROUND POWER UNIT MODEL GPU 3 ACCEPTANCE TEST REPORT**

F. Earl Heffner In its A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.1: Model 3 Ground Power Units Design, Construct. and Testing. Govt. Contract Rept. Apr. 1978 19 p

(GMR-2690-Sect-1.110) Avail: NTIS HC A09/MF A01

A discussion of the acceptance tests conducted prior to the delivery of the Stirling engines, is presented and certain required graphic plots of data from those tests are included. B.B.

N78-26249# General Motors Research Labs., Warren, Mich. **US ARMY ENGINEER RESEARCH AND DEVELOPMENT LABORATORIES FIVE HUNDRED HOUR ENGINEERING EVALUATION OF THE STIRLING GPU 2-1**

F. Earl Heffner In its A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.1: Model 3 Ground Power Units Design, Construct. and Testing. Govt. Contract Rept. Apr. 1978 24 p

(GMR-2690-Sect-1.112) Avail: NTIS HC A09/MF A01

The performance of the Stirling ground power unit during the Army 500 hour engineering evaluation is discussed, and the results of a post-test inspection are presented. B.B.

N78-26250# General Motors Research Labs., Warren, Mich. **A COLLECTION OF STIRLING ENGINE REPORTS FROM GENERAL MOTORS' RESEARCH, 1958 TO 1970. PART 1.2: MODEL 3 GROUND POWER UNITS DESIGN, CONSTRUCTION, AND TESTING, GENERAL MOTORS RESEARCH STUDIES**

Apr. 1978 266 p refs

(GMR-2690-Pt.1.2) Avail: NTIS HC A12/MF A01

The design, production, and performance of a prototype Stirling engine ground power unit are described, as well as uniform test procedures and component reliability.

N78-26251# General Motors Research Labs., Warren, Mich. **EFFECT OF DIESEL FUEL ON STIRLING ENGINE GROUND POWER UNIT COMPONENTS**

Richard R. Toepel In its A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing; Gen. Motors Res. Studies Apr. 1978 9 p refs

(GMR-2690-Sect-1.201) Avail: NTIS HC A12/MF A01

The effects of several types of diesel fuel on nitrile, neoprene, and vitron compounds as related to component of the Stirling engine ground power unit are compared. Results of fuel analysis and elastomer immersion tests are presented. Recommendations are made for elastomer specifications. A.R.H.

N78-26252# General Motors Research Labs., Warren, Mich. **MANUAL CRANKING TESTS OF THE STIRLING ENGINE GROUND POWER UNIT**

Richard R. Toepel In its A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing; Gen. Motors Res. Studies Apr. 1978 14 p

(GMR-2690-Sect-1.202) Avail: NTIS HC A12/MF A01

Starting tests were conducted on the Stirling engine ground power unit (GPU 2-2) to determine the input energy requirements over a range of engine working pressures and to judge the suitability of several manual cranking systems for use on the GPU-3. The manual systems tested were (1) spring, (2) dead-weight, and (3) hand-type. The spring cranking tests were conducted at various package moment of inertias from 125 to 500 lb-sq in. The dead-weight and hand-type tests were conducted at an inertia value of 500 lb-sq in. Input energy requirements were found to vary directly with engine working pressure and to be independent of engine inertia. The hand-type starts using a cable and pulley arrangement were found to provide an excess of input energy over the minimum requirements; therefore, this system was recommended for use on the GPU-3. Author

N78-26253# General Motors Research Labs., Warren, Mich.
THE GPU-3 STIRLING ENGINE GROUND POWER UNIT IGNITION SYSTEM

Richard R. Toepel *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing, Gen. Motors Res. Studies Apr. 1978 9 p

(GMR-2690-Sect-1.203) Avail: NTIS HC A12/MF A01

The ignition system for the GPU-3 Stirling ground power unit requires compatibility with the manual starting requirements of the package, as well as less input power than previous systems because of necessary limits on total accessory input power for the manual method of starting. A system was developed consisting of a permanent magnet ac generator and an ac input exciter unit coupled to an ignitor plug. Tests were conducted on purchased sets of alternators and exciters to determine spark rate and alternator input torque. A.R.H.

N78-26254# General Motors Research Labs., Warren, Mich.
COMBUSTOR DEVELOPMENT FOR STIRLING GROUND POWER UNITS, GPU-2 AND GPU-3

Robert E. Sullivan *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing, Gen. Motors Res. Studies Apr. 1978 53 p ref

(GMR-2690-Sect-1.204) Avail: NTIS HC A12/MF A01

The design and development of continuous combustion systems for the GPU-2 and GPU-3 Stirling engine ground power units are described. Durability aspects of the GPU-2 burner and modifications to appreciably extend the endurance life of the combustion parts are discussed as well as the GPU-3 burner configuration which evolved as a result of the GPU-2 burner experience. The improved GPU-3 burner demonstrated good durability for operating time in excess of 1000 hours, reliable ignition, and smokeless operation during engine warm up. Combustion systems deviating in design and operating principles from conventional gas turbine practice were assessed such as burners having alternate wall cooling techniques and novel internal flow schemes. The merits and limitations of these configurations are reported. A.R.H.

N78-26256# General Motors Research Labs., Warren, Mich.
PRELIMINARY PERFORMANCE TESTS OF A GPU-3 STIRLING ENGINE ON HYDROGEN, HELIUM, AND NITROGEN

James E. Bennethum *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing, Gen. Motors Res. Studies Apr. 1978 14 p

(GMR-2690-Sect-1.206) Avail: NTIS HC A12/MF A01

The GPU-3 Stirling thermal engine was found to have poor performance when helium was used as the working gas. Preliminary tests indicate that the problem involves low heater tube wall temperatures and additional friction losses resulting from the operation of the piston rings in the helium filled cylinder. Several deviations from the predictions generated by the Stirling engine analysis program were found and more testing is required after the addition of more instrumentation on the engine cylinder and the installation of a heater manifold and external preheater to obtain more accurate measurements. A.R.H.

N78-26257# General Motors Research Labs., Warren, Mich.
STIR-LEC 2 STIRLING ENGINE PERFORMANCE

Richard R. Toepel *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing, Gen. Motors Res. Studies Apr. 1978 5 p ref

(GMR-2690-Sect-1.207) Avail: NTIS HC A12/MF A01

Prior to its installation in the Stir-Lec hybrid vehicle, a Stirling engine weighing 57 pounds less than the original one was dynamometer tested to establish its performance. Three speed levels, four pressure levels, and three water temperature levels

were run in a factorial plan so that 12 runs of a possible 36 combinations were made. Results of the 12 runs are tabulated for horsepower output, fuel consumption, and compression space temperature. Complete calculations for the 36 combinations are included. A.R.H.

N78-26258# General Motors Research Labs., Warren, Mich.
METHOD OF TESTS AND INSTRUCTIONS (GENERATOR SETS, STIRLING ENGINE DRIVE)

Raymond M. Cole *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 1.2: Model 3 Ground Power Units Design, Construct., and Testing, Gen. Motors Res. Studies Apr. 1978 37 p

(GMR-2690-Sect-1.208) Avail: NTIS HC A12/MF A01

Military tests for gasoline or diesel engines (MIL-STD-1400) and for engine driven gasoline sets (MIL-STD-705A) were adapted for use in the uniform testing of Stirling engines. Qualification tests presented include: initial inspection; check test and run in; initial performance; ideal idle to full-load characteristics; actual idle to full load characteristics; maximum power; governor stability and transient response; governor droop characteristics; endurance tests; final performance; and final inspection. Because the ground power unit does not represent a production prototype, environmental testing procedures were not included. A.R.H.

N78-26262# General Motors Research Labs., Warren, Mich.
A COLLECTION OF STIRLING ENGINE REPORTS FROM GENERAL MOTORS' RESEARCH, 1958 TO 1970. PART 2: STIRLING CYCLE ANALYSIS AND ENGINE DESIGN STUDIES

Apr. 1978 315 p refs

(GMR-2690-Pt-2) Avail: NTIS HC A14/MF A01

Computerized design studies on Stirling cycle thermal engines for automotive applications are reported.

N78-26285# General Motors Research Labs., Warren, Mich.
STIRLING ENGINE HEATER TUBE FAILURES

John N. Johnson *In its* A Collection of Stirling Engine Reports from General Motors' Research, 1958 to 1970. Part 3: Stirling Engine Materials and Stresses, 3.1 Stirling Engine Materials, 3.2 Stirling Engine Stresses Apr. 1978 9 p

(GMR-2690-Sect-3.101) Avail: NTIS HC A10/MF A01

The cause of leaks which had developed in the austenitic stainless steel heater tubes during operation was determined. It is concluded that: (1) the tube leaks were due to intergranular cracking of the tube wall, apparently resulting from a combination of high thermal stresses and grain boundary oxidation; (2) the severe grain boundary attack was associated with carbide precipitation and attendant depletion of chromium in the grain boundaries, producing localized regions of reduced oxidation resistance; and (3) appreciable intergranular oxidation was noted on the I.D., as well as the O.D., of the tubes, indicative of contamination of the hydrogen working gas. Use of a stabilized grade of stainless steel to reduce the incidence of intergranular oxidation is recommended. However, in view of the apparent high thermal stresses imposed on the tubes during operation, a material of greater high temperature strength than 310 stainless steel, such as N-155, is recommended for this application. J.M.S.

N78-26286# General Motors Research Labs., Warren, Mich.
STIRLING ENGINE HEATER TUBE FAILURE

John N. Johnson *In its* A Collection of Stirling Engine Reports from General Motors' Research, 1958 to 1970. Part 3: Stirling Engine Materials and Stresses, 3.1 Stirling Engine Materials, 3.2 Stirling Engine Stresses Apr. 1978 16 p

(GMR-2690-Sect-3.102) Avail: NTIS HC A10/MF A01

Failure of a Stirling engine heater-cylinder assembly was examined. Failure occurred after 265 hours of operation under various conditions. Metallographic examination and electron probe microanalyses indicated the failure to be associated with extreme oxidation and carburization of the tube walls. The abnormal oxidation was attributed to the presence of copper on the tubes. A proprietary high temperature anti-seize compound used in

assembly of the engine was judged to be the source of the copper. Carburizing exhaust gases produced at low air-fuel ratios and the presence of 'hot spots' on the tubes due to the abnormally heavy oxide scale was believed to be the cause of the carburization of the tubes. Copper was also detected in deposits obtained from three other heaters, not yet failed. J.M.S.

N78-26289# General Motors Research Labs., Warren, Mich.
EXAMINATION OF STIRLING ENGINE REGENERATOR SCREENS

J. E. Hunter and S. W. Iwankovitch *In its* A Collection of Stirling Engine Reports from General Motors' Research, 1958 to 1970. Part 3: Stirling Engine Materials and Stresses, 3.1 Stirling Engine Materials, 3.2 Stirling Engine Stresses Apr. 1978 9 p refs

(GMR-2690-Sect-3.105) Avail: NTIS HC A10/MF A01

Stacked 304 stainless steel screens, which comprise the heat exchanger surface of one type of Stirling engine regenerator, were found to be subject to local deterioration at the inlet tubes to the regenerator. The screens were examined to determine the cause for failure. Metallurgical examination indicated the inlet sides of the top screens were severely oxidized. Electron probe analysis confirmed this observation. Commercial dry hydrogen used as the working fluid, which may contain as much as 0.5 percent oxygen, is considered to be the most probable source of oxygen in the system. Use of purified hydrogen to eliminate oxidation of the screens and other parts is recommended. Use of nickel MetNet regenerators in the present atmosphere should also eliminate the regenerator oxidation. J.M.S.

N78-26294# General Motors Research Labs., Warren, Mich.
EVALUATION OF STRESSES IN TUBES WITH EXTERNAL HEAT FLUX AND INTERNAL PRESSURIZATION

Wallace R. Wade *In its* A Collection of Stirling Engine Reports from General Motors' Research, 1958 to 1970. Part 3: Stirling Engine Materials and Stresses, 3.1 Stirling Engine Materials, 3.2 Stirling Engine Stresses Apr. 1978 19 p

(GMR-2690-Sect-3.204) Avail: NTIS HC A10/MF A01

A method is presented for calculating severe stress levels in a heater tube subjected to loads experienced in a Stirling thermal engine. Specific calculations are presented for typical tubes subjected to conditions similar to those of current and possible future interest. The calculations indicate that heater tubes used in engines of current interest are within the safe operating range when the short time yield strength is used as a criterion. For extended periods of operation, creep considerations alter this conclusion. It was concluded that use of similar tubes in higher output engines may not be satisfactory. J.M.S.

N78-26318# General Motors Research Labs., Warren, Mich.
A COLLECTION OF STIRLING ENGINE REPORTS FROM GENERAL MOTORS' RESEARCH, 1958 TO 1970. PART 6: REGENERATORS

Apr. 1978 130 p refs

(GMR-2690-Pt-6) Avail: NTIS HC A06/MF A01

The Stirling Thermal Engine regenerator cost reduction program is outlined.

N78-26319# General Motors Research Labs., Warren, Mich.
STIRLING THERMAL ENGINE REGENERATOR COST REDUCTION PROGRAM OUTLINE

John C. Steiner *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 5 p

(GMR-2690-Sect-6.001) Avail: NTIS HC A06/MF A01

The procedure to be followed in evaluating potential regenerator matrix materials is outlined. The objective is to determine the cost of alternative materials and the effect that lower cost materials will have upon engine performance. L.S.

N78-26320# General Motors Research Labs., Warren, Mich.
STIRLING THERMAL ENGINE REGENERATOR COST REDUCTION PROGRAM REPORT 1: WIRE CLOTH MATRIX MATERIALS

John C. Steiner *In its* A Collection of Stirling Eng. Rept. from

Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 10 p

(GMR-2690-Sect-6.002) Avail: NTIS HC A06/MF A01

Costs of wire cloth regenerator matrix materials for volume production are presented along with the predicted Stirling Engine performance with the wire cloth materials. The costs of the ideal material were estimated to be 15 to 20 percent of the allowable cost of the entire engine and the Divisions desired an order of magnitude reduction of this cost to 0.90 dollars per engine horsepower. Some cost reduction is possible with wire cloth of other than ideal configuration and this was studied. Results of this wire cloth analysis are described. L.S.

N78-26321# General Motors Research Labs., Warren, Mich.
STIRLING ENGINE REGENERATOR PERFORMANCE ANALYSIS

James R. Mondt *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 25 p refs

(GMR-2690-Sect-6.003) Avail: NTIS HC A06/MF A01

The packed wire regenerator for the Stirling engine was developed for best engine performance. The high cost of this regenerator prompted a study of alternate regenerator core materials which could provide equivalent engine performance but at a significant cost reduction relative to the packed screen. An investigation was undertaken of regenerator core materials that have been considered for the vehicular gas turbine regenerator: GMR surface, CERCOR ceramic, and sphere bed. A steady-state model simulation was made of the thermodynamic behavior of the packed screen regenerator for a 10 horsepower Stirling engine. This was used as a baseline for comparison of alternate core material candidates. The results of the study indicate a regenerator core, which will provide equivalent engine performance, can be fabricated from the GMR surface, CERCOR ceramic or ceramic sphere bed at a cost of approximately 50 cents per horsepower. Cost estimates were based on medium volume production rates, hence, there is the potential of further cost reduction. L.S.

N78-26322# General Motors Research Labs., Warren, Mich.
STIRLING THERMAL ENGINE REGENERATOR COST REDUCTION PROGRAM. REPORT 2: JUNE 1966 STATUS

John C. Steiner *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 23 p refs

(GMR-2690-Sect-6.004) Avail: NTIS HC A06/MF A01

Early cost estimates of Stirling Engines indicated that the regenerators were the part most in need of cost reduction if the engine was to compete successfully on the commercial market. A goal to reduce the regenerator costs by an order of magnitude to 0.90 dollars per engine horsepower was set for the Regenerator Cost Reduction Program. Sample test regenerators were made from materials which would cost as little as 0.15 dollars per engine horsepower. The Cost Reduction Program consists of a thorough cost analysis and experimental evaluation of the fluid friction and heat transfer characteristics of the candidate materials. Regenerator geometry optimization, engine optimization and manufacturing technique are studied to accommodate the characteristics of the different materials. If 1.32 dollars per engine horsepower wire cloth is used in a properly designed engine in place of the present optimum 11.70 dollars per engine horsepower wire cloth, 98 per cent of the present power and 95.1 per cent of the present maximum efficiency can be attained. L.S.

N78-26323# General Motors Research Labs., Warren, Mich.
STIRLING THERMAL ENGINE REGENERATOR COST REDUCTION PROGRAM. REPORT 3: MANUFACTURING THE ELECTRO-MOTIVE DIVISION 48/BV12C STIRLING ENGINE REGENERATORS

John C. Steiner and Robert Diepenhorst *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 17 p refs

(GMR-2690-Sect-6.005) Avail: NTIS HC A06/MF A01

The manufacturing procedure includes special wire cloth specifications which must be closely followed for ease in

production. Wire cloth configuration measuring methods are described for use in the production of wire cloth regenerators and the results of tests performed on the EMD regenerators are reported. The wire cloth punch mechanism which is described could be automated for large volume production. L.S.

N78-26324# General Motors Research Labs., Warren, Mich. **STIRLING THERMAL ENGINE REGENERATOR COST REDUCTION PROGRAM. REPORT 4: MET NET FLUID FRICTION HEAT TRANSFER TEST RESULTS, ENGINE TEST FOR FOUR REGENERATION MATERIALS**

John C. Steiner *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 6: Regenerators Apr. 1978 45 p refs

(GMR-2690-Sect-6.006) Avail: NTIS HC A06/MF A01

The major effort was concentrated on the testing of the GMR MetNet material developed by the Metallurgical Engineering Department which has a projected cost of 0.15 dollars per engine horsepower. Initial tests of the fluid friction and heat transfer characteristics of the material were completed. Engine tests were performed utilizing the low cost 150 mesh wire cloth and the lowest cost MetNet materials. The structural integrity of MetNet was proven in 100 hours of engine operation with 0.15-0.25 MetNet. The GPU size Stirling engine at full load utilizing 150 mesh wire cloth regenerators produced 100 per cent of the power and 89 per cent of the efficiency of the same engine utilizing the standard 200 mesh wire cloth. The engine using 0.05-0.20 MetNet produced 91 per cent of the power and 89 per cent of the engine efficiency of the engine utilizing standard regenerators. L.S.

N78-26326# General Motors Research Labs., Warren, Mich. **A COLLECTION OF STIRLING ENGINE REPORTS FROM GENERAL MOTORS' RESEARCH, 1958 TO 1970. PART 7: THERMAL ENERGY STORAGE AND PUBLICATION LIST, 7.1 THERMAL ENERGY STORAGE, 7.2 LIST OF GENERAL MOTORS STIRLING ENGINE PUBLICATIONS**

Apr. 1978 243 p refs

(GMR-2690-Pt-7) Avail: NTIS HC A11/MF A01

Various aspects of thermal energy storage were studied for use in the Stirling cycle engine. Lithium hydroxide heat storage system; heat transfer and pressure drop across ground power unit heater; brazed test assembly exposed to molten LiOH; nickel tanks; and energy transfer rates from solidifying lithium fluoride to a plain tube heater were evaluated. The results from these tests are presented. For individual titles, see N78-26327 through N78-26337.

N78-26329# General Motors Research Labs., Warren, Mich. **THERMAL ENERGY STORAGE FOR ROAD VEHICLE PROPULSION**

Worth H. Percival *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. Lists, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 23 p

(GMR-2690-Sect-7.103) Avail: NTIS HC A11/MF A01

Small systems are shown to be at a considerable disadvantage compared to large systems. The problem of heat loss and insulation is described, and methods of transferring heat from the storage unit to the engine are explained. Various properties and heat capacity of 10 solid heat storage substances are compared to lithium fluoride. Three compounds are then compared for a specific application to a small vehicle, and boron carbide is recommended. A small two passenger vehicle is briefly described, along with some theoretical performance. A particular Stirling engine and its ancillaries are explained, along with several transmission types. The weight of the power system is estimated and compared to an electric battery system. Author

N78-26330# General Motors Research Labs., Warren, Mich. **THERMAL ENERGY STORAGE STIRLING ENGINE POWER PLANTS 1: CALCULATED HEAT TRANSFER AND PRESSURE DROP ACROSS GROUND POWER UNIT HEATER ASSEMBLIES**

John C. Steiner *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 7: Thermal Energy

Storage, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 24 p refs

(GMR-2690-Sect-7.104) Avail: NTIS HC A11/MF A01

A power plant basically consisting of a thermal energy storage tank, an existing ground power unit-size Stirling engine and a gas circulating system for transporting energy from the thermal energy storage tank to the engine is considered. The external heat transfer to the engine heater and attendant circulating gas pumping losses are analytically studied. Results show that the pumping losses would be appreciable for the existing heater design, and several new plain tube configurations are proposed to reduce these losses. The most significant reduction in pumping losses would be realized with a heater design of the same number of tubes and spacing as the existing design, but with a 133 percent increase in heater height. The new heater configurations show decreases in the heater outlet gas temperatures at which the circulation blower must operate. Author

N78-26332# General Motors Research Labs., Warren, Mich. **ANALYSIS OF THE FAILURE OF THE NICKEL TANK USED FOR LITHIUM THERMAL ENERGY STORAGE FOR THE CALVAIR AUTOMOBILE**

John C. Bierlein *In its* A collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 34 p ref

(GMR-2690-Sect-7.106) Avail: NTIS HC A11/MF A01

This nickel thermal energy storage tank for use with lithium hydroxide was designed for use in the Calvair automobile. The failure of this tank was caused by several factors. The relative importance of each of these factors is discussed. Author

N78-26333# General Motors Research Labs., Warren, Mich. **ENERGY STORAGE SYSTEMS COMPLEMENT THE STIRLING ENGINE**

In its A Collection of Stirling Eng. Rept. from Gen. Motors Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 3 p

(GMR-2690-Sect-7.107) Avail: NTIS HC A11/MF A01

The heat energy converter of the Stirling engine is described, along with the Calvair automobile (converted '64 Corvair with a Stirling engine). The energy storage capacity of various sources and the output available during energy conversion are shown in tabular form, using watt-hours per pound and watt-hours per cubic inch as measurement. J.A.M.

N78-26334# General Motors Research Labs., Warren, Mich. **THERMAL ENERGY STORAGE--STIRLING ENGINE POWER PLANTS 2. CALCULATED ENERGY TRANSFER RATES FROM SOLIDIFYING LITHIUM FLUORIDE TO A PLAIN-TUBE HEATER**

A. Cocanower *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 49 p refs

(GMR-2690-Sect-7.108) Avail: NTIS HC A11/MF A01

An idealized model of the system was set up and the calculated results indicate that energy could be transferred at a rate sufficient to produce an engine output of 10 horsepower for 10 hours or 20 horsepower for 7 hours. The accuracy of the results is limited to the validity of the idealized model as well as to the certainty of the data, such as the thermal conductivity of lithium fluoride and the heat transfer film coefficients. Author

N78-26335# General Motors Research Labs., Warren, Mich. **METALLURGICAL STUDIES OF HIGH TEMPERATURE ALLOY CAPSULES AFTER LONG TIME CYCLIC CORROSION TESTS AS CONTAINERS FOR LITHIUM FLUORIDE**

Erwin R. Cprek *In its* A Collection of Stirling Eng. Rept. from Gen. Motors' Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 23 p

(GMP-2690-Sect-7.109) Avail: NTIS HC A11/MF A01

Corrosion resistance and effect of the purity of the lithium fluoride on the rate of attack were of primary interest in evaluating the materials. Results of the examination showed no significant corrosion attack on any of the five alloys represented. The use of ultrahigh purity lithium fluoride did not appear to be justified as a means of controlling corrosion attack. Author

N78-26336# General Motors Research Labs., Warren, Mich.
PERFORMANCE EVALUATION OF A STIRLING CYCLE HEAT PUMP

John H. Lienesch In its A Collection of Stirling Eng. Rept. from Gen. Motors Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List, 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 17 p

(GMR-2690-Sect-7.110) Avail: NTIS HC A11/MF A01

Interest in Stirling-powered underwater vehicles has focussed on thermal energy storage systems. Using the engine itself as a heat pump by motoring it in the reverse direction was proposed. Data taken on a ten-horsepower dynamometer engine indicate that such a system is feasible. The effect of speed, temperature, and pressure on heat pump performance is shown in the form of performance maps at various steady state operating conditions. J.A.M.

N78-26337# General Motors Research Labs., Warren, Mich.
THERMAL ENERGY STORAGE-STIRLING ENGINE POWER-PLANTS FOR ROAD VEHICLES

James N. Mattavi In its A Collection of Stirling Eng. Rept. from Gen. Motors Res., 1958 to 1970. Pt. 7: Thermal Energy Storage and Publ. List; 7.1 Thermal Energy Storage, 7.2 List of Gen. Motors Stirling Eng. Publ. Apr. 1978 23 p refs

(GMR-2690-Sect-7.111) Avail: NTIS HC A11/MF A01

The performance of thermal energy storage-Stirling engine powerplants is predicted for six types of road vehicles; these include a family car, commuter car, utility car, delivery van, city taxi, and city bus. Vehicle requirements were taken from study programs on low pollution potential, propulsion systems for urban vehicles. Data on TES-Stirling engine powerplants for the same study guidelines are provided. J.A.M.

N78-26380# National Bureau of Standards, Washington, D. C.
 Inst. for Materials Research.

DEVELOPMENT, TESTING, AND EVALUATION OF MHD-MATERIALS Quarterly Report, July - Sep. 1977

H. P. Frederikse, T. Negas, and S. J. Schneider 30 Sep. 1977 76 p refs

(Contract EA-77-A-01-6010-035)

(FE/6010-9) Avail: NTIS HC A05/MF A01

During this quarter preparations went forward for the testing of an electrode/insulator assembly in the U-02 facility under auspices of the US-USSR cooperative program on MHD power generation (Phase 3). Samples of various electrode materials to be used in this test were received for determination of their electrical conductivity. Some 60 materials were analyzed by X-ray diffraction with regard to crystallinity and phase composition. Further progress was made on the seed-slag interaction problem by mapping major sections of the phase diagram for the system $K_2O-CaO-Al_2O_3-SiO_2$. Characterization of six electrodes tested in the MIT rig was completed. Samples of chrome-magnesia, tested for 30 hrs in a seed environment, were examined by means of X-ray diffraction and Scanning Electron Microscopy. A list was compiled of references to property data for some 20 stainless steels and alloys which show promise for use in downstream components of MHD systems. ERA

N78-26390# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.

LITHIUM AND POTASSIUM HEAT PIPES FOR THERMIONIC CONVERTERS

Gabor Miskolczy (Thermo Electron Corp., Waltham, Mass.) and Erich Kroeger 1978 7 p refs Proposed for presentation at the 13th Intersociety Energy Conversion Engr. Conf., San Diego, Calif., 20-25 Aug. 1978; sponsored by SAE, ACS, AIAA, ASME, IEEE, AIChE, and ANS

(Contract NAS3-20270)

(NASA-TM-78946; E-9695) Avail: NTIS HC A02/MF A01 CSCL 20D

A prototypic heat pipe system for an out-of-core thermionic reactor was built and tested. The emitter of the concentric thermionic converter consists of the condenser of a tungsten heat pipe utilizing a lithium working fluid. The evaporator section of the emitter heat pipe is radiation heated to simulate the thermal input from the nuclear reactor. The emitter heat pipe thermal transport is matched to the thermionic converter input requirement. The collector heat pipe of niobium, 1% zirconium alloy uses potassium as the working fluid. The thermionic collector is coupled to the heat pipe by a tapered conical joint designed to minimize the temperature drop. The collector heat flux matches the design requirements of the thermionic converter. Author

N78-26398# Fluidyne Engineering Corp., Minneapolis, Minn.
SUPPORT TESTING AND DESIGN STUDY EVALUATION OF REGENERATIVE AIR HEATERS Progress Report, Jan. - Mar. 1977

Apr. 1977 51 p refs

(Contract EX-76-C-01-2254)

(FE-2254-5) Avail: NTIS HC A04/MF A01

Progress on the ceramic heater development program for coal-fired MHD generators is summarized. Tasks include: (1) analytical studies of full scale heaters to evaluate fullscale directly and indirectly fired regenerative air heaters suitable for use in a combined MHD-steam power plant; (2) engineering design of heater test module to design a directly-fired air heater test module suitable for construction and testing under realistic, dynamic conditions expected in an MHD power generation system; (3) design support tests to provide a basis for the analytical and design studies of (1) and (2), and to provide design, operational, and material data based on model experiments to optimize the geometry of bed components and to provide techniques to control seed and slag deposit buildup in the bed and connecting ducts; (4) liaison with materials testing and development activities to ensure maximum transfer and utilization of current materials testing and development technology. ERA

N78-26402# Toronto Univ. (Ontario). Dept. of Mechanical Engineering.

DESIGN METHOD FOR HEAT LOSS CALCULATION FOR IN-GROUND HEAT STORAGE TANKS

F. C. Hooper and C. R. Attwater Jul. 1977 6 p ref Presented at the Conf. on Heat Transfer in Solar Energy Systems, Atlanta, 27 Nov. - 2 Dec. 1977; sponsored by ASME

(Contract EY-76-C-02-2939)

(COO-2939-3) Avail: NTIS HC A02/MF A01

A method for calculating the temperature and heat losses for large, partially buried heat storage tanks over a seasonal heat storage cycle is presented. A lumped parameter approach was used, based on three indices evaluated for particular configurations from much more detailed computations. The method appears to offer good accuracy and design convenience in predicting the transient responses of large storages associated with annual heat storage solar heating systems. ERA

N78-26442# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.

DESIGN APPROACHES TO MORE ENERGY EFFICIENT ENGINES

Neal T. Saunders, Raymond S. Colladay, and Lawrence E. Macioce Jul. 1978 13 p refs Presented at the 14th Propulsion Conf., Las Vegas, Nev., 25-27 Jul. 1978; cosponsored by AIAA and SAE

(NASA-TM-78893) Avail: NTIS HC A02/MF A01 CSCL 10B

The status of NASA's Energy Efficient Engine Project, a comparative government-industry effort aimed at advancing the

technology base for the next generation of large turbofan engines for civil aircraft transports is summarized. Results of recently completed studies are reviewed. These studies involved selection of engine cycles and configurations that offer potential for at least 12% lower fuel consumption than current engines and also are economically attractive and environmentally acceptable. Emphasis is on the advancements required in component technologies and systems design concepts to permit future development of these more energy efficient engines. G.Y.

N78-26450# Hanford Engineering Development Lab., Richland, Wash.

TRIBOLOGY: RESEARCH AND DEVELOPMENT NEEDS IN ADVANCED ENERGY TECHNOLOGY

Roger N. Johnson 1977 30 p refs Presented at the ERDA Workshop on Tribology in Energy Technol. Revised (Contract EY-76-C-14-2170) (HEDL-SA-1191-Rev; Conf-770237-1) Avail: NTIS HC A03/MF A01

Poorly controlled wear and friction affects energy conservation, material conservation, and the reliability and safety of mechanical systems, and is estimated to cost U.S. industries \$16 billion/yr. The National Friction, Wear, and Self-Welding Program and its accomplishments are described. The program includes studies of wear and friction problems in high temperature and unusual environments, e.g., as experienced by LMFBR components, and common to much technology involving energy conversion using fossil fuel, geothermal, nuclear, and solar resources. Program activities for tribology information handling and wear and friction testing are discussed. Author (ERA)

N78-26457# Massachusetts Inst. of Tech., Cambridge. Energy Lab.

ISSUES IN FEDERALLY SUPPORTED RESEARCH ON ADVANCED AUTOMOTIVE POWER SYSTEMS Final Report. 1 Jan. - 31 Dec. 1977

Lawrence H. Linden, Subramanyam Kumar, and Paul B. Samuelson Dec. 1977 198 p refs (Grant NSF PRA-76-81015) (PB-278124/3; MIT-EL-77-019; NSF/PRA-7681015/1/8) Avail: NTIS HC A09/MF A01 CSCL 21E

Policy issues related to Federal support for R, D, and D on advanced automotive power systems are examined: (1) whether there is any reasonable justification for the Federal Government to support work in this general area at all, (2) what work should be supported on the automotive gas turbine, and (3) strategic choices to be made in the advanced automotive power systems R and D program. Incentives for privately supported research were examined along with impact of emissions and fuel economy regulation. A set of calculations for the value of the automotive gas turbine engine is presented from the social and private viewpoints and the impact on industry behavior during the introduction phase. Author

N78-26524# Oak Ridge National Lab., Tenn.
NATIONWIDE ASSESSMENT OF WATER QUANTITY IMPACTS OF THE NATIONAL ENERGY PLAN. VOLUME 1: SUMMARY AND CONCLUSIONS

Jerome E. Dobson, Alf D. Shepherd, Ronald G. Palmer (Los Alamos Sci. Lab. N. Mex.), and Shen-yann Chiu Dec. 1977 69 p refs (Contract W-7405-eng-26) (ORNL/TM-6098-Vol-1; ORNL/OEPA-3-Vol-1) Avail: NTIS HC A04/MF A01

The water requirements of steam electric generating plants, coal liquefaction and gasification facilities, and coal extraction activities projected for 1985 are calculated, and impacts associated with the National Energy Plan (NEP) Initiative are compared with those of a Base Case Scenario for the conterminous United States. It can be concluded that there is no appreciable difference in water quantity impacts at the Water Resources Council aggregated subarea level. Consumption as a percentage of the

surface supply never varies by more than one percent between the two scenarios except for the Trinity Basin of Texas, and most of the differences are reductions from the base case to the NEP. However, for either case there will be a considerable increase in water use for energy between 1975 and 1985, and water availability may constrain development in several basins of the western United States. Even in the humid eastern United States localized water problems may occur on certain small tributaries. ERA

N78-26525# Department of Energy, Bartlesville, Okla. Bartlesville Energy Research Center.

REVIEW OF PETROLEUM OIL SATURATION AND ITS DETERMINATION

E. C. Donaldson and Michael E. Crocker Dec. 1977 48 p refs (BERC/RI-77/15) Avail: NTIS HC A03/MF A01

The influence of the wettability of the rock-oil-water system on the microscopic structure of oil saturation is discussed from a background of experimental work conducted at BERC as well as a review of the literature. The general conclusion is that the wetting phase occupies the small pores and coats the surface of the larger pores. A summary of the gross distribution of oil saturation that remains at the end of waterfloods using various well patterns is presented and the methods of laboratory analysis of cores obtained from oilfields are discussed. Core analysis is capable of measuring the distribution of oil saturation in a reservoir, but it is too costly and time-consuming to be applied to a complete field; therefore, its results are complemented by well logs to achieve an economical evaluation of oil saturation. In addition, brief explanations of the procedures and utility of various well logging techniques are presented. ERA

N78-26529# Cameron Engineers, Inc., Denver, Colo.

OIL SHALE RESEARCH OVERVIEW

Charles O. Hook May 1977 79 p (Contract EPA-68-01-4337) (PB-278159/9; EPA-908/4-77-007) Avail: NTIS HC A05/MF A01 CSCL 081

A compilation is given of some federally sponsored oil shale research, both current and recently completed. A breakdown of funding levels and number of projects in the areas of (1) general environmental research, (2) water research, (3) atmospheric research, (4) land and revegetation research, (5) health effects research, and (6) miscellaneous oil shale research is shown. GRA

N78-26541*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
LOW-COST SILICON SOLAR ARRAY PROJECT ENVIRONMENTAL HAIL MODEL FOR ASSESSING RISK TO SOLAR COLLECTORS

Charles Gonzalez 6 Dec. 1977 54 p refs Sponsored by DOE (Contract NAS7-100) (NASA-CR-157225; JPL-5101-45) Avail: NTIS HC A04/MF A01 CSCL 10A

The probability of solar arrays being struck by hailstones of various sizes as a function of geographic location and service life was assessed. The study complements parallel studies of solar array sensitivity to hail damage, the final objective being an estimate of the most cost effective level for solar array hail protection. Author

N78-26542*# National Aeronautics and Space Administration. Lewis Research Center; Cleveland, Ohio.

TRANSIENT RESPONSE TO THREE-PHASE FAULTS ON A WIND TURBINE GENERATOR Ph.D. Thesis - Toledo Univ.

Leonard J. Gilbert Jun. 1978 146 p refs (NASA-TM-78902; E-9638) Avail: NTIS HC A07/MF A01 CSCL 10A

In order to obtain a measure of its responses to short circuits a large horizontal axis wind turbine generator was modeled and its performance was simulated on a digital computer. Simulation of short circuit faults on the synchronous alternator of a wind turbine generator, without resort to the classical

assumptions generally made for that analysis, indicates that maximum clearing times for the system tied to an infinite bus are longer than the typical clearing times for equivalent capacity conventional machines. Also, maximum clearing times are independent of tower shadow and wind shear. Variation of circuit conditions produce the modifications in the transient response predicted by analysis. P.R.A.

N78-26543* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

STATUS OF WRAPAROUND CONTACT SOLAR CELLS AND ARRAYS

Cosmo R. Baraona and L. E. Young 1978 10 p refs Proposed for presentation at the 13th Intersociety Energy Conversion Engr. Conf., San Diego, Calif., 20-25 Aug. 1978; sponsored by SAE, ACS, AIAA, ASME, IEEE, AIChE, and ANS (NASA-TM-78911; E-9646) Avail: NTIS HC A02/MF A01 CSCL 10A

Solar cells with wraparound contacts provide the following advantages in array assembly: (1) eliminate the need for discretely formed, damage susceptible series tabs; (2) eliminate the n gap problem by allowing the use of uniform covers over the entire cell surface; (3) allow a higher packing factor by reducing the additional series spacing formerly required for forming, and routing the series tab; and (4) allow the cell bonding to the interconnect system to be a single-side function wherein series contacts can be made at the same time parallel contacts are made. Author

N78-26547* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

VARIATION OF SOLAR CELL SENSITIVITY AND SOLAR RADIATION ON TILTED SURFACES

Thomas M. Klucher 1978 10 p refs Presented at the 13th Photovoltaic Specialists Conf., Washington, D. C., 5-8 Jun. 1978; sponsored by IEEE

(Contract E(49-26)-1022)

(NASA-TM-78921; DOE/NASA/1022-78/32; E-9661) Avail: NTIS HC A02/MF A01 CSCL 10A

The validity is studied that one of various insolation models used to compute solar radiation incident on tilted surfaces from global data measured on horizontal surfaces. The variation of solar cell sensitivity to solar radiation is determined over a wide range of atmospheric condition. A new model was formulated that reduced the deviations between measured and predicted insolation to less than 3 percent. Evaluation of solar cell sensitivity data indicates small change (2-3 percent) in sensitivity from winter to summer for tilted cells. The feasibility of using such global data as a means for calibrating terrestrial solar cells is discussed. G.G.

N78-26549* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

DOE LERC PHOTOVOLTAIC SYSTEMS TEST FACILITY

Ronald C. Cull and Americo F. Forestieri 1978 10 p refs Presented at the 13th Photovoltaic Specialists Conf., 5-8 Jun. 1978; sponsored by IEEE

(Contract E(49-26)-1022)

(NASA-TM-78923; DOE/NASA/1022-78/34; E-9663) Avail: NTIS HC A02/MF A01 CSCL 10A

The facility was designed and built and is being operated as a national facility to serve the needs of the entire DOE National Photovoltaic Program. The object of the facility is to provide a place where photovoltaic systems may be assembled, and electrically configured, without specific physical configuration, for operation and testing to evaluate their performance and characteristics. The facility as a breadboard system allows investigation of operational characteristics and checkout of components, subsystems and systems before they are mounted in field experiments or demonstrations. The facility as currently configured consist of 10 kW of solar arrays built from modules, two inverter test stations, a battery storage system, interface with local load and the utility grid, and instrumentation and control necessary to make a flexible operating facility. Expansion to 30 kW is planned for 1978. Test results and operating experience are summarized to show the variety of work that can be done with this facility. G.Y.

N78-26550* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

IMPACT OF BALANCE OF SYSTEM (BOS) COSTS ON PHOTOVOLTAIC POWER SYSTEMS

Gerald F. Hein, James P. Cusick, and William A. Poley 1978 8 p Presented at the 13th Photovoltaic Specialists Conf., Washington, D. C., 5-8 Jun. 1978; sponsored by IEEE (Contract E(49-26)-1022)

(NASA-TM-78939; DOE/NASA/1022-78/40; E-9685) Avail: NTIS HC A02/MF A01 CSCL 10A

The Department of Energy has developed a program to effect a large reduction in the price of photovoltaic modules, with significant progress already achieved toward the 1986 goal of 50 cents/watt (1975 dollars). Remaining elements of a P/V power system (structure, battery storage, regulation, control, and wiring) are also significant cost items. The costs of these remaining elements are commonly referred to as Balance-of-System (BOS) costs. The BOS costs are less well defined and documented than module costs. The Lewis Research Center (LeRC) in 1976/77 and with two village power experiments that will be installed in 1978. The costs were divided into five categories and analyzed. A regression analysis was performed to determine correlations of BOS Costs per peak watt, with power size for these photovoltaic systems. The statistical relationship may be used for flat-plate, DC systems ranging from 100 to 4,000 peak watts. A survey of suppliers was conducted for comparison with the predicted BOS cost relationship. Author

N78-26551* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

BASELINE TESTS OF THE KORDESH HYBRID PASSENGER VEHICLE

Richard F. Soltis, John M. Bozek, Robert J. Denington, and Miles O. Dustin Jun. 1978 69 p

(Contract EC-77-A-31-1011)

(NASA-TM-73769; CONS-1011-14; E-9604) Avail: NTIS HC A04/MF A01 CSCL 10A

Performance test results are presented for a four-passenger Austin A40 sedan that was converted to a heat-engine-alternator and battery-powered hybrid. It is propelled by a conventional, gasoline-fueled, heat-engine-driven alternator and a traction pack powering a series-wound, 10 hp direct-current electric drive motor. The 16 hp gasoline engine drives the 7 kilowatt alternator, which provides electrical power to the drive motor or to the 96 volt traction battery through a rectifier. The propulsion battery consists of eight 12 volt batteries connected in series. The electric motor is coupled to a four-speed standard transmission, which drives the rear wheels. Power to the motor is controlled by a three-step foot throttle, which actuates relays that control armature current and field excitation. Conventional hydraulic brakes are used. G.G.

N78-26552* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

DESIGN AND OPERATING EXPERIENCE ON THE US DEPARTMENT OF ENERGY EXPERIMENTAL MOD-0 100-kW WIND TURBINE

John C. Glasgow and Arthur G. Birchenough 1978 17 p refs Proposed for presentation at the 13th Intersoc. Energy Conversion Eng. Conf., San Diego, Calif., 20-25 Aug. 1978

(Contract E(49-26)-1028)

(NASA-TM-78915; E-9652; DOE/NASA/1028-78/18) Avail: NTIS HC A02/MF A01 CSCL 10A

The experimental wind turbine was designed and fabricated to assess technology requirements and engineering problems of large wind turbines. The machine has demonstrated successful operation in all of its design modes and served as a prototype developmental test bed for the Mod-0A operational wind turbines which are currently used on utility networks. The mechanical and control system are described as they evolved in operational tests and some of the experience with various systems in the downwind rotor configurations are elaborated. G.G.

N78-26553* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

DOE/NASA MOD-0A WIND TURBINE PERFORMANCE

T. R. Richards and H. E. Neustadter 1978 8 p refs Proposed for presentation at the 13th Intersoc. Energy Conversion Eng. Conf., San Diego, Calif., 20-25 Aug. 1978 (Contract E(49-26)-1004)

(NASA-TM-78916; E-9654; DOE/NASA/1004-78/13) Avail: NTIS HC A02/MF A01 CSCL 10A

Design and operation of a large wind turbine at Clayton, New Mexico is reported. This is the first of three identical 200 kW wind turbines to be operated on electric utility networks. A comparison between its predicted and measured power versus wind speed performance is presented. G.G.

N78-26554* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

DESCRIPTION AND STATUS OF NASA-LERC/DOE PHOTOVOLTAIC APPLICATIONS SYSTEMS.

Anthony F. Ratajczak 1978 10 p refs Presented at the 13th Photovoltaic Specialists Conf., Washington, D. C., 5-8 Jun. 1978; sponsored by IEEE

(Contract E(49-26)-1022)

(NASA-TM-78936; E-9679; DOE/NASA/1022-78/38) Avail: NTIS HC A02/MF A01 CSCL 10A

Designed, fabricated and installed were 16 geographically dispersed photovoltaic systems. These systems are powering a refrigerator, highway warning sign, forest lookout towers, remote weather stations, a water chiller at a visitor center, and insect survey traps. Each of these systems is described in terms of load requirements, solar array and battery size, and instrumentation and controls. Operational experience is described and present status is given for each system. The P/V power systems have proven to be highly reliable with almost no problems with modules and very few problems overall. Author

N78-26556* General Electric Co., Philadelphia, Pa. Space Div.

SOLAR HEATING AND COOLING SYSTEM DESIGN AND DEVELOPMENT Quarterly Summary, Jan. - Mar. 1978

Apr. 1978 33 p Prepared for DOE

(Contract NAS8-32092)

(NASA-CR-150705) Avail: NTIS HC A03/MF A01 CSCL 10A

The progress made in the manufacture, test, evaluation, installation, problem resolution, performance evaluation, and development of eight prototype solar heating and combined heating and cooling systems is described. M.V.

N78-26557* Northrup, Inc., Hutchins, Tex.

DEVELOPMENT AND FABRICATION OF A CONCENTRATING SOLAR COLLECTOR SUBSYSTEM Quarterly Report, 1 Jan. - 31 Mar. 1977

Apr. 1977 37 p Prepared for DOE

(Contract NAS8-32251)

(NASA-CR-150712; QR-2) Avail: NTIS HC A03/MF A01 CSCL 10A

The progress of work on the evacuated receiver, lens design, lens die fabrication, and improvements on components, production techniques, and performance testing is discussed. M.V.

N78-26558* Northrup, Inc., Hutchins, Tex.

DEVELOPMENT AND FABRICATION OF A CONCENTRATING SOLAR COLLECTOR SUBSYSTEM Quarterly Report, 1 Apr. 1977 - 30 Sept. 1977

(Contract NAS8-32251)

(NASA-CR-150713; QR-3; QR-4) Avail: NTIS HC A12/MF A01 CSCL 10A

The finalization of designs, fabrication of the new lens, receiver, and tracking box and a review of the contract status are presented. Author

N78-26559* Northrup, Inc., Hutchins, Tex.

CONCENTRATING SOLAR COLLECTOR SUBSYSTEM: PRELIMINARY DESIGN PACKAGE Quarterly Report, 1 Oct. - 31 Dec. 1976

20 Jan. 1977 109 p Prepared for DOE

(Contract NAS8-32251)

(NASA-CR-150714; Rept-10046-4; QR-1) Avail: NTIS

HC A06/MF A01 CSCL 10A

Preliminary design data are presented for a concentrating solar collector including an attitude controller. Provided are schedules, technical status, all documents required for preliminary design, and other program activities. G.G.

N78-26563# Sandia Labs., Livermore, Calif.

EFFECTIVENESS OF SPECTRALLY SELECTIVE SURFACES FOR EXPOSED, HIGH-TEMPERATURE SOLAR ABSORBERS

M. Abrams Jan. 1978 30 p refs

(Contract EY-76-C-04-0789)

(SAND-77-8300) Avail: NTIS HC A03/MF A01

A theoretical heat transfer analysis of spectrally selective absorbers shows that spectral selectivity offers the greatest benefits for conditions of high absorber temperature and/or low values of solar irradiation. By using a two-band model of the selective absorber, the cutoff wavelength which maximizes absorber efficiency was found to depend on just two parameters: the absorber temperature, and the level of solar irradiation. The emittance of the infrared band has a greater effect upon efficiency than the absorbance of the solar band when a critical dimensionless parameter exceeds unity. The analysis was undertaken for application to central receivers for solar tower focus power plants. ERA

N78-26564# Sandia Labs., Albuquerque, N. Mex.

LASER RAY TRACE AND BI-DIRECTIONAL REFLECTOMETRY MEASUREMENTS OF VARIOUS SOLAR CONCENTRATORS Presented at the Concentrating Solar Collector Conf., Atlanta, 26 Sep. 1977

R. B. Pettit and B. L. Butler 1977 19 p refs

(Contract EY-76-C-04-0789)

(SAND-77-1466C; Conf-770953-4)

Avail: NTIS HC A02/MF A01

In order to characterize the optical quality of reflecting parabolic solar concentrators, low measurement techniques were developed. Laser ray trace measurements were used to determine the focal length and focused beam size of the parabolic structures, while bidirectional reflectometry was developed to measure the specular reflectance properties of mirror materials. The overall optical quality of a concentrator is calculated by combining results from these two measurements. Model parabolic structures were fabricated by commercial suppliers from a variety of materials, including forest products, metals, ceramics and plastics. ERA

N78-26565# Honeywell, Inc., Minneapolis, Minn. Systems and Research Center.

OPTIMIZATION OF COATINGS FOR FLAT PLATE SOLAR COLLECTORS, PHASE 2 Final Report, 28 Jun. 1976 - 27 Jun. 1977

R. J. H. Lin and P. B. Zimmer Jul. 1977 133 p refs

(Contract EY-76-C-02-2930)

(COO-2930-12) Avail: NTIS HC A07/MF A01

Optical coatings that would enhance the economic feasibility of flat plate solar collectors were investigated. Etched and dipcoated antireflection (AR) coatings and selective absorbing plated and paint coatings that are low cost and optically efficient were investigated. A selective paint coating was developed with solar absorptance of 0.92 and room temperature emittance of 0.10. It was made through the optimization of coating thickness, pigment volume concentration, and pigment particle size. Accelerated humidity and outdoor exposure tests were conducted for black chrome, black-nickel and black iron coatings. The black chrome coating is most durable and its life was estimated to be greater than 30 years. ERA

N78-26567# Los Alamos Scientific Lab., N. Mex.

IMPACTS OF THE NATIONAL ENERGY PROGRAMME ON SOLAR ECONOMICS

S. Ben-David, S. Noll, F. Roach, and W. Schulze 1978 70 p Presented at the Intern. Solar Energy Congr. New Delhi, 16 Jan. 1978

(Contract W-7405-eng-36)

(LA-UR-78-131; Conf-780114-2)

Avail: NTIS

HC A04/MF A01

The National Energy Plan (NEP) sets as a goal the use of solar energy in two and a half million homes in 1985. A key provision of the NEP (as well as congressional alternatives) provides for the subsidization of solar equipment. The extent to which these subsidies (income tax credits) might offset the impact of continued energy-price control is examined. Regional prices and available of conventional energy sources (oil, gas, and electricity) were compiled to obtain a current and consistent set of energy prices by state and energy type. Projections of conventional fuel price increase (or decreases) are made under both the NEP scenario and a projected scenario where all wellhead price controls are removed on natural gas and crude oil production. The economic feasibility (life cycle cost basis) of solar energy for residential space heating and domestic hot water is examined on a state-by-state basis. ERA

N78-26568# George Washington Univ., Washington, D. C. School of Engineering and Applied Science.

SUMMARY OF PROCEEDINGS OF SOLAR HEATING AND COOLING COMMERCIALIZATION WORKSHOP

R. H. Bezek, A. B. Cambel, and C. R. Hauer May 1977 48 p Workshop held at Washington, D.C., 4-5 May 1977

(Contract EG-77-C-01-4017)

(DSE/4017-1) Avail: NTIS HC A03/MF A01

The present state of commercialization of solar heating and cooling was examined and suggestions were obtained from the various parties of interest on how the existing commercialization process might be improved. The discussions were limited to the existing government program and near term program changes which could increase the growth rate of solar energy heating and cooling. A four session workshop was conducted in which the following general areas were covered: (1) the industrial perspective; (2) legal issues; (3) the utility interface; and (4) institutional considerations. ERA

N78-26570# Charles River Associates, Inc., Cambridge, Mass. **METHODOLOGY FOR PREDICTING THE DEMAND FOR NEW ELECTRICITY USING GOODS Final Report**

Dec. 1977 81 p refs

(EPRI Proj. 488-1)

(EPRI-EA-593) Avail: NTIS HC A05/MF A01

A model was exposit to analyze conventional demand functions. The potential and requirements for applying this model to the market for home-temperature-conditioning alternatives are considered to predict the future demand for heat pumps with specified characteristics. The applicability of the model to studying the demand for heat pumps is discussed, and the specifics of such a study are illustrated. ERA

N78-26571# Argonne National Lab., Ill. Chemical Engineering Div.

ADVANCED FUEL CELL DEVELOPMENT Progress Report, Jul. - Sep. 1977

J. P. Ackerman, K. Kinoshita, J. W. Sim, R. Swaroop, and P. A. Nelson Nov. 1977 27 p refs

(Contract W-31-109-eng-38)

(ANL-77-79) Avail: NTIS HC A03/MF A01

Fuel cell research and development activities are presented. Work was aimed at understanding and improving the performance of fuel cells having molten alkali-carbonate mixtures as electrolytes; the fuel cells operate at temperatures near 923 K. Effort was directed toward development of methods for fabricating and evaluating electrolyte structures for these cells and optimizing their design. Cell performance, life, and cost are the criteria of optimization. A clear relationship was established between electrolyte structure and cell performance, and the effectiveness of a wet-seal protection technique was demonstrated for more than 2600 h. A method for testing of electrolyte specimens for thermal expansion and high-temperature static creep was developed. Results for the first few samples are given, and a tentative preliminary correlation with conventional creep behavior is proposed. ERA

N78-26572# National Academy of Sciences - National Research Council, Washington, D. C. Ad Hoc Panel on Liquefaction of Coal.

ASSESSMENT OF TECHNOLOGY FOR THE LIQUEFACTION OF COAL: SUMMARY

Dec. 1977 45 p

(Contract EX-76-C-01-1216)

(FE-1216-2) Avail: NTIS HC A03/MF A01

Scale-up of the most promising solvent extraction process and the most promising direct catalytic coal-oil-slurry hydrogenation process (H-Coal) is carried forward expeditiously at a scale of 250 to 600 tons per day. ERA

N78-26573# Department of Energy, Washington, D. C.

FOSSIL ENERGY DEMONSTRATION PLANTS

Nov. 1977 16 p

(TID-28182) Avail: NTIS HC A02/MF A01

The conversion of domestic coal resources into environmentally and socially acceptable substitutes for oil and natural gas is considered. In processing fossil fuels, the plant size needed for acceptable economics is very large. Capital requirements are, therefore, large and the time from conceptual design to capacity operation and process evaluation is long. The need for demonstration plant as an intermediate step between the pilot plant and the commercial plant is outlined. The program encourages private industry to become industrial partners who direct project and share the risks and costs of demonstrating unproven but potentially viable fossil energy conversion and utilization technologies. The industrial partner directs all design, construction and operation. Demonstration plant projects in the program areas of fuel gas and pipeline gas are described. ERA

N78-26574# Lockheed Missiles and Space Co., Palo Alto, Calif. Metallurgy and Composites Lab.

THERMODYNAMIC PHASE STABILITY DIAGRAMS FOR THE ANALYSIS OF CORROSION REACTIONS IN COAL GASIFICATION/COMBUSTION ATMOSPHERES

P. L. Hemmings and Roger A. Perkins Dec. 1977 110 p refs (EPRI Proj. 716-1)

(EPRI-FP-539) Avail: NTIS HC A06/MF A01

An understanding of corrosion chemistry in complex environments is needed for the effective use of metals and alloys in coal gasification/combustion systems. High-temperature corrosion reactions were analyzed from a thermodynamic equilibrium point of view. The equilibrium pressure of sulfur, oxygen, nitrogen and carbon in the gas will determine which condensed phases can stand in equilibrium with the gas. Reaction paths can be charted to determine how other phases can exist beneath the surface scale. The use of thermodynamic phase-stability diagrams for this purpose is discussed. The diagrams show which phases can exist at a given temperature for a given element (Fe, Ni, Co, etc.) in a mixture of two different oxidants (CO₂S and N₂). The derivation and use of these diagrams to interpret behavior in coal gasification/combustion atmospheres is discussed. ERA

N78-26575# California Univ., Livermore. Lawrence Livermore Lab.

LLL GAS STIMULATION PROGRAM Quarterly Progress Report, Jul. - Sep. 1977

M. E. Hanson, R. J. Shaffer, G. D. Anderson, H. C. Heard, D. O. Emerson, C. Knutson (Geoenergy Corp.), and B. C. Haimson (Wisconsin Univ., Madison) 28 Oct. 1977 40 p refs

(Contract W-7405-eng-48)

(UCRL-50036-77-3) Avail: NTIS HC A03/MF A01

Two theoretical models that simulate, respectively, the local and distance effects of the hydraulic fracturing process were formulated. Application and analysis have indicated that for a penetrating fluid the stress intensity factor tends to decrease as the pore pressure increases. Laboratory fracturing experiments the hydraulic fluid pressure necessary to initiate a crack is relatively insensitive to the applied load on the block. The sensitivity of the principal stress magnitudes on the fracture orientation was also tested. A rock geometry and mechanics study of the Western tight gas sands was also completed. ERA

N78-26576# General Atomic Co., San Diego, Calif.
PREDICTION OF THERMOELECTRIC BATTERY POWER AND VOLTAGE FOR A 15 YEAR LIFETIME MB-75 mW (B) BATTERY

E. J. Steeger and J. C. Bass Nov. 1977 16 p ref
 (Contract EY-76-C-03-0167-060; Proj. 3246)
 (GA-A-14718) Avail: NTIS HC A02/MF A01

In order to predict the power output of a radioisotope-powered thermoelectric generator (RTG) at sometime in the future, it is necessary to make corrections for both isotope decay and for module degradation. The laws governing isotope decay are well known, however, their application to a RTG can be complicated by other phenomena which occurs within the generator. Results of an empirical approach to the problem are presented. ERA

N78-26578# National Academy of Sciences - National Research Council, Washington, D. C. Commission on Sociotechnical Systems.

ASSESSMENT OF ADVANCED TECHNOLOGY FOR DIRECT COMBUSTION OF COAL

Dec. 1977 100 p refs
 (Contracts EX-76-C-01-1216; E(49-18)-1216)
 (HCP/T1216-0001) Avail: NTIS HC A05/MF A01

Methods were assessed for burning high-sulfur coal that would permit existing sulfur dioxide, nitrogen oxides, and particulate emission limits to be met without a substantial increase in capital investment or in operating costs and that would improve the thermal efficiency of the electric-power generation process. Fluidized-bed combustion of coal has the potential for controlling gaseous emissions more economically than existing methods. Of all the alternative processes considered, the most promising for first-stage development is atmospheric pressure fluidized-bed combustion using a minimum amount of excess air and a carbon burnup cell to complete combustion. Fluidized-bed combustion may be available for industrial boilers and total energy systems in the early 1980s. The larger, more complex units needed for electric-power generation require additional demonstration. ERA

N78-26580# California Univ., Livermore. Lawrence Livermore Lab.

SUMMARY OF THE METAL-AIR FUEL CELL RESEARCH PROGRAM

J. F. Cooper 8 Sep. 1977 13 p refs
 (Contract W-7405-eng-48)
 (UCID-17591) Avail: NTIS HC A02/MF A01

An analysis was conducted to determine whether a full performance, economical electric vehicle can be developed using a mechanically rechargeable metal -- air battery as a power source. State of the art and projected performance, energy conversion efficiency, estimates of cost of ownership and operation, considerations of market entry, and current research areas are discussed. Li, Al, and Ca seem to hold the greatest promise. ERA

N78-26581# Mississippi State Univ., Mississippi State. Energy Research Center.

TESTING AND EVALUATION OF MHD MATERIALS AND SUBSTRUCTURES Quarterly Technical Progress Report, Jan. - Mar. 1977

Oct. 1977 56 p refs
 (Contract EX-76-C-01-2246)
 (FE-2246-3-Rev-A) Avail: NTIS HC A04/MF A01

The equilibrium chemical composition and constituent phases of the gas stream were determined as a function of temperature. These calculations allow determination of the initial stream preparation conditions of the MSU test stand at 1.1 atm that will match the operating conditions of the baseline MHD plant. The longitudinal variation of the total wall heat flux, gas temperature, gas velocity, metal surface temperature on both the gas side and water side, and slag thickness were determined for various cases of slag coated and bare wall conditions using the developed thermal model of the metallic materials component test stand and annular boiler. P.R.A.

N78-26583# Los Alamos Scientific Lab., N. Mex.
STATUS OF EUROPEAN THERMOCHEMICAL HYDROGEN PROGRAMS

M. G. Bowman 16 Nov. 1977 5 p Presented at the DOE Ann. Chem. Energy Storage and Hydrogen Energy Systems Contract Rev. Meeting, Washington, D.C., 16-17 Nov. 1977
 (Contract W-7405-eng-36)
 (LA-UR-77-2985; Conf-771131-3) Avail: NTIS HC A02/MF A01

Visits were made to European Laboratories engaged in thermochemical hydrogen research. The visits to the listed laboratories were primarily to learn the scope of the different programs and the general areas of information expected to be made available under the International Energy Agency Implementing Agreement on the Production of Hydrogen from Water. From observations made during the visits, the following conclusions were reached: (1) It is clear that Europeans are directing their efforts towards relatively short term development of better methods for the production and utilization of hydrogen. (2) The European effort on thermochemical hydrogen research and development is significantly greater than the total of U.S. programs. (3) It will be advantageous for the United States to cooperate in information exchange activities under the I.E.A. The description of the different visits is given in the format of a trip report. ERA

N78-26584# Oak Ridge National Lab., Tenn.
VALUE OF ENERGY STORAGE FOR DIRECT-REPLACEMENT SOLAR THERMAL POWER PLANTS

T. D. Anderson, Stephen I. Kaplan, and John V. Wilson 1978 29 p refs Presented at the Appl. Workshop: Thermal Storage Integrated into Solar Power Plants, SERI, Golden, Colo., 14-15 Feb. 1978
 (Contract W-7405-eng-26)
 (CONF-780216-2) Avail: NTIS HC A03/MF A01

The general objective of the study was to develop information on energy storage requirements for solar thermal power plants as an aid to planning and implementing the research and development work. The specific objectives of the study are to derive cost targets for energy storage systems over a range of applications of direct-replacement solar-thermal power plants and to determine the amount of energy storage required for a given cost of storage. The utility applications considered are base-load (100% demand factor) and intermediate-load (50% and 25% demand factor). Locations examined are Inyokern, Chicago, and Philadelphia. The locations selected are intended to provide a representative sampling of U.S. conditions with respect to both solar resources and utility system load patterns. Backup capacity, economic tradeoffs, demand factors, and economic analysis are discussed. It is concluded that the energy storage R and D program should focus on storage systems of relatively low capacity, i.e., less than 6 kW/hr/kW. ERA

N78-26585# Oak Ridge National Lab., Tenn. Environmental Sciences Div.

ENERGY FROM BIOMASS: AN OVERVIEW OF ENVIRONMENTAL ASPECTS

R. D. Roop 1978 15 p refs Presented at Technol. for Energy Conserv., Albuquerque, N. Mex., 23 Jan. 1978
 (Contract W-7405-eng-48)
 (CONF-780109-3) Avail: NTIS HC A02/MF A01

Recent literature regarding energy from biomass is reviewed in order to delineate environmental issues and suggest research needed for assessment of this energy option. Potential sources of biomass for conversion to energy include agricultural and forestry residues, municipal and industrial wastes, biomass plantations, and freshwater and marine grown plant material. The impacts of using wastes and of growing biomass for fuel are summarized. ERA

N78-26586# Oregon Univ., Eugene. Solar Energy Center.
COMMUNITY LEADERS WORKSHOP ON SOLAR ENERGY ASSESSMENT Final Report

C. Venolia, ed. Aug. 1977 45 p Workshop held in Eugene, Ore., 20 Aug. 1977
 (Contract EY-76-S-06-2230-005)
 (RLO/2230/T5-1) Avail: NTIS HC A03/MF A01

A summary of activities and discussions and general format of a solar energy conference at Eugene, Oregon, to involve local groups in the assessment of environmental and social issues relating to solar energy development are presented. The topics of the three workshops were (1) solar heating and cooling, (2) fuels from biomass, and (3) agricultural and industrial heat. ERA

N78-26588# Sandia Labs., Livermore, Calif. Systems Studies Div.

STAEAC: SOLAR THERMAL ELECTRIC ANNUAL ENERGY CALCULATOR DOCUMENTATION

J. B. Woodard and G. I. Miller Jan. 1978 78 p refs

(Contract EY-76-C-04-0789)

(SAND-77-8278) Avail: NTIS HC A05/MF A01

The Solar Thermal Electric Annual Energy Calculator (STAEAC) is a computer model which estimates the annual performance of a solar thermal electric power plant. Written in FORTRAN 4 for the CDC 6600, STAEAC is a quasi-steady state model with a constant (but user-variable) time step. Factors such as energy losses and delays incurred in start-up, effects of ambient weather conditions on plant operation and efficiency, effects of hold time and charge and discharge rates on deliverable energy in storage, subsystem maximum and minimum power limits, and auxiliary power requirements are taken into account in the computation of the annual electrical output of the plant. Default parameters may be easily modified through the use of NAMELIST inputs. ERA

N78-26591# Carnegie-Mellon Univ., Pittsburgh, Pa.
DYNAMIC MODELS OF FALLING FILM EVAPORATORS FOR OCEAN THERMAL ENERGY CONVERSION PLANTS

S. A. Heteyi and Charles P. Neuman Jun. 1977 52 p refs

(Contract EY-76-S-02-2641)

(COO-2641-3) Avail: NTIS HC A04/MF A01

The pertinent physical laws of heat transfer and mass balance are applied to develop lumped parameter, dynamic and steady state models for shell and tube evaporators incorporating falling films. The dynamic evaporator model is specified by three ordinary differential equations and one algebraic equation with two time delays. It is shown that, in the steady state, this dynamic model reduces to the steady state evaporator model previously developed. It is demonstrated that the dynamic evaporator model is stable for perturbations around an equilibrium operating point. The dynamic evaporator model is being incorporated with the component models developed earlier to assemble a simulation model of the power cycle of an OTEC PLANT. The power cycle model will be simulated on the digital computer to ensure that the component models adequately characterize experimentally observed data. ERA

N78-26592# Electric Power Research Inst., Palo Alto, Calif. Fossil Fuel and Advanced Systems Div.

PERSPECTIVES ON UTILITY CENTRAL STATION PHOTOVOLTAIC APPLICATIONS

E. A. DeMeo and P. B. Bos Jan. 1978 54 p refs

(EPRI-ER-589-SR) Avail: NTIS HC A04/MF A01

Nominal cost and performance goals are developed for solar photovoltaic conversion devices intended for large-scale electric utility applications. The objective is to provide an improved basis for establishing research and development priorities for photovoltaic devices and conversion concepts. Comparisons are made among a number of generic power plant conceptual designs, with the aid of an array design parameter that is defined to include array-area-related costs, overall power plant efficiency, and average available insolation. The analysis indicates that flat plate approaches without concentration or tracking have good prospects for commercial viability if device conversion efficiencies near 10 percent can be combined with installed device costs under \$20/sq m \$2/sq ft and device lifetimes in excess of 20 years. Thin-film approaches have potential for achieving these cost and performance goals because of low material content and potentially low fabrication costs. ERA

N78-26594# Houston Univ., Tex. Solar Energy Lab.
LIQUID METAL COOLED SOLAR CENTRAL RECEIVER

FEASIBILITY STUDY AND HELIOSTAT FIELD ANALYSIS. PART 1: LIQUID SODIUM COOLED CENTRAL RECEIVER SYSTEM CONCEPTUAL DESIGN Final Report. 15 Jun. 1976 - 15 Jun. 1977

Lorin L. Vant-Hull, Gerry Coleman (McDonnell Douglas Astronautics Co.), Tom Springer (Atomics Intern.), and Jerry Friefeld (Rocketdyne) Oct. 1977 162 p ref

(Contract EG-76-G-03-1426)

(ORO/5178-78-1) Avail: NTIS HC A08/MF A01

A conceptual design for a 100 MWe Solar Tower System employing liquid sodium as a heat transfer fluid and as a storage medium is generated. This design intentionally parallels the current commercial baseline design for a water/steam transfer fluid in order to enhance comparisons between the two approaches and to maximize the application of the limited funds in this study to the unique features of the liquid sodium system. Heat transfer at the receiver and the steam generator were considered in detail. Components for the liquid sodium loop currently under test on development were identified for a 10 MWe pilot plant and a 100 MWe demonstration plant. Economic comparisons with the MDAC water/steam receiver are favorable. ERA

N78-26595# Los Alamos Scientific Lab., N. Mex.

PROSPECTS FOR SOLAR ENERGY: THE IMPACT OF THE NATIONAL ENERGY PLAN

F. Roach, Scott Noll (New Mexico Univ., Albuquerque), Shaul Ben-David (New Mexico Univ., Albuquerque), Larry Bickle (L. W. Bickle and Assoc., Consulting Engineers, Albuquerque, New Mexico), and William Schulze (Univ. of Southern California, Los Angeles) Dec. 1977 53 p ref

(Contract W-7405-eng-36)

(LA-7064-MS) Avail: NTIS HC A04/MF A01

The National Energy Plan (NEP) set as a goal, the use of solar energy in two and a half million homes in 1985. A key provision of the NEP provides for the subsidization of solar equipment. The extent to which these subsidies might offset the impact of continued energy price control is examined. Regional prices and availability of conventional energy sources were compiled to obtain a current and consistent set of energy prices by state and energy type. Projections of conventional fuel price increases are made under both the NEP scenario and a projected scenario where all wellhead price controls are removed on natural gas and crude oil production. Solar system costs are developed for each state by fraction of Btu heating load provided. The total number of homes, projected energy savings, and sensitivity to heating loads, alternative energy costs and prices are included in the analysis. ERA

N78-26596# Avco-Everett Research Lab., Everett, Mass.

MHD GENERATOR COMPONENT DEVELOPMENT Quarterly Report, Jan. - Mar. 1977

Apr. 1977 89 p refs

(Contract EF-77-C-01-2519)

(FE-2519-1) Avail: NTIS HC A05/MF A01

Radial flow disk experiments were performed at peak magnetic fields in the 4 to 4.5 tesla range. Maximum output power was in the 8 MW range with a corresponding enthalpy extraction of 7 per cent. The working fluid consisted of a mixture of N₂, CO₂, and H₂. A comparison of measured and calculated plasma conductivities and MHD channel characteristics is presented. Channel calculations predict accurately the Hall effect. Results of other experimental tasks are also presented. P.R.A.

N78-26597# Brookhaven National Lab., Upton, N. Y.

FUEL CELLS: APPLIED RESEARCH FUEL CELL MATERIALS AND ELECTROCATALYSIS Annual Report, Jan. - Dec. 1976

S. Srinivasan and H. S. Isaacs Sep. 1977 32 p refs

(Contract EY-76-C-02-0016)

(BNL-50852) Avail: NTIS HC A03/MF A01

Research is described on electrocatalysis of fuel cell reactions including the topics (1) mixed oxides as oxygen electrodes, (2) electrolyte effects on the oxygen reduction reaction, (3) anion effects on the oxygen reduction reaction, and (4) selection and evaluation of electrocatalysts for oxygen reduction in KHCO₃/K₂CO₃ buffered electrolytes. Phosphoric acid fuel cell studies

include inhibition of sintering of fuel cell catalyst particles; electrochemical methods for surface regeneration and temperature effects on the oxygen reduction reaction a platinum in phosphoric acid electrolyte. Research on the characterization of overpotentials of solid electrolyte fuel cells and selection and evaluation of interconnector materials for solid electrolyte fuelcells is summarized. Author (ERA)

N78-26598# Honeywell, Inc., Minneapolis, Minn. Energy Resources Center.

MIXED STRATEGIES FOR ENERGY CONSERVATION AND ALTERNATIVE ENERGY UTILIZATION (SOLAR) IN BUILDINGS, VOLUME 1. EXECUTIVE SUMMARY Final Report Jun. 1977 62 p

(Contract EY-76-C-03-1234)

(SAN/1234-1/1) Avail: NTIS HC A04/MF A01

Information is presented on the cost effectiveness of a strategy for reducing energy consumption in buildings by combining energy conservation techniques, such as improved building design and thermal insulation with solar heating and cooling systems. It is concluded, from computer simulation studies used to determine building loads and the interaction of the solar system, that energy conservation is the most cost effective way to save energy in all buildings at any location, and that solar systems are currently not cost effective. ERA

N78-26599# National Science Council, Dublin (Ireland). Energy Group.

ANALYSIS OF THE IMPACT OF HEAT PUMP TECHNOLOGY ON THE IRISH ENERGY SYSTEM TO THE YEAR 2000. ENERGY CASE STUDY SERIES: NO. 2

J. Brady Sep. 1977 103 p refs Presented at the Energy Workshop of the Natl. Sci. Council of Ireland, Dublin, 13 Sep. 1977

(CONF-770956-2) Avail: NTIS HC A06/MF A01

The methodology involved the measurement of the potential impact against a base reference energy system for various heat pump strategies. A short analysis of the implementation rates and their effect on technology impact was also carried out. ERA

N78-26601# Oak Ridge National Lab., Tenn.

MOLTEN CARBONATE FUEL CELL RESEARCH AT ORNL 2: THEORETICAL AND EXPERIMENTAL TRANSPORT STUDIES, THERMOCHEMISTRY, AND ELECTRON MICROSCOPY

J. Braunstein, H. R. Bronstein, S. Cantor, D. E. Heatherly, L. D. Hulet, R. L. Shermann, C. E. Vallet, and G. Watts Dec. 1977 22 p refs

(Contract W-7405-eng-26)

(ORNL/TM-6168/V2) Avail: NTIS HC A02/MF A01

Theoretical and modeling studies of mass transport in molten Li₂CO₃-K₂CO₃ mixtures were extended for the prediction of possible composition gradients. A parametric representation was developed that incorporates the effects of current density, electrode separation, initial composition, effective Li/K mobility ratio and effective interdiffusion coefficient. Electrolysis experiments designed to test the model and simulate mass transport in an operating fuel cell are being carried out by analysis of emf-time relaxation curves measured after electrolysis. Direct analysis of composition profiles in electrolyte tiles is being developed by means of scanning electron microscopy with energy dispersive X-ray fluorescence. Differential scanning calorimetry was applied to the thermochemistry of the carbonate electrolyte and lithium aluminate matrix. ERA

N78-26604# Sandia Labs., Albuquerque, N. Mex.

NUMERICAL CODES FOR MHD FLOWS Quarterly Technical Progress Report, Jan. - Mar. 1977

K. J. Touryan, F. G. Blottner, A. J. Russo, and J. G. Taylor Nov. 1977 42 p

(Contract EY-76-C-04-0789)

(SAND-77-1658) Avail: NTIS HC A03/MF A01

A previously developed code for an inviscid perfect gas was adapted to the calculation of the flow from the combustion chamber through the MHD channel. Verification of the quasi-two-

dimensional approximation was obtained. Using an electrodynamic code which calculates current and potential fields in an expanding section of MHD channel, routines for iteratively interchanging data with the two-dimensional fluid code were developed. The equations modelling slag vapor condensation in a coal combustion MHD generator were simplified to provide a more tractable problem for initial study. Results of other progress are also reported. P.R.A.

N78-26608# Alabama Univ., Huntsville. Kenneth E. Johnson Environmental and Energy Center.

SOLAR HEATING AND COOLING DEMONSTRATION PROGRAM CONTRACTOR'S REVIEW. SUMMARY AND ANALYSIS OF WORKSHOP AND PANEL SESSIONS

D. L. Christensen Dec. 1977 43 p Conf. held at New Orleans, 5-7 Dec. 1977

(Contract EC-78-C-01-4131)

(CONF-771229-Summ) Avail: NTIS HC A03/MF A01

The Workshop Summary contains the results and summaries of the five workshops and panel session held on the final day of the program. The workshops reflected much of the interests and concerns of the various attendees and generally represent a summary of the overall program. The workshops included: (1) design concepts, philosophy and techniques; (2) installation, construction and hardware procurement; (3) operational and performance factors; (4) economic, environmental, societal and institutional issues; and (5) overview of National Demonstration Program. ERA

N78-26609# Boeing Engineering and Construction, Seattle, Wash.

CENTRAL RECEIVER SOLAR THERMAL POWER SYSTEM: COLLECTOR SUBSYSTEM Final Report

15 Aug. 1977 154 p refs

(Contract EY-76-C-03-1111)

(SAN/1111-76-7) Avail: NTIS HC A08/MF A01

Three heliostats and a drive and control assembly were fabricated and tested to provide design data and verification of the preliminary design. In addition, an extensive evaluation program was conducted on the key plastic materials used in the protective enclosure and reflector. Performance and environmental exposure tests on large scale heliostats were conducted over an eight month period at a desert test site in northeast Oregon to determine optical performance, demonstrate operation of the drive and control assembly in the various operational modes, and verify survivability of hardware in the environment. Plastic materials evaluation tests included measurement of mechanical and optical properties, creep, chemical exposure, cleanability, accelerated simulated sunlight, and actual desert sunshine exposure tests. ERA

N78-26610# Tennessee Univ., Knoxville.

IN SITU CONVERSION OF COAL Final Report, 1 Jun. 1976 - 30 Nov. 1977

John W. Larsen Oct. 1977 16 p refs

(Contract EY-76-S-02-0066)

(COO-0066-2) Avail: NTIS HC A02/MF A01

Intermolecular hydride transfer from a variety of compounds to carbonium ions was reviewed. The reaction developed uses BF₃H₂O as the acid and Et₃SiH as the hydride donor. The organic compound to be reduced is protonated by the BF₃H₂O to give a carbonium ion which then hydride abstracts from the Et₃SiH. ERA

N78-26611# California Univ., Livermore. Lawrence Livermore Lab.

ENERGY AND RESOURCE PLANNING GROUP Annual Report, FY 1977

William J. Ramsey, ed. 27 Oct. 1977 31 p refs

(Contract W-7405-eng-48)

(UCRL-50029-77) Avail: NTIS HC A03/MF A01

A major effort was devoted to transportation planning and analysis; system analysis, conceptual design studies, and planning support to the Transportation Energy Conservation Division of DOE. Also, a multilaboratory study of energy-storage power systems for automobiles was directed for DOE and results

published. The results show while some of the energy storage power vehicles can provide performance comparable to that of conventional internal combustion engine vehicles, they would be heavier and more expensive. The value of regenerative braking for vehicles in recovering kinetic energy was assessed. Such braking would have the most benefit in vehicles already equipped with energy storage systems and whose deriving cycle involves many stops and starts. A conceptual design study on a possible transition electric vehicle was completed. Such a vehicle would be battery/flywheel powered, with a small internal combustion engine for range extension. ERA

N78-26612# Stanford Univ., Calif. Dept. of Operations Research.

ETA-MACRO: A MODEL OF ENERGY-ECONOMY INTERACTIONS

Alan S. Manne Dec. 1977 82 p refs Sponsored by EPRI (EPRI-EA-592) Avail: NTIS HC A05/MF A01

A market economy is simulated through a dynamic nuclear optimization process. To describe the production relationship within this economy, two dynamic submodels are incorporated: ETA, a process analysis for energy technology assessment; and a macroeconomic growth model providing for substitution between capital, labor, and energy inputs. The focus is on one specific policy option--banning the introduction of additional civilian nuclear power plants in the U.S. Under base-case assumptions, it turned out that a no nuclear policy would have negligible macroeconomic effects prior to the year 2000, but that it could lead to an annual loss of the order of \$100 billions by the year 2010. ERA

N78-26613# Oak Ridge National Lab., Tenn.

POWER PLANT REJECT HEAT UTILIZATION: AN ASSESSMENT OF THE POTENTIAL FOR WIDE-SCALE IMPLEMENTATION

M. Olszewski Dec. 1977 51 p refs

(Contract W-7405-eng-26)

(ORNL/TM-5841) Avail: NTIS HC A04/MF A01

Economic and heat utilization merits of plant reject heat utilization systems were assessed in an effort to indicate those technologies that show the greatest potential for wide-scale implementation in the power generating industry. It was assumed that these systems replaced the cooling tower as the primary condenser cooling water heat dissipation system. Implementation potential and user incentive considerations were used in assessing the technologies. Assessment of the implementation potential included economic, marketing, and power plant performance criteria. The user incentive assessment essentially viewed the use of reject heat from the user's perspective. The overall assessment indicated that extensive pond aquaculture offered the greatest potential for wide-scale implementation. ERA

N78-26616# Georgia Inst. of Tech., Atlanta. Engineering Experiment Station.

A PROJECT TO REDUCE THE IMPACT OF ENERGY SHORTAGES AND COST INCREASES ON INDUSTRIAL PRODUCTION IN THE SOUTHEAST. VOLUME 1: PROJECT OVERVIEW Final Report

Feb. 1978 29 p 3 Vol.

(Grant EDA-99-6-09359-1)

(PB-278078/1; EDA-78-056) Avail: NTIS HC A03/MF A01; HC also available in set of 3 reports HC E09, PB-278077-SET CSCL 10A

The goal is to reduce the impact of energy shortages and increased energy costs on employment and industrial expansion by creation and stimulation of industrial energy conservation programs. Project activities and major end items that were produced are described. Project methodology, other benefits of the project, and recommendations for future work of this type are included. GRA

N78-26617# Georgia Inst. of Tech., Atlanta. Engineering Experiment Station.

A PROJECT TO REDUCE THE IMPACT OF ENERGY SHORTAGES AND COST INCREASES ON INDUSTRIAL

PRODUCTION IN THE SOUTHEAST. VOLUME 2: CASE STUDY AND TECHNICAL ASSISTANCE Final Report

Feb. 1978 246 p 3 Vol.

(Grant EDA-78-057)

(PB-278079/9; EDA-78-057) Avail: NTIS HC A11/MF A01; HC also available in set of 3 reports HC E09, PB-278077-SET CSCL 10A

A compilation is given of case study and technical assistance information catalogued by industry. The volume also includes a compilation by industry of specific energy conservation ideas showing estimated costs and savings. It is designed as a working reference for individuals who would provide technical assistance to industry. It describes the make-up of industries, the technical energy conserving opportunities within the industries, and specific projects undertaken. GRA

N78-26618# Georgia Inst. of Tech., Atlanta. Engineering Experiment Station.

A PROJECT TO REDUCE THE IMPACT OF ENERGY SHORTAGES AND COST INCREASES ON INDUSTRIAL PRODUCTION IN THE SOUTHEAST. VOLUME 3: TRANSFER PACKAGE Final Report

Feb. 1978 130 p 3 Vol.

(Grant EDA-99-6-09359-1)

(PB-278080/7; EDA-78-058) Avail: NTIS HC A07/MF A01; HC also available in set of 3 reports HC E09, PB-278077-SET CSCL 10A

Information is given to provide a basis for conducting a similar program in other states. Program methodology is described in detail as are methods for selecting participating firms. In addition, training materials for technical workshops are included. GRA

N78-26619# American Mathematical Society, Providence, R.I. **MATHEMATICAL ASPECTS OF PRODUCTION AND DISTRIBUTION OF ENERGY: PROCEEDINGS OF SYMPOSIUM IN APPLIED MATHEMATICS OF THE AMERICAN MATHEMATICAL SOCIETY, VOLUME 21**

Peter D. Lax, ed. 1977 139 p refs Symp. held in San Antonio, 20-21 Jan. 1976

(Contract E(11-1)-2409; Grant NSF MCS-76-10597)

(PB-278350/4; ISBN-0-8218-0121-X) Avail: NTIS HC A07/MF A01 CSCL 10A

The subjects are grouped in two categories: those having to do with the mathematical problems involved in the technology of energy production, and those which have to do with the mathematical problems of estimating the resources of energy and the efficient distribution of available energy. The models for energy production are in the form of fairly complicated systems of partial differential equations whose solutions require techniques of finite difference schemes, finite element methods, and Fourier techniques. The models of energy distribution are large networks; their analysis is based on techniques from statistics, linear programming, dynamic programming, and techniques of optimization. GRA

N78-26620# Oak Ridge Associated Universities, Tenn.

ENVIRONMENTAL EFFECTS OF ENERGY

1976 32 p Proc. of Conf. held at Savannah, 2-3 Dec. 1976 Sponsored in part by EPA

(Contract DI-14-16-008-1237)

(PB-278169/8; FWS/OBS-76/52) Avail: NTIS HC A03/MF A01 CSCL 10A

Ecological effects and environmental transport processes of an EPA program were reviewed. Topics discussed include: energy and ecology; assessment of interagency research and its management implications; dilemmas in environmental effects research and energy development; a framework for assessment; and the Federal inventory of energy related biomedical and environmental research. GRA

N78-26621# Northeastern Legislative Leaders Energy Research Project.

ENERGY POLICY MAKING IN THE NORTHEAST: A DIRECTORY OF STATE PROGRAMS AND INSTITUTIONS Sep. 1977 132 p

(Grant NSF ISP-74-43894)
(PB-277503/9; NSF/RA-770213) Avail: NTIS
HC A07/MF A01 CSDL 10A

An overview is provided of the current energy related duties and programs of governmental institutions in Connecticut, Delaware, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island and Vermont. State legislative institutions were included along with executive bodies. The directory is arranged by states, separated into the two categories of executive and legislative branches. For each agency the following information concerning energy policy making is included: structure; responsibilities (purpose, authority, energy related duties, energy related activities); administration; and publications. GRA

N78-26634# Battelle Pacific Northwest Labs., Richland, Wash.
EFFECT OF LIQUID WASTE DISCHARGES FROM STEAM GENERATING FACILITIES
H. E. McGuire, Jr. Sep. 1977 54 p refs
(Contract EY-76-C-06-1830)
(BNWL-2393) Avail: NTIS HC A04/MF A01

A simplified model for use in approximately determining the effects of these discharges is given. Four basic fuels are used in steam electric power plants: three fossil fuels--coal, natural gas, and oil; and uranium--presently the basic fuel of nuclear power. Coal and uranium are expected to be the major fuels in future years. The following power plant effluents are considered: heat, chlorine, copper, total dissolved solids, suspended solids, pH, oil and grease, iron, zinc, chrome, phosphorus, and trace radionuclides. ERA

N78-26642# Argonne National Lab., Ill.
IMPLICATIONS OF THE 1977 CLEAN AIR ACT AMENDMENTS FOR ENERGY RESEARCH AND DEVELOPMENT
D. B. Garvey, S. L. Kung, D. G. Streets, and G. Leppert 1977 9 p refs Presented at 5th Natl. Conf. on Energy and the Environment, Cincinnati, Ohio, 31 Oct. 1977
(Contract W-31-109-eng-38)
(CONF-7710101-2) Avail: NTIS HC A02/MF A01

The Clean Air Act Amendments of 1977 establish Federal environmental policy governing industrial development in all areas of the country. Some impacts of the legislation on energy development will be to increase the incentives for research on technologies that are inherently less polluting and on improved emission control; to accelerate the rate at which technologies with reduced emissions or with emission control advantages become economical; and to expand the role of conservation measures to reduce energy demand. The legislation will have an impact on the siting and scale of future energy facilities, on control technology requirements, and on the cost-effectiveness and relative attractiveness of various technologies to utilities and other industries. ERA

N78-26644# Chemical Lab. RVO-TNO, Rijswijk (Netherlands).
DISPERSION AND ANALYSIS OF METHANE IN THE ATMOSPHERE
C. J. P. vanBuijtenen, A. Verweij, and H. L. Boter Sep. 1976 24 p refs In DUTCH; ENGLISH summary
(CL-1976-16; TDCK-68902) Avail: NTIS HC A02/MF A01

As part of the project assessing the hazards involved in the transport and handling of liquefied natural gas (LNG-project) the dispersion of methane gas clouds in the atmosphere was studied. Calculations for an instantaneous, continuous, and time-dependent source were made. Starting from Pasquill's method, and taking into account the source dimensions, the amount of gas in the explosive region (5 to 15% v/v) was calculated. For an instantaneous cloud this amount shows a maximum of approximately 50% irrespective of the source length and meteorological conditions. Special attention was paid to the calculation of the safety distance for a quasiinstantaneous spill on the sea. For this case the behavior of the cloud at the source was numerically simulated. For a 25,000 cubic meter spill of LNG this leads to a distance where the average concentration is half the lower flammability limit of approx. 20 km under unfavorable meteorologi-

cal conditions and a 7 km under favorable meteorological conditions. The possibilities of the continuous and discontinuous measurement of methane concentrations were investigated. A device was built to generate 0.5 to 50% concentrations of methane in air. The accuracy of the concentrations was checked with infrared spectroscopy. The performance of a commercially available combustible gas detector to measure the methane concentration continuously and the use of gas chromatography as a discontinuous method were investigated. Author (ESA)

N78-26645# Resources Conservation Co., Renton, Wash.
EFFECTIVE CONTROL OF SECONDARY WATER POLLUTION FROM FLUE GAS DESULFURIZATION SYSTEMS
Final Report, Jul. 1976 - May 1977
Lanny D. Weimer Sep. 1977 70 p refs
(Contract EPA-68-C2-2171)
(PB-278373/6; EPA-600/7-77-106) Avail: NTIS
HC A04/MF A01 CSDL 07A

A vertical-tube, falling-film, vapor-compression evaporator to concentrate waste water from a flue gas desulfurization process is discussed. Tests showed that waste water from the FGD process can be concentrated up to 140 times and with recovery of more than 99% to the waste stream as high quality water. Two series of tests were conducted: one with a 25 gpd bench model evaporator; the other with a 6000 gpd pilot size evaporator. Process conditions were identified and verified for scale free operation. A conceptual design and economic study of a full size treatment facility showed that capital costs will range from \$5110 to \$8706/1000 gpd of waste water processed, depending on system capacity. GRA

N78-26646# TRW, Inc., Redondo Beach, Calif.
ENVIRONMENTAL ASSESSMENT OF HIGH-BTU GASIFICATION
Annual Report, May - Oct. 1977
M. Ghassemi and C. Murray Feb. 1978 87 p refs
(Contract EPA-68-02-2635)
(PB-278175/5; EPA-600/7-78-025) Avail: NTIS
HC A05/MF A01 CSDL 07A

Environmental impacts are assessed that are associated with technologies for converting coal to high-Btu gaseous fuel and to identify control technologies required to reduce or eliminate adverse environmental impacts associated with commercial operation. The program consists of: evaluating existing processes and environmental data; acquiring supplementary data through sampling and analyzing process waste streams; and environmental assessment and process engineering support studies. A modular approach was chosen for analyzing and presenting data on gasification, gas treatment, pollution control, and integrated facilities. Draft gasification data sheets were prepared for some of the processes considered. GRA

N78-26648# Environmental Protection Agency, Research Triangle Park, N.C. Emissions Standards and Engineering Div.
STANDARDS SUPPORT AND ENVIRONMENTAL IMPACT STATEMENT. VOLUME 2: PROMULGATED STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERY SULFUR RECOVERY PLANTS
Jan. 1978 39 p
(PB-278163/1; EPA-450/2-76-016-Vol-2) Avail: NTIS
HC A03/MF A01 CSDL 13B

A national emission standard for sulfur dioxide and reduced sulfur compounds was proposed under authority of section 3 of the Clean Air Act. The intent of the standard was to minimize reduced sulfur and sulfur dioxide emissions from refinery sulfur recovery plants to the level attainable with best available control technology. Twenty-one comment letters were received from the petroleum industry, state and local air pollution control agencies, and other federal agencies. As a result of these comments, changes were made in the promulgated standard. The major change is an exemption from the standard for sulfur recovery plants of 20 long tons per day or less associated with a small petroleum refinery. GRA

N78-26653# Rutgers - The State Univ., New Brunswick, N. J. Water Resources Research Inst.

THE PETROLEUM INDUSTRY IN THE DELAWARE ESTUARY Report of Work Completed, 1974 - 1976

Ruth Patrick Jan. 1977 450 p

(Grant NSF ENV-74-14810-A03)

(PB-277962/7; NSF/RA-770429)

Avail: NTIS

HC A19/MF A01 CSCL 13B

A comprehensive evaluation is presented of all of the sources of petroleum in the Delaware Estuary, including the finding that urban runoff and other unrecorded sources constitute a major part of the total load. Investigations of toxicity of petroleum and its products and derivatives to fish, shellfish, and other organisms has revealed that toxicity to most, but not all, immature organisms is greater than that to adults, that petroleum on sediments is much more toxic to oysters than when it is dissolved in the water column, and that chronic and life cycle studies show very much greater toxicity than the acute bioassay tests which are usually relied upon. The study shows that ultraviolet irradiation of no. 2 fuel oil and Iranian crude greatly increases their toxicity. GRA

N78-26654# Hittman Associates, Inc., Columbia, Md.

ENVIRONMENTAL ASSESSMENT OF COAL LIQUEFACTION Annual Report, Jul. 1976 - Sep. 1977

Ken T. Budden and Werner H. Zieger Feb. 1978 202 p

(Contract EPA-68-02-2162)

(PB-278333/0; EPA-600/7-78-019)

Avail: NTIS

HC A10/MF A01 CSCL 21D

Environmental aspects of 14 of the most prominent coal liquefaction systems, in terms of background, process description, major operations, input and output streams, status, and schedules of system development are given. GRA

N78-26657# Midwest Research Inst., Kansas City, Mo.

EVALUATION OF SULFATE-BEARING WASTE MATERIAL FROM FLUIDIZED BED COMBUSTION OF COALS FOR SOIL STABILIZATION Final Report

J. W. Nebgen, J. G. Edwards, and D. Conway Sep. 1977 70 p refs

(Contracts DOT-FH-11-8515; E(49-18)-2491)

(PB-278031/0; FHWA-RD-77-136)

Avail: NTIS

HC A04/MF A01 CSCL 13B

The effects of spent bed material from the fluidized bed combustion of coal in the physical and strength properties of selected finegrained soils were evaluated. The spent bed material is a mixture of time and calcium sulfate obtained by a process from which pulverized coal is burned in a fluid bed of finely ground calcitic or dolomitic limestone. GRA

N78-26699# New Mexico State Bureau of Mines and Mineral Resources, Socorro.

BIBLIOGRAPHY OF NEW MEXICO GEOLOGY AND MINERAL TECHNOLOGY, 1971-1976

John R. Wright and Judy A. Russell 1977 142 p

(PB-278348/8; BULL-106) Avail: NTIS HC A07/MF A01 CSCL 08G

Items that are generally accessible and contain technical information on geoscience and mineral technology are listed. Papers relating to geographical areas adjoining New Mexico were sometimes included (for example west Texas) particularly where major geologic features straddle the state boundary. Highly generalized articles of only a page or two (for example devoted to the Southwest) were excluded. The few references dated prior to 1971 are included because they were omitted in earlier bibliographies. GRA

N78-26832# Mechanics Research, Inc., McLean, Va.

OCS ANALYTICAL MODEL Final Report, 1 Nov. 1976 - 30 Apr. 1977

Glen Robinson May 1977 224 p refs

(SDC/MRI-2345-017) Avail: NTIS HC A10/MF A01

The status of various U.S. outer continental shelf energy source locations is assessed, offshore wells in the Gulf of Mexico and the Santa Barbara Channel. A logic network was designed to describing the entire offshore development process from geological surveys to the delivery on oil and gas ashore. The completed model will include all present U.S. offshore activities. Weighing factors can then be applied to translate the model for each of the 17 frontier areas now considered worth exploring. ERA

N78-26865# National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

STATUS OF PHOTOELECTROCHEMICAL PRODUCTION OF HYDROGEN AND ELECTRICAL ENERGY

Charles E. Byvik and Gilbert H. Walker In Princeton Univ. Partially Ionized Plasmas, Including the 3rd Symp. on Uranium Plasmas Sep. 1976 p 244-247 refs

Avail: NTIS HC A13/MF A01 CSCL 10A

The efficiency for conversion of electromagnetic energy to chemical and electrical energy utilizing semiconductor single crystals as photoanodes in electrochemical cells was investigated. Efficiencies as high as 20 percent were achieved for the conversion of 330 nm radiation to chemical energy in the form of hydrogen by the photoelectrolysis of water in a SrTiO₃ based cell. The SrTiO₃ photoanodes were shown to be stable in 9.5 M NaOH solutions for periods up to 48 hours. Efficiencies of 9 percent were measured for the conversion of broadband visible radiation to hydrogen using n-type GaAs crystals as photoanodes. Crystals of GaAs coated with 500 nm of gold, silver, or tin for surface passivation show no significant change in efficiency. By suppressing the production of hydrogen, in a CdSe-based photogalvanic cell, an efficiency of 9 percent was obtained in conversion of 633 nm light to electrical energy. A CdS-based photogalvanic cell produced a conversion efficiency of 5 percent for 500 nm radiation. Author

N78-26869# Illinois Inst. of Tech., Chicago.

GAS CORE REACTORS FOR COAL GASIFICATION

Herbert Weinstein In Princeton Univ. Partially Ionized Plasmas, Including the 3rd Symp. on Uranium Plasmas Sep. 1976 p 269-274 refs

(Grant NSG-7039)

Avail: NTIS HC A13/MF A01 CSCL 10A

The concept of using a gas core reactor to produce hydrogen directly from coal and water is presented. It is shown that the chemical equilibrium of the process is strongly in favor of the production of H₂ and CO in the reactor cavity, indicating a 98% conversion of water and coal at only 1500 K. At lower temperatures in the moderator-reflector cooling channels the equilibrium strongly favors the conversion of CO and additional H₂O to CO₂ and H₂. Furthermore, it is shown the H₂ obtained per pound of carbon has 23% greater heating value than the carbon so that some nuclear energy is also fixed. Finally, a gas core reactor plant floating in the ocean is conceptualized which produces H₂, fresh water and sea salts from coal. Author

N78-26906# Bernische Kraftwerke A. G. (Switzerland).

COMPLETION OF THE FUEL CYCLE IN SMALL COUNTRIES

P. Stoll 1977 7 p refs In ENGLISH and GERMAN Presented at Reactor Conf. of the Ger. Atom Forum and Nucl. Technol. Soc., Mannheim, Ger., 29 Mar. - 1 Apr. 1977

(CONF-770323-5) Avail: NTIS HC A02/MF A01

Problems involving fuel cycle competition for various countries by means of contracts with national reprocessing installations are discussed. Possible solutions are presented as the following: (1) Enlargement of the capabilities of in house fuel element storage basins and intermediate storage; and (2) Construction and operation of central storage for spent fuel elements. Author (ERA)

N78-26933# Argonne National Lab., Ill.
STUDIES ON TWO-PHASE FLOW MIXING PERTAINING TO LIQUID-METAL MAGNETOHYDRODYNAMIC POWER GENERATION

G. Fabris, P. F. Dunn, J. C. F. Chow, and R. Kolp. 1977 11 p refs Presented at 5th Biennial Symp., Rolla, Mo., 2 Oct. 1977 (Contract W-31-109-eng-38)
 (CONF-771098-1) Avail: NTIS HC A02/MF A01

The local flow structure occurring inside two-phase mixers liquid-metal magnetohydrodynamic (LMMHD) mixers and generators was investigated to determine the relation between the characteristics of local two-phase flow structure at high void fractions (approximately 0.6 to approximately 0.9) and LMMHD power generation system efficiency. Evaluations of the fluid mechanical performance of various two-phase LMMHD mixer designs are discussed. The finding from flow visualization studies of the local two-phase flows downstream from various mixer-element configurations are presented in addition to the local measurements performed to characterize these flows. ERA

N78-26962# Colorado School of Mines, Golden. Dept. of Chemical and Petroleum Refining Engineering.

ENTHALPY MEASUREMENT OF COAL-DERIVED LIQUIDS
Quarterly Technical Progress Report, Oct. - Dec. 1977

A. J. Kidnay and V. F. Yesavage 15 Jan. 1978 20 p refs (Contract EX-76-C-01-2035)
 (FE-2035-10) Avail: NTIS HC A02/MF A01

Experimental enthalpy measurements were made on a naphtha sample produced by the SRC-I process. A total of 116 enthalpy determinations were made covering the ranges 160 to 670 F and 30 to 900 psia. A comparison of three correlations for enthalpy with the experimental data for a Synthoil distillate was also made. The predicted enthalpies were considerably in error. ERA

N78-26968# National Field Research Center, Inc., Iowa City, Iowa.

A NATIONAL ENVIRONMENTAL/ENERGY WORKFORCE ASSESSMENT, BUSINESS AND INDUSTRY, PHASE 1
Final Report

Dec. 1977 73 p refs
 (Grant EPA-T-900591-01-0)
 (PB-277904/9) Avail: NTIS HC A04/MF A01 CSCL 051

Workforce needs for pollution control and abatement in the United States for the five-year period of 1976 through 1981 were assessed. Fields for pollution control -- air, noise, pesticides, potable water, radiation, solid waste, and wastewater -- are analyzed, together with energy-related programs currently accentuated by the national effort to solve energy supply problems. Information and data collected from the private industrial sector in the areas of pollution control and abatement are presented. Included are indications of current workforce levels and career potentials as supplied by numerous industrial respondents. GRA

N78-26969# National Field Research Center, Inc., Iowa City, Iowa.

A NATIONAL ENVIRONMENTAL/ENERGY WORKFORCE ASSESSMENT, NATIONAL LEGISLATION, PHASE 1
Final Report

Dec. 1977 73 p
 (Grant EPA-T-900591-01-0)
 (PB-277905/6) Avail: NTIS HC A05/MF A01 CSCL 051
 For abstract, see N78-26968.

N78-26970# National Field Research Center, Inc., Iowa City, Iowa.

A NATIONAL ENVIRONMENTAL/ENERGY WORKFORCE ASSESSMENT, NATIONAL ABSTRACT

Dec. 1977 74 p
 (Grant EPA-T-900591-01-0)
 (PB-277906/4) Avail: NTIS HC A04/MF A01 CSCL 051
 For abstract, see N78-26968.

N78-26986# Capital Systems Group, Rockville, Md.
APPLIED SCIENCE AND RESEARCH APPLICATIONS.

RECENT RESEARCH REPORTS, FEBRUARY 1978

Feb. 1978 41 p
 (Grant NSF ISP-75-22472)
 (PB-278530/1: NSF/RA-780002) Avail: NTIS
 HC A03/MF A01 CSCL 05B

Citations are presented of new documents received by the National Science Foundation resulting from research supported by its ASRA (Applied Science and Research Applications) Program. Citations are compiled quarterly to alert members of the scientific and technical community of current research results. Citations are arranged in the following subject categories: environment; exploratory research and technology assessment; intergovernmental science and R&D incentives; productivity; and resources. Indexes following the main body provide access by Subject, Performing Organization, ASRA Number, and Grant/Contract Number, and refer to the entry number of the document. The Appendix lists previous issues published under the title Recent RANN Reports. GRA

N78-28995*# National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

AN INVERTER/CONTROLLER SUBSYSTEM OPTIMIZED FOR PHOTOVOLTAIC APPLICATIONS

Roy Pickrell, George O'Sullivan (Abacus Controls, Inc., Somerville, N. J.), and Walter C. Merrill 1978 11 p refs Presented at 13th Photovoltaic Specialists Conf., Washington, D.C., 5-8 Jun. 1978; sponsored by IEEE
 (Contract E(49-26)-1022)
 (NASA-TM-78903; DOE/NASA/1022-78/31; E-9639) Avail: NTIS HC A02/MF A01 CSCL 13F

Conversion of solar array dc power to ac power stimulated the specification, design, and simulation testing of an inverter/controller subsystem tailored to the photovoltaic power source characteristics. Optimization of the inverter/controller design is discussed as part of an overall photovoltaic power system designed for maximum energy extraction from the solar array. The special design requirements for the inverter/controller include: a power system controller (PSC) to control continuously the solar array operating point at the maximum power level based on variable solar insolation and cell temperatures; and an inverter designed for high efficiency at rated load and low losses at light loadings to conserve energy. Author

N78-26998# Pacific Northwest Environmental Research Lab., Corvallis, Ore.

ENERGY CONSUMPTION OF ADVANCED WASTEWATER TREATMENT AT ELY, MINNESOTA

Donald J. Hernandez Jan. 1978 30 p refs
 (PB-278270/4; EPA-600/7-78-001) Avail: NTIS
 HC A03/MF A01 CSCL 13B

The use of energy in an advanced sewage treatment plant was studied from the point of view of plant operation, support services, and indirect use. A process by process analysis of plant operation indicates the energy used in the treatment process is minimal when compared to other usages. GRA

N78-27005# Gordian Associates, Inc., New York.

OVERCOMING INSTITUTIONAL BARRIERS TO SOLID WASTE UTILIZATION AS AN ENERGY SOURCE
Final Report

Nov. 1977 284 p refs
 (Contracts EM-75-C-01-8403; FEA-CO-04-50172-00)
 (HCP/L50172-01) Avail: NTIS HC A13/MF A01

The institutional constraints affecting the demand for the various forms of energy available in municipal solid waste (MSW) such as processed fuel, low-quality pyrolysis gas, and steam were investigated with emphasis on possible barriers to participation by investor-owned utilities. Evaluations included process technology (excepting pyrolysis oil), product characteristics, marketability, price, environmental impacts, and such institutional issues as regulatory constraints and utility attitudes toward risk-sharing in projects to recovery energy from waste. Financial and operating risks in MSW-energy recovery are caused by inflation, the lag in rate relief, high interest rates, lack of sufficient investment capital, reliance on fuel adjustment clauses, and the

likelihood that MSW-energy investment costs will not be allowed in a utility rate base. Technologies for recovering energy from waste are developing rapidly, however, under any current technology, the cost to recover energy remains greater than the price the recovered energy can command in the marketplace.

ERA

N78-27006# Gordian Associates, Inc., New York.
OVERCOMING INSTITUTIONAL BARRIERS TO SOLID WASTE UTILIZATION AS AN ENERGY SOURCE: EXECUTIVE SUMMARY

Nov. 1977 284 p refs
 (Contracts EM-75-C-01-8403; FEA-CO-04-50172-00)
 (HCP/L50172-02) Avail: NTIS HC A02/MF A01

N78-27009# Battelle Columbus Labs., Ohio.
AN AGENDA FOR TECHNOLOGY ASSESSMENT IN THE MATERIALS FIELD. VOLUME 1: PRINCIPAL FINDINGS
 Alexander Christakis, Samuel Globe, Kazuhiko Kawamura, and Doreen F. McGirr 24 Mar. 1978 66 p refs 2 Vol.
 (Grant NSF ERS-77-17735)

(PB-278639/0) Avail: NTIS HC A04/MF A01 CSCL 05A
 The views of materials scientists and materials technologies were synthesized to produce a forecast of materials technologies for the ensuing two decades. From these technologies a list of 21 candidate subjects, which are proposed topics for technology assessment, was developed. The ratings of the candidates subjects were treated statistically to rank them as to urgency. From the rankings as to urgency, the five topics selected as meriting highest priority for full technology assessment are biodegradable plastics; conversion of coal to cleaner fuels; electric power generation and transmission; materials for nuclear systems; and mining ocean nodules.

GRA

N78-27010# Battelle Columbus Labs., Ohio.
AN AGENDA FOR TECHNOLOGY ASSESSMENT IN THE MATERIALS FIELD. VOLUME 2: APPENDICES
 Alexander Christakis, Samuel Globe, Kazuhiko Kawamura, and Doreen F. McGirr 24 Mar. 1978 178 p 2 Vol.
 (Grant NSF ERS-77-17735)
 (PB-278640/8) Avail: NTIS HC A09/MF A01 CSCL 05A
 For abstract, see N78-27009.

N78-27046# National Aeronautics and Space Administration.
 Langley Research Center, Langley Station, Va.
CTOL TRANSPORT TECHNOLOGY, 1978
 Jun. 1978 516 p refs Conf: held at Hampton, Va., 28 Feb.-3 Mar. 1978
 (NASA-CP-2036-Pt-1; L-12178) Avail: NTIS
 HC A22/MF A01 CSCL 02A

Technology generated by NASA and specifically associated with advanced conventional takeoff and landing transport aircraft is reported. Topics covered include: aircraft propulsion; structures and materials; and laminar flow control.

N78-27047# National Aeronautics and Space Administration.
 Washington, D. C.
OVERVIEW OF NASA CTOL PROGRAM
 James J. Kramer In NASA: Langley Res. Center CTOL Transport Technol., 1978 Jun. 1978 p 1-7

Avail: NTIS HC A22/MF A01 CSCL 02A

Technology generated by NASA and specifically oriented toward advanced commercial air transport is reviewed. Results of the Aircraft Energy Efficiency program and of related disciplinary areas are reported. The CTOL research efforts are put into perspective relative to the total NASA aeronautics program.

J.M.S.

N78-27048# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.
ACEE PROPULSION OVERVIEW
 Donald L. Nored In NASA: Langley Res. Center CTOL Transport Technol., 1978 Jun. 1978 p 9-23 refs

Avail: NTIS HC A22/MF A01 CSCL 21E

Technology for fuel-efficient subsonic CTOL transport aircraft is discussed. The engine, component improvement project, the energy efficient engine project, and the advanced turboprop project are included. The overall goals and objectives of each project are reviewed and the approach and schedule for accomplishing these project goals and objectives are given.

J.M.S.

N78-27053# Pratt and Whitney Aircraft Group, East Hartford, Conn.

ENERGY EFFICIENT ENGINE: PRELIMINARY DESIGN AND INTEGRATION STUDIES

David E. Gray In NASA: Langley Res. Center CTOL Transport Technol., 1978 Jun. 1978 p 89-110

Avail: NTIS HC A22/MF A01 CSCL 21E

A mixed exhaust, direct drive fan turbofan configuration was selected from four candidates. This choice was based on its ability to exceed study goals of 12% lower thrust specific fuel consumption and 5% lower direct operating cost by the 1990's with commercially acceptable technical risk and relative mechanical simplicity. The evaluation leading to configuration selection is discussed. Necessary technology advancements are identified and related to the goals.

J.M.S.

N78-27054# General Electric Co., Fairfield, Conn.
ENERGY EFFICIENT ENGINE PRELIMINARY DESIGN AND INTEGRATION STUDIES

R. P. Johnston and M. C. Hemsworth In NASA: Langley Res. Center CTOL Transport Technol., 1978 Jun. 1978 p 111-138 refs

Avail: NTIS HC A22/MF A01 CSCL 21E

The characteristics and systems benefits of an energy efficient engine (E3) suitable for use on advanced subsonic transport aircraft were determined. Relative to a current CF6-50C engine, the following benefits were estimated: 14.4% reduction in installed cruise specific fuel consumption, and a reduction in direct operating cost of more than 5%. The advanced technology E3 system would also permit: compliance with FAR 36 (1977) noise limits, and compliance with 1981 EPA emission standards.

J.M.S.

N78-27059# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.
IMPACT OF BROAD-SPECIFICATION FUELS ON FUTURE JET AIRCRAFT

Jack Grobman In NASA: Langley Res. Center CTOL Transport Technol., 1978 Jun. 1978 p 217-233 refs

Avail: NTIS HC A22/MF A01 CSCL 21D

The effects that broad specification fuels have on airframe and engine components were discussed along with the improvements in component technology required to use broad specification fuels without sacrificing performance, reliability, maintainability, or safety.

J.M.S.

N78-27122# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.
SUPERCRITICAL FUEL INJECTION SYSTEM Patent Application

C. J. Marek and L. P. Cooper, inventors (to NASA) Filed 19 Jun. 1978 10 p
 (NASA-Case-LEW-12990-1; US-Patent-Appl-SN-916654) Avail: NTIS HC A02/MF/A01 CSCL 21E

A fuel injection system for gas turbines or the like which includes a pair of high pressure pumps which provide fuel and a carrier fluid such as air at pressures above the critical pressure of the fuel was developed. A supercritical mixing chamber mixes the fuel and carrier fluid and the mixture is sprayed into a combustion chamber for burning therein. The use of fuel and a carrier fluid at supercritical pressures promotes rapid mixing of the fuel in the combustion chamber so as to reduce the formation of pollutants and promote cleaner burning.

NASA

N78-27127* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

FUEL CONSERVATIVE AIRCRAFT ENGINE TECHNOLOGY
Donald L. Nored 1978 39 p refs Proposed for presentation at 11th Congr. of the Intern. Council of Aeronautical Sci., Lisbon, Portugal, 10-16 Sep. 1978; sponsored by AIAA
(NASA-TM-78962; E-9719) Avail: NTIS HC A03/MF A01 CSCL 21E

Technology developments for more fuel-efficiency subsonic transport aircraft are reported. Three major propulsion projects were considered: (1) engine component improvement - directed at current engines; (2) energy efficient engine - directed at new turbofan engines; and (3) advanced turboprops - directed at technology for advanced turboprop-powered aircraft. Each project is reviewed and some of the technologies and recent accomplishments are described. G.G.

N78-27174* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

PERFORMANCE OF A THERMIONIC CONVERTER MODULE UTILIZING EMITTER AND COLLECTOR HEAT PIPES

Erich Kroeger, James Morris, Gabor Miskolczy (Thermo Electron Corp.), David P. Lieb (Thermo Electron Corp.), and Douglass B. Goodale (Thermo Electron Corp.) Jun. 1978 38 p refs
(Contract NAS3-20270)

(NASA-TM-78941; E-9705) Avail: NTIS HC A03/MF A01 CSCL 10A

A thermionic converter module simulating a configuration for an out-of-core thermionic nuclear reactor was designed, fabricated, and tested. The module consists of three cylindrical thermionic converters. The tungsten emitter of the converter is heated by a tungsten, lithium heat pipe. The emitter heat pipes are immersed in a furnace, insulated by MULTI-FOIL thermal insulation, and heated by tungsten radiation filaments. The performance of each thermionic converter was characterized before assembly into the module. Dynamic voltage, current curves were taken using a 60 Hz sweep and computerized data acquisition over a range of emitter, collector, and cesium-reservoir temperatures. An output power of 215 W was observed at an emitter temperature of 1750 K and a collector temperature of 855 K for a two diode module. With a three diode module, an output power of 270 W was observed at an average emitter temperature of 1800 K and a Collector temperature of 875 K. J.M.S.

N78-27264* Battelle Pacific Northwest Labs., Richland, Wash.
CORROSION OF IRON-BASE ALLOYS VERSUS ALTERNATE MATERIALS IN GEOTHERMAL BRINES Interim Report, period ending Oct. 1977

D. W. Shannon Nov. 1977 37 p refs
(Contract EY-76-C-06-1830)

(PNL-2456) Avail: NTIS HC A03/MF A01

A series of 30 refreshed autoclave tests and one field test were performed to define how various chemical components in geothermal brines affect uniform corrosion of 35 materials. The data indicate uniform corrosion rates of carbon steels are satisfactory for most major components of a geothermal power plant for low salinity neutral to alkaline pH reservoirs, when 20 miles per year corrosion allowances are permitted. While some minor alloy effects were observed among the 10 carbon steels tested, the alloy composition of the carbon steel was a second order effect compared with important brine chemistry variables such as pH, salinity, and temperature. The corrosion rates of carbon steels were found to be largely controlled by the composition and structure of the corrosion product film that formed on the metal. A number of alloys were found in the screening tests that showed negligible corrosion under all conditions tested up to 250 C and 22 percent salinities. Alternate materials to carbon steels are listed. ERA

N78-27279* AiResearch Mfg. Co., Phoenix, Ariz.
CERAMIC TECHNOLOGY READINESS PROGRAM Monthly Technical Progress Report, 28 Nov. 1977 - 1 Jan. 1978

16 Jan. 1978 27 p refs
(Contract EF-77-C-01-2664)

(FE-2664-3; MTPR-3) Avail: NTIS HC A03/MF A01

Evidence of the ability of ceramic components to survive for lifetimes adequate for utility application in an environment of high temperature combustion products from coal derived fuels was provided. Technology readiness for the application of ceramic materials technology to advanced gas turbines operating on coal derived fuel in utility base load and intermediate load service was developed and demonstrated. A supply of basic ceramic powders for use in noncommercial investigations of materials properties, fabrication techniques, and test methods was ensured. ERA

N78-27287* Department of Energy, Bartlesville, Okla. Energy Research Center.

MOTOR GASOLINES, SUMMER 1977

E. M. Shelton Jan. 1978 92 p refs

(BERC/PPS-78/1) Avail: NTIS HC A05/MF A01

Analytical data for 2,725 samples of motor gasoline, from service stations throughout the country, were collected and analyzed. The samples represent the products of 49 companies, large and small, which manufacture and supply gasoline. These data are tabulated by groups according to brands (unlabeled) and grades for 17 marketing areas and districts into which the country is divided. A map shows marketing areas, districts, and sampling locations. Charts indicating the trends of selected properties of motor fuels since 1946 are included. Twelve octane-distribution-percent charts for areas 1, 2, 3, and 4 for unleaded, regular, and premium grades of gasoline are presented. The antiknock (octane) index $[(R + M)/2]$ averages of gasolines sold in this country were 88.5, 89.6 and 95.0 for unleaded, regular, and premium grades of gasolines, respectively. ERA

N78-27289* Mobil Research and Development Corp., Paulsboro, N. J.

DEVELOPMENT STUDIES ON SELECTED CONVERSION OF SYNTHESIS GAS FROM COAL TO HIGH OCTANE GASOLINE

Mar. 1978 37 p refs

(Contract EX-76-C-01-2276)

(FE-2276-20) Avail: NTIS HC A03/MF A01

Aging and regeneration studies of developmental catalysts SG-B-3 and SG-A-4 in the micro reactor units (10 cc catalyst capacity). Hydrogen regeneration of SG-B-3 at 700 F restores catalyst selectivity, however, catalyst activity is not completely restored by this treatment. High temperature oxidative regeneration of catalyst SG-A-4 was successful. Multiple regeneration studies are now being made. Aging data was obtained on five catalysts in the direct conversion of synthesis gas to dimethylether. All catalysts showed significant aging when compared with proven methanol synthesis catalysts. Flow studies with a spent catalyst in the plexiglass model indicate that slugging may occur in the bench-scale fluid unit (150 cc catalyst capacity). Catalysts recovered from the unit show that carbon formation is excessive and probably responsible for the slugging and the uncontrollable higher temperatures observed in the catalyst disengager zone. ERA

N78-27344* Addis Translations International, Portola Valley, Calif.

HIGH-VOLTAGE HIGH-CURRENT BREAKER AND CLOSER FOR POWER SYSTEMS WITH INDUCTIVE STORAGE DEVICES

E. A. Azizov Nov. 1977 6 p Transl. into ENGLISH from report by Inst. Atomnoi Energii (Moscow), IAE-2673, 1976 6 p Prepared for California Univ., Lawrence Livermore Lab. Sponsored by DoE

(UCRL-Trans-11310) Avail: NTIS HC A02/MF A01

A high voltage high current explosive circuit breaker and a high voltage high current mechanical circuit closer were worked out for use in the energy extraction blocks of high power sources and power supply systems of thermonuclear units, based on inductive storage devices with energy storage of 10 to the 7th power to 10 to the 8th power. General views of the circuit breakers were shown and described. ERA

N78-27440# Department of Energy, Washington, D. C.
**HELIUM HEATERS OF THE HELIUM TURBINE UNIT OF
 THE OBERHAUSEN ENERGY SUPPLY**

G. Innocente, H. Wydler, and J. Halzl Jun. 1977 11 p Transl.
 into ENGLISH from VGB Kraftwerkstechn. (Germany), no. 6, Jun.
 1977 p 375-380

(DOE-tr-35) Avail: NTIS HC A02/MF A01

The high working medium temperature and the low pressure loss on the medium side with helium turbine units indicate limiting values with respect to the materials as well as to the manufacture of thick walled collectors. Various aspects of design, manufacture, and assembly were studied. A 50 MW gas turbine supplied by conventionally heated helium is part of the nuclear energy program of the Federal Republic of Germany for development of the high temperature reactor with high capacity helium turbines. A turbine such as this was constructed for the energy supply at Oberhausen. The plant will not only generate current and heat but also offer the opportunity for testing out essential components of the closed circuit as they are installed in a nuclear heated power plant. ERA

N78-27441# AiResearch Mfg. Co., Phoenix, Ariz.
**CLOSED GAS TURBINE HEATER PROGRAM Quarterly
 Technical Progress Report, 4 Jul - 2 Oct. 1977**

R. Stefun and D. Softley 12 Dec. 1977 41 p refs
 (Contract EF-77-C-01-2611)

(TID-28200; QTPR-2) Avail: NTIS HC A03/MF A01

The objective of this program is to advance high-temperature closed gas turbine power conversion systems to a point of technological readiness for use in coal fired public utility power conversion plants. The initial contract addresses two specific problem areas. These are: (1) the identification and analysis of system concepts which offer highest overall plant efficiency consistent with lowest cost of electricity (COE) from coal-pile-to-bus-bar; and (2) the identification and preliminary design of combustor/heat exchanger concepts compatible for use as the cycle gas primary heater for those plant systems. System cycle analyses and parametric studies performed to evaluate entire closed gas turbine utility power plants, with and without Rankine bottoming cycles with emphasis on lowest COE. Two heater systems based on 1550F are closed gas turbine inlet temperature using metallic materials and two based on 1750F and higher using non-metallc materials. ERA

N78-27447# Avco-Everett Research Lab., Everett, Mass.
**DEVELOPMENT PROGRAM FOR MHD POWER GENERATION. VOLUME 4: SUPERCONDUCTING MAGNET STUDY
 Final Report, 1 Jul. 1975 - 30 Jun. 1976**

A. M. Hatch, R. C. Beals, and A. J. Sofia Apr. 1977 163 p
 (Contract EX 76-C-01-2015)

(FE-2015-16-Vol-4) Avail: NTIS HC A08/MF A01

Methods for making and nondestructively inspecting joints in superconductors of the type applicable to MHD magnets were investigated. Soldering fixtures were made, soldering procedures developed and X-ray and ultra-sonic inspection techniques tried out. A number of sample joints of various designs, including joints bonded with alternate soft-solders and also by cold-welding, were prepared for final testing and evaluation. A special test apparatus was designed and built, suitable for testing joints in liquid helium at currents comparable to those used in MHD magnet windings and with various tension loads up to breaking loads. Joint surface resistivities were determined, sample elongations vs. load were measured and breaking strengths were determined. One sample was subjected to a stress cycling test. The performance of various types of joints was compared and the effects of variations in design and fabrication were evaluated. ERA

N78-27482*# Georgia Southwestern Coll., Americus.
**INTRODUCTORY WORKSHOPS ON REMOTE SENSING AS
 RELATED TO GEOLOGICAL PROBLEMS IN GEORGIA Final
 Report**

Barry F. Beck and Jack C. Carter, Principal Investigators Mar.
 1978 23 p refs Workshop held at Americus, Ga., 24-25 May
 1977 ERTS

(Contract NAS8-30884)

(E78-10152; NASA-CR-150710)
 HC A02/MF A01 CSCL 08G

Avail: NTIS

N78-27493# Washington Univ., Seattle. Dept. of Mining,
 Metallurgical, and Ceramic Engineering.

**APPENDIX: COOK INLET COAL: ECONOMICS OF MINING
 AND MARINE SLURRY TRANSPORT Final Report**

Brian David Hennagin 5 Jan. 1978 97 p refs

(Contract D1-BM-GO-264012)

(PB-278756/2; BM-OFR-17(2)-78)

Avail: NTIS

HC A05/MF A01 CSCL 08I

Beluga coal deposits on Cook Inlet, Alaska are described, and mining and transport costs to move the coal to a potential steam-electric plant site in northern Washington as a marine slurry are evaluated. A surface mine site was chosen 15 miles from tidewater. The coal is mined, washed, slurried, and transported by pipeline to tidewater where it is loaded aboard ship as a settled marine slurry. The coal is carried by ship to northern Washington, reslurried and pumped off the ship to dewatering facilities. Costs for mining, washing, preparation, transport, and dewatering are developed per ton of clean coal and final costs per million BTU's. Production rates are evaluated to fuel 1000 and 2000 MW plants with 80% annual output factor. GRA

N78-27497# Boise State Univ. Idaho.
GEOTHERMAL POTENTIAL OF THE WEST BOISE AREA
 L. L. Mink and D. L. Graham Oct. 1977 40 p refs

(Contract EY-76-C-07-1570)

(TREE-1162) Avail: NTIS HC A03/MF A01

Recent investigations in the Boise area shows that hot water is abundant all along the Boise Foothills. Two areas showing good potential for future geothermal development are discussed. These areas are the Dry Creek Valley and the area between Pierce Gulch and Polecat Gulch. Both areas have water temperatures exceeding 37.8 C. In the Boise area it is found that zones of hot water are associated with some type of structural control. The hot water zones associated with the Dry Creek Valley and the Pierce-Polecat area were found to be located at or near the intersection of major linears mapped along the Boise Foothills. By mapping all known fault and linear patterns in the area, it is possible to correlate these zones of weakness with areas of hot water. At the intersection of two or more linears, where fracturing is greatest the majority of geothermal water was located. ERA

N78-27498# City of Long Beach, Calif.
**PILOT DEMONSTRATION OF ENHANCED OIL RECOVERY
 BY MICELLAR POLYMER WATERFLOODING, PHASE B
 Monthly Report, Oct. 1977**

J. E. Wade 10 Nov. 1977 9 p refs

(Contract EF-77-C-03-1395)

(SAN/1395-15) Avail: NTIS HC A02/MF A01

A second stage of the transient test was undertaken. The early pulse tests were complicated by operational difficulties resulting in data that was difficult to interpret. Progress was made on flooding the fresh core material obtained from frozen cores. Preliminary results are very encouraging. Work continued on the facilities for the mini-injectivity test. ERA

N78-27499# Columbia Gas Transmission Corp., Charleston, W.
 Va.
**TERTIARY OIL RECOVERY BY CO2 INJECTION Monthly
 Report, Nov. 1977**

W. D. Conner 1977 23 p refs

(Contract EF-76-C-05-5302)

(ORO-5302-20) Avail: NTIS HC A02/MF A01

Water injection for November was approximately 5530 barrels, which was a slight increase over the 5440 barrels injected during October. Down time of 24 hours was considerably lower than previous months. Mechanically, the project proceeded almost as scheduled except for minor adjustments of the high pressure shutdown switch on the injection pump. Oil production, however,

N78-27500

continued to be disappointing. Total production again declined approximately 200 barrels to 1525. Although it was necessary to service one well, most of the production decline follows the trend of recent months. Total production due to CO2 injection is 8151 barrels. A request was received to allow an environmental assessment team to inspect the project. ERA

N78-27500# Los Alamos Scientific Lab., N. Mex.

MAPPING OFFSHORE OIL LEASES

J. L. Sibert 1978 8 p refs Presented at a Joint Meeting of Am. Congr. on Surveying and Mapping and Am. Soc. for Photogrammetry, Washington, D.C., 26 Feb. 1978 (Contract W-7405-eng-36) (LA-UR-77-2892; Conf-780209-1) Avail: NTIS HC A02/MF A01

A data base query system developed as a tool for regulatory decision making is described. The legal description of each lease, based on the public and survey, is stored in the data base to provide the coordinates necessary for map production. Maps are produced interactively during a query session on a Tektronix 4014 graphics terminal. Hardcopy color maps are obtained by using a color-equipped FR-80 computer output microfilm recorder. The procedure is totally automated and is completely handled from a remote terminal. Several examples of queries and the maps they produce are presented. Other aspects of the data base retrieval system discussed include a network structure based on the CODASYL standard and a query language that allows complex retrievals to be specified in simple english phrases. ERA

N78-27511# Bureau of Mines, Washington, D. C.

ADVANCING COAL MINING TECHNOLOGY RESEARCH, DEVELOPMENT, AND DEMONSTRATION IN FISCAL YEAR 1977 Information Circular, 1 Oct. 1976 - 30 Sep. 1977

1977 18 p (PB-278001/3; BM-IC-8730) Avail: NTIS HC A02/MF A01 CSCL 081

The publication summarizes, for potential contractors and other interested parties, the proposed research, development, and demonstration contract projects programmed by the Bureau of Mines for fiscal year 1977 (October 1, 1976 - September 30, 1977) under its Advancing Coal mining Technology program. The objective of these projects is to provide an ordered and sequenced series of advances toward the overall goal of providing the system technology required to increase the productivity of the coal mining process. GRA

N78-27515* National Aeronautics and Space Administration, Pasadena Office, Calif.

HEXAGON SOLAR POWER PANEL Patent

Irwin Rubin, inventor (to NASA) Issued 16 May 1978 5 p Filed 28 Jul. 1976 (NASA-Case-NPO-12148-1; US-Patent-4,089,705; US-Patent-Appl-SN-709415; US-Patent-Class-136-89P) Avail: US Patent Office CSCL 10A

A solar energy panel support is described upon which silicon cells are arrayed. The cells are wafer thin and of two geometrical types, both of the same area and electrical rating, namely hexagonal cells and hourglass cells. The hourglass cells are composites of half hexagons. A near perfect nesting relationship of the cells achieves a high density packing whereby optimum energy production per panel area is achieved.

Official Gazette of the U.S. Patent Office

N78-27516 Case Western Reserve Univ., Cleveland, Ohio.

A DYNAMIC ENERGY OPTIMIZATION MODEL UNDER UNCERTAINTY Ph.D. Thesis

Reuven Robert Lenary 1978 165 p Avail: Univ. Microfilms Order No. 78-09292

The problem is formulated and solved using a multi-period linear programming model. The model takes into consideration the variability of weather conditions and its effect on the demand for natural gas. Forecasts of future weather conditions are updated several times during the model planning period; also, the optimal

flows of natural gas are determined at the time that the forecasts are updated. The model considers alternatives such as: conservation of natural gas, emergency purchase of gas and gasifying coal to minimize shortages of natural gas. The optimal storage quantities at the beginning of each time period and the consequences of contracting additional storage facilities on the total natural gas shortage are derived by using the model. Dissert. Abstr.

N78-27517 Princeton Univ., N. J.

DYNAMIC MODELS OF HOUSE HEATING BASED ON EQUIVALENT THERMAL PARAMETERS Ph.D. Thesis

Robert Carl Sonderegger 1978 238 p Avail: Univ. Microfilms Order No. 7807500

The house is represented by a single electrical analog, composed of one capacitor and a few resistors, tied together in well determined fashion. The parameters of this model are fitted to recorded time histories of weather and heating load or indoor temperature of the house. The resulting Equivalent Thermal Parameters (ETP's) express a set of unique physical characteristics of the house: an equivalent thermal mass, a set of equivalent conductances (between indoors and outdoors, between indoors and the ground and between indoor room air and massive house structure) and overall efficiencies of furnace and solar heating. The ETP's can be used to establish energy performance standards for a house, useful in comparing houses with different construction. In fact, little knowledge about the house construction is needed to determine the ETP's. Another use for ETP's is the assessment of the overall effect of retrofits on a particular house, by observing the change in ETP's measured before and after the retrofit is implemented. Dissert. Abstr.

N78-27518* Elcam, Inc., Santa Barbara, Calif.

PRELIMINARY DESIGN PACKAGE FOR SUNSPOT DOMESTIC HOT WATER HEATING SYSTEM

Nov. 1976 116 p Prepared for DOE (Contract NAS8-32245) (NASA-CR-150605) Avail: NTIS HC A06/MF A01 CSCL 10A

The design review includes a drawing list, auto-control logic, measurement definitions, and other document pertaining to the solar heated prototype hot water systems and two heat exchangers. The hot water systems consist of the following subsystems: collector, storage, control transport, auxiliary energy, and site data acquisition. Author

N78-27519* AiResearch Mfg. Co., Torrance, Calif.

PRELIMINARY DESIGN PACKAGE FOR SOLAR HEATING AND COOLING SYSTEMS

May 1978 201 p Prepared for DOE (Contract NAS8-32091) (NASA-CR-150674; AiResearch-76-13448) Avail: NTIS HC A10/MF A01 CSCL 10A

Summarized preliminary design information on activities associated with the development, delivery and support of solar heating and cooling systems is given. These systems are for single family dwellings and commercial applications. The heating/cooling system use a reversible vapor compression heat pump that is driven in the cooling mode by a Rankine power loop, and in the heating mode by a variable speed electric motor. The heating/cooling systems differ from the heating-only systems in the arrangement of the heat pump subsystem and the addition of a cooling tower to provide the heat sink for cooling mode operation. LS.

N78-27520* National Aeronautics and Space Administration, Lewis Research Center, Cleveland, Ohio.

SELF-RECONFIGURING SOLAR CELL SYSTEM Patent Application

Robert P. Gruber, inventor (to NASA) Filed 19 Jun. 1978 18 p (NASA-Case-LEW-12586-1; US-Patent-Appl-SN-916655) Avail: NTIS HC A02/MF A01 CSCL 10A

An improved solar cell system is reported that utilizes control

Circuits to switch some of its cells so that they can be either in series or in shunt within the array, to match the load for maximum power transfer. Automatic control is provided by a sensor solar cell mounted into the configurable array; its open circuit voltage multiplied by a constant is equal to cell voltage at maximum power point. NASA

N78-27522*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
PROCEEDINGS OF THE ALTERNATE ENERGY SYSTEMS SEMINAR

30 Mar. 1978 184 p Seminar held at Pasadena, Calif., 30 Mar. 1978; sponsored by DOE. Sponsored in part by DOE (Contract NAS7-100)

(NASA-CR-157255; JPL-Pub-78-45) Avail: NTIS HC A09/MF A01 CSCL 10A

The Alternative Energy Systems Seminar was held on March 30, 1978, and was sponsored jointly by the Southwest District Office of the U.S. Department of Energy and JPL. The seminar was an experiment in information exchange with the aim of presenting, in a single day, status and prospects for a number of advanced energy systems to a diverse, largely nontechnical audience, and to solicit post-seminar responses from that audience as to the seminar's usefulness. The major systems presented are: (1) Solar Photovoltaic; (2) Geothermal; (3) Cogeneration Power; (4) Solar Thermal; (5) Solar Heating and Cooling; (6) Wind Energy; and (7) Systems Considerations.

N78-27523*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
SOLAR PHOTOVOLTAIC SYSTEMS

R. G. Forney *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 5-42

Avail: NTIS HC A09/MF A01 CSCL 10A

The Department of Energy's photovoltaic program is outlined. The main objective of the program is the development of low cost reliable terrestrial photovoltaic systems. A second objective is to foster widespread use of the system in residential, industrial and commercial application. The system is reviewed by examining each component: silicon solar cell, silicon solar cell modules, advanced development modules and power systems. Cost and applications of the system are discussed. G.Y.

N78-27524*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
GEOTHERMAL SYSTEMS

Casey Mohl *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 43-67

Avail: NTIS HC A09/MF A01 CSCL 10A

Several tasks of JPL related to geothermal energy are discussed. The major task is the procurement and test and evaluation of a helical screw drive (wellhead unit). A general review of geothermal energy systems is given. The presentation focuses attention on geothermal reservoirs in California, with graphs and charts to support the discussion. Included are discussions on cost analysis, systems maintenance, and a comparison of geothermal and conventional heating and cooling systems. G.Y.

N78-27525*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
COGENERATION POWER SYSTEMS

Herbert S. Davis *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 68-96

Avail: NTIS HC A09/MF A01 CSCL 10A

Cogeneration is defined as the combination of electrical generation and process heat for more efficient use of fuel. Comparisons of energy utilization in conventional electric power plants and cogeneration electric power plants are presented. Characteristics of various cogeneration systems are also presented.

Systems are analyzed for use in utility systems and industrial systems. Economic and cost analysis are reviewed. G.Y.

N78-27526*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
SOLAR THERMAL SYSTEMS

Vince C. Truscello *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 97-125

Avail: NTIS HC A09/MF A01 CSCL 10A

A system is described for producing electricity with the use of conventional machinery, but with the elimination of conventional fuels, through the use of sun energy. The economics of the system is presented by comparing solar thermal units with more conventional systems. Several applications of the solar thermal system are presented. G.Y.

N78-27528*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
WIND ENERGY SYSTEMS

Homer Joe Stewart *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 150-170

Avail: NTIS HC A09/MF A01 CSCL 10A

A discussion on wind energy systems involved with the DOE wind energy program is presented. Some of the problems associated with wind energy systems are discussed. The cost, efficiency, and structural design of wind energy systems are analyzed. G.Y.

N78-27529*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
SYSTEM CONSIDERATIONS

M. E. Alper *In its Proc.* of the Alternate Energy Systems Seminar 30 Mar. 1978 p 171-177

Avail: NTIS HC A09/MF A01 CSCL 10A

Closing remarks and a general summary of the Alternative Energy Systems Seminar are presented. It was concluded from the seminar that the DOE programs described were focused on trying to make a commercial market develop for the various systems. The question addressed is how this is going to happen. To address this question, social, economical, political and technical aspects are considered with major emphasis placed on systems engineering to provide low cost efficient systems. G.Y.

N78-27530*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
HIGH-POWER, ULTRALOW-MASS SOLAR ARRAYS: FY-77 SOLAR ARRAYS TECHNOLOGY READINESS ASSESSMENT REPORT, VOLUME 1

E. N. Costogoe, L. E. Young (NASA, Marshall Space Flight Center), and H. Brandhorst (NASA, Lewis Res. Center) 15 Jun. 1978 152 p 2 Vol. (Contract NAS7-100)

(NASA-CR-157264; JPL-Pub-78-48-Vol-1) Avail: NTIS HC A08/MF A01 CSCL 10A

The technology readiness of solar array designs for future planetary missions, and particularly for the Halley's comet ion drive space vehicle, is assessed. The effort involves critical component technology for the development of candidate solar array designs, and technology development planning. Results and conclusions are presented in summary form. G.G.

N78-27531*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
HIGH-POWER, ULTRALOW-MASS SOLAR ARRAYS: FY-77 SOLAR ARRAYS TECHNOLOGY READINESS ASSESSMENT REPORT, VOLUME 2

E. N. Costogoe, L. E. Young (NASA, Marshall Space Flight Center), and H. Brandhorst (NASA, Lewis Res. Center) 15 Jun. 1978 514 p refs 2 Vol.

(Contract NAS7-100) (NASA-CR-157265; JPL-Pub-78-48-Vol-2) Avail: NTIS HC A23/MF A01 CSCL 10A

Development efforts are reported in detail for: (1) a lightweight solar array system for solar electric propulsion; (2) a high efficiency thin silicon solar cell; (3) conceptual design of 200 W/kg solar arrays; (4) fluorocarbon encapsulation for silicon solar cell array; and (5) technology assessment of concentrator solar arrays. G.G.

N78-27532*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
UTILIZATION OF WASTE HEAT IN TRUCKS FOR INCREASED FUELECONOMY

C. J. Leising, G. P. Purohit, S. P. DeGrey, and J. G. Finegold
 1 May 1978 41 p refs Prepared for DoE

(Contract NAS7-100)

(NASA-CR-157292; JPL-Pub-78-39)

Avail: NTIS

HC A03/MF A01 CSCL 10A

Improvements in fuel economy for a broad spectrum of truck engines and waste heat utilization concepts are evaluated and compared. The engines considered are the diesel, spark ignition, gas turbine, and Stirling. The waste heat utilization concepts include preheating, regeneration, turbocharging, turbo-compounding, and Rankine engine compounding. Predictions were based on fuel-air cycle analyses, computer simulation, and engine test data. The results reveal that diesel driving cycle performance can be increased by 20% through increased turbocharging, turbocompounding, and Rankine engine compounding. The Rankine engine compounding provides about three times as much improvement as turbocompounding but also costs about three times as much. Performance for either is approximately doubled if applied to an adiabatic diesel.

Author

N78-27533*# Jet Propulsion Lab., Calif. Inst. of Tech., Pasadena.
A MARKET SURVEY OF GEOTHERMAL WELLHEAD POWER GENERATION SYSTEMS Final Report

Michael W. Leeds Mar. 1978 53 p refs

(Contracts NAS7-100; EG-77-A-36-1021)

(NASA-CR-157262; JPL-Pub-78-29)

Avail: NTIS

HC A04/MF A01 CSCL 10A

The market potential for a portable geothermal wellhead power conversion device is assessed. Major study objectives included identifying the most promising applications for such a system, the potential impediments confronting their industrialization, and the various government actions needed to overcome these impediments. The heart of the study was a series of structured interviews with key decision-making individual in the various disciplines of the geothermal community. In addition, some technical and economic analyses of a candidate system were performed to support the feasibility of the basic concept.

L.S.

N78-27536*# Wormser Scientific Corp., Stamford, Conn.
PRELIMINARY DESIGN PACKAGE FOR SOLAR HEATING AND HOT WATER SYSTEM

Jan. 1977 56 p Prepared for DoE

(Contract NAS8-32250)

(NASA-CR-150616) Avail: NTIS HC A04/MF A01 CSCL 10A

The preliminary design review on the development of a multi-family solar heating and domestic hot water prototype system is presented. The report contains the necessary information to evaluate the system. The system consists of the following subsystems: collector, storage, transport, control and Government-furnished site data acquisition.

L.S.

N78-27537*# AiResearch Mfg. Co., Torrance, Calif.
PRELIMINARY DESIGN ACTIVITIES FOR SOLAR HEATING AND COOLING SYSTEMS Status Report, 12 Jul. - 1 Sep. 1976

May 1978 222 p refs Prepared for DoE

(Contract NAS8-32091)

(NASA-CR-150673; AiResearch-76-12994) Avail: NTIS HC A10/MF A01 CSCL 10A

Information on the development of solar heating and cooling systems is presented. The major emphasis is placed on program organization, system size definition, site identification, system approaches, heat pump and equipment design, collector procurement, and other preliminary design activities.

B.B.

N78-27538*# Little (Arthur D.), Inc., Cambridge, Mass.
EVALUATION OF SOLAR CELLS AND ARRAYS FOR POTENTIAL SOLAR POWER SATELLITE APPLICATIONS Final Report

David W. Almgren, Katinka Csigi, and Arthur D. Gaudet 31 Mar. 1978 81 p

(Contract NAS9-15294)

(NASA-CR-151740) Avail: NTIS HC A05/MF A01 CSCL 10A

Proposed solar array designs and manufacturing methods are evaluated to identify options which show the greatest promise of leading up to the development of a cost-effective SPS solar cell array design. The key program elements which have to be accomplished as part of an SPS solar cell array development program are defined. The issues focussed on are: (1) definition of one or more designs of a candidate SPS solar array module, using results from current system studies; (2) development of the necessary manufacturing requirements for the candidate SPS solar cell arrays and an assessment of the market size, timing, and industry infrastructure needed to produce the arrays for the SPS program; (3) evaluation of current DOE, NASA and DOD photovoltaic programs to determine the impacts of recent advances in solar cell materials, array designs and manufacturing technology on the candidate SPS solar cell arrays; and (4) definition of key program elements for the development of the most promising solar cell arrays for the SPS program.

L.S.

N78-27539*# National Aeronautics and Space Administration.
 Lewis Research Center, Cleveland, Ohio.
COST OF PHOTOVOLTAIC ENERGY SYSTEMS AS DETERMINED BY BALANCE-OF-SYSTEM COSTS

Louis Rosenblum Jun. 1978 14 p refs

(NASA-TM-78957; E-9708) Avail: NTIS HC A02/MF A01 CSCL 10B

The effect of the balance-of-system (BOS), i.e., the total system less the modules, on photo-voltaic energy system costs is discussed for multikilowatt, flat-plate systems. Present BOS costs are in the range of 10 to 16 dollars per peak watt (1978 dollars). BOS costs represent approximately 50% of total system cost. The possibility of future BOS cost reduction is examined. It is concluded that, given the nature of BOS costs and the lack of comprehensive national effort focussed on cost reduction, it is unlikely that BOS costs will decline greatly in the next several years. This prognosis is contrasted with the expectations of the Department of Energy National Photovoltaic Program goals and pending legislation in the Congress which require a BOS cost reduction of an order of magnitude or more by the mid-1980s.

Author

N78-27544# Draper (Charles Stark) Lab., Inc., Cambridge, Mass.
RESEARCH TOWARD IMPROVED FLYWHEEL SUSPENSION AND ENERGY CONVERSION SYSTEMS Final Report

David Eisenhaure Nov. 1977 181 p refs

(Grant NSF AER-75-18813)

(PB-278679; G: R-1108) Avail: NTIS HC A09/MF A01 CSCL 10B

Flywheel and energy conversion studies were directed toward the utilization of flywheel energy storage for utility load-leveling during peak power periods, both at the residential and utility levels, for complementing windmill or photovoltaic systems, and for transportation systems. A set of system requirements which would allow two-way power flow between a high speed flywheel shaft and a 60 Hz line was outlined. Existing conversion system types were studied, indicating that the system requirements could be best met with a new concept. Therefore, a special purpose integrated rotating machine and power switching stage were designed.

GRA

N78-27545# Washington Univ., Seattle. Dept. of Mining Metallurgical, and Ceramic Engineering.

FEASIBILITY STUDY OF MINING ALASKA COAL AND TRANSPORTATION BY SLURRY TO THE WEST COAST Final Report

Donald Anderson 5 Jan. 1978 37 p

(Contract DI-BM-GO-264012)

(PB-278755/4; BM-OFR-17(1)-78) Avail: NTIS
HC A03/MF A01 CSDL 081

The extensive subbituminous coal deposits near Cook Inlet, Alaska, have received considerable attention because of their size, nearness to tidewater, and low sulfur content. As the need for increased electrical power is felt along the west coast, a search is being made for sources of fuel other than petroleum and natural gas. The State of Washington is the only Pacific Coast State with substantial coal resources, but because of geologic setting, much of this resource will be available only at high cost. Reflecting these circumstances, if coal is to be used as a source of electrical energy, it may have to be transported from the Northern Great Plains or Rocky Mountain areas or from more remote sites if they happen to be located at or near tidewater. GRA

N78-27547# Gould, Inc., Rolling Meadows, Ill. Gould Labs.
STATE-OF-THE-ART LEAD-ACID VEHICLE
26 Aug. 1977 64 p

(Contract W-31-109-eng-38)

(ANL-K-77-3639-1) Avail: NTIS HC A04/MF A01

A report is given of the state of the art of electric vehicle batteries, what the technology is capable of mass-producing within two years, and what are the research and development tasks that must be undertaken to achieve goals for both the improved state-of-the-art battery and the advanced battery. Energy intensive and life intensive candidate design for electric-vehicle lead-acid batteries are discussed and performance projections are tabulated. ERA

N78-27548# Little (Arthur D.), Inc., Cambridge, Mass.
**SYSTEM DEFINITION STUDY: PHASE 1 OF INDIVIDUAL
LOAD CENTER, SOLAR HEATING AND COOLING RESIDENTIAL
PROJECT Final Report**

James C. Burke, Richard L. Merriam, and John L. Swanson
Dec. 1977 275 p refs Sponsored by Elec. Power Res. Inst.
(EPRI Proj. 549-1)

(EPRI-ER-594) Avail: NTIS HC A12/MF A01

A study was carried out to determine preferred systems for residential solar and load management heating, cooling and domestic hot water systems in the Northeast and Southwest regions of the United States. A methodology relating the performance of solar and load management heating and cooling systems to utility power generation, costs of supply and weather characteristics was developed. Preferred systems in the service areas of two utilities were identified. Preliminary designs for five experimental systems in both service areas were developed with the intent of maximizing the acquisition of experimental information on systems compatible with utility operations. The methodology provides a means of determining systems which, on a life cycle cost basis, minimize the total cost of meeting the energy needs for a specific application including investments in generating capacity at the power plant, fuel costs and investments at the point of use for energy conservation. The methodology was tested for 14 additional utilities throughout the United States. ERA

N78-27549# Exxon Research and Engineering Co., Florham Park, N. J.

**EDS COAL LIQUEFACTION PROCESS DEVELOPMENT,
PHASE 3 B Monthly Technical Progress Report, 1-31 Dec.
1977**

Jan. 1978 56 p refs Sponsored in part by the Carter Oil Co., Elec. Power Res. Inst. and Phillips Petrol. Co.

(Contract EF-77-A-01-2893)

(FE-2893-6) Avail: NTIS HC A04/MF A01

The solvent quality study with Wyoming subbituminous coal in the 50 pound-per-day Recycle Coal Liquefaction Unit was completed. The study concentrated on investigation of the effects of increased solvent-to-coal ratio and liquefaction residence time. The liquefaction yield structure used for the updated commercial study design was finalized based on the latest runs at the coal liquefaction pilot plant. Earlier results, which indicated higher start-of-run temperatures were required for a heavier feedstock to reach the same solvent donatable hydrogen level as for

Multi-Pass Spent Solvent (MPSS), were confirmed. A process variable screening study utilizing Ni/Mo-10 and C₁/Mo-20 catalysts and Wyoming spent solvent was completed on the solvent hydrogenation two-train catalyst testing unit. The variables investigated were start-of-run temperatures and space velocities. ERA

N78-27550# Booz-Allen and Hamilton, Inc., Bethesda, Md.
Applied Research Div.

**PROJECT ACQUISITION AND EVALUATION PROCESS FOR
ATMOSPHERIC FLUIDIZED BED COMBUSTION DEMONSTRATION PLANT**

30 Sep. 1977 279 p

(Contract EX-76-C-01-2345)

(FE-2343-1) Avail: NTIS HC A13/MF A01

Fluidized bed technology provided a method of burning coal of all ranks (including high sulfur, high ash, agglomerating, and caking coal) and meeting environmental standards without pretreatment or scrubbing. FBC will have its greatest potential in utilizing pressurized reactors with combined cycle turbine systems but the FBC technology closest to commercial readiness is atmospheric fluidized bed combustion (AFBC) combined with traditional Rankine steam cycles. The current state of the AFBC development program is that numerous bench-scale and process development units are completed or underway; a 30 MWe pilot plant is in the startup and shakedown stage; a component test and integration unit is in the early construction stage; and conceptual designs are being performed for demonstration plants. ERA

N78-27553# United Technologies Corp., South Windsor, Conn.
**ADVANCED TECHNOLOGY FUEL CELL PROGRAM Interim
Report**

J. M. King, Jr. Nov. 1977 78 p refs

(EPRI-EM-576) Avail: NTIS HC A05/MF A01

Molten carbonate fuel cells, advanced phosphoric acid fuel cells, advanced fuel processors and the use of coal and coal products in central stations or dispersed fuel cell powerplants are under investigation. Molten carbonate fuel cell activities focused on reactant containment, increased endurance, and improved performance. The effort is continuing to demonstrate cell performance and function for extended periods at the cell stack level. An advanced phosphoric acid cell concept, with potential for reduced cost and reduced resistance losses, was demonstrated in a 20-cell stack. The best performing cells achieved expectations, and the concept was successfully demonstrated. Investigations showed that adiabatic steam reforming holds promise for processing No. 2 fuel oil in dispersed fuel cell generators, and subscale testing was conducted to establish acceptable operating conditions. ERA

N78-27554# Auburn Univ., Ala. Inst. of Water Resources
Research.

**SUBSURFACE WASTE-HEAT STORAGE: EXPERIMENTAL
STUDY Final Report, 15 Nov. 1975 - 30 Jun. 1977**

James C. Warman, Fred J. Molz, and Thomas E. Jones Jun.
1977 67 p refs

(Contract EY-76-S-05-5003)

(ORO-5003-1) Avail: NTIS HC A04/MF A01

Electrical power plant and solar heating systems were proposed wherein confined aquifers are used as storage reservoirs for moderate to high temperature water. The Water Resources Research Institute of Auburn University performed an aquifer storage experiment involving warm water (94 F; 36 C). Phase I consisted of the drilling of an exploratory well at the field site near Mobile, Alabama. Phase II involved construction of the central injection well, three observation wells, and performance of preliminary pumping tests. Phase III was devoted to construction of the remainder of the observation well field, performance of final pumping tests, and measurement of aquifer thermal properties; while Phase IV was devoted to a cycle of warm water injection, storage, and recovery. It was concluded that heat storage aquifers must have low natural pore velocities, and much care must be taken not to clog the injection well with solids. ERA

N78-27556# Institute of Gas Technology, Chicago, Ill.
MOLTEN-SALT THERMAL-ENERGY STORAGE SYSTEMS
 J. F. Dullea and H. C. Maru 1977 12 p ref Presented at the 2d Ann. Thermal Energy Storage Contractors' Inform. Exchange Meeting, Gatlinburg, Tenn., 29 Sep. 1977
 (Contract EY-76-C-02-2888)

(CONF-770955-3) Avail: NTIS HC A02/MF A01

The goals of the program are to determine the technical feasibility of using inorganic salts as phase-change thermal storage materials (PCM) for high-temperature (> 300 C applications, to develop a mathematical model able to predict the behavior of a PCM in a latent heat, thermal energy storage (TES) system, and to use this information in designing prototype, large scale (100 to 100 kWhr/sub t/) storage systems for further technical and economic evaluation. The first phase of the program, involving selection of a suitable storage material, mathematical modeling, heat transfer analysis, and operation of small scale (< 10 kWhr/sub t/) TES systems, was completed. Results were encouraging, showing good agreement between the mathematical model and the observed performance. Further work on system analysis, performance improvements, and large scale system design is now in progress. ERA

N78-27557# Sandia Labs., Albuquerque, N. Mex.
THERMOCHEMICAL ENERGY STORAGE SYSTEMS: A REVIEW

R. W. Mar and T. T. Bramlette Feb: 1978 47 p refs
 (Contract EY-76-C-04-0789)

(SAND-77-8051) Avail: NTIS HC A03/MF A01

The report reviews the characteristics of thermochemical storage systems, analyzes the present state-of-the-art of the relevant technical disciplines, and presents some potential solar storage applications. ERA

N78-27558# Brookhaven National Lab., Upton, N. Y. Dept. of Energy and Environment.
HYDROGEN-CHLORINE ENERGY STORAGE SYSTEM

J. McBreen, R. S. Yeo, A. Beaufrere, D. T. Chin, and S. Srinivasan 1977 9 p refs
 (BNL-23670; Conf-771131-4) Avail: NTIS HC A02/MF A01

The electrochemically regenerative hydrogen-chlorine system is being considered for large scale energy storage. It offers many of the advantages of batteries with fluid reactants such as elimination of the problem of electrode morphology changes with cycling and the possibility of independently designing the system for energy and power. Hence, it can be used for both the daily and weekend utility cycles. Recent work includes an extensive heat and mass balance analysis for the system, measurements of Nafion membrane resistivity as a function of HCl concentration and temperatures, and diffusivities and permeation rates of chlorine through Nafion membranes. Results of these studies indicate that an overall electric-to-electric efficiency of 75% or greater can be projected for the system. Author

N78-27559# California Univ., Davis. Dept. of Land, Air, and Water Resources.

ENERGY REQUIREMENTS OF ALTERNATIVES IN WATER SUPPLY, USE, AND CONSERVATION, AND WATER QUALITY CONTROL IN CALIFORNIA Final Report

Edwin B. Roberts and Robert M. Hagan Sep. 1977 150 p refs
 (Contract W-7405-eng-48)

(UCRL-13784) Avail: NTIS HC A07/MF A01

Information is presented on: energy requirements associated with water supply and use and waste water treatment; form water supply sources and pumping energy requirements; total energy requirements for irrigation in 1972; and energy requirements associated with irrigation water quality problems in California. Author (ERA)

N78-27560# Department of Energy, Washington, D. C.
ANALYSIS OF THE CURRENT ECONOMIC FEASIBILITY OF SOLAR WATER AND SPACE HEATING

R. H. Bezdek Jan. 1978 43 p
 (DOE/CS-0023) Avail: NTIS HC A03/MF A01

The current economic feasibility of solar water and space

heating in four representative cities in the U.S. is analyzed. The four representative cities are Boston, Massachusetts; Washington, D.C.; Grand Junction, Colorado; and Los Angeles, California. The feasibility of solar water heating and combined water and space heating is examined separately for single family detached homes and for multi-family apartment buildings. Using actual 1977 regional fuel prices and solar equipment costs, the solar systems are competed against conventional gas, fuel oil, and electric systems. The results are evaluated on the basis of three decision criteria, an identical analysis is then carried out assuming the passage of a solar income tax credit. ERA

N78-27561# Sandia Labs., Albuquerque, N. Mex.
FACTORS AFFECTING MARKET INITIATION OF SOLAR TOTAL ENERGY

R. W. Harrigan 1978 6 p refs Presented at the Symp. on Energy, Tulsa, Okla., 16 Apr. 1978

(Contract EY-76-C-04-0789)

(SAND-78-0148C; Conf-780413-1)

Avail: NTIS

HC A02/MF A01

An economic methodology is introduced for quickly visualizing the effect of various economic, technical, and programmatic actions on the early commercialization of solar total energy (STE). Process-heat users are identified as primary candidates for earliest market initiation. In addition, while technical factors such as improved power-conversion efficiency and mirror reflectivity do affect time-of-market initiation, programmatic and economic factors such as government-induced mass production of solar collectors and investment tax credits have even greater influence on the market initiation of STE. ERA

N78-27562# Sandia Labs., Albuquerque, N. Mex.
MASTER CONTROL AND DATA SYSTEM FOR THE 5MW SOLAR THERMAL TEST FACILITY

D. M. Darsey 1978 8 p Presented at the 24th Intern. Instrumentation Symp., Albuquerque, N. Mex., 1 May 1978

(Contract EY-76-C-04-0789)

(SAND-78-0205C; Conf-780503-5)

Avail: NTIS

HC A02/MF A01

The world's largest solar powered research facility, approaching construction completion near Albuquerque, New Mexico, is controlled by a distributed network of minicomputers. The philosophy of the system design and details the system control components, operation and data capabilities are described. ERA

N78-27564# Sandia Corp., Livermore, Calif.
BUCKS: ECONOMIC ANALYSIS MODEL OF SOLAR ELECTRIC POWER PLANTS

J. M. Brune Jan. 1978 54 p refs

(Contract EY-76-C-04-0789)

(SAND-77-8279) Avail: NTIS HC A04/MF A01

A computer model (BUCKS) is designed for economic analysis of solar electric power plants. The model determines the leveled life-cycle revenue per unit output from the plant that will be sufficient to compensate for the fixed and variable costs, pay interest to bondholders, and provide return to stockholders. Cost-scaling relationships for solar-plant subsystems have been developed that allow BUCKS in conjunction with a plant performance model to perform a number of cost/benefit calculations. ERA

N78-27565# California Univ., Berkeley. Sanitary Engineering Research Lab.

SOLAR ENERGY CONVERSION WITH HYDROGEN PRODUCING ALGAE Final Report, 1 Feb. 1978 - 31 Apr. 1977

J. R. Benemann, P. C. Hallenbeck, J. C. Weissman, L. V. Kochian, P. C. Kostel, and W. J. Oswald Jun. 1977 44 p refs

(Contract EY-76-S-03-0034-239)

(SAN/0034-77/1) Avail: NTIS HC A03/MF A01

Biophotolysis--the production of hydrogen and oxygen from water and sunlight by biological catalysts--was demonstrated, for the first time, using nitrogen-starved cultures of the blue-green alga *Anabaena cylindrica*. This system demonstrates all the requirements for development of a practical system of biophotoly-

sis--high (23 microns moles/mg dry weight) and sustained (3 weeks or longer) hydrogen and oxygen production at a 2:1 ratio with no fundamental limitations in scale-up, stability, or longevity. Present limitations of this system may be classified as biochemical, physiological, engineering. Advances were made in all areas. Operation of an outdoor biophotolysis system demonstrates the basic feasibility of this method of energy conversion. An engineering and economic analysis reveals many aspects of this system which will require further research and development before practical applications will be possible. ERA

N78-27567# Stanford Univ., Calif.
SILICON PHOTOVOLTAIC CELLS IN TPV CONVERSION
 Interim Report

R. N. Bracewell and R. M. Swanson Feb. 1978. 86 p refs (EPRI-ER-633) Avail: NTIS HC A05/MF A01

The feasibility of a solar electric thermophotovoltaic system (TPV) was assessed. A numerical model of TPV conversion was developed both for the purpose of assessing TPV conversion and to facilitate an initial design of TPV photocells. Also, a facility for experimentally evaluating TPV photocells was designed and built. Three runs of TPV cells were fabricated and tested. These achieve efficiencies of 7, 10, and 12% respectively. The cells have negligible resistance loss at currents up to 50 A/cm or 1000 suns. When proper electrical and geometrical parameters for the photovoltaic cell were assumed, the numerical model was found to describe correctly all aspects of the observed behavior of the TPV cells. The model predicts that reduction of parasitic absorption to levels considered achievable will yield TPV cell efficiencies in excess of 30%. ERA

N78-27568# Brookhaven National Lab., Upton, N. Y. Div. of Basic Energy Sciences.

METAL HYDRIDE DEVELOPMENT PROGRAM AT BROOKHAVEN NATIONAL LIBRARY

J. R. Johnson and J. J. Reilly 1977 10 p refs Presented at the DOE Ann. Chem. Energy Storage and Hydrogen Energy System Contract Rev., Baltimore, 16 Nov. 1977 (Contract EY-76-C-02-0016)

(BNL-23574; Conf-771131-2) Avail: NTIS HC A02/MF A01

A progress report which discusses some of the following subjects is presented: The influence of the free energy change and the metal atom mobility upon the reaction of intermetallic compounds with hydrogen; the properties of ferro-titanium alloy hydrides formulated for a specific application (H₂-Cl₂ dual model cell); the effect of cyclic hydriding and dehydriding on FeTi; and the TiCr₂-H system and its properties. ERA

N78-27569# Sandia Labs., Albuquerque, N. Mex.
BRAKE SYSTEM FOR THE 17 METER VERTICAL AXIS WIND TURBINE

C. W. Dodd Feb. 1978 27 p (Contract EY-76-C-04-0789) (SAND-77-1331) Avail: NTIS HC A03/MF A01

The design philosophy and operating procedure of the hydraulic brake system on the 17-meter vertical-axis wind turbine are described. Design details and a functional description of system components are included. ERA

N78-27570# Philips Labs., Briarcliff Manor, New York.
STIRLING TOTAL ENERGY SYSTEMS STUDY Final Report, 15 May 1976 - 13 Jun. 1977

D. Lehrfeld Aug. 1977 190 p refs Sponsored by DOE (HCP/T2947-1) Avail: NTIS HC A09/MF A01

The application of Stirling cycle prime movers to total energy power generation systems was investigated. Electrical, heating, and cooling demand profiles for a typical residential complex, hospital, and office building were studied, and alternative Stirling total energy systems were conceptualized for each site. These were analyzed in detail and contrasted with purchased power systems for these sites to determine fuel energy savings and investment attractiveness. The residential complex and hospital would be excellent candidates for total energy systems; and prime movers in the 1000-kW output range would be required. Consideration was given to the following technological decision areas before arriving at a final design: engine configuration, hot-side heat exchange interface, engine control system, internal gas seals,

and advanced coal combustion technology. The principal advantage of a Stirling prime mover in this application, is that it could utilize low grade liquid fuels and coal. ERA

N78-27572# Resources for the Future, Inc., Washington, D. C.
HOW INDUSTRIAL SOCIETIES USE ENERGY

J. Darmstadter, J. Dunkerley, and J. Alterman Feb. 1978 39 p refs Sponsored by EPRI (EPRI Proj. 384)

(EPRI-EA-707-SY) Avail: NTIS HC A03/MF A01

An attempt is made to find an answer as to why the per capita consumption of primary energy resources are so much higher in the U.S. than in other industrial countries, whose per capita income does not differ appreciably from that of the U.S. Comparative patterns of energy consumption are considered for the U.S., Canada, France, West Germany, Italy, Netherland, UK, Sweden, and Japan. Those components that give rise to variations between countries in the relationship between energy use and national output are identified. As far as possible, the respective contributions of (1) economic structure, and (2) characteristics of energy utilization to the intercountry variations in energy and output are interpreted. Where the data permit, underlying factors--such as relative price differences and demographic features--are woven into the analysis. ERA

N78-27573# Department of Energy, Washington, D. C.
METHODS OF FORECASTING OF SCIENTIFIC AND TECHNICAL PROGRESS IN THE PRODUCTION AND CONSUMPTION OF FUEL AND ENERGY RESOURCES

S. N. Yatrov 1977 47 p refs Transl. into ENGLISH from report from the All-Union Scientific Research Inst. of Complex Fuel and Energy Problems, State Planning Committee of the USSR (Moscow), 1977 47 p (DOE-tr-24) Avail: NTIS HC A03/MF A01

The following subjects are discussed: systems and indices for forecasting the scientific and technical progress in the production and consumption of technical and economic resources; methods and practical experience in forecasting the production and consumption of fuels and energy sources in the U.S.S.R.; and trends in the development of such forecasting methods. Author (ERA)

N78-27575# Mathematica, Inc., Washington, D. C.
ESTIMATING HOUSEHOLD ENERGY EXPENDITURES IN THE PHASE 1 COMPREHENSIVE HUMAN RESOURCES DATA SYSTEM, TASK 2 Final Report

Jill A. King Dec. 1977 57 p refs (Contract EM-74-C-01-8022) (HCP/I60901-01) Avail: NTIS HC A04/MF A01

Results of revising the electricity and piped-gas expenditures imputed to households on the 1974 Comprehensive Human Resources Data Survey (CHRDS) file with equations estimated from the WCMS 1975 Household Energy Survey are presented. The revised expenditures are shown to be superior to the original CHRDS expenditures in many respects. The adjustment factors necessary to calibrate the expenditures with state-by-state control data are generally smaller than those previously required, and more importantly, the variations in expenditures by different characteristics, including income, age of head, race of head, family size, and tenure are much more reasonable than the original expenditures. Without an absolute standard of the true energy expenditures of the U.S. population by which to assess the CHRDS file, however, it is impossible to conclude that the CHRDS revised electricity and piped-gas expenditures reflect accurately the energy expenditures of different subgroups of the population. Author

N78-27576# Institute of Gas Technology, Chicago, Ill.
TRANSMISSION OF ENERGY BY OPEN-LOOP CHEMICAL ENERGY PIPELINE

N. R. Baker 1977 6 p refs Presented at ERDA-Information Exchange Meeting for Thermal Energy Storage Program, Gatlinburg, Tenn., 29 Sep. 1977 (Contract EE-77-C-02-4234) (CONF-770955-4) Avail: NTIS HC A02/MF A01

The technical feasibility and the economic viability of

transmitting and storing energy by an open-loop modification of the reversible chemical energy pipeline system known as EVA/ADAM were evaluated. Topics studied include: (1) the preliminary design of a nuclear (HTGR) and methane-based open-loop system; (2) assessment of the feasibility of using existing natural gas pipelines and storage systems for the synthesis gas; (3) evaluation of energy sources as alternatives to those in the preliminary design; (4) assessment of existing methanation technologies and interchangeability of the synthetic natural gas (SNG) with natural gas; (5) evaluation of the various alternative energy end-uses for heat, SNG, and electricity; and (6) development of two conceptual designs and evaluation of their economics and environmental impacts. ERA

N78-27577# Organization for Economic Co-Operation and Development, Paris (France).

INTERNATIONAL ENERGY TRENDS: MONTHLY SUPPLEMENT ON OIL TRENDS

16 Dec. 1977 30 p refs

(NP-22885) Avail: NTIS (US Sales Only) HC A03/MF A01; ERDA Depository Libraries

Data on international energy trends are presented in tables and graphs. The data are grouped in sections on consumption of all oil products, consumption by 3 main products, production of crude oil, stock levels of all oil, crude oil imports, average import price for all crude categories, and index of industrial production. ERA

N78-27578# Battelle Pacific Northwest Labs., Richland, Wash. **BRINE CHEMISTRY AND COMBINED HEAT/MASS TRANSFER. VOLUME 2: APPENDICES**

D. W. Shannon Jan. 1978 264 p refs

(Contract EY-76-C-06-1830)

(EPRI-ER-635-Vol-2) Avail: NTIS HC A12/MF A01

Volume II of the two-volume report consists of five appendixes. They are entitled: (1) summary of key input variables for operation of the flashed steam plant computer code; (2) background on component models for fittings and valves; (3) flasher-separator baseline description and performance model; (4) direct contact cascade condenser baseline description and performance; and (5) brine chemistry of geothermal wells listed by resource type. ERA

N78-27579# Exxon Research and Engineering Co., Linden, N. J. Government Research Lab.

HETEROSTRUCTURE SINGLE CRYSTAL SILICON PHOTO-VOLTAIC CELL TYPE A: SEMICONDUCTOR HETERO-JUNCTION SILICON DEVICES Quarterly Report, 27 Sep. - 31 Dec. 1976

A. K. Ghosh, R. F. Shaw, T. Feng, C. Fishman, S. Merrin (Emdex Corp., Milford, Conn.), and I. Grater (Emdex Corp., Milford, Conn.) Jan. 1978 39 p refs

(Contract EY-76-C-03-1283)

(TID-27910; QR-1) Avail: NTIS HC A03/MF A01

An account is given of the work that was done on SnO₂/Si Heterostructure solar cells. In the Emdex Innotech cells, a major portion of current losses are due to reflection and shadowing effects due to grids. The SnO₂ thin films act as an antireflection coating but are not comparable in performance to those used in commercial p/n junction solar cells. The shape of the spectral response curve was theoretically calculated by taking into account the reflection losses. In most cases it is not necessary to assume an inversion layer at the surface to account for the decrease in spectral response at short wavelengths. Further for these cells photocurrent suppression was not observed. The diode factor, the reverse saturation current, series and shunt resistances were determined for these cells. The diode factor n determined from dark and light I-V are not the same as one would expect from a normal solar cell. The first batch of newly fabricated SnO₂/Si cells show low efficiency. The problems with these cells and ways to improve its performance are discussed. ERA

N78-27580# Brookhaven National Lab., Upton, N. Y. **ELECTROLYSIS BASED HYDROGEN STORAGE SYSTEM Semiannual Report, 1 Jan. - 30 Jun. 1977**

F. J. Salzano Oct. 1977 39 p refs

(Contract EY-76-C-02-0016)

(BNL-50760) Avail: NTIS HC A03/MF A01

The cost and efficiency of electrolytic hydrogen production and the technique of using metal-hydride hydrogen storage for stationary and transportation applications are discussed. The related work of organizations having subcontracts with BNL is included; and the effort on natural-gas supplementation, systems analysis, and project management of the ERDA Hydrogen Program by BNL are summarized. Hardware development and cell materials testing for both acid and alkaline water electrolyzers are included. Also reported is related work on development of the reversible H₂Cl₂ electrochemical cell which is the key component in an electrical energy storage system proposed for utility use. Progress is reported on solutions to the hydride expansion problem, design of the Hydrogen Technology Advanced Component Test System, design of two hydrogen reservoirs, improved Fe-Ti-based hydrides, and studies on the recovery of storage capacity following poisoning by impurities in the hydrogen. ERA

N78-27581# Hughes Research Labs., Malibu, Calif.

INDIUM PHOSPHIDE/CADMIUM SULFIDE THINFILM TERRESTRIAL SOLAR CELLS Quarterly Report, 1 Jul. - 14 Sep. 1977

K. Zanio and L. Frass Oct. 1977 20 p refs

(Contract EY-76-C-04-3717)

(ALO/3717-1; QR-4) Avail: NTIS HC A02/MF A01

Indium phosphide/cadmium sulfide solar cells with AM2 efficiencies up to 7% were prepared by the deposition of CdS on single crystals of InP. When an intermediate layer of n-type InP was deposited by the planar reactive deposition (PRD) technique, 3% efficiencies were obtained. Reduced efficiencies were obtained when an intermediate layer of p-type Mn-doped InP was used as the light-absorbing layer. Manganese, acting as a deep center at 0.25 eV and introduced in concentrations of about 10 to the 18th power/cubic cm, may act as recombination and tunneling centers, thus limiting the efficiency of the cells. These results suggest that, to improve cell efficiency, either the Mn doping must be reduced or the purity of films must be improved. Methods of improving the purity of the films are suggested. ERA

N78-27582# Brookhaven National Lab., Upton, N. Y. **ROLE OF WIND POWER IN ELECTRIC UTILITIES**

H. Davitian Sep. 1977 22 p refs

(Contract EY-76-C-02-0016)

(BNL-50736) Avail: NTIS HC A02/MF A01

Current estimates suggest that the cost of wind generated power is likely to be competitive with conventionally generated power in the near future in regions of the United States with favorable winds and high costs for conventionally generated electricity. This assessment regarding competitiveness includes effects of reduced reliability of wind power compared to conventional sources. Utilities employing wind power are likely to purchase more peaking capacity and less baseload capacity than they would have otherwise to provide the lowest cost reserve power. This reserve power is needed mainly when wind outages coincide with peak loads. The monetary savings associated with this shift contribute substantially to the value of wind energy to a utility. ERA

N78-27583# State Univ. of New York, Albany.

SOLAR ENERGY AND THE HEAT PUMP IN A NORTHERN CLIMATE Final Report

R. Stewart, J. Healey, B. Murphy, and J. Scott Dec. 1977 68 p refs

(EPRI-EA-407) Avail: NTIS HC A04/MF A01

The performance of copper solar panels with a water-to-water heat pump, an air-to-water heat pump, an electric boiler, and two eight thousand gallon storage tanks is reported. The heated building was instrumented to provide data for the time variant electric power demands, the impact of meteorological variables, peak storage capabilities, the efficiency of the solar panels, coefficient of performance of the heat pumps, and heating system performance factor. Computer simulations of the heat budget of the building were prepared and verified. A series of economic

analyses were performed comparing the air source heat pump to the solar assisted water-to-water heat pump and using a base case of electric heating peak shaving. Incremental costs were included but the peak shaving capability was not tested. It is indicated that the air source heat pump has a higher coefficient of performance than the solar assisted water-to-water heat pump. The solar system provides 33% of the heating load during peak winter operating conditions. ERA

N78-27584# George Washington Univ., Washington, D. C.
SOLAR ENERGY INCENTIVES ANALYSIS: PSYCHO-ECONOMIC FACTORS AFFECTING THE DECISION MAKING OF CONSUMERS AND THE TECHNOLOGY DELIVERY SYSTEM

Jan. 1978 52 p

(Contract EX-76-G-01-2534)

(HCP/M2534) Avail: NTIS HC A04/MF A01

The rationale for the study is that economic incentives are necessary, but not sufficient for achieving commercial and residential acceptance. The primary research instrument was 21 Decision Analysis Panel meetings held with groups of Technology Delivery System segment members, and with potential user groups in four regions: the Far West, Southeast, Middle Atlantic and Northeast. Data were analyzed by content and thematic analyses. The major and permanent TDS functions such as financing, manufacturing, distributing, building and installing as well as commercial and private residence consumers are studied. Presented is a broad overview of the behavioral/economic barriers to solar acceptance: a brief review of how these vary within each TDS and consumer segment studies; and a precis of legislative and programmatic recommendations for Federal, state and local government action. ERA

N78-27585# Ford Motor Co., Dearborn, Mich.
FORD/ERDA SODIUM-SULFUR BATTERY DEVELOPMENT, PHASE 2 Progress Report, 1 Nov. - 31 Dec. 1977

A. Topouzian Feb. 1978 28 p

(Contract EY-76-C-02-2566)

(COO-2566-30; PR-30) Avail: NTIS HC A03/MF A01

Progress is reported in the development of a sodium-sulfur battery. Topics covered include: (1) specifications for an electric vehicle battery to meet a duty cycle of 100 miles CVS; (2) system design and component development for a 1-MW load leveling battery; (3) chromium-nickel alloys for use as the sulfur container material; (4) ceramic electrolyte tubing and sealing problems; and (5) results of cell fabrication and testing. ERA

N78-27586# Department of Energy, Washington, D. C.
DOE FACILITIES SOLAR DESIGN HANDBOOK

Jan. 1978 177 p refs

(Contract W-7405-eng-36)

(DOE/AD-0006/1) Avail: NTIS HC A09/MF A01

Design of solar heating systems for commercial and laboratory buildings at Department of Energy Facilities is discussed. Solar energy fundamentals, solar heating and cooling technology, systems, and components are included as well as solar system economics. Quantitative analysis, with generalized design and sizing curves, is presented for solar heating so that collector and other system parameters can be cost-economically sized without a computer simulation. Solar system design considerations and guidelines, as well as guidelines for developing subsystem specifications, are presented. ERA

N78-27587# Energy Research and Development Administration, Washington, D. C. Office of Planning, Analysis, and Evaluation.

MODELS AND METHODOLOGIES FOR ASSESSING THE IMPACT OF ENERGY DEVELOPMENT

Sep. 1977 41 p refs

(Contract EA-77-C-10-0037)

(ERDA-77-91) Avail: NTIS HC A03/MF A01

The most important community service areas impacted are: housing, transportation, solid waste, water supply, waste water treatment, recreation, education, health care, and public safety. This report surveys the major land use, transportation, economic-demographic, and simulation models and methodologies to analyze

their performance vis-a-vis data requirements, model validity and ease of use. GRA

N78-27588# Energy Research and Development Administration, Washington, D. C. Office of Planning, Analysis, and Evaluation.

ASSISTANCE FROM ENERGY DEVELOPERS: A NEGOTIATING GUIDE FOR COMMUNITIES

Sep. 1977 79 p

(Contract EA-77-C-10-0037)

(ERDA-77-90) Avail: NTIS HC A05/MF A01

Public and private policies and actions are considered to increase reliance on more-abundant domestic energy resources such as coal and to develop new technologies to exploit those resources. The focus of this guide is on a general approach and the generic information needed to negotiate for assistance in managing, minimizing, or averting adverse community impacts from energy-development projects. The negotiating process, negotiating leverage, impact and needs assessment, government and developer assistance, and negotiating strategy, are discussed. A case study is made of Mineral City County, USA (fictitious), based on experiences of actual communities where a coal gasification plant is located. ERA

N78-27589# Energy Research and Development Administration, Washington, D. C. Office of Planning, Analysis, and Evaluation.

MANAGING THE SOCIO-ECONOMIC IMPACTS OF ENERGY DEVELOPMENT: A GUIDE FOR THE SMALL COMMUNITY

Sep. 1977 82 p

(Contract EA-77-C-10-0037)

(ERDA-77-79) Avail: NTIS HC A05/MF A01

Employment, personal income, housing, education, transportation, water supply, solid waste collection and disposal, waste water treatment, health care, recreation, and safety are among the factors discussed. Emphasis is given to organizing to most effectively participate in assessing, planning, and managing energy development and how to insure that information is collected and analyzed to reflect local priorities and future planning needs within the small community. ERA

N78-27590# Brookhaven National Lab., Upton, N. Y.
DATA BANK FOR THE GEOGRAPHICAL ALLOCATION OF FUTURE US ENERGY SUPPLY FACILITIES BY COUNTY
 W. A. Sevan and S. R. Bozzo May 1977 32 p refs

(Contract EY-76-C-02-0016)

(BNL-50754) Avail: NTIS HC A03/MF A01

To aid the analysis and evaluation of the biomedical and environmental effects of future energy systems, a county level data bank of future U.S. energy supply facilities is considered. This data file attempts to fulfill a requirement for a county level information source useful in future energy supply and utilization projections, and the generation of closer links between energy resources, their development and use, and a comprehensive set of the effects of energy consumption. The data file format contains such items as fuel type, process type, year of planned availability, production capacity, employment, and state and county of location for each facility; these formats are described in detail. Finally, a system that has been developed incorporating the data bank of future energy supply facilities for the analysis of the biomedical and environmental consequences of energy production and consumption is described. ERA

N78-27591# Brookhaven National Lab., Upton, N. Y.
IMPACT OF SELECTED ENERGY CONSERVATION TECHNOLOGIES ON BASELINE DEMANDS

A. Doernberg Sep. 1977 101 p refs

(Contract EY-76-C-02-0016)

(BNL-50745) Avail: NTIS HC A06/MF A01

Baseline energy demands are modified by introducing successively three sets of conservation options. The implementation of improved building standards and the use of co-generation in industry are analyzed in detail. Two further sets of energy demands are presented that complete the view of a low energy use, conservation scenario. An introduction to the report covers

the complexities in evaluating conservation in view of the ways it is inextricably lined to technology, prices, policy, and the mix of output in the economy. The term as used in this report is narrowly defined, and methodologies are suggested by which these other aspects listed can be studied in the future. ERA

N78-27592# Argonne National Lab., Ill.
POTENTIAL ENERGY SAVINGS IN COMMERCIAL/RESIDENTIAL COMMUNITIES BASED ON INTEGRATED SYSTEMS DESIGN

R. E. Holtz and T. J. Marciniak 1977 17 p Presented at the Winter Ann. Meeting of the Am. Soc. of Mech. Engr., Atlanta, 22 Nov. 1977

(Contract W-31-109-eng-38)

(CONF-771120-21) Avail: NTIS HC A02/MF A01

Integrated Community Energy Systems (ICES) offer the potential of meeting the total energy requirements of communities in an energy conserving cost effective manner. This is accomplished mainly by (1) utilizing waste heat from electrical power generation; (2) using solid waste to help meet thermal and fuel energy demands; (3) using solar and other advanced technologies either in a central plant or dispersed in the community; and (4) developing control and operating strategies along with energy-storage technologies to meet community energy needs. In order to explore the potential for such systems, a large commercial/residential community currently under development in the Midwest was studied. Results are presented showing the energy savings possible using current, emerging, and advanced energy technologies. Along with the energy savings are estimates of the economic savings that are possible are included. ERA

N78-27593# General Electric Co., Schenectady, N. Y. Energy Systems Programs Dept.

CFCC DEVELOPMENT PROGRAM Monthly Report, Nov. 1977

Jan. 1978 27 p refs

(Contract EX-76-C-01-2357)

(FE-2357-19) Avail: NTIS HC A03/MF A01

System engineering effort has been focused on two areas, in order to guide evolving technology investigations. The first, the interaction of alternate combustor steam generator configuration addresses the control and mechanical interface issues. The second, a study of conventional cyclone utilization, is being used to guide the advanced inertial separator development. Several combustor/steam generator concepts have been conceptualized including a shippable configuration (four vessels per gas turbine) and a modified tube geometry (involute) resulting in two vessels per turbine module. In the gas turbine materials area, over 1000 hours have been accumulated on the burner rig simulations and some of the baseline materials are showing initial signs of corrosion--hence, they have been removed and will undergo analysis. Materials for exposure in the PFB environment as part of the Fireside II 1000 hours test have been selected and specimen cladding has been initiated. ERA

N78-27594# Booz-Allen and Hamilton, Inc., Bethesda, Md.
VIEWPOINTS ON KEY ISSUES AND EVALUATION CRITERIA FOR ASSESSING THE POTENTIAL OF ALTERNATIVE NUCLEAR ENERGY SYSTEMS FOR IMPROVING PROLIFERATION RESISTANCE

15 Dec. 1977 107 p refs

(Contract EN-77-C-01-2644)

(TID-28078) Avail: NTIS HC A06/MF A01

A compilation and analysis of the viewpoints offered by individuals representative of the spectrum of groups interested in the proliferation problem is presented. These individuals were selected from utilities, the nuclear industry, the Federal Government, state government staff, Congressional staff, environmental organizations, universities, an energy analysis organization, national energy laboratories, and a public policy analysis organization. The major issues, concerns, and implications identified in the course of this effort are discussed. This analysis of viewpoints is intended to assist DOE in the planning and conduct of a Nonproliferation Alternative System Assessment Program (NASAP). Information is presented in the following formats: framework for analysis; alternative systems assessment criteria; integrated evaluation methodology; and public interaction. ERA

N78-27595# Sandia Corp., Livermore, Calif.

DIRECT CONTACT HEAT EXCHANGE FOR LATENT HEAT-OF-FUSION ENERGY STORAGE SYSTEMS

M. C. Nichols and R. M. Green Dec. 1977 28 p refs Presented at alternative energy sources Symp., Miami Beach, Fla., 5 Dec. 1977

(Contract EY-76-C-04-0789)

(SAND-77-8665; Conf-771203)

Avail: NTIS

HC A03/MF A01

Rudimentary computational and experimental results are presented for a thermal energy storage process based on a novel counter current, direct contact heat exchange concept, the shot tower. The process uses a phase change material and a mutually immiscible heat transfer fluid. A two-tank storage system is used, one each for cool and hot phase change material, respectively. In use, the phase change material is introduced from one of the storage tanks into a direct contact heat exchanger where it is frozen/melted while it passes through the countercurrently flowing heat transfer fluid which receives/supplies heat from/to the phase change material. Since these external heat exchangers need only be sized to meet the charge/discharge power demand, they can be quite small relative to the size of the storage tanks. The extensive and expensive heat exchanger surfaces required in conventional phase change systems can be totally eliminated. ERA

N78-27596# Aerospace Corp., El Segundo, Calif. Environment and Energy Conservation Div.

HYBRID VEHICLE TECHNOLOGY CONSTRAINTS AND APPLICATION ASSESSMENT STUDY. VOLUME 1: SUMMARY Final Report, Apr. 1975 - Jun. 1976

D. E. Lapedes, M. G. Hinton, L. Forrest, J. Kohlenberger, T. Ryan, H. Sampson, W. Smalley, C. Speisman, and H. White Nov. 1977 117 p 4 Vol.

(PB-278118/5; DOT-TSC-OST-77-23-1-Vol-1) Avail: NTIS HC A06/MF A01 CSCL 13F

Analyses and assessments of both heat engine/battery and heat engine/flywheel-powered hybrid vehicles are presented to determine if they could contribute to nearterm (1980-1990) reductions in transportation energy consumption. The impact of hybrid vehicle use on vehicle-related exhaust emissions is determined, and the ability to accommodate a different energy resource base in the longer term is evaluated. Alternative paths for power transmission from the heat engine to the vehicle drive wheels are considered along with the potential of regenerative braking to reduce vehicle energy consumption. GRA

N78-27597# Aerospace Corp., El Segundo, Calif. Environment and Energy Conservation Div.

HYBRID VEHICLE TECHNOLOGY CONSTRAINTS AND APPLICATION ASSESSMENT STUDY. VOLUME 2: SECTIONS 1 THROUGH 4 Final Report, Apr. 1975 - Jun. 1976

D. E. Lapedes, M. G. Hinton, L. Forrest, J. Kohlenberger, T. Ryan, H. Sampson, W. Smalley, C. Speisman, and H. White Nov. 1977 225 p refs 4 Vol.

(PB-278119/3; DOT-TSC-OST-77-23-2-Vol-2) Avail: NTIS HC A10/MF A01 CSCL 13F

The methods used and the data base employed in simulation modeling of each vehicle powertrain are presented. A technology review of powertrain components and various hybrid systems are included. GRA

N78-27598# Aerospace Corp., El Segundo, Calif. Environment and Energy Conservation Div.

HYBRID VEHICLE TECHNOLOGY CONSTRAINTS AND APPLICATION ASSESSMENT STUDY. VOLUME 3: SECTIONS 5 THROUGH 9 Final Report, Apr. 1975 - Jan. 1976

D. E. Lapedes, M. G. Hinton, L. Forrest, J. Kohlenberger, T. Ryan, H. Sampson, W. Smalley, C. Speisman, and H. White Nov. 1977 188 p refs 4 Vol.

(PB-278120/1; DOT-TSC-OST-77-23-3-Vol-3) Avail: NTIS HC A09/MF A01 CSCL 13F

Vehicle powertrain characteristics and the characteristics of the stationary generating plants are described along with physical

and performance characteristics imposed on the hybrid vehicle. Computer programs developed for the analysis and results of the powertrain component sizing analysis are included. GRA

N78-27599# Aerospace Corp., El Segundo, Calif. Environment and Energy Conservation Div

HYBRID VEHICLE TECHNOLOGY CONSTRAINTS AND APPLICATION ASSESSMENT STUDY. VOLUME 4: SECTIONS 10, 11, AND APPENDIX Final Report, Apr. 1975 - Jun. 1976

D. E. Lapedes, M. G. Hinton, L. Forrest, J. Kohlenberger, T. Ryan, H. Sampson, W. Smalley, C. Speisman, and H. White. Nov. 1977 212 p ref 4 Vol.

(PB-278121/9; DOT-TSC-OST-77-23-4-Vol-4) Avail: NTIS HC A10/MF A01 CSCL 13K

The hybrid vehicle's energy consumption and exhaust emissions are considered. Factors such as vehicle weight, peak cruise speed, and regenerative braking are discussed. Technological constraints to introduction of the hybrid vehicle and applications that could benefit most from its energy conservation potential are identified. GRA

N78-27600 National Technical Information Service, Springfield, Va.

WIND POWER, VOLUME 1. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1964 - 1976

Audrey S. Hundemann May 1978 206 p (NTIS/PS-78/0415/6) Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10B

The feasibility, use, and engineering aspects of wind power and windmills are discussed in these citations of Federally-funded research reports. Abstracts primarily cover the use of wind power for electric power generation and wind turbine design and performance. General studies dealing with comparative analysis of wind power and alternative energy sources are included, as are energy storage devices which can be used in these systems. GRA

N78-27601 National Technical Information Service, Springfield, Va.

WIND POWER, VOLUME 2. CITATIONS FROM THE NTIS DATA BASE Progress Report, 1977 - Apr. 1978

Audrey S. Hundemann May 1978 158 p Supersedes NTIS/PS-77/0399; NTIS/PS-76/0358; NTIS/PS-75/348; COM-74-11103

(NTIS/PS-78/0416/4; NTIS/PS-77/0399; NTIS/PS-76/0358; NTIS/PS-75/348; COM-74-11103) Avail: NTIS HC \$28.00/MF \$28.00 CSCL 10B

For abstract, see N78-27600.

N78-27602 National Technical Information Service, Springfield, Va.

WIND POWER. CITATIONS FROM THE ENGINEERING INDEX DATA BASE Progress Report, 1970 - Apr. 1978

Audrey S. Hundemann May 1978 238 p Supersedes NTIS/PS-77/0400; NTIS/PS-76/0359

(NTIS/PS-78/0417/2; NTIS/PS-77/0400; NTIS/PS-76/0359) Avail: NTIS CSCL 10B

For abstract, see N78-27600.

N78-27603# Office of Technology Assessment, Washington, D. C.

TASK REPORTS: SLURRY COAL PIPELINES. VOLUME 2, PART 1

Jan. 1978 528 p refs (PB-278676/2; OTA-E-60-Vol-2-Pt-1) Avail: NTIS HC A23/MF A01 CSCL 13K

The costs and potential economic, social, and environmental impacts of coal slurry pipelines are analyzed. The possible effects of coal slurry pipeline development, pipeline and unit train costs, and relevant legal and regulatory issues are discussed. Findings address conditions under which slurry pipelines may be attractive in terms of cost and the influence of transportation regulatory policy. Also evaluated are the potential impacts of slurry pipeline development on the rail industry, consequences of pipeline water use as contrasted with community impacts of increased coal

train traffic, and implications of the power of eminent domain at the Federal, as opposed to the state, level. GRA

N78-27604# Office of Technology Assessment, Washington, D. C.

TASK REPORTS: SLURRY COAL PIPELINES. VOLUME 2, PART 2

Jan. 1978 804 p refs (PB-278677/0; OTA-E-60-Vol-2-Pt-2) Avail: NTIS HC A99/MF A01 CSCL 13K

For abstract, see N78-27603.

N78-27605# Illinois Dept. of Business and Economic Development, Springfield. Div. of Energy.

ILLINOIS ENERGY CONTINGENCY PLAN, EXECUTIVE SUMMARY Final Report

W. Poulakos Dec. 1977 29 p (Contract GR-25-0017-112)

(PB-278714/1; ILDOE-77/14) Avail: NTIS HC A03/MF A01 CSCL 10A

The role of state agencies during energy contingencies is described. The executive summary outlines the information system and the various components within the energy contingency plan. The executive summary briefly discusses possible policy options which may be used by the state during energy contingencies. GRA

N78-27606# Illinois Dept. of Business and Economic Development, Springfield. Div. of Energy.

ILLINOIS ENERGY CONTINGENCY PLAN. Final Report

H. Kaufman and V. Shrivastava (Jack Faucett Associates, Inc.) Nov. 1977 188 p

(Contract GR 25-0017-112) (PB-278715/8; ILDOE-77/13) Avail: NTIS HC A09/MF A01 CSCL 10A

An information system reported for use during energy emergencies. There are four major components to the Illinois Plan. These components are information analysis, advisory decision making, and implementation. The Plan describes the role of various state agencies during times of energy contingencies and policy options which may be considered by the state during various types of energy disruptions. Some quantification of demand reduction measures are listed in the Plan. GRA

N78-27607# Environmental Protection Agency, Denver, Colo. Office of Energy Activities.

FEDERALLY SPONSORED ENERGY RESEARCH IN THE NORTHERN GREAT PLAINS, NORTH DAKOTA, FISCAL YEAR 1976

Allen S. Lefohn Jun. 1977 37 p refs (PB-278132/6; EPA-908-4-77-008) Avail: NTIS HC A03/MF A01 CSCL 10A

An effective mechanism for transferring energy research results from the laboratory to the decision-makers is considered. A survey was initiated to summarize the federal energy effort in the State of North Dakota. This report is a summary of the information obtained from numerous state and federal publications. Recommendations regarding further actions on various aspects of energy research are included. The report serves primarily as an information mative document to inform researchers, state and federal government officials, and decision-makers at all government levels how and where the federal energy research dollar is being directed in North Dakota. GRA

N78-27608# Development Sciences, Inc., Sagamore, Mass. **FIRST ORDER ESTIMATES OF ENERGY REQUIREMENTS FOR POLLUTION CONTROL**

James L. Barker, Kenneth Maddox, James D. Westfield, and Douglas Wilcock Feb. 1978 97 p refs

(Contract EPA-68-01-4150) (PB-278274/6; EPA-600/7-78-022) Avail: NTIS HC A05/MF A01 CSCL 10A

Estimates of the energy demand attributable to environmental control of pollution from stationary point sources are presented.

This class of pollution source includes powerplants, factories, refineries, municipal waste water treatment plants, etc., but excludes mobile sources - automobiles, trucks, etc. - and nonpoint sources - sources which do not produce individual effluent streams, such as some types of farms, mines, etc. GRA

N78-27609# National Technical Information Service, Springfield, Va.

COAL GASIFICATION AND LIQUEFACTION TECHNOLOGY, VOLUME 3. A BIBLIOGRAPHY WITH ABSTRACTS Progress Report, Jun. 1976 - Apr. 1978

Diane M. Cavagnaro Apr. 1978 282 p Supersedes NTIS/PS-77/0305, NTIS/PS-76/0391, NTIS/PS-75/386 and COM-74-10967

(NTIS/PS-78/0345/5; NTIS/PS-77/0305; NTIS/PS-76/0391; NTIS/PS-75/386; COM-74-10967) Avail: NTIS HC \$28.00/MF \$28.00 CSCL 07A

Techniques and processes of the conversion of coal to gaseous and liquid chemicals are cited in this bibliography. It also includes solvent refined coal liquids and coal derived fuels. Coal desulfurization, cleaning, or preparation which does not involve conversion to gas or liquid fuels, or in situ combustion (underground gasification of coal deposits) are not covered. (This updated bibliography contains 277 abstracts, 157 of which are new entries to the previous edition.) GRA

N78-27617# United Technologies Research Center, East Hartford, Conn.

THE EVOLUTION OF POLLUTANTS DURING THE RAPID DEVOLATILIZATION OF COAL Final Report, 1 Apr. 1976 - 30 Sep. 1977

Peter R. Solomon Nov. 1977 262 p

(Grant NSF AER-75-17247)

(PB-278496/5; R77-952588-3; NSF/RA-770422) Avail: NTIS HC A12/MF A01 CSCL 08I

Results are described of an eighteen month integrated experimental and analytical program to study the evolution of pollutants during coal devolatilization. The identification of individual reactions was facilitated by performing the devolatilization experiments in vacuum. The program investigated the devolatilization behavior of 13 coals ranging in rank from lignite to highly volatile A bituminous. The coal was brought to temperature at a nominal heating rate of 600 C/sec, held at temperatures between 300 and 1000 C for between 5 sec and 80 sec and then cooled. Measurements were made of particle temperature, the elemental composition and mass distribution of the products, and the concentration of components in the gas. GRA

N78-27621# Environmental Protection Agency, Research Triangle Park, N.C. Emission Standards and Engineering Div. **STANDARDS SUPPORT AND ENVIRONMENTAL IMPACT STATEMENT. VOLUME 2: PROMULGATED STANDARDS OF PERFORMANCE FOR LIGNITE-FIRED STEAM GENERATORS**

Nov. 1977 34 p

(PB-279008/7; EPA-450/2-76-030b)

Avail: NTIS

HC A03/MF A01 CSCL 07A

A standard of performance for the control of emissions of nitrogen oxides from new and modified lignite fired steam generators is being promulgated under the authority of section III of the Clean Air Act. When standards of performance for large steam generators were promulgated under Subpart D of Part 60, lignite fired units were exempted from the nitrogen oxides standard (the sulfur dioxide and particulate matter standards are applicable to lignite firing) because of a lack of data on attainable levels of emission from such units. Since then, sufficient data have been obtained to propose and promulgate a standard. This document contains summaries of public comments on the proposed standards, EPA responses, a discussion of differences between the proposed and promulgated standards, and the final environmental impact statement as submitted to the Council on Environmental Quality. GRA

N78-27622# PEDCO-Environmental Specialists, Inc., Cincinnati, Ohio.

EPA UTILITY FGD (FLUE GAS DESULFURIZATION) SURVEY: DECEMBER 1977 - JANUARY 1978 Progress Report, Jul. 1977 - Jan. 1978

Bernard A. Laseke Mar. 1978 291 p

(PB-279011/1; EPA-600/7-78-051a) Avail: NTIS HC A13/MF A01 CSCL 07A

A survey of utility flue gas desulfurization (FGD) systems in the U.S. is presented. Information contributed by the utility industry, process suppliers, regulatory agencies, and consulting engineering firms, is summarized. Systems were tabulated alphabetically, by development status by utility company, process supplier, processes, waste disposal practice, and by regulatory class. Data on system design, fuel sulfur content, operating history, and actual performance are presented. Problems and solutions associated with the boilers and FGD systems are discussed. GRA

N78-27623# Environmental Protection Agency, Research Triangle Park, N.C. Office of Air Quality Planning and Standards.

CONTROL OF EMISSIONS FROM LURGI COAL GASIFICATION PLANTS

Mar. 1978 178 p refs

(PB-279012/9; EPA-450/2-78-012; OAQPS-1.2-093) Avail: NTIS HC A09/MF A01 CSCL 07A

Information on Lurgi coal gasification plants, their emissions, control technologies which can be used to control emissions, and the environmental and economic impacts of applying these control technologies was provided. GRA

N78-27635# Energy Research and Development Administration, Washington, D. C. Div. of Operational and Environmental Safety.

ENVIRONMENTAL MONITORING AT MAJOR US ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION CONTRACTOR SITES: CALENDAR YEAR, 1976, VOLUME 1

Aug. 1977 779 p refs 2 Vol.

(ERDA-77-104/1-Vol-1) Avail: NTIS HC A99/MF A01

Individual annual reports are presented summarizing the result of the environmental monitoring programs conducted at each of the Energy Research and Development Administration sites having a potential for environmental impact or which release a significant quantity of radioactivity or nonradioactive pollutants. Data on the levels of radioactivity and nonradioactive pollutants in effluents and the environs at each site are given, and effluent and environmental measurements and sampling results are evaluated in relation to the appropriate standards for environmental protection, including estimates of potential radiation exposures offsite. In most cases the potential offsite exposures are so low they cannot be determined by direct measurement methods but must be estimated by calculational techniques. All potential offsite exposures to members of the public from routine effluent releases in 1976 were less than 5 mrem/yr (i.e., less than one percent of the established radiation protection guidelines for exposure of the public). ERA

N78-27636# Energy Research and Development Administration, Washington, D. C. Div. of Operational and Environmental Safety.

ENVIRONMENTAL MONITORING AT MAJOR US ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION CONTRACTOR SITES: CALENDAR YEAR, 1976, VOLUME 2

Aug. 1977 738 p refs 2 Vol.

(ERDA-77-104/2-Vol-2) Avail: NTIS HC A99/MF A01

For abstract, see N78-27635.

N78-27637# Ames Lab., Iowa.

ENVIRONMENTAL EFFECTS OF BURNING SOLID WASTE AS FUEL

H. R. Shanks, J. L. Hall (Iowa State Univ., Ames), and A. W. Joensen (Iowa State Univ., Ames) 1977 6 p refs Presented at the 4th Joint Conf. on Sensing of Environ. Pollutants, New Orleans, 6 Nov. 1977

(Contract W-7405-eng-82)

(IS-M-124; Conf-771113-13) Avail: NTIS HC A02/MF A01

The city of Ames, Iowa, is burning processed solid waste as a supplemental fuel with coal in two traveling grate boilers and one tangentially fired boiler at its municipal power plant. A complete environmental study of the facility is being conducted. Results are presented for one of the traveling grate boilers while burning various amounts of processed solid waste with high sulfur content Iowa coal. ERA

N78-27659# PEDCO-Environmental Specialists, Inc., Cincinnati, Ohio.

FLUE GAS DESULFURIZATION SYSTEM CAPABILITIES FOR COAL-FIRED STEAM GENERATORS. VOLUME 2: TECHNICAL REPORT Final Report, Apr. - Dec. 1977

T. Devitt, R. Gerstle, L. Gibbs, S. Hartman, and R. Klier Mar. 1978 514 p

(Contract EPA-68-02-2603)

(PB-279417/0; EPA-600/7-78-032b)

Avail: NTIS

HC A22/MF A01 CSCL 07A

The availability of technology for reducing SO₂ emissions from coal-fired steam generators using flue gas desulfurization (FGD) systems is described. Foreign and domestic lime, limestone, double alkali, magnesium slurry, and Wellman-Lord FGD systems are described. The design parameters and operating experiences are discussed along with steps taken to achieve high system operability, disposal of FGD systems wastes. GRA

N78-27661# PEDCO-Environmental Specialists, Inc., Cincinnati, Ohio.

EFFECTS OF ALTERNATIVE NEW SOURCE PERFORMANCE STANDARDS ON FLUE GAS DESULFURIZATION SYSTEM SUPPLY AND DEMAND Final Report, Apr. - Dec. 1977

Vijay P. Patel and L. Gibbs Mar. 1978 114 p

(Contract EPA-68-02-2603)

(PB-279080/6; EPA-600/7-78-033)

Avail: NTIS

HC A06/MF A01 CSCL 07A

The capabilities of equipment vendors to supply and install the quantity of flue gas desulfurization systems required to meet alternative standards for coal-fired steam generators are discussed. It analyzes limiting factors affecting supply capabilities (such as the availability of components, equipment, and skilled labor). The quarantees that equipment vendors have made and are willing to make, and the penalties that they are willing to be assessed are also discussed. GRA

N78-27665# AeroVironment, Inc., Pasadena, Calif.

AIR QUALITY ANALYSIS OF THE SOUTHERN CALIFORNIA BIGHT IN RELATION TO POTENTIAL IMPACT OF OFFSHORE OIL AND GAS DEVELOPMENT Final Report

Nov. 1977 458 p refs

(Contract DI-AA550-C77-18)

(PB-279088/9; AV-FR-7112; BLM/ST-78-25) Avail: NTIS

HC A20/MF A01 CSCL 21D

Air quality impacts of oil and gas development activities resulting from the proposed leasing of offshore tracts are assessed. Pertinent air quality laws, regulations, and standards are summarized. Considered are: quantifiable emissions of nonmethane hydrocarbons, nitrogen oxides, sulfur dioxide, carbon monoxide, and total suspended particulates. Photochemical (ozone) pollutants were also developed. Air quality levels were calculated through appropriate diffusion modeling within two defined scenarios: a most probable case of combined tanker/barge transport and pipelining; and a case in which all transport is conducted by tankering/barging. Additional impacts due to possible accidents such as spills and blowouts are modeled. GRA

N78-27695# California Univ., Livermore. Lawrence Livermore Lab.

SUBSURFACE STRUCTURE OF THE SOUTHERN PORTION OF THE SALTON SEA GEOTHERMAL FIELD

Marjorie A. Chan and John D. Tewhey 1 Nov. 1977 23 p refs

(Contract W-7405-eng-48)

(UCRL-52354) Avail: NTIS HC A02/MF A01

Subsurface correlation of sedimentary strata was attempted among ten geothermal wells in the southern portion of the Salton Sea Geothermal Field. The spontaneous potential (SP) log was the principal tool used for correlation purposes. The structure that emerges from the correlation diagrams is a shallow plunging syncline with an east-west axis perpendicular to the axis of the Salton Trough. ERA

N78-27791# Los Alamos Scientific Lab., N. Mex.

DATA-BASE MANAGEMENT SYSTEM FOR SPATIAL DISPLAY OF FEDERAL OFFSHORE OIL AND GAS LEASE DATA

J. L. Sibert, Richard Phillips, and John Lohrenz 1978 12 p refs Presented at the 2d Geol. Surv. Computer Symp., Reston, Va., 22 Mar. 1978

(Contract W-7405-eng-36)

(LA-UR-77-2779; Conf-780311-1) HC A02/MF A01

A data-base management system that meets requirements for color-coded map displays and is used for Federal offshore oil and gas lease data of the LPR-5 and LPR-10 data bases is described. The data base is accessed using a powerful and easily learned query language that resembles simple English. Data base searches may be keyed on either data items or functions of data items. For example, all leases that are produced at flush level can be located with one simple query. Provision is made for graphical output, including production of high-quality color maps. The data base has a network structure however; the user need not be aware of the structure to query the data base. Examples are provided of several different types of queries and the resulting output. ERA

N78-27898# Los Alamos Scientific Lab., N. Mex.

GENERAL-PURPOSE HEAT SOURCE PROJECT, SPACE NUCLEAR SAFETY PROGRAM, AND RADIOISOTOPIC TERRESTRIAL SAFETY PROGRAM Progress Report, Jan. 1978

R. D. Baker, comp. 1978 36 p refs

(Contract W-7405-eng-36)

(LA-7184-PR) Avail: NTIS HC A03/MF A01

Activities related to the use of plutonium-238 oxide in radioisotopic power systems are reported. Topics covered include impact tests of high density fuel pellets, mechanical properties of (Pu²³⁸)(O₂) pellets, iridium formality studies, and terrestrial environmental chamber studies. ERA

N78-27922# Texas Univ. at Austin. Center for Electromechanics.

HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

W. F. Weldon, H. G. Rylander, and H. H. Woodson 1977 9 p refs Presented at Seminar on Energy Storage, Compression and Switching, Canberra, Australia, 15 Nov. 1977

(Contract EG-77-S-05-5594)

(ORO-5594-7; Conf-771132-3) Avail: NTIS HC A02/MF A01

Homopolar generator development since 1972 is reviewed. The first homopolar generator stored 0.65 MJ was capable of self motoring to 6000 r/min in about 12 min with an armature current of 1.0 KA and could discharge in about 3.0s at a current of 14.0 kA. A high brush tester to evaluate mechanical and electrical properties of the various grades of solid brushes available is mentioned. The second homopolar generator stores 5.0 MJ of energy inertially at 5600 r/min and is basically a scaled-up version of the first generator with improved bearings and brush mechanism. Work on fast discharge and industrial problems is discussed. ERA

N78-27924# Texas Univ. at Austin. Center for Electromechanics.

TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES AND HIGH CURRENT DENSITIES

N78-27934

FOR HOMOPOLAR GENERATORS

M. Brennan, K. M. Tolk, W. F. Weldon, H. G. Rylander, and H. H. Woodson 1977 5 p refs Presented at the 7th Symp. on Fusion Res. Proj., Knoxville, Tenn., 25 Oct. 1977 (Contract EG-77-S-05-5594)

(CONF-771029-121) Avail: NTIS HC A02/MF A01

One grade of copper graphite brush material, Morganite CMIS was tested, over a wide range of surface velocities, atmospheres, and current densities that are expected for fast discharge (less than or equal to 100 ms) homopolar generators. The brushes were run on a copper coated 7075-T6 aluminum disk at surface speeds up to 277 m/sec. One electroplated copper and three flame sprayed copper coatings were used during the tests. Significant differences in contact voltage drops and surface mechanical properties of the copper coatings were observed.

ERA

N78-27934# Los Alamos Scientific Lab., N. Mex.

FUSION APPLICATIONS OF FAST DISCHARGING HOMOPOLAR MACHINES

K. I. Thomassen Jan. 1978 43 p refs Sponsored in part by Electric Power Research Inst.

(Contract W-7405-eng-36)

(EPRI-ER-625) Avail: NTIS HC A03/MF A01

The use of fast discharging homopolar machines, with 1 to 5000 ms delivery times, is discussed for toroidal and linear theta pinches, toroidal z-pinches, liners, and Tokamaks. Typical circuits and machine designs are described.

ERA

N78-27975# Battelle Pacific Northwest Labs., Richland, Wash. Battelle Human Affairs Research Centers.

MANAGEMENT OF SOCIAL AND ECONOMIC IMPACTS ASSOCIATED WITH THE CONSTRUCTION OF LARGE-SCALE PROJECTS: EXPERIENCES FROM THE WESTERN COAL DEVELOPMENT COMMUNITIES

Marjorie R. Greene and Martha G. Curry Jun. 1977 55 p refs

(Contract EY-76-C-06-1830)

(BNWL-RAP-16) Avail: NTIS HC A04/MF A01

An introductory analysis to some of the more complex issues raised by social and economic impact management, with experiences cited from Western coal-development communities is provided. Following an introduction, the paper is divided into sections corresponding to the major social and economic impacts experienced by rural communities surrounding an energy development. Each section contains a brief introductory description of the types of problems typically associated with the impact sector, and a discussion of management strategies either proposed or implemented for the impact. The management strategies are presented in tabular form, indicating the level of government responsible for implementation.

Author

N78-27982# Los Alamos Scientific Lab., N. Mex.

PROBABILITY DISTRIBUTION OF BIDS ON OUTER CONTINENTAL SHELF OIL AND GAS LEASES

L. A. Bruckner and M. M. Johnson Mar. 1978 22 p refs

(Contract W-7405-eng-36)

(LA-7190-MS) Avail: NTIS HC A02/MF A01

The bids on oil and gas leases on the outer continental shelf are usually treated as observations from a lognormal probability distribution. Occasionally, an alternative distribution. It is demonstrated that the number of bids received on a lease is too small to distinguish clearly among possible underlying distributions. It is shown that the beta and the log-uniform distributions often cannot be rejected as unreasonable hypotheses.

ERA

N78-27988# Brookhaven National Lab., Upton, N. Y. Dept. of Applied Science.

FACILITATING DATA INTERCHANGE WITH ERDA

C. M. Benkovitz 1977 22 p refs Presented at the VIM 26 Conf., Minneapolis, 3-7 Apr. 1977

(Contract EY-76-C-02-0016)

(BNL-22595; Conf-770445-2) Avail: NTIS HC A02/MF A01

Resources of the seven ERDA multipurpose national laboratories and the advantages of sharing them are pointed out. A standard for the interchange of data among the laboratories was developed. Features of the proposed standard and its implementation are described.

Author (ERA)

N78-28015# Arkansas Univ., Little Rock. Industrial Research and Extension Center.

EFFECTS OF ENVIRONMENTAL PROTECTION REGULATION ON REGIONAL ECONOMIC DEVELOPMENT

Final Report

Sep. 1977 143 p

(Grants EDA-99-7-13324; EDA-OER-516-G-76-7)

(PB-278918/8; PUB-L-12; EDA/OER-78/006) Avail: NTIS

HC A07/MF A01 CSCL 10A

Current environmental protection legislation and energy problems are examined. The effects of these two intertwined forces on regional economic development are analyzed. Evaluations of both environmental-economic trade-off and industry attraction models are presented.

GRA

N78-28039# Joint Publications Research Service, Arlington, Va.

PROSPECTS FOR POWER GENERATION FROM SPACE

I. Zorich In its Transl. on USSR Sci. and Technol. (JPRS-71393) 30 Jun. 1978 p 38-41 Transl. into ENGLISH from Nedelya (Moscow), no. 20, 1978 p 11

Copyright. Avail: NTIS HC A05/MF A01

The feasibility of generating electrical energy in space using either photoelectric batteries or solar collectors to convert solar energy to electrical energy is discussed. Methods of transmitting the converted energy to earth discussed include: laser beams and microwave radiation. Also, the possibility of placing industry in orbit near the source of energy to eliminate transmission costs is considered.


J.M.S.

SUBJECT INDEX

ENERGY / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title or title and title extension provides the user with a brief description of the subject matter. The report number helps to indicate the type of document cited (e.g., NASA report, translation, NASA contractor report). The issue page and accession numbers are located beneath and to the right of the title e.g., 17 p0120 N78-11260. Under any subject heading the accession numbers are arranged in sequence with the IAA accession numbers appearing first.

A

ABSORBERS (EQUIPMENT)

Indoor test for thermal performance evaluation of Sunworks (liquid) solar collector [NASA-CR-150573] 18 p0268 N78-19650

ABSORBERS (MATERIALS)

Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215

Performance analysis of a black liquid absorbing collector /BLAC/ 17 p0042 A78-11217

Flat plate air-heater improvements 17 p0043 A78-11221

Analysis of a matrix solar collector 17 p0043 A78-11222

The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232

Silicon films as selective absorbers for solar energy conversion 17 p0070 A78-13905

Influence of system exactness on the concentration factor of cylinder-parabolic solar energy collectors 18 p0176 A78-23920

An absorption solar refrigerator having periodic operation 18 p0187 A78-25739

Experimental studies of selective coatings for solar energy collectors 19 p0375 A78-42151

ABSORPTION SPECTRA

Materials for luminescent greenhouse solar collectors 17 p0002 A78-10171

A study of the differential spectral absorption flat-plate solar collectors 17 p0048 A78-11275

High-efficiency organic solar cells 18 p0223 A78-30646

ABSORPTIVITY

The emission characteristics of liquid-fuel flames 18 p0222 A78-30496

ABSTRACTS

Proceedings of a Seminar on International Energy [ERDA-79] 17 p0145 N78-13620

Bibliography of Lewis Research Center technical contributions announced in 1976 [NASA-TN-73860] 18 p0252 N78-17921

ABUNDANCE

Sulfur budget of a power plant plume 19 p0366 A78-41275

AC GENERATORS

Power conditioning systems for high-power, airborne, pulsed applications 18 p0174 A78-23412

Superconducting machines --- homopolar d.c. machines and a.c. generators 18 p0225 A78-31154

Three-phase induction motor loads on a variable frequency wind electric generator 18 p0231 A78-32050

The Alcator C magnetic coil systems 19 p0346 A78-39791

Demonstration of an inductor motor/alternator/flywheel energy storage system [COO-4010-2] 17 p0141 N78-13579

Methods of attenuating wind turbine ac generator output variations 18 p0266 N78-19632

Solar cell system having alternating current output [NASA-CASE-LBN-12806-1] 19 p0421 N78-25553

The GFCU-3 Stirling engine ground power unit ignition system [GHR-2690-SECT-1.203] 19 p0438 N78-26253

ACCELERATED LIFE TESTS

Technique of testing silazane coatings --- for solar concentrators 19 p0331 A78-36859

Lifetests of the telecommunications satellite heat pipes [ESA-CR(P)-997] 17 p0135 N78-13398

Real-time and accelerated outdoor endurance testing of solar cells [NASA-TN-73743] 17 p0150 N78-14628

ACCELERATORS

Toroidal accelerator rotor platforms for wind energy conversion 18 p0235 A78-32505

ACCEPTABILITY

Consumer demand analysis: Solar heating and cooling of buildings [COO-2598-1] 17 p0153 N78-14655

Stirling engine Ground Power Unit model GPU 3 acceptance test report [GHR-2690-SECT-1.110] 19 p0437 N78-26247

ACETONE

Application of solar energy to a solvent reclamation system 19 p0338 A78-38426

ACOUSTIC MEASUREMENTS

Instrumentation for in situ coal gasification. I - Background and overview 19 p0367 A78-41522

ACTIVATED CARBON

Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650

ACTIVATED SLUDGE

Air vs O₂ - Two activated sludge systems compared 19 p0292 A78-32675

ACTIVATION ANALYSIS

Measurements of high-energy deuterons in the plasma-focus device 18 p0235 A78-32439

ACTUATORS

Steering a field of mirrors using a shared computer-based controller --- for solar array and heliostat application 19 p0312 A78-34516

ADDITIVES

Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S 17 p0018 A78-10979

ADHESIVE BONDING

- Petroleum fuel additives - A case for recognition
18 p0216 A78-29290
- Optimization of PtDoped Kccite: Electrodes in
H3PO4 fuel cells
[AD-A053300] 19 p0422 A78-25562

ADHESIVE BONDING

- Study of physicochemical processes in fabrication
of reflectors from polymer materials --- coat
bond in foam-film solar concentrator
18 p0215 A78-28895

ADSORBENTS

- Measurements of the behaviour of adsorbent energy
storage beds
18 p0205 A78-28166

ADSORPTION

- A novel gas adsorption cycle for solar thermal
power generation
17 p0052 A78-11323
- Hydrogen cryogenic storage - Liquid for automotive
applications and cryoadsorbents for pipeline
distribution systems
17 p0100 A78-18844
- Operational dynamics of coupled flat plate solar
collector and adsorption cycle heat pump system
with energy storage
19 p0295 A78-33037
- Cryosorption pumping of 95% deuterium-5% helium on
molecular sieve-5A at 4.2 K
19 p0359 A78-40112

AERODYNAMIC CHARACTERISTICS

- Optimum and near-optimum blade configurations for
high speed wind turbines
17 p0051 A78-11314
- Aerodynamic studies on vertical-axis wind turbine
18 p0170 A78-22239
- An aerodynamic performance theory for the Darrieus
wind turbine
18 p0171 A78-22250
- Experimental and analytical studies of the
aerodynamic performance of windmills
[AIAA PAPER 78-277] 18 p0172 A78-22612
- Gas turbines. Part 2 - Aerodynamic processes,
regenerators, combustion chambers, and
construction /2nd revised and enlarged edition/
--- Russian book
18 p0219 A78-30200
- The aerodynamic efficiency of windmills
18 p0229 A78-31834
- Some contributions to aerodynamic theory for
vertical-axis wind turbines
19 p0291 A78-32534
- Aerodynamic characteristics of a cylindrical type
of wind turbine with inclined blades
19 p0291 A78-32536
- Electrofluid dynamic /EFD/ wind driven generator
research
19 p0361 A78-40362
- Experimental analysis of a straight bladed
Darrieus wind turbine
19 p0361 A78-40365
- Wind tunnel performance data for two- and
three-bucket Savonius rotors
19 p0364 A78-40822
- Cold-air performance of the compressor-drive
turbine of the Department of Energy baseline
automobile gas-turbine engine
[NASA-TM-78694] 19 p0436 A78-26098
- AERODYNAMIC COEFFICIENTS**
Hydrodynamic loads on the cold water pipe --- for
Ocean Thermal Energy Conversion application
19 p0303 A78-33326
- AERODYNAMIC CONFIGURATIONS**
Vortex augmentation of wind energy --- aerodynamic
surface design for energy conversion efficiency
17 p0094 A78-18091
- Design parameters affecting the performance of
resistance-type, vertical-axis windrotors - An
experimental investigation
17 p0094 A78-18093
- AERODYNAMIC LOADS**
Effects of rotor location, coning, and tilt on
critical loads in large wind turbines
17 p0107 A78-20476
- Aerodynamic augmentation of wind turbines
19 p0361 A78-40366
- Comparison of computer codes for calculating
dynamic loads in wind turbines
18 p0265 A78-19617

SUBJECT INDEX

- MOD-1 WTG dynamic analysis
18 p0265 A78-19618
- AERODYNAMIC STABILITY**
Aeroelastic stability of wind turbine blades
18 p0265 A78-19622
- AEROELASTICITY**
Aeroelasticity problems in wind energy converters
18 p0210 A78-28562
- Aeroelastic analysis of wind energy conversion
systems
18 p0265 A78-19621
- Aeroelastic stability of wind turbine blades
18 p0265 A78-19622
- AERONAUTICAL ENGINEERING**
Applications of wind tunnels to investigations of
wind-engineering problems
[AIAA 78-812] 18 p0233 A78-32366
- AEROSOLS**
Nuclei formation rates in a coal-fired power plant
plume
19 p0366 A78-41253
- Aerosol size distributions and aerosol volume
formation for a coal-fired power plant plume
19 p0366 A78-41254
- AEROSPACE ENGINEERING**
Heat pipe nuclear reactors for space applications
[AIAA 78-454] 19 p0319 A78-35629
- High-temperature, high-power-density thermionic
energy conversion for space
[NASA-TM-73844] 17 p0147 A78-13890
- AEROSPACE INDUSTRY**
Energy's challenge to aerospace
19 p0291 A78-32533
- AEROSPACE SCIENCES**
Aerospace technology can be applied to exploration
'back on earth' --- offshore petroleum resources
19 p0297 A78-33123
- AEROSPACE TECHNOLOGY TRANSFER**
Where aerospace can serve afresh - Paths to energy
independence
18 p0175 A78-23420
- Application of aerospace engineering to Ocean
Thermal Energy Conversion and offshore petroleum
production
[AIAA PAPER 78-292] 18 p0177 A78-24003
- Coal conversion to liquid and gaseous fuels -
Aerospace technology in a new role
[AIAA PAPER 78-293] 18 p0177 A78-24004
- Heat pipes in space and on earth
[AIAA PAPER 78-295] 18 p0178 A78-24005
- The further development of the Spacelab/Space
Shuttle system - A first step towards a space
station
[DGIR PAPER 77-041] 18 p0180 A78-24430
- Energy's challenge to aerospace
19 p0291 A78-32533
- Making aerospace technology work for the
automotive industry - Introduction
19 p0306 A78-33359
- An overview of aerospace gas turbine technology of
relevance to the development of the automotive
gas turbine engine
[SAE PAPER 780075] 19 p0306 A78-33364
- Aerospace aids fusion power concept
19 p0339 A78-36775
- Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 A78-25233
- AEROSPACE VEHICLES**
Solar-powered global aerospace transportation
[AIAA PAPER 78-689] 19 p0293 A78-32761
- AGRICULTURE**
Europe's largest solar facility dries animal feed
18 p0221 A78-30322
- Energy for agriculture and the gasification of
crop residues
19 p0368 A78-41815
- Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 A78-25535
- AIR**
Doped silver catalysts for H2/air fuel cells
17 p0095 A78-18644
- Air as a heat-transfer fluid --- for solar houses
18 p0213 A78-28589
- Air vs O2 - Two activated sludge systems compared
19 p0292 A78-32675

AIR CONDITIONING

- A solar powered desiccant air conditioning system
17 p0046 A78-11245
- Shenandoah Solar Recreational Center - An overview
17 p0049 A78-11281
- Assessing near-term technologies for solar heating and air-conditioning systems
17 p0074 A78-14540
- Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning
17 p0078 A78-15408
- Solar absorption system for space cooling and heating
17 p0078 A78-15409
- Solar cooling --- Book
18 p0167 A78-21699
- Solar air heaters and their applications
18 p0200 A78-27858
- Refrigeration and air conditioning --- by solar energy
18 p0201 A78-27866
- Cooling turbine technology --- for aircraft air conditioning
18 p0224 A78-30775
- Flat-plate solar collector design for industrial air heating using design data hand book
19 p0375 A78-42157
- Air conditioning using ocean thermal gradients
19 p0376 A78-42160
- Performance potential of the energy separator without mechanical energy recovery
[PB-269721/7]
17 p0116 A78-10601
- Solar driven air conditioning system
[COO-2938-77/1]
17 p0153 A78-14654
- Performance of an experimental solar-driven absorption air conditioner
[LBI-5911]
17 p0161 A78-15579
- Comparison of solar system measured data for various sample rates --- conducted using Marshall Space Flight Center Solar House
[NASA-CR-150496]
18 p0250 A78-17480
- Application of solar energy to air conditioning systems
[NASA-CR-150532]
18 p0250 A78-17483
- Net energy analysis model for the evaluation of a solar heating, ventilation and air conditioning system
[AD-A047433]
18 p0251 A78-17487
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling
[NASA-CR-150533]
18 p0255 A78-18524
- Annual cycle energy system concept and application
[CONP-770870-1]
18 p0288 A78-21647
- Energy conservation via solar energy applications to multi-family and commercial structures. Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures
[PB-276131/0]
18 p0289 A78-21657
- Design and operation of a solar heating and cooling system for a residential size building
[NASA-TR-78169]
19 p0420 A78-25546
- Solar Heating and Cooling Demonstration Program Contractor's Review. Summary and analysis of workshop and panel sessions
[CONP-771229-SUMM]
19 p0448 A78-26608
- Preliminary design package for solar heating and cooling systems
[NASA-CR-150674]
19 p0456 A78-27519
- AIR CONDITIONING EQUIPMENT**
- Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system
17 p0046 A78-11246
- The BRC solar house - Design and operating experience
17 p0068 A78-13454
- Energy savings through combining of operation of heat pump and air conditioning systems
18 p0232 A78-32115
- Hierarchical modeling of solar heating and air conditioning systems
19 p0340 A78-38790
- Solar heating and air conditioning for the southwestern United States
19 p0361 A78-40370
- Solar air-conditioning study
[AD-A043951]
17 p0113 A78-10575

- Solar heating and cooling system design and development
[NASA-CR-150640]
19 p0388 A78-22467
- Total energy systems for buildings. Citations from the engineering index data base
[NTIS/PS-78/0306]
19 p0432 A78-25657
- Total energy systems for buildings. Citations from the NTIS data base
[NTIS/PS-78/0305]
19 p0433 A78-25658
- AIR COOLING**
- Performance characteristics of air-cooled solar collectors as determined by computer simulation
19 p0294 A78-33027
- Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg
[NASA-TP-1007]
18 p0237 A78-16053
- AIR FILTERS**
- Dust removal in energy generating plants
17 p0063 A78-11965
- Electric utility applications of fabric filters --- for pollution control
17 p0073 A78-14155
- Economic comparison of selected scenarios for electrostatic precipitators and fabric filters
[APCA PAPER 77-14,2]
18 p0186 A78-25405
- Filtration model for coal fly ash with glass fabrics
[PB-276489/2]
18 p0289 A78-21667
- AIR FLOW**
- Performance tests of a solar energy collector used to heat air
17 p0043 A78-11224
- Air source heat pumps
17 p0068 A78-13453
- Design and performance of an air collector for industrial crop dehydration
17 p0104 A78-19828
- Wind power limitations associated with vortices
[AIAA PAPER 78-278]
18 p0166 A78-20785
- Windmills with diffuser effect induced by small tipvanes
18 p0171 A78-22245
- Development of prototype air/liquid solar collector subsystem
[NASA-CR-150703]
19 p0421 A78-25550
- AIR INTAKES**
- Gasdynamic calculation of gas-turbine combustion chambers with successive air injection
19 p0342 A78-39196
- AIR POLLUTION**
- Instrumental sensing of stationary source emissions --- sulphur dioxide remote sensing for coal-burning power plants
17 p0001 A78-10056
- Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles
17 p0061 A78-11459
- Dust removal in energy generating plants
17 p0063 A78-11965
- The effect of ambient temperature and humidity on the carbon monoxide emissions of an idling gas turbine
17 p0065 A78-12557
- Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants
17 p0065 A78-12936
- Air pollution by coal dust --- from coal slurry pipeline
17 p0065 A78-12995
- Air pollution control and clean energy --- Book
17 p0066 A78-12999
- Modeling the effect of atmospheric carbon dioxide on the global radiative heat balance
17 p0068 A78-13447
- Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones
[WSS/CI PAPER 77-6]
17 p0081 A78-16340
- Pollutant measurements in laboratory pulverized coal combustor and gasifier
17 p0081 A78-16348
- French policy in the area of the campaign against atmospheric pollution
17 p0082 A78-16473
- Combustion treatment of smoke and odors of industrial origin - Energy recovery
17 p0082 A78-16475

- Air pollution assessments of new fossil energy technologies 17 p0086 A78-17092
- Estimates of smoke and sulphur dioxide pollution from fuel combustion in the United Kingdom for 1975 and 1976 17 p0097 A78-18819
- Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349
- Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain 18 p0167 A78-21821
- Securing energy production and protecting the environment --- electric power production 18 p0177 A78-23941
- Key steps to coal conversion --- from oil burners 18 p0179 A78-24328
- Sulfur control for coal combustion 18 p0182 A78-24762
- An evaluation of control strategies for SO₂ emissions from petroleum refineries [APCA PAPER 77-43,1] 18 p0184 A78-25380
- Improving the emission performance of vehicles in the field [APCA PAPER 77-3,4] 18 p0184 A78-25386
- Emissions of trace elements from the combined firing of coal and BDF in a utility boiler --- Refuse-Derived Fuel [APCA PAPER 77-37,6] 18 p0185 A78-25404
- Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
- Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- Coal dryer emission control with the energy saving centripetal vortex wet scrubber [APCA PAPER 77-17,5] 18 p0185 A78-25424
- Air pollution potential of solar technologies --- emissions from various fabrication processes [APCA PAPER 77-37,1] 18 p0185 A78-25427
- The biological effects of air pollution from fossil fuel burning power plants in the Northcentral Great Plains [APCA PAPER 77-15,4] 18 p0185 A78-25438
- Relationships among observed short-term maximum sulfur dioxide concentrations near coal-fired power plants [APCA PAPER 77-29,5] 18 p0185 A78-25443
- Economic comparison of selected scenarios for electrostatic precipitators and fabric filters [APCA PAPER 77-14,2] 18 p0186 A78-25445
- Studies to define the role of coal cleaning in an SO₂ control strategy for TVA [APCA PAPER 77-14,4] 18 p0186 A78-25446
- Technical and economic impacts of the application of environmental control technology options [APCA PAPER 77-56,4] 18 p0186 A78-25447
- Retrofit precipitators meet rigid new standards --- sulfur coal combustion 18 p0189 A78-26475
- Nitric oxide formation in hydrocarbon-air flames 18 p0189 A78-27834
- Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555
- Bergbau-Forschung process for the desulfurization of flue gas 18 p0223 A78-30708
- Inorganic pollutants from pulverized coal combustion /A review/ [WSS/CI PAPER 77-48] 18 p0230 A78-31957
- The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968
- Startup and operation of the Research-Cottrell/Bahco scrubber for removal of SO₂ and particulates from flue gas at Rickenbacker Air Force Base, Columbus, Ohio 18 p0232 A78-32108
- Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASME PAPER 77-WA/APC-1] 19 p0297 A78-33126
- Fume formation in ammonia scrubbers [ASME PAPER 77-WA/APC-2] 19 p0297 A78-33127
- Combustion and incineration processes --- Book 19 p0300 A78-33212
- Further studies with a hydrogen engine [SAE PAPER 780233] 19 p0307 A78-33381
- Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo [SAE PAPER 780417] 19 p0308 A78-33389
- Emissions from PBC boilers --- Fluidized Bed Combustion 19 p0310 A78-34186
- Dispersion and control of atmospheric emissions: New-energy-source pollution potential --- From AICHE meetings 19 p0320 A78-35676
- Methods and costs of controlling sulfur emissions from a petroleum refinery 19 p0320 A78-35698
- A systematic approach to the problem of characterizing the emission potential of energy conversion processes --- coal gasification pollution potentials 19 p0320 A78-35699
- Prediction of air quality impacts for a commercial shale oil complex 19 p0320 A78-35700
- Electricity generation by utilities - 1974 nationwide emissions estimates 19 p0320 A78-35701
- Methanol-gasoline blends - Performance and emissions 19 p0321 A78-35702
- Pollution control with SO₂ recovery 19 p0328 A78-36679
- Hydrogen sulfide as an air pollutant 19 p0337 A78-38245
- Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253
- Sulphur emissions in Europe 19 p0366 A78-41267
- NAAPS - An investigation of atmospheric, energy related pollutants in the northeastern United States 19 p0366 A78-41284
- Emissions and energy conservation in residential oil heating 19 p0384 A78-42902
- Efficiency and reliability of sulfur dioxide scrubbers 19 p0384 A78-42906
- A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains 19 p0386 A78-43291
- Approach to valuing visual pollution from western electricity production [BBWL-2103] 17 p0117 A78-10613
- Automobile exhaust emission surveillance analysis of the FY 1974 program [PB-268782/0] 17 p0117 A78-10622
- Evaluation of background data relating to new source performance standards for Lurgi gasification [PB-269557/5] 17 p0117 A78-10631
- Environmental protection issues facing the nation [PB-269748/0] 17 p0117 A78-10633
- Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 A78-10636
- Aircraft engine emissions --- conference [NASA-CP-2021] 17 p0118 A78-11063
- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-265277/0] 17 p0121 A78-11526
- Compilation of air pollutant emission factors, supplement no. 7 [PB-270281/9] 17 p0122 A78-11541
- Organic compounds in turbine combustor exhaust [AD-1045582] 17 p0129 A78-13065
- Typical vehicle diurnal [PB-270690/1] 17 p0145 A78-13633
- Pathways of trace elements in the environment [CONF-770210-3] 17 p0146 A78-13644

SUBJECT INDEX

AIRCRAFT DESIGN

Time-variable air pollutant emission strategies for individual power plants [EPRI-BA-418] 17 p0146 N78-13645

Character and transformation of pollutants from major fossil fuel energy sources [ORNL/TM-5919] 17 p0156 N78-14698

Literature survey of emissions associated with emerging energy technologies [PB-272550/5] 17 p0163 N78-15606

Burner design criteria for NOx control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 N78-15607

Energy consumption of environmental controls: Fossil fuel, steam electric generating industry [PB-273019/0] 18 p0244 N78-16476

Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Blend of total hydrocarbon emissions [PB-273219/6] 18 p0244 N78-16483

Electric utilities use of flue gas desulfurization technology in the United States [PB-274120/5] 18 p0251 N78-17514

Clean coal combustion through coal washing and blending [PB-274406/8] 18 p0260 N78-18560

Pilot plant study of conversion of coal to low sulfur fuel [PB-274113/0] 18 p0260 N78-18565

Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 N78-18590

Shift schedules for emissions and fuel economy testing [PB-274865/5] 18 p0261 N78-18594

Inspection manual for the enforcement of new source performance standards: Coal preparation plants [PB-274262/5] 18 p0270 N78-19683

Environmental assessment of low/medium BTU gasification [PB-276580/8] 18 p0281 N78-21325

Filtration model for coal fly ash with glass fabrics [PB-276489/2] 18 p0289 N78-21667

Particulate control highlights: Research on electrostatic precipitator technology [PB-276643/4] 19 p0391 N78-22495

Development of a high-temperature/high-pressure electrostatic precipitator [PB-276626/9] 19 p0391 N78-22497

Control of volatile organic emissions from storage of petroleum liquids in fixed roof tanks [PB-276749/9] 19 p0391 N78-22500

Supportive studies in fluidized-bed combustion [PB-276974/3] 19 p0399 N78-23604

Oxidant measurements in western power plant plumes. Volume 1: Technical analysis [EPRI-BA-421-VOL-1] 19 p0400 N78-23614

Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts [NTIS/PS-78/0208/5] 19 p0400 N78-23623

Automobile air pollution: Automotive fuels. A bibliography with abstracts [NTIS/PS-78/0235/8] 19 p0400 N78-23627

Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption 19 p0418 N78-25484

Investigation of the mechanism of fly-ash formation in coal-fired utility boilers [FE-2205-8] 19 p0433 N78-25671

The evolution of pollutants during the rapid devolatilization of coal [PB-278496/5] 19 p0466 N78-27617

EPA utility FGD (Flue Gas Desulfurization) survey: December 1977 - January 1978 [PB-279011/1] 19 p0466 N78-27622

Control of emissions from Lurgi coal gasification plants [PB-279012/9] 19 p0466 N78-27623

Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report [PB-279417/0] 19 p0467 N78-27659

Effects of alternative new source performance standards on flue gas desulfurization system supply and demand [PB-279060/6] 19 p0467 N78-27661

AIR QUALITY

Energy resource development - The monitoring components 17 p0104 A78-19616

Ambient air quality in complex terrain 18 p0167 A78-21833

Key steps to coal conversion --- from oil burners 18 p0179 A78-24328

A modeling analysis of the impact of the energy shortage on ambient air quality 19 p0320 A78-35683

Review of air quality modeling techniques. Volume 8: health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California [LBL-5998] 17 p0117 N78-10615

The Alaskan oil disposition study: Potential air quality impact of a major off-loading terminal in the Pacific Northwest [PB-271261/0] 17 p0147 N78-13657

Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics [PB-277135/0] 19 p0393 N78-23261

Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2] 19 p0450 N78-26642

Control of emissions from Lurgi coal gasification plants [PB-279012/9] 19 p0466 N78-27623

AIR SAMPLING

A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251

AIR TRAFFIC

Situation of air traffic in comparison to ground transportation noting especially energetic problems [ILR-20] 19 p0392 N78-23072

AIR TRANSPORTATION

Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131

Fuels outlook I - Transportation and the U.S. petroleum resource, an aviation perspective [AIAA PAPER 78-357] 18 p0178 A78-24032

Energy - Implications for transport 18 p0218 A78-29904

Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system [NASA-CR-137925] 17 p0109 N78-10035

Air transportation energy efficiency 18 p0257 N78-18540

Federal policy options to effect fuel conservation in the air industry 18 p0259 N78-18548

Measuring the impact on scheduled air lines operations of restrictions in fuel availability 18 p0259 N78-18549

Situation of air traffic in comparison to ground transportation noting especially energetic problems [ILR-20] 19 p0392 N78-23072

Supersonic transportation faced with energy savings [AAAF-NT-77-28] 19 p0402 N78-24131

AIR WATER INTERACTIONS

Wind-wave power available to a wave energy converter array 19 p0326 A78-36272

AIRBORNE EQUIPMENT

Power conditioning systems for high-power, airborne, pulsed applications 18 p0174 A78-23412

AIRCRAFT COMMUNICATION

The beamed power microwave transmitting antenna 19 p0340 A78-38841

AIRCRAFT CONSTRUCTION MATERIALS

Saving raw materials or saving energy in aircraft construction 17 p0073 A78-14285

AIRCRAFT DESIGN

Adaptation for economization, or adaptation for the economization of energy --- in transport aircraft design and operation 17 p0063 A78-12030

AIRCRAFT ENGINES

SUBJECT INDEX

Energy savings - The viewpoint of an aircraft manufacturer 17 p0063 A78-12031

The challenge of advanced fuel-conservative aircraft - A manufacturer's view [AIAA PAPER 78-362] 18 p0178 A78-24034

Canadian Symposium on Energy Conserving Transport Aircraft, Ottawa, Canada, October 3, 4, 1977, Proceedings 18 p0226 A78-31301

The NASA Aircraft Energy Efficiency Program 18 p0226 A78-31302

Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304

Improved energy efficiency for small CTOL transport aircraft 18 p0226 A78-31305

Fuel saving potential of Mach 0.8 twin engine prop-fan transports 18 p0226 A78-31306

Fuel efficiency - Where we are heading in the design of future jet transports 18 p0226 A78-31307

Supersonic transport in terms of energy savings 19 p0323 A78-35893

Studies of advanced transport aircraft [NASA-TN-78697] 19 p0413 A78-25047

CTOL transport technology, 1978 --- conferences [NASA-CF-2036-PT-1] 19 p0453 A78-27046

Overview of NASA CTOL program 19 p0453 A78-27047

AIRCRAFT ENGINES

Engine development toward lower energy consumption and reduced environmental impact [AIAA PAPER 78-307] 18 p0178 A78-24008

General aviation energy-conservation research programs at NASA-Lewis Research Center --- for non-turbine general aviation engines 18 p0216 A78-29330

Evolution of the aircraft gas turbine engine 18 p0220 A78-30257

Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304

Energy conserving aircraft from the engine viewpoint 18 p0226 A78-31310

Thrust computing system applications to increase engine life and provide fuel conservation 18 p0227 A78-31311

Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/ 19 p0326 A78-36279

Aero engines climb towards better fuel efficiency 19 p0332 A78-37114

Israel Conference on Mechanical Engineering, 11th, Technion - Israel Institute of Technology, Haifa, Israel, July 11, 12, 1977, Proceedings --- computer aided aircraft and radial gas turbine engines 19 p0367 A78-41506

Aircraft engine emissions --- conference [NASA-CF-2021] 17 p0118 A78-11063

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [NASA-TN-73849] 17 p0129 A78-13062

General aviation energy-conservation research programs at NASA-Lewis Research Center [NASA-TN-73884] 18 p0247 A78-17060

Fuel conservation merits of advanced turboprop transport aircraft [NASA-CR-152096] 18 p0279 A78-21095

Impact of future fuel properties on aircraft engines and fuel systems [NASA-TN-78866] 19 p0402 A78-24369

Inductor network development for aircraft high power supplies [AD-A052750] 19 p0413 A78-25096

ACEE propulsion overview 19 p0453 A78-27048

Energy efficient engine: Preliminary design and integration studies 19 p0453 A78-27053

Energy efficient engine preliminary design and integration studies 19 p0453 A78-27054

Impact of broad-specification fuels on future jet aircraft --- engine components and performance 19 p0453 A78-27059

Fuel conservative aircraft engine technology [NASA-TN-78962] 19 p0454 A78-27127

AIRCRAFT EQUIPMENT

Cooling turbine technology --- for aircraft air conditioning 18 p0224 A78-30775

AIRCRAFT FUEL SYSTEMS

Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1] 17 p0109 A78-10467

Liquid hydrogen flash vaporizer --- for aircraft fuel systems [NASA-CASE-LAR-12159-1] 17 p0120 A78-11260

Alternative aircraft fuels [NASA-TN-73836] 18 p0247 A78-17229

AIRCRAFT FUELS

Increasing the resources of jet fuels 17 p0062 A78-11699

Future fuels for aviation [ONERA, TP NO. 1977-156] 17 p0076 A78-15021

Current and future fuels for transport aircraft 17 p0096 A78-18669

Hydrogen fueled subsonic aircraft - A prospective 17 p0100 A78-18843

Future aviation turbine fuels [AIAA PAPER 78-268] 18 p0165 A78-20781

Properties of fuels used in the Czechoslovak aircraft industry 18 p0217 A78-29588

Aviation fuels - A supplier's perspective 18 p0226 A78-31308

Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states 19 p0323 A78-35897

Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860

The Liquid Hydrogen Option for the Subsonic Transport: A status report [NASA-TN-74089] 17 p0109 A78-10306

Alternative fuels 17 p0118 A78-11074

Effective fuel conservation programs could save millions of gallons of aviation fuel [PB-271249/5] 17 p0128 A78-12552

Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TN-73780] 17 p0129 A78-13056

Alternative aircraft fuels [NASA-TN-73836] 18 p0247 A78-17229

Fuel conservation merits of advanced turboprop transport aircraft [NASA-CR-152096] 18 p0279 A78-21095

Characteristics and combustion of future hydrocarbon fuels --- aircraft fuels [NASA-TN-78865] 19 p0403 A78-24370

Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3 [AD-A053106] 19 p0414 A78-25239

Progress on coal-derived fuels for aviation systems [NASA-TN-78696] 19 p0420 A78-25585

Aviation fuels beyond the 1980's --- liquefied gases and synthetic fuels [NASA-TN-79510] 19 p0436 A78-26223

AIRCRAFT PERFORMANCE

Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304

Impact of broad-specification fuels on future jet aircraft --- engine components and performance 19 p0453 A78-27059

AIRCRAFT STRUCTURES

Evaluation of a large capacity heat pump concept for active cooling of hypersonic aircraft structure [NASA-CR-145301] 18 p0248 A78-17339

AIRFRAMES

Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304

AIRLINE OPERATIONS

Advances in aircraft efficiency 17 p0093 A78-18022

Aviation fuel usage - Economy and conservation 18 p0223 A78-30698

AIRPLANE PRODUCTION COSTS

Saving raw materials or saving energy in aircraft construction 17 p0073 A78-14285

AIRPORT PLANNING

Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860

ALABAMA

Solar heating system for recreation building at Scattergood School [NASA-CR-150553] 18 p0274 N78-20605

ALASKA

Submarine seepage of natural gas in Norton Sound, Alaska 17 p0087 A78-17263

Wind power potential of Alaska. Part 2: Wind duration curve fits and output power estimates for typical windsills [RLO/2229/T12-76/1-PT-2] 17 p0113 N78-10578

Pricing effects on frontier oil production [PB-269807/4] 17 p0115 N78-10593

Site selection feasibility for a solar energy system on the Fairbanks Federal Building [NASA-CR-150559] 18 p0268 N78-19645

Alaskan oil transportation issues [PB-276449/6] 18 p0289 N78-21661

Alaska natural resource issues [GPO-95-110] 19 p0404 N78-24601

Appendix: Cook inlet coal: Economics of mining and marine slurry transport [PB-278756/2] 19 p0455 N78-27493

Feasibility study of mining Alaska coal and transportation by slurry to the west coast [PB-278755/4] 19 p0458 N78-27545

ALCOHOLS

Investigation of some factors affecting the performance of an alcohol-diesel oil dual fuel engine 18 p0159 A78-27829

ALGAE

A systems analysis of bioconversion with microalgae --- combined sewage treatment and methane production 17 p0034 A78-11124

Solar energy conversion with microalgal sewage treatment ponds 17 p0056 A78-11351

A model for solar radiation conversion to algae in a shallow pond 18 p0205 A78-28167

Photohydrogen production in green algae - Water serves as the primary substrate for hydrogen and oxygen production 18 p0207 A78-28352

Mutational analysis of Chlamydomonas reinhardtii - Application to biological solar energy conversion 18 p0207 A78-28357

Mass production of algae - Bioengineering aspects --- for wastewater treatment, protein production, fertilizers, drug and colloid manufacture 18 p0208 A78-28363

A critical analysis of bioconversion with microalgae --- methane production 18 p0208 A78-28364

Algae cultures and methanization - The role of these techniques in the bioconversion of solar energy 19 p0384 A78-42896

ALGEBRA

Sensitivity theory for general nonlinear algebraic equations with constraints [ORNL/TN-5815] 17 p0118 N78-10814

ALGERIA

A few aspects of the energy policy in Algeria 18 p0156 A78-27781

ALGORITHMS

An algorithm for constrained optimization with semismooth functions [IIASA-BB-77-3] 17 p0121 N78-11511

Adaptive curve fitting for chemical processes [AD-A046456] 17 p0158 N78-15213

ALKALI METALS

Experimental determination of alkali impurity release from various dolomites 17 p0073 A78-14218

Study of the behavior of periclase materials in gas flows containing alkali additions --- for NHD channel linings 19 p0328 A78-36578

Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions 19 p0341 A78-38965

ALKALINE BATTERIES

Inorganic-organic separators for alkaline batteries [NASA-CASE-LEW-12649-1] 19 p0419 N78-25530

ALLOCATIONS

Net energy effects and resource depletion: An all-oil economy [COO-2865-6] 17 p0142 N78-13592

ALLOYS

Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride [GME-2690-SECT-7.109] 19 p0440 N78-26335

ALPHA PARTICLES

Plasma engineering problems associated with superthermal fusion products 19 p0358 A78-40081

ALTERNATING CURRENT

Thermoelectric power and ac conductivity of A-type Nd2O3 19 p0332 A78-36964

ALTERNATIVES

Alternative fuels utilization program [UCID-17645] 19 p0414 N78-25241

Viewpoints on key issues and evaluation criteria for assessing the potential of alternative nuclear energy systems for improving proliferation resistance [TID-28078] 19 p0464 N78-27594

ALUMINUM

GaAs solar cell development 17 p0138 N78-13544

Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas [NASA-TP-1150] 18 p0273 N78-20512

ALUMINUM ALLOYS

Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion 19 p0305 A78-33344

ALUMINUM CHLORIDES

High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 N78-11502

ALUMINUM COATINGS

Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni /CO/4 18 p0221 A78-30302

ALUMINUM COMPOUNDS

High efficiency GaAs solar cells 17 p0137 N78-13542

ALUMINUM GALLIUM ARSENIIDES

Comparative radiation resistance calculation for graded- and constant-composition n Al_{1-x}Ga_x/1-x/As-p Al_{1-z}Ga_z/1-z/As solar cells 19 p0338 A78-38551

Photocells based on AlGaAs heterostructure with a transition layer 19 p0341 A78-38941

ALUMINUM OXIDES

Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916

Optical properties of selectively absorbing metal/insulator composite films 19 p0324 A78-36032

Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211

AMBIPOLE DIFFUSION

The ambipolarity paradox in toroidal diffusion, revisited 19 p0380 A78-42259

AMMONIA

Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132

Fume formation in ammonia scrubbers [ASME PAPER 77-WA/APC-2] 19 p0297 A78-33127

AMORPHOUS SEMICONDUCTORS

- Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration
19 p0302 A78-33313
- Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle --- in Ocean Thermal Energy Conversion plants
19 p0306 A78-33351
- Production of ammonia using coal as a source of hydrogen
[PB-271916/9]
17 p0130 A78-13237
- Production economics for hydrogen, ammonia and methanol during the 1980-2000 period
[BNL-50663]
19 p0415 A78-25243
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes
[ORNL-5356]
19 p0429 A78-25623

AMORPHOUS SEMICONDUCTORS

- Solar cells using Schottky barriers on amorphous silicon
17 p0025 A78-11045
- Anomalous temperature dependence observed on the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures
18 p0222 A78-30644

AMPLIFIER DESIGN

- Design of the power amplifier for the HEGLF at LASL --- High Energy Gas Laser Facility
19 p0349 A78-39861

ANAEROBES

- Biomass as an energy mechanism
17 p0033 A78-11116
- The anaerobic digestion of *Macrocystis pyrifera* under mesophilic conditions --- for synthetic fuel recovery
17 p0035 A78-11135
- Two-phase anaerobic digestion --- for synthane-from-waste conversion
17 p0036 A78-11137
- The economics of SNG production by anaerobic digestion of specially grown plant matter --- synthetic natural gas
17 p0036 A78-11138
- Multi-stage digestion of municipal solid waste to fuel gas
18 p0218 A78-29868
- Past production of methane by anaerobic digestion [COO-2900-11]
19 p0416 A78-25252
- Anaerobic fermentation of simulated in-situ oil shale retort water
[LBL-6855]
19 p0431 A78-25646

ANALOG DATA

- A data acquisition system for in situ measurements of terrestrial photovoltaic array performance
17 p0023 A78-11029

ANALOG SIMULATION

- A simplified physics airflow model for evaluating wind power sites in complex terrain
19 p0340 A78-38791

ANALYSIS OF VARIANCE

- Variance analysis of wind characteristics for energy conversion
17 p0092 A78-17653

ANALYTICAL CHEMISTRY

- Chemical geothermometers and mixing models for geothermal systems
17 p0062 A78-11491

ANCHORS (FASTENERS)

- Anchor systems --- for offshore power plants
19 p0303 A78-33328

ANEMOMETERS

- Flow field analysis
18 p0265 A78-19623

ANIONS

- Acceleration of one ampere negative ion beams to energies up to 120 keV
19 p0348 A78-39832

ANISOTROPIC MEDIA

- Optimal design of anisotropic /fiber-reinforced/ flywheels --- for energy storage
17 p0092 A78-17789
- Observations of anisotropic diffused layer sheet resistance in EFG silicon ribbon solar cells --- Edge-defined Film-fed Growth
18 p0223 A78-30648
- Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media
19 p0327 A78-36321

SUBJECT INDEX

ANNEALING

- Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells
17 p0015 A78-10945
- Annealing of GaAs solar cells damaged by electron irradiation
18 p0219 A78-30192

ANNUAL VARIATIONS

- Seasonal solar collector performance with maximum storage
17 p0078 A78-15410
- Specific output of windmills - A discovery
17 p0078 A78-15783
- Estimation of the monthly average of the diffuse component of total insolation on a horizontal surface
17 p0105 A78-19840
- Selection of a method for calculating parameters of storage devices used at wind and solar installations
19 p0326 A78-36138

ANODES

- Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
19 p0343 A78-39462
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems
19 p0344 A78-39465
- Competitive oxidation at semiconductor photoanodes
19 p0344 A78-39466

ANTARCTIC REGIONS

- West Antarctic ice sheet and CO₂ greenhouse effect - A threat of disaster
18 p0175 A78-23492

ANTENNA ARRAYS

- Candidate locations for SPS rectifying antennas [NASA-TN-78146]
17 p0138 A78-13553

ANTENNA RADIATION PATTERNS

- New developments in electromagnetic energy beaming
18 p0224 A78-30883
- The leased power microwave transmitting antenna
19 p0340 A78-38841

ANTHRACENE

- An investigation of coal solubility in anthracene oils
18 p0195 A78-27745
- Photon energy storage in organic materials - The case of linked anthracenes
18 p0220 A78-30267
- Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of eximers and biradicals in photodimerization [AD-A051336]
19 p0408 A78-24665

ANTIREFLECTION COATINGS

- Comparative testing of high efficiency silicon solar cells
17 p0014 A78-10937
- Fired through printed contacts on antireflection coated silicon terrestrial solar cells
17 p0016 A78-10956
- Textured surface cell performance characteristics
17 p0019 A78-10996
- Single crystal and polycrystalline GaAs solar cells using AMOS technology
17 p0025 A78-11044
- Simplified fabrication of GaAs homojunction solar cells with increased conversion efficiencies
18 p0216 A78-29199
- Sputtered metal silicide solar selective absorbing surfaces
18 p0221 A78-30303
- Silicon monoxide antireflection coatings for InP/CdS solar cells
18 p0221 A78-30305
- Optical performance of absorber-reflector combinations for photothermal solar energy conversion
19 p0316 A78-35411
- Nonreflecting vertical junction silicon solar cell optimization [AD-A046150]
17 p0151 A78-14636

- Optimization of coatings for flat plate solar collectors, phase 2
[COO-2930-4] 17 p0152 N78-14648
- Optimization of coatings for flat plate solar collectors, phase 2
[COO-2930-12] 19 p0444 N78-26565
- APPROPRIATIONS**
Solar energy and Congress --- program budget appropriations 17 p0083 A78-16828
- AQUEOUS SOLUTIONS**
Non-corrosive, non-freezing, and non-toxic heat transfer fluids for solar heating and cooling 17 p0045 A78-11240
Aqueous heat-carrying liquids for solar houses 18 p0213 A78-28587
Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis 18 p0232 A78-32104
- AQUICULTURE**
Ocean energy resources; Proceedings of the Energy Technology Conference, Houston, Tex., September 18-23, 1977 17 p0006 A78-10651
The U.S. Navy's Ocean Food and Energy Farm Project 17 p0007 A78-10657
Waterhyacinth biomass yield potentials 17 p0034 A78-11123
A systems analysis of bioconversion with microalgae --- combined sewage treatment and methane production 17 p0034 A78-11124
Possibilities of biomass from the ocean - The Marine Farm Project 18 p0208 A78-28362
Mass production of algae - Bicengineering aspects --- for wastewater treatment, protein production, fertilizers, drug and colloid manufacture 18 p0208 A78-28363
Biological constraints on seaweed culture --- for biomass conversion systems 18 p0208 A78-28368
Potential mariculture yield of sea thermal power plants. II - Food chain efficiency 19 p0301 A78-33309
Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274
- AQUIFERS**
Modeling underground storage in aquifers of hot water from solar power systems 17 p0050 A78-11298
Broadlands - A gas-dominated geothermal field 19 p0330 A78-36825
- ARC HEATING**
Low cost silicon solar array project silicon materials task [NASA-CR-157092] 19 p0407 N78-24640
- ARCHITECTURE**
Thermal mass and heatwalls in two new buildings --- for solar energy storage 17 p0048 A78-11276
Computer aided preliminary energy analysis and energy use options for architectural students 17 p0057 A78-11359
Buildings design with reference to the natural utilization of solar energy 18 p0212 A78-28580
Proposals for the design and construction of solar houses 18 p0212 A78-28581
Thermal-engineering preliminaries for the retrofitting of old houses to solar-energy utilization 18 p0213 A78-28583
Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977 19 p0336 A78-38051
Solar energy - Architectural imperative and problem of collectors 19 p0375 A78-42158
- ARCTIC OCEAN**
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1 --- forecasting offshore structures and requirements based on ECS [CWJ1/C-640003-VOL-1] 17 p0134 N78-13308
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2 --- transmission system analysis [CWJ1/C-640003-VOL-2] 17 p0134 N78-13309
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3 [CWJ1/C-640003-VOL-3] 17 p0134 N78-13310
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4 [CWJ1/C-640003-VOL-4] 17 p0134 N78-13311
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary [CWJ1/C-640003-VOL-5-SUMM] 17 p0134 N78-13312
- ARCTIC REGIONS**
The energy problem of the North --- power requirements, resources, and technological evolution 17 p0071 A78-13989
- ARGON LASERS**
Implosion experiments with D2, He-3 filled microspheres 18 p0235 A78-32440
- ARGON PLASMA**
Study of a collisional plasma rotating between two cylinders 19 p0293 A78-32718
Preliminary results on the conversion of laser energy into electricity 19 p0313 A78-34631
- AROMATIC COMPOUNDS**
Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles 17 p0061 A78-11459
Energy sources of polycyclic aromatic hydrocarbons [CONP-770130-2] 17 p0148 N78-14181
- ARRAYS**
Solar energy conversion: An analysis of impacts on desert ecosystems [COO-4339-1] 19 p0427 N78-25612
Status of wraparound contact solar cells and arrays [NASA-TN-78911] 19 p0443 N78-26543
- ARTIFICIAL SATELLITES**
Regimes for the ocean, outer space, and weather --- Book 18 p0189 A78-26399
Solar power satellite: Concept evaluation. Activities report. Volume 1: Summary. Volume 2: Detailed report [NASA-TN-74944] 17 p0123 N78-12116
Solar power satellite: System definition study. Part 1, volume 1: Executive summary [NASA-CR-151554] 17 p0129 N78-13099
Solar power satellite. System definition study. Part 1, volume 5: SPS transportation. Representative system descriptions [NASA-CR-151558] 17 p0130 N78-13103
Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 N78-15148
- ASHES**
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant 17 p0001 A78-10062
Ash fouling in the combustion of low rank Western U.S. coals 17 p0078 A78-15827
Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555
Filtration model for coal fly ash with glass fabrics [PB-276489/2] 18 p0289 N78-21667
Investigation of the mechanism of fly-ash formation in coal-fired utility boilers [FE-2205-8] 19 p0433 N78-25671
- ASPHALT**
Desulfurization of petroleum residues and their carbonization properties 19 p0337 A78-38406

ASSEMBLING

SUBJECT INDEX

ASSEMBLING

DOE LeRC photovoltaic systems test facility
[NASA-TN-78923] 19 p0443 N78-26549

ASSESSMENTS

Environmental assessment of low/medium EIU
gasification
[PB-276580/8] 18 p0281 N78-21325
Environmental assessment of coal liquefaction
[PB-278333/0] 19 p0451 N78-26654

ASYMPTOTIC METHODS

Use of asymptotic methods in vibration analysis
18 p0265 N78-19620

ASYNCHRONOUS MOTORS

Problem of end effect in a linear induction MHD
machine at arbitrary load current
18 p0167 A78-21395
Three-phase induction motor loads on a variable
frequency wind electric generator
18 p0231 A78-32050

ATMOSPHERIC ATTENUATION

Estimates of satellite-to-earth microwave
attenuation by cloud, rain, oxygen, and water
vapor
[AD-A052581] 19 p0404 N78-24431

ATMOSPHERIC BOUNDARY LAYER

Nocturnal boundary-layer wind maxima and the
problem of wind power assessment
18 p0179 A78-24314
Applications of wind tunnels to investigations of
wind-engineering problems
[AIAA 78-812] 18 p0233 A78-32366

ATMOSPHERIC CHEMISTRY

Energy and the atmosphere: A physical-chemical
approach --- Book
19 p0327 A78-36497
MAPS - An investigation of atmospheric, energy
related pollutants in the northeastern United
States
19 p0366 A78-41284

ATMOSPHERIC CIRCULATION

Postulated weather modification effects of large
energy releases
[BNWL-2162] 17 p0117 N78-10672

ATMOSPHERIC COMPOSITION

West Antarctic ice sheet and CO2 greenhouse effect
- A threat of disaster
18 p0175 A78-23492
Relationships among observed short-term maximum
sulfur dioxide concentrations near coal-fired
power plants
[APCA PAPER 77-29,5] 18 p0185 A78-25443
A shortage analysis of the impact of the energy
shortage on ambient air quality
19 p0320 A78-35683
Dispersion and analysis of methane in the atmosphere
[CL-1976-16] 19 p0450 N78-26644

ATMOSPHERIC DIFFUSION

Comparison of calculated and observed
characteristics of plumes from two coal-fired
power plants located in complex terrain
18 p0167 A78-21821
Ambient air quality in complex terrain
18 p0167 A78-21833
Dispersion and control of atmospheric emissions:
New-energy-source pollution potential --- From
AICHE meetings
19 p0320 A78-35676

ATMOSPHERIC EFFECTS

The fraction of solar energy available for direct
conversion processes
18 p0205 A78-28168

ATMOSPHERIC HEAT BUDGET

Modeling the effect of atmospheric carbon dioxide
on the global radiative heat balance
17 p0068 A78-13447

ATMOSPHERIC MODELS

Modeling the effect of atmospheric carbon dioxide
on the global radiative heat balance
17 p0068 A78-13447
Short communication on the optimum orientation of
solar collectors - An alternative approach
17 p0075 A78-14692
Comparison of calculated and observed
characteristics of plumes from two coal-fired
power plants located in complex terrain
18 p0167 A78-21821

ATMOSPHERIC MOISTURE

Transmission of sunlight through a uniform
water-drop atmosphere --- computer-aided design
for solar collectors
17 p0105 A78-19838
Cost-effective energy from humid air
19 p0361 A78-40363

ATMOSPHERIC PHYSICS

Energy and the atmosphere: A physical-chemical
approach --- Book
19 p0327 A78-36497

ATMOSPHERIC SCATTERING

Transmission of sunlight through a uniform
water-drop atmosphere --- computer-aided design
for solar collectors
17 p0105 A78-19838

ATMOSPHERIC TEMPERATURE

The effect of ambient temperature and humidity on
the carbon monoxide emissions of an idling gas
turbine
17 p0065 A78-12557

ATOMIC MOBILITIES

Metal hydride development program at Brookhaven
National Library
[BNL-23574] 19 p0461 N78-27568

ATS 6

ATS-6 solar cell flight experiment through 2 years
in orbit
17 p0014 A78-10932

ATTENUATION

Methods of attenuating wind turbine ac generator
output variations
18 p0266 N78-19632

ATTITUDE (INCLINATION)

Selecting optimum tilts for solar collectors as a
function of cloudiness
17 p0043 A78-11226
The effect of off-south orientation on the
performance of flat-plate solar collectors
17 p0104 A78-19830
Collection times for trough-type concentrators
having arbitrary orientation
19 p0323 A78-35797

Variation of solar cell sensitivity and solar
radiation on tilted surfaces
[NASA-TN-78921] 19 p0443 N78-26547

ATTITUDE CONTROL

Concentrating solar collector subsystem:
Preliminary design package
[NASA-CR-150714] 19 p0444 N78-26559

AUSTENITIC STAINLESS STEELS

The application of stainless steel to solar
collectors
17 p0045 A78-11238

AUSTRALIA

Solar progress Down Under --- solar energy
research in Australia
18 p0206 A78-28199

AUTOMATIC CONTROL

Automating the control of the optical system of a
tower-type solar power station --- heliostat
servocontrol
18 p0215 A78-28891
Concepts and features of the automated unit
control system for the Raccoon Mountain
Pumped-Storage Plant
[IEEE PAPER F 77 672-9] 18 p0219 A78-30195
Some design aspects of computer based control
systems for pulsed fusion experiments
19 p0355 A78-39591

An automatic alignment system for a multibeam
laser system --- for use in fusion reactors
19 p0359 A78-40222

Control system for wind-powered generators
[SAND-77-0287] 17 p0143 N78-13604

Method for producing solar energy panels by
automation
[NASA-CASE-LEW-12541-1] 19 p0419 N78-25529

A solar array strip and a method for forming the
same
[NASA-CASE-NPO-13652-3] 19 p0421 N78-25560

AUTOMATIC TEST EQUIPMENT

Microprocessor-based solar cell measurement system
19 p0365 A78-40919

AUTOMATION

Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ --- in transportation 19 p0325 A78-36128

Phase 1 of the automated array assembly task of the low cost silicon solar array project [NASA-CR-155935] 18 p0255 N78-18516

AUTOMOBILE ACCIDENTS

General safety considerations of the Ohio DOT electric vehicle [SAE PAPER 780160] 19 p0307 A78-33376

AUTOMOBILE ENGINES

Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles 17 p0061 A78-11459

Further Stirling engine development work. II 17 p0693 A78-18049

Review of the development of small- and medium-capacity gas turbines at the Motoren- und Turbinen Union [DGLR PAPER 77-061] 17 p0096 A78-18702

High-temperature ceramics for automobile gas turbines [DGLR PAPER 77-073] 17 p0096 A78-18708

Recent developments in heat exchangers for vehicle gas turbines [DGLR PAPER 77-075] 17 p0096 A78-18711

The storage of hydrogen in the form of metal hydrides - An application to thermal engines 17 p0100 A78-18845

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [SAE PAPER 780075] 19 p0306 A78-33364

Electric vehicles in Germany - Present and future [SAE PAPER 780087] 19 p0307 A78-33368

Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388

Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo [SAE PAPER 780417] 19 p0308 A78-33389

An update of the development on the new Audi NSU rotary engine generation [SAE PAPER 780418] 19 p0308 A78-33390

Vehicle gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486

How do alternative powerplant costs compare 19 p0313 A78-34677

Problems and progress in developing the automotive gas turbine 19 p0316 A78-35423

An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines 19 p0321 A78-35752

Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348] 19 p0366 A78-41225

Alternative automobile engines 19 p0367 A78-41466

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [NASA-TM-73849] 17 p0129 N78-13062

Improved ceramic heat exchanger material [NASA-CR-135292] 17 p0130 N78-13209

Baseline gas turbine development program [COO-2749-17] 17 p0135 N78-13455

Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels [NASA-TM-73786] 17 p0148 N78-14177

Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg [NASA-TP-1007] 18 p0227 N78-16053

Performance characteristics of automotive engines in the United States. Report no. 8: Mitsubishi Model 6DS7 diesel engine [PB-274374/8] 18 p0254 N78-18437

Performance characteristics of automotive engines in the United States. Report no. 9: Chrysler (1975) 225-CID 1-bbl engine [PB-274375/5] 18 p0254 N78-18438

Performance characteristics of automotive engines in the United States. Report no. 10: Chevrolet (1975) 250 CID 1-bbl engine [PB-274376/3] 18 p0254 N78-18439

Performance characteristics of automotive engines in the United States. Report no. 11: Chrysler (1975) 318-CID 2-bbl engine [PB-274377/1] 18 p0254 N78-18440

Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine. 1: Journal bearing performance [NASA-CR-135368] 18 p0281 N78-21472

Baseline gas turbine development program [COO-2749-18] 18 p0281 N78-21479

Experimental evaluation of fuel preparation systems for an automotive gas turbine catalytic combustor [NASA-TM-78856] 19 p0387 N78-22243

Automotive Stirling engine development program --- fuel economy assessment [NASA-CR-135331] 19 p0392 N78-22970

Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts [NTIS/PS-78/0208/5] 19 p0400 N78-23623

Automotive gas turbine fuel control [NASA-CASE-LEW-12785-1] 19 p0404 N78-24545

Cold-air performance of the compressor-drive turbine of the Department of Energy baseline automobile gas-turbine engine [NASA-TM-78894] 19 p0436 N78-26098

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing, General Motors research studies [GMR-2690-ET-1.2] 19 p0437 N78-26250

Effect of diesel fuel on Stirling engine ground power unit components --- fuel system [GMR-2690-SECT-1.201] 19 p0437 N78-26251

Manual cranking tests of the Stirling engine ground power unit [GMR-2690-SECT-1.202] 19 p0437 N78-26252

The GPU-3 Stirling engine ground power unit ignition system [GMR-2690-SECT-1.203] 19 p0438 N78-26253

Combustor development for Stirling ground power units, GPU-2 and GPU-3 [GMR-2690-SECT-1.204] 19 p0438 N78-26254

STIR-LEC 2 Stirling engine performance [GMR-2690-SECT-1.207] 19 p0438 N78-26257

Method of tests and instructions (generator sets, Stirling engine drive) [GMR-2690-SECT-1.208] 19 p0438 N78-26258

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 6: Regenerators [GMR-2690-PT-6] 19 p0439 N78-26318

Stirling thermal engine regenerator cost reduction program outline [GMR-2690-SECT-6.001] 19 p0439 N78-26319

Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GMR-2690-SECT-6.002] 19 p0439 N78-26320

Stirling engine regenerator performance analysis [GMR-2690-SECT-6.003] 19 p0439 N78-26321

Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status [GMR-2690-SECT-6.004] 19 p0439 N78-26322

Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 45/8V12C Stirling engine regenerators [GMR-2690-SECT-6.005] 19 p0439 N78-26323

Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials [GMR-2690-SECT-6.006] 19 p0440 N78-26324

Issues in Federally supported research on advanced automotive power systems [PB-278124/3] 19 p0442 N78-26457

Utilization of waste heat in trucks for increased fuel economy [NASA-CR-157292] 19 p0458 N78-27532

Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596

Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597

Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598

Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599

AUTOMOBILE FUELS

The use of ethanol-gasoline mixtures for automotive fuel 17 p0034 A78-11128

Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050

Update - Automobile fuel economy 17 p0092 A78-17672

Hydrogen cryogenic storage - liquid for automotive applications and cryoadsorbents for pipeline distribution systems 17 p0100 A78-18844

Future automotive fuels: Prospects, performance, perspective --- Book 18 p0194 A78-27475

Investigations into the suitability of methanol and methanol gasoline blends as s.i. engine fuels --- spark ignition engine emission decrease 18 p0159 A78-27828

Compact gas generator for fuel gasification aboard motor vehicles 18 p0236 A78-32509

Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures 19 p0321 A78-35703

Hydrogen fuel and its application to vehicular systems 19 p0327 A78-36445

Methanol as an automotive fuel with special emphasis on methanol-gasoline blends
[PB-270401/3] 17 p0123 N78-12243

Typical vehicle diurnal
[PB-270690/1] 17 p0145 N78-13633

Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics
[PB-277135/0] 19 p0393 N78-23261

Automobile air pollution: Automotive fuels. A bibliography with abstracts
[NTIS/PS-78/0235/8] 19 p0400 N78-23627

Research and development of rapid hydrogenation for coal conversion to synthetic motor fuels (riser cracking of coal)
[PB-2307-17] 19 p0403 N78-24382

The fuel efficiency incentive tax proposal: Its impact upon the future of the US passenger automobile industry 19 p0412 N78-25002

Alternative fuels utilization program
[UCID-17645] 19 p0414 N78-25241

Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen
[GHR-2690-SECT-1:206] 19 p0438 N78-26256

AUTOMOBILES

Paratransit prospects - Filling a gap 17 p0084 A78-16848

Improving the emission performance of vehicles in the field
[APCA PAPER 77-3,4] 18 p0184 A78-25386

Making aerospace technology work for the automotive industry - Introduction 19 p0306 A78-33359

Automobile exhaust emission surveillance analysis of the FY 1974 program
[PB-268782/0] 17 p0117 N78-10622

Ford-EPA emission laboratory correlation study
[PB-270699/2] 17 p0145 N78-13631

EPA-BMW correlation program
[PB-270559/8] 17 p0145 N78-13632

Baseline tests of the C. B. Waterman Renault 5 electric passenger vehicle
[NASA-TN-73759] 18 p0245 N78-16928

Alternative automotive engines and energy conservation 18 p0257 N78-18534

President Carter's automobile related energy conservation proposals 18 p0258 N78-18542

Potential for automotive fuel economy improvement 18 p0258 N78-18543

The automotive fuel economy standards for model year 1981-1984 passenger cars
[PB-275827/4] 18 p0280 N78-21314

Rulemaking support paper concerning the 1981-1984 passenger auto average fuel economy standards
[PB-275895/1] 18 p0280 N78-21315

Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts.
[NTIS/PS-78/0208/5] 19 p0400 N78-23623

Analysis of the failure of the nickel tank used for LiOH thermal energy storage for the Calvaix automobile
[GHR-2690-SECT-7.106] 19 p0440 N78-26332

Energy storage systems complement the Stirling engine
[GHR-2690-SECT-7.107] 19 p0440 N78-26333

Thermal energy storage-Stirling engine powerplants for road vehicles
[GHR-2690-SECT-7.111] 19 p0441 N78-26337

Motor gasolines, summer 1977
[BERC/PPS-78/1] 19 p0454 N78-27287

AUTOMOTIVATION

Windmill power for city people
[PB-275658/3] 18 p0288 N78-21654

AUXILIARY POWER SOURCES

Wind energy - A supplement to hydro-electric energy using the Columbia River Valley as an example 17 p0052 A78-11317

Solar hybrid repowering 17 p0055 A78-11343

Impact of domestic solar heating systems utilizing off peak storage on electric utilities 17 p0055 A78-11344

Preferred residential solar heating and cooling systems compatible with electric utility operation 17 p0055 A78-11345

Cooling turbine technology --- for aircraft air conditioning 18 p0224 A78-30775

AXIAL FLOW

On vortex wind power
[ASME PAPER 77-WA/FE-20] 18 p0218 A78-30035

AXIAL FLOW TURBINES

The status of small, cooled, axial-flow turbines 18 p0279 N78-21123

B

BACKGROUND RADIATION

Modeling solar cells for use as optical detectors - Background illumination effects 19 p0333 A78-37189

BACKSCATTERING

Effect of Faraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor 19 p0369 A78-41909

BACTERIA

Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides* 18 p0167 A78-22008

BACTERIOLOGY

Nature of primary organic films in the marine environment and their significance for Ocean Thermal Energy Conversion (OTEC) heat exchange surfaces
[BNWL-2283] 17 p0154 N78-14663

BALL BEARINGS

Ball to separator contact forces in angular contact ball bearings under thrust and radial loads
[NASA-CR-2976] 18 p0281 N78-21469

BAND STRUCTURE OF SOLIDS

Experimental study of the interface properties of MOS tunnel devices 17 p0026 A78-11053

Photovoltaic conversion 18 p0201 A78-27862

SUBJECT INDEX

BIBLIOGRAPHIES

- The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008
- Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- BARIUM**
Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler 19 p0340 A78-38933
- BARRIER LAYERS**
Design factors for transparent conducting layers in solar cells 17 p0027 A78-11064
Optically thin diffusion barriers enhance the life of metal/metal oxide selective surfaces 17 p0045 A78-11241
Ultrathin barriers and solar energy conversion --- photosynthetic pigmented bilayer lipid membrane 18 p0203 A78-27895
- BASALT**
Magma - A potential source of fuels 19 p0311 A78-34398
- BATTERY CHARGERS**
Pulse battery charger employing 1000 ampere transistor switches 18 p0231 A78-31974
- BEAM CURRENTS**
Engineering of beam direct conversion for a 120-kV, 1-MW ion beam 19 p0348 A78-39834
- BEAMS (RADIATION)**
Analysis and classification of methods for calculating concentrating systems --- for solar energy collection 17 p0064 A78-12386
New developments in electromagnetic energy beaming 18 p0224 A78-30883
Analysis and classification of concentrating-system design methods --- for solar energy collection 19 p0331 A78-36863
- BEARING (DIRECTION)**
Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results [AIAA 78-571] 19 p0294 A78-32912
- BEDROCK**
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- BEDS (GEOLOGY)**
A numerical simulation of heat transfer in rock beds 17 p0050 A78-11305
Coming - In situ gasification 19 p0322 A78-35783
- BEDS (PROCESS ENGINEERING)**
Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 A78-13247
The conversion of model coal liquids compounds to Naphtha species [PB-275891/0] 18 p0272 A78-20291
Upgrading of coal liquids for use as power generation fuels [EPRI-AP-444] 19 p0427 A78-25608
Optimization of pyrolytic conversion of coal to clean fuel --- computer programs [FE-2253-5] 19 p0427 A78-25609
- BENDING VIBRATION**
Flutter of Darrieus wind turbine blades 18 p0265 A78-19624
- BERYLLIUM**
Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas [NASA-TF-1150] 18 p0273 A78-20512
- BIBLIOGRAPHIES**
Solar energy bibliography [NASA-TM-X-73398] 17 p0138 A78-13554
State energy conservation program sourcebook. Volume 6: Bibliography [PB-271802/1] 17 p0144 A78-13613
Bibliography of earth science reports for 1976 [UCID-17476-76] 17 p0149 A78-14451
Unconventional energy sources. A select bibliography [NCWTD-CNDST-BIB-6] 17 p0150 A78-14626
- Wind power systems. A select bibliography [NCWTD-CNDST-BIB-7] 17 p0150 A78-14627
Bibliography of Lewis Research Center technical contributions announced in 1976 [NASA-TM-73860] 18 p0252 A78-17921
RANN: Research Applied to National Needs. Wind Energy Conversion Research [PB-271942/5] 18 p0270 A78-19677
Annotated bibliography of natural resource information: Northwestern New Mexico [PB-276024/7] 18 p0273 A78-20597
Offshore pipelines. A bibliography with abstracts [NTIS/PS-78/0179/8] 19 p0393 A78-23263
Fluidized bed combustion, volume 2. Citations from the NTIS data base [NTIS/PS-78/0195/4] 19 p0400 A78-23607
Fluidized bed combustion, volume 1. Citations from the engineering index data base [NTIS/PS-78/0196/2] 19 p0400 A78-23608
Fluidized bed combustion, volume 2. Citations from the engineering index data base [NTIS/PS-78/0197/0] 19 p0400 A78-23609
Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts [NTIS/PS-78/0208/5] 19 p0400 A78-23623
Automobile air pollution: Automotive fuels. A bibliography with abstracts [NTIS/PS-78/0235/8] 19 p0400 A78-23627
Petroleum exploration, production, and recovery methods. Citations from the NTIS data base [NTIS/PS-78/0277] 19 p0411 A78-24689
Heat pipes, volume 2. Citations from the engineering index data base [NTIS/PS-78/0303] 19 p0417 A78-25382
Heat pipes, volume 3. Citations from the engineering index data base [NTIS/PS-78/0304] 19 p0417 A78-25383
Heat pipes, volume 3. Citations from the NTIS data base [NTIS/PS-78/0302] 19 p0417 A78-25384
Total energy systems for buildings. Citations from the engineering index data base [NTIS/PS-78/0306] 19 p0432 A78-25657
Total energy systems for buildings. Citations from the NTIS data base [NTIS/PS-78/0305] 19 p0433 A78-25658
Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0278] 19 p0433 A78-25659
Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0279] 19 p0433 A78-25660
Waste heat utilization. Citations from the NTIS data base [NTIS/PS-78/0294] 19 p0433 A78-25661
Waste heat utilization, volume 3. Citations from the engineering index data base [NTIS/PS-78/0296] 19 p0433 A78-25662
Waste heat utilization, volume 2. Citations from the engineering index data base [NTIS/PS-78/0295] 19 p0433 A78-25663
Pollution and environmental aspects of fuel conversion. A bibliography with abstracts [NTIS/PS-78/0314] 19 p0434 A78-25701
Review of petroleum oil saturation and its determination [BERC/RI-77/15] 19 p0442 A78-26525
Energy from biomass: An overview of environmental aspects [CONF-780109-3] 19 p0446 A78-26585
Bibliography of New Mexico geology and mineral technology, 1971-1975 [PB-278348/8] 19 p0451 A78-26699
Applied science and research applications, recent research reports, February 1978 [PB-278530/1] 19 p0452 A78-26986
Wind power, volume 1. Citations from the NTIS data base [NTIS/PS-78/0415/6] 19 p0465 A78-27600
Wind power, volume 2. Citations from the NTIS data base [NTIS/PS-78/0416/4] 19 p0465 A78-27601
Wind power. Citations from the engineering index data base [NTIS/PS-78/0417/2] 19 p0465 A78-27602

Coal gasification and liquefaction technology,
volume 3. A bibliography with abstracts
[NTIS/PS-78/0345/5] 19 p0466 A78-27609

BIOCHEMICAL FUEL CELLS
A study of biochemical fuel cells utilizing animal
and kitchen waste as fuel 19 p0374 A78-42137

BIODEGRADATION
Methane production from waste 17 p0037 A78-11144
Corrosion and biofouling on an Ocean Thermal
Energy Conversion power plant - What are the
questions 19 p0305 A78-33343

BIOENGINEERING
Mass production of algae - Bioengineering aspects
--- for wastewater treatment, protein
production, fertilizers, drug and colloid
manufacture 18 p0208 A78-28363

BIOLOGICAL EFFECTS
The biological effects of air pollution from
fossil fuel burning power plants in the
Northcentral Great Plains
[APCA PAPER 77-15,4] 18 p0185 A78-25438
Environmental, health, and control aspects of coal
conversion: An information overview, volume 2
[ORNL/BIS-95-VOL-2] 19 p0411 A78-24697

BIOMASS ENERGY PRODUCTION
Conference on Capturing the Sun Through
Bioconversion, Washington, D.C., March 10-12,
1976, Proceedings 17 p0005 A78-10623
European Seminar on Biological Solar Energy
Conversion Systems, Grenoble, France, May 9-12,
1977, Proceedings 17 p0005 A78-10624
The U.S. Navy's Ocean Food and Energy Farm Project
17 p0007 A78-10657
A long-term solution to fossil fuel depletion ---
biomass energy conversion technology assessment
17 p0010 A78-10739
Biomass as an energy mechanism 17 p0033 A78-11116
Thermal processing of biomass materials --- overview
17 p0033 A78-11117
Clean fuels from biomass and wastes; Proceedings
of the Second Symposium, Orlando, Fla., January
25-28, 1977 17 p0033 A78-11120
Biomass and wastes as energy resources - Update
17 p0033 A78-11121
Biomass as a long range source of hydrocarbons
17 p0034 A78-11122
Waterhyacinth biomass yield potentials
17 p0034 A78-11123
A systems analysis of bioconversion with microalgae
--- combined sewage treatment and methane
production 17 p0034 A78-11124
Potentials of hydrogen production through
biophotolysis 17 p0034 A78-11125
Energy and materials from the forest biomass
17 p0034 A78-11126
Trees as a renewable energy resource 17 p0034 A78-11127
The use of ethanol-gasoline mixtures for
automotive fuel 17 p0034 A78-11128
Rotary kiln gasification of biomass and municipal
wastes 17 p0035 A78-11130
Ammonia synthesis gas and petrochemicals from
cattle feedlot manure 17 p0035 A78-11132
Two-phase anaerobic digestion --- for
syngas-from-waste conversion 17 p0036 A78-11137
The economics of SNG production by anaerobic
digestion of specially grown plant matter ---
synthetic natural gas 17 p0036 A78-11138
Environmental impact of solid waste and biomass
conversion-to-energy processes 17 p0036 A78-11139
Solar energy conversion with microalgal sewage
treatment ponds 17 p0056 A78-11351

Photosynthetic and water efficiency of *Salsola*
pestifer --- tumbleweeds for biomass energy
production 17 p0056 A78-11352

Biomass and waste production as energy resources -
Update 17 p0063 A78-12222

Bioconversion of solar energy to methane 17 p0067 A78-13342
Mobilization and impacts of bio-gas technologies
17 p0067 A78-13345

Energy - Fluid fuels from solids 17 p0069 A78-13625
Materials and energy from the sun 17 p0071 A78-14025
The problem of photosynthetic hydrogen 17 p0095 A78-18521
Fuels and energy from renewable resources;
Proceedings of the Symposium, Chicago, Ill.,
August 29-September 2, 1977 17 p0107 A78-20524

Bioconversion: Fuels from biomass --- Book 18 p0167 A78-21700
Industrial energy in transition - A petrochemical
perspective 18 p0175 A78-23560
Energy technology IV; Proceedings of the Fourth
Conference, Washington, D.C., March 14-16, 1977
18 p0180 A78-24751
Biomass - Progress and plans --- fermentation,
thermochemical conversion and methane production
18 p0182 A78-24764
Solar biomass energy - An overview of U.S. potential
18 p0193 A78-26967
Biogasification using NaOH treated pig faeces
18 p0194 A78-27550
Energy resources offered by natural photosynthesis
18 p0197 A78-27790
Fuels and chemicals from crops 18 p0197 A78-27808
The production of oil from wood waste
18 p0198 A78-27809
Will photosynthesis solve the energy problem
18 p0202 A78-27891
A model for solar radiation conversion to algae in
a shallow pond 18 p0205 A78-28167
Biological solar energy conversion; Proceedings of
the Conference, University of Miami, Miami,
Fla., November 15-18, 1976 18 p0207 A78-28351
Hydrogen production by marine photosynthetic
organisms as a potential energy resource
18 p0207 A78-28353
Use of an enzymic electric cell and immobilized
hydrogenase in the study of the biophotolysis of
water to produce hydrogen 18 p0207 A78-28355
Hydrogen photoproduction from water 18 p0207 A78-28358
Biological conversion of light energy into
electrochemical potential 18 p0208 A78-28360
Synthesis of organic compounds from carbon dioxide
in land plants --- energy farm design and solar
energy conversion efficiency limits 18 p0208 A78-28361
Possibilities of biomass from the ocean - The
Marine Farm Project 18 p0208 A78-28362
A critical analysis of bioconversion with microalgae
--- methane production 18 p0208 A78-28364
Using sugar crops to capture solar energy ---
biomass conversion techniques 18 p0208 A78-28365
Fuel gas production from selected biomass via
anaerobic fermentation 18 p0208 A78-28366
Application of solar energy bioconversion in
developing countries 18 p0208 A78-28367
Biological constraints on seaweed culture --- for
biomass conversion systems 18 p0208 A78-28368
Multi-stage digestion of municipal solid waste to
fuel gas 18 p0218 A78-29868

- The earth as a solar heat engine --- windpower utilization, ocean thermal conversion, tidal power, waterwave power and biomass conversion
18 p0223 A78-30745
- Enzymes show promise for biomass conversion
19 p0327 A78-36443
- Solar energy conversion through biology - Could it be a practical energy source?
19 p0342 A78-39123
- Energy for agriculture and the gasification of crop residues
19 p0368 A78-41815
- Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing
19 p0368 A78-41818
- A study of biochemical fuel cells utilizing animal and kitchen waste as fuel
19 p0374 A78-42137
- Algae cultures and methanization - The role of these techniques in the bioconversion of solar energy
19 p0384 A78-42896
- Solar program assessment: Environmental factors. Fuel from biomass --- environmental impact [ERDA-77-47/7]
17 p0120 W78-11506
- Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers [NP-22159/2]
19 p0393 W78-23253
- Fuel gas production from animal waste, phase 1 [COO-2991-23]
19 p0415 W78-25248
- Fast production of methane by anaerobic digestion [COO-2900-11]
19 p0416 W78-25252
- Energy from biomass: An overview of environmental aspects [CONP-780109-3]
19 p0446 W78-26585
- BIOMEDICAL DATA**
Health and economic costs of alternative energy sources [IAEA-CN-36/448]
19 p0390 W78-22484
- BIOSYNTHESIS**
Hydrogen from sunlight: The biological answer - Development of a low-cost biological solar panel
17 p0056 A78-11350
- BITUMENES**
Analysis and scale-up consideration of bituminous coal liquefaction rate processes
18 p0184 A78-25322
- A petrographic classification of solid residues derived from the hydrogenation of bituminous coals
18 p0192 A78-26592
- Pyrolysis of subbituminous coal in relation to in-situ coal gasification
18 p0229 A78-31750
- Hydroconversion of a bituminous coal with CO-H₂O
19 p0342 A78-39125
- Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3]
19 p0410 W78-24680
- BLADES**
The UMass wind furnace blade design
18 p0267 W78-19641
- BLOOD**
Implanted energy conversion system [PB-272609/9]
18 p0243 W78-16464
- BLUE GREEN ALGAE**
Hydrogen from sunlight: The biological answer - Development of a low-cost biological solar panel
17 p0056 A78-11350
- Physiological studies of nitrogen fixation by blue-green algae
17 p0128 W78-12647
- Solar energy conversion with hydrogen producing algae [SAN/0034-77/1]
19 p0460 W78-27565
- BOATS**
Speed polar of a wind turbine powered cargo boat
17 p0094 A78-18094
- BODIES OF REVOLUTION**
Bending free toroidal shells for tokamak fusion reactors
19 p0351 A78-39915
- BOILERS**
Densified refuse derived fuels - An alternative concept
17 p0005 A78-10634
- Experience with burning industrial wastes in steam-generating and high-temperature heat recovery systems
17 p0006 A78-10636
- The application of solar energy to boiler feedwater heating in steam-electric power plants
17 p0052 A78-11320
- Solar hybrid repowering
17 p0055 A78-11343
- Comparative analysis of the geometrical characteristics of solar power plant boilers
17 p0064 A78-12393
- Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator
17 p0066 A78-13157
- Ash fouling in the combustion of low rank Western U.S. coals
17 p0078 A78-15827
- Operational limitations of direct contact boilers for geothermal applications [ASME PAPER 77-HT-5]
17 p0089 A78-17480
- A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 Mwt MHD power plant [ASME PAPER 77-HT-64]
17 p0090 A78-17496
- Future peak-power plants based on hydrogen-oxygen rocket steam generators
17 p0100 A78-18846
- Technical concepts and economic prospects for thermal hydrogen power plants for peak load generation
17 p0100 A78-18847
- Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASME PAPER 77-WA/APC-1]
19 p0297 A78-33126
- Coal fired non-equilibrium, Closed Cycle MHD/steam power generation [ASME PAPER 77-WA/ENR-8]
19 p0298 A78-33146
- Emissions from PBC boilers --- Fluidized Bed Combustion
19 p0310 A78-34186
- Methanol - A boiler fuel alternative
19 p0321 A78-35704
- Comparative analysis of geometric characteristics of solar power plant boilers
19 p0332 A78-36870
- Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations
19 p0335 A78-37862
- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-265277/0]
17 p0121 W78-11526
- Material handling systems for the fluidized-bed combustion boiler at Rivesville, West Virginia
17 p0133 W78-13265
- Energy consumption of environmental controls: Fossil fuel, steam electric generating industry [PB-273019/0]
18 p0244 W78-16476
- Operation and maintenance of particulate control devices on coal-fired utility boilers [PB-274104/9]
18 p0251 W78-17505
- Central heating: Package boilers [ANL/CES/TE-77-6]
19 p0422 W78-25564
- Coal-fired alkali metal power system design study [ORNL-TS-6000]
19 p0423 W78-25576
- Investigation of the mechanism of fly-ash formation in coal-fired utility boilers [FE-2205-8]
19 p0433 W78-25671
- Industrial application of fluidized-bed combustion --- boiler and plant design [FE-2461-5]
19 p0436 W78-26190
- Effect of liquid waste discharges from steam generating facilities [BNWL-2393]
19 p0450 W78-26634
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators [PB-279008/7]
19 p0466 W78-27621
- Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report [PB-279417/0]
19 p0467 W78-27659

- Effects of alternative new source performance standards on flue gas desulfurization system supply and demand [PB-279080/6] 19 p0467 A78-27661
- BORIDES**
- Materials for fuel cells [PB-269518/7] 17 p0113 A78-10573
- BORON ISOTOPIES**
- Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the p-B-11 reaction [EPRI-EB-429-SR-PT-A] 18 p0290 A78-21927
- BOUNDARY LAYER CONTROL**
- Studies of advanced transport aircraft [NASA-TN-78697] 19 p0413 A78-25047
- BOUNDARY LAYER FLOW**
- Forced convection heat transfer at an inclined and yawed square plate - Application to solar collectors 17 p0076 A78-15053
- Analysis of the seeded combustion gas boundary layer near a cold electrode 17 p0083 A78-16814
- Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations [LBL-6841] 18 p0230 A78-31953
- BOUNDARY LAYER PLASMAS**
- Kinetic theory of plasma in the limiter-shadow region 19 p0378 A78-42212
- The effect of electric field in the divertor scrape-off layer 19 p0379 A78-42215
- Transport calculations for a wall-confined liner-compressed plasma 19 p0380 A78-42258
- BRAKES (FOR ARRESTING MOTION)**
- Design considerations for an electric vehicle solid-state motor controller with regenerative braking capability 17 p0092 A78-17570
- Computer simulation of an advanced hybrid electric-powered vehicle [SAE PAPER 780217] 19 p0307 A78-33378
- The efficiency improvement of electric vehicles by regenerative braking [SAE PAPER 780291] 19 p0307 A78-33383
- Brake system for the 17 meter vertical axis wind turbine [SAND-77-1331] 19 p0461 A78-27569
- BRAKING**
- For the latest in energy storage, try the flywheel 18 p0217 A78-29600
- BRAYTON CYCLE**
- Analysis of closed cycle Brayton systems for solar electric power generation 17 p0053 A78-11324
- Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- BREAKDOWNS**
- 'Local' breakdown criterion for a highly ionized gas stream 19 p0292 A78-32707
- BREEDER REACTORS**
- Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191
- What comes after oil and gas - Development trends offered by energy sources 18 p0223 A78-30709
- Poloidal field coil design for a fusion-fission breeder reactor 19 p0354 A78-39977
- The 1978 ERDA authorization; the Clinch River breeder reactor program, volume 4 [GPO-92-462] 19 p0413 A78-25006
- BREMSSTRAHLUNG**
- Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave 19 p0332 A78-37139
- BRILLOUIN EFFECT**
- Evolution of stimulated Brillouin to stimulated ion Compton scattering in a CO₂ laser-plasma interaction experiment 18 p0235 A78-32425
- Effect of Faraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor 19 p0369 A78-41909
- Non-resonant pump field modification of the sidescatter threshold 19 p0381 A78-42264
- BRINES**
- Testing of direct contact heat exchangers for geothermal brines [ASME PAPER 77-HT-4] 17 p0089 A78-17479
- Models for calculating density and vapor pressure of geothermal brines 18 p0206 A78-28249
- Solar ponds for power production 19 p0376 A78-42164
- Analysis of brine disposal in the Gulf of Mexico. 3: Capline sector [PB-271292/5] 17 p0146 A78-13648
- Materials evaluation for geothermal applications: Turbine materials [UCRL-79360] 19 p0392 A78-23238
- Study of brine treatment [EPRI-EB-476] 19 p0430 A78-25633
- Preliminary tests using a laser particle-size analyzer on geothermal brine [UCID-17637] 19 p0430 A78-25634
- Removal of silica from spent geothermal brine [UCID-17702] 19 p0430 A78-25636
- Corrosion of iron-base alloys versus alternate materials in geothermal brines [FNL-2456] 19 p0454 A78-27264
- Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes [EPRI-EB-635-VOL-2] 19 p0462 A78-27578
- BROADBAND**
- Optimum design of wideband selective absorbers with provision for specified included layers --- for solar applications 19 p0323 A78-35796
- BROADCASTING**
- Technology assessment in a dialectic key [IIASA-PP-77-1] 17 p0123 A78-11896
- BROMINE COMPOUNDS**
- Corrective action program for bromochloromethane-containing fire-safe diesel fuel [AD-A043323] 17 p0119 A78-11253
- BUDGETING**
- Solar energy and Congress --- program budget appropriations 17 p0083 A78-16828
- BUILDINGS**
- Solar building energy use analysis 17 p0045 A78-11243
- Application of airborne infrared technology to monitor building heat loss 17 p0075 A78-14853
- Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning 17 p0078 A78-15408
- Solar energy: Fundamentals in building design --- Book 17 p0081 A78-16275
- A performance-optimized wind energy conversion system for space heating 18 p0171 A78-22251
- Passive solar heating and cooling systems 18 p0175 A78-23425
- Solar energy in office and industrial buildings 18 p0181 A78-24760
- Solar design and installation experience --- pyramidal optics for use in residential buildings 18 p0181 A78-24761
- Legal problems of solar energy utilization 18 p0214 A78-28595
- Energy conservation and thermal comfort in a New York City high rise office building 19 p0311 A78-34380
- Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration [NASA-CR-155325] 17 p0125 A78-12527
- State solar energy legislation of 1976: A review of statutes relating to buildings [PB-273899/5] 18 p0261 A78-18567

- Solar heating system for recreation building at Scattergood School
[NASA-CR-150553] 18 p0274 N78-20605
- Evaluation of the plan to conserve energy in federal buildings through retrofit programs [PB-275311/9] 18 p0276 N78-20627
- Design and operation of a solar heating and cooling system for a residential size building [NASA-TN-78169] 19 p0420 N78-25546
- Design data brochure: Solar hot air heater [NASA-CR-150697] 19 p0421 N78-25548
- Commercial applications of solar total energy systems [AI-EBDA-13203] 19 p0427 N78-25613
- BUOYANCY**
Effect of buoyancy on heat transfer rates in a solar collector 19 p0375 A78-42153
- BURNERS**
Burner design criteria for NOx control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 N78-15607
- BURNING RATE**
Some characteristics of oil consumption measured by hydrogen fueled engine [ASIE PREPRINT 77-1C-5E-1] 18 p0209 A78-28434
- Analysis of spray combustion in a research gas turbine combustor 19 p0333 A78-37297
- BUS CONDUCTORS**
Optimum shape of the bus bar on solar cells of arbitrary shape 18 p0176 A78-23638
- Synchronization of wind turbine generators against an infinite bus under gusting wind conditions [IEEE PAPER P 77 675-2] 18 p0219 A78-30196
- BUTANES**
Two phase working fluids in solar collectors [AIAA PAPER 78-354] 18 p0178 A78-24030
- BYPASSES**
Shunt regulation electric power system [NASA-CASR-GSC-10135] 18 p0247 N78-17296

C

- CABLES (ROPES)**
Vertical axis wind turbine tie-down design with an example [SAND-77-1919] 19 p0429 N78-25631
- CADAstral MAPPING**
Development of a solar-power cadaster 19 p0331 A78-36862
- CADMIUM**
Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S 17 p0018 A78-10979
- CADMIUM SELENIDES**
Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233
- Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells 19 p0344 A78-39469
- CADMIUM SULFIDES**
Si/CdS heterojunction solar cells 17 p0002 A78-10485
- The relationships between preparation parameters, operating characteristics and physical processes in Cu₂S-CdS thin film solar cells 17 p0017 A78-10971
- An automatable integrated thin film solar cell array 17 p0017 A78-10972
- Variation of short-circuit current spectral response with Cu₂-x/S composition in thin film Cu₂-x/S/CdS photovoltaic cells 17 p0017 A78-10973
- Model of the CdS/Cu₂S heterojunction 17 p0017 A78-10974
- The influence of the horizontal and vertical structure of the p-n junction in Cu₂S-CdS solar cells 17 p0018 A78-10975
- Post-fabrication treatments, surface properties, and front contact of Cu₂-x/S-CdS solar cells 17 p0018 A78-10978

- The formation of Cu₂S thin films for CdS solar cells by sulfurization of copper with thiourea 17 p0018 A78-10980
- CdS sprayed thin films - Electrical and optical properties 17 p0018 A78-10981
- Studies related to Zn/x/Cd_{1-x}/S-Cu₂S solar cells 17 p0018 A78-10982
- InP/CdS solar cells 17 p0018 A78-10985
- CdS - sputtered Cu₂S solar cells 17 p0019 A78-10986
- Evaluation of the CdS/CdTe heterojunction solar cell 17 p0062 A78-11815
- A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850
- Solar cells for terrestrial applications 17 p0083 A78-16826
- Silicon monoxide antireflection coatings for InP/CdS solar cells 18 p0221 A78-30305
- Polycrystalline thin film CdS/CdTe solar cells 18 p0225 A78-31210
- Two-dimensional analysis for Cu₂-x/S-CdS solar cells with nonuniform skin region 18 p0228 A78-31726
- Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu₂S photovoltaic cells 18 p0228 A78-31730
- Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233
- Cu₂-x/S/CdS thin-film solar cells using chemically sprayed CdS films 19 p0309 A78-34009
- Thickness dependence of structural and electrical properties of CdS films for solar cells 19 p0325 A78-36035
- Structure and morphology of chemical-sprayed CdS films 19 p0325 A78-36036
- Photoelectric and electric properties of nSiC-nCdS heterojunctions 19 p0330 A78-36855
- Thin film CdS-CuI heterojunction photocells 19 p0333 A78-37260
- Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS-Cr₂O₃ system 19 p0333 A78-37261
- Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells 19 p0335 A78-37944
- n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- Investigation on the non-uniform thickness of the skin region of a CdS solar cell 19 p0372 A78-42121
- Evaporated CdS film based heterojunction solar cells 19 p0372 A78-42122
- Sprayed CdS thin film solar cells 19 p0372 A78-42123
- Failure analysis of cadmium sulphide solar cells --- for spacecraft power supplies 19 p0372 A78-42124
- Technology of Cu₂S-CdS solar cells - German state-of-the-art 19 p0373 A78-42127
- Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- A study of copper-sulfide/cadmium-sulfide photovoltaic cells based on sulfurization and other processes 17 p0111 N78-10556
- Ternary compound thin film solar cells-2 [PB-270029/2] 17 p0121 N78-11515
- Structural effects in chemically sprayed CdS/Cu₂S photovoltaic cells [SAND-76-0737] 17 p0161 N78-15573
- Indium phosphide/cadmium sulfide thinfilm terrestrial solar cells [ALQ/3717-1] 19 p0462 N78-27581
- CADMIUM TELLURIDES**
Evaluation of the CdS/CdTe heterojunction solar cell 17 p0062 A78-11815

- Polycrystalline thin film CdS/CdTe solar cells
18 p0225 A78-31210
Calculation of photocurrent and limit efficiency
of p-CdTe - n-CdS film-type photocells
19 p0335 A78-37944
- CALCIUM OXIDES**
Effect of carbon monoxide on the reaction of
hydrogen sulfide and calcium oxide
[ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129
- CALCULATORS**
STEAEC: Solar Thermal Electric Annual Energy
Calculator documentation
[SAND-77-8278] 19 p0447 A78-26588
- CALIBRATING**
US terrestrial solar cell calibration and
measurement procedures
[NASA-TN-73788] 17 p0150 A78-14629
- CALIFORNIA**
California's geothermal resource potential
19 p0368 A78-41816
Field infrared method to discriminate natural
seeps from non-seeps, Santa Barbara, California
area
[AD-A042861] 17 p0116 A78-10608
Building application of solar energy. Study no.
2: Representative buildings for solar energy
performance analysis and market penetration
[NASA-CR-155325] 17 p0125 A78-12527
Remote sensing applications in hydro-geothermal
exploration of the northern basin and range
province
18 p0238 A78-16405
Analysis of requirements for accelerating the
development of geothermal energy resources in
California
[NASA-CR-155782] 18 p0256 A78-18528
Heat flow in a geothermally active area: The
Geysers, California
18 p0261 A78-18602
Distributed technologies in California's energy
future, volume 1
[LBL-6831-VOL-1] 18 p0285 A78-21623
Geothermal environmental studies, Heber region,
Imperial Valley, California. Environmental
baseline data acquisition
[EPRI-RP-352] 18 p0286 A78-21630
Results of reservoir evaluation tests, 1976 East
Mesa Geothermal Field, California
[LBL-6369] 18 p0286 A78-21631
Distributed technologies in California's energy
future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 A78-21635
California residential energy standards: Problems
and recommendations relating to implementation,
enforcement, design
[SAN/1178-1] 18 p0287 A78-21640
Thermal surveillance of active volcanoes using the
LANDSAT-1 data collection system. Preface and
part 1: The Surtsey, Iceland, temperature data
relay experiment via LANDSAT-1 --- Lassen
volcanic region, California, Surtsey, Iceland
and Mt. St. Helens and Mt Baker, Washington
[E78-10121] 19 p0394 A78-23498
Thermal surveillance of active volcanoes using the
LANDSAT-1 data collection system. Part 4:
Lassen volcanic region
[E78-10123] 19 p0394 A78-23499
Thermal surveillance of active volcanoes using the
LANDSAT-1 data collection system. Part 5:
Electronic thermal sensor and data collection
platform technology
[E78-10124] 19 p0394 A78-23500
Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 A78-25535
Potential for cogeneration of heat and electricity
in California industry, phase 1
[NASA-CR-157168] 19 p0419 A78-25536
Potential growth of electric power production from
Imperial Valley geothermal resources
[UCRL-52252] 19 p0430 A78-25635
- CALORIMETERS**
Dielectric relaxation in polymers at low
temperatures
17 p0148 A78-14170
- CANBER**
Blade twist, droop snoot, and forward spars --- in
windmill blades
18 p0234 A78-32421
- CANADA**
A performance evaluation of a solar house in Quebec
17 p0048 A78-11277
The Syncrude Project and the future of heavy oil
development
18 p0196 A78-27785
Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 A78-13588
Use of aerial thermography in Canadian energy
conservation programs
17 p0149 A78-14566
- CAPACITORS**
High energy density, long life energy storage
capacitor dielectric system
19 p0359 A78-40099
Solar energy storage subsystem utilizing latent
heat of phase change
18 p0255 A78-18513
Energy storage apparatus
[NASA-CASE-GSC-12030-1] 19 p0404 A78-24608
Development of a low cost, 10 kV capacitor
[LA-OR-77-2408] 19 p0416 A78-25335
Fusion applications of fast discharging homopolar
machines
[EPRI-ER-625] 19 p0468 A78-27934
- CARBIDES**
Materials for fuel cells
[PB-269518/7] 17 p0113 A78-10573
- CARBON**
Solar silicon via the Dow Corning process
[NASA-CR-157065] 19 p0406 A78-24637
- CARBON DIOXIDE**
Present and future production of CO2 from fossil
fuels: A global appraisal
[ORAU/IEA (0)-77-15] 18 p0245 A78-16495
Tertiary oil recovery by CO2 injection
[ORO-5302-20] 19 p0455 A78-27499
- CARBON DIOXIDE CONCENTRATION**
Modeling the effect of atmospheric carbon dioxide
on the global radiative heat balance
17 p0068 A78-13447
West Antarctic ice sheet and CO2 greenhouse effect
- A threat of disaster
18 p0175 A78-23492
Present and future production of CO2 from fossil
fuels: A global appraisal
[ORAU/IEA (0)-77-15] 18 p0245 A78-16495
- CARBON DIOXIDE LASERS**
Pulsed power systems for the LASL high energy gas
laser facility
17 p0007 A78-10691
Direct conversion of CO2 laser energy to
high-voltage electrical energy using a
laser-produced plasma
17 p0078 A78-15788
Evolution of stimulated Brillouin to stimulated
ion Compton scattering in a CO2 laser-plasma
interaction experiment
18 p0235 A78-32425
Thermo-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385
Generalization of the description of energy
conversion in CO2 impulse lasers
17 p0109 A78-10444
- CARBON DIOXIDE REMOVAL**
Present and future production of CO2 from fossil
fuels: A global appraisal
[ORAU/IEA (0)-77-15] 18 p0245 A78-16495
- CARBON MONOXIDE**
The effect of ambient temperature and humidity on
the carbon monoxide emissions of an idling gas
turbine
17 p0065 A78-12557
Stoichiometric calculations concerning the
Fischer-Tropsch synthesis
17 p0077 A78-15101
Effect of carbon monoxide on the reaction of
hydrogen sulfide and calcium oxide
[ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129

- New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data
19 p0337 A78-38404
- CARBON STEELS**
Corrosion of iron-base alloys versus alternate materials in geothermal trines
[PNI-2456] 19 p0454 A78-27264
- CARBONATES**
Molten carbonate fuel cell research at ORNL
[ORNL/TM-5886] 17 p0151 A78-14639
- CARBONIZATION**
Deactivation of hydrodesulfurization catalysts under coal liquids. I - Loss of hydrogenation activity due to carbonaceous deposits
18 p0203 A78-27919
Desulfurization of petroleum residues and their carbonization properties
19 p0337 A78-38406
- CARBONYL COMPOUNDS**
Possible selective solar photothermal absorber - Bi dendrites formed on Al surfaces by the CVD of Bi /CO/4
18 p0221 A78-30302
- CARGO**
Measurement and simulation of fuel consumption in rail freight service
18 p0258 A78-18545
Code of practice for the petroleum industry. Part 1: The handling, storage, and distribution of petroleum products
[SABS-089-1977-PT-1] 19 p0402 A78-24366
- CARGO AIRCRAFT**
Energy and economic impacts of projected freight transportation improvements
18 p0257 A78-18537
- CARGO SHIPS**
Speed polar of a wind turbine powered cargo boat
17 p0094 A78-18094
- CARRIER MOBILITY**
Analysis of epitaxial drift field M on P silicon solar cells
17 p0012 A78-10904
Diffusion length measurement by a simple photocurrent technique --- for MIS and Schottky barrier solar cells
17 p0026 A78-11050
A note on the performance of a Si solar cell under partial illumination
19 p0371 A78-42119
- CATALYSIS**
Catalysis and unconventional energy systems
18 p0183 A78-25055
Early coal hydrogenation catalysis
19 p0337 A78-38403
Kinetics of thermal liquefaction of Belle Lyr subbituminous coal
19 p0365 A78-41221
Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor
19 p0365 A78-41222
Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor
19 p0365 A78-41223
Fuel cells: Applied research fuel cell materials and electrocatalysis
[BNL-50652] 19 p0447 A78-26597
- CATALYSTS**
Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction
18 p0190 A78-26580
New materials for coal liquefaction --- catalysts
18 p0190 A78-26581
New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data
19 p0337 A78-38404
Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels
[NASA-TM-73786] 17 p0148 A78-14177
- The conversion of model coal liquids compounds to Naphtha species
[PB-275891/0] 18 p0272 A78-20291
Experimental evaluation of fuel preparation systems for an automotive gas turbine catalytic combustor
[NASA-TM-78856] 19 p0387 A78-22243
Surface structure and mechanisms of gasification catalyst deactivation
[FE-2229-5] 19 p0398 A78-23589
- CATALYTIC ACTIVITY**
Deactivation and attrition of Co-Mo catalyst during H-Coal operations --- coal gasification and liquefaction
18 p0190 A78-26582
Catalytic liquefaction of coal
18 p0191 A78-26583
Deactivation of hydrodesulfurization catalysts under coal liquids. I - Loss of hydrogenation activity due to carbonaceous deposits
18 p0203 A78-27919
Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics
18 p0203 A78-27920
Catalytic and structural properties of the enzyme hydrogenase and its role in biophotolysis of water --- for hydrogen fuel production
18 p0207 A78-28354
Catalytic gasification of coal with high-pressure steam
18 p0227 A78-31497
Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations
[IBI-6841] 18 p0230 A78-31953
Compact gas generator for fuel gasification aboard motor vehicles
18 p0236 A78-32509
Development studies on selected conversion of synthesis gas from coal to high octane gasoline
[FE-2276-20] 19 p0454 A78-27289
- CATHODES**
Cathode spots on metallic electrodes under the conditions of the channel of an HMD generator
17 p0002 A78-10243
Investigation of the thermal emission of some advanced cathode materials
19 p0328 A78-36563
On the discharge mechanism of silver/alkylammonium polyiodide solid state cells
19 p0363 A78-40621
High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening
[AD-A043659] 17 p0120 A78-11502
Improved cathodes for phosphoric acid fuel cells --- catalysts
[BPRI-EM-505] 19 p0423 A78-25578
- CAVITIES**
High-temperature linear radiation-cavity solar collector with a Fresnel concentrator
[AD-A049982] 18 p0276 A78-20628
- CAVITY RESONATORS**
Proposed high-power microwave source using a superconducting cavity as an energy storage
[IPEJ-T-30] 18 p0240 A78-16436
- CDC 6600 COMPUTER**
STEAEAC: Solar Thermal Electric Annual Energy Calculator documentation
[SAND-77-8278] 19 p0447 A78-26588
- CEILING (ARCHITECTURE)**
Lightweight thermal storage for solar heated buildings
17 p0083 A78-16832
- CELLULOSE**
Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis --- Conversion to glucose
17 p0035 A78-11129
Enzymes show promise for biomass conversion
19 p0327 A78-36443
- CENSUS**
Fuels and energy data: United States by states and census divisions, 1974
[PB-271093/7] 17 p0124 A78-12245

CENTRAL PROCESSING UNITS

SUBJECT INDEX

CENTRAL PROCESSING UNITS

Preliminary design review package for the solar heating and cooling central data processing system [NASA-CR-150594] 18 p0274 N78-20604

CENTRIFUGAL COMPRESSORS

Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 N78-15564
Design study for high-pressure high-flow oxygen centrifugal compressor, phase 1 [RTI-77TR17] 19 p0417 N78-25439

CENTRIFUGAL PUMPS

Rocketdyne's advanced coal slurry pumping program 17 p0133 N78-13266

CERAMICS

Ceramic microstructures '76: With emphasis on energy related applications; Proceedings of the Sixth International Materials Symposium, University of California, Berkeley, Calif., August 24-27, 1976 17 p0088 A78-17451

MHD electrode-insulator micro- and macro-structure 17 p0088 A78-17464

High-temperature ceramics for automobile gas turbines [DGLR PAPER 77-073] 17 p0096 A78-18708

Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624

Vehicle gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486

High temperature heat pipes for terrestrial applications [AIAA 78-435] 19 p0318 A78-35615

Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556

Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 A78-36566

A survey of the use of ceramics in battery and fuel cell applications [AD-A044888] 17 p0126 N78-12534

Improved ceramic heat exchanger material [NASA-CR-135292] 17 p0130 N78-13209

Interdisciplinary research and development on the effects of the nature and properties of ceramic materials in the design of advanced structural components [NASA-CR-155733] 18 p0247 N78-17223

Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464

Carbonaceous shales of Indiana as sources of energy, petrochemicals, and ceramic materials [TID-28179] 19 p0418 N78-25518

Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 N78-26217

Ceramic technology readiness program [FE-2664-3] 19 p0454 N78-27279

CERAMETS

Two-dimensional temperature distribution in a ceramic-based electrode --- for MHD channels 18 p0173 A78-22806

Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563

CESIUM DIODES

Experiments with enhanced mode thermionic converters 18 p0218 A78-29636

CESIUM PLASMA

Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler 19 p0340 A78-38933

CESIUM VAPOR

Stimulated electronic Raman scattering in Cs vapour - A simple tunable laser system for the 2.7 to 3.5 micron region 17 p0064 A78-12440

Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112

CHANNEL FLOW

Cathode spots on metallic electrodes under the conditions of the channel of an MHD generator 17 p0002 A78-10243

Effect of flow inhomogeneity on plasma instability near a channel wall 17 p0002 A78-10245

Plasma flow computation method for MHD conversion channels 17 p0002 A78-10375

Heat-transfer allowing for ion slip in an MHD channel 17 p0063 A78-12346

A numerical solution to the unsteady, quasi-three-dimensional, turbulent heat transfer problem in an MHD channel [ASME PAPER 77-HT-90] 17 p0091 A78-17506

Two-dimensional electrical effects in a frame-type MHD channel 17 p0103 A78-19269

Choice of optimal configuration of frame and cross section shape for a frame-type MHD channel 18 p0168 A78-22139

Energy characteristics of an MHD generator cycle with internal cooling of the channel 18 p0172 A78-22531

Influence of the nonuniformity of the field of force on the flow in an MHD channel 18 p0216 A78-28951

Heat exchange in an MHD channel with allowance for the ion slippage 19 p0291 A78-32570

The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields 19 p0293 A78-32717

Subsonic flow in an MHD channel 19 p0341 A78-38963

CHARGE CARRIERS

Photosensing arrays with improved spatial resolution 18 p0204 A78-28134

Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134

Analysis of generation in space charge regions of solar cells 19 p0334 A78-37466

Measurement of material parameters that limit the open-circuit voltage in P-N junction silicon solar cells 17 p0136 N78-13532

Investigation of the topographical features of surface carrier concentrations in silicon solar cell material using electrolyte electroreflectance 17 p0136 N78-13535

CHARGE COUPLED DEVICES

Infrared focal planes in intrinsic semiconductors --- technology review 18 p0204 A78-28139

CHARGE DISTRIBUTION

Impurity concentrations and surface charge densities on the heavily doped face of a silicon solar cell 17 p0136 N78-13534

CHARGE EXCHANGE

Plasma-wall charge-exchange interactions in the 2XIIIB magnetic mirror experiment 19 p0377 A78-42207

CHARGE TRANSFER

A new description of electrochemical kinetics 19 p0343 A78-39459

CHARRING

Status of steam-iron pilot plant operations [CONF-771092-5] 19 p0415 N78-25250

Laboratory support for in situ gasification reaction kinetics [ANL/CEN/FE-77-2] 19 p0423 N78-25575

CHEMICAL ANALYSIS

Chemical and isotopic techniques in geothermal investigations 17 p0061 A78-11490

Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844

Analyzing liquid products derived from coal conversion processes 18 p0191 A78-26589

- High pressure liquid chromatographic studies of coal liquefaction kinetics 18 p0192 A78-26591
- Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- Pyrolysis of subbituminous coal in relation to in-situ coal gasification 18 p0229 A78-31750
- Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography 17 p0119 N78-11207
- Hydrocarbon group type determination in jet fuels by high performance liquid chromatography [NASA-TM-73829] 17 p0130 N78-13233
- GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification [BERC/RI-77/12] 19 p0402 N78-24324
- Characterization of open-cycle coal-fired MHD generators, revision A [FE-2478-4-REV-A] 19 p0422 N78-25566
- Review of petroleum oil saturation and its determination [BERC/RI-77/15] 19 p0442 N78-26525
- CHEMICAL CLEANING**
- Coal desulfurization by the Battelle Hydrothermal Coal Process 17 p0029 A78-11082
- CHEMICAL COMPOSITION**
- Non-catalytic hydrogenation of Australian coals 19 p0363 A78-40596
- Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes 19 p0363 A78-40619
- CHEMICAL COMPOUNDS**
- Ocean energy industrial complexes 19 p0301 A78-33311
- CHEMICAL ENERGY**
- Use of transition metal compounds to sensitize a photochemical energy storage reaction 17 p0083 A78-16830
- Utilization of energy from organic wastes through fluidized-bed combustion 18 p0198 A78-27813
- Photon energy storage in organic materials - The case of linked anthracenes 18 p0220 A78-30267
- Alternative forms of energy transmission from OTEC plants 19 p0301 A78-33312
- HYCSOS: A chemical heat pump and energy system based on metal hydrides [ANL-77-39] 18 p0238 N78-16334
- Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSW-00033/76/TI] 19 p0409 N78-24677
- Transmission of energy by open-loop chemical energy pipeline [CONF-770955-4] 19 p0461 N78-27576
- CHEMICAL ENGINEERING**
- Relative evaluation of competing processes - Energetic economy analysis of competing processes of coal and oil chemistry 17 p0087 A78-17349
- Application of chemical engineering to large scale solar energy 18 p0220 A78-30265
- A survey of applications of fusion power technology for the chemical and material processing industries 19 p0368 A78-41812
- Scenarios for chemical technology --- forecasts for the year 2000 [BNFT-FB-T-77-01] 17 p0123 N78-11897
- Process feasibility study in support of silicon material task 1 [NASA-CR-157030] 19 p0396 N78-23561
- CHEMICAL FRACTIONATION**
- Separation of coal liquids from major liquefaction processes to meaningful fractions 18 p0191 A78-26590
- Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475
- Viscosity of coal-derived liquids 19 p0363 A78-40595
- Shale oil retention on crushed unretorted shale 19 p0367 A78-41523
- CHEMICAL FUELS**
- Fuels and chemicals from crops 18 p0197 A78-27808
- Storage of solar energy 18 p0201 A78-27865
- Waste pyrolysis - Alternative fuel source 19 p0333 A78-37172
- Chemicals from coal: USBN Synthoil [FE-1534-49] 18 p0280 N78-21320
- CHEMICAL PROPERTIES**
- New materials for coal liquefaction --- catalysts 18 p0190 A78-26581
- Chemical and physical properties of refined petroleum products [PB-277100/4] 18 p0279 N78-21312
- Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920] 19 p0389 N78-22476
- Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes [EPRI-ER-635-VOL-2] 19 p0462 N78-27578
- CHEMICAL REACTIONS**
- An ionic model for the systematic selection of chemical decomposition reactions for energy storage 17 p0051 A78-11307
- The thermodynamics of a fuel cell aggregate involving thermal-catalytic methanol decomposition 17 p0074 A78-14497
- Effect of carbon monoxide on the reaction of hydrogen sulfide and calcium oxide [ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129
- Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859
- Adaptive curve fitting for chemical processes [AD-A046456] 17 p0158 N78-15213
- Two-stage coal gasification to high-BTU gas 18 p0238 N78-16422
- Mass spectrometric analytical services and research activities to support coal-liquid characterization research [COO-0020-8] 19 p0427 N78-25607
- CHEMICAL REACTORS**
- Autothermal gasification of liquid hydrocarbons by partial oxidation 17 p0002 A78-10320
- Biomass as an energy mechanism 17 p0033 A78-11116
- A fluidized bed solar reactor - A thermochemical application 18 p0165 A78-20623
- Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578
- Kinetics of coal hydrodesulfurization in a batch reactor 18 p0191 A78-26584
- Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators 19 p0315 A78-35091
- Engineering development of a short residence time, coal hydrolysis process 19 p0362 A78-40592
- Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal 19 p0363 A78-40593
- Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor 19 p0365 A78-41222
- Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223
- Gasification and residence time of hard-coal particles in a cyclone reaction chamber 19 p0369 A78-41931
- Hydrogasifier development for the Hydrane process [FE-2518-4] 19 p0415 N78-25244
- Gas core reactors for coal gasification 19 p0451 N78-26869

CHEMICALS

Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-1] 19 p0402 N78-24325

Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-2] 19 p0402 N78-24326

CHLORINATION

Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems
[CONF-771070-1] 19 p0411 N78-24695

Coal desulfurization by low temperature chlorinolysis, phase 1
[NASA-CR-157172] 19 p0419 N78-25533

CHLORINE

An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities
17 p0095 A78-18412

CHLORINE COMPOUNDS

Corrective action program for bromochloromethane-containing fire-safe diesel fuel
[AD-A043323] 17 p0119 N78-11253

CHROMATOGRAPHY

Hydrocarbon group type determination in jet fuels by high performance liquid chromatography
[NASA-TM-73829] 17 p0130 N78-13233

CHROMIUM

Selective absorption of solar energy in ultrafine chromium particles
17 p0070 A78-13785

Coatings of ultrafine chromium particles - Efficient selective absorbers of solar energy
17 p0106 A78-20117

Ultrafine chromium particles for photothermal conversion of solar energy
19 p0339 A78-38553

Black chrome on commercially electroplated tin as a solar selecting coating
[NASA-TM-73799] 17 p0159 N78-15562

Performance evaluation of two black nickel and two black chrome solar collectors
[NASA-CR-150497] 18 p0249 N78-17470

Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] 18 p0263 N78-19599

CHROMIUM OXIDES

Thin film CrO_x/ selective absorbers stable above 500 C
17 p0045 A78-11239

CHRONOLOGY

25 years of fuel cell development /1951-1976/
18 p0233 A78-32235

CIRCUIT BREAKERS

High-voltage high-current breaker and closer for power systems with inductive storage devices
[UCRL-TRANS-11310] 19 p0454 N78-27344

CIRCUIT PROTECTION

Potential damage to dc superconducting magnets due to high frequency electromagnetic waves
19 p0350 A78-39902

Voltage protection scheme for MG sets used to drive inductive energy storage systems --- Motor-Generator sets for Tokamaks
19 p0353 A78-39961

CIRCUIT RELIABILITY

Degradation of SnO₂/Si heterojunction solar cells
17 p0027 A78-11063

CIRCUITS

Test and analysis of a Northrup collector controller
[NASA-TM-78153] 18 p0240 N78-16432

Circuit and magnetic analysis for a system of Faraday rotator coils driven by a two-spool, four-rotor homopolar generator
[CONF-771029-119] 19 p0467 N78-27927

CIRCULAR CYLINDERS

The circular cylindrical reflector - Application to a shallow solar pond electricity generating system
17 p0105 A78-19833

Experimental investigation of circular cylindrical solar heat collector of stationary type
19 p0375 A78-42154

CIRCULAR TUBES

A large scale heat exchanger with polygonally configured heat pipe units
[AIAA 78-393] 19 p0317 A78-35588

CISLUNAR SPACE

Propulsion options for orbital transfers in cis-lunar space
18 p0204 A78-27931

CITIES

Magic Carpet evaluation study
[PB-271214/9] 17 p0148 N78-13975

Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 N78-16499

Windmill power for city people
[PB-275658/3] 18 p0288 N78-21654

Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption
19 p0418 N78-25484

Analysis of the current economic feasibility of solar water and space heating
[DOE/CS-0023] 19 p0460 N78-27560

CIVIL AVIATION

Advances in aircraft efficiency
17 p0093 A78-18022

Fuels outlook I - Transportation and the U.S. petroleum resource, an aviation perspective
[AIAA PAPER 78-357] 18 p0178 A78-24032

CLEAN ENERGY

New energy sources - Are they a substitute or a supplement
17 p0001 A78-10131

NED generators for baseload power stations
17 p0032 A78-11108

Environmental and safety implications of solar technologies
17 p0057 A78-11360

Clean fuels from coal - Finding the right combination
17 p0065 A78-12604

Air pollution control and clean energy --- Book
17 p0066 A78-12999

Potential of wind as an energy source in Iran
17 p0094 A78-18223

From oil and gas to alternate fuels - The transition in conversion equipment
18 p0174 A78-22843

Economic and environmental costs of satellite solar power
18 p0179 A78-24377

Sulfur control for coal combustion
18 p0182 A78-24762

Analysis and scale-up consideration of bituminous coal liquefaction rate processes
18 p0184 A78-25322

Mathematical model for the gasification of coal under pressure
18 p0184 A78-25323

Studies to define the role of coal cleaning in an SO₂ control strategy for TVA
[APCA PAPER 77-14,4] 18 p0186 A78-25486

Future energy alternatives: Long-range energy prospects for America and the world --- Book
18 p0189 A78-26171

Solar energy engineering --- Book
18 p0199 A78-27852

Development of small-scale benign sources of energy in France
18 p0216 A78-29291

NMSU - Casa del Sol of the future
18 p0232 A78-32114

Making use of moderate temperature geothermal resources
18 p0232 A78-32117

Energy: Global prospects, 1985-2000 --- Book
19 p0312 A78-34520

Alternative energy sources in the USSR
19 p0315 A78-35280

Solar Sweden --- future renewable energy resources utilization
19 p0315 A78-35281

Chemical desulfurization of coal
19 p0320 A78-35693

Consol stack gas process for SO₂ removal
19 p0320 A78-35697

The hydrogen energy economy: A realistic appraisal of prospects and impacts --- Book
19 p0336 A78-38055

- Clean solid and liquid fuels from coal
[FE-2047-2] 17 p0160 N78-15571
- A simulation model for wind energy storage systems. Volume 2: Operation manual
[NASA-CR-135284] 18 p0278 N78-20803
- A simulation model for wind energy storage systems. Volume 3: Program descriptions
[NASA-CR-135285] 18 p0278 N78-20804
- Materials research for clean utilization of coal
[FE-6010-11] 19 p0426 N78-25603
- Development, testing, and evaluation of MHD materials and component designs
[FE-2248-15] 19 p0436 N78-26217
- Characteristics of solvent refined coal: Dual register burner tests
[EPRI-FE-628] 19 p0437 N78-26232
- Proceedings of the Alternate Energy Systems Seminar
[NASA-CR-157255] 19 p0457 N78-27522
- CLEANING**
Ultra clean heat exchangers - A critical OTEC requirement
19 p0305 A78-33341
- CLIMATE**
On the relation between insolation and climatological variables. III - The relation between normal incidence solar intensity, total insolation, and weather at Fort Hood, Texas. IV - Construction of a model year of solar intensity and climate
19 p0322 A78-35781
- CLIMATOLOGY**
Analysis of two methods used to generate climatological data for design of solar energy buildings
17 p0049 A78-11289
- Modeling the effect of atmospheric carbon dioxide on the global radiative heat balance
17 p0068 A78-13447
- Some aspects of radiation climatology in relation to applied solar energy
19 p0374 A78-42143
- New details on wind power climatology
[SAND-77-0696C] 17 p0163 N78-15657
- CLOSED CYCLES**
The technology of closed-cycle gas turbines
19 p0291 A78-32650
- Coal fired non-equilibrium, Closed Cycle MHD/steam power generation
[ASME PAPER 77-WA/ENERG-8] 19 p0298 A78-33146
- Noble-gas closed-cycle system of magnetohydrodynamic power generation
[R-2128-ERDA] 19 p0422 N78-25570
- CLOUD COVER**
Selecting optimum tilts for solar collectors as a function of cloudiness
17 p0043 A78-11226
- Short communication on the optimum orientation of solar collectors - An alternative approach
17 p0075 A78-14692
- CLOUD PHYSICS**
A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains
19 p0386 A78-43291
- COAGULATION**
Coagulation and filtration of solids from liquefied coal of SYNTHOIL process
18 p0191 A78-26587
- COAL**
Air pollution by coal dust --- from coal slurry pipeline
17 p0065 A78-12995
- Coal desulfurization --- Book
17 p0087 A78-17143
- Coal dryer emission control with the energy saving centripetal vortex wet scrubber
[APCA PAPER 77-17.5] 18 p0185 A78-25424
- A few aspects of the Soviet energy policy
18 p0195 A78-27779
- Remote-sensing methods for monitoring surface coal mining in the northern Great Plains
18 p0206 A78-28247
- Chemistry, thermodynamics and kinetics of reactions of sulphur in coal-gas reactions - A review
18 p0229 A78-31749
- The use of oxygen/water for removal of sulfur from coals
19 p0320 A78-35694
- Coal gasification study handbook
[AD-A042385] 17 p0112 N78-10561
- Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography
17 p0119 N78-11207
- Evaluation of coal feed systems being developed by the Energy Research and Development Administration
[NASA-CR-155267] 17 p0124 N78-12419
- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2
[E78-10032] 17 p0125 N78-12506
- Water conservation and pollution control in coal conversion processes
[FE-269568/2] 17 p0128 N78-12556
- Production of ammonia using coal as a source of hydrogen
[PB-271916/9] 17 p0130 N78-13237
- Action mass flow system applied to PFBC feed
17 p0133 N78-13267
- Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa.
[PB-271875/7] 17 p0145 N78-13624
- Onsite control of sedimentation utilizing the modified block-cut method of surface mining
[PB-272244/5] 17 p0159 N78-15552
- Available work energy and coal conversion processes
17 p0159 N78-15558
- Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473
- Pilot plant study of conversion of coal to low sulfur fuel
[FE-274113/0] 18 p0260 N78-18565
- Preliminary evaluation of sulfur variability in low-sulfur coals from selected mines
[FE-275000/8] 18 p0261 N78-18566
- Chemicals from coal: USBM Synthoil
[FE-1534-49] 18 p0280 N78-21320
- Legislative handbook on energy-related topics
[PB-276766/3] 19 p0390 N78-22477
- Supportive studies in fluidized-bed combustion
[FE-276974/3] 19 p0399 N78-23604
- Underground mineral extraction
[NASA-CASE-NPO-14140-1] 19 p0403 N78-24387
- Energy Conversion Alternatives Study (ECAS)
[NASA-TN-73871] 19 p0408 N78-24659
- National Energy Act, part 4
[GPO-96-231] 19 p0412 N78-25000
- Research guidance studies to assess gasoline from coal by methanol-to-gasoline and sasol-type Fischer-Tropsch technologies
[FE-2447-12] 19 p0415 N78-25251
- High pressure rotary piston coal feeder
[NERC/SP-77/6] 19 p0417 N78-25443
- Coal desulfurization by low temperature chlorinolysis, phase 1
[NASA-CR-157172] 19 p0419 N78-25533
- Research in coal-based magnetohydrodynamics
[TID-27893] 19 p0432 N78-25650
- Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0] 19 p0451 N78-26657
- Development studies on selected conversion of synthesis gas from coal to high octane gasoline
[FE-2276-20] 19 p0454 N78-27289
- Appendix: Cook inlet coal: Economics of mining and marine slurry transport
[PB-278756/2] 19 p0455 N78-27493
- Advancing coal mining technology research, development, and demonstration in fiscal year 1977
[PB-278001/3] 19 p0456 N78-27511
- Feasibility study of mining Alaska coal and transportation by slurry to the west coast
[PB-278755/4] 19 p0458 N78-27545
- Task reports: Slurry coal pipelines, volume 2, part 1 --- environmental impact
[PB-278676/2] 19 p0465 N78-27603
- Task reports: Slurry coal pipelines, volume 2, part 2 --- environmental impact
[PB-278677/0] 19 p0465 N78-27604
- Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report
[PB-279417/0] 19 p0467 N78-27659

COAL GASIFICATION

- Synthetic SO₂ sorbents for fluidized-bed coal combustors 17 p0003 A78-10503
- Application of special fluidized bed techniques to coal gasification 17 p0031 A78-11096
- The status of and need for new coal gasification technology 17 p0031 A78-11097
- Clean fuels from coal - Finding the right combination 17 p0065 A78-12604
- Energy - Fluid fuels from solids 17 p0069 A78-13625
- The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber 17 p0071 A78-14072
- Current progress in materials development for coal conversion 17 p0073 A78-14399
- Pulverized coal-pressure gasification with air as a topping stage for the combined gas/steam turbine process 17 p0074 A78-14498
- Koppers-Totzek economics and inflation --- entrained slagging gasification process 17 p0074 A78-14539
- Stress response investigations related to in-situ gasification of coal [ASME PAPER 77-PFT-25] 17 p0077 A78-15083
- Metallographic analysis of a steel plate which failed in service in a coal gasifier 17 p0077 A78-15354
- Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C 17 p0079 A78-15831
- Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3] 17 p0081 A78-16337
- Pollutant measurements in laboratory pulverized coal combustor and gasifier 17 p0081 A78-16348
- Heat pipe materials unique requirements for coal gasification processes 17 p0085 A78-16902
- Underground gasification - An alternate way to exploit coal 17 p0087 A78-17261
- Coal gasification and water resources development 17 p0097 A78-18775
- Hydrogen production from coal gasification 17 p0098 A78-18829
- The manufacture of synthetic natural gas by hydrogenation of fossil fuel residuals 17 p0099 A78-18840
- Coal conversion to liquid and gaseous fuels - Aerospace technology in a new role [AIAA PAPER 78-293] 18 p0177 A78-24004
- Underground coal gasification via the LVW process 18 p0182 A78-24775
- Materials problems in coal gasification and liquefaction 18 p0183 A78-25053
- Mathematical model for the gasification of coal under pressure 18 p0184 A78-25323
- Deactivation and attrition of Co-Mo catalyst during B-Coal operations --- coal gasification and liquefaction 18 p0190 A78-26582
- The gasification of coal 18 p0196 A78-27788
- Fuel gas production from selected biomass via anaerobic fermentation 18 p0208 A78-28366
- Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- Catalytic gasification of coal with high-pressure steam 18 p0227 A78-31497
- Pyrolysis of subbituminous coal in relation to in-situ coal gasification 18 p0229 A78-31750

- Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation 18 p0230 A78-31872
- What's new in high temperature sulfur removal systems for fluidized-bed coal gasification 18 p0233 A78-32217
- Effect of carbon monoxide on the reaction of hydrogen sulfide and calcium oxide [ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129
- A low-risk approach to the high-temperature turbine [ASME PAPER 77-WA/ENER-10] 19 p0298 A78-33148
- The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles [ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- Coal gasification - Better late than never 19 p0310 A78-34223
- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- A systematic approach to the problem of characterizing the emission potential of energy conversion processes --- coal gasification pollution potentials 19 p0320 A78-35699
- Coming - In situ gasification 19 p0322 A78-35783
- Cold flow mixing rate data for pulverized coal reactors 19 p0328 A78-36616
- Study of the thermodynamics of coal gasification 19 p0337 A78-38200
- Electrofluid gasification of coal with nuclear energy 19 p0338 A78-38407
- Engineering development of a short residence time, coal hydrolysis process 19 p0362 A78-40592
- Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal 19 p0363 A78-40593
- Instrumentation for in situ coal gasification. I - Background and overview 19 p0367 A78-41522
- Highlights of the LLL Hoe Creek No. 2 underground coal gasification experiment 19 p0367 A78-41524
- Characterization of nitrogen compounds in tar produced from underground coal gasification 19 p0368 A78-41814
- Gasification and residence time of hard-coal particles in a cyclone reaction chamber 19 p0369 A78-41931
- Coal gasification study handbook [AD-A042385] 17 p0112 A78-10561
- Evaluation of background data relating to new source performance standards for Lurgi gasification [PB-269557/5] 17 p0117 A78-10631
- Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography 17 p0119 A78-11207
- Devolatilization and desulfurization of Iowa coal 17 p0125 A78-12525
- Proceedings of the conference on Coal Feeding Systems [NASA-CR-155331] 17 p0131 A78-13241
- The Petrocarb pneumatic feeding system: A proven method for feeding particulate solids at controlled rates --- for coal gasification systems 17 p0131 A78-13243
- Coal pressurization and feeding: Use of a lock hopper system 17 p0131 A78-13244
- Coal gasification: New challenge for the Beaumont rotary feeder 17 p0131 A78-13245
- Development of coal-feeding systems at the Morgantown Energy Research Center 17 p0131 A78-13246
- Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 A78-13247
- Slurry pumping techniques for feeding high-pressure coal gasification reactors 17 p0131 A78-13248

SUBJECT INDEX

COAL LIQUEFACTION

Development of dry coal feeders 17 p0131 N78-13249
 Dry coal feeder development program at Ingersoll-Band Research, Incorporated --- for coal gasification systems 17 p0132 N78-13250
 Foster-Miller's development of dry coal feed systems 17 p0132 N78-13251
 Evaluation of ERDA-sponsored coal feed system development 17 p0132 N78-13252
 Continuous high pressure lump coal feeder design study --- fluidized bed processors 17 p0132 N78-13253
 Babcock and Wilcox's experience with two-phase flow mixtures of coal and gas 17 p0132 N78-13254
 Pressurized feeding on the GEGAS system 17 p0132 N78-13255
 Coal extrusion in the plastic state 17 p0132 N78-13256
 A novel dry coal feeding concept for high-pressure gasifiers 17 p0132 N78-13257
 Feeding the feeder 17 p0132 N78-13258
 Gravity flow rate of solids through orifices and pipes 17 p0133 N78-13260
 High pressure rotary piston coal feeder 17 p0133 N78-13261
 Coal feed component testing for CDIF 17 p0133 N78-13262
 Storage and feeding of coal 17 p0133 N78-13263
 Injection of coal by screw feed 17 p0133 N78-13264
 Material handling systems for the fluidized-bed combustion boiler at Rivesville, West Virginia 17 p0133 N78-13265
 The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 N78-13269
 Lock hopper valves for coal gasification plant service 17 p0134 N78-13270
 Oil/gas complex conceptual design/economic analysis: Oil and SHG production [FE-1775-8] 17 p0161 N78-15575
 Sampling of water and wastewater [PB-272664/4] 17 p0163 N78-15957
 Two-stage coal gasification to high-BTU gas 18 p0238 N78-16422
 Considerations on coal gasification [NASA-TN-75233] 18 p0239 N78-16431
 Underground coal gasification program [ERDA-77-51] 18 p0241 N78-16446
 Gas generator research and development: Bi-gas process [FE-1207-29] 18 p0241 N78-16447
 Low-Btu coal gasification [ERHQ-0015] 18 p0280 N78-21318
 Investigation of converting the product of coal gasification to methane by the action of microorganisms, phase 1 [FE-2203-16] 18 p0280 N78-21319
 Environmental assessment of low/medium BTU gasification [PB-276580/8] 18 p0281 N78-21325
 Gasification combined cycle test facility, Pekin, Illinois [FE-2352-03] 18 p0286 N78-21632
 Riser cracking of coal to oil and gas [CONP-770814-10] 19 p0392 N78-23250
 Coal gasification valves, phase 2 [FE-2355-2-BEV-D] 19 p0394 N78-23441
 Performance potential of combined cycles integrated with low-Btu gasifiers for future electric utility applications [NASA-TN-73775] 19 p0395 N78-23557
 Research and development of rapid hydrogenation for coal conversion to synthetic motor fuels (riser cracking of coal) [FE-2307-17] 19 p0403 N78-24382
 BEV ball-valve stem failure: Synthane coal-gasification pilot plant, failure analysis report [ANL/HSD/FE-77-4] 19 p0404 N78-24559

Agglomerating burner gasification process: Design, installation, and operation of a 25-ton-a-day process development unit [FE-1513-64] 19 p0409 N78-24675
 Solvent Refined Coal (SRC) process [FE-496-138] 19 p0410 N78-24679
 Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3] 19 p0410 N78-24680
 Sources of alcohol fuels for vehicle fleet tests [CONSP/2693-1] 19 p0415 N78-25242
 Hydrogasifier development for the Hydrene process [FE-2518-4] 19 p0415 N78-25244
 High temperature turbine technology program. Phase 1: Combined cycle electric power plant with coal derived low Btu gas or coal-liquid fuel, book 2 [FE-2291-18-BK-2] 19 p0417 N78-25442
 Analysis of a high-temperature coal combustor according to a one-dimensional flow model [ANL/HSD-77-2] 19 p0422 N78-25568
 Design, develop, and manufacture process gas lubricated hot recycle gas circulators [COO-0004-1] 19 p0423 N78-25573
 Laboratory support for in situ gasification reaction kinetics [ANL/CFM/FE-77-2] 19 p0423 N78-25575
 Agglomerating burner gasification process: design, installation, and operation of a 25-ton-a-day process development unit. [FE-1513-69] 19 p0426 N78-25600
 Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 12: Cold-flow model testing of a two-stage entrained-flow slagging coal gasifier [FE-1521-31] 19 p0426 N78-25601
 Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 14: System analysis [FE-1521-33] 19 p0426 N78-25602
 Optimization of pyrolytic conversion of coal to clean fuel --- computer programs [FE-2253-5] 19 p0427 N78-25609
 Evaluation of devolatilization concept [EPRI-AP-608] 19 p0430 N78-25639
 Evaluation of in situ coal gasification processes on a regional basis [ORNL-5279] 19 p0431 N78-25647
 Sampling and analysis requirements for low-Btu gasification of coal for electric power generation [FE-1545-38] 19 p0431 N78-25648
 Research in coal-based magnetohydrodynamics [TID-27893] 19 p0432 N78-25650
 Pollution and environmental aspects of fuel conversion. A bibliography with abstracts [HTIS/PS-78/0314] 19 p0434 N78-25701
 Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams 19 p0435 N78-26007
 Fossil energy demonstration plants [TID-28182] 19 p0445 N78-26573
 Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres [EPRI-PP-539] 19 p0445 N78-26574
 Environmental assessment of high-BTU gasification [PB-278175/5] 19 p0450 N78-26646
 Gas core reactors for coal gasification 19 p0451 N78-26869
 Coal gasification and liquefaction technology, volume 3. A bibliography with abstracts [HTIS/PS-78/0345/5] 19 p0466 N78-27609
 The evolution of pollutants during the rapid devolatilization of coal [PB-278496/5] 19 p0466 N78-27617
 Control of emissions from Lurgi coal gasification plants [PB-279012/9] 19 p0466 N78-27623
 COAL LIQUEFACTION
 Synthetic fuels and combustion 17 p0082 A78-16637
 Effect of solvent on molecular composition in coal liquefaction 18 p0173 A78-22823

COAL UTILIZATION

SUBJECT INDEX

Liquid fuels from coal - From R & D to an industry
18 p0175 A78-23561

Coal conversion to liquid and gaseous fuels -
Aerospace technology in a new role
[AIAA PAPER 78-293] 18 p0177 A78-24004

Coal-liquefaction products from major
demonstration processes. I - Separation and
analysis 18 p0180 A78-24625

Materials problems in coal gasification and
liquefaction 18 p0183 A78-25053

Analysis and scale-up consideration of bituminous
coal liquefaction rate processes 18 p0184 A78-25322

Liquid fuels from coal; Proceedings of the
Symposium, San Francisco, Calif., August
29-September 3, 1976 18 p0189 A78-26576

Products from two-step coal liquefaction using
three different first-step reactor packings
18 p0190 A78-26578

Effect of coal minerals on reaction rates during
coal liquefaction 18 p0190 A78-26579

New materials for coal liquefaction --- catalysts
18 p0190 A78-26581

Deactivation and attrition of Co-Mo catalyst
during B-Coal operations --- coal gasification
and liquefaction 18 p0190 A78-26582

Catalytic liquefaction of coal 18 p0191 A78-26583

Kinetics of coal hydrodesulfurization in a batch
reactor 18 p0191 A78-26584

Kinetics and solubility of hydrogen in coal
liquefaction reactions 18 p0191 A78-26585

Short contact time coal liquefaction - Techniques
and product distributions 18 p0191 A78-26586

Coagulation and filtration of solids from
liquefied coal of SYNTHOIL process 18 p0191 A78-26587

Filterability of a coal-derived liquid 18 p0191 A78-26588

Analyzing liquid products derived from coal
conversion processes 18 p0191 A78-26589

Separation of coal liquids from major liquefaction
processes to meaningful fractions 18 p0191 A78-26590

High pressure liquid chromatographic studies of
coal liquefaction kinetics 18 p0192 A78-26591

A petrographic classification of solid residues
derived from the hydrogenation of bituminous coals
18 p0192 A78-26592

An investigation of coal solubility in anthracene
oils 18 p0195 A78-27745

Deactivation of hydrodesulfurization catalysts
under coal liquids. I - Loss of hydrogenation
activity due to carbonaceous deposits 18 p0203 A78-27919

Deactivation of hydrodesulfurization catalysts
under coal liquids. II - Loss of hydrogenation
activity due to adsorption of metallics 18 p0203 A78-27920

A dispersion model for the Solvent Refined Coal
process 18 p0230 A78-31871

Organics in aqueous process streams of a coal
conversion bench-scale unit using the
hydrocarbonization process - HPLC and GC/MS
analysis 18 p0232 A78-32104

Early coal hydrogenation catalysis 19 p0337 A78-38403

Residence time measurements in a coal
hydrogenation process 19 p0337 A78-38405

Engineering development of a short residence time,
coal hydrolysis process 19 p0362 A78-40592

Combined gas chromatographic-mass spectrometric
analyses of nitrogen bases in light oil from a
coal liquefaction product 19 p0363 A78-40594

Viscosity of coal-derived liquids 19 p0363 A78-40595

Non-catalytic hydrogenation of Australian coals
19 p0363 A78-40596

Kinetics of thermal liquefaction of Belle Ayr
subbituminous coal 19 p0365 A78-41221

Kinetics of catalytic liquefaction of Big Horn
coal in a segmented bed reactor 19 p0365 A78-41222

Catalytic hydrosolvation process converts coal to
low-sulfur liquid fuel 19 p0368 A78-41817

Experience in feeding coal into a liquefaction
process development unit 17 p0131 N78-13242

Rocketdyne's advanced coal slurry pumping program
17 p0133 N78-13266

Clean solid and liquid fuels from coal
[FE-2047-2] 17 p0160 N78-15571

The conversion of model coal liquids compounds to
Naphtha species
[PB-275891/0] 18 p0272 N78-20291

Synthoil hydrodynamics
[COO-0056-4] 18 p0273 N78-20473

Riser cracking of coal to oil and gas
[CONF-770814-10] 19 p0392 N78-23250

Studies on the separation of coal
solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 N78-23590

Research and development of rapid hydrogenation
for coal conversion to synthetic motor fuels
(riser cracking of coal)
[FE-2307-17] 19 p0403 N78-24382

Surfactant-assisted liquefaction of particulate
carbonaceous substances --- coal liquefaction
[NASA-CASE-NPO-13904-1] 19 p0414 N78-25237

High temperature turbine technology program. Phase
1: Combined cycle electric power plant with
coal derived low Btu gas or coal-liquid fuel,
book 2
[FE-2291-18-BK-2] 19 p0417 N78-25442

Progress on coal-derived fuels for aviation systems
[NASA-TN-78696] 19 p0420 N78-25545

Nondestructive evaluation needs for coal
liquefaction
[ANL-77-61] 19 p0426 N78-25606

Mass spectrometric analytical services and
research activities to support coal-liquid
characterization research
[COO-0020-8] 19 p0427 N78-25607

Upgrading of coal liquids for use as power
generation fuels
[EPRI-AP-444] 19 p0427 N78-25608

Assessment of technology for the liquefaction of
coal: Summary
[FE-1216-2] 19 p0445 N78-26572

In situ conversion of coal
[COO-0066-2] 19 p0448 N78-26610

Environmental assessment of coal liquefaction
[PB-278333/0] 19 p0451 N78-26654

Enthalpy measurement of coal-derived liquids
[FE-2035-10] 19 p0452 N78-26962

BDS coal liquefaction process development, phase 3 B
[FE-2893-6] 19 p0459 N78-27549

Coal gasification and liquefaction technology,
volume 3. A bibliography with abstracts
[NTIS/PS-78/0345/5] 19 p0466 N78-27609

COAL UTILIZATION

Scrubbers win the energy-SO2 controversy
17 p0002 A78-10300

National program for MHD power generation
17 p0010 A78-10745

Coal-based options for generation of electricity
17 p0028 A78-11071

Coal desulfurization by the Battelle Hydrothermal
Coal Process 17 p0029 A78-11082

MHD generators for baseload power stations
17 p0032 A78-11108

Clean fuels from coal - Finding the right
combination 17 p0065 A78-12604

Critical paths to coal utilization
17 p0075 A78-14690

SUBJECT INDEX

COAL UTILIZATION CONTD

- Ash fouling in the combustion of low rank Western U.S. coals 17 p0078 A78-15827
- Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames 17 p0078 A78-15828
- The microstructure of pulverized coal-air flames. I - Stabilization on small burners and direct sampling techniques 17 p0078 A78-15829
- Flame stabilization of low volatile fuels 17 p0079 A78-15832
- The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions 17 p0079 A78-15834
- Coal pyrolysis at fire-level heat flux 17 p0079 A78-15835
- Fluidized-bed combustion technology - A review 17 p0079 A78-15836
- Air pollution assessments of new fossil energy technologies 17 p0086 A78-17092
- Relative evaluation of competing processes - Energetic economy analysis of competing processes of coal and oil chemistry 17 p0087 A78-17349
- The draft of a law for changing energy-law regulations 17 p0088 A78-17350
- Effects of slagging in MHD generator ducts [ASME PAPER 77-HT-59] 17 p0089 A78-17491
- Specifics of heat exchanger design for a 2000-MW dual cycle, MHD Topping-Steam Bottoming power plant [ASME PAPER 77-HT-61] 17 p0090 A78-17493
- Improving sludge incineration and vacuum filtration with pulverized coal 17 p0095 A78-18498
- Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349
- Process innovation and changes in industrial energy use 18 p0175 A78-23559
- Industrial energy in transition - A petrochemical perspective 18 p0175 A78-23560
- Electricity from coal by the MHD process [AIAA PAPER 78-291] 18 p0177 A78-24002
- Key steps to coal conversion --- from oil burners 18 p0179 A78-24328
- MHD electric power generation --- using fossil fuels 18 p0179 A78-24329
- Coal technology - Users' viewpoint 18 p0181 A78-24755
- Sulfur control for coal combustion 18 p0182 A78-24762
- Materials engineering and development for coal fired MHD power generators 18 p0182 A78-25052
- Emissions of trace elements from the combined firing of coal and RDF in a utility boiler --- Refuse-Derived Fuel [APCA PAPER 77-37,6] 18 p0185 A78-25404
- Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
- The biological effects of air pollution from fossil fuel burning power plants in the Northcentral Great Plains [APCA PAPER 77-15,4] 18 p0185 A78-25438
- Relationships among observed short-term maximum sulfur dioxide concentrations near coal-fired power plants [APCA PAPER 77-29,5] 18 p0185 A78-25443
- Studies to define the role of coal cleaning in an SO₂ control strategy for TVA [APCA PAPER 77-14,4] 18 p0186 A78-25446
- Potential effects of coal slag condensation on plasma conductivity in MHD generators 18 p0188 A78-26109
- ECAS Phase I fuel cell results --- Energy Conservation Alternatives Study 18 p0188 A78-26110
- The role of solvent in the solvent refined coal process 18 p0190 A78-26577
- Can coal-oil mixtures make it as industrial fuels 18 p0206 A78-28210
- Environmental assessment of the fluidized-bed combustion of coal - Methodology and initial results 18 p0206 A78-28271
- Some opportunities in teleoperated mining 18 p0222 A78-30507
- Surface ignition of coal and other fuel particles in radiative and diffusive environment --- in MHD combustor 18 p0222 A78-30511
- Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555
- Bergbau-Forschung process for the desulfurization of flue gas 18 p0223 A78-30708
- Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal 18 p0229 A78-31870
- Inorganic pollutants from pulverized coal combustion /A review/ [WSS/CI PAPER 77-48] 18 p0230 A78-31957
- The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968
- Factors detrimental to electrostatic precipitator performance [ASME PAPER 77-WA/APC-7] 19 p0297 A78-33130
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- Performance and cost evaluation for a thermionic topping power plant [ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
- Coal fired non-equilibrium, Closed Cycle MHD/steam power generation [ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal [ASME PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- Conceptual design of a coal-fueled, fluid bed combined cycle power plant [ASME PAPER 77-WA/ENER-11] 19 p0298 A78-33149
- The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles [ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- Combined cycles for operation on coal derived fuels with high temperature combustion turbines [ASME PAPER 77-WA/ENER-14] 19 p0298 A78-33152
- Effluent characterization from a conical pressurized fluid bed 19 p0300 A78-33221
- Fluidized bed combustion of coal and waste materials --- Book 19 p0309 A78-33803
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels 19 p0309 A78-34078
- Emissions from FBC boilers --- Fluidized Bed Combustion 19 p0310 A78-34186
- Calculation of porous-particle combustion --- coal for MHD generators 19 p0315 A78-35052
- Chemical desulfurization of coal 19 p0320 A78-35693
- Power plant performance --- comparison of coal and nuclear fueled 19 p0321 A78-35753
- The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861
- Pyrolysis of 1,2-diphenylethane in the presence of tetralin 19 p0342 A78-39124
- Hydroconversion of a bituminous coal with CO-H₂O 19 p0342 A78-39125
- Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite 19 p0362 A78-40457

Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000

A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251

Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253

Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume 19 p0366 A78-41254

NAEP3S - An investigation of atmospheric, energy related pollutants in the northeastern United States 19 p0366 A78-41284

Open-cycle MHD energy conversion - Prospects and developments for central station power generation 19 p0385 A78-43176

Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil 17 p0110 A78-10552

Coal technology program --- hydrocarbon fuel production [ORNL/TM-5883] 17 p0142 A78-13586

Coal and nuclear generating costs [EPRI-PS-455-SR] 17 p0155 A78-14674

Available work energy and coal conversion processes 17 p0159 A78-15558

Clean solid and liquid fuels from coal [FE-2047-2] 17 p0160 A78-15571

Considerations on coal gasification [NASA-TM-75233] 18 p0239 A78-16431

Operation and maintenance of particulate control devices on coal-fired utility boilers [PB-274104/9] 18 p0251 A78-17505

Clean coal combustion through coal washing and blending [PB-274406/8] 18 p0260 A78-18560

Inspection manual for the enforcement of new source performance standards: Coal preparation plants [PB-274262/5] 18 p0270 A78-19683

Coal thickness gauge using BRAS techniques, part 1 --- radiofrequency resonance absorption [NASA-CR-150625] 18 p0273 A78-20573

Coal energy and the environment: Analysis of economic and energy efficiency implications of environmental and resource constraints on the utilization of coal to produce electricity 18 p0274 A78-20600

Low-Btu coal gasification [ERHQ-0015] 18 p0280 A78-21318

Effluent characterization from a conical pressurized fluid bed [NASA-TM-73897] 18 p0283 A78-21596

Systems studies of coal conversion processes using a reference simulator [FE-2275-4] 19 p0390 A78-22480

Modifications and costs of converting to low sulfur western coals [CONP-771024-3] 19 p0392 A78-23249

Report of survey of valve industry capabilities [CONP-771145-2] 19 p0393 A78-23440

Development, characterization, and evaluation of materials for open cycle MHD [BNWL-2004-6] 19 p0397 A78-23583

Preparation of a coal conversion systems technical data book [FE-2286-21] 19 p0398 A78-23591

Report to the Advisory Committee of NASA's Energy Program [IIASA-BN-77-42] 19 p0399 A78-23601

Environmental, health, and control aspects of coal conversion, an information overview, volume 1 [ORNL/EIS-94-VOL-1] 19 p0411 A78-24696

Environmental, health, and control aspects of coal conversion: An information overview, volume 2 [ORNL/EIS-95-VOL-2] 19 p0411 A78-24697

Materials research for clean utilization of coal [FE-6010-11] 19 p0426 A78-25603

Coal technology program [ORNL-TM-6137] 19 p0426 A78-25605

Investigation of the mechanism of fly-ash formation in coal-fired utility boilers [FE-2205-8] 19 p0433 A78-25671

Assessment, selection, and development of procedures for determining the environmental acceptability of synthetic fuel plants based on coal, appendix 2 [FP-1795-3-PT-2-BEV] 19 p0433 A78-25674

Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 A78-26217

Characteristics of solvent refined coal: Dual register burner tests [EPRI-PP-628] 19 p0437 A78-26232

Assessment of advanced technology for direct combustion of coal [HCP/T1216-0001] 19 p0446 A78-26578

Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators [PB-279008/7] 19 p0466 A78-27621

Environmental effects of burning solid waste as fuel [IS-M-124] 19 p0466 A78-27637

COASTAL ECOLOGY

Oil and gas in coastal lands and waters 19 p0404 A78-24597

COASTAL WATER

Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322

COATING

Selective coating for solar panels --- using black chrome and black nickel [NASA-CASE-LEW-12159-1] 18 p0263 A78-19599

COATINGS

Experimental studies of selective coatings for solar energy collectors 19 p0375 A78-42151

Investigation of test methods, material properties, and processes for solar cell encapsulants. Encapsulation task of the low-cost silicon solar array project [NASA-CR-157149] 19 p0406 A78-24636

COAXIAL FLOW

Coaxial MHD generator 18 p0229 A78-31751

Laminar flow of a conducting liquid between coaxial cylinders in a traveling magnetic field 19 p0339 A78-38673

COBALT COMPOUNDS

Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction 18 p0190 A78-26580

Deactivation and attrition of Co-Ro catalyst during B-Coal operations --- coal gasification and liquefaction 18 p0190 A78-26582

CODES

Comparison of computer codes for calculating dynamic loads in wind turbines 18 p0265 A78-19617

CODING

Comparison of computer codes for calculating dynamic loads in wind turbines [NASA-TM-73773] 19 p0395 A78-23556

Numerical codes for MHD flows [SAND-77-1658] 19 p0448 A78-26604

COEFFICIENT OF FRICTION

Friction and wear of several compressor gas-path seal movements [NASA-TP-1128] 17 p0158 A78-15229

COEFFICIENTS

Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers [SAND-77-8300] 19 p0444 A78-26563

COKE

The role of solvent in the solvent refined coal process 18 p0190 A78-26577

COLD FLOW TESTS

Cold flow mixing rate data for pulverized coal reactors 19 p0328 A78-36616

SUBJECT INDEX

COMBUSTION EFFICIENCY

- Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 12: Cold-flow model testing of a two-stage entrained-flow slagging coal gasifier [FE-1521-31] 19 p0426 N78-25601
- COLD WATER**
Hydrodynamic loads on the cold water pipe --- for Ocean Thermal Energy Conversion application 19 p0303 A78-33326
Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach --- for Ocean Thermal Energy Conversion 19 p0303 A78-33327
- COLLISIONAL PLASMAS**
Study of a collisional plasma rotating between two cylinders 19 p0293 A78-32718
Shear stabilization of collisional drift instability 19 p0369 A78-42022
Kinetic theory of plasma in the limiter-shadow region 19 p0378 A78-42212
- COLOR**
The application of color response data of silicon cells for improving photovoltaic efficiency 17 p0055 A78-11341
- COLORADO**
Colorado energy impact assistance plan [PB-276587/3] 19 p0390 N78-22483
- COLUMBIA RIVER BASIN (ID-OR-WA)**
Wind energy - A supplement to hydro-electric energy using the Columbia River Valley as an example 17 p0052 A78-11317
- COMBUSTIBLE FLOW**
Analysis of the seeded combustion gas boundary layer near a cold electrode 17 p0083 A78-16814
Collection of ions by electric probes in combustion MHD plasmas - An overview 18 p0188 A78-26111
Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations [LBL-6841] 18 p0230 A78-31953
- COMBUSTION**
Clean coal combustion through coal washing and blending [PB-274406/8] 18 p0260 N78-18560
Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 N78-18590
Regenerative process for desulfurization of high temperature combustion and fuel gases [BNL-50706] 19 p0427 N78-25610
Assessment of advanced technology for direct combustion of coal [HCP/T1216-0001] 19 p0446 N78-26578
Project acquisition and evaluation process for atmospheric fluidized bed combustion demonstration plant [FE-2343-1] 19 p0459 N78-27550
- COMBUSTION CHAMBERS**
Some results of investigations on the U-25 pilot plant to attain its design parameters --- MHD generator operation 17 p0066 A78-13153
Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169
Pollutant measurements in laboratory pulverized coal combustor and gasifier 17 p0081 A78-16348
Gas turbines. Part 2 - Aerodynamic processes, regenerators, combustion chambers, and construction /2nd revised and enlarged edition/ --- Russian book 18 p0219 A78-30200
Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation 18 p0230 A78-31872
The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968
- Steady metal combustor as a closed thermal energy source 18 p0233 A78-32141
Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715
Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor 19 p0296 A78-33114
Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states 19 p0323 A78-35897
Cold flow mixing rate data for pulverized coal reactors 19 p0328 A78-36616
Analysis of spray combustion in a research gas turbine combustor 19 p0333 A78-37297
The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861
Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
The effect of coherent structures on open-cycle generators [AIAA PAPER 78-1173] 19 p0368 A78-41870
Material handling systems for the fluidized-bed combustion boiler at Rivesville, West Virginia 17 p0133 N78-13265
Performance analysis of a modified internal combustion engine [AD-A045378] 17 p0135 N78-13442
High Temperature Turbine Technology Program. Phase 1: Program and system definition. Topical report: Low BTU gas combustor technology development plan [FE-2290-26] 18 p0282 N78-21480
Effluent characterization from a conical pressurized fluid bed [NASA-TN-73897] 18 p0283 N78-21596
Analysis of a high-temperature coal combustor according to a one-dimensional flow model [ANL/MHD-77-2] 19 p0422 N78-25568
Agglomerating burner gasification process: design, installation, and operation of a 25-ton-a-day process development unit. [FE-1513-69] 19 p0426 N78-25600
Combustor development for Stirling ground power units, GPU-2 and GPU-3 [GHR-2690-SECT-1.204] 19 p0438 N78-26254
CPCC development program [FE-2357-19] 19 p0464 N78-27593
- COMBUSTION CONTROL**
Constraining the energy gobble --- industrial waste heat recovery techniques 17 p0096 A78-18674
A shock tube study of the ignition delay of methane at elevated temperatures 18 p0199 A78-27831
Flame stabilization by wall recess technique 18 p0199 A78-27835
Fuel vapourization - Economy with reduced exhaust emission 18 p0221 A78-30366
Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- COMBUSTION EFFICIENCY**
Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169
Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050
Combustion treatment of smoke and odors of industrial origin - Energy recovery 17 p0082 A78-16475
Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822
Electricity from coal by the MHD process [AIAA PAPER 78-291] 18 p0177 A78-24002
MHD electric power generation --- using fossil fuels 18 p0179 A78-24329
Potential effects of coal slag condensation on plasma conductivity in MHD generators 18 p0188 A78-26109

COMBUSTION PHYSICS

SUBJECT INDEX

- Fuel vapourization - Economy with reduced exhaust emission 18 p0221 A78-30366
- Combustion and incineration processes --- Book 19 p0300 A78-33212
- Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures 19 p0321 A78-35703
- Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states 19 p0323 A78-35897
- Application of gas turbines for peak and base load operation 19 p0327 A78-36371
- Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
- Alternative automobile engines 19 p0367 A78-41466
- Baseload reliability in a combustion turbine 19 p0385 A78-43101
- Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TN-73780] 17 p0129 N78-13056
- Experimental and analytical comparisons of the performance and combustion characteristics of gasoline, methane, and methanol in a Wankel engine 17 p0158 N78-15487
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies [GMR-2690-PT-2] 19 p0438 N78-26262
- Fuel conservative aircraft engine technology [NASA-TN-78962] 19 p0454 N78-27127
- COMBUSTION PHYSICS**
- Probe-tube microphone for pressure-fluctuation measurements in harsh environments 17 p0077 A78-15155
- Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames 17 p0078 A78-15828
- Combustion --- Book 17 p0080 A78-15951
- Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3] 17 p0081 A78-16337
- Underground gasification - An alternate way to exploit coal 17 p0087 A78-17261
- National Conference on Internal Combustion Engines and Combustion, 3rd, University of Boorkee, Boorkee, India, December 10-12, 1976, Proceedings 18 p0198 A78-27826
- Gas turbine combustion and fuels technology: Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977 19 p0296 A78-33108
- Calculation of porous-particle combustion --- coal for MHD generators 19 p0315 A78-35052
- COMBUSTION PRODUCTS**
- Dust removal in energy generating plants 17 p0063 A78-11965
- Variation in excess oxidant factor in combustion products of MHD generator 17 p0066 A78-13155
- Ash fouling in the combustion of low rank Western U.S. coals 17 p0078 A78-15827
- The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions 17 p0079 A78-15834
- Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones [WSS/CI PAPER 77-6] 17 p0081 A78-16340
- Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- Sulfur control for coal combustion 18 p0182 A78-24762
- Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
- Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- Conditions for the constricted discharge at electrodes in a combustion product plasma --- in MHD generator 18 p0193 A78-27127
- Nitric oxide formation in hydrocarbon-air flames 18 p0199 A78-27834
- Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel --- in MHD generators 18 p0204 A78-28120
- Formation and growth of thermal NO_x in hydrocarbon combustion 18 p0227 A78-31498
- Inorganic pollutants from pulverized coal combustion /A review/ [WSS/CI PAPER 77-48] 18 p0230 A78-31957
- Startup and operation of the Research-Cottrell/Bahco scrubber for removal of SO₂ and particulates from flue gas at Rickenbacker Air Force Base, Columbus, Ohio 18 p0232 A78-32108
- Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASME PAPER 77-WA/APC-1] 19 p0297 A78-33126
- Emissions from FBC boilers --- Fluidized Bed Combustion 19 p0310 A78-34186
- Methanol - A boiler fuel alternative 19 p0321 A78-35704
- Evaluation of NO_x/ emission characteristics of alcohol fuels for use in stationary combustion systems 19 p0321 A78-35705
- Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions 19 p0341 A78-38965
- A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251
- Sulfur budget of a power plant plume 19 p0366 A78-41275
- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-269277/0] 17 p0121 N78-11526
- Compilation of air pollutant emission factors, supplement no. 7 [PB-270281/9] 17 p0122 N78-11541
- Literature survey of emissions associated with emerging energy technologies [PB-272550/5] 17 p0163 N78-15606
- Burner design criteria for NO_x control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 N78-15607
- Characteristics and combustion of future hydrocarbon fuels --- aircraft fuels [NASA-TN-78865] 19 p0403 N78-24370
- Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres [EPRI-PP-539] 19 p0445 N78-26574
- Ceramic technology readiness program [PB-2668-3] 19 p0454 N78-27279
- Control of emissions from Lurgi coal gasification plants [PB-279012/9] 19 p0466 N78-27623
- COMBUSTION STABILITY**
- Stress response investigations related to in-situ gasification of coal [ASME PAPER 77-PET-25] 17 p0077 A78-15083
- Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715
- COMBUSTION VIBRATION**
- Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant --- energy converter for MHD generator 17 p0066 A78-13156
- COMMERCE**
- Energy consumption in commercial industries by census division - 1974 [PB-268851/3] 17 p0139 N78-13558

COMMERCIAL AIRCRAFT

- Fuel saving potential of Mach 0.8 twin engine prop-fan transports 18 p0226 A78-31306
- Energy conserving aircraft from the engine viewpoint 18 p0226 A78-31310
- Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860
- CTOL transport technology, 1978 --- conferences [NASA-CP-2036-PT-1] 19 p0453 A78-27046
- Overview of NASA CTOL program 19 p0453 A78-27047

COMMERCIAL ENERGY

- Commercial application of laser fusion 17 p0004 A78-10605
 - Solar photovoltaic conversion electric utility point of view and development role 17 p0021 A78-11008
 - Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system 17 p0046 A78-11246
 - Baseline design of commercial central receiver solar power plant 17 p0054 A78-11332
 - Constraints in solar life cycle cost modeling 17 p0056 A78-11353
 - Economic evaluation of solar cooling and heating of buildings 17 p0057 A78-11355
 - Near term commercial uses for terrestrial photovoltaics 17 p0057 A78-11361
 - A solar collector for industrial and commercial applications 17 p0058 A78-11371
 - Forty-nine theses on energy policy --- West German situation 17 p0074 A78-14420
 - Application of airborne infrared technology to monitor building heat loss 17 p0075 A78-14853
 - Tokamak fusion power reactors 17 p0103 A78-19600
 - Passive solar heating and cooling systems 18 p0175 A78-23425
 - Solar energy in office and industrial buildings 18 p0181 A78-24760
 - Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration 19 p0302 A78-33313
 - New designs and applications of medium sized wind systems 19 p0361 A78-40369
 - Commercial space: Policy analysis of profitability of retrofit for energy conservation [PB-269189/7] 17 p0115 A78-10591
 - Interim policy options for commercialization of solar heating and cooling systems [ERDA-77-62] 17 p0142 A78-13585
 - Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1 [EPRI-EA-433-VOL-1] 18 p0286 A78-21637
 - Commercial feasibility of fusion power based on the Tokamak concept [CONF-771109-55] 19 p0391 A78-22915
 - Potential energy savings in commercial/residential communities based on integrated systems design [CONF-771120-21] 19 p0464 A78-27592
- COMMUNICATIONS**
- Proceedings of the Alternate Energy Systems Seminar [NASA-CR-157255] 19 p0457 A78-27522
- COMMUNICATION SATELLITES**
- Advanced lightweight solar array technology --- for communication satellites [AIAA 78-533] 19 p0294 A78-32883
 - Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results [AIAA 78-571] 19 p0294 A78-32912
 - The geostationary orbit, focal point of space telecommunication law 19 p0326 A78-36301
 - Transistor inverters for satellite onboard networks of higher power 19 p0365 A78-40865

Platform designed for numerous uses --- in geostationary orbit

19 p0382 A78-42509

Lifetests of the telecommunications satellite heat pipes [ESA-CR(P)-997] 17 p0135 A78-13398

COMBUSTION

The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries

18 p0187 A78-25736

COMPONENT RELIABILITY

Coal feed component testing for CDIF

17 p0133 A78-13262

COMPOSITE MATERIALS

For the latest in energy storage, try the flywheel

18 p0217 A78-29600

Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977

19 p0360 A78-40301

Fiber-composite systems for energy-storage flywheels [UCRL-78610] 17 p0114 A78-10587

Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GHR-2690-SECT-6.002] 19 p0439 A78-26320

COMPOSITE STRUCTURES

Optimal design of anisotropic /fiber-reinforced/ flywheels --- for energy storage

17 p0092 A78-17789

Investigation of the energy capacity of wound composite flywheels

19 p0311 A78-34331

Time dependent study of eddy current loss in a superconducting composite --- for Tokamak toroidal field coils

19 p0355 A78-40007

Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-NPS-23518-3] 19 p0421 A78-25557

COMPOSITION (PROPERTY)

Structural composition and optical properties of solar blacks - Gold black

17 p0070 A78-13908

COMPRESSED AIR

Air Storage System Energy Transfer /ASSET/ plants - A utility's evaluation

17 p0029 A78-11081

Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281] 18 p0166 A78-20788

Analytic determination of the fuel effect of air storage gas turbine electric power stations

18 p0227 A78-31364

Heat transfer effects in compressed air energy storage

19 p0296 A78-33120

Performance characteristics of compressed air energy storage systems

19 p0364 A78-40823

COMPRESSORS

Solar powered vapor-compressive refrigeration system using ejector as the thermal compressors

17 p0096 A78-18681

Determination of the thermodynamic parameters of a thermal compressor --- for solar energy conversion

19 p0331 A78-36856

Friction and wear of several compressor gas-path seal movements [NASA-TP-1128] 17 p0158 A78-15229

COMPTON EFFECT

Evolution of stimulated Brillouin to stimulated ion Compton scattering in a CO2 laser-plasma interaction experiment

18 p0235 A78-32425

COMPUTER DESIGN

Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document [AD-A047925] 18 p0260 A78-18558

COMPUTER GRAPHICS

Using computer graphics to analyze the placement of neutral-beam injectors for the Mirror Fusion Test Facility

19 p0357 A78-40026

Mapping offshore oil leases --- interactive computer graphics
[LA-UR-77-2892] 19 p0456 N78-27500

Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791

COMPUTER NETWORKS
Decision making with interactive access to integrated administrative and technological data bases. An illustrated conceptual overview --- energy storage
[UCRL-80353] 18 p0290 N78-21986

COMPUTER PROGRAMMING
Evaluation of computerized energy programs for the calculation of energy use in new and existing buildings
[PB-272337/7] 18 p0243 N78-16466

COMPUTER PROGRAMS
ROCKBED - A computer program for thermal storage
17 p0050 A78-11304

A digital computer program for simulating electric vehicle performance
[SAE PAPER 780216] 19 p0307 A78-33377

A computer program for parameter studies of a neutral injection beam line
19 p0357 A78-40052

Determination of shading factor for flat-plate collectors
19 p0375 A78-42155

A computer analysis of heterojunction and graded bandgap solar cells
18 p0254 N78-18512

Computer model for refinery operations with emphasis on jet fuel production. Volume 2: Data and technical bases
[NASA-CR-135334] 18 p0262 N78-19326

Comparison of computer codes for calculating dynamic loads in wind turbines
18 p0265 N78-19617

Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description
[NASA-CR-135333] 18 p0272 N78-20350

A simulation model for wind energy storage systems. Volume 1: Technical report
[NASA-CR-135283] 18 p0278 N78-20802

Analyses of methods for the determination of water availability for energy development
[FEA/G-77/059] 18 p0282 N78-21580

Comparison of computer codes for calculating dynamic loads in wind turbines
[NASA-TN-73773] 19 p0395 N78-23556

Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual
[AD-A047356] 19 p0409 N78-24667

Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation
[NASA-CR-135335] 19 p0414 N78-25235

Optimization of pyrolytic conversion of coal to clean fuel --- computer programs
[FE-2253-5] 19 p0427 N78-25609

Application analysis of solar total energy to the residential sector
[TID-28104] 19 p0431 N78-25643

Research in coal-based magnetohydrodynamics
[TID-27893] 19 p0432 N78-25650

OCS analytical model --- offshore energy sources
[SDC/HRI-2345-017] 19 p0451 N78-26832

COMPUTER SYSTEMS DESIGN
Some design aspects of computer based control systems for pulsed fusion experiments
19 p0355 A78-39991

The OMEGA fusion laser system
19 p0359 A78-40221

The Shiva laser - nearing completion
19 p0360 A78-40226

COMPUTER SYSTEMS PROGRAMS
Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document
[AD-A047925] 18 p0260 N78-18558

Preliminary design review package for the solar heating and cooling central data processing system
[NASA-CR-150594] 18 p0274 N78-20604

COMPUTER TECHNIQUES

Analysis of two methods used to generate climatological data for design of solar energy buildings
17 p0049 A78-11289

Computer aided aerogenerator analysis and performance
18 p0169 A78-22229

Information system for transportation energy
18 p0194 A78-27545

CODAS - The proposed control and data acquisition system for JET --- Joint European Torus
19 p0355 A78-39986

Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients
[PB-268603/8] 17 p0110 N78-10546

COMPUTERIZED DESIGN
Plasma flow computation method for MHD conversion channels
17 p0002 A78-10375

Computer aided design of a continuous duty energy system --- using both solar and wind energy
17 p0030 A78-11093

The computer-aided design of windows as passive solar collectors
17 p0048 A78-11272

A cellwise method for the optimization of large central receiver systems --- solar collectors
17 p0053 A78-11330

Computer aided preliminary energy analysis and energy use options for architectural students
17 p0057 A78-11359

Numerical methods for studying compressed magnetic field generators
17 p0102 A78-18908

Transmission of sunlight through a uniform water-drop atmosphere --- computer-aided design for solar collectors
17 p0105 A78-19838

Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam
18 p0222 A78-30571

An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion
19 p0304 A78-33333

Analysis of end effects in diagonal type MHD generator by means of equivalent circuit
19 p0327 A78-36320

Wall stabilization of axisymmetric modes in noncircular tokamak plasmas
19 p0332 A78-37143

Stress and deflection analysis of the PIT-coil using ANSYS computer code
19 p0346 A78-39792

Toroidal field ripple effects in TNS design --- computer simulation model for Tokamak
19 p0347 A78-39810

Magnetic field computations for ISX using GFUN-3D --- Impurity Study experiment iron core tokamak computerized design
19 p0356 A78-40019

Structural analysis of a two-component torus TCT/hybrid reactor first wall
19 p0358 A78-40072

Some aspects of radiation climatology in relation to applied solar energy
19 p0374 A78-42143

The influence of blade thickness on the output of vertical axis wind turbines
19 p0381 A78-42417

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies
[GMR-2690-P1-2] 19 p0438 N78-26262

COMPUTERIZED SIMULATION
Relative cost-performance of various solar based power supply packages
17 p0003 A78-10557

Projected market penetration of solar heating and cooling in the United States
17 p0005 A78-10622

SAMIS - A simulation of the solar array manufacturing industry
17 p0016 A78-10955

Black and thin silicon solar cells
17 p0019 A78-10997

Computer simulation of photovoltaic systems
17 p0021 A78-11010

SUBJECT INDEX

CONCENTRATORS

- A pn junction silicon sensor for high-intensity solar flux mapping 17 p0023 A78-11023
- Computer analysis of heterojunction and graded bandgap solar cells 17 p0026 A78-11056
- Dynamic modeling and control of magnetohydrodynamic/steam systems 17 p0028 A78-11070
- A detailed model of flat plate solar collectors 17 p0002 A78-11213
- Experimental investigation and computer modeling of a solar natural circulation system 17 p0044 A78-11236
- Solar building energy use analysis 17 p0045 A78-11243
- Theoretical modeling of an ammonia/water absorption cycle with solar energy storage 17 p0046 A78-11250
- Computer optimization of solar collector area based on life-cycle costing 17 p0046 A78-11253
- Moderate-level-of-rigor methods for solar heating system performance prediction 17 p0046 A78-11254
- Monitoring and evaluation of solar heating in northern New England 17 p0049 A78-11282
- An accurate, economical, solar insolation computer model for the United States 17 p0049 A78-11284
- An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328
- On the design of flat reflector - collector combinations 17 p0060 A78-11385
- Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- A computer model for large-scale offshore wind-power systems 17 p0093 A78-18089
- Computer simulation of the periodic electrostatic focusing converter --- controlled fusion reactor design 17 p0095 A78-18392
- Influence of the effect of storage on models of power cell dynamics 17 p0103 A78-19486
- Energy performance of solar walls - A computer analysis 17 p0167 A78-20496
- Heat balance of a solar house: Rapid calculation method --- French book 18 p0177 A78-23975
- The efficiency of grating solar cells 18 p0178 A78-24131
- Computer simulation of ion extraction 18 p0188 A78-25947
- Environmental transport model of heavy metals 18 p0215 A78-28946
- Thermal simulation of a passive solar house using a Trombe-michel wall structure 18 p0220 A78-30269
- Prediction of the monthly and annual performance of solar heating systems 18 p0220 A78-30270
- Long-time-scale simulation of resonant particle effects in Langmuir and whistler waves 18 p0231 A78-32068
- Performance characteristics of air-cooled solar collectors as determined by computer simulation 19 p0294 A78-33027
- Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants 19 p0302 A78-33316
- A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters 19 p0303 A78-33324
- A cellwise method for the optimization of large central receiver systems 19 p0314 A78-34937
- Summer Computer Simulation Conference, Chicago, Ill., July 18-20, 1977, Proceedings 19 p0339 A78-38776
- Magdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781
- Hierarchical modeling of solar heating and air conditioning systems 19 p0340 A78-38790
- Computer simulation on laser plasma compression 19 p0362 A78-40386
- Computer aided two-dimensional analysis of junction type solar cells 19 p0383 A78-42807
- Daily input modelling for solar collectors and systems 19 p0383 A78-42890
- Solar energy for industrial processes - A simplified design method 19 p0383 A78-42891
- The theoretical and experimental performance of a solar heater equipped with flat plate collectors 19 p0384 A78-42893
- Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, University of Pittsburgh, Pittsburgh, Pa., April 21, 22, 1977. Parts 1 & 2 19 p0385 A78-43026
- Solar and wind home heating and domestic hot water systems: Energy and economics study 17 p0111 A78-10555
- Flywheel propulsion simulation [PB-272259/3] 17 p0149 A78-14426
- GEOCITY: A computer code for calculating costs of district heating using geothermal resources [BNWL-2208] 17 p0151 A78-14644
- HELIOS: A computational model for solar concentrators [SAND-77-0642C] 17 p0154 A78-14665
- Land use-energy simulation model: A computer-based model for exploring land use and energy relationships [BNL-50634] 18 p0241 A78-16450
- Plans for wind energy system simulation 18 p0267 A78-19640
- A simulation model for wind energy storage systems. Volume 1: Technical report [NASA-CR-135283] 18 p0278 A78-20802
- A simulation model for wind energy storage systems. Volume 2: Operation manual [NASA-CR-135284] 18 p0278 A78-20803
- A simulation model for wind energy storage systems. Volume 3: Program descriptions [NASA-CR-135285] 18 p0278 A78-20804
- Solar space heating systems using annual heat storage [COO-2939] 18 p0287 A78-21645
- PVSS: A photovoltaic system simulation program manual [SAND-77-0814] 19 p0398 A78-23593
- Simulating Oregon's future electrical energy demand [PB-276970/1] 19 p0399 A78-23603
- Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 14: System analysis [FE-1521-33] 19 p0426 A78-25602
- CONCENTRATION (COMPOSITION)
Preliminary evaluation of sulfur variability in low-sulfur coals from selected mines [PB-275000/8] 18 p0261 A78-18566
- CONCENTRATORS
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
- Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
- An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328
- Fixed mirror/distributed focus solar thermal electric power systems development 17 p0053 A78-11331
- Characteristics of solar cells designed for concentrator systems 17 p0054 A78-11337

CONCENTRIC CYLINDERS

SUBJECT INDEX

An analytical and experimental investigation of a
1.8 by 3.7 meter Fresnel lens solar concentrator
17 p0059 A78-11373

Design, construction and test of a collector
system using a linear asymmetric Fresnel reflector
17 p0059 A78-11374

Optical analysis of the Fixed Mirror/Distributed
Focus /FMDP/ solar energy collector
17 p0059 A78-11377

Non-evacuated solar collectors with compound
parabolic concentrators
17 p0059 A78-11378

Long-term average performance predictions for
compound parabolic concentrator solar collectors
17 p0059 A78-11379

Optimization of a fixed solar thermal energy
collector
17 p0059 A78-11380

Optical properties of cylindrical elliptic
concentrators
17 p0060 A78-11382

The compound trapezoidal collector /an optimized
stationary concentrator/
17 p0060 A78-11383

Analytical and experimental study of total
internal reflection prismatic panels for solar
energy concentrators
17 p0060 A78-11389

Analysis and classification of methods for
calculating concentrating systems --- for solar
energy collection
17 p0064 A78-12386

Concentration by conical and cylindrical
concentrators of radiation scattered by
near-solar regions of the sky
17 p0064 A78-12387

Prospects for using Fresnel lenses for
concentrating systems of solar energy equipment
17 p0064 A78-12388

Collection properties of generalized light
concentrators
17 p0080 A78-16093

Performance characteristics of
concentrator-augmented Savonius wind rotors
17 p0094 A78-18092

Asymmetrical non-imaging cylindrical solar
concentrators
17 p0104 A78-19831

Choice of the optimal parabolocylindrical
concentrator with a tubiform receiver
17 p0107 A78-20424

WVU wind energy concentrators
18 p0171 A78-22244

The development and use of the moire method in
solar engineering problems
18 p0187 A78-25731

A paraboloid-toroidal conical concentrator as a
secondary concentrator of solar energy
18 p0187 A78-25732

A comparative analysis of models describing the
formation of irradiance fields in wide-aperture
optical systems
18 p0187 A78-25733

Equalizing an irradiance field on the surface of a
receiver
18 p0187 A78-25734

Estimating the deformation process in the
formation of the reflecting surface of solar
concentrators
18 p0187 A78-25735

Solar furnaces
18 p0200 A78-27861

Engineering estimate of the quality of facets
obtained by a deformation method of form giving
--- mirrors for solar collectors
18 p0214 A78-28890

Photoelectric radiation-density meter --- for
concentrator focal region measurement
18 p0215 A78-28892

Study of physicochemical processes in fabrication
of reflectors from polymer materials --- coat
bond in foam-film solar concentrator
18 p0215 A78-28895

Experimental evaluation of a fixed collector
employing vee-trough concentrator and vacuum
tube receivers
19 p0295 A78-33030

Collection times for trough-type concentrators
having arbitrary orientation
19 p0323 A78-35797

General principles of calculating multielement
concentrating systems --- solar collectors:
19 p0326 A78-36136

A device with a sectioned photodetector and a
laser transmitter for determining the precision
characteristics of solar energy concentrators
19 p0326 A78-36137

Truncated 'focones' and 'foclines' --- for solar
concentrators
19 p0331 A78-36858

Analysis and classification of
concentrating-system design methods --- for
solar energy collection
19 p0331 A78-36863

Focone and focline concentration of radiation
scattered by circumsolar parts of the sky
19 p0331 A78-36864

Prospect for using Fresnel lenses for the
concentrating systems of solar installations
19 p0331 A78-36865

Ideal flux concentrators with reflector gaps ---
solar collectors
19 p0333 A78-37177

Thermal deformations of solar concentrators
19 p0335 A78-37945

Flat-sided rectilinear trough as a solar
concentrator - An analytical study
19 p0344 A78-39636

Non-tracking solar concentration for solar cell
19 p0371 A78-42111

A non-tracking heat concentrator capable of giving
concentration factor of the order of 20
19 p0371 A78-42112

Design of a non-tracking solar heat
concentrator/collector system
19 p0371 A78-42113

Design of a non-tracking concentrator which will
distribute sunlight in a uniform manner over a
flat receiving surface
19 p0371 A78-42114

Power increase from solar cells under
pyramidal-horn type concentrator
19 p0372 A78-42125

Performance characteristics of a solar battery
concentrator system using Si and CdS cells
19 p0372 A78-42126

A simple technique of fabrication of paraboloidal
concentrators
19 p0375 A78-42148

Experimental determination of optimal operating
conditions for circular-profile solar
concentrators
19 p0384 A78-42895

Non-imaging concentrators for wide angle
collection of solar energy, 2
[COO-2446-8]
17 p0160 A78-15570

Solar array conceptual design for the Halley's
Comet ion drive mission, phase 2
[NASA-CR-155594]
18 p0240 A78-16438

Focusing solar collector development
[PB-275042/0]
18 p0260 A78-18561

Mechanical engineering department
[UCRL-50016-77-3]
19 p0431 A78-25645

CONCENTRIC CYLINDERS

Laminar flow of a conducting liquid between
coaxial cylinders in a traveling magnetic field
19 p0339 A78-38673

CONDENSATION

Potential effects of coal slag condensation on
plasma conductivity in MHD generators
18 p0188 A78-26109

Heat transfer for solar energy utilization
18 p0200 A78-27855

CONDENSERS

Selection of the thermal modes of operation for
the reactor/condenser system of electrochemical
current generators
19 p0315 A78-35091

CONDENSERS (LIQUIFIERS)

Application of direct contact heat exchangers in
geothermal systems
[ASHE PAPER 77-HT-3]
17 p0089 A78-17478

Enhanced performance heat exchangers --- for Ocean
Thermal Energy Conversion
19 p0304 A78-33336

SUBJECT INDEX

CONFERENCES

- Augmenting the condenser heat transfer performance of rotating heat pipes [AIAA 78-409] 19 p0318 A78-35597
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes [ORNL-5356] 19 p0429 A78-25623
- CONDENSING**
- Studies of hydrogen liquefier efficiency and the recovery of the liquefaction energy [PB-274058/7] 18 p0237 A78-16199
- CONDUCTING FLUIDS**
- Evaluation of the feedback in MHD conduction machines 18 p0167 A78-21397
- Laminar flow of a conducting liquid between coaxial cylinders in a traveling magnetic field 19 p0339 A78-38673
- CONDUCTION BANDS**
- Theoretical studies of a new double graded band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub 1-y As 17 p0138 A78-13543
- CONDUCTIVE HEAT TRANSFER**
- Rock properties for thermal energy storage systems in the 0 to 500 C range 17 p0051 A78-11308
- Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115
- Underground longterm storage of solar energy - An overview 17 p0083 A78-16827
- Two phase working fluids in solar collectors [AIAA PAPER 78-354] 18 p0178 A78-24030
- Cost-effectiveness study of heat pipe heat exchangers [ASME PAPER 77-WA/HT-5] 19 p0298 A78-33171
- Transient conduction in the space surrounding a ring of holes --- solar energy earth storage [ASME PAPER 77-WA/HT-12] 19 p0299 A78-33175
- The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion 19 p0304 A78-33335
- Enhanced performance heat exchangers --- for Ocean Thermal Energy Conversion 19 p0304 A78-33336
- Heat transfer enhancement for evaporators --- in Ocean Thermal Energy Conversion 19 p0304 A78-33337
- Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 A78-34513
- A variable conductance heat pipe for terrestrial applications [AIAA 78-377] 19 p0317 A78-35578
- Direct heat pipe cooling of semiconductor devices [AIAA 78-450] 19 p0319 A78-35626
- The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs 19 p0369 A78-42080
- A suggestion for improving the heat transfer from solar heaters 19 p0374 A78-42146
- Heat transfer effects in forced geohat recovery systems 19 p0395 A78-23554
- CONFERENCES**
- Economic and commercial assessment of solar energy conversion; Proceedings of the Conference, London, England, July 5, 1977 17 p0004 A78-10614
- Conference on Capturing the Sun Through Bioconversion, Washington, D.C., March 10-12, 1976, Proceedings 17 p0005 A78-10623
- European Seminar on Biological Solar Energy Conversion Systems, Grenoble, France, May 9-12, 1977, Proceedings 17 p0005 A78-10624
- Present status and research needs in energy recovery from wastes; Proceedings of the Conference, Oxford, Ohio, September 19-24, 1976 17 p0005 A78-10626

- Ocean energy resources; Proceedings of the Energy Technology Conference, Houston, Tex., September 18-23, 1977 17 p0006 A78-10651
- International Pulsed Power Conference, Texas Tech University, Lubbock, Tex., November 9-11, 1976, Proceedings 17 p0007 A78-10676
- Ship Technology and Research /STAR/ Symposium, 2nd, San Francisco, Calif., May 25-27, 1977, Proceedings 17 p0008 A78-10722
- Photovoltaic Specialists Conference, 12th, Eaton Rouge, La., November 15-18, 1976, Conference Record 17 p0012 A78-10902
- Energy crisis: An evaluation of our resource potential; Proceedings of the Third Annual UMR-NRC Conference on Energy, University of Missouri-Rolla, Rolla, Mo., October 12-14, 1976 17 p0030 A78-11089
- Clean fuels from biomass and wastes; Proceedings of the Second Symposium, Orlando, Fla., January 25-28, 1977 17 p0033 A78-11120
- Materials and energy from refuse; Proceedings of the First International Symposium, Antwerp, Belgium, October 21, 22, 1976 17 p0036 A78-11140
- Symposium on Fusion Technology, 9th, Garmisch-Partenkirchen, West Germany, June 14-18, 1976, Proceedings 17 p0038 A78-11161
- International Solar Energy Society, Annual Meeting, Orlando, Fla., June 6-10, 1977, Proceedings. Sections 1-13, 14-25 & 26-38 17 p0042 A78-11212
- International Scientific-Technological Conference on Space, 17th, Rome, Italy, March 25, 26, 1977, Proceedings --- and scientific satellites for earth resources monitoring; solar and alternate energy sources 17 p0065 A78-12876
- Ceramic microstructures '76: With emphasis on energy related applications; Proceedings of the Sixth International Materials Symposium, University of California, Berkeley, Calif., August 24-27, 1976 17 p0088 A78-17451
- International Workshop on Hydrogen and its Perspectives, Liege, Belgium, November 15-18, 1976, Proceedings. Volumes 1 & 2 17 p0097 A78-18826
- Conference on National Energy Policy, Washington, D.C., May 17, 1977, Proceedings 17 p0107 A78-20425
- Fuels and energy from renewable resources; Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977 17 p0107 A78-20524
- International Symposium on Wind Energy Systems, St. John's College, Cambridge, England, September 7-9, 1976, Proceedings 18 p0168 A78-22226
- Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977 18 p0180 A78-24751
- Oil Shale Symposium, 10th, Colorado School of Mines, Golden, Colo., April 21, 22, 1977, Proceedings 18 p0183 A78-25225
- Nuclear Science Symposium, 4th, and Nuclear Power Systems Symposium, 9th, San Francisco, Calif., October 19-21, 1977, Proceedings 18 p0184 A78-25301
- International Topical Conference on High Power Electron and Ion Beam Research and Technology, 2nd, Cornell University, Ithaca, N.Y., October 3-5, 1977, Proceedings. Volumes 1 & 2 18 p0189 A78-26173
- Liquid fuels from coal; Proceedings of the Symposium, San Francisco, Calif., August 29-September 3, 1976 18 p0189 A78-26576
- World Energy Conference, 10th, Istanbul, Turkey, September 19-23, 1977, Proceedings 18 p0195 A78-27776

- Remote sensing of earth resources. Volume 5 -
Annual Remote Sensing of Earth Resources
Conference, 5th, Tullahoma, Tenn., March 29-31,
1976, Technical Papers 18 p0198 A78-27823
- National Conference on Internal Combustion Engines
and Combustion, 3rd, University of Roorkee,
Roorkee, India, December 10-12, 1976, Proceedings
18 p0198 A78-27826
- Solar power and fuels; Proceedings of the First
International Conference on the Photochemical
Conversion and Storage of Solar Energy,
University of Western Ontario, London, Canada,
August 24-28, 1976 18 p0202 A78-27889
- Biological solar energy conversion; Proceedings of
the Conference, University of Miami, Miami,
Fla., November 15-18, 1976 18 p0207 A78-28351
- Energy from wind; Meeting, 4th, Bremen, West
Germany, June 7, 8, 1977, Report 18 p0209 A78-28551
- Heating with the sun II - Principles of solar
technology; Meeting, 3rd, Munich, West Germany,
March 3, 4, 1977, Report. Volume 2 - Practical
technology for residences 18 p0212 A78-28576
- Annual Canadian Symposium on Reliability
Engineering, 4th, Ottawa, Canada, October 13,
14, 1977, Proceedings 18 p0217 A78-29476
- Canadian Symposium on Energy Conserving Transport
Aircraft, Ottawa, Canada, October 3, 4, 1977,
Proceedings 18 p0226 A78-31301
- Environmental technology '77; Proceedings of the
Twenty-third Annual Technical Meeting, Los
Angeles, Calif., April 25-27, 1977 18 p0231 A78-32101
- Heat transfer in solar energy systems; Proceedings
of the Winter Annual Meeting, Atlanta, Ga.,
November 27-December 2, 1977 19 p0294 A78-33026
- Gas turbine combustion and fuels technology;
Proceedings of the Winter Annual Meeting,
Atlanta, Ga., November 27-December 2, 1977
19 p0296 A78-33108
- Annual Conference on Ocean Thermal Energy
Conversion, 4th, University of New Orleans, New
Orleans, La., March 22-24, 1977, Proceedings
19 p0300 A78-33301
- International Heat Pipe Conference, 3rd, Palo
Alto, Calif., May 22-24, 1978, Technical Papers
19 p0317 A78-35576
- Dispersion and control of atmospheric emissions:
New-energy-source pollution potential --- From
AIChE meetings 19 p0320 A78-35676
- American Vacuum Society, National Symposium, 24th,
and Conference on Microbalance Techniques, 15th,
Boston, Mass., November 8-11, 1977, Proceedings
19 p0324 A78-36030
- The industrialization of space; Proceedings of the
Twenty-third Annual Meeting, San Francisco,
Calif., October 18-20, 1977. Parts 1 & 2
19 p0329 A78-36701
- Solar architecture; Proceedings of the Aspen
Energy Forum, Aspen, Colo., May 27-29, 1977
19 p0336 A78-38051
- Heat transfer and thermal control systems;
Aerospace Sciences Meeting, 15th, Los Angeles,
Calif., January 24-26, 1977 and Thermophysics
Conference, 12th, Albuquerque, N. Mex., June
27-29, 1977, Technical Papers 19 p0336 A78-38054
- Summer Computer Simulation Conference, Chicago,
Ill., July 18-20, 1977, Proceedings 19 p0339 A78-38776
- Semiconductor liquid-junction solar cells;
Proceedings of the Conference on the
Electrochemistry and Physics of Semiconductor
Liquid Interfaces under Illumination, Airline,
Va., May 3-5, 1977 19 p0342 A78-39453
- Symposium on Engineering Problems of Fusion
Research, 7th, Knoxville, Tenn., October 25-28,
1977, Proceedings. Volumes 1 & 2 19 p0345 A78-39783
- Recent advances in engineering science;
Proceedings of the Fourteenth Annual Meeting,
Lehigh University, Bethlehem, Pa., November
14-16, 1977 19 p0360 A78-40301
- Israel Conference on Mechanical Engineering, 11th,
Technion - Israel Institute of Technology,
Haifa, Israel, July 11, 12, 1977, Proceedings
--- computer aided aircraft and radial gas
turbine engines 19 p0367 A78-41506
- National Solar Energy Convention, Jadavpur
University, Calcutta, India, November
29-December 1, 1976, Proceedings 19 p0369 A78-42101
- International Symposium on Plasma Wall
Interaction, Juelich, West Germany, October
18-22, 1976, Proceedings 19 p0377 A78-42201
- Fusion reactor design. II - Report on the Second
IAEA Technical Committee Meeting and Workshop,
Madison, Wisconsin, USA, 10-21 October 1977
19 p0381 A78-42269
- Modeling and simulation. Volume 8 - Proceedings of
the Eighth Annual Pittsburgh Conference,
University of Pittsburgh, Pittsburgh, Pa., April
21, 22, 1977. Parts 1 & 2 19 p0385 A78-43026
- Aircraft engine emissions --- conference
[NASA-CP-2021] 17 p0118 A78-11063
- Workshop on Synthetic Fuels from Fusion
[EPRI-EB-439-SR] 17 p0131 A78-13239
- Proceedings of the conference on Coal Feeding
Systems [NASA-CR-155331] 17 p0131 A78-13241
- Solar Cell High Efficiency and Radiation Damage
[NASA-CP-2020] 17 p0136 A78-13527
- Energy conservation R and D objectives workshop.
Volume 1: Working papers 17 p0139 A78-13568
- Energy conservation R and D objectives workshop.
Volume 2: Summary [CONF-770305-PT-11] 17 p0140 A78-13569
- Proceedings of a Seminar on International Energy
[ERDA-79] 17 p0145 A78-13620
- CNS solar energy pilot study: Report of the
annual meeting [PB-271797/3] 17 p0145 A78-13623
- Modeling and analysis of industrial energy usage
[HTR-7329] 17 p0151 A78-14641
- Conference proceedings: A critical economic
balance: Water, land, energy, people
[PB-274089/2] 18 p0253 A78-17944
- AIChE/MSFC Symposium on Space Industrialization:
Proceedings [NASA-CP-2026] 18 p0253 A78-18088
- Effects of Energy Constraints on Transportation
Systems 18 p0256 A78-18529
- Proceedings of the 2d Stationary Source Combustion
Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 A78-18590
- Small Power Systems Solar Electric Workshop
Proceedings. Volume 1: Executive report.
Volume 2: Invited papers [NASA-CR-156165] 18 p0283 A78-21599
- Proceedings of the Energy Research and Development
Administration Conference on Cogeneration and
Integrated Energy/Utility Systems [CONF-770632] 18 p0287 A78-21644
- Energy/environment 2. Proceeding of 2nd National
Conference on the Interagency R and D Program
[PB-277917] 19 p0433 A78-25678
- Summary of proceedings of Solar Heating and
Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 A78-26568
- Community leaders workshop on solar energy
assessment [RLO/2230/T5-1] 19 p0446 A78-26586
- Solar Heating and Cooling Demonstration Program
Contractor's Review. Summary and analysis of
workshop and panel sessions [CONF-771229-SUM] 19 p0448 A78-26608
- Mathematical aspects of production and
distribution of energy: Proceedings of symposia
in applied mathematics of the American
Mathematical Society, volume 21
[PB-278350/4] 19 p0449 A78-26619

SUBJECT INDEX

CONTROL EQUIPMENT

- Environmental effects of energy
[PB-278169/8] 19 p0449 N78-26620
- CTOL transport technology, 1978 --- conferences
[NASA-CP-2036-PT-1] 19 p0453 N78-27046
- CONGRESSIONAL REPORTS**
- Economic impact of President Carter's energy program
[GPO-91-295] 18 p0239 N78-16429
- Impact of the national energy plan
[GPO-91-909] 18 p0239 N78-16430
- Report to Congress on the economic impact of energy actions
[PB-272080/3] 18 p0243 N78-16467
- NASA authorization, 1979, program review, volume 2, part 1
[GPO-98-932] 18 p0252 N78-17932
- Use of solar energy in Federal Building
[GPO-94-365] 18 p0284 N78-21610
- Incentives for developing new energy sources
[GPO-93-810] 18 p0284 N78-21613
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers
[H-REPT-95-589] 19 p0392 N78-22968
- Energy policy and strategy for rural development, part 1
[GPO-94-275] 19 p0397 N78-23569
- Energy policy and strategy for rural development, part 2
[GPO-97-394] 19 p0397 N78-23570
- National Energy Conservation Policy Act
[GPO-94-843] 19 p0401 N78-23992
- Alaska natural resource issues
[GPO-95-110] 19 p0404 N78-24601
- The impact of the President's energy plan on the northeast
[GPO-97-013] 19 p0405 N78-24619
- Petroleum industry involvement in alternative sources of energy
[GPO-93-800] 19 p0408 N78-24661
- Solar energy
[GPO-94-910] 19 p0408 N78-24662
- Report to congress on abnormal occurrences July - September 1977
[PB-278534] 19 p0412 N78-24923
- National Energy Act, part 4
[GPO-96-231] 19 p0412 N78-25000
- National Energy Act, part 5
[GPO-98-577] 19 p0412 N78-25001
- The fuel efficiency incentive tax proposal: Its impact upon the future of the US passenger automobile industry
[GPO-93-188] 19 p0412 N78-25002
- The 1978 ERDA authorization; the Clinch River breeder reactor program, volume 4
[GPO-92-462] 19 p0413 N78-25006
- CONNECTORS**
- Improved mesh interconnector technology for the Meteosat solar array 17 p0016 A78-10957
- Advanced interconnect for use with ultrasonic seam welding on solar cells 17 p0016 A78-10958
- A novel solar cell interconnection design 17 p0017 A78-10959
- CONSERVATION**
- Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California
[UCRL-13784] 19 p0460 N78-27559
- CONSTRAINTS**
- Sensitivity theory for general nonlinear algebraic equations with constraints
[ORNL/TN-5815] 17 p0118 N78-10814
- An algorithm for constrained optimization with semismooth functions
[IIASA-BB-77-3] 17 p0121 N78-11511
- CONSTRUCTION**
- Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] 18 p0249 N78-17468
- Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities
[BNWL-RAP-16] 19 p0468 N78-27975
- CONSTRUCTION MATERIALS**
- Construction physics for solar houses 17 p0071 A78-14094
- Heat pipe materials unique requirements for coal gasification processes 17 p0085 A78-16902
- Lightweight building materials for the storage of solar energy
[PB-275684/9] 18 p0273 N78-20380
- CONTACT RESISTANCE**
- The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries 18 p0187 A78-25736
- Frequency limitations of transferred electron devices related to quality of contacts 19 p0334 A78-37468
- CONTAINERS**
- Hydraulic container pipelining - A future transportation system to conserve energy 17 p0030 A78-11091
- CONTAMINANTS**
- Surface and impurity studies in ORMAK and ISX --- tokamaks 19 p0378 A78-42210
- Time-variable air pollutant emission strategies for individual power plants
[EPRI-EA-418] 17 p0146 N78-13645
- Character and transformation of pollutants from major fossil fuel energy sources
[ORNL/TN-5919] 17 p0156 N78-14698
- Oxidant measurements in western power plant plumes. Volume 1: Technical analysis
[EPRI-EA-421-VOL-1] 19 p0400 N78-23614
- Steam reforming of methyl fuel, phase 1
[AD-A044787] 19 p0403 N78-24375
- CONTINENTAL SHELVES**
- Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior
[PB-269865/2] 17 p0110 N78-10550
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 1
[PB-273700/5] 18 p0254 N78-18506
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 2
[PB-273701/3] 18 p0254 N78-18507
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 3
[PB-273702/1] 18 p0254 N78-18508
- Development and coordination of a program of energy-related oceanographic research and the continental shelves of the Gulf of Mexico
[ORO-5017-3] 19 p0434 N78-25742
- OCS analytical model --- offshore energy sources
[SDC/NRI-2345-017] 19 p0451 N78-26832
- Probability distribution of bids on outer continental shelf oil and gas leases
[LA-7190-HS] 19 p0468 N78-27982
- CONTINUOUS WAVE LASERS**
- High-power lasers --- industrial applications 19 p0382 A78-42446
- CONTINUUM MECHANICS**
- Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977 19 p0360 A78-40301
- CONTOURS**
- Land contouring to optimize wind power
[AIAA PAPER 78-279] 18 p0166 A78-20786
- CONTRACT NEGOTIATION**
- Probability distribution of bids on outer continental shelf oil and gas leases
[LA-7190-HS] 19 p0468 N78-27982
- CONTRACTION**
- Patent application. Variable-volume engine --- using natural heat sources
[NASA-TN-75094] 19 p0408 N78-24660
- CONTRACTS**
- Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior
[PB-269865/2] 17 p0110 N78-10550
- Program Research and Development Announcement (PRDA). Solar collector materials and fluids for solar heating and cooling applications
[PRDA-EG-77-D-29-0003] 17 p0151 N78-14643
- CONTROL EQUIPMENT**
- Design considerations for an electric vehicle solid-state motor controller with regenerative braking capability 17 p0092 A78-17570

CONTROL SIMULATION

- Modular control subsystems for use in solar heating systems for multi-family dwellings [NASA-CR-150593] 18 p0275 N78-20613
- Particulate control highlights: Research on electrostatic precipitator technology [PB-276643/4] 19 p0391 N78-22495

CONTROL SIMULATION

- Control system of plasma position and cross-sectional shape in large tokamak device 19 p0346 A78-39800
- Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel 19 p0385 A78-43044
- Mod-1 wind turbine generator analysis 18 p0266 N78-19631

CONTROL VALVES

- TFTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075
- Lock hopper valves for coal gasification plant service 17 p0134 N78-13270

CONTROLLED ATMOSPHERES

- Thermal hydraulic analyses of two fusion reactor first wall/blanket concepts --- lithium cooled reactor experiment hydraulic equipment [CONF-771029-178] 19 p0434 N78-25930

CONTROLLED FUSION

- Fusion research in the European Community 17 p0001 A78-10102
- Pulsed power systems for the LASL high energy gas laser facility 17 p0007 A78-10691
- Pulsed power for fusion 17 p0007 A78-10696
- Doublet IIA experiments --- plasma cross sections in Tokamak fusion reactor 17 p0011 A78-10776
- Symposium on Fusion Technology, 9th, Garmisch-Partenkirchen, West Germany, June 14-18, 1976, Proceedings 17 p0038 A78-11161
- Vacuum pumping for controlled thermonuclear reactors 17 p0038 A78-11163
- Poloidal field for a 1.7 MA Tokamak - Comparison between an iron core and an air core transformer 17 p0039 A78-11170
- The transformer design for a proposed technical feasibility Tokamak reactor 17 p0039 A78-11171
- Design, construction and operation of the DITE divertor field system --- Divertor Injection Tokamak Experiment 17 p0039 A78-11175
- Plan and design of ETL TPE-2 experiment --- toroidal screw pinch technique 17 p0040 A78-11180
- Conceptual design problems in future reversed field pinch experiments 17 p0040 A78-11181
- Technical limitations on conceptual Tokamak reactors. II 17 p0041 A78-11194
- Fusion-neutron-induced nuclear recoil emission probabilities 17 p0062 A78-11814
- Nuclear fusion by means of a laser 17 p0068 A78-13464
- Computer simulation of the periodic electrostatic focusing converter --- controlled fusion reactor design 17 p0095 A78-18392
- Status report on controlled thermonuclear fusion 17 p0106 A78-20360
- The contemporary state of studies on controlled thermonuclear fusion --- Soviet plasma research 18 p0166 A78-21350
- An expression for beta in linked Min-B configurations --- fusion reactor economic feasibility parameter 18 p0173 A78-22836
- Production of synthetic methanol from air and water using controlled thermonuclear reactor power. I - Technology and energy requirement 18 p0174 A78-22846
- Status and prospects for continued progress in magnetic fusion energy research and development 18 p0181 A78-24756

SUBJECT INDEX

- Materials requirements for fusion reactors 18 p0182 A78-25051
- Some economic and environmental consequences of fusion power 18 p0184 A78-25302
- Computer simulation of ion extraction 18 p0188 A78-25947
- Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation 18 p0195 A78-27700
- Heliotron as a D-D fusion reactor - Preliminary analysis 18 p0220 A78-30226
- Fusion energy --- controlled fusion fundamentals. [ASME PAPER 77-WA/NE-1] 19 p0299 A78-33185
- Laser fusion --- overview 19 p0314 A78-34953
- Production of synthetic methanol from air and water using controlled thermonuclear reactor power. II - Capital investment and production costs 19 p0322 A78-35778
- On the trends in nuclear fusion research 19 p0338 A78-38417
- Production of fusion energy by vortex structure compression 19 p0338 A78-38419
- Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volumes 1 & 2 19 p0345 A78-39783
- The technology of mirror machines - ILL facilities for magnetic mirror fusion experiments 19 p0345 A78-39784
- Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793
- S.C. magnet design for 10 MJ homopolar machine --- as energy storage device for fusion experiments 19 p0348 A78-39840
- System design for the new TMI machine --- Tandem Mirror Experiment 19 p0349 A78-39888
- The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901
- Performance of a turbomolecular pump in a pulsed magnetic field --- for controlled fusion experiments 19 p0352 A78-39938
- Argonne national laboratory energy storage and transfer experimental program --- for fusion reactors 19 p0353 A78-39956
- Ignition of catalyzed-D reactor from D-T burning 19 p0358 A78-40083
- A metallic contact, fast-closing, high current switch --- for fusion-related homopolar machine 19 p0359 A78-40096
- Applications of submillimeter waves in plasma physics and controlled fusion research 19 p0360 A78-40241
- Microchannel plate response to hard X-rays --- for imaging recompression beam fuel pellet implosion 19 p0360 A78-40267
- Large-scale cryopumping for controlled fusion [UCRL-79381] 18 p0271 N78-19957
- Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the p-B-11 reaction [EPRI-ER-429-SR-PT-A] 18 p0290 N78-21927

CONTROLLERS

- Preliminary comparison of proportional and full on-off control systems for solar energy applications 17 p0047 A78-11261
- Test and analysis of a Northrup collector controller [NASA-TN-78153] 18 p0240 N78-16432
- Digital load control for hydroelectric powerplants [PB-274027/2] 18 p0251 N78-17492
- Preliminary design package for RS600 microprocessor control subsystem [NASA-CR-150628] 19 p0405 N78-24611

CONVECTION

- Experimental evaluation of natural convection solar air heaters 19 p0323 A78-35795

CONVECTIVE FLOW

- Fluid flow control strategies in flat-plate and evacuated tube collectors --- solar collectors 17 p0047 A78-11260

CONVECTIVE HEAT TRANSFER

- Natural convection characteristics of flat plate collectors 17 p0044 A78-11235
- A numerical simulation of heat transfer in rock beds 17 p0050 A78-11305
- Forced convection heat transfer at an inclined and yawed square plate - Application to solar collectors 17 p0076 A78-15053
- Heat transfer from a horizontal plate facing upward to superposed liquid-layers with change of phase [ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057
- Finite-element solutions for geothermal systems 17 p0094 A78-18097
- Solar energy utilization - Liquid flat plate collectors 18 p0200 A78-27856
- Convective heat transfer effects within honeycomb structures for flat plate solar collectors 18 p0200 A78-27857
- Thermal simulation of a passive solar house using a Trombe-Michel wall structure 18 p0220 A78-30269
- Heat transfer in a dense layer at large Péclet numbers 19 p0335 A78-37912
- Natural convection in compound parabolic concentrators - A finite-element solution --- for solar collectors 19 p0337 A78-38269
- Design and evaluation of an inexpensive heat pipe 19 p0374 A78-42145
- Effect of buoyancy on heat transfer rates in a solar collector 19 p0375 A78-42153
- Studies on methods of reducing heat losses from flat plate solar collectors, phase 2 [C00-2597] 18 p0285 A78-21624
- Geothermal energy-related problems of natural convection in porous media 19 p0393 A78-23378

COOLANTS

- An approach for determining the impact of peak coolant temperature on fusion reactor size and electricity costs [ASME PAPER 77-HT-73] 17 p0090 A78-17501

COOLING

- Direct heat pipe cooling of semiconductor devices [AIAA 78-450] 19 p0319 A78-35626
- Solar energy dehumidification experiment on the Citicorp Center building [PB-271174/5] 17 p0144 A78-13615
- Impact of solar heating and cooling on electric utilities [PB-2711415/2] 17 p0145 A78-13621
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling [NASA-CR-150533] 18 p0255 A78-18524
- Quarterly and monthly reports for solar heating and cooling systems [NASA-CR-150589] 18 p0275 A78-20610
- Heat pipes, volume 2. Citations from the engineering index data base [NTIS/PS-78/0303] 19 p0417 A78-25382

COOLING SYSTEMS

- Site-dependent factors affecting the economic feasibility of solar powered absorption cooling 17 p0046 A78-11247
- Theoretical modeling of an ammonia/water absorption cycle with solar energy storage 17 p0046 A78-11250
- Energy characteristics of an MHD generator cycle with internal cooling of the channel 18 p0172 A78-22531
- An absorption solar refrigerator having periodic operation 18 p0187 A78-25739
- Cooling turbine technology --- for aircraft air conditioning 18 p0224 A78-30775

- A low-risk approach to the high-temperature turbine [ASME PAPER 77-WA/ENER-10] 19 p0298 A78-33148
- Emerging heat pipe applications: [AIAA 78-390] 19 p0317 A78-35585
- Heat pipe mirrors for high power lasers [AIAA 78-391] 19 p0317 A78-35586
- TFR Toroidal Field coil design --- Tokamak Fusion Test Reactor 19 p0345 A78-39785
- The Alcator C magnetic coil systems 19 p0346 A78-39791
- Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system 19 p0350 A78-39897
- Thermal-mechanical design of a 150-mA, direct-current, 400-keV accelerator for production of 14-MeV neutrons 19 p0357 A78-40032
- Mechanical and thermal design of a gas-cooled fusion blanket module 19 p0357 A78-40040
- Analysis of solar space cooling systems suitable for tropical climates 19 p0375 A78-42159
- Air conditioning using ocean thermal gradients 19 p0376 A78-42160
- Design of a heat pipe with separate ducts for vapor and fluid 19 p0383 A78-42638
- Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1] 17 p0109 A78-10467
- Interim policy options for commercialization of solar heating and cooling systems [ERDA-77-62] 17 p0142 A78-13585
- Program Research and Development Announcement (PRDA). Solar collector materials and fluids for solar heating and cooling applications [ERDA-EG-77-D-29-0003] 17 p0151 A78-14643
- Evaluation of a large capacity heat pump concept for active cooling of hypersonic aircraft structure [NASA-CR-145301] 18 p0248 A78-17339
- Solar heating and cooling systems design and development [NASA-CR-150542] 18 p0263 A78-19603
- A solar adsorption cooling system: An analytical and experimental study 18 p0272 A78-20269
- Subsystem design package for Mod 2 site data acquisition system: Solar heating and cooling [NASA-CR-150588] 18 p0274 A78-20609
- Design review package for the on-site monitor for solar heating and cooling systems [NASA-CR-150590] 18 p0275 A78-20611
- Floating power optimization studies for the cooling system of a geothermal power plant [TRER-1164] 18 p0277 A78-20646
- Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications 18 p0282 A78-21587
- Central Data Processing System (CDPS) user's manual: Solar heating and cooling program [NASA-CR-150580] 18 p0283 A78-21595
- Preliminary design package for solar collector and solar pump [NASA-CR-150630] 19 p0389 A78-22472
- Preliminary design package for maxi-therm heat exchanger module [NASA-CR-150620] 19 p0389 A78-22473
- Air-liquid solar collector for solar heating, combined heating and cooling, and hot water subsystems [NASA-CR-150569] 19 p0389 A78-22475
- Design study of an experiment cooling system with liquid/air heat exchanger for Spacelab payloads (ECLA) --- control system for fluid loop with heat pump [P+N-FO-1378] 19 p0404 A78-24511
- Preliminary design package for RS600 microprocessor control subsystem [NASA-CR-150628] 19 p0405 A78-24611
- Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems [CONF-771070-1] 19 p0411 A78-24695
- Waste heat utilization in industrial processes [NASA-TN-75210] 19 p0413 A78-25012

- Prototype solar heating and combined heating and cooling systems
 [NASA-CR-150693] 19 p0420 N78-25542
 Solar heating and cooling system design and development
 [NASA-CR-150705] 19 p0444 N78-26556
 Liquid metal cooled solar central receiver feasibility study and heliostat field analysis.
 Part 1: Liquid sodium cooled central receiver system conceptual design
 [ORO-5178-78/1] 19 p0447 N78-26594
 Power plant reject heat utilization: An assessment of the potential for wide-scale implementation
 [ORNL/TM-5841] 19 p0449 N78-26613
 Preliminary design activities for solar heating and cooling systems
 [NASA-CR-150673] 19 p0458 N78-27537
- COPPER**
- Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas
 [NASA-TP-1150] 18 p0273 N78-20512
- COPPER ALLOYS**
- Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas
 [NASA-TP-1150] 18 p0273 N78-20512
- COPPER COMPOUNDS**
- Use of transition metal compounds to sensitize a photochemical energy storage reaction
 17 p0083 A78-16830
 Thin film Cds-CuI heterojunction photocells
 19 p0333 A78-37260
- COPPER OXIDES**
- Cuprous oxide Schottky barrier photovoltaic cells
 17 p0025 A78-11042
- COPPER SULFIDES**
- The relationships between preparation parameters, operating characteristics and physical processes in Cu₂S-Cds thin film solar cells
 17 p0017 A78-10971
 An automatable integrated thin film solar cell array
 17 p0017 A78-10972
 Variation of short-circuit current spectral response with Cu₂-x/S composition in thin film Cu₂-x/S/Cds photovoltaic cells
 17 p0017 A78-10973
 Model of the Cds/Cu₂S heterojunction
 17 p0017 A78-10974
 The influence of the horizontal and vertical structure of the p-n junction in Cu₂S-Cds solar cells
 17 p0018 A78-10975
 Characteristics of chalcocite /Cu₂x/S/ films produced by different methods and some properties of solar cells made from such films
 17 p0018 A78-10977
 Post-fabrication treatments, surface properties, and front contact of Cu₂x/S-Cds solar cells
 17 p0018 A78-10978
 Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S
 17 p0018 A78-10979
 The formation of Cu₂S thin films for Cds solar cells by sulfurization of copper with thiourea
 17 p0018 A78-10980
 Studies related to Zn₂x/Cd₂1-x/S-Cu₂S solar cells
 17 p0018 A78-10982
 Cds - sputtered Cu₂S solar cells
 17 p0019 A78-10986
 Solar cells for terrestrial applications
 17 p0083 A78-16826
 Two-dimensional analysis for Cu₂x/S-Cds solar cells with nonuniform skin region
 18 p0228 A78-31726
 Increases in energy conversion efficiency for thin-film polycrystalline Cds/Cu₂S photovoltaic cells
 18 p0228 A78-31730
 Cu₂x/S/Cds thin-film solar cells using chemically sprayed Cds films
 19 p0309 A78-34009
 CuInS₂ liquid junction solar cells
 19 p0310 A78-34274
 Technology of Cu₂S-Cds solar cells - German state-of-the-art
 19 p0373 A78-42127
- A study of copper-sulfide/cadmium-sulfide photovoltaic cells based on sulfurization and other processes
 17 p0111 N78-10556
 Structural effects in chemically sprayed Cds/Cu₂S photovoltaic cells
 [SAND-76-0737] 17 p0161 N78-15573
- CORRELATION COEFFICIENTS**
- On the correlation between daily amounts of solar and wind energy and monthly trends of the two energy sources
 17 p0052 A78-11318
- CORROSION**
- Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology
 [AD-A046641] 17 p0158 N78-15295
 Two-phase working fluids for the temperature range 50 to 350 C
 [NASA-CR-135255] 18 p0238 N78-16329
 Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride
 [GMP-2690-SECT-7.109] 19 p0440 N78-26335
 Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres
 [EPRI-PP-539] 19 p0445 N78-26574
- CORROSION PREVENTION**
- Coso geothermal corrosion studies
 [AD-A045511] 17 p0147 N78-13681
 Inhibitor analysis for a solar heating and cooling system
 [NASA-CR-150513] 18 p0249 N78-17475
 Erosion control in energy systems
 [PB-275105/5] 18 p0278 N78-20649
 Nondestructive evaluation needs for coal liquefaction
 [ANL-77-61] 19 p0426 N78-25606
- CORROSION RESISTANCE**
- Current progress in materials development for coal conversion
 17 p0073 A78-14399
 Effluent characterization from a conical pressurized fluid bed
 19 p0300 A78-33221
 Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant - What are the questions
 19 p0305 A78-33343
 Ocean thermal energy conversion system biofouling and corrosion problems
 [BNWL-SA-5970] 17 p0154 N78-14662
 Materials evaluation for geothermal applications: Turbine materials
 [UCRL-79360] 19 p0392 N78-23238
 Corrosion of iron-base alloys versus alternate materials in geothermal brines
 [PNL-2456] 19 p0454 N78-27264
- CORROSION TESTS**
- The application of stainless steel to solar collectors
 17 p0045 A78-11238
 Effluent characterization from a conical pressurized fluid bed
 [NASA-TM-73897] 18 p0283 N78-21596
- COST ANALYSIS**
- Cost factors in photovoltaic energy conversion with solar concentration
 17 p0004 A78-10619
 Capital and electrical production costs for geothermal power plants
 17 p0010 A78-10744
 Solar photovoltaic conversion electric utility point of view and development role
 17 p0021 A78-11008
 Technical and economic results of solar photovoltaic power systems analyses
 17 p0021 A78-11012
 The environmental effects and economic costs of solid waste energy recovery
 17 p0033 A78-11113
 Solar system cost/performance analysis
 17 p0047 A78-11257
 Maintenance costs of solar air heating systems
 17 p0047 A78-11264
 Analysis of closed cycle Brayton systems for solar electric power generation
 17 p0053 A78-11324

SUBJECT INDEX

COST EFFECTIVENESS

- Analytical performance and economic evaluation of residential wind or wind and solar heating systems 17 p0055 A78-11347
- Saving raw materials or saving energy in aircraft construction 17 p0073 A78-14285
- Economics and projections for geothermal development in the Northwest --- Washington, Oregon and Idaho 17 p0082 A78-16769
- An approach for determining the impact of peak coolant temperature on fusion reactor size and electricity costs [ASME PAPER 77-HT-73] 17 p0090 A78-17501
- Safety aspects of a widespread hydrogen energy economy 17 p0101 A78-18857
- Current costs of solar powered organic Rankine cycle engines 17 p0104 A78-19826
- Economic comparison of selected scenarios for electrostatic precipitators and fabric filters [APCA PAPER 77-14,2] 18 p0186 A78-25445
- The economics of space industrialization - A phased approach 18 p0204 A78-27934
- The Netherland's National Research Programme on Wind Energy 18 p0209 A78-28553
- Heating costs and rentability - Projection of growth of demand in the housing market 18 p0214 A78-28597
- Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam 18 p0222 A78-30571
- Economics of solar heating and cooling systems 18 p0228 A78-31550
- Performance and cost evaluation for a thermionic topping power plant [ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
- A comparison of two generic OTEC systems and missions --- Ocean Thermal Energy Conversion 19 p0300 A78-33304
- A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems 19 p0304 A78-33340
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- Thermochemical energy transport costs for a distributed solar power plant 19 p0312 A78-34515
- How do alternative powerplant costs compare 19 p0313 A78-34677
- Energy storage --- cost analysis 19 p0314 A78-34972
- Power plant performance --- comparison of coal and nuclear fueled 19 p0321 A78-35753
- The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry 19 p0332 A78-36945
- Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793
- Impact of confinement physics on reactor design and economics 19 p0346 A78-39794
- Energy budget of single crystal silicon solar cells with the present state-of-art 19 p0371 A78-42116
- Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system [NASA-CR-137925] 17 p0109 A78-10035
- Design and cost study of nickel-zinc batteries for electric vehicle [ANL-K-76-3541-1] 17 p0114 A78-10585
- Reference guide to changes in reseller pricing regulations and rulings [PB-270152/2] 17 p0115 A78-10594
- Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7] 17 p0123 A78-11894
- Evaluation of coal feed systems being developed by the Energy Research and Development administration [NASA-CR-155267] 17 p0124 A78-12419
- An attitudinal study of the home market for solar devices [AD-A045082] 17 p0126 A78-12535
- Energy embodied in goods [ORAU/IEA(M)-77-6] 17 p0127 A78-12542
- Photovoltaic power in less developed countries [COO-4094-1] 17 p0141 A78-13581
- Fuel and energy price forecasts. Volume 1: Report [EPRI-BA-411-VOL-1] 17 p0142 A78-13589
- Fuel and energy price forecasts. Volume 2: Schedules [EPRI-BA-411-VOL-2] 17 p0142 A78-13590
- Electric vehicle propulsion batteries: Design and cost study for nickel/zinc battery manufacture, task A [ANL-K-77-3542-1] 17 p0142 A78-13594
- GEOCITY: A computer code for calculating costs of district heating using geothermal resources [BNWL-2208] 17 p0151 A78-14644
- US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 1 [PB-274000/9] 18 p0238 A78-16413
- US oil and natural gas findings costs. A study for the Federal Energy Administration. Volume 2: Statistical appendix [PB-274001/7] 18 p0238 A78-16414
- Analysis of electricity production costs from the geopressured geothermal resource [BNWL-2192] 18 p0241 A78-16449
- Low cost solar energy collection system [NASA-CASE-NPO-13579-1] 18 p0248 A78-17460
- Electrostatic direct energy converter performance and cost scaling laws [UCID-17560] 18 p0269 A78-19665
- Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1 [EPRI-BA-433-VOL-1] 18 p0286 A78-21637
- Health and economic costs of alternative energy sources [IAEA-CN-36/448] 19 p0390 A78-22484
- Modifications and costs of converting to low sulfur western coals [CONF-771024-3] 19 p0392 A78-23249
- Automated array assembly task, phase 1 [NASA-CR-156985] 19 p0396 A78-23562
- Array automated assembly, phase 2 [NASA-CR-157057] 19 p0407 A78-24650
- SAMICS support study. Volume 1: Cost account catalog [NASA-CR-157131] 19 p0412 A78-24974
- Development of a low cost, 10 kV capacitor [LA-UR-77-2408] 19 p0416 A78-25335
- Oil and gas replacement cost: Development and production. Volume 1: Discussion of methodology, exhibits, and projections [TID-28043/1] 19 p0418 A78-25514
- Oil and gas replacement cost: Development and production. Volume 2: Exhibits [TID-28043/2] 19 p0418 A78-25515
- Economic impact of using refractory metals for fusion reactors, phase 1 [COO-4247-1] 19 p0435 A78-25939
- Impact of Balance Of System (BOS) costs on photovoltaic power systems [NASA-TN-78939] 19 p0443 A78-26550
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 1: Project overview [PB-278078/1] 19 p0449 A78-26616
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 2: Case study and technical assistance [PB-278079/9] 19 p0449 A78-26617
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 3: Transfer package [PB-278080/7] 19 p0449 A78-26618
- Cost of photovoltaic energy systems as determined by balance-of-system costs [NASA-TN-78957] 19 p0458 A78-27539
- COST EFFECTIVENESS
- Economic and commercial assessment of solar energy conversion; Proceedings of the Conference, London, England, July 5, 1977 17 p0004 A78-10614

- The economic evaluation of solar energy schemes
17 p0004 A78-10615
- The value of solar heating
17 p0004 A78-10616
- How much investment in conversion devices --- for
terrestrial solar energy utilization
17 p0004 A78-10617
- The heat pump in relation to solar energy
17 p0004 A78-10618
- Solar water heating - Some economic and commercial
aspects
17 p0005 A78-10620
- Hydrogen transmission - The significance of
efficiency --- in comparison with conventional
electric power system
17 p0009 A78-10736
- Solar energy systems for electricity production
17 p0010 A78-10738
- Experiments to evaluate high-temperature rolling
as a low-cost process for silicon solar cells
17 p0014 A78-10928
- Black and thin silicon solar cells
17 p0019 A78-10997
- Economic analysis of low cost silicon sheet
produced from Czochralski grown material
17 p0024 A78-11036
- A simple model for solar energy economics in the
U.K.
17 p0024 A78-11037
- Evaluation of wind generator economics in a load
duration context
17 p0028 A78-11073
- Coal desulfurization by the Battelle Hydrothermal
Coal Process
17 p0029 A78-11082
- Comparative residential energy consumption and
fuel costs with various types of systems - Oil-,
gas-, electric-furnaces and heat pumps
17 p0033 A78-11118
- Solar collection at different temperatures by
different collector types under various
orientation methods
17 p0043 A78-11228
- Site-dependent factors affecting the economic
feasibility of solar powered absorption cooling
17 p0046 A78-11247
- Optimization of an annual storage solar heating
system over its life cycle
17 p0050 A78-11296
- Cost-effective electrical power generation from
the wind
17 p0052 A78-11316
- Solar photovoltaic power stations
17 p0054 A78-11335
- Constraints in solar life cycle cost modeling
17 p0056 A78-11353
- A solar economic performance model for residential
applications
17 p0056 A78-11354
- Economic evaluation of solar cooling and heating
of buildings
17 p0057 A78-11355
- The economic viability of solar assisted
industrial process heat systems - The need for
government economic incentives
17 p0057 A78-11364
- Effects of solar data accuracy on the performance
and economics of solar energy systems
17 p0058 A78-11366
- Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing
17 p0058 A78-11369
- On the design of flat reflector - collector
combinations
17 p0060 A78-11385
- Clean fuels from coal - Finding the right
combination
17 p0065 A78-12604
- A solid waste package deal - Energy and materials
from garbage
17 p0092 A78-17671
- Economic energy utilization by means of remote
heating
17 p0093 A78-18025
- Exotic power and energy storage
17 p0095 A78-18624
- Thermochemical hydrogen production - Engineering
efficiency and economics
17 p0099 A78-18834
- Basis of cheap energy --- economic nuclear-thermal
energy distribution systems
17 p0102 A78-19244
- Inexpensive solar collectors for agricultural
requirements
17 p0105 A78-19837
- Comparison of the fossil fuel energy requirements
for solar, natural gas, and electrical water
heating systems
17 p0106 A78-20244
- Solar energy for village development
18 p0176 A78-23564
- Cost-effective electricity rates - A stronger
incentive to rational energy use
18 p0176 A78-23919
- Economic and environmental costs of satellite
solar power
18 p0179 A78-24377
- Application of solar energy to schools and
residences
18 p0181 A78-24759
- Solar design and installation experience ---
pyramidal optics for use in residential buildings
18 p0181 A78-24761
- An evaluation of control strategies for SO2
emissions from petroleum refineries
[APCA PAPER 77-43,1]
18 p0184 A78-25380
- Economic comparison of selected scenarios for
electrostatic precipitators and fabric filters
[APCA PAPER 77-14,2]
18 p0186 A78-25445
- Solar economics comes home
18 p0186 A78-25718
- Re-circulating power, unit costs and thermal
pollution of fusion power stations
18 p0189 A78-26372
- Indices and areas of application of
gas-turbine-driven thermal power plants
18 p0193 A78-27096
- Information system for transportation energy
18 p0194 A78-27545
- The conversion of feedlot wastes into pipeline gas
18 p0197 A78-27807
- Methanol production from organic waste
18 p0198 A78-27812
- Solar irradiance, total and spectral --- data for
cost-effective solar energy conversion
18 p0199 A78-27853
- The economics of solar energy
18 p0202 A78-27870
- Recent developments in wind turbines
18 p0210 A78-28563
- Cost-effective concept for utilization of wind
energy - Results based on experience with the
Sylt double-rotor
18 p0212 A78-28574
- Prospects for the development of solar houses
18 p0212 A78-28582
- Cogeneration --- single site simultaneous
electricity/heat generation
18 p0216 A78-29226
- Possible selective solar photothermal absorber -
Ni dendrites formed on Al surfaces by the CVD of
Ni/CO/4
18 p0221 A78-30302
- Spinning a turbine with sunlight
18 p0223 A78-30742
- The sun on a semiconductor
18 p0223 A78-30743
- Cost-effectiveness study of heat pipe heat
exchangers
[ASHE PAPER 77-WA/HT-5]
19 p0298 A78-33171
- The effect of certain major parameters on the
annual effectiveness of solar systems for
residential dwellings
[ASHE PAPER 77-WA/SOL-3]
19 p0299 A78-33191
- Influence of design factors on the economy of sea
thermal power plants
19 p0301 A78-33306
- On the relationship between gross vehicle weight,
payload, effective range, and cost of electric
vehicles
[SAE PAPER 780220]
19 p0307 A78-33379
- A comparison of some alternative domestic energy
systems --- solar, heat pump and conventional
space and water heating
19 p0316 A78-35361

SUBJECT INDEX

COST REDUCTION

- Methods and costs of controlling sulfur emissions from a petroleum refinery 19 p0320 A78-35698
- Photovoltaic electricity - On the way. I - An optimistic view. II - Solar cell arrays too expensive . . . but interesting 19 p0327 A78-36444
- Korea Atomic Energy Research Institute, Collected Reprints. Volume 4 --- Book 19 p0335 A78-37901
- A comparison between an air core and an iron core Ohmic Heating system for The Next Step --- tokamak 19 p0358 A78-40065
- Cost-effective energy from humid air 19 p0361 A78-40363
- Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418
- Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil 17 p0110 N78-10552
- Solar air-conditioning study [AD-A043951] 17 p0113 N78-10575
- Cost-effective electric power generation from the wind [PB-273582/7] 18 p0251 N78-17639
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling [NASA-CR-150533] 18 p0255 N78-18524
- An evaluation of geothermal energy potential 18 p0274 N78-20601
- Terrestrial solar cell module automated array assembly, task 4 [NASA-CR-156982] 19 p0396 N78-23565
- Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual [AD-A047356] 19 p0409 N78-24667
- Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors [NASA-CR-157225] 19 p0442 N78-26541
- COST ESTIMATES**
- Relative cost-performance of various solar based power supply packages 17 p0003 A78-10557
- Solar central electric power generation - A baseline design 17 p0010 A78-10742
- Reactor costs and maintenance, with reference to the Culham Mark II conceptual Tokamak reactor design 17 p0011 A78-10872
- SAMIS - A simulation of the solar array manufacturing industry 17 p0016 A78-10955
- Nominal cost and performance objectives for photovoltaic panels in nonconcentrating central station applications 17 p0021 A78-11007
- Performance and cost assessment of photovoltaic system concepts 17 p0021 A78-11011
- Cost of earth power from photovoltaic power satellite 17 p0024 A78-11035
- The battery energy storage test /BEST/ facility - Its purposes and description 17 p0029 A78-11079
- Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309
- Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- Engineering cost estimates for solar technologies 17 p0058 A78-11365
- Solar heating for 10,000 Deutsche Marks --- solar house economics 17 p0071 A78-14093
- Technoeconomic aspects of central photovoltaic power plants 17 p0084 A78-16835
- Optimal sizing of solar heating components by equating marginal costs of suboptimal investment paths 17 p0084 A78-16840
- Coal gasification and water resources development 17 p0097 A78-18775
- Economics of a vertical-axis wind turbine 18 p0170 A78-22243
- The new electric locomotives 18 p0179 A78-24378
- Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596
- Cost comparison of selected OTEC power plant designs --- Ocean Thermal Energy Conversion 19 p0301 A78-33305
- Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration 19 p0302 A78-33313
- Production of synthetic methanol from air and water using controlled thermonuclear reactor power. II - Capital investment and production costs 19 p0322 A78-35778
- The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects. --- Joint European Torus reactor design 19 p0349 A78-39887
- Study of the manufacturing costs of lead-acid batteries for peaking power [CON/S/2114-2] 17 p0114 N78-10583
- Summary of current cost estimates of large wind energy systems [DSE/2521-1] 17 p0152 N78-14650
- Coal and nuclear generating costs [EPRI-PS-455-SR] 17 p0155 N78-14674
- Energy Conversion Alternatives Study (ECAS) [NASA-TN-73871] 19 p0408 N78-24659
- COST INCENTIVES**
- Effect of tax-credits on the economics of solar heating for homeowners 17 p0057 A78-11363
- Assessment of incentives to accelerate market penetration of solar heating and cooling systems 17 p0057 A78-11363
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- Incentives for developing new energy sources [GPO-93-810] 18 p0284 N78-21613
- COST REDUCTION**
- Single crystal silicon photocells for terrestrial use - State of the art and perspectives on the future 17 p0003 A78-10553
- Low cost solar cells based on large area unconventional silicon 17 p0013 A78-10918
- Production of solar-grade silicon from purified metallurgical silicon 17 p0013 A78-10925
- Evaluation of offshore site for wind energy generation 17 p0029 A78-11080
- The Gas Turbine HTGR plant with a binary cycle 17 p0029 A78-11083
- A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity 17 p0047 A78-11262
- Solar collector cost reduction with reflector enhancement 17 p0061 A78-11390
- Adaptation for economization, or adaptation for the economization of energy --- in transport aircraft design and operation 17 p0063 A78-12030
- Solar energy economizes on heat pump current --- in house heating system 17 p0071 A78-14091
- Economical photovoltaic power generation with heat recovery 17 p0091 A78-17552
- Procedure for minimizing the cost per watt of photovoltaic systems 18 p0176 A78-23636
- Optimization of solar cell contacts by system cost-per-watt minimization 18 p0176 A78-23637

Optimum shape of the bus bar on solar cells of arbitrary shape 18 p0176 A78-23638

Photovoltaic conversion 18 p0201 A78-27862

Advanced launch vehicle systems and technology 18 p0225 A78-31175

Photovoltaic solar panels and solar modules [LPS-77-12] 17 p0156 A78-14685

Stirling thermal engine regenerator cost reduction program outline [GHR-2690-SECT-6.001] 19 p0439 A78-26319

Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GHR-2690-SECT-6.002] 19 p0439 A78-26320

Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status [GHR-2690-SECT-6.004] 19 p0439 A78-26322

Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C Stirling engine regenerators [GHR-2690-SECT-6.005] 19 p0439 A78-26323

COSTS

Digest of federal registers [PB-270153/0] 17 p0113 A78-10574

Reference guide to changes in refiner and reseller pricing regulations and rulings [PB-270151/4] 17 p0115 A78-10595

US oil and natural gas finding costs. Volume 2: Statistical appendix [FBA/G-77/357-VOL-2] 19 p0398 A78-23588

COURTIE FLOW

Simplest physical model of a magnetohydrodynamic generator 19 p0339 A78-38634

COULOMB COLLISIONS

The ambipolarity paradox in toroidal diffusion, revisited 19 p0380 A78-42259

COVERINGS

Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb [AIAA PAPER 78-899] 19 p0324 A78-36018

The sawtooth cover slide 17 p0137 A78-13537

CRACK INITIATION

Pulse test analysis of vertically fractured wells [ORO-8036-5] 19 p0418 A78-25511

CRACK PROPAGATION

Heat extraction from hot, dry rock masses [PB-271411/1] 17 p0139 A78-13560

CRACKING (FRACTURING)

Mechanical properties of oil shale of importance to in-situ rubblelization [SAND-77-0499C] 19 p0411 A78-24731

CREEP RUPTURE STRENGTH

Fiber composite flywheel program [UCRL-50033-77-3] 19 p0425 A78-25592

CRITICAL LOADING

Effects of rotor location, coning, and tilt on critical loads in large wind turbines 17 p0107 A78-20476

CROP VIGOR

Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075

CROPS

Fuels and chemicals from crops 18 p0197 A78-27808

CROSS FLOW

A cross flow wind turbine 18 p0169 A78-22233

General performance theory for crosswind axis turbines 18 p0170 A78-22236

CROSS SECTIONS

Optimum shape of the bus bar on solar cells of arbitrary shape 18 p0176 A78-23638

CROSSED FIELDS

Transport calculations for a wall-confined liner-compressed plasma 19 p0380 A78-42258

CRUDE OIL

Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844

Keeping oil out of the marine environment 17 p0073 A78-14170

Heavy oil gasification --- Book 17 p0087 A78-17144

Relative evaluation of competing processes - Energetic economy analysis of competing processes of coal and oil chemistry 17 p0087 A78-17349

The future of oil --- development of sufficient supplies 17 p0092 A78-17670

A study of the formation of unpumpable residues of crude oil on tankers for the purpose of preventing marine pollution 17 p0093 A78-18050

The consequences and lessons of four years of high-priced energy 17 p0094 A78-18095

Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784

Methods for the production of hydrogen from natural gas and petroleum fractions 17 p0098 A78-18828

Industrial energy in transition - A petrochemical perspective 18 p0175 A78-23560

Fuels outlook I - Transportation and the U.S. petroleum resource, an aviation perspective [AIAA PAPER 78-357] 18 p0178 A78-24032

An evaluation of control strategies for SO₂ emissions from petroleum refineries [APCA PAPER 77-43,1] 18 p0184 A78-25380

A few aspects of the Soviet energy policy 18 p0195 A78-27779

Improving production from petroleum reserves - Enhanced recovery 18 p0196 A78-27786

Deep sea oil - Myth, reality of today, or future necessity 18 p0196 A78-27787

Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475

Petroleum fuel additives - A case for recognition 18 p0216 A78-29290

The production of substitute natural gas by oil gasification 18 p0225 A78-31272

M-Gas process for production of fuel gas from heavy oil 18 p0225 A78-31273

Aviation fuels - A supplier's perspective 18 p0226 A78-31308

Methods and costs of controlling sulfur emissions from a petroleum refinery 19 p0320 A78-35698

Desulfurization of petroleum residues and their carbonization properties 19 p0337 A78-38406

Digest of federal registers [PB-270153/0] 17 p0113 A78-10574

Pricing effects on frontier oil production [PB-269807/4] 17 p0115 A78-10593

Reference guide to changes in reseller pricing regulations and rulings [PB-270152/2] 17 p0115 A78-10594

Reference guide to changes in refiner and reseller pricing regulations and rulings [PB-270151/4] 17 p0115 A78-10595

Petroleum supply alternatives for the northern tier states through 1980 [PB-269809/0] 17 p0116 A78-10600

Field infrared method to discriminate natural seeps from non-seeps, Santa Barbara, California area [AD-A042861] 17 p0116 A78-10608

Strategic petroleum reserve: Supplement to final environmental impact statement for bayou choctaw salt dome [PB-270435/1] 17 p0119 A78-11254

Strategic petroleum reserve: Central Rock Nine [PB-270447/6] 17 p0119 A78-11255

Strategic petroleum reserve: Byron Mound salt dome, draft supplement
[PB-270108/4] 17 p0119 N78-11256

Offshore oil pollution
[STP21-A76054] 17 p0122 N78-11535

Future refinery capacity needs, construction incentives, and processing configurations
[PB-271099/4] 17 p0124 N78-12244

Cumulative production/consumption effects of the crude oil price incentive rulemakings
[PB-271319/6] 17 p0124 N78-12247

Project Independence Evaluation System (PIES) documentation. Volume 11: Finance submodel for the FEA oil and gas supply model
[PB-269948/6] 17 p0126 N78-12540

Measurements and standards for recycled oil
[PB-271562/1] 17 p0130 N78-13212

Project Independence Evaluation System (PIES) documentation. Volume 4: FEA model of oil and gas supply: Data validation and update
[PB-270385/8] 17 p0139 N78-13559

Net energy effects and resource depletion: An all-oil economy
[COO-2865-6] 17 p0142 N78-13592

The Alaskan oil disposition study: Potential air quality impact of a major off-loading terminal in the Pacific Northwest
[PB-271261/0] 17 p0147 N78-13657

Translations on eastern Europe: Scientific affairs, no. 566
[JPRS-70283] 17 p0147 N78-13849

Strategic petroleum reserve
[PB-273487/9] 18 p0237 N78-16198

US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 1
[PB-274000/9] 18 p0238 N78-16413

US oil and natural gas findings costs. A study for the Federal Energy Administration. Volume 2: Statistical appendix
[PB-274001/7] 18 p0238 N78-16414

Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473

A technology assessment of offshore industry. The United States offshore industry. Current status, trends and forecast 1976 - 2000, volume 1
[PB-272983/8] 18 p0246 N78-16947

A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000, volume 2
[PB-272984/6] 18 p0246 N78-16948

A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000. Executive summary
[PB-272985/3] 18 p0246 N78-16949

Allocation of petroleum feedstocks to synthetic natural gas plants
[PB-273098/4] 18 p0251 N78-17490

Proposed increase in oil and gas leasing on the outer continental shelf, volume 1
[PB-273700/5] 18 p0254 N78-18506

Proposed increase in oil and gas leasing on the outer continental shelf, volume 2
[PB-273701/3] 18 p0254 N78-18507

Proposed increase in oil and gas leasing on the outer continental shelf, volume 3
[PB-273702/1] 18 p0254 N78-18508

More attention should be paid to making the U.S. less vulnerable to foreign oil price and supply decisions
[PB-275309/3] 18 p0276 N78-20625

Evaluation of a seafloor nuclear power supply and its potential applications
[COO-4123-1] 18 p0277 N78-20643

Chemical and physical properties of refined petroleum products
[PB-277100/4] 18 p0279 N78-21312

Chemicals from coal: USEM Synthoil
[FE-1534-49] 18 p0280 N78-21320

Alaskan oil transportation issues
[PB-276449/6] 18 p0289 N78-21661

Use of the method of one-dimensional nonlinear transformations to forecast the natural model of an oil stratum
18 p0290 N78-21693

Strategic petroleum reserve: Final environmental impact statement for Klear Mine
[FES-77-2] 19 p0387 N78-22439

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 1: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-1] 19 p0390 N78-22487

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 2, appendices A and B: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-2] 19 p0391 N78-22488

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 4, appendices D-S: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-4] 19 p0391 N78-22490

Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers
[H-REPT-95-589] 19 p0392 N78-22968

GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification
[BERC/RI-77/12] 19 p0402 N78-24324

Code of practice for the petroleum industry. Part 1: The handling, storage, and distribution of petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366

Impact of future fuel properties on aircraft engines and fuel systems
[NASA-TN-78866] 19 p0402 N78-24369

Oil and gas in coastal lands and waters
19 p0404 N78-24597

Occupational exposure to refined petroleum solvents. Criteria for a recommended standard
[DHEW/PUB/NIOSH-77/192] 19 p0412 N78-24790

Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233

Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation
[NASA-CR-135335] 19 p0414 N78-25235

Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239

Small refiner bias analysis
[HCP/B70258-01] 19 p0416 N78-25253

Oil and gas replacement cost: Development and production. Volume 1: Discussion of methodology, exhibits, and projections
[TID-28043/1] 19 p0418 N78-25514

Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B
[SAN/1395-14] 19 p0418 N78-25519

OCS oil and gas: An assessment of the Department of the Interior Environmental Studies Program
[PB-277493] 19 p0419 N78-25526

Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base
[NTIS/PS-78/0278] 19 p0433 N78-25659

Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base
[NTIS/PS-78/0279] 19 p0433 N78-25660

Review of petroleum oil saturation and its determination
[BERC/RI-77/15] 19 p0442 N78-26525

The petroleum industry in the Delaware estuary
[PB-277962/7] 19 p0451 N78-26653

International energy trends: Monthly supplement on oil trends
[NP-22885] 19 p0462 N78-27577

CRYOGENIC EQUIPMENT

Investigation of gas-controlled cryogenic heat pipes
18 p0221 A78-30495

The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils
19 p0352 A78-39936

Parametric performance of a spiral-artery, liquid-trap-diode heat pipe
[NASA-TN-78448] 17 p0134 N78-13368

CRYOGENIC FLUID STORAGE

Hydrogen cryogenic storage - Liquid for automotive applications and cryoadsorbents for pipeline distribution systems
17 p0100 A78-18844

Safety problems in the use of liquid hydrogen
17 p0102 A78-18858

- Hydrogen fuel and its application to vehicular systems 19 p0327 A78-36445
- CRYOGENIC FLUIDS**
- Parametric performance of a spiral-artery, liquid-trap-diode heat pipe [NASA-TM-78448] 17 p0134 A78-13368
- Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 A78-20376
- CRYOPUMPING**
- Vacuum vessel and pumping system of the J.E.T. experiment --- Joint European Torus 17 p0038 A78-11164
- Cryogenic supplies for the TFTR neutral beam line cryopanels --- Tokamak Fusion Test Reactor 19 p0352 A78-39951
- Cryopumping system for TFTR neutral beam injectors 19 p0352 A78-39952
- Design and performance of large cryopumps for high power neutral injectors 19 p0359 A78-40108
- Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K 19 p0359 A78-40112
- Large-scale cryopumping for controlled fusion [UCRL-79381] 18 p0271 A78-19957
- CRYSTAL DEFECTS**
- The role of defects on the performance of epitaxial and diffused solar cells fabricated on EFG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 A78-10905
- Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134
- Solar Cell High Efficiency and Radiation Damage [NASA-CP-2020] 17 p0136 A78-13527
- Photon degradation effects in terrestrial solar cells [NASA-TM-78924] 19 p0421 A78-25551
- CRYSTAL GROWTH**
- Silicon for solar photocells 17 p0003 A78-10551
- Single crystal silicon photocells for terrestrial use - State of the art and perspectives on the future 17 p0003 A78-10553
- Silicon solar cells from transition metal doped Czochralski and web crystals 17 p0013 A78-10922
- Ribbon-to-ribbon crystal growth --- for solar cell fabrication 17 p0014 A78-10929
- Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036
- Fundamental studies of direct contact latent heat energy storage 17 p0051 A78-11306
- Development of low-cost silicon crystal growth techniques for terrestrial photovoltaic solar energy conversion 18 p0220 A78-30268
- Observations of anisotropic diffused layer sheet resistance in EFG silicon ribbon solar cells --- Edge-defined Film-fed Growth 18 p0223 A78-30648
- Structural effects in chemically sprayed CdS/Cu/sub x/S photovoltaic cells [SAND-76-0737] 17 p0161 A78-15573
- Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 A78-17464
- Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 A78-18517
- Automated array assembly task, phase 1 [NASA-CR-156985] 19 p0396 A78-23562
- Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 A78-23563
- Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 A78-24622
- Laser-zone growth in a Ribbon-To-Ribbon (RTB) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 A78-24630
- LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth [NASA-CR-157135] 19 p0408 A78-24656
- CRYSTALLIZATION**
- Increasing the resources of jet fuels 17 p0062 A78-11699
- Properties of some salt hydrates for latent heat storage 17 p0075 A78-14691
- Novel silicon crystals and method for their preparation [NASA-TM-75195] 18 p0290 A78-21957
- CURRENT CONVERTERS (AC TO DC)**
- Superconductive inductor storage and converters for pulsed power loads 17 p0008 A78-10703
- Electromagnetic processes in ac/dc power converters. II - Symmetrical transient processes in power converters. III - Nonsymmetrical transient processes 18 p0217 A78-29625
- An asynchronous ac/dc/ac link for wind power application 18 p0239 A78-16426
- CURRENT DENSITY**
- High-temperature, high-power-density thermionic energy conversion for space [NASA-TM-73844] 17 p0147 A78-13890
- Test data on electrical contacts at high surface velocities and high current densities for homopolar generators [CONF-771029-121] 19 p0467 A78-27924
- CURRENT DISTRIBUTION**
- Two-dimensional electrical effects in a frame-type MHD channel 17 p0103 A78-19269
- Parametric study of plasma startup systems for tokamaks 19 p0354 A78-39571
- Optimization of the current profile in MHD generators 19 p0364 A78-40834
- CURRENT REGULATORS**
- Dual 30 kA, HVDC interrupter test facility --- for fusion reactors 19 p0353 A78-39959
- CURVE FITTING**
- Wind power potential of Alaska. Part 2: Wind duration curve fits and output power estimates for typical windmills [BLO/2229/T12-76/1-PT-2] 17 p0113 A78-10578
- Adaptive curve fitting for chemical processes [AD-A046456] 17 p0158 A78-15213
- CUTTING**
- Mechanics of cutting and boring. Part 6: Dynamics and energetics of transverse rotation machines [AD-A045127] 17 p0135 A78-13444
- CYANIDES**
- Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 A78-13650
- CYCLIC HYDROCARBONS**
- Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles 17 p0061 A78-11459
- Analyzing liquid products derived from coal conversion processes 18 p0191 A78-26589
- CYLINDRICAL BODIES**
- Optimal proportioning of an insulated earth cylinder for storage of solar heat 17 p0084 A78-16836
- A cylindrical dioptrics, nonfocalising solar collector 17 p0102 A78-19225
- Mechanical engineering department [UCRL-50016-77-3] 19 p0431 A78-25645
- CZOCHELSKI METHOD**
- Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036

LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth
[NASA-CR-157135] 19 p0408 A78-24656

D

DATA ACQUISITION

A data acquisition system for in situ measurements of terrestrial photovoltaic array performance
17 p0023 A78-11029

Determination of design and operational criteria for offshore facilities
[AIAA 77-1577] 17 p0069 A78-13663

Inexpensive solar collectors for agricultural requirements
17 p0105 A78-19837

Solar irradiance, total and spectral --- data for cost-effective solar energy conversion
18 p0199 A78-27853

CODAS - The proposed control and data acquisition system for JET --- Joint European Torus
19 p0355 A78-39986

Microprocessor-based solar cell measurement system
19 p0365 A78-40919

Some data collected by experiments to be utilized for solar energy application
19 p0370 A78-42107

Subsystem design package for Mod 2 site data acquisition system: Solar heating and cooling
[NASA-CR-150588] 18 p0274 A78-20609

Geothermal environmental studies, Heber region, Imperial Valley, California. Environmental baseline data acquisition
[EPRI-RR-352] 18 p0286 A78-21630

DATA BASES

Hourly direct-normal solar radiation data tapes for the United States
17 p0049 A78-11288

A pilot system for the Texas energy data bank and information retrieval system
17 p0118 A78-10957

Decision making with interactive access to integrated administrative and technological data bases. An illustrated conceptual overview --- energy storage
[UCRL-80353] 18 p0290 A78-21986

Environmental assessment of high-BTU gasification
[PB-278175/5] 19 p0450 A78-26646

Data bank for the geographical allocation of future US energy supply facilities by county
[BNL-50754] 19 p0463 A78-27590

Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 A78-27791

DATA COLLECTION PLATFORMS

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] 19 p0394 A78-23500

DATA CORRELATION

Synthoil hydrodynamics
[COO-0056-4] 18 p0273 A78-20473

DATA MANAGEMENT

Interactive data management and analysis system for the Eastern Gas Shale Program
[NLN-2469(OP)] 19 p0401 A78-23988

DATA PROCESSING

Processing the results of experiments on the U-25 unit by means of an information measuring system --- MHD generator
17 p0002 A78-10246

Remote sensing - A burgeoning science --- Canadian programs
17 p0063 A78-12214

Central Data Processing System (CDPS) user's manual: Solar heating and cooling program
[NASA-CR-150580] 18 p0283 A78-21595

Interactive data management and analysis system for the Eastern Gas Shale Program
[NLN-2469(OP)] 19 p0401 A78-23988

DATA RECORDING

Tar sand evaluation using geophysical well logs
19 p0368 A78-41819

DATA REDUCTION

Solar power satellite system definition study. Part 2, volume 6: Evaluation data book
[NASA-CR-151670] 18 p0271 A78-20160

DATA SMOOTHING

An algorithm for constrained optimization with semismooth functions
[IITASA-RR-77-3] 17 p0121 A78-11511

DATA SYSTEMS

Information system for transportation energy
18 p0194 A78-27545

DATA TRANSMISSION

Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants
17 p0065 A78-12936

DECISION MAKING

An approach to decision modeling for an ignition test reactor --- The Next Step Tokamak design
19 p0346 A78-39797

Information and data flows in societal problem areas: Focus-energy
[PB-269497/4] 17 p0118 A78-10965

Decision making with interactive access to integrated administrative and technological data bases. An illustrated conceptual overview --- energy storage
[UCRL-80353] 18 p0290 A78-21986

Energy policy and strategy for rural development, part 1
[GPO-94-275] 19 p0397 A78-23569

Energy policy and strategy for rural development, part 2
[GPO-97-394] 19 p0397 A78-23570

Development of a unified criterion for solar collector selection --- for decision making
19 p0402 A78-24237

Venture analysis case study of combined gas and steam power systems for the generation of utility electric power
[APAE-2483-5] 19 p0416 A78-25337

A dynamic energy optimization model under uncertainty --- natural gas models and decision making
19 p0456 A78-27516

Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system
[HCF/M2534] 19 p0463 A78-27584

DECOMPOSITION

An ionic model for the systematic selection of chemical decomposition reactions for energy storage
17 p0051 A78-11307

DECONTAMINATION

Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons
18 p0193 A78-26818

DEEPWATER TERMINALS

Anchor systems --- for offshore power plants
19 p0303 A78-33328

DEFENSE INDUSTRY

DOD/ERDA terrestrial photovoltaic systems demonstration program
17 p0022 A78-11016

DEGASSING

Clean fuels from coal - Finding the right combination
17 p0065 A78-12604

DEGRADATION

Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery
18 p0237 A78-16171

Photon degradation effects in terrestrial solar cells
[NASA-TN-78924] 19 p0421 A78-25551

DEHYDRATION

Design and performance of an air collector for industrial crop dehydration
17 p0104 A78-19828

DELAWARE

The petroleum industry in the Delaware estuary
[PB-277962/7] 19 p0451 A78-26653

DELPHI METHOD (FORECASTING)

Outline for a hydrogen economy in 1985-2000
17 p0100 A78-18848

DEMAND (ECONOMICS)

Energy supply-demand integrations to the year 2000: Global and national studies --- Book
18 p0165 A78-20618

- Development of a flow-model for energies and products 18 p0187 A78-25946
- Demand sensitive energy storage in molten salts 18 p0220 A78-30264
- Demand for gasoline 17 p0110 N78-10551
- Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide [PB-268850/5] 17 p0116 N78-10599
- Transportation in America's future: Potentials for the next half century. Part 2. Transportation forecasts [PB-270468/2] 17 p0129 N78-12909
- Application of near-term fossil technologies to the energy supply/demand profiles of the U.S. states and regions [PE-2442-1] 17 p0155 N78-14679
- A study of the energy consequences of alternative transport policies in intercity freight markets 18 p0258 N78-18547
- Data needs in transportation energy conservation research 18 p0259 N78-18554
- An overview of US energy options: Supply- and demand-side history and prospects [NASA-CR-155986] 18 p0264 N78-19610
- Energy demand modeling and forecasting [PB-274336/7] 18 p0270 N78-19676
- Energy supply and environmental impacts: Conventional energy sources [PB-276410/8] 18 p0289 N78-21669
- The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 --- Venezuelan exports [AD-A051131] 19 p0403 N78-24372
- Forecasting and modeling time-of-day and seasonal electricity demands [EPRI-EA-578-SR] 19 p0425 N78-25598
- Analysis of policy options for accelerating commercialization of solar heating and cooling systems [TID-27597] 19 p0428 N78-25615
- Methodology for predicting the demand for new electricity using goods [EPRI-EA-593] 19 p0445 N78-26570
- DENDRITIC CRYSTALS**
- Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni /CO/4 18 p0221 A78-30302
- DENITROGENATION**
- Catalytic hydroprocessing of shale oil to produce distillate fuels [CONF-770814-9] 19 p0423 N78-25579
- DENSE PLASMAS**
- Neutral particle emission of the pulsator plasma during high-density discharges --- in tokamaks 19 p0379 A78-42216
- Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- DENSITY (MASS/VOLUME)**
- Models for calculating density and vapor pressure of geothermal brines 18 p0206 A78-28249
- Borehole gravity survey to determine density variations in the Devonian shale sequence of Lincoln County [NERC/CR-77/7] 17 p0157 N78-14729
- Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 N78-20376
- Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3] 19 p0410 N78-24680
- DENSITY MEASUREMENT**
- Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 N78-20376
- DEPOSITION**
- Particulate deposition in direct fired MHD air preheaters [ASME PAPER 77-HT-65] 17 p0090 A78-17497
- DESALINIZATION**
- Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- The application of wind energy systems to desalination [PB-276174/0] 18 p0285 N78-21620
- DESERTS**
- Hydroelectric solar energy conversion 19 p0368 A78-41813
- Solar energy conversion: An analysis of impacts on desert ecosystems [COO-4339-1] 19 p0427 N78-25612
- DESICCANTS**
- A solar powered desiccant air conditioning system 17 p0046 A78-11245
- DESIGN ANALYSIS**
- Interface design considerations for terrestrial solar cell modules 17 p0023 A78-11030
- Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system 17 p0058 A78-11372
- Construction physics for solar houses 17 p0071 A78-14094
- Solar collector design --- Book 18 p0167 A78-21698
- Choice of optimal configuration of frame and cross section shape for a frame-type MHD channel 18 p0168 A78-22139
- Performance-optimized horizontal-axis wind turbines 18 p0169 A78-22232
- Some design aspects of high-speed vertical-axis wind turbines 18 p0169 A78-22235
- Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190
- General principles of calculating multielement concentrating systems --- solar collectors 19 p0326 A78-36136
- Selection of a method for calculating parameters of storage devices used at wind and solar installations 19 p0326 A78-36138
- Israel Conference on Mechanical Engineering, 11th, Technion - Israel Institute of Technology, Haifa, Israel, July 11, 12, 1977, Proceedings --- computer aided aircraft and radial gas turbine engines 19 p0367 A78-41506
- Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860
- Selenide isotope generators [CONF-770302-1] 17 p0114 N78-10581
- Design and cost study of nickel-zinc batteries for electric vehicle [ANL-K-76-3541-1] 17 p0114 N78-10585
- Electric vehicle propulsion batteries: Design and cost study for nickel/zinc battery manufacture, task A [ANL-K-77-3542-1] 17 p0142 N78-13594
- Major features of D-T Tokamak fusion reactor systems [EPRI-472-1] 17 p0147 N78-13903
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 2: Analysis and design [NASA-CR-134935] 18 p0248 N78-17462
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 3: Supplementary design and analysis tasks [NASA-CR-135121] 18 p0248 N78-17463
- SIMS prototype system 1: Design data brochure --- solar heating system [NASA-CR-150534] 18 p0250 N78-17484
- Some alternative dynamic design configurations for large horizontal axis WECS 18 p0266 N78-19634
- Near-term electric vehicle program, phase 1 [SAN/1295-1] 18 p0273 N78-20448
- Preliminary design review package on air flat plate collector for solar heating and cooling system [NASA-CR-150601] 18 p0275 N78-20616
- Preliminary design package for maxi-therm heat exchanger module [NASA-CR-150620] 19 p0389 N78-22473

- Air-liquid solar collector for solar heating, combined heating and cooling, and hot water subsystems
[NASA-CR-150569] 19 p0389 N78-22475
- Design study of wind turbines, 50 kW to 3000 kW for electric utility applications: Executive summary
[NASA-CR-134936] 19 p0395 N78-23559
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications: Analysis and design
[NASA-CR-134937] 19 p0395 N78-23560
- Terrestrial solar cell module automated array assembly, task 4
[NASA-CR-156982] 19 p0396 N78-23565
- Preliminary design package for prototype solar heating system
[NASA-CR-150615] 19 p0405 N78-24610
- High efficiency, long life terrestrial solar panel
[NASA-CR-157060] 19 p0407 N78-24649
- Conceptual design of a 5x CPC for solar total energy systems
[CONF-770953-5] 19 p0429 N78-25629
- Development and fabrication of a concentrating solar collector subsystem
[NASA-CR-150713] 19 p0444 N78-26558
- Testing and evaluation of MHD materials and substructures
[PB-2246-3-BEV-A] 19 p0446 N78-26581
- MHD generator component development
[PB-2519-1] 19 p0447 N78-26596
- Preliminary design package for solar heating and hot water system
[NASA-CR-150616] 19 p0458 N78-27536
- DESULFURIZING**
- Scrubbers win the energy-SC2 controversy
17 p0002 A78-10300
- A history of flue gas desulfurization systems since 1850 - Research, development and demonstration
17 p0003 A78-10502
- Coal desulfurization by the Battelle Hydrothermal Coal Process
17 p0029 A78-11082
- Experimental determination of alkali impurity release from various dolomites
17 p0073 A78-14218
- Coal desulfurization --- Book
17 p0087 A78-17143
- Aspects relative to security and environment in the production and use of hydrogen in the new Esso refinery at Antwerp
17 p0101 A78-18854
- Key steps to coal conversion --- from oil burners
18 p0179 A78-24328
- Sulfur control for coal combustion
18 p0182 A78-24762
- Effect of coal minerals on reaction rates during coal liquefaction
18 p0190 A78-26579
- Catalytic liquefaction of coal
18 p0191 A78-26583
- Kinetics of coal hydrodesulfurization in a batch reactor
18 p0191 A78-26584
- Deactivation of hydrodesulfurization catalysts under coal liquids. I - Loss of hydrogenation activity due to carbonaceous deposits
18 p0203 A78-27919
- Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics
18 p0203 A78-27920
- Bergbau-Forschung process for the desulfurization of flue gas
18 p0223 A78-30708
- Chemistry, thermodynamics and kinetics of reactions of sulphur in coal-gas reactions - A review
18 p0229 A78-31749
- Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
- What's new in high temperature sulfur removal systems for fluidized-bed coal gasification
18 p0233 A78-32217
- Chemical desulfurization of coal
19 p0320 A78-35693
- The use of oxygen/water for removal of sulfur from coals
19 p0320 A78-35694
- Consol stack gas process for SO2 removal
19 p0320 A78-35697
- Pollution control with SO2 recovery
19 p0328 A78-36679
- Desulfurization of petroleum residues and their carbonization properties
19 p0337 A78-38406
- Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product
19 p0363 A78-40594
- Evaluation of background data relating to new source performance standards for Lurgi gasification
[PB-269557/5] 17 p0117 N78-10631
- High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246
- Devolatilization and desulfurization of Iowa coal
17 p0125 N78-12525
- The status of flue gas desulfurization applications in the United States: A technological assessment, highlights
[PB-271361/8] 17 p0128 N78-12560
- The status of flue gas desulfurization applications in the United States: A technological assessment, report in full
[PB-271362/6] 17 p0128 N78-12561
- Electric utilities use of flue gas desulfurization technology in the United States
[PB-274120/5] 18 p0251 N78-17514
- Pilot plant study of conversion of coal to low sulfur fuel
[PB-274113/0] 18 p0260 N78-18565
- Coal desulfurization by low temperature chlorinolysis, phase 1
[NASA-CR-157172] 19 p0419 N78-25533
- Regenerative process for desulfurization of high temperature combustion and fuel gases
[BNL-50706] 19 p0427 N78-25610
- Effective control of secondary water pollution from flue gas desulfurization systems
[PB-278373/6] 19 p0450 N78-26645
- EPA utility FGD (Flue Gas Desulfurization) survey: December 1977 - January 1978
[PB-279011/1] 19 p0466 N78-27622
- Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report
[PB-279417/0] 19 p0467 N78-27659
- DETERIORATION**
- A review of diesel fuel deterioration and related problems
[AD-A043566] 17 p0109 N78-10308
- DETONATION**
- Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology
[AD-A046641] 17 p0158 N78-15295
- DEUTERIUM**
- Cryogenic supplies for the TFTR neutral beam line cryopanels --- Tokamak Fusion Test Reactor
19 p0352 A78-39951
- Ignition of catalyzed-D reactor from D-T burning
19 p0358 A78-40083
- Exploratory studies of high-efficiency advance fuel fusion reactors
[EPRI-ER-581] 19 p0435 N78-25938
- DEUTERIUM PLASMA**
- Energy optimization of a cycled Tokamak
17 p0087 A78-17133
- Heliotron as a D-D fusion reactor - Preliminary analysis
18 p0220 A78-30226
- TFTR vacuum system --- Tokamak Fusion Test Reactor
19 p0325 A78-36046
- An approach to decision modeling for an ignition test reactor --- The Next Step Tokamak design
19 p0346 A78-39797
- A lower hybrid heating system for an ignition tokamak
19 p0354 A78-39972
- Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K
19 p0359 A78-40112
- The Shiva laser - Nearing completion
19 p0360 A78-40226

- Recent results on plasma-wall interaction in the
T. F. R. tokamak 19 p0377 A78-42202
- DEUTERONS**
Measurements of high-energy deuterons in the
plasma-focus device 18 p0235 A78-32439
- DEVELOPING NATIONS**
Technical and socio-economic aspects of solar
energy and rural development in developing
countries 17 p0083 A78-16829
Wind power installations for water pumping in
developing countries 18 p0171 A78-22247
Solar energy for village development 18 p0176 A78-23564
Energy resources of the developing countries and
some priority markets for the use of solar energy 18 p0179 A78-24400
Application of solar energy biocconversion in
developing countries 18 p0208 A78-28367
Possibilities for wind energy applications in
nations of the Third World 18 p0211 A78-28569
Energy in developing countries: Prospects and
problems [IAEA-CN-36/581] 17 p0116 A78-10603
- DIELECTRIC PROPERTIES**
Dielectric breakdown of liquid and vapor helium in
bulk and across epoxy insulation 19 p0357 A78-40047
Dielectric relaxation in polymers at low
temperatures 17 p0148 A78-14170
- DIELECTRICS**
All-dielectric compound parabolic concentrator 17 p0001 A78-10152
High energy density, long life energy storage
capacitor dielectric system 19 p0359 A78-40099
Development of selective solar surfaces 19 p0375 A78-42152
- DIESEL ENGINES**
Use of methanol in diesel engine - An experimental
study of engine performance 18 p0199 A78-27827
Investigation of some factors affecting the
performance of an alcohol-diesel oil dual fuel
engine 18 p0199 A78-27829
How do alternative powerplant costs compare 19 p0313 A78-34677
Performance characteristics of automotive engines
in the United States. Report no. 8: Mitsubishi
Model 6DS7 diesel engine [PB-274374/8] 18 p0254 A78-18437
Transit bus propulsion systems alternate power
plant installation [PB-276612/9] 19 p0387 A78-22385
Energy use and other comparisons between diesel
and gasoline pickup trucks [PB-277464] 19 p0404 A78-24564
Experiments with novel fuels for diesel engines
[BERC/TPR-77/8] 19 p0436 A78-26225
- DIESEL FUELS**
A review of diesel fuel deterioration and related
problems [AD-A043566] 17 p0109 A78-10308
Corrective action program for
bromochloromethane-containing fire-safe diesel
fuel [AD-A043323] 17 p0119 A78-11253
Performance and emissions of a catalytic reactor
with propane, diesel, and Jet A fuels
[NASA-TN-73786] 17 p0148 A78-14177
Comparison tests on the 100-GPM electrokinetic
fuel decontaminator and a 100-GPM military
standard filter/separator [AD-A048655] 18 p0253 A78-18226
Time- and space-resolved species determination in
diesel combustion using continuous flow gas
sampling 18 p0279 A78-21227
Diesel fuel oils, 1977 [BERC/PPS-77/5] 18 p0281 A78-21324
Steam reforming of methyl fuel, phase 1
[AD-A044787] 19 p0403 A78-24375
- Experiments with novel fuels for diesel engines
[BERC/TPR-77/8] 19 p0436 A78-26225
Effect of diesel fuel on Stirling engine ground
power unit components --- fuel system
[GHR-2690-SECT-1.201] 19 p0437 A78-26251
- DIFFERENTIAL EQUATIONS**
Use of asymptotic methods in vibration analysis 18 p0265 A78-19620
- DIFFUSE RADIATION**
A correction procedure for separating direct and
diffuse insolation on a horizontal surface 17 p0105 A78-19839
Estimation of the monthly average of the diffuse
component of total insolation on a horizontal
surface 17 p0105 A78-19840
Solar energy availability prediction from
climatological data 18 p0199 A78-27854
Solar energy for use as a source of power 19 p0370 A78-42104
Radiation measurements for solar energy utilization 19 p0370 A78-42109
- DIFFUSERS**
Windmills with diffuser effect induced by small
tipvanes 18 p0171 A78-22245
Diffuser augmentation of wind turbines 19 p0312 A78-34512
Investigation of diffuser-augmented wind turbines.
Part 1: Executive summary [COO-2616-2-PT-1] 17 p0154 A78-14668
Investigation of diffuser-augmented wind turbines.
Part 2: Technical report [COO-2616-2-PT-2] 17 p0154 A78-14669
- DIFFUSION**
Review of air quality modeling techniques. Volume
8: health and safety impacts of nuclear,
geothermal, and fossil-fuel electric generation
in California [LBL-5998] 17 p0117 A78-10615
- DIFFUSION COEFFICIENT**
Diffusion length measurement by a simple
photoresponse technique --- for MIS and Schottky
barrier solar cells 17 p0026 A78-11050
Study of diffusion processes in low-temperature
thermal elements --- for solar energy conversion 19 p0326 A78-36135
- DIFFUSION ELECTRODES**
Model considerations concerning the
gas-electrolyte balance of supported
gas-diffusion electrodes for fuel cells 17 p0096 A78-18646
- DIFFUSION WELDING**
Development and fabrication of a diffusion welded
Columbium alloy heat exchanger --- for space
power generation [AIEE PAPER A78-61] 18 p0228 A78-31500
- DIFFUSIVITY**
Surface ignition of coal and other fuel particles
in radiative and diffusive environment --- in
MHD combustor 18 p0222 A78-30511
- DIGESTING**
Past production of methane by anaerobic digestion
[COO-2900-11] 19 p0416 A78-25252
- DIGITAL COMPUTERS**
Solar and wind home heating and domestic hot water
systems: Energy and economics study 17 p0111 A78-10555
Digital load control for hydroelectric powerplants
[FB-274027/2] 18 p0251 A78-17492
Plans for wind energy system simulation 18 p0267 A78-19640
- DIGITAL SIMULATION**
Simplified techniques for sizing residential solar
heating systems 17 p0047 A78-11256
Gravel-filled trenches in earth for annual thermal
energy storage 17 p0050 A78-11297
A numerical simulation of heat transfer in rock beds 17 p0050 A78-11305
Synchronization of wind turbine generators against
an infinite bus under gusting wind conditions
[IEEE PAPER P 77 675-2] 18 p0219 A78-30196

A digital computer program for simulating electric vehicle performance
[SAE PAPER 780216] 19 p0307 A78-33377

Computer simulation of an advanced hybrid electric-powered vehicle
[SAE PAPER 780217] 19 p0307 A78-33378

Generalized numerical model for predicting energy transfers and performance of large solar ponds
[UCRL-13722] 17 p0161 A78-15576

DIODES
Thermic diode solar panels for space heating
19 p0314 A78-34936

DIPHENYL COMPOUNDS
Pyrolysis of 1,2-diphenylethane in the presence of tetralin
19 p0342 A78-39124

DIRECT CURRENT
Experiments with enhanced mode thermionic converters
18 p0218 A78-29636

Properties of a collectorless motor fed from a three-phase current-source
18 p0235 A78-32430

Potential damage to dc superconducting magnets due to high frequency electromagnetic waves
19 p0350 A78-39902

Dual 30 kA, HVDC interrupter test facility --- for fusion reactors
19 p0353 A78-39959

Investigations concerning direct-current operated local-traffic vehicles with low reactive effects
19 p0365 A78-40866

Prospects of using superconducting dc lines
[BNL-TR-637] 17 p0115 A78-10589

Hemipolar generator development at the University of Texas
[ORO-5594-7] 19 p0467 A78-27922

DIRECT POWER GENERATORS
Experimental and computational results on direct energy conversion for mirror fusion reactors
17 p0064 A78-12486

Methods of energy conversion /Some results of the International Electrotechnology Congress - Moscow, 1977/
19 p0325 A78-36126

Direct energy conversion of exhaust fusion plasma by magnetic deflection
19 p0348 A78-39815

Engineering of beam direct conversion for a 120-kV, 1-MW ion beam
19 p0348 A78-39834

DIRECTIONAL ANTENNAS
The beamed power microwave transmitting antenna
19 p0340 A78-38841

DISPERSING
Ambient air quality in complex terrain
18 p0167 A78-21833

DISPERSIONS
A dispersion model for the Solvent Refined Coal process
18 p0230 A78-31871

DISPLACEMENT
Interfacial effects in the recovery of residual oil by displacement: Studies at Northwestern University
[COO-0039-5] 18 p0244 A78-16494

DISSOLVING
Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
19 p0343 A78-39462

Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems
19 p0344 A78-39465

DISTILLATION
Experimental work on oil shale at Lawrence Livermore Laboratory and predictions of retorting characteristics of oil shales
19 p0367 A78-41518

Catalytic hydroprocessing of shale oil to produce distillate fuels
[CONF-770814-9] 19 p0423 A78-25579

Enthalpy measurement of coal-derived liquids
[FE-2035-10] 19 p0452 A78-26962

DIURNAL VARIATIONS

On the correlation between daily amounts of solar and wind energy and monthly trends of the two energy sources
17 p0052 A78-11318

Variance analysis of wind characteristics for energy conversion
17 p0092 A78-17653

Selection of a method for calculating parameters of storage devices used at wind and solar installations
19 p0326 A78-36138

Daily input modelling for solar collectors and systems
19 p0383 A78-42890

Typical vehicle diurnal
[PB-27C690/1] 17 p0145 A78-13633

DIVERTERS
Design, construction and operation of the DITE divertor field system --- Divertor Injection Tokamak Experiment
17 p0039 A78-11175

The practical feasibility of a bundle divertor for a Tokamak power reactor
17 p0041 A78-11188

Bundle divertor designs for the ILB advanced fuel tokamaks
19 p0355 A78-39985

Divertors for impurity control and review of impurity effects in PPI tokamaks
19 p0377 A78-42203

A review of work on plasma-wall interactions and divertor experiments on DITE
19 p0377 A78-42204

The effect of electric field in the divertor scrape-off layer
19 p0379 A78-42215

On toroidal divertors for tokamaks
19 p0379 A78-42242

DOLOMITE (MINERAL)
Experimental determination of alkali impurity release from various dolomites
17 p0073 A78-14218

Acton mass flow system applied to PFBC feed
17 p0133 A78-13267

DOMES (GEOLOGY)
Salt domes - Is there more energy available from their salt than from their oil --- salinity gradient energy due to osmotic pressure difference
18 p0217 A78-29623

Preliminary study of the present and possible future oil and gas development of areas immediately surrounding the Interior Salt Domes Upper Gulf Coast Salt Dome basins of east Texas, north Louisiana, and Mississippi
[ORNL/SUB-75/87988] 17 p0110 A78-10545

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 1: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-1] 19 p0390 A78-22487

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 2, appendices A and B: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-2] 19 p0391 A78-22488

DOMESTIC ENERGY
The value of solar heating
17 p0004 A78-10616

Projected market penetration of solar heating and cooling in the United States
17 p0005 A78-10622

Power from the oceans' thermal gradients
17 p0006 A78-10652

A long-term solution to fossil fuel depletion --- biomass energy conversion technology assessment
17 p0010 A78-10739

The prospect for geothermal power
17 p0010 A78-10740

Solar-electric residential system tests
17 p0010 A78-10741

Potential role of solar thermal electric power in the U.S.
17 p0010 A78-10743

Coal-based options for generation of electricity
17 p0028 A78-11071

Solar energy and domestic heating needs
17 p0029 A78-11085

- Solar energy utilization and resource recovery application in space heating 17 p0031 A78-11104
- Design of a large solar heating system for a campus complex of buildings 17 p0032 A78-11105
- A solar energy system for domestic hot water 17 p0032 A78-11106
- Comparative residential energy consumption and fuel costs with various types of systems - Oil-, gas-, electric-furnaces and heat pumps 17 p0033 A78-11118
- Evaluation of an energy conserving research house involving multi-modal operation of solar and heat pump systems 17 p0046 A78-11244
- Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system 17 p0046 A78-11246
- Simplified techniques for sizing residential solar heating systems 17 p0047 A78-11256
- A hybrid passive/active solar house 17 p0047 A78-11269
- Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- A feasibility study of a combined wind-solar system for space and domestic hot water heating 17 p0052 A78-11319
- Residential photovoltaic prototype system definition study 17 p0054 A78-11338
- Impact of domestic solar heating systems utilizing off peak storage on electric utilities 17 p0055 A78-11344
- Preferred residential solar heating and cooling systems compatible with electric utility operation 17 p0055 A78-11345
- Analytical performance and economic evaluation of residential wind or wind and solar heating systems 17 p0055 A78-11347
- A solar economic performance model for residential applications 17 p0056 A78-11354
- Effect of tax-credits on the economics of solar heating for homeowners 17 p0057 A78-11356
- An evaluation of residential heating methods in terms of energy conservation, environmental impact and life-cycle economics 17 p0057 A78-11357
- Marshall Space Flight Center development program for solar heating and cooling systems 17 p0058 A78-11368
- Some recent domestic solar energy systems in Europe 17 p0065 A78-12909
- Forty-nine theses on energy policy --- West German situation 17 p0074 A78-14420
- Tritherm heating --- synthesis of solar, heat pump and fossil fuel heating 17 p0074 A78-14421
- Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- Properties of some salt hydrates for latent heat storage 17 p0075 A78-14691
- Solar energy and economic considerations 17 p0078 A78-15407
- Non-electrical uses of geothermal energy 17 p0082 A78-16635
- Solar energy and Congress --- program budget appropriations 17 p0083 A78-16828
- Estimation of the characteristic time required for construction of energy delivery systems 17 p0088 A78-17424
- Ground as a heat source --- for house heating 17 p0097 A78-18816
- Advances in solar water heating for domestic use in Australia 17 p0105 A78-19834
- On the right to sunshine --- homeowner access to solar energy 17 p0105 A78-19836
- Passive solar heating and cooling systems 18 p0175 A78-23425
- Energy and water --- energy resources correlation with fresh water availability 18 p0175 A78-23562
- A microprocessor-based control system for solar heated/cooled residential dwellings 18 p0176 A78-23896
- Cost-effective electricity rates - A stronger incentive to rational energy use 18 p0176 A78-23919
- Input-output models support corrections of previous principles for the estimation of energy economy and development strategies in directed systems 18 p0177 A78-23940
- Natural gas technology --- emphasizing production from unconventional sources in U.S.A. 18 p0180 A78-24752
- ERDA's Solar Energy Research and Development Program 18 p0180 A78-24753
- Solar industry - Status report and forecast 18 p0181 A78-24754
- Application of solar energy to schools and residences 18 p0181 A78-24759
- Solar design and installation experience --- pyramidal optics for use in residential buildings 18 p0181 A78-24761
- Solar biomass energy - An overview of U.S. potential 18 p0193 A78-26967
- Oil shale - Its time has come 18 p0196 A78-27784
- A wealth of waste - A shortage of energy --- organic wastes for fuel conversion in U.S. 18 p0197 A78-27802
- Solar heating and cooling of homes 18 p0201 A78-27867
- Heating with the sun II - Principles of solar technology; Meeting, 3rd, Munich, West Germany, March 3, 4, 1977, Report. Volume 2 - Practical technology for residences 18 p0212 A78-28576
- Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596
- Heating costs and rentability - Projection of growth of demand in the housing market 18 p0214 A78-28597
- Payback of solar systems 18 p0220 A78-30266
- Thermal simulation of a passive solar house using a Trombe-Michel wall structure 18 p0220 A78-30269
- Utilities put the sun to work 18 p0223 A78-30744
- How to build wind wheels: Construction and calculation --- German book 18 p0231 A78-32075
- ENSO - Casa del Sol of the future 18 p0232 A78-32114
- Empirical and theoretical statistics of windcharger home heating potential 18 p0236 A78-32506
- A solar energy system for space heating and space cooling 19 p0295 A78-33033
- Heat transfer analysis of a system for annual collection and storage of solar energy 19 p0296 A78-33038
- On the study of applications of solar thermal energy for mobile home park and community 19 p0296 A78-33040
- Transient conduction in the space surrounding a ring of holes --- solar energy earth storage [ASME PAPER 77-WA/HT-12] 19 p0299 A78-33175
- Economic incentives for the commercialization of OTEC --- Ocean Thermal Energy Conversion 19 p0301 A78-33307
- OTEC implementation problems for specific missions --- Ocean Thermal Energy Conversion 19 p0302 A78-33315
- Coal gasification - Better late than never 19 p0310 A78-34223
- Political and economic justification for immediate realization of a syn fuels industry 19 p0310 A78-34225

A comparison of some alternative domestic energy systems --- solar, heat pump and conventional space and water heating 19 p0316 A78-35361

Use of heat pumps with solar collectors for domestic space heating in the United Kingdom 19 p0341 A78-38971

New designs and applications of medium-sized wind systems 19 p0361 A78-40369

Solar heating and air conditioning for the southwestern United States 19 p0361 A78-40370

Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems 19 p0375 A78-42149

A domestic multi-purpose solar energy unit 19 p0376 A78-42165

Testing of five solar cookers Jodhpur 19 p0376 A78-42166

Solar energy for tractors 19 p0376 A78-42168

Emissions and energy conservation in residential oil heating 19 p0384 A78-42902

Survey of research and development activities in the Netherlands on heat pumps for residential heating [CTI-76-09497] 17 p0156 A78-14684

SIMS prototype system 1 test results: Engineering analysis [NASA-CR-150522] 18 p0256 A78-18527

Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1 [EPRI-EA-433-VOL-1] 18 p0286 A78-21637

DOPED CRYSTALS

A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906

Silicon solar cells from transition metal doped Czochralski and web crystals 17 p0013 A78-10922

Doped silver catalysts for H₂/air fuel cells 17 p0095 A78-18644

Epitaxial silicon solar cells with uniformly doped layer 18 p0228 A78-31732

The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008

Transmutation doping of silicon solar cells 17 p0137 A78-13539

DRAFT (GAS FLOW)

EPA utility PGD (Flue Gas Desulfurization) survey: December 1977 - January 1978 [PE-279011/1] 19 p0466 A78-27622

DRAG MEASUREMENT

Calculation of the drag of a cylindrical pebble-type heat retainer --- for solar energy accumulation 18 p0215 A78-28899

DRAG REDUCTION

The influence of blade thickness on the output of vertical axis wind turbines 19 p0381 A78-42417

DRILL BITS

Seals for geothermal roller drill bits [ASME PAPER 77-PET-53] 17 p0077 A78-15081

Geothermal drill bit improvement - Specific application to the Geysers [ASME PAPER 77-PET-67] 17 p0077 A78-15082

DRILLING

Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534

Tar sand evaluation using geophysical well logs 19 p0368 A78-41819

Air quality analysis of the Southern California Bight in relation to potential impact of offshore oil and gas development [PB-279088/9] 19 p0467 A78-27665

DROPS (LIQUIDS)

Analysis of a new concept for a high temperature direct coal-fired falling particle air pre-heater for MHD power generation [ASME PAPER 77-HT-60] 17 p0089 A78-17492

DRY HEAT

Heat transfer effects in forced geoheat recovery systems 19 p0395 A78-23554

DRYING

Europe's largest solar facility dries animal feed 18 p0221 A78-30322

DRYING APPARATUS

Coal dryer emission control with the energy saving centripetal vortex wet scrubber [APCA PAPER 77-17,5] 18 p0185 A78-25424

DUCTED FLOW

Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115

DUST

A modeling analysis of the impact of the energy shortage on ambient air quality 19 p0320 A78-35683

DUST COLLECTORS

Dust removal in energy generating plants 17 p0063 A78-11965

DYE LASERS

Stimulated electronic Raman scattering in Cs vapour - A simple tunable laser system for the 2.7 to 3.5 micron region 17 p0064 A78-12440

DYES

Dye sensitization of Schottky barrier solar cells 17 p0055 A78-11340

High-efficiency organic solar cells 18 p0223 A78-30646

DYNAMIC CHARACTERISTICS

Magdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781

Stationary and dynamic behavior of heat pipes 19 p0364 A78-40864

New details on wind power climatology [SAND-77-0696C] 17 p0163 A78-15657

Modal analysis of the first production design heliostat used at the Solar Thermal Test Facility (STTF) [SAND-77-1393] 19 p0410 A78-24686

Study of test methods for large flexible solar arrays (VELSA) --- dynamic characteristics [ESA-CR(P)-1016] 19 p0411 A78-24688

DYNAMIC CONTROL

Dynamic modeling and control of magnetohydrodynamic/steam systems 17 p0028 A78-11070

DYNAMIC LOADS

Wind Turbine Structural Dynamics [NASA-CP-2034] 18 p0265 A78-19616

Comparison of blade loads of fixed and free yawing wind turbine 18 p0267 A78-19637

Comparison of computer codes for calculating dynamic loads in wind turbines [NASA-TN-73773] 19 p0395 A78-23556

DYNAMIC MODELS

Modeling solar cells for use as optical detectors - Background illumination effects 19 p0333 A78-37189

Modeling the sectors of production and energy transformation - The situation in France 19 p0385 A78-43270

Dynamic modeling and sensitivity analysis of solar thermal energy conversion systems 17 p0118 A78-11156

A dynamic model for the efficient utilization of exhaustible energy resources 18 p0263 A78-19598

Dynamic models of the industrial demand for energy [EPRI-EA-580] 19 p0425 A78-25596

Dynamic models of falling film evaporators for ocean thermal energy conversion plants [COO-2641-3] 19 p0447 A78-26591

ETA-MACRO: A model of energy-economy interactions [EPRI-EA-592] 19 p0449 A78-26612

A dynamic energy optimization model under uncertainty --- natural gas models and decision making 19 p0456 A78-27516

Dynamic models of house heating based on equivalent thermal parameters 19 p0456 A78-27517

DYNAMIC PROGRAMMING

Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam 18 p0222 A78-30571

DYNAMIC RESPONSE

Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio 17 p0028 A78-11076

Nonlinear dynamic response of wind turbine rotors 17 p0160 A78-15565

Drive train dynamic analysis 18 p0266 A78-19630

DYNAMIC STABILITY

Aeroelasticity problems in wind energy converters 18 p0210 A78-28562

DYNAMIC STRUCTURAL ANALYSIS

Wind Turbine Structural Dynamics [NASA-CF-2034] 18 p0265 A78-19616

MOD-1 WTC dynamic analysis 18 p0265 A78-19618

Analytical testing techniques 18 p0266 A78-19625

Drive train dynamic analysis 18 p0266 A78-19630

Mod-1 wind turbine generator analysis 18 p0266 A78-19631

Analysis of the thermal fatigue induced by DNB oscillations in the MDAC Rocketdyne pilot and commercial plant solar receiver designs [SAND-77-8283] 19 p0431 A78-25642

DYNAMOMETERS

Performance characteristics of automotive engines in the United States. Report no. 9: Chrysler (1975) 225-CID 1-bbl engine [PB-274375/5] 18 p0254 A78-18438

E

EARTH ALBEDO

Albedo contribution to satellite solar array performance 17 p0019 A78-10990

EARTH ATMOSPHERE

Energy and the atmosphere: A physical-chemical approach --- Book 19 p0327 A78-36497

EARTH RESOURCES

Energy and remote sensing --- satellite exploration, monitoring, siting 17 p0075 A78-14805

The world balance between energy needs and resources by the year 2000. II - Evolution and regional aspects of the problem 17 p0094 A78-18096

Energy resources of the developing countries and some priority markets for the use of solar energy 18 p0179 A78-24400

The risks of energy shortage in the world level 18 p0196 A78-27783

Remote sensing of earth resources. Volume 5 - Annual Remote Sensing of Earth Resources Conference, 5th, Tullahoma, Tenn., March 29-31, 1976, Technical Papers 18 p0198 A78-27823

Domestic energy resource and reserve estimates: Uses, limitations, and needed data [PB-268966/9] 17 p0115 A78-10590

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report [PB-271752/8] 17 p0144 A78-13616

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials [PB-271753/6] 17 p0144 A78-13617

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis [PB-271754/4] 17 p0144 A78-13618

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices [PB-272243/7] 17 p0144 A78-13619

Translations on USSR resources, no. 768 [JPBS-70524] 17 p0159 A78-15557

Three-region world dynamics of fossil/hydrogen energy system 18 p0239 A78-16427

Annotated bibliography of natural resource information: Northwestern New Mexico [PB-276024/7] 18 p0273 A78-20597

Alaska natural resource issues [GPO-95-110] 19 p0404 A78-24601

Carbonaceous shales of Indiana as sources of energy, petrochemicals, and ceramic materials [TID-28179] 19 p0418 A78-25518

EARTH RESOURCES PROGRAM

International Scientific-Technological Conference on Space, 17th, Rome, Italy, March 25, 26, 1977, Proceedings --- and scientific satellites for earth resources monitoring; solar and alternate energy sources 17 p0065 A78-12876

Industrial use of geological remote sensing from space 17 p0075 A78-14787

EARTH SURFACE

Onsite control of sedimentation utilizing the modified block-cut method of surface mining [PB-272244/5] 17 p0159 A78-15552

ECOLOGICAL

What does it concern --- technological information dissemination and social response 18 p0218 A78-29873

Analysis of brine disposal in the Gulf of Mexico. 3: Capline sector [PB-271292/5] 17 p0146 A78-13648

The petroleum industry in the Delaware estuary [PB-277962/7] 19 p0451 A78-26653

ECONOMETRICS

Forecasting and modeling time-of-day and seasonal electricity demands [EPRI-BA-578-SR] 19 p0425 A78-25598

ECONOMIC ANALYSIS

Economic and commercial assessment of solar energy conversion; Proceedings of the Conference, London, England, July 5, 1977 17 p0004 A78-10614

The economic evaluation of solar energy schemes 17 p0004 A78-10615

Economic considerations in the energy supply of Autarkic dwellings 17 p0005 A78-10621

A long-term solution to fossil fuel depletion --- biomass energy conversion technology assessment 17 p0010 A78-10739

Evaluation of wind generator economics in a load duration context 17 p0028 A78-11073

A forecast of electric power generation technology - 1975-2000 17 p0028 A78-11077

Storage of off-peak thermal energy in oil 17 p0029 A78-11078

Solar energy and domestic heating needs 17 p0029 A78-11085

Technoeconomic aspects of photovoltaic electric power systems /PEPS/ 17 p0031 A78-11098

Economic analysis of wind generation and energy storage for electric utility systems 17 p0031 A78-11100

A detailed analysis of the environmental effects of energy utilization in the U.S. economy 17 p0031 A78-11102

A solar economic performance model for residential applications 17 p0056 A78-11354

The sunny side of energy --- solar energy conversion 17 p0070 A78-13800

Estimating the potential of a solar-to-thermal collector industry 17 p0070 A78-13851

Solar energy and economic considerations 17 p0078 A78-15407

Generation of electricity from the wind 17 p0080 A78-16053

Economics and projections for geothermal development in the Northwest --- Washington, Oregon and Idaho 17 p0082 A78-16769

SUBJECT INDEX

ECONOMIC ANALYSIS CONTD

- Technical and socio-economic aspects of solar energy and rural development in developing countries 17 p0083 A78-16829
- Relative evaluation of competing processes - Energetic economy analysis of competing processes of coal and oil chemistry 17 p0087 A78-17349
- Update - Automobile fuel economy 17 p0092 A78-17672
- The consequences and lessons of four years of high-priced energy 17 p0094 A78-18095
- Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry 17 p0101 A78-18850
- Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281] 18 p0166 A78-20788
- Economics of a vertical-axis wind turbine 18 p0170 A78-22243
- Power Soletta: An industrial sun for Europe - Possibilities for an economically feasible supply with solar energy 18 p0172 A78-22741
- Net energy analysis of in situ oil shale processing 18 p0173 A78-22840
- Input-output models support corrections of previous principles for the estimation of energy economy and development strategies in directed systems 18 p0177 A78-23940
- Solar economics comes home 18 p0186 A78-25718
- Development of a flow-model for energies and products 18 p0187 A78-25946
- Cogeneration - A systematic analysis of combined steam and power generation 18 p0188 A78-26108
- Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
- The economics of solar energy 18 p0202 A78-27870
- Can coal-oil mixtures make it as industrial fuels 18 p0206 A78-28210
- Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475
- Results of the German wind energy study 18 p0210 A78-28557
- Economic design of wind electric systems [IEEE PAPER 77-679-4] 18 p0219 A78-30197
- The flat solar collector - An approach to its evaluation 18 p0220 A78-30261
- Payback of solar systems 18 p0220 A78-30266
- Economic feasibility of solar heating systems in the northeastern United States 19 p0295 A78-33035
- A parametric study of hot water storage for peak power generation 19 p0309 A78-34076
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels 19 p0309 A78-34078
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- SO2 control technologies - Commercial availabilities and economics 19 p0310 A78-34224
- Political and economic justification for immediate realization of a syn fuels industry 19 p0310 A78-34225
- Optimization models for the economic design of wind power systems 19 p0314 A78-34934
- Energy modeling and forecasting at the U.S. Energy Research and Development Administration 19 p0316 A78-35420
- The solar transition --- solar energy market 19 p0321 A78-35751
- An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines 19 p0321 A78-35752
- Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ --- German book 19 p0328 A78-36650
- Fundamentals of wind energy --- Book 19 p0341 A78-38572
- Economics of tokamak power systems 19 p0350 A78-39894
- Economic analysis of EBT reactor --- Fluo Buefy Torus 19 p0350 A78-39895
- Large superconducting magnets - A key issue in commercialization of MHD 19 p0362 A78-40509
- Union Oil gets up steam for geothermal energy --- steam and hot water from the earth's crust 19 p0383 A78-42773
- Modeling the sectors of production and energy transformation - The situation in France 19 p0385 A78-43270
- Demand for gasoline 17 p0110 N78-10551
- Pricing effects on frontier oil production [PB-269807/4] 17 p0115 N78-10593
- Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide [PB-268850/5] 17 p0116 N78-10599
- Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 N78-10636
- Cumulative production/consumption effects of the crude oil price incentive rulemakings [PB-271319/6] 17 p0124 N78-12247
- Project Independence Evaluation System (PIES) documentation. Volume 10: Automation of finding rate and discount rates in the FFA gas supply model [PB-269947/8] 17 p0127 N78-12541
- Fuel and energy price forecasts. Volume 2: Data base [EPRI-PA-433-VOL-2] 17 p0140 N78-13575
- Oil/gas complex conceptual design/economic analysis: Oil and SNG production [PB-1775-8] 17 p0161 N78-15575
- Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 2: Phase change. TES sizing computer program [EPRI-EM-256-VOL-2] 17 p0162 N78-15586
- Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 3: Thermochemical TES sizing computer program [EPRI-EM-256-VOL-3] 17 p0162 N78-15587
- Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 N78-15589
- Sampling of water and wastewater [PB-272664/4] 17 p0163 N78-15957
- An analysis of alternative residential heating systems in terms of three criteria: Energy conservation, environmental impact and life-cycle economics 18 p0239 N78-16423
- Technical and economic assessment of phase change and thermochemical advanced thermal energy storage (TES) systems. Volume 4: Solar Power Plant Operation, analysis computer program [EPRI-EM-256-VOL-4] 18 p0242 N78-16462
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 1 [PB-273969/6] 18 p0243 N78-16469
- Costs and energy efficiency of a dual-mode system [PB-272714/7] 18 p0246 N78-16936
- Technical and economic feasibility study of solar/fossil hybrid power systems [NASA-TM-73820] 18 p0250 N78-17486
- Coal energy and the environment: Analysis of economic and energy efficiency implications of environmental and resource constraints on the utilization of coal to produce electricity 18 p0274 N78-20600
- The goldstone energy project [NASA-CR-156133] 18 p0275 N78-20618

- Energy conservation via solar energy applications to multi-family and commercial structures.
Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures
[PB-276131/0] 18 p0289 N78-21657
- The long-run incremental cost of electric utilities
[PB-276082/5] 18 p0289 N78-21660
- Process feasibility study in support of silicon material task 1
[NASA-CR-157030] 19 p0396 N78-23561
- Small refiner bias analysis
[HCP/B70258-01] 19 p0416 N78-25253
- Industrial applications of solar total energy.
Volume 3: Market penetration
[SAN/1132-2/3-V01-3] 19 p0424 N78-25589
- Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 N78-25615
- Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations
[SAND-77-1403] 19 p0428 N78-25620
- Power plant reject heat utilization: An assessment of the potential for wide-scale implementation
[ORNL/TM-5841] 19 p0449 N78-26613
- Factors affecting market initiation of solar total energy
[SAND-78-0148C] 19 p0460 N78-27561
- BUCKS: Economic analysis model of solar electric power plants
[SAND-77-8279] 19 p0460 N78-27564
- ECONOMIC DEVELOPMENT**
- Effects of environmental protection regulation on regional economic development
[PB-278918/8] 19 p0468 N78-28015
- ECONOMIC FACTORS**
- Annual review of energy. Volume 2 --- Book
17 p0007 A78-10675
- A simple model for solar energy economics in the U.K.
17 p0024 A78-11037
- An evaluation of residential heating methods in terms of energy conservation, environmental impact and life-cycle economics
17 p0057 A78-11357
- Effects of solar data accuracy on the performance and economics of solar energy systems
17 p0058 A78-11366
- A procedure for comparing the economy of different electrical space heating systems
17 p0068 A78-13451
- Energy economy in the investment policy of French companies. I - The industrial attitude
17 p0069 A78-13469
- Forty-nine theses on energy policy --- West German situation
17 p0074 A78-14420
- Koppers-Totzek economics and inflation --- entrained slagging gasification process
17 p0074 A78-14539
- Technoeconomic aspects of central photovoltaic power plants
17 p0084 A78-16835
- Profitability of a hydrogen network in a chemical complex
17 p0101 A78-18853
- Liquid hydrogen as energy source - Economic considerations through a comparison with imported liquefied natural gas
17 p0107 A78-20516
- An evaluation of in-situ recovery of tar sands
18 p0189 A78-26250
- Technological innovation and social exploration in economic growth and energy development
18 p0204 A78-27935
- Economics of solar heating and cooling systems
18 p0228 A78-31550
- Energy's challenge to aerospace
19 p0291 A78-32533
- Economic incentives for the commercialization of OTEC --- Ocean Thermal Energy Conversion
19 p0301 A78-33307
- Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration
19 p0302 A78-33313
- Geothermal energy in the Western United States: Innovation versus monopoly --- Book
19 p0322 A78-35768
- Technoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
- UK experience of planning the nuclear contribution to the UK power programme
[IAEA-CN-36/53] 17 p0116 N78-10605
- Transportation in America's future: Potentials for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
- Analysis of requirements for accelerating the development of geothermal energy resources in California
[NASA-CR-155782] 18 p0256 N78-18528
- Electrification of railroads
problems-potentials-economic impacts
18 p0259 N78-18550
- A study of some economic factors relating to the development and implementation of a satellite power system
[NASA-CR-150602] 18 p0268 N78-19654
- Institutional aspects of the energy centers concept
[ANX-3086-1] 18 p0270 N78-19672
- Energy demand modeling and forecasting
[PB-274336/7] 18 p0270 N78-19676
- Energy conservation in the home: An energy education/conservation curriculum guide for home economics teachers
[EDR-1028] 18 p0284 N78-21607
- Health and economic costs of alternative energy sources
[IAEA-CN-36/448] 19 p0390 N78-22484
- Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system
[HCP/M2534] 19 p0463 N78-27584
- ECONOMIC IMPACT**
- The value of solar heating
17 p0004 A78-10616
- How much investment in conversion devices --- for terrestrial solar energy utilization
17 p0004 A78-10617
- Solar water heating - Some economic and commercial aspects
17 p0005 A78-10620
- Projected market penetration of solar heating and cooling in the United States
17 p0005 A78-10622
- Some economic and political aspects of photovoltaic development
17 p0024 A78-11034
- The environmental effects and economic costs of solid waste energy recovery
17 p0033 A78-11113
- Effect of tax-credits on the economics of solar heating for homeowners
17 p0057 A78-11356
- Koppers-Totzek economics and inflation --- entrained slagging gasification process
17 p0074 A78-14539
- The consequences and lessons of four years of high-priced energy
17 p0094 A78-18095
- Solar industry - Status report and forecast
18 p0181 A78-24754
- Some economic and environmental consequences of fusion power
18 p0184 A78-25302
- Technical and economic impacts of the application of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- The hydrogen energy economy: A realistic appraisal of prospects and impacts --- Book
19 p0336 A78-38055
- Impact of confinement physics on reactor design and economics
19 p0346 A78-39794
- World sources of energy and new energy resource development in Iran
17 p0111 N78-10553
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 1: Text
[PB-269365/3] 17 p0115 N78-10596
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables)
[PB-269366/1] 17 p0116 N78-10597

- Impact of natural gas shortage on major industrial fuel burning installations. Volume 3. Appendix: Summary and analysis of fuel-burning characteristics of MFBS [PB-269367/9] 17 p0116 N78-10598
- Economic impact of President Carter's energy program [GPO-91-295] 18 p0239 N78-16429
- Impact of the national energy plan [GPO-91-909] 18 p0239 N78-16430
- Report to Congress on the economic impact of energy actions [PB-272080/3] 18 p0243 N78-16467
- The automotive fuel economy standards for model year 1981-1984 passenger cars [PB-275827/4] 18 p0280 N78-21314
- Rulemaking support paper concerning the 1981-1984 passenger auto average fuel economy standards [PB-275895/1] 18 p0280 N78-21315
- The impact of the President's energy plan on the northeast [GPO-97-013] 19 p0405 N78-24619
- The fuel efficiency incentive tax proposal: Its impact upon the future of the US passenger automobile industry [GPO-93-188] 19 p0412 N78-25002
- ETA-MACRO: A model of energy-economy interactions [EPRI-FA-592] 19 p0449 N78-26612
- An agenda for technology assessment in the materials field. Volume 2: Appendices --- energy technology requirements and impact [PB-278640/8] 19 p0453 N78-27010
- Managing the socio-economic impacts of energy development: A guide for the small community [ERDA-77-79] 19 p0463 N78-27589
- Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities [BNWL-BAP-16] 19 p0468 N78-27975
- Effects of environmental protection regulation on regional economic development [PB-278918/8] 19 p0468 N78-28015
- ECONOMICS**
- Structural descriptions of alternative energy futures [COO-2865-7] 17 p0114 N78-10580
- Petroleum supply alternatives for the northern tier states through 1980 [PB-269809/0] 17 p0116 N78-10600
- Rocky Mountain energy resource development: Status, potential, and socioeconomic issues [PB-269969/2] 17 p0126 N78-12533
- Project Independence Evaluation System (PIES) documentation. Volume 11: Finance submodel for the FEA oil and gas supply model [PB-269988/6] 17 p0126 N78-12540
- Economic study of low temperature geothermal energy in Lassen and Modoc Counties, California [PB-270256/1] 17 p0127 N78-12549
- Investigation of international energy economics [BNWL-2134] 17 p0140 N78-13571
- Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 N78-15564
- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427] 17 p0160 N78-15568
- Overview of technological-economic models for energy policy analysis [BNL-22730] 18 p0241 N78-16451
- Geothermal energy potential for district and process heating applications in the US: An economic analysis [BNWL-2311] 18 p0288 N78-21649
- Production economics for hydrogen, ammonia and methanol during the 1980-2000 period [BNL-50663] 19 p0415 N78-25243
- Dynamic models of the industrial demand for energy [EPRI-FA-580] 19 p0425 N78-25596
- Impacts of the national energy programme on solar economics [LA-UR-78-131] 19 p0444 N78-26567
- An agenda for technology assessment in the materials field. Volume 1: Principal findings --- energy technology requirements and impact [PB-278639/0] 19 p0453 N78-27009
- ECOSYSTEMS**
- Character and transformation of pollutants from major fossil fuel energy sources [ORNL/TN-5919] 17 p0156 N78-14698
- EDDY CURRENTS**
- Eddy current losses and transient magnetic forces in pulsed fusion reactors 17 p0039 A78-11172
- Time dependent study of eddy current loss in a superconducting composite --- for Tokamak toroidal field coils 19 p0355 A78-40007
- EDUCATION**
- Energy conservation in the home: An energy education/conservation curriculum guide for home economics teachers [EDM-1028] 18 p0284 N78-21607
- Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption 19 p0418 N78-25484
- EFFICIENCY**
- Industrial energy thrift scheme [NPL-CHEM-68-PR-1] 17 p0121 N78-11510
- A study of efficiency indicators of urban public transportation systems [PB-270940/0] 17 p0147 N78-13970
- Baseline tests of the AM General DJ-5E electruck electric delivery van [NASA-TN-73758] 18 p0252 N78-17933
- Air transportation energy efficiency 18 p0257 N78-18540
- The energy efficiency of urban transit systems 18 p0258 N78-18541
- EFFLUENTS**
- Instrumental sensing of stationary source emissions --- sulphur dioxide remote sensing for coal-burning power plants 17 p0001 A78-10056
- Effluent characterization from a conical pressurized fluid bed 19 p0300 A78-33221
- Effluent characterization from a conical pressurized fluid bed [NASA-TN-73897] 18 p0283 N78-21596
- Characterization of substances in products, effluents and wastes from synthetic fuel development processes [BNWL-2224] 19 p0410 N78-24683
- EJECTORS**
- Solar powered vapor-compressive refrigeration system using ejector as the thermal compressors 17 p0096 A78-18681
- ELASTODYNAMICS**
- Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977 19 p0360 A78-40301
- ELECTRIC ARCS**
- The formation of electrode arcs and the electric fluctuations in an MHD channel 18 p0194 A78-27137
- ELECTRIC AUTOMOBILES**
- New batteries and their impact on electric vehicles 17 p0085 A78-16923
- First electric city car prototype [EVC PAPER 7755] 17 p0085 A78-16926
- The Copper Electric Town Car - Recent developments [EVC PAPER 7756] 17 p0086 A78-16934
- Environmental and energy considerations for electric vehicles in urban use [EVC PAPER 7753] 17 p0086 A78-16941
- The electric way ahead for road transport 19 p0292 A78-32652
- General safety considerations of the Ohio DOT electric vehicle [SAE PAPER 780160] 19 p0307 A78-33376
- The electric automobile --- technical problems, market prospects and environmental impact 19 p0321 A78-35763
- Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil 17 p0110 N78-10552
- Baseline tests of the AM General DJ-5E electruck electric delivery van [NASA-TN-73758] 18 p0252 N78-17933

ELECTRIC BATTERIES

SUBJECT INDEX

Baseline tests of the Zagato Elcar electric passenger vehicle
[NASA-TN-73764] 18 p0252 N78-17934

Test and evaluation of 23 electric vehicles for state-of-the-art assessment
[NASA-TN-73850] 18 p0252 N78-17937

Baseline tests of the EVA change-of-face coupe electric passenger vehicle
[NASA-TN-73763] 18 p0253 N78-17938

Baseline tests of the EVA contractor electric passenger vehicle
[NASA-TN-73762] 18 p0253 N78-17939

State-of-the-art assessment of electric vehicles and hybrid vehicles
[NASA-TN-73756] 18 p0262 N78-18988

Baseline tests of the EPC Hummingbird electric passenger vehicle
[NASA-TN-73760] 18 p0279 N78-21010

Introduction to the ERDA electric and hybrid demonstration project --- provisions of the Legislative Act
[ERHQ-0008] 18 p0279 N78-21016

Baseline tests of the Kordesh hybrid passenger vehicle
[NASA-TN-73769] 19 p0443 N78-26551

ELECTRIC BATTERIES

New batteries and their impact on electric vehicles
17 p0085 A78-16923

Electric vehicles in the Bell System
[EVC PAPER 7752] 17 p0086 A78-16931

Electric utility fleet applications of electric vehicles
[EVC PAPER 7751] 17 p0086 A78-16940

25 years of fuel cell development /1951-1976/
18 p0233 A78-32235

Study of the manufacturing costs of lead-acid batteries for peaking power
[CONS/2114-2] 17 p0114 N78-10583

Research on battery-operated electric road vehicles
[NASA-TN-75142] 17 p0122 N78-11889

A survey of the use of ceramics in battery and fuel cell applications
[AD-A044888] 17 p0126 N78-12534

Develop nickel-zinc battery suitable for electronic vehicle propulsion. Task A: Design and cost study
[ANL-K-77-3558-1] 17 p0143 N78-13607

Assessment of battery buses
[PB-271321/2] 17 p0148 N78-13976

Electric car technology for demonstration and development
18 p0259 N78-18551

Urban applications and energy impacts of future electric cars
18 p0259 N78-18552

Development of a Ti/Fe redox couple flow battery system
19 p0388 N78-22458

Rapid, efficient charging of lead-acid and nickel-zinc traction cells
[NASA-TN-78901] 19 p0405 N78-24616

High-performance batteries for stationary energy storage and electric-vehicle propulsion
[ANL-77-68] 19 p0425 N78-25593

Baseline tests of the Kordesh hybrid passenger vehicle
[NASA-TN-73769] 19 p0443 N78-26551

State-of-the-art lead-acid vehicle
[ANL-K-77-3639-1] 19 p0459 N78-27547

Ford/ERDA sodium-sulfur battery development, phase 2
[COO-2566-30] 19 p0463 N78-27585

ELECTRIC CELLS

Use of an enzymic electric cell and immobilized hydrogenase in the study of the biophotolysis of water to produce hydrogen
18 p0207 A78-28355

ELECTRIC CONDUCTORS

Ionic thermoelectric power of superionic conductors
18 p0192 A78-26705

ELECTRIC CONTACTS

Fired through printed contacts on antireflection coated silicon terrestrial solar cells
17 p0016 A78-10956

Frequency limitations of transferred electron devices related to quality of contacts
19 p0334 A78-37468

A metallic contact, fast-closing, high current switch --- for fusion-related homopolar machine
19 p0359 A78-40096

Test data on electrical contacts at high surface velocities and high current densities for homopolar generators
[COBP-771029-121] 19 p0467 N78-27924

ELECTRIC CONTROL

Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio
17 p0028 A78-11076

Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads
18 p0189 A78-26265

ELECTRIC CURRENT

Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048

Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells
19 p0335 A78-37944

Photocurrent spectroscopy of semiconductor electrodes in liquid junction solar cells
19 p0343 A78-39456

Shunt regulation electric power system
[NASA-CASE-GSC-10135] 18 p0247 N78-17296

Cost-effective electric power generation from the wind
[PB-273582/7] 18 p0251 N78-17639

Kine-Pak: A self-contained, electrical power generator system --- using a helical spring to rotate a rotor and generate electric current
[NASA-CASE-LAB-11551-1] 19 p0389 N78-22468

Circuit and magnetic analysis for a system of Faraday rotor coils driven by a two-spool, four-rotor homopolar generator
[COBP-771029-119] 19 p0467 N78-27927

ELECTRIC DISCHARGES

'Local' breakdown criterion for a highly ionized gas stream
19 p0292 A78-32707

On the discharge mechanism of silver/alkylammonium polyiodide solid state cells
19 p0363 A78-40621

Fusion applications of fast discharging homopolar machines
[EPRI-EB-625] 19 p0468 N78-27934

ELECTRIC ENERGY STORAGE

Controllable homopolar motor-generator energy storage for application in a fusion power reactor
17 p0007 A78-10680

Pulse power systems employing inductive energy storage
17 p0007 A78-10698

Development of inductive storage for generation of high voltage pulses
17 p0007 A78-10699

Pulsed superconducting inductive storage system
17 p0008 A78-10702

Superconductive inductor storage and converters for pulsed power loads
17 p0008 A78-10703

Optimum peak-shaving mix for electric utilities
17 p0009 A78-10737

Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio
17 p0028 A78-11076

The battery energy storage test /EPST/ facility - Its purposes and description
17 p0029 A78-11079

The potential for application of energy storage capacity on electric utility systems in the United States. II
17 p0030 A78-11087

An off-peak energy storage concept for electric utilities. II - The water battery concept
17 p0068 A78-13449

An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities
17 p0095 A78-18412

The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts
18 p0171 A78-22248

Materials requirements for high performance secondary batteries
18 p0183 A78-25054

Storage of solar energy
18 p0201 A78-27865

SUBJECT INDEX

ELECTRIC GENERATORS

NIS-2 nickel hydrogen battery performance ---
 Navigation Technology Satellite
 [AIAA 78-536] 19 p0294 A78-32885
 Superconducting energy storage coils
 19 p0356 A78-40010
 High energy density, long life energy storage
 capacitor dielectric system 19 p0359 A78-40099
 Solar energy and storage batteries /Invited Lecture/
 19 p0374 A78-42138
 Engineering tests for energy storage cars at the
 Transportation Test Center. Volume 2:
 Performance power consumption and radio
 frequency interference tests
 [PB-269401/6] 17 p0110 W78-10484
 Hydrogen-chlorine energy storage system
 [BNL-2367C] 19 p0460 W78-27558
ELECTRIC EQUIPMENT
 A procedure for comparing the economy of different
 electrical space heating systems 17 p0068 A78-13451
ELECTRIC FIELDS
 A suggestion for improving the heat transfer from
 solar heaters 19 p0374 A78-42146
 The effect of electric field in the divertor
 scrape-off layer 19 p0379 A78-42215
 Investigation of plasma-wall interaction by the
 aid of a plasma accelerator 19 p0379 A78-42218
ELECTRIC GENERATORS
 New energy sources - Are they a substitute or a
 supplement 17 p0001 A78-10131
 Explosive magnetic flux compression plate
 generators as fast high-energy power sources
 17 p0008 A78-10705
 The use of wind power by electric utilities
 17 p0051 A78-11311
 Solar Stirling power generation - Systems analysis
 and preliminary tests 17 p0052 A78-11321
 Evaluation and design considerations for
 liquid-liquid direct contact heat exchangers for
 geothermal applications
 [ASME PAPER 77-HT-2] 17 p0089 A78-17477
 Economical photovoltaic power generation with heat
 recovery 17 p0091 A78-17552
 Numerical methods for studying compressed magnetic
 field generators 17 p0102 A78-18908
 A low cost windmill rotor 18 p0170 A78-22242
 A self-contained 5,000 kW capacity wind energy
 conversion system with storage 18 p0171 A78-22246
 Experimental and analytical studies of the
 aerodynamic performance of windmills
 [AIAA PAPER 78-277] 18 p0172 A78-22612
 Experience at Edmonton /GLC/ of generating
 electricity using refuse as fuel 18 p0186 A78-25504
 Wind energy program of the Danish government and
 the Danish electric power concerns 18 p0209 A78-28554
 The Swedish Wind Energy Programme 18 p0209 A78-28555
 Meteorology and wind energy utilization
 18 p0210 A78-28558
 Cogeneration --- single site simultaneous
 electricity/heat generation 18 p0216 A78-29226
 Experiments with enhanced mode thermionic converters
 18 p0218 A78-29636
 The production of electricity from the wind - A
 preliminary feasibility study for Greece
 18 p0231 A78-32049
 Renewable energy sources and storage --- wind
 power in Britain 18 p0233 A78-32249
 Selection of the thermal modes of operation for
 the reactor/condenser system of electrochemical
 current generators 19 p0315 A78-35091

An economic comparison of three technologies -
 Photovoltaics, nuclear power, co-generating
 engines 19 p0321 A78-35752
 Modular approach for emergency and stand-by
 electric power in Northern Canada 19 p0337 A78-38402
 Application of homopolar generators for high
 voltage plasma experiments 19 p0348 A78-39848
 High temperature blankets for the production of
 synthetic fuels 19 p0359 A78-40093
 Researches and experiments concerning the
 parameters influencing the application of the
 fluidized bed as burning technique of low-grade
 lignite 19 p0362 A78-40457
 Performance characteristics of compressed air
 energy storage systems 19 p0364 A78-40823
 Engineering tests for energy storage cars at the
 Transportation Test Center. Volume 2:
 Performance power consumption and radio
 frequency interference tests
 [PB-269401/6] 17 p0110 W78-10484
 Mechanics of cutting and boring. Part 6:
 Dynamics and energetics of transverse rotation
 machines
 [AD-A045127] 17 p0135 W78-13444
 A home central electric system
 [NASA-TN-75084] 17 p0159 W78-15561
 Non-imaging concentrators for wide angle
 collection of solar energy, 2
 [COO-2446-8] 17 p0160 W78-15570
 Photovoltaic applications in the southwest for the
 National Park Service
 [COO-4094-3] 17 p0161 W78-15578
 An examination of small wind electric systems in
 Michigan 18 p0239 W78-16428
 Energy consumption of environmental controls:
 Fossil fuel, steam electric generating industry
 [PB-273019/0] 18 p0244 W78-16476
 A theory of control for a class of electronic
 power processing systems: Energy-storage
 dc-to-dc converters 18 p0262 W78-19382
 Solar electric generating system resource
 requirements and the feasibility of orbiting
 solar reflectors
 [AD-A048908] 18 p0269 W78-19663
 PACER: Short cut solution to fusion energy
 production
 [TID-27687] 18 p0270 W78-19674
 Effects of large interconnected wind generators on
 the electric power system 19 p0388 W78-22462
 Kine-Pak: A self-contained, electrical power
 generator system --- using a helical spring to
 rotate a rotor and generate electric current
 [NASA-CASE-LAR-11551-1] 19 p0389 W78-22468
 Wind wheel electric power generator
 [NASA-CASE-MPS-23515-1] 19 p0389 W78-22469
 Sampling and analysis requirements for low-Btu
 gasification of coal for electric power generation
 [PE-1545-38] 19 p0431 W78-25648
 A collection of Stirling engine reports from
 General Motors' research, 1958 to 1970. Part
 1.1: Model 3 ground power units design,
 construction and testing. Government contract
 reports
 [GHR-2690-PT-1.1] 19 p0437 W78-26237
 Stirling engine ground power unit
 [GHR-2690-SECT-1.108] 19 p0437 W78-26245
 Stirling engine Ground Power Unit model GPU 3
 acceptance test report
 [GHR-2690-SECT-1.110] 19 p0437 W78-26247
 US Army Engineer Research and Development
 Laboratories five hundred hour engineering
 evaluation of the Stirling GPU 2-1
 [GHR-2690-SECT-1.112] 19 p0437 W78-26249
 Effect of diesel fuel on Stirling engine ground
 power unit components --- fuel system
 [GHR-2690-SECT-1.201] 19 p0437 W78-26251
 Manual cranking tests of the Stirling engine
 ground power unit
 [GHR-2690-SECT-1.202] 19 p0437 W78-26252

- Combustor development for Stirling ground power units, GPU-2 and GPU-3
[GMR-2690-SECT-1.204] 19 p0438 N78-26254
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen
[GMR-2690-SECT-1.206] 19 p0438 N78-26256
- A market survey of geothermal wellhead power generation systems
[NASA-CR-157262] 19 p0458 N78-27533
- Brake system for the 17 meter vertical axis wind turbine
[SAND-77-1331] 19 p0461 N78-27569
- Homopolar generator development at the University of Texas
[ORO-5594-7] 19 p0467 N78-27922
- Test data on electrical contacts at high surface velocities and high current densities for homopolar generators
[COMP-771029-121] 19 p0467 N78-27924
- Fusion applications of fast discharging homopolar machines
[EPRI-ER-625] 19 p0468 N78-27934
- ELECTRIC MOTOR VEHICLES**
- An electrifying experience - Electric vehicles in the Postal Service
[EVC PAPER 7750] 17 p0085 A78-16927
- Electrifying the Burlington Northern Railroad
[EVC PAPER 7780] 17 p0086 A78-16930
- Electric vehicles in the Bell System
[EVC PAPER 7752] 17 p0086 A78-16931
- Electric vehicle test and evaluation program of the U.S. Postal Service
[EVC PAPER 7747] 17 p0086 A78-16935
- Electric utility fleet applications of electric vehicles
[EVC PAPER 7751] 17 p0086 A78-16940
- Federal policy and the electric vehicle
17 p0092 A78-17568
- Design considerations for an electric vehicle solid-state motor controller with regenerative braking capability
17 p0092 A78-17570
- An iron-air vehicle battery
18 p0174 A78-23241
- The new electric locomotives
18 p0179 A78-24378
- Pulse battery charger employing 1000 ampere transistor switches
18 p0231 A78-31974
- Electric vehicles in Germany - Present and future
[SAE PAPER 780087] 19 p0307 A78-33368
- A digital computer program for simulating electric vehicle performance
[SAE PAPER 780216] 19 p0307 A78-33377
- Computer simulation of an advanced hybrid electric-powered vehicle
[SAE PAPER 780217] 19 p0307 A78-33378
- On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles
[SAE PAPER 780220] 19 p0307 A78-33379
- Mathematical model for the design of grids for electric vehicle batteries
[SAE PAPER 780221] 19 p0307 A78-33380
- Test and evaluation of 23 electric vehicles for state-of-the-art assessment
[SAE PAPER 780290] 19 p0307 A78-33382
- The efficiency improvement of electric vehicles by regenerative braking
[SAE PAPER 780291] 19 p0307 A78-33383
- Large buses and the Townobile electric city transit system
[SAE PAPER 780293] 19 p0308 A78-33385
- Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion
[SAE PAPER 780295] 19 p0308 A78-33386
- Electric-flywheel vehicle for postal service applications
[SAE PAPER 780297] 19 p0308 A78-33387
- How do alternative powerplant costs compare
19 p0313 A78-34677
- Lead-acid battery-operated electric street vehicles - New constructions from Germany
19 p0322 A78-35764
- Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ --- in transportation
19 p0325 A78-36128
- Investigations concerning direct-current operated local-traffic vehicles with low reactive effects
19 p0365 A78-40866
- Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel
19 p0385 A78-43044
- Design and cost study of nickel-zinc batteries for electric vehicle
[ANL-K-76-3541-1] 17 p0114 N78-10585
- Research on battery-operated electric road vehicles
[NASA-TM-75142] 17 p0122 N78-11889
- Electric vehicle propulsion batteries: Design and cost study for nickel/zinc battery manufacture, task A
[ANL-K-77-3542-1] 17 p0142 N78-13594
- Develop nickel-zinc battery suitable for electronic vehicle propulsion. Task A: Design and cost study
[ANL-K-77-3558-1] 17 p0143 N78-13607
- Investigation of the feasibility of a dual model electric transportation system
[LBL-6301] 17 p0157 N78-14954
- Baseline tests of the C. H. Waterman Renault 5 electric passenger vehicle
[NASA-TM-73759] 18 p0245 N78-16928
- Baseline tests of the power-train electric delivery van
[NASA-TM-73765] 18 p0252 N78-17936
- Baseline tests of the batronic Mini van electric delivery van
[NASA-TM-73761] 18 p0253 N78-17940
- Electric car technology for demonstration and development
18 p0259 N78-18551
- Urban applications and energy impacts of future electric cars
18 p0259 N78-18552
- Performance of conventionally powered vehicles tested to an electric vehicle test procedure
[NASA-TM-73768] 18 p0271 N78-20022
- Near-term electric vehicle program, phase 1
[SAN/1295-1] 18 p0273 N78-20448
- Development schedules for vehicle energy storage systems
[TID-28030] 19 p0435 N78-26036
- State-of-the-art lead-acid vehicle
[ANL-K-77-3639-1] 19 p0459 N78-27547
- Ford/ERDA sodium-sulfur battery development, phase 2
[COO-2566-30] 19 p0463 N78-27585
- ELECTRIC MOTORS**
- Fiat electric city car prototype
[EVC PAPER 7755] 17 p0085 A78-16926
- Prototype testing of a rotary current train in the Berlin transit system
18 p0194 A78-27171
- Superconducting machines --- homopolar d.c. machines and a.c. generators
18 p0225 A78-31154
- Properties of a collectorless motor fed from a three-phase current-source
18 p0235 A78-32430
- Research on battery-operated electric road vehicles
[NASA-TM-75142] 17 p0122 N78-11889
- ELECTRIC POTENTIAL**
- Techniques for the determination of ohmic drop in half-cells and full cells - A review
17 p0095 A78-18408
- The formation of electrode arcs and the electric fluctuations in an MHD channel
18 p0194 A78-27137
- Biological conversion of light energy into electrochemical potential
18 p0208 A78-28360
- Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells
19 p0362 A78-40531
- ELECTRIC POWER**
- National program for MHD power generation
17 p0010 A78-10745
- Energy from solid waste - Appraisal of alternatives
17 p0011 A78-10746

SUBJECT INDEX

ELECTRIC POWER PLANTS

Dual-medium thermal storage system for solar thermal power plants 17 p0051 A78-11310

Solar tower - Thermal collection energy component: 10 MWe pilot plant 17 p0052 A78-11322

Fixed mirror/distributed focus solar thermal electric power systems development 17 p0053 A78-11331

Experimental investigation of a solar cell/inverter system 17 p0054 A78-11339

Solar hybrid repowering 17 p0055 A78-11343

Impact of domestic solar heating systems utilizing off peak storage on electric utilities 17 p0055 A78-11344

Preferred residential solar heating and cooling systems compatible with electric utility operation 17 p0055 A78-11345

Solar electric-energy market penetration 17 p0057 A78-11362

Specific output of windmills - A discovery 17 p0078 A78-15783

Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems 17 p0106 A78-20244

Solar electricity - An economic approach to solar energy --- Book 18 p0174 A78-22942

Cost-effective electricity rates - A stronger incentive to rational energy use 18 p0176 A78-23919

Relationships among observed short-term maximum sulfur dioxide concentrations near coal-fired power plants [APCA PAPER 77-29,5] 18 p0185 A78-25443

PDX PF power tests --- Princeton Divertor Experiment tokamak Poloidal Field coil system 19 p0351 A78-39909

Hydroelectric solar energy conversion 19 p0368 A78-41813

California's geothermal resource potential 19 p0368 A78-41816

Generalization of the description of energy conversion in CO2 impulse lasers 17 p0109 A78-10444

Evaluation of computerized energy programs for the calculation of energy use in new and existing buildings [PB-272337/7] 18 p0243 A78-16466

Shunt regulation electric power system [NASA-CASE-GSC-10135] 18 p0247 A78-17296

Power oscillation of the Mod-0 wind turbine 18 p0266 A78-19629

Coal energy and the environment: Analysis of economic and energy efficiency implications of environmental and resource constraints on the utilization of coal to produce electricity 18 p0274 A78-20600

Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design [ALO/3987-1/2-VOL-2] 19 p0409 A78-24672

Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3 [ALO/3987-1/3-VOL-3] 19 p0409 A78-24673

Status of photoelectrochemical production of hydrogen and electrical energy 19 p0451 A78-26865

ELECTRIC POWER PLANTS

Instrumental sensing of stationary source emissions --- sulphur dioxide remote sensing for coal-burning power plants 17 p0001 A78-10056

NOx-O3 photochemistry in power plant plumes - Comparison of theory with observation 17 p0001 A78-10059

Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant 17 p0001 A78-10062

Power from the oceans' thermal gradients 17 p0006 A78-10652

OTEC - A survey of the state of the art --- Ocean Thermal Energy Conversion 17 p0008 A78-10723

Conceptual design of OTEC platforms --- Ocean Thermal Energy Conversion 17 p0008 A78-10724

Energy development II --- Book 17 p0009 A78-10729

Assessment of storage systems - The device utility interface --- energy technology 17 p0009 A78-10730

Solar-electrical systems - Theory and applications 17 p0009 A78-10731

Inverters for commercial fuel cell power generation 17 p0009 A78-10733

Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734

Three ocean sited natural energy systems 17 p0009 A78-10735

Hydrogen transmission - The significance of efficiency --- in comparison with conventional electric power system 17 p0009 A78-10736

Optimum peak-shaving mix for electric utilities 17 p0009 A78-10737

Solar energy systems for electricity production 17 p0010 A78-10738

Solar central electric power generation - A baseline design 17 p0010 A78-10742

Potential role of solar thermal electric power in the U.S. 17 p0010 A78-10743

Capital and electrical production costs for geothermal power plants 17 p0010 A78-10744

Dynamic modeling and control of magnetohydrodynamic/steam systems 17 p0028 A78-11070

Coal-based options for generation of electricity 17 p0028 A78-11071

Evaluation of wind generator economics in a load duration context 17 p0028 A78-11073

The utilization of solid wastes for the generation of electric power 17 p0028 A78-11074

A forecast of electric power generation technology - 1975-2000 17 p0028 A78-11077

Evaluation of offshore site for wind energy generation 17 p0029 A78-11080

Air Storage System Energy Transfer /ASSET/ plants - A utility's evaluation 17 p0029 A78-11081

The Gas Turbine BTGR plant with a binary cycle 17 p0029 A78-11083

The potential for application of energy storage capacity on electric utility systems in the United States. II 17 p0030 A78-11087

Utilization of waste heat from electric power generation 17 p0031 A78-11095

Technoeconomic aspects of photovoltaic electric power systems /PEPS/ 17 p0031 A78-11098

MHD generators for baseload power stations 17 p0032 A78-11108

Superconducting energy storage development for electric utility systems 17 p0032 A78-11109

Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power 17 p0032 A78-11110

The impact of solar central electric technology on the regulated utility 17 p0033 A78-11119

Refuse incineration with heat recovery - Typical design and practical experience 17 p0037 A78-11147

Combination of refuse incineration with electric power generation 17 p0037 A78-11148

Energy from refuse - Theoretical and practical results 17 p0037 A78-11149

ELECTRIC POWER PLANTS CONTD

SUBJECT INDEX

- Cost-effective electrical power generation from the wind 17 p0052 A78-11316
- The application of solar energy to boiler feedwater heating in steam-electric power plants 17 p0052 A78-11320
- Analysis of closed cycle Brayton systems for solar electric power generation 17 p0053 A78-11324
- A liquid sodium cooled solar tower system 17 p0053 A78-11325
- One MWth solar cavity steam generator solar test program 17 p0053 A78-11329
- Baseline design of commercial central receiver solar power plant 17 p0054 A78-11332
- Solar photovoltaic power stations 17 p0054 A78-11335
- Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants 17 p0065 A78-12936
- Some results of investigations on the U-25 pilot plant to attain its design parameters --- MHD generator operation 17 p0066 A78-13153
- Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator 17 p0066 A78-13157
- The sunny side of energy --- solar energy conversion 17 p0070 A78-13800
- Generation of electricity from the wind 17 p0080 A78-16053
- Technoeconomic aspects of central photovoltaic power plants 17 p0084 A78-16835
- Air pollution assessments of new fossil energy technologies 17 p0086 A78-17092
- The draft of a law for changing energy-law regulations 17 p0088 A78-17350
- A parametric study of a heat exchanger designed for geothermal power plant application [ASME PAPER 77-HT-1] 17 p0088 A78-17476
- A solid waste package deal - Energy and materials from garbage 17 p0092 A78-17671
- Economic load distribution in the hybrid hydrothermal power system 17 p0092 A78-17949
- A computer model for large-scale offshore wind-power systems 17 p0093 A78-18089
- Future peak-power plants based on hydrogen-oxygen rocket steam generators 17 p0100 A78-18846
- Technical concepts and economic prospects for thermal hydrogen power plants for peak load generation 17 p0100 A78-18847
- Unconventional types of power-heat coupling 17 p0102 A78-19246
- The block heating power station - Characteristics and first experience 17 p0103 A78-19247
- Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525
- Current costs of solar powered organic Rankine cycle engines 17 p0104 A78-19826
- The circular cylindrical reflector - Application to a shallow solar pond electricity generating system 17 p0105 A78-19833
- Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- The efficiency of half-peak MHD electric power plant 18 p0166 A78-21034
- Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain 18 p0167 A78-21821
- The experimental MHD power plant of India 18 p0168 A78-22138
- Input-output models support corrections of previous principles for the estimation of energy economy and development strategies in directed systems 18 p0177 A78-23940
- Securing energy production and protecting the environment --- electric power production 18 p0177 A78-23941
- MHD electric power generation --- using fossil fuels 18 p0179 A78-24329
- Coal technology - Users' viewpoint 18 p0181 A78-24755
- Ocean thermal energy conversion material requirements for large-scale systems 18 p0183 A78-25057
- Some aspects of the solar case study in Austria illustrated by the example of hybrid power plants 18 p0183 A78-25256
- Some economic and environmental consequences of fusion power 18 p0184 A78-25302
- A continuous monitoring system for sulfur dioxide mass emissions from stationary sources [APCA PAPER 77-27,5] 18 p0185 A78-25400
- Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
- Control of fine particulate from coal-fired utility boilers [APCA PAPER 77-14,1] 18 p0185 A78-25410
- Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- The biological effects of air pollution from fossil fuel burning power plants in the Northcentral Great Plains [APCA PAPER 77-15,4] 18 p0185 A78-25438
- Studies to define the role of coal cleaning in an SO₂ control strategy for TVA [APCA PAPER 77-14,4] 18 p0186 A78-25446
- Technical and economic impacts of the application of environmental control technology options [APCA PAPER 77-56,4] 18 p0186 A78-25447
- Experience at Edmonton /GLC/ of generating electricity using refuse as fuel 18 p0186 A78-25504
- Cogeneration - A systematic analysis of combined steam and power generation 18 p0188 A78-26108
- ECAS Phase I fuel cell results --- Energy Conservation Alternatives Study 18 p0188 A78-26110
- Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads 18 p0189 A78-26265
- Re-circulating power, unit costs and thermal pollution of fusion power stations 18 p0189 A78-26372
- Retrofit precipitators meet rigid new standards --- sulfur coal combustion 18 p0189 A78-26475
- Geothermal energy utilization --- Book 18 p0198 A78-27824
- The economics of solar energy 18 p0202 A78-27870
- Some results of applying the MHD method in power engineering 18 p0204 A78-28086
- Automating the control of the optical system of a tower-type solar power station --- heliostat servocontrol 18 p0215 A78-28891
- Environmental transport model of heavy metals 18 p0215 A78-28946
- Solar thermal test facility 18 p0216 A78-29227
- An analysis of an early hybrid fossil-geothermal power plant proposal 18 p0218 A78-29998
- Analysis of electrolyte shunt currents in fuel cell power plants 18 p0219 A78-30188
- Concepts and features of the automated unit control system for the Raccoon Mountain Pumped-Storage Plant [IEEE PAPER 77 672-9] 18 p0219 A78-30195

SUBJECT INDEX

ELECTRIC POWER PLANTS CONTD

- Optimum testing period for new thermomechanical equipment 18 p0225 A78-31245
- Analytic determination of the fuel effect of air storage gas turbine electric power stations 18 p0227 A78-31364
- Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742
- A scenario for geothermal electric power development in Imperial Valley 18 p0228 A78-31743
- The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- Thermionic energy conversion topping system --- utilization of waste energy from steam generators [ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144
- Coal fired non-equilibrium, Closed Cycle MHD/steam power generation [ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- Conceptual design of a coal-fueled, fluid bed combined cycle power plant [ASME PAPER 77-WA/ENER-11] 19 p0298 A78-33149
- A comparison of two generic OTEC systems and missions --- Ocean Thermal Energy Conversion 19 p0300 A78-33304
- Cost comparison of selected OTEC power plant designs --- Ocean Thermal Energy Conversion 19 p0301 A78-33305
- Influence of design factors on the economy of sea thermal power plants 19 p0301 A78-33306
- Electrical energy transmission for OTEC power plants 19 p0301 A78-33310
- Alternative forms of energy transmission from OTEC plants 19 p0301 A78-33312
- Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration 19 p0302 A78-33313
- Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants 19 p0302 A78-33316
- Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342
- The Mist Flow OTEC Plant --- convective lift to achieve hydraulic head in Ocean Thermal Energy Conversion 19 p0306 A78-33352
- A parametric study of hot water storage for peak power generation 19 p0309 A78-34076
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels 19 p0309 A78-34078
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JEGC-PWR-7] 19 p0310 A78-34080
- On the fluctuating power generation of large wind energy converters, with and without storage facilities 19 p0312 A78-34514
- Refuse-derived fuel wins out over oil and coal at new industrial power plant 19 p0315 A78-34974
- Offshore and underground power plants --- Book 19 p0317 A78-35574
- Electricity generation by utilities - 1974 nationwide emissions estimates 19 p0320 A78-35701
- Problems of electrical energy generation /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36127
- Technicoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor 19 p0326 A78-36130
- Application of gas turbines for peak and base load operation 19 p0327 A78-36371
- Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 A78-36566
- Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations 19 p0335 A78-37862
- Korea Atomic Energy Research Institute, Collected Reprints. Volume 4 --- Book 19 p0335 A78-37901
- Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793
- Madaras Rotor Power Plant --- windpowered generator 19 p0361 A78-40367
- The potential for geothermal and solar thermal power systems 19 p0361 A78-40368
- A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251
- Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253
- Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume 19 p0366 A78-41254
- Sulfur budget of a power plant plume 19 p0366 A78-41275
- MAP3S - An investigation of atmospheric, energy related pollutants in the northeastern United States 19 p0366 A78-41284
- A 400 kW high temperature solar test facility 19 p0384 A78-42894
- Open-cycle MHD energy conversion - Prospects and developments for central station power generation 19 p0385 A78-43176
- A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains 19 p0386 A78-43291
- Approach to valuing visual pollution from western electricity production [BNWL-2103] 17 p0117 A78-10613
- Development of high temperature turbine subsystem technology to technology readiness status; phase 1 [FE-1806-6] 17 p0124 A78-12425
- Consensus forecast of US electricity supply and demand to the year 2000 [OFNL/TH-5370] 17 p0141 A78-13578
- Impact of solar heating and cooling on electric utilities [PB-271415/2] 17 p0145 A78-13621
- Time-variable air pollutant emission strategies for individual power plants [EPRI-BA-418] 17 p0146 A78-13645
- High temperature turbine technology program. Phase 1: Program and system definition. Topical Report: Overall plant design description, low Btu combined cycle electric power plant [FE-2290-18] 17 p0148 A78-14419
- High temperature turbine technology program. Phase 1: Program and system definition. Topical Report: Overall plant design description liquid fuel combined cycle electric power plant [FE-2290-19] 17 p0149 A78-14420
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135244] 17 p0150 A78-14632
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135245] 17 p0150 A78-14633
- Integration of solar thermal power plants into electric utility systems [TID-27627/1] 17 p0154 A78-14666
- Integration of solar thermal power plants into electric utility systems [TID-27627/2] 17 p0154 A78-14667

- Piping design considerations in a solar-Rankine power plant --- pipe size 17 p0158 N78-15085
- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427] 17 p0160 N78-15568
- Development status and environmental hazards of several candidate advanced energy systems [PB-272759/2] 17 p0162 N78-15588
- A hypothetical 1000 MW(e) photovoltaic solar-electric plant [PB-273108/1] 18 p0243 N78-16468
- Electric utilities use of flue gas desulfurization technology in the United States [PB-274120/5] 18 p0251 N78-17514
- Proceedings of Small Power Systems Solar Electric Workshop. Volume 2: Invited papers [NASA-CR-155940] 18 p0264 N78-19615
- Floating power optimization studies for the cooling system of a geothermal power plant [TBEE-1164] 18 p0277 N78-20646
- Fusion and fast breeder reactors [TIASA-RR-77-8] 18 p0278 N78-20941
- Gasification combined cycle test facility, Pekin, Illinois [FE-2352-03] 18 p0286 N78-21632
- Grid-connected integrated community energy system, executive summary, phase 1 [COO-4210-1-SUM] 18 p0286 N78-21638
- The long-run incremental cost of electric utilities [PB-276082/5] 18 p0289 N78-21660
- Design study of wind turbines, 50 kW to 3000 kW for electric utility applications: Executive summary [NASA-CR-134936] 19 p0395 N78-23559
- Oxidant measurements in western power plant plumes. Volume 1: Technical analysis [EPRI-EA-421-VOL-1] 19 p0400 N78-23614
- Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies [BNL-50667] 19 p0409 N78-24676
- Ocean thermal power plants heat exchangers [ERDA/NSF-43441/76/1] 19 p0410 N78-24681
- High temperature turbine technology program. Phase 1: Combined cycle electric power plant with coal derived low Btu gas or coal-liquid fuel, book 2 [FE-2291-18-BK-2] 19 p0417 N78-25442
- Coal-fired alkali metal power system design study [ORNL-TN-6000] 19 p0423 N78-25576
- Heat extraction system of the Perm thermal electric power plant [ORNL-TN-4492] 19 p0426 N78-25599
- Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 12: Cold-flow model testing of a two-stage entrained-flow slagging coal gasifier [FE-1521-31] 19 p0426 N78-25601
- Potential growth of electric power production from Imperial Valley geothermal resources [UCRL-52252] 19 p0430 N78-25635
- Experimental two-phase liquid-metal magnetohydrodynamic generator program [ANL-MHD-77-3] 19 p0432 N78-25651
- Assessment, selection, and development of procedures for determining the environmental acceptability of synthetic fuel plants based on coal, appendix 2 [FF-1795-3-PT-2-REV] 19 p0433 N78-25674
- Value of energy storage for direct-replacement solar thermal power plants [CONF-780216-2] 19 p0446 N78-26584
- STEAEC: Solar Thermal Electric Annual Energy Calculator documentation [SAND-77-8278] 19 p0447 N78-26588
- Perspectives on utility central station photovoltaic applications [EPRI-ER-589-SB] 19 p0447 N78-26592
- Power plant reject heat utilization: An assessment of the potential for wide-scale implementation [ORNL/TN-5841] 19 p0449 N78-26613
- Effect of liquid waste discharges from steam generating facilities [BNWL-2393] 19 p0450 N78-26634
- Overcoming institutional barriers to solid waste utilization as an energy source --- electric power plants [HCP/L50172-01] 19 p0452 N78-27005
- Overcoming institutional barriers to solid waste utilization as an energy source: Executive summary --- electric power plants [HCP/L50172-02] 19 p0453 N78-27006
- Subsurface waste-heat storage: Experimental study [ORO-5003-1] 19 p0459 N78-27554
- BUCKS: Economic analysis model of solar electric power plants [SAND-77-8279] 19 p0460 N78-27564
- Role of wind power in electric utilities [BNL-50736] 19 p0462 N78-27582
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators [PB-279008/7] 19 p0466 N78-27621
- EPA utility PGD (Flue Gas Desulfurization) survey: December 1977 - January 1978 [PB-279011/1] 19 p0466 N78-27622
- ELECTRIC POWER SUPPLIES**
- Relative cost-performance of various solar based power supply packages 17 p0003 A78-10557
- International Pulsed Power Conference, Texas Tech University, Lubbock, Tex., November 9-11, 1976, Proceedings 17 p0007 A78-10676
- Some problems concerning solar cell arrays in the design of solar-electrical systems 17 p0030 A78-11086
- Economic analysis of wind generation and energy storage for electric utility systems 17 p0031 A78-11100
- Large Tokamak power supplies - A survey of problems and solutions 17 p0041 A78-11205
- A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity 17 p0047 A78-11262
- Solar energy economizes on heat pump current --- in house heating system 17 p0071 A78-14091
- Power conditioning systems for high-power, airborne, pulsed applications 18 p0174 A78-23412
- Materials requirements for high performance secondary batteries 18 p0183 A78-25054
- Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
- How wind variability affects the potential power available from wind generators 18 p0235 A78-32504
- Modular approach for emergency and stand-by electric power in Northern Canada 19 p0337 A78-38402
- Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
- System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak 19 p0351 A78-39921
- Design of the ZT-40 power crowbar system --- for toroidal Z pinch current maintenance 19 p0353 A78-39957
- Voltage protection scheme for MG sets used to drive inductive energy storage systems --- Motor-Generator sets for Tokamaks 19 p0353 A78-39961
- A 40-kV, 26-ms neutral-beam power supply for THX --- Tandem Mirror Experiment 19 p0353 A78-39964
- Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965
- The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974
- The Princeton neutral injection power supply system 19 p0354 A78-39975

SUBJECT INDEX

ELECTRICAL MEASUREMENT

A metallic contact, fast-closing, high current switch --- for fusion-related homopolar machine 19 p0359 A78-40096

Transistor inverters for satellite onboard networks of higher power 19 p0365 A78-40865

Study of high power, high performance portable MHD generator power supply systems [AD-A040381] 17 p0111 N78-10560

Energy consumption in commercial industries by census division - 1974 [PB-268851/3] 17 p0139 N78-13558

Fuel and energy price forecasts. Volume 1: Report [EPRI-EA-411-VOL-1] 17 p0142 N78-13589

Wind energy mission analysis [COO-2578-1-2] 17 p0152 N78-14646

Electrification of railroads problems-potentials-economic impacts 18 p0259 N78-18550

Combined heat and power: A discussion of Energy Paper 20 [ERG-018] 18 p0284 N78-21608

Projected 1977 - 1978 winter electric load-supply situation, contiguous United States [PB-276269/8] 18 p0285 N78-21621

Annual survey of manufactures, 1975. Fuels and electric energy consumed. Statistics for the United States [PB-275772/2] 18 p0289 N78-21659

Effects of large interconnected wind generators on the electric power system 19 p0388 N78-22462

Simulating Oregon's future electrical energy demand [PB-276970/1] 19 p0399 N78-23603

Venture analysis case study of combined gas and steam power systems for the generation of utility electric power [APAR-2483-5] 19 p0416 N78-25337

Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems [Y/SUB-77-14263/1] 19 p0416 N78-25340

Potential for cogeneration of heat and electricity in California industry, phase 1 [NASA-CR-157168] 19 p0419 N78-25536

Central heating: Package boilers [ANL/CES/TE-77-6] 19 p0422 N78-25564

Energy modeling and data support for the Electric Power Research Institute [BNL-50696] 19 p0425 N78-25595

Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 14: System analysis [FE-1521-33] 19 p0426 N78-25602

Commercial applications of solar total energy systems [AI-ERDA-13203] 19 p0427 N78-25613

Sampling and analysis requirements for low-Btu gasification of coal for electric power generation [FE-1545-38] 19 p0431 N78-25648

Design and operating experience on the US Department of Energy experimental Mod-0 100-kW wind turbine [NASA-TN-78915] 19 p0443 N78-26552

DOE/NASA Mod-0A wind turbine performance [NASA-TN-78916] 19 p0443 N78-26553

Description and status of NASA-LeRC/DOE photovoltaic applications systems [NASA-TN-78936] 19 p0444 N78-26554

An inverter/controller subsystem optimized for photovoltaic applications [NASA-TN-78903] 19 p0452 N78-26995

Stirling total energy systems study [HCP/T2947-1] 19 p0461 N78-27570

ELECTRIC POWER TRANSMISSION

Hydrogen transmission - The significance of efficiency --- in comparison with conventional electric power system 17 p0009 A78-10736

Electrical energy transmission for OTEC power plants 19 p0301 A78-33310

Alternative forms of energy transmission from OTEC plants 19 p0301 A78-33312

Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418

ELECTRIC PROPULSION

Flywheel propulsion simulation [PB-272259/3] 17 p0149 N78-14426

Investigation of the feasibility of a dual model electric transportation system [LBL-6301] 17 p0157 N78-14954

High-performance batteries for stationary energy storage and electric-vehicle propulsion [ANL-77-68] 19 p0425 N78-25593

ELECTRIC PULSES

Direct conversion of CO2 laser energy to high-voltage electrical energy using a laser-produced plasma 17 p0078 A78-15788

An apparatus to examine pulsed parallel field losses in large conductors --- of superconducting magnetic coils in Tokamak 19 p0355 A78-40006

Neutral particle emission of the pulsator plasma during high-density discharges --- in tokamaks 19 p0379 A78-42216

ELECTRIC SWITCHES

Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965

A metallic contact, fast-closing, high current switch --- for fusion-related homopolar machine 19 p0359 A78-40096

ELECTRICAL ENGINEERING

Space station systems analysis study. Part 3: Documentation. Volume 7: SCB alternate EPS evaluation, task 10 [NASA-CR-151535] 17 p0109 N78-10185

ELECTRICAL FAULTS

Modular approach for emergency and stand-by electric power in Northern Canada 19 p0337 A78-38402

Development of a mathematical model for interelectrode breakdown in an MHD generator 19 p0341 A78-38968

Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047

Transient response to three-phase faults on a wind turbine generator [NASA-TN-78902] 19 p0442 N78-26542

ELECTRICAL INSULATION

Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor /SIS/ heterojunction solar cell 19 p0316 A78-35287

Study of the behavior of periclase materials in gas flows containing alkali additions --- for MHD channel linings 19 p0328 A78-36578

Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047

ELECTRICAL MEASUREMENT

What is simulated AMO - A comparison of CNE and violet cell measurements across USA and Europe 17 p0019 A78-10988

A data acquisition system for in situ measurements of terrestrial photovoltaic array performance 17 p0023 A78-11029

A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850

Stability and voltammetry of illuminated semiconductor-liquid interfaces 19 p0343 A78-39464

Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466

Instrumentation for in situ coal gasification. I - Background and overview 19 p0367 A78-41522

Measurement of material parameters that limit the open-circuit voltage in P-N-junction silicon solar cells 17 p0136 N78-13532

ELECTRICAL PROPERTIES

SUBJECT INDEX

ELECTRICAL PROPERTIES

- Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S 17 p0018 A78-10979
- Cds sprayed thin films - Electrical and optical properties 17 p0018 A78-10981
- Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory 17 p0023 A78-11026
- Purification and characterization of metallurgical silicon 18 p0219 A78-30191
- Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338
- Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions 19 p0315 A78-35282
- Thickness dependence of structural and electrical properties of Cds films for solar cells 19 p0325 A78-36035
- Photoelectric and electric properties of nSiC-nCds heterojunctions 19 p0330 A78-36855
- Solar power satellite 50 kW VKS-7773 cw klystron evaluation [NASA-CR-151577] 17 p0130 N78-13106
- Characterization of solar cells for space applications. Volume 1: Electrical characteristics of OCLI violet solar cells as a function of intensity and temperature [NASA-CR-156162] 18 p0283 N78-21601
- Test data on electrical contacts at high surface velocities and high current densities for homopolar generators [CONF-771029-121] 19 p0467 N78-27924
- ELECTRICAL RESISTANCE**
- On the series resistance of solar cells 17 p0013 A78-10914
- An analysis of optimum loading conditions for P-N junction solar cells 17 p0030 A78-11092
- Effects of wall electrical conductance and induced magnetic field on MHD channel heat transfer with developing thermal and velocity fields [ASME PAPER 77-HT-63] 17 p0090 A78-17495
- Techniques for the determination of ohmic drop in half-cells and full cells - A review 17 p0095 A78-18408
- Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 A78-31731
- On the fill factor of solar cells --- volt-ampere characteristics 19 p0292 A78-32691
- ELECTRICAL RESISTIVITY**
- Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908
- Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705
- Thermoelectric power and ac conductivity of A-type Nd₂O₃ 19 p0332 A78-36964
- Low-resistivity ZnCdS films for use as windows in heterojunction solar cells 19 p0369 A78-41913
- Analysis of the bipole-dipole resistivity method for geothermal exploration [LBL-6332] 18 p0290 N78-21710
- ELECTRICITY**
- Analysis of electricity production costs from the geopressured geothermal resource [BNWL-2192] 18 p0241 N78-16449
- Forecasting and modeling time-of-day and seasonal electricity demands [EPRI-BA-578-SR] 19 p0425 N78-25598
- Cogeneration power systems 19 p0457 N78-27525
- Silicon photovoltaic cells in TPV conversion [EPRI-ER-633] 19 p0461 N78-27567
- Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2 [HCF/I60901-01] 19 p0461 N78-27575
- Prospects for power generation from space 19 p0468 N78-28039

ELECTRIFICATION

- Electrifying the Burlington Northern Railroad [EVC PAPER 7780] 17 p0086 A78-16930
- The electric locomotive opportunity in the United States [EVC PAPER 7781] 17 p0086 A78-16933
- ELECTROCATALYSTS**
- The thermodynamics of a fuel cell aggregate involving thermal-catalytic methanol decomposition 17 p0074 A78-14497
- Doped silver catalysts for H₂/air fuel cells 17 p0095 A78-18644
- Model considerations concerning the gas-electrolyte balance of supported gas-diffusion electrodes for fuel cells 17 p0096 A78-18646
- Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes 19 p0363 A78-40618
- Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes 19 p0363 A78-40619
- Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances 19 p0367 A78-41795
- Optimization of PtDoped Kocite: Electrodes in H₂PO₄ fuel cells [AD-A053300] 19 p0422 N78-25562
- Improved cathodes for phosphoric acid fuel cells --- catalysts [EPRI-EM-505] 19 p0423 N78-25578
- Fuel cells: Applied research fuel cell materials and electrocatalysis [BNL-50652] 19 p0447 N78-26597
- ELECTROCHEMICAL CELLS**
- Materials requirements for high performance secondary batteries 18 p0183 A78-25054
- Thermophotovoltaic cells for solar energy conversion 18 p0205 A78-28169
- Thermal properties of battery systems 18 p0233 A78-32232
- Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type Cds-CdSe electrodes 18 p0233 A78-32233
- Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators 19 p0315 A78-35091
- Photo-galvano-voltaic cell - A new approach to the use of solar energy 19 p0333 A78-37174
- Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977 19 p0342 A78-39453
- A model for the current-voltage curve of photoexcited semiconductor electrodes 19 p0343 A78-39457
- Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes 19 p0343 A78-39462
- Stability and voltammetry of illuminated semiconductor-liquid interfaces 19 p0343 A78-39464
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems 19 p0344 A78-39465
- Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466
- Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells 19 p0362 A78-40531
- A lithium solid-state cell based on the Li₃.75Sb₀.75Pb₀.25O₄ electrolyte 19 p0363 A78-40620

SUBJECT INDEX

ELECTROLYSIS

On the discharge mechanism of silver/alkylammonium polyiodide solid state cells 19 p0363 A78-40621

Redox flow cell development and demonstration project, calendar year 1976 [NASA-TN-73873] 18 p0268 N78-19656

ELECTROCHEMICAL OXIDATION

Variation in excess oxidant factor in combustion products of MHD generator 17 p0066 A78-13155

A study of biochemical fuel cells utilizing animal and kitchen waste as fuel 19 p0374 A78-42137

ELECTROCHEMISTRY

Techniques for the determination of ohmic drop in half-cells and full cells - A review 17 p0095 A78-18408

Biological conversion of light energy into electrochemical potential 18 p0208 A78-28360

A new description of electrochemical kinetics 19 p0343 A78-39459

Improvements in energy efficiency of industrial electrochemical processes [ANL/OEPM-77-2] 17 p0114 N78-10584

Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881] 17 p0155 N78-14676

Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920] 19 p0389 N78-22476

ELECTROCONDUCTIVITY

On the series resistance of solar cells 17 p0013 A78-10914

Design factors for transparent conducting layers in solar cells 17 p0027 A78-11064

Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136

ELECTRODES

Cathode spots on metallic electrodes under the conditions of the channel of an MHD generator 17 p0002 A78-10243

Two-dimensional temperature distribution in a ceramic-based electrode --- for MHD channels 18 p0173 A78-22806

Methanol-air fuel cell with hydrophilic air electrodes 18 p0174 A78-22844

Power generation by photoelectrolysis 18 p0202 A78-27892

Thermionic emission from electrodes with raised surfaces in a thermionic converter 18 p0224 A78-31011

Semiconductor electrodes. IV. - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233

25 years of fuel cell development /1951-1976/ 18 p0233 A78-32235

CuInS₂ liquid junction solar cells 19 p0310 A78-34274

Development of a mathematical model for interelectrode breakdown in an MHD generator 19 p0341 A78-38968

The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel 19 p0341 A78-38969

Photoelectrochemical storage cells - The importance of the second and third electrodes 19 p0343 A78-39455

A model for the current-voltage curve of photoexcited semiconductor electrodes 19 p0343 A78-39457

Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells 19 p0344 A78-39469

Optimal electrode properties and the selection of stabilizing electrolytes --- for photoelectrolytic hydrogen production 19 p0344 A78-39470

Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells 19 p0362 A78-40531

Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes 19 p0363 A78-40619

Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances 19 p0367 A78-41795

Transport processes in Teflon-bonded fuel cell electrodes 17 p0135 N78-13524

Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology [AD-A046641] 17 p0158 N78-15295

Optimization of PtDoped Kocite: Electrodes in H₃PO₄ fuel cells [AD-A053300] 19 p0422 N78-25562

Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 N78-26217

Development, testing, and evaluation of MHD-materials [FE-6010-9] 19 p0441 N78-26380

ELECTRODYNAMICS

Technical alternatives for a maglev system 19 p0292 A78-32653

Subsonic flow in an MHD channel 19 p0341 A78-38963

ELECTROHYDRODYNAMICS

Coaxial, explosive-type MHD generator 18 p0166 A78-21387

Electrofluid dynamic /EFD/ wind driven generator research 19 p0361 A78-40362

Energy considerations in electrohydrometallurgy [IS-M-83] 17 p0120 N78-11505

ELECTROKINETICS

Comparison tests on the 100-GPM electrokinetic fuel decontaminator and a 100-GPM military standard filter/separators [AD-A048655] 18 p0253 N78-18226

ELECTROLYSIS

Photoelectrolysis of water at high current density - Use of ultraviolet laser excitation 17 p0062 A78-11927

An off-peak energy storage concept for electric utilities. II - The water battery concept 17 p0068 A78-13449

Electrolytic production of hydrogen 17 p0098 A78-18830

Possibilities for improving the electrolysis of water in alkaline solutions 17 p0098 A78-18831

Solid electrolyte and elevated temperature water electrolysis 17 p0098 A78-18832

Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry 17 p0101 A78-18850

Conceptual design of large scale water electrolysis plant using solid polymer electrolyte technology 18 p0174 A78-22869

Solar production of hydrogen 18 p0201 A78-27868

Status of the DOE /STOR/-sponsored national program on hydrogen production from water via thermochemical cycles 18 p0217 A78-29331

High efficiency water electrolysis in alkaline solution --- for hydrogen production 19 p0311 A78-34400

Optimal electrode properties and the selection of stabilizing electrolytes --- for photoelectrolytic hydrogen production 19 p0344 A78-39470

Photochemical and photoelectrochemical routes and solar energy conversion 19 p0373 A78-42135

Investigation of sulfur based thermochemical cycles for hydrogen production by water decomposition 17 p0123 N78-12160

SPE water electrolysis technology development for large scale hydrogen production [COO-2675-6] 19 p0415 N78-25249

Electrolysis based hydrogen storage system [BNL-50760] 19 p0462 N78-27580

ELECTROLYTES

- Conceptual design of large scale water electrolysis plant using solid polymer electrolyte technology 18 p0174 A78-22869
- Optimal electrode properties and the selection of stabilizing electrolytes --- for photoelectrolytic hydrogen production 19 p0344 A78-39470
- Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells 19 p0362 A78-40531
- New materials for fluorosulfonic acid electrolyte fuel cells [AD-A044414] 17 p0126 A78-12531
- Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BWL-22881] 17 p0155 A78-14676
- Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920] 19 p0389 A78-22476
- ELECTROLYTIC CELLS**
- Hydrogen fuel cells and hydrogen engines 17 p0099 A78-18841
- Methanol-air fuel cell with hydrophilic air electrodes 18 p0174 A78-22844
- Power generation by photoelectrolysis 18 p0202 A78-27892
- Photogalvanic processes --- for solar energy conversion 18 p0202 A78-27893
- Analysis of electrolyte shunt currents in fuel cell power plants 18 p0219 A78-30188
- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes 19 p0363 A78-40618
- Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes 19 p0363 A78-40619
- A lithium solid-state cell based on the Li₃.75S₀.75P₀.25O₄ electrolyte 19 p0363 A78-40620
- ELECTROLYTIC POLARIZATION**
- Model considerations concerning the gas-electrolyte balance of supported gas-diffusion electrodes for fuel cells 17 p0096 A78-18646
- Analysis of electrolyte shunt currents in fuel cell power plants 18 p0219 A78-30188
- ELECTROMAGNETIC ABSORPTION**
- Improvements in the design of solar selective thin film absorbers 18 p0168 A78-22018
- Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave 19 p0332 A78-37139
- ELECTROMAGNETIC PROPULSION**
- The industrialization of space - A myth or tomorrow's reality. I 17 p0106 A78-20148
- ELECTROMAGNETIC PULSES**
- Pulse power systems employing inductive energy storage 17 p0007 A78-10698
- Development of inductive storage for generation of high voltage pulses 17 p0007 A78-10699
- ELECTROMAGNETIC PUMPS**
- Non-resonant pump field modification of the sidescatter threshold 19 p0381 A78-42264
- ELECTROMAGNETIC RADIATION**
- New developments in electromagnetic energy beaming 18 p0224 A78-30883
- Mechanism for the omega/pe/ radiation in tokamaks 18 p0225 A78-31215

ELECTROMAGNETIC SCATTERING

- Non-resonant pump field modification of the sidescatter threshold 19 p0381 A78-42264
- ELECTROMAGNETISM**
- Electromagnetic processes in ac/dc power converters. II - Symmetrical transient processes in power converters. III - Nonsymmetrical transient processes 18 p0217 A78-29625
- ELECTROMAGNETS**
- Pulse coil concepts for the LCP facility --- Large Coil Program to simulate tokamak coils 19 p0352 A78-39935
- ELECTROMECHANICAL DEVICES**
- Electromechanics in space --- Russian book on spacecraft control, navigation and energy conversion systems 17 p0073 A78-14175
- Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ --- 19 p0325 A78-36128
- Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36129
- Homopolar generator development at the University of Texas [ORO-5594-7] 19 p0467 A78-27922
- ELECTROMOTIVE FORCES**
- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C Stirling engine regenerators [GHR-2690-SECT-6.005] 19 p0439 A78-26323
- ELECTRON ACCELERATORS**
- Pulsed power for fusion 17 p0007 A78-10696
- ELECTRON BEAMS**
- Formation of a high-current relativistic-electron-beam ring for plasma confinement 17 p0012 A78-10887
- Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946
- International Topical Conference on High Power Electron and Ion Beam Research and Technology, 2nd, Cornell University, Ithaca, N.Y., October 3-5, 1977, Proceedings. Volumes 1 & 2 18 p0189 A78-26173
- New developments in electromagnetic energy beaming 18 p0224 A78-30883
- Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma 19 p0310 A78-34237
- Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- ELECTRON DIFFUSION**
- Diffusion lengths in amphoteric GaAs heterostructure solar cells 18 p0216 A78-29195
- Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell 19 p0373 A78-42129
- ELECTRON EMISSION**
- Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112
- ELECTRON ENERGY**
- Calculation of electron heating in a nonequilibrium HED channel 18 p0193 A78-27133
- Ionization equilibrium and radiative cooling of a high temperature plasma 18 p0227 A78-31423

ELECTRON IRRADIATION

Electron and proton degradation of commercially available solar cell/coverslide components
17 p0015 A78-10938

Photon degradation of electron and proton irradiated silicon solar cells
17 p0015 A78-10980

Annealing of GaAs solar cells damaged by electron irradiation
18 p0219 A78-30192

ELECTRON MICROSCOPES

Molten carbonate fuel cell research at CNEL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy
[ORNL/TM-6168/V2] 19 p0448 N78-26601

ELECTRON PARAMAGNETIC RESONANCE

Coal thickness gauge using EPRAS techniques, part 1 --- radiofrequency resonance absorption
[NASA-CR-150625] 18 p0273 N78-20573

ELECTRON SCATTERING

Stimulated electronic Raman scattering in Cs vapour - A simple tunable laser system for the 2.7 to 3.5 micron region
17 p0064 A78-12440

Turbulence theory for the dissipative trapped electron instability --- in tokamak toroidal devices
19 p0382 A78-42487

ELECTRON TRANSFER

Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
19 p0343 A78-39462

ELECTRON TUNNELING

The influence of tunneling effects on the efficiency of heterojunction solar cells
19 p0309 A78-34048

ELECTRON-ION RECOMBINATION

Ionization equilibrium and radiative cooling of a high temperature plasma
18 p0227 A78-31423

ELECTRONIC CONTROL

The efficiency improvement of electric vehicles by regenerative braking
[SAE PAPER 780291] 19 p0307 A78-33383

Some design aspects of computer based control systems for pulsed fusion experiments
19 p0355 A78-39991

ELECTRONIC EQUIPMENT

Methodology for predicting the demand for new electricity using goods
[EPRI-BA-593] 19 p0445 N78-26570

ELECTRONIC EQUIPMENT TESTS

Sunstations --- calibrated silicon solar cell for insolation measurement
19 p0314 A78-34933

Microprocessor-based solar cell measurement system
19 p0365 A78-40919

ELECTRONIC MODULES

Application of heat pipes in electronic modules
[AIAA 78-449] 19 p0319 A78-35625

Modular control subsystems for use in solar heating systems for multi-family dwellings
[NASA-CR-150593] 18 p0275 N78-20613

Automated array assembly, phase 2
[NASA-CR-157134] 19 p0407 N78-24653

ELECTRONS

Characterization of open-cycle coal-fired MHD generators, revision A
[PB-2478-A-REV-A] 19 p0422 N78-25566

ELECTROPHOTOGRAPHY

Photoelectric radiation-density meter --- for concentrator focal region measurement
18 p0215 A78-28892

ELECTROPLATING

Solar energy reflector using metallized polystyrene
19 p0371 A78-42110

Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings
[DLR-PB-77-23] 17 p0156 N78-14686

Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings
[ESA-TT-432] 19 p0390 N78-22482

ELECTROSTATIC PRECIPITATORS

Dust removal in energy generating plants
17 p0063 A78-11965

Control of fine particulate from coal-fired utility boilers
[APCA PAPER 77-14,1] 18 p0185 A78-25410

Economic comparison of selected scenarios for electrostatic precipitators and fabric filters
[APCA PAPER 77-14,2] 18 p0186 A78-25445

Retrofit precipitators meet rigid new standards --- sulfur coal combustion
18 p0189 A78-26475

Factors detrimental to electrostatic precipitator performance
[ASME PAPER 77-WA/APC-7] 19 p0297 A78-33130

Operation and maintenance of particulate control devices on coal-fired utility boilers
[PB-274104/9] 18 p0251 N78-17505

Particulate control highlights: Research on electrostatic precipitator technology
[PB-276643/4] 19 p0391 N78-22495

Development of a high-temperature/high-pressure electrostatic precipitator
[PB-276626/9] 19 p0391 N78-22497

ELECTROSTATIC PROBES

Collection of ions by electric probes in combustion MHD plasmas - An overview
18 p0188 A78-26111

ELECTROSTATIC SHIELDING

Temperature sheaths on probes or electrodes in MHD plasmas
19 p0336 A78-38108

ELECTROSTATIC WAVES

Long-time-scale simulation of resonant particle effects in Langmuir and whistler waves
18 p0231 A78-32068

ELECTROSTATICS

Computer simulation of the periodic electrostatic focusing converter --- controlled fusion reactor design
17 p0095 A78-18392

Design of an electrostatic end-plugged plasma-confinement device
19 p0347 A78-39806

Electrostatic direct energy converter performance and cost scaling laws
[UCID-17560] 18 p0269 N78-19665

ELLIPTIC DIFFERENTIAL EQUATIONS

G2M, a two-dimensional diffusion time scale tokamak code
18 p0231 A78-32066

EMERGENCIES

Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems
[Y/SUB-77-14263/1] 19 p0416 N78-25340

Illinois energy contingency plan, executive summary
[PB-278714/1] 19 p0465 N78-27605

Illinois energy contingency plan
[PB-278715/8] 19 p0465 N78-27606

EMISSIONITY

The emission characteristics of liquid-fuel flames
18 p0222 A78-30496

EMITTANCE

A low cost, portable instrument for measuring emittance
17 p0061 A78-11392

Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures
17 p0070 A78-13907

EMPLOYMENT

Solar energy
[GPO-94-910] 19 p0408 N78-24662

EMULSIONS

Characteristics of water-emulsion fuels --- combustion of hydrocarbon emulsions
17 p0102 A78-18949

ENCAPSULATING

Integral glass sheet encapsulation for terrestrial panel applications --- solar cell modules
17 p0016 A78-10948

Material and design considerations of encapsulants for photovoltaic arrays in terrestrial applications
17 p0016 A78-10951

Investigation of test methods, material properties, and processes for solar cell encapsulants. Encapsulation task of the low-cost silicon solar array project
[NASA-CR-157149] 19 p0406 N78-24636

ENERGY

Energy flow patterns for 1975
[LA-6770] 18 p0242 N78-16456

ENERGY ABSORPTION

Thermo-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385

ENERGY ABSORPTION FILMS

Selective absorption of solar energy in ultrafine
chromium particles 17 p0070 A78-13785

High temperature, stable, spectrally selective
solar absorbers for thermochemical hydrogen
production 17 p0080 A78-16049

Thin-film black-white coatings for the receivers
of solar energy installations 18 p0215 A78-28897

High conductivity ZnSe films --- for solar cells
19 p0310 A78-34256

A simple theory of back surface field /BSF/ solar
cells 19 p0338 A78-38552

Ultrafine chromium particles for photothermal
conversion of solar energy 19 p0339 A78-38553

Effect of substrate on graphite and other solar
selective surfaces 19 p0345 A78-39637

Investigation on the non-uniform thickness of the
skin region of a CdS solar cell 19 p0372 A78-42121

Sprayed CdS thin film solar cells 19 p0372 A78-42123

Failure analysis of cadmium sulphide solar cells
--- for spacecraft power supplies 19 p0372 A78-42124

Trap induced photovoltage in thin films of
gold-cadmium sulphide-indium diodes 19 p0373 A78-42131

DOD photovoltaic energy conversion systems market
inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471

Solar energy systems. Survey of materials
performance
[PB-273305/3] 18 p0244 N78-16475

ENERGY BANDS

The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell theory 18 p0192 A78-26717

ENERGY BUDGETS

A procedure for comparing the economy of different
electrical space heating systems 17 p0068 A78-13451

The future of oil --- development of sufficient
supplies 17 p0092 A78-17670

The energy of near-surface internal waves in the
Strait of Georgia 17 p0092 A78-17948

Energy and the atmosphere: A physical-chemical
approach --- Book 19 p0327 A78-36497

Energy budget of single crystal silicon solar
cells with the present state-of-art 19 p0371 A78-42116

ENERGY CONSERVATION

The value of solar heating 17 p0004 A78-10616

Hydraulic container pipelining - A future
transportation system to conserve energy
17 p0030 A78-11091

The use of ethanol-gasoline mixtures for
automotive fuel 17 p0034 A78-11128

Evaluation of an energy conserving research house
involving multi-modal operation of solar and
heat pump systems 17 p0046 A78-11244

Computer aided preliminary energy analysis and
energy use options for architectural students
17 p0057 A78-11359

Energy savings - The viewpoint of an aircraft
manufacturer 17 p0063 A78-12031

Heat pump application in houses 17 p0068 A78-13452

Saving raw materials or saving energy in aircraft
construction 17 p0073 A78-14285

Application of airborne infrared technology to
monitor building heat loss 17 p0075 A78-14853

Helicopters and energy savings 17 p0076 A78-15020

Future fuels for aviation
[ONERA, TP NO. 1977-156] 17 p0076 A78-15021

An electrifying experience - Electric vehicles in
the Postal Service
[EVC PAPER 7750] 17 p0085 A78-16927

Electrifying the Burlington Northern Railroad.
[EVC PAPER 7780] 17 p0086 A78-16930

Update - Automobile fuel economy 17 p0092 A78-17672

Constraining the energy gobbler --- industrial
waste heat recovery techniques 17 p0096 A78-18674

The use of heat pumps in reducing fuel consumption
for nonsolar climate control of buildings
18 p0174 A78-22842

The challenge of advanced fuel-conservative
aircraft - A manufacturer's view
[AIAA PAPER 78-362] 18 p0178 A78-24034

The new electric locomotives 18 p0179 A78-24378

Natural gas technology --- emphasizing production
from unconventional sources in U.S.A. 18 p0180 A78-24752

Cogeneration - A systematic analysis of combined
steam and power generation 18 p0188 A78-26108

ECAS Phase I fuel cell results --- Energy
Conservation Alternatives Study 18 p0188 A78-26110

The risks of energy shortage in the world level
18 p0196 A78-27783

Thermal-engineering preliminaries for the
retrofitting of old houses to solar-energy
utilization 18 p0213 A78-28583

Aviation fuel usage - Economy and conservation
18 p0223 A78-30698

Canadian Symposium on Energy Conserving Transport
Aircraft, Ottawa, Canada, October 3, 4, 1977,
Proceedings 18 p0226 A78-31301

The NASA Aircraft Energy Efficiency Program
18 p0226 A78-31302

Some aspects of powerplant airframe integration
affecting fuel conservation 18 p0226 A78-31304

Improved energy efficiency for small CTOL
transport aircraft 18 p0226 A78-31305

Fuel saving potential of Mach 0.8 twin engine
prop-fan transports 18 p0226 A78-31306

Aviation fuels - A supplier's perspective
18 p0226 A78-31308

Energy conserving aircraft from the engine viewpoint
18 p0226 A78-31310

Thrust computing system applications to increase
engine life and provide fuel conservation
18 p0227 A78-31311

Energy savings through combining of operation of
heat pump and air conditioning systems
18 p0232 A78-32115

Technologies for the utilization of waste energy
18 p0232 A78-32116

Energy conservation and thermal comfort in a New
York City high rise office building
19 p0311 A78-34380

A large scale heat exchanger with polygonally
configured heat pipe units
[AIAA 78-393] 19 p0317 A78-35588

Supersonic transport in terms of energy savings
19 p0323 A78-35893

Emissions and energy conservation in residential
oil heating 19 p0384 A78-42902

Commercial space: Policy analysis of
profitability of retrofit for energy conservation
[PB-269189/7] 17 p0115 A78-10591

Alternative fuels 17 p0118 A78-11074

- An evaluation of the national energy plan
[PB-270172/0] 17 p0127 N78-12548
- Energy conservation and state legislatures. Based
on the Energy Conservation Workshop for Region 8
State Legislators
[PB-270428/6] 17 p0128 N78-12550
- Effective fuel conservation programs could save
millions of gallons of aviation fuel
[PB-271249/5] 17 p0128 N78-12552
- Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Final report, volume 1
[EPRI-EM-319-VOL-1] 17 p0139 N78-13567
- Energy conservation R and D objectives workshop.
Volume 1: Working papers
[CONF-770305-PT-1] 17 p0139 N78-13568
- Energy conservation R and D objectives workshop.
Volume 2: Summary
[CONF-770305-PT-2] 17 p0140 N78-13569
- Development of an industry-government cooperative
energy conservation program for small
manufacturers, phase 1. Project 8978
[COO-2852-2] 17 p0140 N78-13572
- Residential energy demand analysis: Data and
methodology
[BNL-21920] 17 p0140 N78-13573
- State energy conservation program sourcebook.
Volume 1: Overview and guide
[PB-271798/1] 17 p0143 N78-13609
- State energy conservation program sourcebook.
Volume 2: State energy conservation plan handbook
[PB-271799/9] 17 p0143 N78-13610
- State energy conservation program sourcebook.
Volume 3: Grants-in aid management handbook
[PB-271800/5] 17 p0144 N78-13611
- State energy conservation program sourcebook.
Volume 4: Program measures and abstracts
[PB-271801/3] 17 p0144 N78-13612
- State energy conservation program sourcebook.
Volume 6: Bibliography
[PB-271802/1] 17 p0144 N78-13613
- Federal energy conservation programs, a state
perspective
[PB-271283/4] 17 p0144 N78-13614
- Use of aerial thermography in Canadian energy
conservation programs
17 p0149 N78-14566
- Modeling and analysis of industrial energy usage
[MTR-7329] 17 p0151 N78-14641
- Prospects for the utilization of waste heat in
large scale district heating systems
[BNL-22559] 17 p0152 N78-14651
- Energy conservation and the environment
[PB-272428/4] 17 p0162 N78-15590
- Studies of hydrogen liquefier efficiency and the
recovery of the liquefaction energy
[PB-274058/7] 18 p0237 N78-16199
- An analysis of alternative residential heating
systems in terms of three criteria: Energy
conservation, environmental impact and
life-cycle economics
18 p0239 N78-16423
- Land use-energy simulation model: A
computer-based model for exploring land use and
energy relationships
[BNL-50634] 18 p0241 N78-16450
- Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473
- General aviation energy-conservation research
programs at NASA-Lewis Research Center
[NASA-TN-73884] 18 p0247 N78-17060
- Effects of Energy Constraints on Transportation
Systems
18 p0256 N78-18529
- The United States energy scene 1976-1985
18 p0256 N78-18530
- Long range transportation planning under energy
constraints: A critical review of current
capability
18 p0256 N78-18532
- Alternative automotive engines and energy
conservation
18 p0257 N78-18534
- Energy and economic impacts of projected freight
transportation improvements
18 p0257 N78-18537
- Trucking and fuel economy
18 p0257 N78-18538
- Estimated highway fuel savings in 1975
18 p0257 N78-18539
- Air transportation energy efficiency
18 p0257 N78-18540
- President Carter's automobile related energy
conservation proposals
18 p0258 N78-18542
- Federal policy options to effect fuel conservation
in the air industry
18 p0259 N78-18548
- Estimating the energy conservation potential of
ventilation control through weather data analysis
[PB-273949/8] 18 p0261 N78-18655
- Energy conservation policy - opportunities and
associated impacts. Study module 1-A. Volume
1, summary report
[PB-274337/5] 18 p0269 N78-19661
- Performance of conventionally powered vehicles
tested to an electric vehicle test procedure
[NASA-TN-73768] 18 p0271 N78-20022
- The goldstone energy project
[NASA-CR-156133] 18 p0275 N78-20618
- Evaluation of the plan to conserve energy in
federal buildings through retrofit programs
[PB-275311/9] 18 p0276 N78-20627
- Emergency natural gas purchases: Actions needed
to correct program abuses and consumer inequities
[PB-275876/1] 18 p0280 N78-21313
- Energy conservation in the home: An energy
education/conservation curriculum guide for home
economics teachers
[EDN-1028] 18 p0284 N78-21607
- Use of solar energy in Federal Building
[GPO-94-365] 18 p0284 N78-21610
- US energy conservation could benefit from
experiences of other countries
[PB-276006/4] 18 p0284 N78-21619
- Planner's energy workbook: A manual for exploring
relationships between land use and energy
utilization
[BNL-50633] 18 p0286 N78-21634
- Conservation and the contributions from advanced
energy source
[CONF-770870/2] 18 p0288 N78-21648
- Energy conservation via solar energy applications
to multi-family and commercial structures.
Volume 3: An energy, engineering and economic
analysis of heating and cooling systems for
multi-family structures
[PB-276131/0] 18 p0289 N78-21657
- Davis energy conservation report, practical use of
the sun
[PB-276616/0] 19 p0390 N78-22478
- Coal gasification valves, phase 2
[PB-2355-2-REV-D] 19 p0394 N78-23441
- An evaluation of the national energy plan
[END-77-48] 19 p0396 N78-23566
- Energy emergency planning guide: Winter 1977 - 1978.
[DOE/EBA-0031] 19 p0397 N78-23580
- Suggestions for a phase-2 national energy policy
[FE-2660-1] 19 p0397 N78-23581
- Comprehensive community planning for energy
management and conservation: Developing and
applying a coordinated approach to
energy-related community development, volume 1
[HCF/H3879-VOL-1] 19 p0398 N78-23594
- Comprehensive community planning for energy
management and conservation: Developing and
applying a coordinated approach to
energy-related community development, volume 2
[HCF/H3879-1-VOL-2] 19 p0399 N78-23595
- Comprehensive community planning for energy
management and conservation: Developing and
applying a coordinated approach to
energy-related community development: Executive
summary
[HCF/H3879-0003] 19 p0399 N78-23596
- National Energy Conservation Policy Act
[GPO-94-843] 19 p0401 N78-23992
- National Energy Act, part 5
[GPO-98-577] 19 p0412 N78-25001
- Interaction of land-use patterns and residential
energy conservation
[TID-28058] 19 p0418 N78-25513
- Office of conservation
[TID-27998] 19 p0423 N78-25572
- Study of future heat engine vehicle systems
[UCBL-13781] 19 p0436 N78-26039

- Design approaches to more energy efficient engines
[NASA-TN-78893] 19 p0441 N78-26442
- Mixed strategies for energy conservation and
alternative energy utilization (solar) in
buildings, volume 1. Executive summary
[SAN/1234-1/1] 19 p0448 N78-26598
- A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 1: Project overview
[PB-278078/1] 19 p0449 N78-26616
- A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 2: Case study and
technical assistance
[PB-278079/9] 19 p0449 N78-26617
- A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 3: Transfer package
[PB-278080/7] 19 p0449 N78-26618
- ACEE propulsion overview 19 p0453 N78-27048
- Energy efficient engine: Preliminary design and
integration studies 19 p0453 N78-27053
- Energy efficient engine preliminary design and
integration studies 19 p0453 N78-27054
- Fuel conservative aircraft engine technology
[NASA-TN-78962] 19 p0454 N78-27127
- Cogeneration power systems 19 p0457 N78-27525
- Wind energy systems 19 p0457 N78-27528
- System considerations 19 p0457 N78-27529
- Impact of selected energy conservation
technologies on baseline demands
[BNL-50745] 19 p0463 N78-27591
- Potential energy savings in commercial/residential
communities based on integrated systems design
[CONF-771120-21] 19 p0464 N78-27592
- Hybrid vehicle technology constraints and
application assessment study. Volume 1: Summary
[PB-278118/5] 19 p0464 N78-27596
- Hybrid vehicle technology constraints and
application assessment study. Volume 2:
Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and
application assessment study. Volume 3:
Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and
application assessment study. Volume 4:
Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- ENERGY CONSUMPTION**
- Overcoming obstacles to energy recovery from
industrial wastes 17 p0006 A78-10637
- Total energy use in the production of silicon
solar cells from raw materials to finished product
17 p0016 A78-10954
- A detailed analysis of the environmental effects
of energy utilization in the U.S. economy
17 p0031 A78-11102
- Solar building energy use analysis 17 p0045 A78-11243
- Means of transport and the energy consumed by them
17 p0067 A78-13421
- Global equilibrium between energy requirements and
resources on the horizon of the year 2000. I -
Evolution and regionalization of the problem
17 p0069 A78-13468
- Environmental and energy considerations for
electric vehicles in urban use
[EVC PAPER 7753] 17 p0086 A78-16941
- Economic energy utilization by means of remote
heating 17 p0093 A78-18025
- The consequences and lessons of four years of
high-priced energy 17 p0094 A78-18095
- Energy supply-demand integrations to the year
2000: Global and national studies --- Book
18 p0165 A78-20618
- World energy prospects to the year 2000
18 p0172 A78-22545
- Energy and water --- energy resources correlation
with fresh water availability 18 p0175 A78-23562
- Input-output models support corrections of
previous principles for the estimation of energy
economy and development strategies in directed
systems 18 p0177 A78-23940
- Energy resources of the developing countries and
some priority markets for the use of solar energy
18 p0179 A78-24400
- Voltage-regulation requirements in power-supply
centers in the case of nonuniform user-loads
18 p0189 A78-26265
- The risks of energy shortage in the world level
18 p0196 A78-27783
- Possibilities for demand-oriented delivery of wind
energy 18 p0211 A78-28565
- Sulfur, energy, and environment --- Book
18 p0224 A78-31069
- Energy conservation and thermal comfort in a New
York City high rise office building 19 p0311 A78-34380
- The significance of domestic refuse recycling for
raw material requirements and energy consumption
of the nonferrous metals industry 19 p0332 A78-36945
- Cost/benefit tradeoffs for reducing the energy
consumption of the commercial air transportation
system
[NASA-CR-137925] 17 p0109 N78-10035
- Structural descriptions of alternative energy
futures
[COO-2865-7] 17 p0114 N78-10580
- Guidelines for forecasting energy demand
[IA-1327] 17 p0114 N78-10582
- Improvements in energy efficiency of industrial
electrochemical processes
[ANL/OEPR-77-2] 17 p0114 N78-10584
- State-of-the-art of functional use data measuring
energy consumption in the commercial sector
[PB-269906/4] 17 p0115 N78-10592
- Petroleum supply alternatives for the northern
tier states through 1980
[PB-269809/0] 17 p0116 N78-10600
- Energy in developing countries: Prospects and
problems
[IAEA-CN-36/581] 17 p0116 N78-10603
- Energy System Analysis Procedure (ESAP)
[AD-A044131] 17 p0126 N78-12532
- Energy consumption in commercial industries by
census division - 1974
[PB-268851/3] 17 p0139 N78-13558
- Project Independence Evaluation System (PIES)
documentation. Volume 4: PEA model of oil and
gas supply: Data validation and update
[PB-270385/8] 17 p0139 N78-13559
- Residential energy demand analysis: Data and
methodology
[BNL-21920] 17 p0140 N78-13573
- Fuel and energy price forecasts. Volume 2: Data
base
[EPRI-EA-433-VOL-2] 17 p0140 N78-13575
- Consensus forecast of US energy supply and demand
to the year 2000
[ORNL/TN-5369] 17 p0140 N78-13576
- System dynamics model of national energy usage
[SAND-76-0415] 17 p0141 N78-13577
- Consensus forecast of US electricity supply and
demand to the year 2000
[ORNL/TN-5370] 17 p0141 N78-13578
- Wind energy mission analysis, appendices A-J
[COO-2578-1-3] 17 p0152 N78-14647
- Regional reference energy systems
[EPRI-EA-462] 17 p0155 N78-14675
- Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473
- Energy consumption of environmental controls:
Fossil fuel, steam electric generating industry
[PB-273019/0] 18 p0244 N78-16476
- Alternative aircraft fuels
[NASA-TN-73836] 18 p0247 N78-17229
- Net energy analysis model for the evaluation of a
solar heating, ventilation and air conditioning
system
[AD-A047433] 18 p0251 N78-17487
- The energy efficiency of urban transit systems
18 p0258 N78-18541

- A dynamic model for the efficient utilization of exhaustible energy resources 18 p0263 N78-19598
- Gas turbine HTGR: A total energy utilization option [GA-A-14484] 18 p0270 N78-19670
- Energy demand modeling and forecasting [PB-274336/7] 18 p0270 N78-19676
- Projected 1977 - 1978 winter electric load-supply situation, contiguous United States [PB-276269/8] 18 p0285 N78-21621
- Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary [COO-4214-1/1-VOL-1] 18 p0287 N78-21641
- Energy oriented study of industrial cyclone separators [TREC-1174] 18 p0287 N78-21642
- Annual survey of manufactures, 1975. Fuels and electric energy consumed. Statistics for the United States [PB-275772/2] 18 p0289 N78-21659
- Energy supply and environmental impacts: Conventional energy sources [PB-276410/8] 18 p0289 N78-21669
- Energy audit scheme [NPL-CHEM-72] 19 p0399 N78-23602
- Simulating Oregon's future electrical energy demand [PB-276970/1] 19 p0399 N78-23603
- Helicopters and energy savings [AAAF-WT-77-25] 19 p0401 N78-24128
- Supersonic transportation faced with energy savings [AAAF-WT-77-28] 19 p0402 N78-24131
- The energy/real gross domestic product ratio: An analysis of changes during the 1966-1970 period in relation to long-run trends [PB-277235] 19 p0411 N78-24690
- Land use configurations and the utilization of distributed energy technology [OCRL-13773] 19 p0418 N78-25512
- Interaction of land-use patterns and residential energy conservation [TID-28058] 19 p0418 N78-25513
- Office of conservation [TID-27998] 19 p0423 N78-25572
- Methodology for predicting the demand for new electricity using goods [EPRI-EA-593] 19 p0445 N78-26570
- Energy consumption of advanced wastewater treatment at Ely, Minnesota [PB-278270/4] 19 p0452 N78-26998
- Dynamic models of house heating based on equivalent thermal parameters 19 p0456 N78-27517
- How industrial societies use energy [EPRI-EA-707-SV] 19 p0461 N78-27572
- Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2 [HCP/160901-01] 19 p0461 N78-27575
- International energy trends: Monthly supplement on oil trends [WP-22885] 19 p0462 N78-27577
- Illinois energy contingency plan, executive summary [PB-278714/1] 19 p0465 N78-27605
- Illinois energy contingency plan [PB-278715/8] 19 p0465 N78-27606
- ENERGY CONVERSION**
- Present status and research needs in energy recovery from wastes; Proceedings of the Conference, Oxford, Ohio, September 19-24, 1976 17 p0005 A78-10626
- Energy from refuse - Theoretical and practical results 17 p0037 A78-11149
- Nitinol engine development --- Ni-Ti alloy for thermal-to-mechanical energy converter 17 p0056 A78-11348
- An evaluation of residential heating methods in terms of energy conservation, environmental impact and life-cycle economics 17 p0057 A78-11357
- U.S. energy conversion research needs 17 p0069 A78-13624
- The development and prospects of power transistors used for the conversion of energy 17 p0081 A78-16353
- Uses of nuclear heat at high temperatures for energy conversion processes 17 p0101 A78-18852
- Bioconversion: Fuels from biomass --- Book 18 p0167 A78-21700
- A wind energy conversion system based on the tracked vehicle airfoil concept 18 p0169 A78-22234
- Economics of a vertical-axis wind turbine 18 p0170 A78-22243
- Wind energy research in New Zealand 18 p0171 A78-22249
- Development of a flow-model for energies and products 18 p0187 A78-25946
- Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
- Wind energy conversion - Horizontal-axis machines 18 p0210 A78-28559
- Aeroelasticity problems in wind energy converters 18 p0210 A78-28562
- Wind energy converter and mechanical energy converters - Matching and control 18 p0211 A78-28564
- Fully automatic wind power plant 125/220 V 4 KVA 18 p0211 A78-28571
- Comparative energies of alternative fuels 18 p0216 A78-29289
- Development of small-scale benign sources of energy in France 18 p0216 A78-29291
- Nonconventional alternatives for conversion of nuclear energy 18 p0229 A78-31772
- The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- Combined cycles for operation on coal derived fuels with high temperature combustion turbines [ASME PAPER 77-WA/ENERG-14] 19 p0298 A78-33152
- Alternative energy sources in the USSR 19 p0315 A78-35280
- A systematic approach to the problem of characterizing the emission potential of energy conversion processes --- coal gasification pollution potentials 19 p0320 A78-35699
- Methods of energy conversion /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36126
- Ignition of catalyzed-D reactor from D-T burning 19 p0358 A78-40083
- Cost-effective energy from humid air 19 p0361 A78-40363
- Hydroelectric solar energy conversion 19 p0368 A78-41813
- Modeling the sectors of production and energy transformation - The situation in France 19 p0385 A78-43270
- Generalization of the description of energy conversion in CO2 impulse lasers 17 p0109 N78-10444
- Technology evaluation of Army-scale waste-to-energy systems [AD-A042578] 17 p0112 N78-10567
- Transportation energy conservation data book, supplement-3 [CRNL-5248] 17 p0121 N78-11508
- Development of high temperature turbine subsystem technology to technology readiness status; phase 1 [PB-1806-6] 17 p0124 N78-12425
- Water conservation and pollution control in coal conversion processes [PB-269568/2] 17 p0128 N78-12556
- Proceedings of the conference on Coal Feeding Systems [NASA-CR-155331] 17 p0131 N78-13241
- Gravity flow rate of solids through orifices and pipes 17 p0133 N78-13260
- Research toward improved flywheel suspension and energy conversion systems --- for use with energy storage systems [PB-271413/7] 17 p0139 N78-13564
- Heat source component development program [BHI-X-679] 17 p0141 N78-13580
- Wind energy mission analysis, executive summary [COO-2578-1-1] 17 p0152 N78-14645
- Wind energy mission analysis, appendices A-J [COO-2578-1-3] 17 p0152 N78-14647

- Summary of current cost estimates of large wind energy systems
[DSE/2521-1] 17 p0152 N78-14650
- Solar program assessment: Environmental factors.
Wind energy conversion
[ERDA-77-47/6] 17 p0156 N78-14682
- Available work energy and coal conversion processes
17 p0159 N78-15558
- Development status and environmental hazards of several candidate advanced energy systems
[PB-272759/2] 17 p0162 N78-15588
- An asynchronous ac/dc/ac link for wind power application
18 p0239 N78-16426
- Implanted energy conversion system
[PB-272609/9] 18 p0243 N78-16464
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 1
[PB-273969/6] 18 p0243 N78-16469
- DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471
- Legal-institutional implications of Wind Energy Conversion Systems (WECS), executive summary
[PB-273006/7] 18 p0244 N78-16472
- European waste-to-energy systems. An overview
[CONS/2103-6] 18 p0245 N78-16931
- European waste-to-energy systems: Case study of Munich: Munich North IA and IB, Munich North II, Munich South IV and V
[CONS/2103-4] 18 p0245 N78-16933
- European waste-to-energy systems: Case study of Roersor, Denmark
[CONS/2103-3] 18 p0246 N78-16934
- European waste-to-energy systems: Case study of Geneva-Cheneviers (Switzerland)
[CONS/2103-2] 18 p0246 N78-16935
- TELEC laser experiment
[NASA-CR-152077] 18 p0247 N78-17251
- Microwave power converter
[NASA-CASE-WFO-14068-1] 18 p0264 N78-19609
- Aeroelastic analysis of wind energy conversion systems
18 p0265 N78-19621
- Dynamics of drive systems for wind energy conversion
18 p0266 N78-19633
- Some alternative dynamic design configurations for large horizontal axis WECS
18 p0266 N78-19634
- Advanced semiconductor technology for alternate energy sources: dc to ac inverters
[AD-A048806] 18 p0269 N78-19662
- Electrostatic direct energy converter performance and cost scaling laws
[UCID-17560] 18 p0269 N78-19665
- Hawaii geothermal project. Well completion report, HGP-A
[TID-27312] 18 p0269 N78-19668
- RAWN: Research Applied to National Needs. Wind Energy Conversion Research
[PB-271942/5] 18 p0270 N78-19677
- Fluid bed process studies on selective conversion of methanol to high octane gasoline
[FE-2490-8] 18 p0272 N78-20356
- Hydrogen turbine power conversion system assessment
[NASA-CR-135298] 18 p0276 N78-20621
- A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project)
18 p0278 N78-20942
- A review of the thermoelectronic laser energy converter (TELEC) program at Lewis Research Center
[NASA-TN-73888] 18 p0281 N78-21441
- Space electric power design study --- laser energy conversion
[NASA-CR-152031] 18 p0282 N78-21590
- Combined heat and power: A discussion of Energy Paper 20
[ERG-018] 18 p0284 N78-21608
- Solar energy for the Naval Shore Establishment
[AD-A050026] 18 p0284 N78-21616
- Studies on methods of reducing heat losses from flat plate solar collectors, phase 2
[COO-2597] 18 p0285 N78-21624
- Gasification combined cycle test facility, Pekin, Illinois
[FE-2352-03] 18 p0286 N78-21632
- Study of some recent advances in the concept and design of MHD generators
[ABOI-26] 18 p0289 N78-21662
- Systems studies of coal conversion processes using a reference simulator
[FE-2275-4] 19 p0390 N78-22480
- Riser cracking of coal to oil and gas
[CONF-770814-10] 19 p0392 N78-23250
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications: Analysis and design
[NASA-CR-134937] 19 p0395 N78-23560
- Transition to decentralized energy systems
[CONF-7710101-1] 19 p0397 N78-23582
- Preparation of a coal conversion systems technical data book
[FE-2286-21] 19 p0398 N78-23591
- PVSS: A photovoltaic system simulation program manual
[SAND-77-0814] 19 p0398 N78-23593
- Energy Conversion Alternatives Study (ECAS)
[NASA-TN-73871] 19 p0408 N78-24659
- Environmental, health, and control aspects of coal conversion, an information overview, volume 1
[ORNL/EIS-94-VOL-1] 19 p0411 N78-24696
- Environmental, health, and control aspects of coal conversion: An information overview, volume 2
[ORNL/EIS-95-VOL-2] 19 p0411 N78-24697
- Alternative fuels demonstration program, volume 1 of 2
[ERDA-1547-VOL-1] 19 p0415 N78-25245
- Fuel gas production from animal waste, phase 1
[COO-2991-23] 19 p0415 N78-25248
- Research guidance studies to assess gasoline from coal by methanol-to-gasoline and sasol-type Fischer-Tropsch technologies
[FE-2447-12] 19 p0415 N78-25251
- Systems aspects of large-scale solar energy conversion
[IIASA-RN-77-23] 19 p0423 N78-25581
- Solar energy conversion: An analysis of impacts on desert ecosystems
[COO-4339-1] 19 p0427 N78-25612
- Energy and protein production from pulp mill wastes
[COO-2983-6] 19 p0428 N78-25617
- Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program
[PB-277917] 19 p0433 N78-25678
- Pollution and environmental aspects of fuel conversion. A bibliography with abstracts
[NTIS/PS-78/0314] 19 p0434 N78-25701
- Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization
[DOE/NSF/19137-77/3] 19 p0435 N78-25982
- Legal-institutional implications of Wind Energy Conversion Systems (WECS)
[NSF/BA-770204] 19 p0435 N78-25983
- Dynamic models of falling film evaporators for ocean thermal energy conversion plants
[COO-2641-3] 19 p0447 N78-26591
- In situ conversion of coal
[COO-0066-2] 19 p0448 N78-26610
- Overcoming institutional barriers to solid waste utilization as an energy source --- electric power plants
[HCP/L50172-01] 19 p0452 N78-27005
- Overcoming institutional barriers to solid waste utilization as an energy source: Executive summary --- electric power plants
[HCP/L50172-02] 19 p0453 N78-27006
- Closed gas turbine heater program
[TID-28200] 19 p0455 N78-27441
- Proceedings of the Alternate Energy Systems Seminar
[NASA-CR-157255] 19 p0457 N78-27522
- Solar photovoltaic systems
19 p0457 N78-27523
- Cogeneration power systems
19 p0457 N78-27525
- Research toward improved flywheel suspension and energy conversion systems
[PB-278679/6] 19 p0458 N78-27544
- Advanced technology fuel cell program
[EPRI-EM-576] 19 p0459 N78-27553
- ENERGY CONVERSION EFFICIENCY**
- Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications
17 p0001 A78-10170
- Plasma flow computation method for MHD conversion channels
17 p0002 A78-10375

SUBJECT INDEX

ENERGY CONVERSION EFFICIENCY CONTD

Si/CdS heterojunction solar cells 17 p0002 A78-10485
 How much investment in conversion devices --- for terrestrial solar energy utilization 17 p0004 A78-10617
 Energy development II --- Book 17 p0009 A78-10729
 Inverters for commercial fuel cell power generation 17 p0009 A78-10733
 A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906
 New developments in vertical-junction solar cells --- groove structure to promote radiation resistance 17 p0012 A78-10907
 On the series resistance of solar cells 17 p0013 A78-10914
 Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915
 Efficiency calculations for thin film polycrystalline semiconductor Schottky barrier solar cells 17 p0013 A78-10920
 An analysis of factors influencing the efficiency of EFG silicon ribbon solar cells 17 p0014 A78-10930
 Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 A78-10936
 Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943
 High efficiency solar cells 17 p0016 A78-10953
 InP/CdS solar cells 17 p0018 A78-10985
 What is simulated AMO - A comparison of CNR and violet cell measurements across USA and Europe 17 p0019 A78-10988
 Improved Helios cell output --- solar generator power efficiency 17 p0019 A78-10995
 Textured surface cell performance characteristics 17 p0019 A78-10996
 The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 A78-11021
 Design criteria for high efficiency silicon solar cells with concentration 17 p0023 A78-11022
 High intensity solar cell 17 p0023 A78-11028
 Interface design considerations for terrestrial solar cell modules 17 p0023 A78-11030
 Thermophotovoltaic systems for electrical energy conversion 17 p0023 A78-11031
 Improved performance of solar cells for high intensity applications 17 p0024 A78-11033
 Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038
 MIS solar cell calculations 17 p0024 A78-11039
 Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049
 Improvement of efficiency in Si Schottky barrier solar cells 17 p0026 A78-11051
 High efficiency and large area /GaAl/As-GaAs solar cells 17 p0026 A78-11054
 Computer analysis of heterojunction and graded bandgap solar cells 17 p0026 A78-11056
 The potential for increasing the efficiency of photovoltaic systems by using multiple cell concepts 17 p0026 A78-11058
 Tandem photovoltaic solar cells and increased solar energy conversion efficiency 17 p0027 A78-11059

High efficiency thin window Ga/1-x/Al/x/As/GaAs solar cells 17 p0027 A78-11065
 Inversion layer silicon solar cells with 10-12% AM1 efficiencies 17 p0027 A78-11066
 Rheotaxy for large grain thin film solar cell fabrication 17 p0027 A78-11067
 LaF3 solar cell 17 p0027 A78-11068
 The Gas Turbine HTGR plant with a binary cycle 17 p0029 A78-11083
 Theoretical method to determine monthly efficiency of flat plate solar collectors 17 p0029 A78-11084
 MHD generators for baseload power stations 17 p0032 A78-11108
 Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power 17 p0032 A78-11110
 Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191
 Performance analysis of a black liquid absorbing collector /BLAC/ 17 p0042 A78-11217
 Analysis of a matrix solar collector 17 p0043 A78-11222
 A solar panel for residential use 17 p0043 A78-11223
 Performance tests of a solar energy collector used to heat air 17 p0043 A78-11224
 Finite size corrections for a reflector-collector system 17 p0043 A78-11227
 Solar collection at different temperatures by different collector types under various orientation methods 17 p0043 A78-11228
 Optimized spacing between rows of solar collectors 17 p0043 A78-11229
 An approximate equation for predicting the solar transmittance of transparent honeycombs --- flat plate collector efficiency 17 p0044 A78-11231
 Natural convection characteristics of flat plate collectors 17 p0044 A78-11235
 Solar system cost/performance analysis 17 p0047 A78-11257
 The computer-aided design of windows as passive solar collectors 17 p0048 A78-11272
 Monitoring and evaluation of solar heating in northern New England 17 p0049 A78-11282
 Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
 A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323
 The application of color response data of silicon cells for improving photovoltaic efficiency 17 p0055 A78-11341
 Photosynthetic and water efficiency of Salvia pestifer --- tumbleweeds for biomass energy production 17 p0056 A78-11352
 Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system 17 p0058 A78-11372
 Non-evacuated solar collectors with compound parabolic concentrators 17 p0059 A78-11378
 Long-term average performance predictions for compound parabolic concentrator solar collectors 17 p0059 A78-11379
 Evaluation of an optimized solar thermal collector by a new method 17 p0060 A78-11381
 Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391
 Evaluation of the CdS/CdTe heterojunction solar cell 17 p0062 A78-11815

- High-efficiency GaAs shallow-homojunction solar cells 17 p0062 A78-11933
- Biomass and waste production as energy resources - Update 17 p0063 A78-12222
- Investigation of the efficiency of a Faraday MHD-generator coupled to a thermonuclear reactor 17 p0063 A78-12348
- Experimental and computational results on direct energy conversion for mirror fusion reactors 17 p0064 A78-12486
- Bioconversion of solar energy to methane 17 p0067 A78-13342
- Enhancement of MIS solar-cell 'efficiency' by peripheral collection 17 p0070 A78-13797
- Silicon films as selective absorbers for solar energy conversion 17 p0070 A78-13905
- Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745
- Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115
- Seasonal solar collector performance with maximum storage 17 p0078 A78-15410
- Self-supporting active solar energy system 17 p0078 A78-15411
- Direct conversion of CO₂ laser energy to high-voltage electrical energy using a laser-produced plasma 17 p0078 A78-15788
- Limits on the yield of photochemical solar energy conversion 17 p0079 A78-15847
- A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850
- Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16231
- Prediction of average collector efficiency from climatic data 17 p0084 A78-16834
- A method of testing for rating thermal storage devices based on thermal performance 17 p0084 A78-16838
- Energy optimization of a cycled Tokamak 17 p0087 A78-17133
- Testing of direct contact heat exchangers for geothermal brines [ASME PAPER 77-HT-4] 17 p0089 A78-17479
- Optimum efficiency of photogalvanic cells for solar energy conversion 17 p0091 A78-17520
- Update - Automobile fuel economy 17 p0092 A78-17672
- Advances in aircraft efficiency 17 p0093 A78-18022
- Betz type limitation of vortex wind machines 17 p0093 A78-18090
- Vortex augmentation of wind energy --- aerodynamic surface design for energy conversion efficiency 17 p0094 A78-18091
- Performance characteristics of concentrator-augmented Savonius wind rotors 17 p0094 A78-18092
- Computer simulation of the periodic electrostatic focusing converter --- controlled fusion reactor design 17 p0095 A78-18392
- Current efficiency in the lithium-water battery 17 p0095 A78-18410
- A cylindrical dioptrics, nonfocalizing solar collector 17 p0102 A78-19225
- Limiting values of the energy generated by pulsed MHD converters 17 p0103 A78-19268
- Geothermal well stimulation with a secondary fluid 17 p0104 A78-19625
- Current costs of solar powered organic Rankine cycle engines 17 p0104 A78-19826
- The effect of off-south orientation on the performance of flat-plate solar collectors 17 p0104 A78-19830
- Asymmetrical non-imaging cylindrical solar concentrators 17 p0104 A78-19831
- The circular cylindrical reflector - Application to a shallow solar pond electricity generating system 17 p0105 A78-19833
- Advances in solar water heating for domestic use in Australia 17 p0105 A78-19834
- Geometric factors for plane specular reflectors 17 p0105 A78-19835
- Efficiency of Brude mirror-type selective transparent filters for solar thermal conversion 17 p0105 A78-19893
- On some new criteria of efficiency of thermoelectric materials 17 p0106 A78-20200
- Calculation of the energy delivered by a collector with the method of average direct optical output 18 p0165 A78-20620
- Theoretical performance of a passive solar energy collection system for house heating 18 p0165 A78-20622
- The efficiency of half-peak MHD electric power plant 18 p0166 A78-21034
- Coaxial, explosive-type MHD generator 18 p0166 A78-21387
- High-efficiency solar energy conversion through flux concentration and spectrum splitting 18 p0168 A78-22064
- Choice of optimal configuration of frame and cross section shape for a frame-type MHD channel 18 p0168 A78-22139
- A performance prediction model for the Darrieus turbine --- for wind energy conversion 18 p0170 A78-22237
- WVU wind energy concentrators 18 p0171 A78-22244
- A self-contained 5,000 kW capacity wind energy conversion system with storage 18 p0171 A78-22246
- The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts 18 p0171 A78-22248
- A performance-optimized wind energy conversion system for space heating 18 p0171 A78-22251
- Photocells with intermediate conversion of radiation and which operate at an increased concentration /2500-fold/ of solar radiation 18 p0172 A78-22795
- An experimental investigation of a class of resistance-type, direction-independent wind turbines 18 p0173 A78-22839
- The use of heat pumps in reducing fuel consumption for nonsolar climate control of buildings 18 p0174 A78-22842
- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Optimization of solar cell contacts by system cost-per-watt minimization 18 p0176 A78-23637
- The efficiency of grating solar cells 18 p0178 A78-24131
- Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262
- Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757
- Classification of methods for controlling the productivity of wind and solar power stations 18 p0187 A78-25737
- Cogeneration - A systematic analysis of combined steam and power generation 18 p0188 A78-26108

SUBJECT INDEX

ENERGY CONVERSION EFFICIENCY CONTD

ECAS Phase I fuel cell results --- Energy Conservation Alternatives Study 18 p0188 A78-26110

Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112

Performance of counter- and corotating arrays of Savonius turbines --- windpowered machines 18 p0188 A78-26113

Solar energy - Its nature and possibilities as a source of power for terrestrial use 18 p0188 A78-26144

Re-circulating power, unit costs and thermal pollution of fusion power stations 18 p0189 A78-26372

Response of a solar cell partially illuminated by a nonuniform light source 18 p0192 A78-26614

The operation of the semiconductor-insulator-semiconductor /SIS/ solar cell theory 18 p0192 A78-26717

Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140

Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811

Geothermal energy utilization --- Book 18 p0198 A78-27824

Heat transfer for solar energy utilization 18 p0200 A78-27855

Solar energy utilization - Liquid flat plate collectors 18 p0200 A78-27856

Convective heat transfer effects within honeycomb structures for flat plate solar collectors 18 p0200 A78-27857

Solar air heaters and their applications 18 p0200 A78-27858

Solar pond 18 p0200 A78-27860

Photovoltaic conversion 18 p0201 A78-27862

Application of solar energy in space 18 p0201 A78-27863

Conversion of solar energy into electricity 18 p0201 A78-27864

Solar heating and cooling of homes 18 p0201 A78-27867

Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922

Infrared focal planes in intrinsic semiconductors --- technology review 18 p0204 A78-28139

Spectral responses limitation mechanisms of a shallow junction n+/p photodiode 18 p0205 A78-28141

Thin silicon film p-i-n photodiodes with internal reflection 18 p0205 A78-28142

Thermophotovoltaic cells for solar energy conversion 18 p0205 A78-28169

Synthesis of organic compounds from carbon dioxide in land plants --- energy farm design and solar energy conversion efficiency limits 18 p0208 A78-28361

Meteorology and wind energy utilization 18 p0210 A78-28558

The coupling of solar energy utilization and wind energy utilization 18 p0211 A78-28568

Aqueous heat-carrying liquids for solar houses 18 p0213 A78-28587

Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590

Monitoring solar space heat 18 p0214 A78-28800

Concentration of the sun's rays using catenary curves 18 p0214 A78-28843

Limitation of 3547 to 1182 Å conversion efficiency in Fe 18 p0215 A78-28924

Diffusion lengths in amphoteric GaAs heteroface solar cells 18 p0216 A78-29195

Simplified fabrication of GaAs homojunction solar cells with increased conversion efficiencies 18 p0216 A78-29199

Electromagnetic processes in ac/dc power converters. II - Symmetrical transient processes in power converters. III - Nonsymmetrical transient processes 18 p0217 A78-29625

Experiments with enhanced mode thermionic converters 18 p0218 A78-29636

An analysis of an early hybrid fossil-geothermal power plant proposal 18 p0218 A78-29998

On vortex wind power [ASME PAPER 77-WA/FE-20] 18 p0218 A78-30035

The effect of hub fairings on wind turbine rotor performance 18 p0219 A78-30039

Economic design of wind electric systems [IEEE PAPER P 77 679-4] 18 p0219 A78-30197

Application of chemical engineering to large scale solar energy 18 p0220 A78-30265

Payback of solar systems 18 p0220 A78-30266

Sputtered metal silicide solar selective absorbing surfaces 18 p0221 A78-30303

High-efficiency organic solar cells 18 p0223 A78-30646

Spinning a turbine with sunlight 18 p0223 A78-30742

The sun on a semiconductor 18 p0223 A78-30743

Solar heating design, by the f-chart method --- Book 18 p0224 A78-31071

Theoretical analysis of a novel MPN gallium arsenide Schottky barrier solar cell 18 p0227 A78-31385

Two-dimensional analysis for Cu_x/S-CdS solar cells with nonuniform skin region 18 p0228 A78-31726

Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu₂S photovoltaic cells 18 p0228 A78-31730

Epitaxial silicon solar cells with uniformly doped layer 18 p0228 A78-31732

Influence of light reflection on the collection efficiency of a solar cell 18 p0229 A78-31767

The aerodynamic efficiency of windmills 18 p0229 A78-31834

Winds and wind system performance --- Book 18 p0231 A78-32074

Efficiency of Fresnel lens solar collector 18 p0232 A78-32113

Thermal properties of battery systems 18 p0233 A78-32232

Properties of a collectorless motor fed from a three-phase current-source 18 p0235 A78-32430

Power deposition in volumetric /U-235/P6-Re fission-pumped nuclear lasers 18 p0235 A78-32436

Gulf Stream OTEC resource potential 19 p0291 A78-32535

Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor 19 p0291 A78-32572

The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields 19 p0293 A78-32717

Two-dimensional analysis of diagonal MHD generator via equivalent circuit 19 p0293 A78-32833

Experimental evaluation of a fixed collector employing vee-trough concentrator and vacuum tube receivers 19 p0295 A78-33030

Preliminary performance evaluation of the New Mexico State University solar house 19 p0295 A78-33032

- Steam bottoming plants for combined cycles
19 p0296 A78-33102
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system
[ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- Thermionic energy conversion topping system --- utilization of waste energy from steam generators
[ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144
- Performance and cost evaluation for a thermionic topping power plant
[ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
- Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal
[ASME PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles
[ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- The effect of certain major parameters on the annual effectiveness of solar systems for residential dwellings
[ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- Low cost test procedure for solar collectors
[ASME PAPER 77-WA/SOL-4] 19 p0299 A78-33192
- A 'no-flow' method for measuring solar collector performance
[ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193
- Influence of design factors on the economy of sea thermal power plants
19 p0301 A78-33306
- An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion
19 p0304 A78-33333
- Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships
19 p0304 A78-33339
- A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems
19 p0304 A78-33340
- Studies of biofouling in Ocean Thermal Energy Conversion plants
19 p0305 A78-33342
- The efficiency improvement of electric vehicles by regenerative braking
[SAE PAPER 780291] 19 p0307 A78-33383
- The influence of interface states and energy barriers on the efficiency of heterojunction solar cells
19 p0309 A78-34008
- Cu_x/S/CdS thin-film solar cells using chemically sprayed-CdS films
19 p0309 A78-34009
- The influence of tunneling effects on the efficiency of heterojunction solar cells
19 p0309 A78-34048
- A parametric study of hot water storage for peak power generation
19 p0309 A78-34076
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels
19 p0309 A78-34078
- High efficiency water electrolysis in alkaline solution --- for hydrogen production
19 p0311 A78-34400
- Testing of solar collectors
19 p0312 A78-34511
- On the fluctuating power generation of large wind energy converters, with and without storage facilities
19 p0312 A78-34514
- Preliminary results on the conversion of laser energy into electricity
19 p0313 A78-34631
- The effects of air leaks on solar air collector behaviour
19 p0313 A78-34932
- Optimization models for the economic design of wind power systems
19 p0314 A78-34934
- Probability models of wind velocity magnitude and persistence
19 p0314 A78-34935
- Thermic diode solar panels for space heating
19 p0314 A78-34936
- A cellwise method for the optimization of large central receiver systems
19 p0314 A78-34937
- Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions
19 p0315 A78-35282
- Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor (SIS) heterojunction solar cell
19 p0316 A78-35287
- A comparison of some alternative domestic energy systems --- solar, heat pump and conventional space and water heating
19 p0316 A78-35361
- MHD's target - Payoff by 2000
19 p0316 A78-35444
- Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures
19 p0317 A78-35560
- A non-tracking moderately focusing heat pipe solar collector
[AIAA 78-402] 19 p0318 A78-35592
- Power plant performance --- comparison of coal and nuclear fueled
19 p0321 A78-35753
- Maximisation of operating efficiency of solar cells
19 p0322 A78-35782
- Experimental evaluation of natural convection solar air heaters
19 p0323 A78-35795
- The efficiency of solar flat-plate collectors
19 p0323 A78-35798
- A simulated comparison of the useful energy gain in a fixed and a fully tracking flat plate collector
19 p0323 A78-35800
- Thermal optical surface properties and high-temperature solar energy conversion
[AIAA PAPER 78-903] 19 p0324 A78-36021
- Problems of electrical energy generation /Some results of the International Electrotechnology Congress - Moscow, 1977/
19 p0325 A78-36127
- Wind-wave power available to a wave energy converter array
19 p0326 A78-36272
- Ideal flux concentrators with reflector gaps --- solar collectors
19 p0333 A78-37177
- Silicon solar cell designs based on physical behavior in concentrated sunlight
19 p0334 A78-37462
- Influence of bandgap narrowing on the performance of silicon p-n solar cells
19 p0334 A78-37464
- Polycrystalline silicon p-n junctions --- fabrication of low cost solar cells
19 p0334 A78-37467
- Frequency limitations of transferred electron devices related to quality of contacts
19 p0334 A78-37468
- Investigating the efficiency of gas turbines in off-design operation --- multistage experimental data
19 p0335 A78-37860
- Ion-implanted drift field silicon solar cell
19 p0335 A78-37904
- Experimental study of the joint operation of wind- and solar-plants
19 p0336 A78-37948
- Ultrafine chromium particles for photothermal conversion of solar energy
19 p0339 A78-38553
- Dynamics of a pistonless engine capable of utilizing solar energy
19 p0339 A78-38554
- Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler
19 p0340 A78-38933
- The problem of optimizing the output characteristics of an ideal thermionic converter
19 p0341 A78-38934
- A novel square Fresnel lens design for illuminating circular solar cells
19 p0342 A78-39369
- Stable semiconductor liquid junction cell with 9% solar to electrical conversion efficiency
19 p0343 A78-39461
- Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells
19 p0344 A78-39469

- Flat-sided rectilinear trough as a solar concentrator - An analytical study 19 p0344 A78-39636
- Effect of substrate on graphite and other solar selective surfaces 19 p0345 A78-39637
- Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7] 19 p0345 A78-39776
- The TFTR neutral beam power system --- Tokamak Fusion Test Reactor 19 p0354 A78-39976
- A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors 19 p0354 A78-39978
- An apparatus to examine pulsed parallel field losses in large conductors --- of superconducting magnetic coils in Tokamak 19 p0355 A78-40006
- Vortex augmented wind energy conversion 19 p0361 A78-40361
- Electrofluid dynamic /EPD/ wind driven generator research 19 p0361 A78-40362
- Experimental analysis of a straight bladed Darrieus wind turbine 19 p0361 A78-40365
- Aerodynamic augmentation of wind turbines 19 p0361 A78-40366
- Comment on 'Heat-pipe reactors for space power applications' 19 p0364 A78-40826
- Alternative automobile engines 19 p0367 A78-41466
- The effect of coherent structures on open-cycle generators [AIAA PAPER 78-1173] 19 p0368 A78-41870
- Radiation transfer through specular passages - A simple approximation 19 p0369 A78-42030
- National Solar Energy Convention, Jadavpur University, Calcutta, India, November 29-December 1, 1976, Proceedings 19 p0369 A78-42101
- Key-note address - Solar energy research and development 19 p0370 A78-42102
- Progress report from Central Electronics Ltd., Delhi --- solar cell research projects 19 p0370 A78-42103
- Solar energy reflector using metallised polystyrene 19 p0371 A78-42110
- Non-tracking solar concentration for solar cell 19 p0371 A78-42111
- A non-tracking heat concentrator capable of giving concentration factor of the order of 20 19 p0371 A78-42112
- Design of a non-tracking solar heat concentrator/collector system 19 p0371 A78-42113
- Semiconducting materials in solar energy conversion 19 p0371 A78-42115
- Energy budget of single crystal silicon solar cells with the present state-of-art 19 p0371 A78-42116
- Effects of temperature on the performance of silicon solar cells 19 p0371 A78-42117
- Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer 19 p0373 A78-42128
- Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell 19 p0373 A78-42129
- Back-wall Schottky barrier solar cells - with and without an interfacial layer 19 p0373 A78-42130
- Utilisation of solar energy by thermoelectric generators 19 p0373 A78-42133
- A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters 19 p0373 A78-42134
- Some aspects of radiation climatology in relation to applied solar energy 19 p0374 A78-42143
- Cheap packed-bed solar air heaters 19 p0374 A78-42144
- A suggestion for improving the heat transfer from solar heaters 19 p0374 A78-42146
- Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems 19 p0375 A78-42149
- Optimum solar energy collection 19 p0375 A78-42150
- Photocells with intermediate radiation conversion and enhanced concentration of solar radiation /K=2500/ 19 p0381 A78-42415
- Energy resources --- on natural and nuclear energy technology and efficiency 19 p0385 A78-43072
- The thermochemical dissociation of water 17 p0123 N78-12163
- Hybrid drive for motor vehicles with a preponderantly intermittent method of operation [NASA-TM-75215] 17 p0124 N78-12418
- Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration [NASA-CR-155325] 17 p0125 N78-12527
- Solar Cell High Efficiency and Radiation Damage [NASA-CR-2020] 17 p0136 N78-13527
- Purity gradients and high efficiency solar cells 17 p0136 N78-13531
- Advanced high efficiency wraparound contact solar cell [AIAA-PAPER-77-521] 17 p0137 N78-13536
- Developments in vertical-junction silicon solar cells 17 p0137 N78-13540
- High efficiency GaAs solar cells 17 p0137 N78-13542
- Theoretical studies of a new double graded band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub 1-y As 17 p0138 N78-13543
- Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory [CONF-770331-1] 17 p0153 N78-14661
- HYCSOS: A chemical heat pump and energy system based on metal hydrides [ANL-77-39] 18 p0238 N78-16334
- European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France) [CONS/2103-1] 18 p0245 N78-16932
- Solar cell design study [AD-A048042] 18 p0251 N78-17489
- Optimize out-of-core thermionic energy conversion for nuclear electric propulsion [NASA-TM-73892] 18 p0252 N78-17856
- A computer analysis of heterojunction and graded bandgap solar cells 18 p0254 N78-18512
- Indoor thermal performance evaluation of Daystar solar collector [NASA-CR-150511] 18 p0255 N78-18521
- Solafern solar system design brochure [NASA-CR-150515] 18 p0256 N78-18526
- Experimental data and theoretical analysis of an operating 100 kW wind turbine [NASA-TM-73883] 18 p0267 N78-19642
- Net energy from municipal solid waste [ORAU/IEA(M)-77-5] 18 p0288 N78-21653
- Modifications and costs of converting to low sulfur western coals [CONF-771024-3] 19 p0392 N78-23249
- Report of survey of valve industry capabilities [CONF-771145-2] 19 p0393 N78-23440
- High efficiency solar photovoltaic power module concept [NASA-CR-157002] 19 p0395 N78-23555
- Energy storage apparatus [NASA-CASE-GSC-12030-1] 19 p0404 N78-24608
- High efficiency, long life terrestrial solar panel [NASA-CR-157060] 19 p0407 N78-24649
- Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C] 19 p0410 N78-24685
- Solar cell system having alternating current output [NASA-CASE-LEW-12806-1] 19 p0421 N78-25553
- Possil energy demonstration plants [TID-28182] 19 p0445 N78-26573
- Self-reconfiguring solar cell system [NASA-CASE-LEW-12586-1] 19 p0456 N78-27520

ENERGY DISSIPATION

Indium phosphide/cadmium sulfide thinfilm
terrestrial solar cells
[ALO/3717-1] 19 p0462 A78-27581

ENERGY DISSIPATION

Heat losses from solar energy absorbers enclosed
in glass tubes 17 p0044 A78-11234

Techniques for reducing thermal conduction and
natural convection heat losses in annular
receiver geometries --- for solar collectors
19 p0294 A78-33029

Radiation heat losses in solar collectors with
plastic covers 19 p0316 A78-35362

Natural convection in groove-like geometries - The
overall heat transfer coefficient --- in solar
collectors
[AIAA PAPER 78-896] 19 p0323 A78-36016

An apparatus to examine pulsed parallel field
losses in large conductors --- of
superconducting magnetic coils in Tokamak
19 p0355 A78-40006

Losses in a coil where the multifilamentary
composite is subjected to simultaneous
orthogonal and parallel induction variations ---
superconducting toroidal field magnet in Tokamak
19 p0356 A78-40008

Superconducting energy storage coils
19 p0356 A78-40010

Dielectric relaxation in polymers at low
temperatures 17 p0148 A78-14170

ENERGY DISTRIBUTION

Estimation of the characteristic time required for
construction of energy delivery systems
17 p0088 A78-17424

Basis of cheap energy --- economic nuclear-thermal
energy distribution systems 17 p0102 A78-19244

The construction of long-distance thermal-energy
supply systems in Mannheim within the framework
of a demonstration project 17 p0102 A78-19245

Illinois energy contingency plan, executive summary
[PB-278714/1] 19 p0465 A78-27605

Illinois energy contingency plan
[PB-278715/8] 19 p0465 A78-27606

ENERGY GAPS (SOLID STATE)

Computer analysis of heterojunction and graded
bandgap solar cells 17 p0026 A78-11056

The potential for increasing the efficiency of
photovoltaic systems by using multiple cell
concepts 17 p0026 A78-11058

A computer analysis of Ga/1-x/Al/x/As-GaAs solar
cells with multilayered window structure
19 p0313 A78-34850

Theoretical studies of a new double graded
band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub
1-y As 17 p0138 A78-13543

ENERGY POLICY

Scrubbers win the energy-SO2 controversy
17 p0002 A78-10300

Annual review of energy. Volume 2 --- Book
17 p0007 A78-10675

Energy crisis: An evaluation of our resource
potential; Proceedings of the Third Annual
UMR-MEC Conference on Energy, University of
Missouri-Rolla, Rolla, Mo., October 12-14, 1976
17 p0030 A78-11089

Energy economy in the investment policy of French
companies. I - The industrial attitude
17 p0069 A78-13469

Forty-nine theses on energy policy --- West German
situation 17 p0074 A78-14420

Critical paths to coal utilization
17 p0075 A78-14690

Energy and remote sensing --- satellite
exploration, monitoring, siting
17 p0075 A78-14805

Solar energy and Congress --- program budget
appropriations 17 p0083 A78-16828

The draft of a law for changing energy-law
regulations 17 p0088 A78-17350

SUBJECT INDEX

Federal policy and the electric vehicle
17 p0092 A78-17568

Energy-politics alternatives for the urban region
of Munich until 1985 17 p0093 A78-17950

The consequences and lessons of four years of
high-priced energy 17 p0094 A78-18095

The world balance between energy needs and
resources by the year 2000. II - Evolution and
regional aspects of the problem 17 p0094 A78-18096

Energy resource development - The monitoring
components 17 p0104 A78-19616

Conference on National Energy Policy, Washington,
D.C., May 17, 1977, Proceedings 17 p0107 A78-20425

World energy prospects to the year 2000
18 p0172 A78-22545

From oil and gas to alternate fuels - The
transition in conversion equipment 18 p0174 A78-22843

Cost-effective electricity rates - A stronger
incentive to rational energy use 18 p0176 A78-23919

Overview of the Federal solar energy program
[AIAA PAPER 78-290] 18 p0177 A78-24001

Fuels outlook I - Transportation and the U.S.
petroleum resource, an aviation perspective
[AIAA PAPER 78-357] 18 p0178 A78-24032

Considerations of the World Energy Conference
long-range review of energy problems / Istanbul -
September 19-23, 1977/ 18 p0184 A78-25257

Development of a flow-model for energies and
products 18 p0187 A78-25946

Energy balance sheets and electricity-fuel
equivalences concerning OECD reports 18 p0195 A78-27725

World Energy Conference, 10th, Istanbul, Turkey,
September 19-23, 1977, Proceedings 18 p0195 A78-27776

A European energy policy - Distant mirage or
tomorrow's reality 18 p0195 A78-27777

Options of long-term energy strategy of Japan
18 p0195 A78-27778

A few aspects of the Soviet energy policy
18 p0195 A78-27779

Scope for energy substitution policy in India
18 p0196 A78-27780

A few aspects of the energy policy in Algeria
18 p0196 A78-27781

The search for a reasonable world energy policy -
Some basic considerations and options 18 p0196 A78-27782

Technological innovation and social exploration in
economic growth and energy development 18 p0204 A78-27935

Results of the German wind energy study
18 p0210 A78-28557

Solar energy research in the European Economic
Community 18 p0212 A78-28578

Heating costs and rentability - Projection of
growth of demand in the housing market 18 p0214 A78-28597

Global problems and energy 18 p0218 A78-29772

What does it concern --- technological information
dissemination and social response 18 p0218 A78-29873

A view of the government's role in energy research
and development for the civilian sector 18 p0220 A78-30275

Energy and environment / 64th Thomas Hawksley
Lecture/ --- overall optimization concept of
energy sources diversification
[ONERA, TP NO: 1978-20] 18 p0224 A78-31123

Survey of atomic energy planning taking into
account the production of energy in addition to
electricity 18 p0227 A78-31474

Energy's challenge to aerospace 19 p0291 A78-32533

- Economic incentives for the commercialization of OTEC --- Ocean Thermal Energy Conversion 19 p0301 A78-33307
- Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study 19 p0301 A78-33308
- Coal gasification - Better late than never 19 p0310 A78-34223
- Energy conservation and thermal comfort in a New York City high rise office building 19 p0311 A78-34380
- The role of nuclear energy in the more efficient exploitation of fossil fuel resources 19 p0311 A78-34399
- Energy: Global prospects, 1985-2000 --- Book 19 p0312 A78-34520
- Alternative energy sources in the USSR 19 p0315 A78-35280
- Solar Sweden --- future renewable energy resources utilization 19 p0315 A78-35281
- The solar transition --- solar energy market 19 p0321 A78-35751
- Geothermal energy in the Western United States: Innovation versus monopoly --- Book 19 p0322 A78-35768
- Energy perspectives for the year 2000 19 p0377 A78-42184
- Unrealities in the energy R & D program 19 p0385 A78-43276
- Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system [NASA-CN-137925] 17 p0109 A78-10035
- The Liquid Hydrogen Option for the Subsonic Transport: A status report [NASA-TN-74089] 17 p0109 A78-10306
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 1: Program description and test summary [PB-269400/8] 17 p0109 A78-10483
- Engineering tests for energy storage cars at the Transportation Tests Center. Volume 4: Ride Roughness tests [PB-269403/2] 17 p0110 A78-10486
- Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior [PB-269865/2] 17 p0110 A78-10550
- Demand for gasoline 17 p0110 A78-10551
- Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil 17 p0110 A78-10552
- World sources of energy and new energy resource development in Iran 17 p0111 A78-10553
- Solar power satellite concept evaluation. Volume 1: Summary [NASA-TN-74820] 17 p0111 A78-10559
- Primary lithium organic electrolyte battery BA-5598 ()/U [AD-A042799] 17 p0112 A78-10568
- Research design construction and evaluation of a low energy utilization school, phase 2 [PB-269407/3] 17 p0112 A78-10569
- Selenide isotope generators [CONF-770302-1] 17 p0114 A78-10581
- Study of the manufacturing costs of lead-acid batteries for peaking power [CONS/2114-2] 17 p0114 A78-10583
- Design and cost study of nickel-zinc batteries for electric vehicle [ANL-K-76-3541-1] 17 p0114 A78-10585
- Boiling heat transfer in a bench-scale molten-salt thermal energy storage device [ORNL/TN-5689] 17 p0114 A78-10586
- Commercial space: Policy analysis of profitability of retrofit for energy conservation [PB-269189/7] 17 p0115 A78-10591
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 1: Text [PB-269365/3] 17 p0115 A78-10596
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables) [PB-269366/1] 17 p0116 A78-10597
- Impact of natural gas shortage on major industrial fuel burning installations. Volume 3. Appendix: Summary and analysis of fuel-burning characteristics of NFBS [PB-269367/9] 17 p0116 A78-10598
- Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide [PB-268850/5] 17 p0116 A78-10599
- Petroleum supply alternatives for the northern tier states through 1980 [PB-269809/0] 17 p0116 A78-10600
- Use of brackish ground water resources for regional energy center development, Tularosa Basin, New Mexico: Preliminary evaluation [PB-269898/3] 17 p0116 A78-10602
- Energy in developing countries: Prospects and problems [IAEA-CN-36/581] 17 p0116 A78-10603
- Integrated environmental analysis and the development of new energy technologies [BNL-22676] 17 p0117 A78-10614
- Environmental protection issues facing the nation [PB-269748/0] 17 p0117 A78-10633
- Information and data flows in societal problem areas: Focus-energy [PB-269497/4] 17 p0118 A78-10965
- Alternative fuels 17 p0118 A78-11074
- A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 A78-11154
- Dynamic modeling and sensitivity analysis of solar thermal energy conversion systems 17 p0118 A78-11156
- Strategic petroleum reserve: Byron Mound salt dome, draft supplement [PB-270108/4] 17 p0119 A78-11256
- European developments in the Na/S high temperature battery for automobile propulsion and energy storage [AD-A042541] 17 p0120 A78-11501
- High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 A78-11502
- Energy considerations in electrophoretic metallurgy [IS-N-83] 17 p0120 A78-11505
- Solar program assessment: Environmental factors. Fuel from biomass --- environmental impact [ERDA-77-47/7] 17 p0120 A78-11506
- Ocean thermal Energy Conversion (OTEC) test facilities study program, volume 1 [SAB/1156-77/1-VOL-1] 17 p0120 A78-11507
- Transportation energy conservation data book, supplement-3 [ORNL-5248] 17 p0121 A78-11508
- Diagnostic assessment for advanced power systems [SABD-77-8216] 17 p0121 A78-11509
- Industrial energy thrift scheme [BPL-CHRM-68-PR-1] 17 p0121 A78-11510
- Future refinery capacity needs, construction incentives, and processing configurations [PB-271099/4] 17 p0124 A78-12244
- Fuels and energy data: United States by states and census divisions, 1974 [PB-271093/7] 17 p0124 A78-12245
- Rocky Mountain energy resource development: Status, potential, and socioeconomic issues [PB-269969/2] 17 p0126 A78-12533
- The Stanford pilot energy/economic model [AD-A044908] 17 p0126 A78-12537
- Project Independence Evaluation System (PIES) documentation. Volume 10: Automation of finding rate and discount rates in the PEA gas supply model [PB-269947/8] 17 p0127 A78-12541
- Energy embodied in goods [ORAU/IRA(N)-77-6] 17 p0127 A78-12542
- Fossil energy research program of the Energy Research and Development Administration, FY 1978 [ERDA-77-33] 17 p0127 A78-12544
- An evaluation of the national energy plan [PB-270172/0] 17 p0127 A78-12548
- Energy conservation and state legislatures. Based on the Energy Conservation Workshop for Region 8 State Legislators [PB-270428/6] 17 p0128 A78-12550
- Effective fuel conservation programs could save millions of gallons of aviation fuel [PB-271249/5] 17 p0128 A78-12552

- Priority treatment for high occupancy vehicles:
Project status report --- bus and carpool lanes
[PB-270529/1] 17 p0129 N78-12907
- Solar Cell High Efficiency and Radiation Damage
[NASA-CP-2020] 17 p0136 N78-13527
- Energy conservation R and D objectives workshop.
Volume 1: Working papers 17 p0139 N78-13568
[CONF-770305-PT-1]
- Energy conservation R and D objectives workshop.
Volume 2: Summary 17 p0140 N78-13569
[CONF-770305-PT-2]
- Investigation of international energy economics
[BNWL-2134] 17 p0140 N78-13571
- Development of an industry-government cooperative
energy conservation program for small
manufacturers, phase 1. Project 8978
[COO-2852-2] 17 p0140 N78-13572
- Our energy future: Where is reality?
[BNWL-SA-6029] 17 p0140 N78-13574
- Fuel and energy price forecasts. Volume 2: Data
base
[EPRI-BA-433-VOL-2] 17 p0140 N78-13575
- Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 N78-13588
- Net energy effects and resource depletion: An
all-oil economy
[COO-2865-6] 17 p0142 N78-13592
- Energy storage needs for wind power systems
[SAND-76-9058] 17 p0143 N78-13603
- State energy conservation program sourcebook.
Volume 1: Overview and guide 17 p0143 N78-13609
[PB-271798/1]
- State energy conservation program sourcebook.
Volume 2: State energy conservation plan handbook
[PB-271799/9] 17 p0143 N78-13610
- State energy conservation program sourcebook.
Volume 3: Grants-in aid management handbook
[PB-271800/5] 17 p0144 N78-13611
- State energy conservation program sourcebook.
Volume 4: Program measures and abstracts
[PB-271801/3] 17 p0144 N78-13612
- State energy conservation program sourcebook.
Volume 6: Bibliography 17 p0144 N78-13613
[PB-271802/1]
- Federal energy conservation programs, a state
perspective
[PB-271283/4] 17 p0144 N78-13614
- Solar energy dehumidification experiment on the
Citicorp Center-building
[PB-271174/5] 17 p0144 N78-13615
- Proceedings of a Seminar on International Energy
[ERDA-79] 17 p0145 N78-13620
- Bibliography of earth science reports for 1976
[UCID-17476-76] 17 p0149 N78-14451
- Energy and remote sensing 17 p0149 N78-14497
- Use of aerial thermography in Canadian energy
conservation programs 17 p0149 N78-14566
- Unconventional energy sources. A select
bibliography
[NCWID-CNDST-BIB-6] 17 p0150 N78-14626
- Approach for evaluating alternative future energy
systems: A dynamic net energy analysis
[SAND-77-0489] 17 p0155 N78-14670
- Power conversion system of the 21st century
[CONF-770448-1] 17 p0155 N78-14672
- Regional reference energy systems
[EPRI-BA-462] 17 p0155 N78-14675
- Investigation of the feasibility of a dual model
electric transportation system
[LBL-6301] 17 p0157 N78-14954
- Oil/gas complex conceptual design/economic
analysis: Oil and SNG production
[FE-1775-8] 17 p0161 N78-15575
- Generalized numerical model for predicting energy
transfers and performance of large solar ponds
[UCRL-13722] 17 p0161 N78-15576
- Energy conservation and the environment.
[PB-272428/4] 17 p0162 N78-15590
- New details on wind power climatology
[SAND-77-0696C] 17 p0163 N78-15657
- Sampling of water and wastewater 17 p0163 N78-15957
[PB-272664/4]
- Strategic petroleum reserve
[PB-273487/9] 18 p0237 N78-16198
- Studies of hydrogen liquefier efficiency and the
recovery of the liquefaction energy
[PB-274058/7] 18 p0237 N78-16199
- Two-stage coal gasification to high-BTU gas
18 p0238 N78-16422
- An analysis of alternative residential heating
systems in terms of three criteria: Energy
conservation, environmental impact and
life-cycle economics 18 p0239 N78-16423
- Three-region world dynamics of fossil/hydrogen
energy system 18 p0239 N78-16427
- An examination of small wind electric systems in
Michigan 18 p0239 N78-16428
- Economic impact of President Carter's energy program
[GPO-91-295] 18 p0239 N78-16429
- Impact of the national energy plan
[GPO-91-909] 18 p0239 N78-16430
- Laser-zone growth in a Ribbon-To-Ribbon, RIR,
process silicon sheet growth development for the
large area silicon sheet task of the low cost
silicon solar array project
[NASA-CR-155586] 18 p0240 N78-16437
- Overview of technological-economic models for
energy policy analysis 18 p0241 N78-16451
[BNL-22730]
- Alternative energy transmission systems from OTEC
plants, project 8980 18 p0242 N78-16454
[DSE/2426-12]
- Report to Congress on the economic impact of
energy actions
[PB-272080/3] 18 p0243 N78-16467
- DOD photovoltaic energy conversion systems market
inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471
- Legal-institutional implications of Wind Energy
Conversion Systems (WECS), executive summary
[PB-273006/7] 18 p0244 N78-16472
- Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473
- European waste-to-energy systems. An overview
[CONS/2103-6] 18 p0245 N78-16931
- European waste-to-energy systems: Case study of
Munich: Munich North IA and IP, Munich North
II, Munich South IV and V
[CONS/2103-4] 18 p0245 N78-16933
- European waste-to-energy systems: Case study of
Korsor, Denmark
[CONS/2103-3] 18 p0246 N78-16934
- European waste-to-energy systems: Case study of
Geneva-Cheneviers (Switzerland)
[CONS/2103-2] 18 p0246 N78-16935
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 2:
Analysis and design
[NASA-CR-134935] 18 p0248 N78-17462
- Indoor test for thermal performance evaluation of
Libbey-Owens-Ford solar collector --- using a
solar simulator
[NASA-CR-150508] 18 p0249 N78-17474
- SINS prototype system 1: Design data brochure ---
solar heating system
[NASA-CR-150534] 18 p0250 N78-17484
- A linear programming model for assessing the
regional impacts of energy development on water
resources
[PB-273022/4] 18 p0251 N78-17491
- Baseline tests of the AM General DJ-5E electruck
electric delivery van
[NASA-TN-73758] 18 p0252 N78-17933
- Photovoltaic highway applications: Assessment of
the near-term market
[NASA-TN-73863] 18 p0252 N78-17935
- Baseline tests of the power-train electric
delivery van
[NASA-TN-73765] 18 p0252 N78-17936
- Test and evaluation of 23 electric vehicles for
state-of-the-art assessment
[NASA-TN-73850] 18 p0252 N78-17937
- Baseline tests of the EVA change-of-face coupe
electric passenger vehicle
[NASA-TN-73763] 18 p0253 N78-17938
- Baseline tests of the EVA contractor electric
passenger vehicle
[NASA-TN-73762] 18 p0253 N78-17939

SUBJECT INDEX

ENERGY POLICY CONTD

- Conference proceedings: A critical economic balance: Water, land, energy, people
[PB-274089/2] 18 p0253 N78-17944
- Thermal energy storage
[NASA-CR-150563] 18 p0255 N78-18520
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling
[NASA-CR-150533] 18 p0255 N78-18524
- Analysis of requirements for accelerating the development of geothermal energy resources in California
[NASA-CR-155782] 18 p0256 N78-18528
- Potential for automotive fuel economy improvement
18 p0258 N78-18543
- Outline of the energy-related projects sponsored by the Federal Railroad Administration, DOT
18 p0258 N78-18544
- Measurement and simulation of fuel consumption in rail freight service
18 p0258 N78-18545
- Intercity rail energy intensity for passenger movement
18 p0258 N78-18546
- A study of the energy consequences of alternative transport policies in intercity freight markets
18 p0258 N78-18547
- Federal policy options to effect fuel conservation in the air industry
18 p0259 N78-18548
- Measuring the impact on scheduled air lines operations of restrictions in fuel availability
18 p0259 N78-18549
- Electrification of railroads
problems-potentials-economic impacts
18 p0259 N78-18550
- Electric car technology for demonstration and development
18 p0259 N78-18551
- Urban applications and energy impacts of future electric cars
18 p0259 N78-18552
- ERDA funding in transportation energy conservation area and research plans
18 p0259 N78-18553
- Data needs in transportation energy conservation research
18 p0259 N78-18554
- Energy intensity of various transportation modes
18 p0260 N78-18555
- Theory of wind turbines with contrarotation
[UTIAS-218] 18 p0260 N78-18556
- Other storage reserve report
[PB-273474/7] 18 p0260 N78-18564
- State solar energy legislation of 1976: A review of statutes relating to buildings
[PB-273899/5] 18 p0261 N78-18567
- Estimating the energy conservation potential of ventilation control through weather data analysis
[PB-273949/8] 18 p0261 N78-18655
- State-of-the-art assessment of electric vehicles and hybrid vehicles
[NASA-TM-73756] 18 p0262 N78-18988
- A dynamic model for the efficient utilization of exhaustible energy resources
18 p0263 N78-19598
- Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LBW-12159-1] 18 p0263 N78-19599
- Site selection for NSFC operational tests of solar heating and cooling systems
[NASA-CR-150537] 18 p0263 N78-19602
- Installation package for air flat plate collector
[NASA-CR-150536] 18 p0263 N78-19605
- Prototype solar domestic hot water systems
[NASA-CR-150545] 18 p0264 N78-19606
- A Forum on Solar Access
18 p0264 N78-19607
- Microwave power converter
[NASA-CASE-WFO-14068-1] 18 p0264 N78-19609
- An overview of US energy options: Supply- and demand-side history and prospects
[NASA-CR-155946] 18 p0264 N78-19610
- Public policy issues. A Southern California Gas Company project SAGE report
[NASA-CR-155945] 18 p0264 N78-19613
- LSSA (low-cost Silicon Solar Array) project
[NASA-CR-155944] 18 p0264 N78-19614
- Experimental data and theoretical analysis of an operating 100 kw wind turbine
[NASA-TM-73883] 18 p0267 N78-19642
- Photovoltaic village power application:
Assessment of the near-term market
[NASA-TM-73893] 18 p0267 N78-19643
- Photovoltaic water pumping applications:
Assessment of the near-term market
[NASA-TM-78847] 18 p0268 N78-19644
- Design data brochure: SIMS prototype system 2
[NASA-CR-150558] 18 p0268 N78-19649
- Energy conservation policy - opportunities and associated impacts. Study module 1-A. Volume 1, summary report
[PB-274337/5] 18 p0269 N78-19661
- Electrostatic direct energy converter performance and cost scaling laws
[UCID-17560] 18 p0269 N78-19665
- Institutional aspects of the energy centers concept
[ANE-3086-1] 18 p0270 N78-19672
- Emergency energy conservation and allocation plan
[PB-274492/8] 18 p0270 N78-19675
- Energy demand modeling and forecasting
[PB-274336/7] 18 p0270 N78-19676
- Solar power satellite system definition study.
Part 1 and part 2, volume 2: Technical summary
[NASA-CR-151666] 18 p0271 N78-20156
- Solar power satellite, system definition study.
Part 2, volume 3: SPS satellite systems
[NASA-CR-151667] 18 p0271 N78-20157
- Solar power satellite system definition study.
Part 2, volume 4: Microwave power transmission systems
[NASA-CR-151668] 18 p0271 N78-20158
- Solar power satellite system definition study.
Part 2, volume 5: Space operations (construction and transportation)
[NASA-CR-151669] 18 p0271 N78-20159
- Solar power satellite system definition study.
Part 2, volume 6: Evaluation data book
[NASA-CR-151670] 18 p0271 N78-20160
- Solar power satellite system definition study, volume 7
[NASA-CR-151671] 18 p0271 N78-20161
- Coal thickness gauge using RRAS techniques, part 1 --- radiofrequency resonance absorption
[NASA-CR-150625] 18 p0273 N78-20573
- The energy question: A case study in major public policy development in a quasi-free enterprise society
18 p0274 N78-20599
- Coal energy and the environment: Analysis of economic and energy efficiency implications of environmental and resource constraints on the utilization of coal to produce electricity
18 p0274 N78-20600
- Preliminary design review package on air flat plate collector for solar heating and cooling system
[NASA-CR-150601] 18 p0275 N78-20616
- Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays
[JPL-PUB-78-37] 18 p0276 N78-20620
- More attention should be paid to making the U.S. less vulnerable to foreign oil price and supply decisions
[PB-275309/3] 18 p0276 N78-20625
- Energy contingency planning
[PB-275371/3] 18 p0276 N78-20626
- A survey of considerations for solar energy facility applications
[AD-A049490] 18 p0277 N78-20630
- The Illinois program for comprehensive solar energy legislation
[PB-275565/0] 18 p0277 N78-20648
- Baseline tests of the EPC Hummingbird electric passenger vehicle
[NASA-TM-73760] 18 p0279 N78-21010
- Introduction to the ERDA electric and hybrid demonstration project --- provisions of the Legislative Act
[ERHQ-0008] 18 p0279 N78-21016
- Emergency natural gas purchases: Actions needed to correct program abuses and consumer inequities
[PB-275876/1] 18 p0280 N78-21313
- Low-Btu coal gasification
[ERHQ-0015] 18 p0280 N78-21318

- Investigation of converting the product of coal gasification to methane by the action of microorganisms, phase 1
[FE-2203-16] 18 p0280 N78-21319
- Chemicals from coal: USER Synthoil
[FE-1534-49] 18 p0280 N78-21320
- Evaluation of the use of hydrogen as a supplement to natural gas
[TID-27747] 18 p0281 N78-21323
- Diesel fuel oils, 1977
[BBEC/PPS-77/5] 18 p0281 N78-21324
- System design package for IBM system one: solar heating and domestic hot water
[NASA-CR-150614] 18 p0282 N78-21589
- Solar heat transport fluid
[NASA-CR-150612] 18 p0283 N78-21592
- Combined heat and power: A discussion of Energy Paper 20
[ERG-018] 18 p0284 N78-21608
- Use of Solar energy in Federal Building
[GPO-94-365] 18 p0284 N78-21610
- Incentives for developing new energy sources
[GPO-93-810] 18 p0284 N78-21613
- US energy conservation could benefit from experiences of other countries
[PB-276006/4] 18 p0284 N78-21619
- Study of treatment methods for geothermal fluids
[LBL-6337] 18 p0285 N78-21622
- Distributed technologies in California's energy future, volume 1
[LBL-6831-VOL-1] 18 p0285 N78-21623
- Geothermal environmental studies, Heber region, Imperial Valley, California. Environmental baseline data acquisition
[EPRI-EP-352] 18 p0286 N78-21630
- Energy systems analysis and development
[BML-22969] 18 p0286 N78-21633
- Distributed technologies in California's energy future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 N78-21635
- Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1
[EPRI-RA-433-VOL-1] 18 p0286 N78-21637
- Grid-connected integrated community energy system, executive summary, phase 1
[COO-4210-1-SUM] 18 p0286 N78-21638
- Trenton LCRS, volume 1, phase 1
[COO-4212-1/1-VOL-1] 18 p0287 N78-21639
- California residential energy standards: Problems and recommendations relating to implementation, enforcement, design
[SAN/1178-1] 18 p0287 N78-21640
- Thermodynamics and energy policy
[ORAU/LHA(N)-77-18] 18 p0287 N78-21643
- Proceedings of the Energy Research and Development Administration Conference on Cogeneration and Integrated Energy/Utility Systems
[CONF-770632] 18 p0287 N78-21644
- Description and comparison of energy impact assessment models
[BNWL-2107] 18 p0290 N78-21671
- Novel silicon crystals and method for their preparation
[NASA-TN-75195] 18 p0290 N78-21957
- Enhanced oil recovery: The impact of policy options
[PB-276763/0] 19 p0388 N78-22451
- Enhanced oil recovery potential in the United States
[PB-276594/9] 19 p0388 N78-22452
- Solar heating and cooling system design and development
[NASA-CR-150640] 19 p0388 N78-22467
- Legislative handbook on energy-related topics
[PB-276766/3] 19 p0390 N78-22477
- Davis energy conservation report, practical use of the sun
[PB-276616/0] 19 p0390 N78-22478
- Colorado energy impact assistance plan
[PB-276587/3] 19 p0390 N78-22483
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers
[H-BEPT-95-589] 19 p0392 N78-22968
- Coal gasification valves, phase 2
[FE-2355-2-BEV-D] 19 p0394 N78-23441
- Performance potential of combined cycles integrated with low-Btu gasifiers for future electric utility applications
[NASA-TN-73775] 19 p0395 N78-23557
- An evaluation of the national energy plan
[END-77-48] 19 p0396 N78-23566
- Energy policy and strategy for rural development, part 1
[GPO-94-275] 19 p0397 N78-23569
- Energy policy and strategy for rural development, part 2
[GPO-97-394] 19 p0397 N78-23570
- Energetics of the United States of America: An atlas
[BNL-50501-R] 19 p0397 N78-23578
- Energy information and analytic system for New York State
[BNL-22677] 19 p0397 N78-23579
- Energy emergency planning guide: Winter 1977 - 1978
[DOE/EHA-0031] 19 p0397 N78-23580
- Suggestions for a phase-2 national energy policy
[FE-2660-1] 19 p0397 N78-23581
- Health and environmental aspects of energy development
[ISS-R-77/2] 19 p0399 N78-23599
- Which way to go? Observations based on discussion on global perspectives and energy strategies
[IIASA-PP-77-9] 19 p0399 N78-23600
- Report to the Advisory Committee of IIASA's Energy Program
[IIASA-RN-77-42] 19 p0399 N78-23601
- Energy audit scheme
[BNL-CHEN-72] 19 p0399 N78-23602
- The magnitude of the Federal solar energy program and the effects of different levels of funding
[PB-277018/8] 19 p0400 N78-23605
- Perspectives on the development of fusion power by magnetic confinement, 1977
[DOE/ET-0002] 19 p0401 N78-23900
- Interactive data management and analysis system for the Eastern Gas Shale Program
[MLM-2469(OP)] 19 p0401 N78-23988
- National Energy Conservation Policy Act
[GPO-94-843] 19 p0401 N78-23992
- Energy requirements for municipal pollution control facilities
[PB-276989/1] 19 p0401 N78-24003
- Oil and gas in coastal lands and waters
19 p0404 N78-24597
- Alaska natural resource issues
[GPO-95-110] 19 p0404 N78-24601
- The impact of the President's energy plan on the northeast
[GPO-97-013] 19 p0405 N78-24619
- Petroleum industry involvement in alternative sources of energy
[GPO-93-800] 19 p0408 N78-24661
- Solar energy
[GPO-94-910] 19 p0408 N78-24662
- The energy/real gross domestic product ratio: An analysis of changes during the 1966-1970 period in relation to long-run trends
[PB-277235] 19 p0411 N78-24690
- Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential
[BNL-77-70] 19 p0412 N78-24920
- National Energy Act, part 4
[GPO-96-231] 19 p0412 N78-25000
- National Energy Act, part 5
[GPO-98-577] 19 p0412 N78-25001
- The fuel efficiency incentive tax proposal: Its impact upon the future of the US passenger automobile industry
[GPO-93-188] 19 p0412 N78-25002
- The 1978 ERDA authorization; the Clinch River breeder reactor program, volume 4
[GPO-92-462] 19 p0413 N78-25006
- El Dorado micellar-polymer demonstration project report --- oil recovery
[BBEC/TPR-77/12] 19 p0413 N78-25225
- Alternative fuels utilization program
[UCID-17645] 19 p0414 N78-25241
- Alternative fuels demonstration program, volume 1 of 2
[ERDA-1547-VOL-1] 19 p0415 N78-25245
- Fuel gas production from animal waste, phase 1
[COO-2991-23] 19 p0415 N78-25248
- Fast production of methane by anaerobic digestion
[COO-2900-11] 19 p0416 N78-25252
- Oil and gas replacement cost: Development and production. Volume 1: Discussion of methodology, exhibits, and projections
[TID-28043/1] 19 p0418 N78-25514

- Oil and gas replacement cost: Development and production. Volume 2: Exhibits [TID-28043/2] 19 p0418 N78-25515
- Carbonaceous shales of Indiana as sources of energy, petrochemicals, and ceramic materials [TID-28179] 19 p0418 N78-25518
- Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors [NASA-CR-157169] 19 p0419 N78-25535
- Prototype solar heating and combined heating and cooling systems [NASA-CR-150691] 19 p0420 N78-25540
- Low cost solar energy collection system [NASA-CASE-NFO-13579-4] 19 p0421 N78-25559
- Noble-gas closed-cycle system of magnetohydrodynamic power generation [R-2128-ERDA] 19 p0422 N78-25570
- Report on ERDA workshop with southeastern states and cities on improving coordination in energy RD and D especially for solar programs [TID-27778] 19 p0423 N78-25571
- Possil energy program report [ERDA-77-70] 19 p0424 N78-25582
- Materials research for clean utilization of coal [FE-6010-11] 19 p0426 N78-25603
- Coal technology program [ORNL-TM-6137] 19 p0426 N78-25605
- Analysis of policy options for accelerating commercialization of solar heating and cooling systems [TID-27597] 19 p0428 N78-25615
- Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations [SAND-77-1403] 19 p0428 N78-25620
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes [ORNL-5356] 19 p0429 N78-25623
- Application analysis of solar total energy to the residential sector [TID-28103] 19 p0429 N78-25624
- Institutional applications of solar total energy systems [TID-22782] 19 p0429 N78-25625
- Performance and testing of a stationary concentrating collector [CONF-770953-7] 19 p0429 N78-25627
- Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas [TID-18040] 19 p0429 N78-25630
- Vertical axis wind turbine tie-down design with an example [SAND-77-1919] 19 p0429 N78-25631
- Free-air performance tests of a 5-metre-diameter Darrieus turbine [SAND-77-1063] 19 p0430 N78-25632
- Potential growth of electric power production from Imperial Valley geothermal resources [UCRL-52252] 19 p0430 N78-25635
- Solar total energy system: Large scale experiment, Shenandoah, Georgia. Volume 1. Section 1: Conclusions and recommendations. Section 2: Systems requirements [ALO/3987-1/1-101-1] 19 p0431 N78-25644
- Energy from in situ processing of antrite oil shale [FE-2346-19] 19 p0432 N78-25652
- Oil shale programs [SAND-77-1497] 19 p0432 N78-25653
- Total energy systems for buildings. Citations from the engineering index data base [NTIS/PS-78/0306] 19 p0432 N78-25657
- Total energy systems for buildings. Citations from the NTIS data base [NTIS/PS-78/0305] 19 p0433 N78-25658
- Waste heat utilization. Citations from the NTIS data base [NTIS/PS-78/0294] 19 p0433 N78-25661
- Waste heat utilization, volume 3. Citations from the engineering index data base [NTIS/PS-78/0296] 19 p0433 N78-25662
- Waste heat utilization, volume 2. Citations from the engineering index data base [NTIS/PS-78/0295] 19 p0433 N78-25663
- Legal-institutional implications of Wind Energy Conversion Systems (WECS) [NSP/BA-770204] 19 p0435 N78-25983
- Industrial application of fluidized-bed combustion --- boiler and plant design [FE-2461-5] 19 p0436 N78-26190
- Approach to liquefied natural gas (LNG) safety and environmental control research [DOE/EV-0002] 19 p0437 N78-26227
- Characteristics of solvent refined coal: Dual register burner tests [EPRI-PP-628] 19 p0437 N78-26232
- Tribology: Research and development needs in advanced energy technology [HEDL-SA-1191-REV] 19 p0442 N78-26450
- Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions [ORNL/TM-6098-VOL-1] 19 p0442 N78-26524
- Oil shale research overview [PB-278159/9] 19 p0442 N78-26529
- Transient response to three-phase faults on a wind turbine generator [NASA-TM-78902] 19 p0442 N78-26542
- Impacts of the national energy programme on solar economics [LA-UR-78-131] 19 p0444 N78-26567
- Summary of proceedings of Solar Heating and Cooling Commercialization Workshop [DSE/8017-1] 19 p0445 N78-26568
- Summary of the metal-air fuel cell research program [UCID-17591] 19 p0446 N78-26580
- Energy from biomass: An overview of environmental aspects [CONF-780109-3] 19 p0446 N78-26585
- Community leaders workshop on solar energy assessment [RLO/2230/T5-1] 19 p0446 N78-26586
- Perspectives on utility central station photovoltaic applications [EPRI-PR-589-SR] 19 p0447 N78-26592
- Prospects for solar energy: The impact of the National Energy Plan [LA-7064-MS] 19 p0447 N78-26595
- MHD generator component development [FE-2519-1] 19 p0447 N78-26596
- Mixed strategies for energy conservation and alternative energy utilization (solar) in buildings, volume 1. Executive summary [SAN/1234-1/1] 19 p0448 N78-26598
- Central receiver solar thermal power system: Collector subsystem [SAN/1111-76-7] 19 p0448 N78-26609
- Energy and Resource Planning Group [UCRL-50029-77] 19 p0448 N78-26611
- ETA-MACRO: A model of energy-economy interactions [EPRI-EA-592] 19 p0449 N78-26612
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 1: Project overview [PB-278078/1] 19 p0449 N78-26616
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 2: Case study and technical assistance [PB-278079/9] 19 p0449 N78-26617
- A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 3: Transfer package [PB-278080/7] 19 p0449 N78-26618
- Mathematical aspects of production and distribution of energy: Proceedings of symposia in applied mathematics of the American Mathematical Society, volume 21 [PB-278350/4] 19 p0449 N78-26619
- Energy policy making in the Northeast: A directory of state programs and institutions [PB-277503/9] 19 p0449 N78-26621
- Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2] 19 p0450 N78-26642
- OCS analytical model --- offshore energy sources [SDC/MRI-2345-017] 19 p0451 N78-26832
- Completion of the fuel cycle in small countries [CONF-770323-5] 19 p0451 N78-26906
- A national environmental/energy workforce assessment, business and industry, phase 1 [PB-277904/9] 19 p0452 N78-26968
- A national environmental/energy workforce assessment, national legislation, phase 1 [PB-277905/6] 19 p0452 N78-26969
- A national environmental/energy workforce assessment, national abstract [PB-277906/4] 19 p0452 N78-26970

ENERGY REQUIREMENTS

SUBJECT INDEX

- pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase E [SAN/1395-15] 19 p0455 N78-27498
- Cost of photovoltaic energy systems as determined by balance-of-system costs [NASA-TM-78957] 19 p0458 N78-27539
- System definition study: Phase 1 of individual load center, solar heating and cooling residential project [EPRI-ER-594] 19 p0459 N78-27548
- EDS coal liquefaction process development, phase 3 B [FE-2893-6] 19 p0459 N78-27549
- Advanced technology fuel cell program [EPRI-EM-576] 19 p0459 N78-27553
- Hydrogen-chlorine energy storage system [BNL-23670] 19 p0460 N78-27558
- Role of wind power in electric utilities [BNL-50736] 19 p0462 N78-27582
- Managing the socio-economic impacts of energy development: A guide for the small community [ERDA-77-79] 19 p0463 N78-27589
- Data bank for the geographical allocation of future US energy supply facilities by county [BNL-50754] 19 p0463 N78-27590
- Impact of selected energy conservation technologies on baseline demands [BNL-50745] 19 p0463 N78-27591
- CFCC development program [FE-2357-19] 19 p0464 N78-27593
- Viewpoints on key issues and evaluation criteria for assessing the potential of alternative nuclear energy systems for improving proliferation resistance [TID-28078] 19 p0464 N78-27594
- Direct contact heat exchange for latent heat-of-fusion energy storage systems [SAND-77-8665] 19 p0464 N78-27595
- Federally sponsored energy research in the northern Great Plains, North Dakota, fiscal year 1976 [PB-278132/6] 19 p0465 N78-27607
- First order estimates of energy requirements for pollution control [PB-278274/6] 19 p0465 N78-27608
- Effects of environmental protection regulation on regional economic development [PB-278918/8] 19 p0468 N78-28015
- ENERGY REQUIREMENTS**
- Optimum peak-shaving mix for electric utilities 17 p0009 A78-10737
- Energy from refuse - Theoretical and practical results 17 p0037 A78-11149
- Global equilibrium between energy requirements and resources on the horizon of the year 2000. I - Evolution and regionalization of the problem 17 p0069 A78-13468
- The energy problem of the North --- power requirements, resources, and technological evolution 17 p0071 A78-13989
- Pollution abatement energy usage of gas treating and processing plants 17 p0073 A78-14161
- Technical and socio-economic aspects of solar energy and rural development in developing countries 17 p0083 A78-16829
- Estimation of the characteristic time required for construction of energy delivery systems 17 p0088 A78-17424
- The future of oil --- development of sufficient supplies 17 p0092 A78-17670
- Economic load distribution in the hybrid hydrothermal power system 17 p0092 A78-17949
- The world balance between energy needs and resources by the year 2000. II - Evolution and regional aspects of the problem 17 p0094 A78-18096
- Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- The availability of jet fuel over the next two decades 17 p0102 A78-19222
- Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems 17 p0106 A78-20244
- Evaluation of the energy provided for a solar collector 18 p0165 A78-20621
- An experimental investigation of a class of resistance-type, direction-independent wind turbines 18 p0173 A78-22839
- Production of synthetic methanol from air and water using controlled thermonuclear reactor power. I - Technology and energy requirement 18 p0174 A78-22846
- Considerations of the World Energy Conference long-range review of energy problems /Istanbul - September 19-23, 1977/ 18 p0184 A78-25257
- Solar biomass energy - An overview of U.S. potential 18 p0193 A78-26967
- Scope for energy substitution policy in India 18 p0196 A78-27780
- Deep sea oil - Myth, reality of today, or future necessity 18 p0196 A78-27787
- Buildings design with reference to the natural utilization of solar energy 18 p0212 A78-28580
- Global problems and energy 18 p0218 A78-29772
- Energy storage --- cost analysis 19 p0314 A78-34972
- Energy modeling and forecasting at the U.S. Energy Research and Development Administration 19 p0316 A78-35420
- A baseline of logistic and power requirements for full-scale manufacturing of metallic materials in earth orbit [AAS 77-237] 19 p0329 A78-36712
- Satellite mirror systems for providing terrestrial power - System concept [AAS 77-240] 19 p0330 A78-36717
- Design for the magnetic field requirements of the tandem mirror experiment 19 p0349 A78-39889
- Argonne national laboratory energy storage and transfer experimental program --- for fusion reactors 19 p0353 A78-39556
- Energy perspectives for the year 2000 19 p0377 A78-42184
- Modeling the sectors of production and energy transformation - The situation in France 19 p0385 A78-43270
- Energy and remote sensing 17 p0149 N78-14497
- Application of near-term fossil technologies to the energy supply/demand profiles of the U.S. states and regions 17 p0155 N78-14679
- Evaluation of computerized energy programs for the calculation of energy use in new and existing buildings [PB-272337/7] 18 p0243 N78-16466
- Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673
- Energy contingency planning [PB-275371/3] 18 p0276 N78-20626
- Projected 1977 - 1978 winter electric load-supply situation, contiguous United States [PB-276269/8] 18 p0285 N78-21621
- Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary [COO-4214-1/1-VOL-1] 18 p0287 N78-21641
- Net energy analysis of an Ocean Thermal Energy Conversion (OTEC) system [ORAU/IEA (H)-77-1] 18 p0288 N78-21652
- Energy supply and environmental impacts: Conventional energy sources [PB-276410/8] 18 p0289 N78-21669
- Energetics of the United States of America: An atlas [BNL-50501-R] 19 p0397 N78-23578
- Which way to go? Observations based on discussion on global perspectives and energy strategies [IIASA-PP-77-9] 19 p0399 N78-23600

SUBJECT INDEX

ENERGY SOURCES

Report to the Advisory Committee of IIAA's Energy Program
[IIASA-88-77-42] 19 p0399 N78-23601

Simulating Oregon's future electrical energy demand
[PB-276970/1] 19 p0399 N78-23603

Energy requirement for the production of silicon solar arrays
[NASA-CR-157074] 19 p0407 N78-24642

Potential for cogeneration of heat and electricity in California industry, phase 1
[NASA-CR-157168] 19 p0419 N78-25536

Dynamic models of the industrial demand for energy
[EPRI-BA-580] 19 p0425 N78-25596

Institutional applications of solar total energy systems
[ALO/3786-1] 19 p0428 N78-25619

Energy and Resource Planning Group
[UCRL-50029-77] 19 p0448 N78-26611

Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California
[UCRL-13784] 19 p0460 N78-27559

Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2
[HCP/I60901-01] 19 p0461 N78-27575

Assistance from energy developers: A negotiating guide for communities
[ERDA-77-90] 19 p0463 N78-27588

First order estimates of energy requirements for pollution control
[PB-278274/6] 19 p0465 N78-27608

ENERGY SOURCES

New energy sources - Are they a substitute or a supplement 17 p0001 A78-10131

Quality and characteristics of steam produced from wastes 17 p0005 A78-10630

Experience with burning industrial wastes in steam-generating and high-temperature heat recovery systems 17 p0006 A78-10636

Energy development II --- Book 17 p0009 A78-10729

Energy development III 17 p0028 A78-11069

Corporate research and development in alternate energy 17 p0028 A78-11072

The utilization of solid wastes for the generation of electric power 17 p0028 A78-11074

A forecast of electric power generation technology - 1975-2000 17 p0028 A78-11077

ROEMHC subscript R Burner - High ash solid fuel combustion system 17 p0032 A78-11111

The environmental effects and economic costs of solid waste energy recovery 17 p0033 A78-11113

Cost-effective electrical power generation from the wind 17 p0052 A78-11316

International Scientific-Technological Conference on Space, 17th, Rome, Italy, March 25, 26, 1977, Proceedings --- and scientific satellites for earth resources monitoring; solar and alternate energy sources 17 p0065 A78-12876

Global equilibrium between energy requirements and resources on the horizon of the year 2000. I - Evolution and regionalization of the problem 17 p0069 A78-13468

Hydrocarbons via photosynthesis 17 p0074 A78-14688

Exergy of gas fuels and their combustion gases 17 p0088 A78-17425

Potential of wind as an energy source in Iran 17 p0094 A78-18223

Inventory of world energy resources 17 p0098 A78-18827

Energy supply-demand integrations to the year 2000: Global and national studies --- Book 18 p0165 A78-20618

Energy resources of the developing countries and some priority markets for the use of solar energy 18 p0179 A78-24400

Natural gas technology --- emphasizing production from unconventional sources in U.S.A. 18 p0180 A78-24752

Considerations of the World Energy Conference long-range review of energy problems /Istanbul - September 19-23, 1977/ 18 p0184 A78-25257

Future energy alternatives: Long-range energy prospects for America and the world --- Book 18 p0189 A78-26171

World Energy Conference, 10th, Istanbul, Turkey, September 19-23, 1977, Proceedings 18 p0195 A78-27776

Energy resources offered by natural photosynthesis 18 p0197 A78-27790

Fuels from waste --- Book 18 p0197 A78-27801

A wealth of waste - A shortage of energy --- organic wastes for fuel conversion in U.S. 18 p0197 A78-27802

Energy from wastes - An overview of present technologies and programs 18 p0197 A78-27803

Production of low-Btu gas from wastes, using molten salts 18 p0197 A78-27804

Pipeline gas from solid wastes by the Syngas recycling process 18 p0197 A78-27805

Fuels and chemicals from crops 18 p0197 A78-27808

Geothermal energy utilization --- Book 18 p0198 A78-27824

Solar energy engineering --- Book 18 p0199 A78-27852

Solar irradiance, total and spectral --- data for cost-effective solar energy conversion 18 p0199 A78-27853

Solar energy availability prediction from climatological data 18 p0199 A78-27854

Hydrogen production by marine photosynthetic organisms as a potential energy resource 18 p0207 A78-28353

Winds and wind system performance --- Book 18 p0231 A78-32074

Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322

Magma - A potential source of fuels 19 p0311 A78-34398

Hydrogen as an energy carrier: Production, storage, transport --- German book 19 p0315 A78-35179

Waste pyrolysis - Alternative fuel source 19 p0333 A78-37172

Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977 19 p0336 A78-38051

Is solar power more dangerous than nuclear 19 p0341 A78-38998

The potential for geothermal and solar thermal power systems 19 p0361 A78-40368

California's geothermal resource potential 19 p0368 A78-41816

National Solar Energy Convention, Jadavpur University, Calcutta, India, November 29-December 1, 1976, Proceedings 19 p0369 A78-42101

Solar energy for use as a source of power 19 p0370 A78-42104

Spectral distribution of global solar radiation at Poona 19 p0370 A78-42106

Some data collected by experiments to be utilised for solar energy application 19 p0370 A78-42107

Radiation measurements for solar energy utilization 19 p0370 A78-42109

Energy resources --- on natural and nuclear energy technology and efficiency 19 p0385 A78-43072

Air flow in the central valley of Maui, Hawaii --- windpower generation potential 19 p0386 A78-43287

- Strategic petroleum reserve: Central Rock Mine
[PB-270447/6] 17 p0119 N78-11255
- Solar Cell High Efficiency and Radiation Damage
[NASA-CP-2020] 17 p0136 N78-13527
- Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 N78-13588
- Fuel and energy price forecasts. Volume 1: Report
[EPRI-EA-411-VOL-1] 17 p0142 N78-13589
- Fuel and energy price forecasts. Volume 2:
Schedules
[EPRI-EA-411-VOL-2] 17 p0142 N78-13590
- Energy sources of polycyclic aromatic hydrocarbons
[CONF-770130-2] 17 p0148 N78-14181
- Regional reference energy systems
[EPRI-EA-462] 17 p0155 N78-14675
- Literature survey of emissions associated with
emerging energy technologies
[PE-272550/5] 17 p0163 N78-15606
- HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- A hypothetical 1000 MW(e) photovoltaic
solar-electric plant
[PB-273108/1] 18 p0243 N78-16468
- European waste-to-energy systems: Case study of
the thermal complex of Toulouse-Le Mirail (France)
[CONS/2103-1] 18 p0245 N78-16932
- Conference proceedings: A critical economic
balance: Water, land, energy, people
[PB-274089/2] 18 p0253 N78-17944
- Plans for wind energy system simulation
18 p0267 N78-19640
- Annual cycle energy system concept and application
[CONF-770870-1] 18 p0288 N78-21647
- Conservation and the contributions from advanced
energy source
[CONF-770870-2] 18 p0288 N78-21648
- An evaluation of uses for low to intermediate
temperature geothermal fluids in the Klamath
Basin, Oregon
[BULL-55] 19 p0396 N78-23568
- Computer model for refinery operations with
emphasis on jet fuel production. Volume 3:
Detailed systems and programming documentation
[NASA-CR-135335] 19 p0414 N78-25235
- Evaluation of methods to produce aviation turbine
fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239
- Proceedings of the DOE Chemical Energy Storage and
Hydrogen Energy Systems Contracts Review
[NASA-CR-157164] 19 p0419 N78-25532
- Photon degradation effects in terrestrial solar
cells
[NASA-TN-78924] 19 p0421 N78-25551
- Central heating: Package boilers
[ANL/CES/TE-77-6] 19 p0422 N78-25564
- Energy modeling and data support for the Electric
Power Research Institute
[BNL-50696] 19 p0425 N78-25595
- Development work for an advanced coal gasification
system for electric power generation from coal
directed toward a commercial gasification
generating plant, phase 2. Volume 14: System
analysis
[PE-1521-33] 19 p0426 N78-25602
- Energy from in situ processing of antrim oil shale
[PE-2346-16] 19 p0432 N78-25649
- Potential of wood as an energy resource in New
England
[TID-28131] 19 p0432 N78-25655
- Design and operating experience on the US
Department of Energy experimental Mod-0 100-kW
wind turbine
[NASA-TN-78915] 19 p0443 N78-26552
- DOE/NASA Mod-0A wind turbine performance
[NASA-TN-78916] 19 p0443 N78-26553
- Fossil energy demonstration plants
[TID-28182] 19 p0445 N78-26573
- Analysis of the impact of heat pump technology on
the Irish energy system to the year 2000.
Energy case study series: no. 2
[CONF-770956-2] 19 p0448 N78-26599
- An inverter/controller subsystem optimized for
photovoltaic applications
[NASA-TN-78903] 19 p0452 N78-26995
- Helium heaters of the helium turbine unit of the
Oberhausen energy supply
[DOE-TR-35] 19 p0455 N78-27440
- Assistance from energy developers: A negotiating
guide for communities
[ERDA-77-90] 19 p0463 N78-27588
- ENERGY STORAGE**
- Terawatt pulse power systems utilizing inductive
storage
17 p0008 A78-10701
- Assessment of storage systems - The device utility
interface --- energy technology
17 p0009 A78-10730
- Potential role of solar thermal electric power in
the U.S.
17 p0010 A78-10743
- The Redox Flow System for solar photovoltaic
energy storage
17 p0022 A78-11019
- Air Storage System Energy Transfer /ASSET/ plants
- A utility's evaluation
17 p0029 A78-11081
- Economic analysis of wind generation and energy
storage for electric utility systems
17 p0031 A78-11100
- Superconducting energy storage development for
electric utility systems
17 p0032 A78-11109
- Large Tokamak power supplies - A survey of
problems and solutions
17 p0041 A78-11205
- Theoretical modeling of an ammonia/water
absorption cycle with solar energy storage
17 p0046 A78-11250
- Mass and energy transfer in a hot liquid energy
storage system
17 p0050 A78-11302
- Fundamental studies of direct contact latent heat
energy storage
17 p0051 A78-11306
- An ionic model for the systematic selection of
chemical decomposition reactions for energy
storage
17 p0051 A78-11307
- Wind energy - A supplement to hydro-electric
energy using the Columbia River Valley as an
example
17 p0052 A78-11317
- Design options in solar total energy systems
17 p0056 A78-11346
- Underground hydroelectric pumped storage - A
practical option
17 p0063 A78-12221
- Interaction between collector and consumer ---
storage and use of solar energy
17 p0071 A78-14095
- Superconducting magnetic energy storage
17 p0074 A78-14649
- Use of transition metal compounds to sensitize a
photochemical energy storage reaction
17 p0083 A78-16830
- Fiber-composite systems for energy-storage flywheels
17 p0085 A78-16901
- Optimal design of anisotropic /fiber-reinforced/
flywheels --- for energy storage
17 p0092 A78-17789
- Exotic power and energy storage
17 p0095 A78-18624
- Storage and distribution of large quantities of
hydrogen
17 p0099 A78-18838
- The storage of hydrogen in the form of metal
hydrides - An application to thermal engines
17 p0100 A78-18845
- Safety in hydrogen transport and storage
installations
17 p0101 A78-18856
- Safety aspects of a widespread hydrogen energy
economy
17 p0101 A78-18857
- Effects of phase-change energy storage on the
performance of air-based and liquid-based solar
heating systems
17 p0104 A78-19832
- A fluidized bed solar reactor - A thermochemical
application
18 p0165 A78-20623
- Mechanical energy storage systems - Compressed air
and underground pumped hydro
[AIAA PAPER 78-281] 18 p0166 A78-20788

SUBJECT INDEX

ENERGY STORAGE CONTD

- A self-contained 5,000 kW capacity wind energy conversion system with storage 18 p0171 A78-22246
- Solar house Bochenkirchen --- heating and hot water system 18 p0179 A78-24345
- Materials problems in large scale production of hydrogen from water and in hydrogen storage 18 p0183 A78-25056
- Effectiveness of using a pulsed Faraday EHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- Photochemical conversion and storage of solar energy 18 p0202 A78-27890
- Organic molecular energy storage reactions 18 p0203 A78-27896
- Measurements of the behaviour of adsorbent energy storage beds 18 p0205 A78-28166
- Photochemical storage of solar energy 18 p0206 A78-28170
- Possibilities for demand-oriented delivery of wind energy 18 p0211 A78-28565
- Concepts for the intermediate storage of wind-generated secondary energy 18 p0211 A78-28567
- The coupling of solar energy utilization and wind energy utilization 18 p0211 A78-28568
- Status of the DOE /STOR/-sponsored national program on hydrogen production from water via thermochemical cycles 18 p0217 A78-29331
- For the latest in energy storage, try the flywheel 18 p0217 A78-29600
- Concepts and features of the automated unit control system for the Baccoon Mountain Pumped-Storage Plant [IEEE PAPER F 77 672-9] 18 p0219 A78-30195
- Analytic determination of the fuel effect of air storage gas turbine electric power stations 18 p0227 A78-31364
- Optimal control of flywheel hybrid transmissions [ASME PAPER 77-WA/ADT-3] 18 p0229 A78-31828
- Energy savings through combining of operation of heat pump and air conditioning systems 18 p0232 A78-32115
- The utilization of LaH5 as a hydrogen-storage medium for heat engines 18 p0233 A78-32193
- Renewable energy sources and storage --- wind power in Britain 18 p0233 A78-32249
- Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage 19 p0295 A78-33037
- Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
- Heat transfer effects in compressed air energy storage 19 p0296 A78-33120
- Computer simulation of an advanced hybrid electric-powered vehicle [SAE PAPER 780217] 19 p0307 A78-33378
- Investigation of the energy capacity of wound composite flywheels 19 p0311 A78-34331
- On the fluctuating power generation of large wind energy converters, with and without storage facilities 19 p0312 A78-34514
- Optimization models for the economic design of wind power systems 19 p0314 A78-34934
- Energy storage --- cost analysis 19 p0314 A78-34972
- Hydrogen as an energy carrier: Production, storage, transport --- German book 19 p0315 A78-35179
- Temperature operating conditions of the energy storage device of a solar heating system 19 p0319 A78-35646
- Selection of a method for calculating parameters of storage devices used at wind and solar installations 19 p0326 A78-36138
- Fundamentals of wind energy --- Book 19 p0341 A78-38972
- Advanced lasers for fusion applications 19 p0342 A78-39367
- S.C. magnet design for 10 MJ homopolar machine --- as energy storage device for fusion experiments 19 p0348 A78-39840
- Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
- A 25 megajoule energy storage and delivery system for the Shiva laser 19 p0351 A78-39920
- Design of the energy storage system for the high energy gas laser facility at LASL 19 p0353 A78-39955
- Argonne national laboratory energy storage and transfer experimental program --- for fusion reactors 19 p0353 A78-39956
- Voltage protection scheme for MG sets used to drive inductive energy storage systems --- Motor-Generator sets for Tokamaks 19 p0353 A78-39961
- Performance characteristics of compressed air energy storage systems 19 p0364 A78-40823
- Photochemical conversion and storage of solar energy /An overview/ 19 p0373 A78-42136
- Solar energy for tractors 19 p0376 A78-42168
- Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel 19 p0385 A78-43044
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 1: Program description and test summary [PB-269400/8] 17 p0109 A78-10483
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 3: Noise tests [PB-269402/4] 17 p0110 A78-10485
- Engineering tests for energy storage cars at the Transportation Tests Center. Volume 4: Ride Roughness tests [PB-269403/2] 17 p0110 A78-10486
- Filter-composite systems for energy-storage flywheels [UCRL-78610] 17 p0114 A78-10587
- Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power [ORNL/TN-5821] 17 p0115 A78-10588
- Performance potential of the energy separator without mechanical energy recovery [PB-269721/7] 17 p0116 A78-10601
- Postulated weather modification effects of large energy releases [BNWL-2162] 17 p0117 A78-10672
- Storage and feeding of coal 17 p0133 A78-13263
- Research toward improved flywheel suspension and energy conversion systems --- for use with energy storage systems [PB-271413/7] 17 p0139 A78-13564
- Demonstration of an inductor motor/alternator/flywheel energy storage system [COO-4010-2] 17 p0141 A78-13579
- Conceptual design of a battery Energy Storage Test (BEST) facility [EPRI-255-TR-2] 17 p0143 A78-13597
- Energy storage needs for wind power systems [SAND-76-9058] 17 p0143 A78-13603
- Intertechnology Corporation report of solar energy systems installation costs for selected commercial buildings [COO-2688-76-13] 17 p0143 A78-13606
- Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1] 17 p0152 A78-14649
- Alternative energy transmission systems from QREX plants, Project 8980 [DSR/2426-8] 17 p0153 A78-14658

- The ERDA/LeRC photovoltaic systems test facility
[NASA-TH-73787] 17 p0157 N78-15059
- Strategic petroleum reserve
[PB-273487/9] 18 p0227 N78-16198
- Proposed high-power microwave source using a
superconducting cavity as an energy storage
[IPEJ-T-30] 18 p0240 N78-16436
- Alternative energy transmission systems from OTEC
plants, project 8980
[DSE/2426-12] 18 p0242 N78-16454
- Thermal energy storage
[NASA-CR-150563] 18 p0255 N78-18520
- Other storage reserve report
[PB-273474/7] 18 p0260 N78-18564
- A theory of control for a class of electronic
power processing systems: Energy-storage
dc-to-dc converters 18 p0262 N78-19382
- Lightweight building materials for the storage of
solar energy
[PB-275684/9] 18 p0273 N78-20380
- Prototype solar heating and hot water systems
[NASA-CR-150592] 18 p0275 N78-20612
- Hydrogen turbine power conversion system assessment
[NASA-CR-135298] 18 p0276 N78-20621
- HTS thermal storage peaking plant
[ORNL/SUB-4188-2] 18 p0277 N78-20645
- A simulation model for wind energy storage
systems. Volume 1: Technical report
[NASA-CR-135283] 18 p0278 N78-20802
- A simulation model for wind energy storage
systems. Volume 2: Operation manual
[NASA-CR-135284] 18 p0278 N78-20803
- A simulation model for wind energy storage
systems. Volume 3: Program descriptions
[NASA-CR-135285] 18 p0278 N78-20804
- Development of a practical photochemical energy
storage system
[SRO-893-6] 18 p0285 N78-21626
- Development of a practical photochemical energy
storage system
[SRO-893-8] 18 p0285 N78-21627
- Development of a practical photochemical energy
storage system
[SRO-893-9] 18 p0285 N78-21628
- Development of a practical photochemical energy
storage system
[SRO-893-10] 18 p0285 N78-21629
- Decision making with interactive access to
integrated administrative and technological data
bases. An illustrated conceptual overview ---
energy storage
[UCRL-80353] 18 p0290 N78-21986
- Strategic petroleum reserve: Final environmental
impact statement for Kleeer Mine
[FES-77-2] 19 p0387 N78-22439
- Development of a Ti/Fe redox couple flow battery
system 19 p0388 N78-22458
- Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] 19 p0396 N78-23567
- Code of practice for the petroleum industry. Part
1: The handling, storage, and distribution of
petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366
- Energy storage apparatus
[NASA-CASE-GSC-12030-1] 19 p0404 N78-24608
- Some rate and modeling studies on the use of
iron-titanium hydride as an energy storage
medium for electric utility companies
[BNL-50667] 19 p0409 N78-24676
- Inductor network development for aircraft high
power supplies
[AD-A052750] 19 p0413 N78-25096
- Development of a low cost, 10 kV capacitor
[LA-UR-77-2408] 19 p0416 N78-25335
- Proceedings of the DOE Chemical Energy Storage and
Hydrogen Energy Systems Contracts Review
[NASA-CR-157164] 19 p0419 N78-25532
- A solar array strip and a method for forming the
same
[NASA-CASE-WFO-13652-3] 19 p0421 N78-25560
- Fiber composite flywheel program
[UCRL-50033-77-3] 19 p0425 N78-25592
- High-performance batteries for stationary energy
storage and electric-vehicle propulsion
[ANL-77-68] 19 p0425 N78-25593
- Development schedules for vehicle energy storage
systems
[TID-28030] 19 p0435 N78-26036
- Stirling engine ground power unit
[GHR-2690-SECT-1.108] 19 p0437 N78-26245
- A collection of Stirling engine reports from
General Motors' research, 1958 to 1970. Part 7:
Thermal energy storage and publication list, 7.1
Thermal energy storage, 7.2 List of general
motors Stirling engine publications
[GHR-2690-PT-7] 19 p0440 N78-26326
- Thermal energy storage for road vehicle propulsion
[GHR-2690-SECT-7.103] 19 p0440 N78-26329
- Thermal energy storage Stirling engine power
plants 1: Calculated heat transfer and pressure
drop across ground power unit heater assemblies
[GHR-2690-SECT-7.104] 19 p0440 N78-26330
- Energy storage systems complement the Stirling
engine
[GHR-2690-SECT-7.107] 19 p0440 N78-26333
- Summary of the metal-air fuel cell research program
[UCID-17591] 19 p0446 N78-26580
- Value of energy storage for direct-replacement
solar thermal power plants
[CONF-780216-2] 19 p0446 N78-26584
- Completion of the fuel cycle in small countries
[CONF-770323-5] 19 p0451 N78-26906
- High-voltage high-current breaker and closer for
power systems with inductive storage devices
[UCRL-TRANS-11310] 19 p0454 N78-27344
- State-of-the-art lead-acid vehicle
[ANL-K-77-3639-1] 19 p0459 N78-27547
- Molten-salt thermal-energy storage systems
[CONF-770955-3] 19 p0460 N78-27556
- Thermochemical energy storage systems: A review
[SAND-77-8051] 19 p0460 N78-27557
- Transmission of energy by open-loop chemical
energy pipeline
[CONF-770955-4] 19 p0461 N78-27576
- Electrolysis based hydrogen storage system
[BNL-50760] 19 p0462 N78-27580
- Direct contact heat exchange for latent
heat-of-fusion energy storage systems
[SAND-77-8665] 19 p0464 N78-27595
- Circuit and magnetic analysis for a system of
Faraday rotator coils driven by a two-spool,
four-rotor homopolar generator
[CONF-771029-119] 19 p0467 N78-27927
- ENERGY TECHNOLOGY**
- Fusion research in the European Community
17 p0001 A78-10102
- The potential of satellite solar power
17 p0002 A78-10411
- An overview of the planning considerations in the
United States inertial confinement fusion program
17 p0004 A78-10606
- Economic considerations in the energy supply of
Arctic dwellings 17 p0005 A78-10621
- Conference on Capturing the Sun Through
Bioconversion, Washington, D.C., March 10-12,
1976, Proceedings 17 p0005 A78-10623
- Present status and research needs in energy
recovery from wastes; Proceedings of the
Conference, Oxford, Ohio, September 19-24, 1976
17 p0005 A78-10626
- Ocean energy resources; Proceedings of the Energy
Technology Conference, Houston, Tex., September
18-23, 1977 17 p0006 A78-10651
- Annual review of energy. Volume 2 --- Book
17 p0007 A78-10675
- International Pulsed Power Conference, Texas Tech
University, Lubbock, Tex., November 9-11, 1976,
Proceedings 17 p0007 A78-10676
- Energy development II --- Book 17 p0009 A78-10729
- Some results of research carried out at the Soviet
U-02 and U-25 open-cycle MHD facilities
17 p0009 A78-10734
- Solar energy systems for electricity production
17 p0010 A78-10738
- Photovoltaic Specialists Conference, 12th, Baton
Rouge, La., November 15-18, 1976, Conference
Record 17 p0012 A78-10902

Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947

A novel solar cell interconnection design 17 p0017 A78-10959

The current status of the U.S. photovoltaic conversion program 17 p0020 A78-10998

Status of the ERDA photovoltaic material and device studies 17 p0020 A78-10999

The solar energy research programme of the Commission of the European Communities 17 p0020 A78-11000

French activities in the field of photovoltaic power conversion for terrestrial use 17 p0020 A78-11001

Status of the West German terrestrial photovoltaic program 17 p0020 A78-11002

Terrestrial solar cell R & D in the UK 17 p0020 A78-11003

Photovoltaic system in 'Sunshine Project' - R & D underway in Japan 17 p0020 A78-11004

German activities in the field of terrestrial application of solar cell arrays 17 p0020 A78-11005

Major terrestrial applications for photovoltaic solar energy conversion in the 1980-2000 period 17 p0020 A78-11006

Status of the ERDA photovoltaic systems definition project 17 p0021 A78-11009

Computer simulation of photovoltaic systems 17 p0021 A78-11010

Performance and cost assessment of photovoltaic system concepts 17 p0021 A78-11011

A tracking, high-concentration electrical and thermal solar energy collection system 17 p0024 A78-11032

Some economic and political aspects of photovoltaic development 17 p0024 A78-11034

Energy development III 17 p0028 A78-11069

Corporate research and development in alternate energy 17 p0028 A78-11072

Energy crisis: An evaluation of our resource potential; Proceedings of the Third Annual UMR-MEC Conference on Energy, University of Missouri-Rolla, Rolla, Mo., October 12-14, 1976 17 p0030 A78-11089

Computer aided design of a continuous duty energy system --- using both solar and wind energy 17 p0030 A78-11093

The status of and need for new coal gasification technology 17 p0031 A78-11097

Innovative wind turbines 17 p0031 A78-11101

Thermal processing of biomass materials --- overview 17 p0033 A78-11117

Clean fuels from biomass and wastes; Proceedings of the Second Symposium, Orlando, Fla., January 25-28, 1977 17 p0033 A78-11120

A liquid sodium cooled solar tower system 17 p0053 A78-11325

Review of overseas solar technologies relative to international cooperation 17 p0058 A78-11367

Status report on the alternative energy sources 17 p0061 A78-11489

Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution 17 p0064 A78-12394

The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908

Principles of nuclear district heating 17 p0066 A78-13150

A procedure for comparing the economy of different electrical space heating systems 17 p0068 A78-13451

The energy problem of the North --- power requirements, resources, and technological evolution 17 p0071 A78-13989

A prefabricated-house series with solar technology 17 p0072 A78-14099

The outlook for wind energy 17 p0072 A78-14101

Investigation of wind energy --- technical concepts and research problems 17 p0072 A78-14102

Wind energy techniques of the past and present --- windmill design 17 p0072 A78-14103

Basic physical factors in the calculation of flat-plate collectors. VI 17 p0072 A78-14104

Pulverized coal-pressure gasification with air as a topping stage for the combined gas/steam turbine process 17 p0074 A78-14498

Hydrocarbons via photosynthesis 17 p0074 A78-14688

Generation of electricity from the wind 17 p0080 A78-16053

Semiconductor materials for photovoltaic conversion 17 p0080 A78-16128

The prospects for photovoltaic conversion 17 p0081 A78-16276

A parametric study of a heat exchanger designed for geothermal power plant application [ASME PAPER 77-HT-1] 17 p0088 A78-17476

The University of Louisville Dual Solar Energy Research Center 17 p0091 A78-17551

A solid waste package deal - Energy and materials from garbage 17 p0092 A78-17671

Solar power stations 17 p0092 A78-17673

Exotic power and energy storage 17 p0095 A78-18624

International Workshop on Hydrogen and its Perspectives, Liege, Belgium, November 15-18, 1976, Proceedings. Volumes 1 & 2 17 p0097 A78-18826

Inventory of world energy resources 17 p0098 A78-18827

Methods for the production of hydrogen from natural gas and petroleum fractions 17 p0098 A78-18828

Possibilities for improving the electrolysis of water in alkaline solutions 17 p0098 A78-18831

Solid electrolyte and elevated temperature water electrolysis 17 p0098 A78-18832

Thermochemical hydrogen production - Engineering efficiency and economics 17 p0099 A78-18834

Design and evaluation of thermochemical cycles - The work performed at J.R.C. Ispra establishment 17 p0099 A78-18835

The hydrogen pipeline network in the Rhine-Ruhr area 17 p0099 A78-18837

Materials problems in hydrogen energy systems 17 p0099 A78-18839

The manufacture of synthetic natural gas by hydrogenation of fossil fuel residuals 17 p0099 A78-18840

Hydrogen fuel cells and hydrogen engines 17 p0099 A78-18841

Technical and economic aspects of hydrogen storage in metal hydrides 17 p0099 A78-18842

Future peak-power plants based on hydrogen-oxygen rocket steam generators 17 p0100 A78-18846

Technical concepts and economic prospects for thermal hydrogen power plants for peak load generation 17 p0100 A78-18847

Chemistry of thermochemical cycles from United States hydrogen programme - Thermochemical hydrogen production: Chemistry and thermochemical efficiency --- for hydrogen production 17 p0100 A78-18849

- Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry 17 p0101 A78-18850
- Profitability of a hydrogen network in a chemical complex 17 p0101 A78-18853
- The construction of long-distance thermal-energy supply systems in Mannheim within the framework of a demonstration project 17 p0102 A78-19245
- Unconventional types of power-heat coupling 17 p0102 A78-19246
- The block heating power station - Characteristics and first experience 17 p0103 A78-19247
- Liquid hydrogen as energy source - Economic considerations through a comparison with imported liquefied natural gas 17 p0107 A78-20516
- Fuels and energy from renewable resources; Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977 17 p0107 A78-20524
- Energy supply-demand integrations to the year 2000: Global and national studies --- Book 18 p0165 A78-20618
- The experimental MHD power plant of India 18 p0168 A78-22138
- International Symposium on Wind Energy Systems, St. John's College, Cambridge, England, September 7-9, 1976, Proceedings 18 p0168 A78-22226
- The potential for power production by large dispersed arrays of wind turbines 18 p0168 A78-22227
- Performance-optimized horizontal-axis wind turbines 18 p0169 A78-22232
- A wind energy conversion system based on the tracked vehicle airfoil concept 18 p0169 A78-22234
- A performance prediction model for the Darrieus turbine --- for wind energy conversion 18 p0170 A78-22237
- Aerodynamic studies on vertical-axis wind turbine 18 p0170 A78-22239
- The variable geometry vertical axis windmill 18 p0170 A78-22241
- A low cost windmill rotor 18 p0170 A78-22242
- Wind energy research in New Zealand 18 p0171 A78-22249
- Power Soletta: An industrial sun for Europe - Possibilities for an economically feasible supply with solar energy 18 p0172 A78-22741
- Development of solar tower program in the United States 18 p0173 A78-22819
- Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. II - The methanol water splitting cycle 18 p0174 A78-22868
- Where aerospace can serve afresh - Paths to energy independence 18 p0175 A78-23420
- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Electricity from coal by the MHD process [AIAA PAPER 78-291] 18 p0177 A78-24002
- Coal conversion to liquid and gaseous fuels - Aerospace technology in a new role [AIAA PAPER 78-293] 18 p0177 A78-24004
- Coal-liquefaction products from major demonstration processes. I - Separation and analysis 18 p0180 A78-24625
- Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977 18 p0180 A78-24751
- ERDA's Solar Energy Research and Development Program 18 p0180 A78-24753
- Coal technology - Users' viewpoint 18 p0181 A78-24755
- Underground coal gasification via the LHV process 18 p0182 A78-24775
- Materials problems in coal gasification and liquefaction 18 p0183 A78-25053
- Catalysis and unconventional energy systems 18 p0183 A78-25055
- Ocean thermal energy conversion material requirements for large-scale systems 18 p0183 A78-25057
- Oil Shale Symposium, 10th, Colorado School of Mines, Golden, Colo., April 21, 22, 1977, Proceedings 18 p0183 A78-25225
- Air pollution potential of solar technologies --- emissions from various fabrication processes [APCA PAPER 77-37,1] 18 p0185 A78-25427
- The achievements and perspectives for the development of solar power engineering in the USSR 18 p0186 A78-25730
- Future energy alternatives: Long-range energy prospects for America and the world --- Book 18 p0189 A78-26171
- Liquid fuels from coal; Proceedings of the Symposium, San Francisco, Calif., August 29-September 3, 1976 18 p0189 A78-26576
- School and factory installations demonstrate solar energy in US northeast 18 p0193 A78-26950
- Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- Solar energy engineering --- Book 18 p0199 A78-27852
- Solar power and fuels; Proceedings of the First International Conference on the Photochemical Conversion and Storage of Solar Energy, University of Western Ontario, London, Canada, August 24-28, 1976 18 p0202 A78-27889
- Photochemical production of a fuel 18 p0202 A78-27894
- Wind-electric conversion utilizing field modulated generator systems 18 p0205 A78-28163
- Solar progress Down Under --- solar energy research in Australia 18 p0206 A78-28199
- Energy from wind; Meeting, 4th, Bremen, West Germany, June 7, 8, 1977, Report 18 p0209 A78-28551
- Possibilities for wind energy applications in nations of the Third World 18 p0211 A78-28569
- Heating with the sun II - Principles of solar technology; Meeting, 3rd, Munich, West Germany, March 3, 4, 1977, Report. Volume 2 - Practical technology for residences 18 p0212 A78-28576
- Solar energy utilization in 1977 - Status, results, prospects 18 p0212 A78-28577
- Harnessing the wind --- review of wind turbine machines 18 p0216 A78-29222
- Development of small-scale benign sources of energy in France 18 p0216 A78-29291
- The tokamak - Model T fusion reactor 18 p0217 A78-29620
- Salt domes - Is there more energy available from their salt than from their oil --- salinity gradient energy due to osmotic pressure difference 18 p0217 A78-29623
- Global problems and energy 18 p0218 A78-29772
- An analysis of an early hybrid fossil-geothermal power plant proposal 18 p0218 A78-29998
- What comes after oil and gas - Development trends offered by energy sources 18 p0223 A78-30709
- Uses and prospects of solar energy /2nd revised and enlarged edition/ --- French book 18 p0224 A78-31068
- Energy and environment /64th Thomas Hawksley Lecture/ --- overall optimization concept of energy sources diversification [ONERA, TP NO. 1978-20] 18 p0224 A78-31123
- Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338

SUBJECT INDEX

ENERGY TECHNOLOGY CONTD

- A scenario for geothermal electric power development in Imperial Valley 18 p0228 A78-31743
- Energy savings from solid urban waste disposal systems in Italy 18 p0228 A78-31744
- Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977 19 p0294 A78-33026
- Fusion energy --- controlled fusion fundamentals [ASME PAPER 77-WA/NE-1] 19 p0299 A78-33185
- Annual Conference on Ocean Thermal Energy Conversion, 4th, University of New Orleans, New Orleans, La., March 22-24, 1977, Proceedings 19 p0300 A78-33301
- OTEC implementation problems for specific missions --- Ocean Thermal Energy Conversion 19 p0302 A78-33315
- The foam OTEC system - A proposed alternative to the closed cycle OTEC system 19 p0306 A78-33350
- Solar heating - Solar collectors for heating purposes --- French book 19 p0308 A78-33801
- Photovoltaic conversion of solar energy for terrestrial use - The present situation and the developmental trends 19 p0309 A78-34021
- High temperature thermal energy storage, including a discussion of TES integrated into power plants --- Book 19 p0311 A78-34468
- Laser fusion --- overview 19 p0314 A78-34953
- Energy storage --- cost analysis 19 p0314 A78-34972
- Hydrogen as an energy carrier: Production, storage, transport --- German book 19 p0315 A78-35179
- Offshore and underground power plants --- Book 19 p0317 A78-35574
- A non-tracking moderately focusing heat pipe solar collector [AIAA 78-402] 19 p0318 A78-35592
- Ocean thermal energy - Status and prospects 19 p0323 A78-35876
- Methods of energy conversion /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36126
- Application of gas turbines for peak and base load operation 19 p0327 A78-36371
- Experience in operating a solar absorption cooling plant with open solution regenerator 19 p0332 A78-36871
- The hydrogen energy economy: A realistic appraisal of prospects and impacts --- Book 19 p0336 A78-38055
- Early coal hydrogenation catalysis 19 p0337 A78-38403
- Electrofluid gasification of coal with nuclear energy 19 p0338 A78-38407
- Use of heat pumps with solar collectors for domestic space heating in the United Kingdom 19 p0341 A78-38971
- Is solar power more dangerous than nuclear 19 p0341 A78-38998
- Experiments on flat-plate solar energy collectors 19 p0342 A78-39179
- Engineering of beam direct conversion for a 120-kV, 1-MW ion beam 19 p0348 A78-39834
- Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534
- Geothermal energy resources map of the western United States 19 p0362 A78-40535
- Determination of optimum arrays of wind energy conversion devices 19 p0364 A78-40821
- Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000
- Capturing sunlight - A revolution in collector design 19 p0365 A78-41217
- Experimental work on oil shale at Lawrence Livermore Laboratory and predictions of retorting characteristics of oil shales 19 p0367 A78-41518
- Gasification and residence time of hard-coal particles in a cyclone reaction chamber 19 p0369 A78-41931
- Cheap packed-bed solar air heaters 19 p0374 A78-42144
- Performance study of spray-type solar water heater 19 p0374 A78-42147
- A new design of organic vapour engine for solar systems 19 p0376 A78-42161
- Solar sea power plants - Prospects and problems 19 p0376 A78-42163
- A domestic multi-purpose solar energy unit 19 p0376 A78-42165
- Solar energy for tractors 19 p0376 A78-42168
- Energy perspectives for the year 2000 19 p0377 A78-42184
- Union Oil gets up steam for geothermal energy --- steam and hot water from the earth's crust 19 p0383 A78-42773
- Energy resources --- on natural and nuclear energy technology and efficiency 19 p0385 A78-43072
- Open-cycle MHD energy conversion - Prospects and developments for central station power generation 19 p0385 A78-43176
- Unrealities in the energy R & D program 19 p0385 A78-43276
- World sources of energy and new energy resource development in Iran 17 p0111 N78-10553
- Energy management as a scientific discipline 17 p0111 N78-10558
- Structural descriptions of alternative energy futures [COO-2865-7] 17 p0114 N78-10580
- Integrated environmental analysis and the development of new energy technologies [BNL-22676] 17 p0117 N78-10614
- Dynamic oil shale fracture experiments [PB-269258/0] 17 p0122 N78-11559
- Methanol as an automotive fuel with special emphasis on methanol-gasoline blends [PB-270401/3] 17 p0123 N78-12243
- Fossil energy research program of the Energy Research and Development Administration, FY 1978 [ERDA-77-33] 17 p0127 N78-12544
- Solar power satellite: System definition study. Part 1, volume 1: Executive summary [NASA-CR-151554] 17 p0129 N78-13099
- Solar power satellite: System definition study. Part 1, volume 5: SPS transportation. Representative system descriptions [NASA-CR-151558] 17 p0130 N78-13103
- Proceedings of the conference on Coal Feeding Systems [NASA-CR-155331] 17 p0131 N78-13241
- Experience in feeding coal into a liquefaction process development unit 17 p0131 N78-13242
- The Petrocarb pneumatic feeding system: A proven method for feeding particulate solids at controlled rates --- for coal gasification systems 17 p0131 N78-13243
- Coal pressurization and feeding: Use of a lock hopper system 17 p0131 N78-13244
- Coal gasification: New challenge for the Beaumont rotary feeder 17 p0131 N78-13245
- Development of coal-feeding systems at the Morgantown Energy Research Center 17 p0131 N78-13246
- Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 N78-13247
- Slurry pumping techniques for feeding high-pressure coal gasification reactors 17 p0131 N78-13248
- Development of dry coal feeders 17 p0131 N78-13249

- Dry coal feeder development program at Ingersoll-Band Research, Incorporated --- for coal gasification systems 17 p0132 N78-13250
- Poster-Miller's development of dry coal feed systems 17 p0132 N78-13251
- Evaluation of ERDA-sponsored coal feed system development 17 p0132 N78-13252
- Continuous high pressure lump coal feeder design study --- fluidized bed processors 17 p0132 N78-13253
- Babcock and Wilcox's experience with two-phase flow mixtures of coal and gas 17 p0132 N78-13254
- Pressurized feeding on the GEGAS system 17 p0132 N78-13255
- Feeding the feeder 17 p0132 N78-13258
- Acton mass flow system applied to PFEC feed 17 p0133 N78-13267
- Lock hopper valves for coal gasification plant service 17 p0134 N78-13270
- Solar energy bibliography [NASA-TN-X-73398] 17 p0138 N78-13554
- Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 N78-13555
- Intermediate standards for solar domestic hot water systems/HUD initiative [PB-271758/5] 17 p0139 N78-13563
- Investigation of methods to improve heat pump performance and reliability in a northern climate. Volume 3: Appendices B, C, D [EPRI-EM-319-VOL-3-APP-E] 17 p0139 N78-13565
- Our energy future: Where is reality [BNWL-SA-6029] 17 p0140 N78-13574
- Canada's renewable energy resources: An assessment of potential [NP-21901] 17 p0142 N78-13588
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report [PB-271752/8] 17 p0144 N78-13616
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials [PB-271753/6] 17 p0144 N78-13617
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis [PB-271754/4] 17 p0144 N78-13618
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices [PB-272243/7] 17 p0144 N78-13619
- CCMS solar energy pilot study: Report of the annual meeting [PB-271797/3] 17 p0145 N78-13623
- Energy and remote sensing 17 p0149 N78-14497
- Wind energy mission analysis, executive summary [COO-2578-1-1] 17 p0152 N78-14645
- Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-8] 17 p0153 N78-14658
- Outline for optimizing and evaluating proposed OTEC systems [CONF-770331-2] 17 p0153 N78-14660
- Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory [CONF-770331-1] 17 p0153 N78-14661
- Approach for evaluating alternative future energy systems: A dynamic net energy analysis [SAND-77-0489] 17 p0155 N78-14670
- Power conversion system of the 21st century [CONF-770448-1] 17 p0155 N78-14672
- Regional reference energy systems [EPRI-BA-462] 17 p0155 N78-14675
- Translations on USSR resources, no. 768 [JPES-70524] 17 p0159 N78-15557
- A home central electric system [NASA-TN-75084] 17 p0159 N78-15561
- Solar cell radiation handbook [NASA-CR-155554] 17 p0160 N78-15566
- Non-imaging concentrators for wide angle collection of solar energy, 2 [COO-2446-8] 17 p0160 N78-15570
- Solar irrigation program [SAND-77-0380] 17 p0161 N78-15582
- Central receiver solar thermal power system, phase 1 [SAN/1110-76/3] 17 p0161 N78-15583
- Development status and environmental hazards of several candidate advanced energy systems [PB-272759/2] 17 p0162 N78-15588
- Considerations on coal gasification [NASA-TN-75233] 18 p0239 N78-16431
- The solar heating and cooling commercial demonstration program: Some early problems and results [NASA-TN-78152] 18 p0240 N78-16433
- Underground coal gasification program [ERDA-77-51] 18 p0241 N78-16446
- Alternative forms of energy transmission from OTEC plants [CONF-770331-5] 18 p0241 N78-16453
- Consequences of new energy patterns [PB-273259/2] 18 p0244 N78-16474
- A technology assessment of offshore industry. The United States offshore industry. Current status, trends and forecast 1976 - 2000, volume 1 [PB-272983/8] 18 p0246 N78-16947
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000, volume 2 [PB-272984/6] 18 p0246 N78-16948
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000. Executive summary [PB-272985/3] 18 p0246 N78-16949
- Prototype solar heating and hot water systems [NASA-CR-150525] 18 p0250 N78-17482
- SIMS prototype system 1 test results: Engineering analysis [NASA-CR-150522] 18 p0256 N78-18527
- The diffusion of the use of new energy technology as a context for an overview of solar energy technologies [NASA-CR-155942] 18 p0264 N78-19611
- Wind energy mission analysis, appendix [SAN/1075-1/2] 18 p0269 N78-19669
- Hot dry rock geothermal energy: Status of exploration and assessment. Report no. 1: Of the hot dry rock assessment panel [ERDA-77-74] 18 p0270 N78-19671
- Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673
- PACER: Short cut solution to fusion energy production [TID-27687] 18 p0270 N78-19674
- Prototype solar heating and hot water systems [NASA-CR-150592] 18 p0275 N78-20612
- Modular control subsystems for use in solar heating systems for multi-family dwellings [NASA-CR-150593] 18 p0275 N78-20613
- Pump/control system minimum operating cost testing [NASA-CR-150604] 18 p0275 N78-20617
- Erosion control in energy systems [PB-275105/5] 18 p0278 N78-20649
- A simulation model for wind energy storage systems. Volume 2: Operation manual [NASA-CR-135284] 18 p0278 N78-20803
- A simulation model for wind energy storage systems. Volume 3: Program descriptions [NASA-CR-135285] 18 p0278 N78-20804
- Introduction to the ERDA electric and hybrid demonstration project --- provisions of the Legislative Act [ERRQ-0008] 18 p0279 N78-21016
- Subsystem design package for Solar II collector [NASA-CR-150611] 18 p0283 N78-21602
- Incentives for developing new energy sources [GPO-93-810] 18 p0284 N78-21613
- The long-run incremental cost of electric utilities [PB-276082/5] 18 p0289 N78-21660
- Enhanced oil recovery: The impact of policy options [PB-276763/0] 19 p0388 N78-22451
- Enhanced oil recovery potential in the United States [PB-276594/9] 19 p0388 N78-22452
- Health and economic costs of alternative energy sources [IAEA-CN-36/448] 19 p0390 N78-22484

- Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers [NP-22159/2] 19 p0393 N78-23253
- Heat transfer effects in forced geobath recovery systems 19 p0295 N78-23554
- Energy information and analytic system for New York State [BNL-22677] 19 p0397 N78-23579
- Transition to decentralized energy systems [CONF-7710101-1] 19 p0397 N78-23582
- Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584
- Possible energy research meeting [CONF-7706100] 19 p0398 N78-23585
- Petroleum industry involvement in alternative sources of energy [GPO-93-800] 19 p0408 N78-24661
- Gas stimulation studies at LASI [LA-UR-77-1937] 19 p0410 N78-24678
- Surfactant-assisted liquefaction of particulate carbonaceous substances --- coal liquefaction [NASA-CASE-WPO-13904-1] 19 p0414 N78-25237
- Alternative fuels utilization program [UCID-17645] 19 p0414 N78-25241
- Land use configurations and the utilization of distributed energy technology [UCRL-13773] 19 p0418 N78-25512
- Method for producing solar energy panels by automation [NASA-CASE-LFW-12541-1] 19 p0419 N78-25529
- Prototype solar heating and combined heating and cooling systems [NASA-CR-150693] 19 p0420 N78-25542
- Coal technology program [ORNL-TM-6137] 19 p0426 N78-25605
- Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas [TID-18040] 19 p0429 N78-25630
- Resource, technology, and environment at the geysers [LBL-5231] 19 p0430 N78-25637
- Potential of wood as an energy resource in New England [TID-28131] 19 p0432 N78-25655
- Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program [PB-277917] 19 p0433 N78-25678
- Development and Coordination of a program of energy-related oceanographic research and the continental shelves of the Gulf of Mexico [ORO-5017-3] 19 p0434 N78-25742
- Tribology: Research and development needs in advanced energy technology [HEDL-SA-1191-BEV] 19 p0442 N78-26450
- Assessment of advanced technology for direct combustion of coal [HCP/T1216-0001] 19 p0446 N78-26578
- Status of European thermochemical hydrogen programs [LA-UR-77-2985] 19 p0446 N78-26583
- ETA-MACRO: A model of energy-economy interactions [EPRI-FA-592] 19 p0449 N78-26612
- Environmental effects of energy [PB-278169/8] 19 p0449 N78-26620
- Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2] 19 p0450 N78-26642
- An agenda for technology assessment in the materials field. Volume 1: Principal findings --- energy technology requirements and impact [PB-278639/0] 19 p0453 N78-27009
- An agenda for technology assessment in the materials field. Volume 2: Appendices --- energy technology requirements and impact [PB-278640/8] 19 p0453 N78-27010
- Development studies on selected conversion of synthesis gas from coal to high octane gasoline [FE-2276-20] 19 p0454 N78-27289
- System considerations 19 p0457 N78-27529
- Advanced technology fuel cell program [EPRI-EH-576] 19 p0459 N78-27553
- Brake system for the 17 meter vertical axis wind turbine [SAND-77-1331] 19 p0461 N78-27569
- Methods of forecasting of scientific and technical progress in the production and consumption of fuel and energy resources [DOE-TR-24] 19 p0461 N78-27573
- Electrolysis based hydrogen storage system [BNL-50760] 19 p0462 N78-27580
- Solar energy and the heat pump in a northern climate [EPRI-EA-407] 19 p0462 N78-27583
- Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system [HCP/M2534] 19 p0463 N78-27584
- Ford/ERDA sodium-sulfur battery development, phase 2 [COO-2566-30] 19 p0463 N78-27585
- DOE facilities solar design handbook [DOE/AD-0006/1] 19 p0463 N78-27586
- Models and methodologies for assessing the impact of energy development [ERDA-77-91] 19 p0463 N78-27587
- Managing the socio-economic impacts of energy development: A guide for the small community [ERDA-77-79] 19 p0463 N78-27589
- Data bank for the geographical allocation of future US energy supply facilities by county [BNL-50754] 19 p0463 N78-27590
- Potential energy savings in commercial/residential communities based on integrated systems design [CONF-771120-21] 19 p0464 N78-27592
- CFPC development program [FE-2357-19] 19 p0464 N78-27593
- Federally sponsored energy research in the northern Great Plains, North Dakota, fiscal year 1976 [PB-278132/6] 19 p0465 N78-27607
- Coal gasification and liquefaction technology, volume 3. A bibliography with abstracts [NTIS/PS-78/0345/5] 19 p0466 N78-27609
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year, 1976, volume 1 [ERDA-77-104/1-VOL-1] 19 p0466 N78-27635
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year 1976, volume 2 [ERDA-77-104/2-VOL-2] 19 p0466 N78-27636
- Facilitating data interchange with ERDA [BNL-22595] 19 p0468 N78-27988
- ENERGY TRANSFER**
- Air Storage System Energy Transfer /ASSET/ plants. - A utility's evaluation 17 p0029 N78-11081
- Solar production of hydrogen 18 p0201 N78-27868
- The use of thermal oils for energy transfer in the primary cycle of solar heating systems and solar power plants 18 p0213 N78-28588
- Alternative forms of energy transmission from OTEC plants 19 p0301 N78-33312
- Thermochemical energy transport costs for a distributed solar power plant 19 p0312 N78-34515
- Hydrogen as an energy carrier: Production, storage, transport --- German book 19 p0315 N78-35179
- Energy storage and transfer system for Experimental Power Reactor 19 p0348 N78-39855
- Computer simulation on laser plasma compression 19 p0362 N78-40386
- Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-8] 17 p0153 N78-14658
- Generalized numerical model for predicting energy transfers and performance of large solar ponds [UCRL-13722] 17 p0161 N78-15576
- Alternative energy transmission systems from OTEC plants, project 8980 [DSE/2426-12] 18 p0242 N78-16454
- Solar heating and cooling systems design and development [NASA-CR-150542] 18 p0263 N78-19603
- Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSF-00033/76/TR] 19 p0409 N78-24677
- Transmission of energy by open-loop chemical energy pipeline [CONF-770955-4] 19 p0461 N78-27576

ENGINE CONTROL

SUBJECT INDEX

Fusion applications of fast discharging homopolar machines
[EPRI-ER-625] 19 p0468 N78-27934

ENGINE CONTROL
Some problems in the operational analysis of a hydrogen-fueled gas turbine 18 p0186 A78-25637

Thrust computing system applications to increase engine life and provide fuel conservation 18 p0227 A78-31311

ENGINE DESIGN
Nitinol engine development --- Ni-Ti alloy for thermal-to-mechanical energy converter 17 p0056 A78-11348

Some results of an experimental study of the Stirling engine --- in solar energy systems 17 p0064 A78-12391

Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169

The design and performance of high temperature turbines in turbofan engines 17 p0093 A78-18023

Further Stirling engine development work. II 17 p0093 A78-18049

Review of the development of small- and medium-capacity gas turbines at the Motoren- und Turbinen Union
[DGLR PAPER 77-061] 17 p0056 A78-18702

Research needs for U.S. Army aircraft propulsion [AIAA PAPER 78-45] 18 p0172 A78-22558

Engine development toward lower energy consumption and reduced environmental impact [AIAA PAPER 78-307] 18 p0178 A78-24008

Performance of counter- and corotating arrays of Savonius turbines --- windpowered machines 18 p0188 A78-26113

General aviation energy-conservation research programs at NASA-Lewis Research Center --- for non-turbine general aviation engines 18 p0216 A78-29330

Gas turbines. Part 2 - Aerodynamic processes, regenerators, combustion chambers, and construction /2nd revised and enlarged edition/ --- Russian book 18 p0219 A78-30200

Evolution of the aircraft gas turbine engine 18 p0220 A78-30257

Energy conserving aircraft from the engine viewpoint 18 p0226 A78-31310

A low-risk approach to the high-temperature turbine [ASME PAPER 77-WA/ENEP-10] 19 p0298 A78-33148

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [SAE PAPER 780075] 19 p0306 A78-33364

Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo [SAE PAPER 780417] 19 p0308 A78-33389

An update of the development on the new Audi NSU rotary engine generation [SAE PAPER 780418] 19 p0308 A78-33390

Problems and progress in developing the automotive gas turbine 19 p0316 A78-35423

Some results of an experimental investigation of a Stirling engine --- in solar energy systems 19 p0331 A78-36868

Aero engines climb towards better fuel efficiency 19 p0332 A78-37114

Investigating the efficiency of gas turbines in off-design operation --- multistage experimental data 19 p0335 A78-37860

Dynamics of a pistonless engine capable of utilizing solar energy 19 p0339 A78-38554

Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348] 19 p0366 A78-41225

Alternative automobile engines 19 p0367 A78-41466

Development of a new combustion system /MCA-jet/ in gasoline engine 19 p0386 A78-43296

Baseline gas turbine development program [COO-2749-17] 17 p0135 N78-13455

Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg [NASA-TP-1007] 18 p0237 N78-16053

Interdisciplinary research and development on the effects of the nature and properties of ceramic materials in the design of advanced structural components [NASA-CR-155733] 18 p0247 N78-17223

State-of-the-art assessment of electric vehicles and hybrid vehicles [NASA-TM-73756] 18 p0262 N78-18588

The status of small, cooled, axial-flow turbines 18 p0279 N78-21123

Automotive Stirling engine development program --- fuel economy assessment [NASA-CR-135331] 19 p0392 N78-22970

Study of future heat engine vehicle systems [UCRL-13781] 19 p0436 N78-26039

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.1: Model 3 ground power units design, construction and testing. Government contract reports [GMR-2690-PT-1.1] 19 p0437 N78-26237

Stirling engine ground power unit [GMR-2690-SECT-1.108] 19 p0437 N78-26245

Stirling engine Ground Power Unit Model GPU 3 acceptance test report [GMR-2690-SECT-1.110] 19 p0437 N78-26247

US Army Engineer Research and Development Laboratories five hundred hour engineering evaluation of the Stirling GPU 2-1 [GMR-2690-SECT-1.112] 19 p0437 N78-26249

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing. General Motors research studies [GMR-2690-PT-1.2] 19 p0437 N78-26250

Combustor development for Stirling ground power units, GPU-2 and GPU-3 [GMR-2690-SECT-1.204] 19 p0438 N78-26254

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies [GMR-2690-PT-2] 19 p0438 N78-26262

Stirling engine heater tube failures [GMR-2690-SECT-3.101] 19 p0438 N78-26285

Stirling engine heater tube failure [GMR-2690-SECT-3.102] 19 p0438 N78-26286

Examination of Stirling engine regenerator screens [GMR-2690-SECT-3.105] 19 p0439 N78-26289

Evaluation of stresses in tubes with external heat flux and internal pressurization [GMR-2690-SECT-3.204] 19 p0439 N78-26294

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 7: Thermal energy storage and publication list, 7.1 Thermal energy storage, 7.2 List of general motors Stirling engine publications [GMR-2690-PT-7] 19 p0440 N78-26326

Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies [GMR-2690-SECT-7.104] 19 p0440 N78-26330

Thermal energy storage-Stirling engine powerplants for road vehicles [GMR-2690-SECT-7.111] 19 p0441 N78-26337

Design approaches to more energy efficient engines [NASA-TM-78893] 19 p0441 N78-26442

ACEE propulsion overview 19 p0453 N78-27048

Energy efficient engine: Preliminary design and integration studies 19 p0453 N78-27053

Energy efficient engine preliminary design and integration studies 19 p0453 N78-27054

Impact of broad-specification fuels on future jet aircraft --- engine components and performance 19 p0453 N78-27059

Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596

SUBJECT INDEX

ENVIRONMENT EFFECTS

- Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9] 19 p0465 N78-27599
- ENGINE INLETS**
- Fuel vaporization - Economy with reduced exhaust emission 18 p0221 A78-30366
- ENGINE PARTS**
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.1: Model 3 ground power units design, construction and testing. Government contract reports [GMR-2690-PT-1.1] 19 p0437 N78-26237
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing. General Motors research studies [GMR-2690-PT-1.2] 19 p0437 N78-26250
- Effect of diesel fuel on Stirling engine ground power unit components --- fuel system [GMR-2690-SECT-1.201] 19 p0437 N78-26251
- The GPU-3 Stirling engine ground power unit ignition system [GMR-2690-SECT-1.203] 19 p0438 N78-26253
- Combustor development for Stirling ground power units, GPU-2 and GPU-3 [GMR-2690-SECT-1.204] 19 p0438 N78-26254
- Impact of broad-specification fuels on future jet aircraft --- engine components and performance 19 p0453 N78-27059
- Ceramic technology readiness program [FE-2664-3] 19 p0454 N78-27279
- ENGINE STARTERS**
- Manual cranking tests of the Stirling engine ground power unit [GMR-2690-SECT-1.202] 19 p0437 N78-26252
- ENGINE TESTING LABORATORIES**
- General aviation energy-conservation research programs at NASA-Lewis Research Center [NASA-TN-73884] 18 p0247 N78-17060
- ENGINE TESTS**
- Tutorial, test measurement accuracy --- for gas turbine engine performance 17 p0088 A78-17409
- Gas turbine module performance analysis [SAE PAPER 770992] 18 p0176 A78-23828
- Use of methanol in diesel engine - An experimental study of engine performance 18 p0199 A78-27827
- Investigation of some factors affecting the performance of an alcohol-diesel oil dual fuel engine 18 p0199 A78-27829
- Some characteristics of oil consumption measured by hydrogen fueled engine [ASLE PREPRINT 77-1C-5B-1] 18 p0209 A78-28434
- Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388
- Methanol-gasoline blends - Performance and emissions 19 p0321 A78-35702
- Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TN-73780] 17 p0129 N78-13056
- Experimental and analytical comparisons of the performance and combustion characteristics of gasoline, methane, and methanol in a Wankel engine 17 p0158 N78-15487
- Experiments with novel fuels for diesel engines [BBRC/TPB-77/8] 19 p0436 N78-26225
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.1: Model 3 ground power units design, construction and testing. Government contract reports [GMR-2690-PT-1.1] 19 p0437 N78-26237
- Stirling engine ground power unit [GMR-2690-SECT-1.108] 19 p0437 N78-26245
- Stirling engine Ground Power Unit model GPU 3 acceptance test report [GMR-2690-SECT-1.110] 19 p0437 N78-26247
- US Army Engineer Research and Development Laboratories five hundred hour engineering evaluation of the Stirling GPU 2-1 [GMR-2690-SECT-1.112] 19 p0437 N78-26249
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing. General Motors research studies [GMR-2690-PT-1.2] 19 p0437 N78-26250
- Effect of diesel fuel on Stirling engine ground power unit components --- fuel system [GMR-2690-SECT-1.201] 19 p0437 N78-26251
- Manual cranking tests of the Stirling engine ground power unit [GMR-2690-SECT-1.202] 19 p0437 N78-26252
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen [GMR-2690-SECT-1.206] 19 p0438 N78-26256
- STIR-LEC 2 Stirling engine performance [GMR-2690-SECT-1.207] 19 p0438 N78-26257
- Method of tests and instructions (generator sets, Stirling engine drive) [GMR-2690-SECT-1.208] 19 p0438 N78-26258
- Stirling engine heater tube failures [GMR-2690-SECT-3.101] 19 p0438 N78-26285
- Stirling engine heater tube failure [GMR-2690-SECT-3.102] 19 p0438 N78-26286
- Examination of Stirling engine regenerator screens [GMR-2690-SECT-3.105] 19 p0439 N78-26289
- Evaluation of stresses in tubes with external heat flux and internal pressurization [GMR-2690-SECT-3.204] 19 p0439 N78-26294
- ENGINEERING**
- Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742
- ENGINEERING MANAGEMENT**
- The role of scientific and technical information in critical period management, volume 1 [PB-272178/5] 17 p0157 N78-14939
- The role of scientific and technical information in critical period management, volume 2 [PB-272179/3] 17 p0157 N78-14940
- ENGINEERING TEST REACTORS**
- Engineering features of an upgradable ignition test reactor 19 p0349 A78-39878
- ENGINES**
- Materials technology assessment for stirling engines [NASA-TN-73789] 18 p0247 N78-17187
- Energy losses in heavy commercial vehicles [FB-277354] 19 p0417 N78-25434
- ENTHALPY**
- Enthalpy measurement of coal-derived liquids [FE-2035-10] 19 p0452 N78-26962
- ENTROPY**
- Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. II - The methanol water splitting cycle 18 p0174 A78-22868
- ENVIRONMENT EFFECTS**
- The environmental effects and economic costs of solid waste energy recovery 17 p0033 A78-11113
- An evaluation of residential heating methods in terms of energy conservation, environmental impact and life-cycle economics 17 p0057 A78-11357
- Environmental and safety implications of solar technologies 17 p0057 A78-11360
- Solar panels BPI47A for terrestrial applications 17 p0071 A78-13984
- The impact of H2S emissions on future geothermal power generation - The Geysers region, California [IEBC PAPER A 77 816-2] 17 p0071 A78-14077
- Environmental and energy considerations for electric vehicles in urban use [EVC PAPER 7753] 17 p0086 A78-16941
- Air pollution assessments of new fossil energy technologies 17 p0086 A78-17092

Oil in the ocean - Circumstances control its impact
17 p0087 A78-17262

Economic and environmental costs of satellite
solar power 18 p0179 A78-24377

Some economic and environmental consequences of
fusion power 18 p0184 A78-25302

Air pollution potential of solar technologies ---
emissions from various fabrication processes
[APCA PAPER 77-37,1] 18 p0185 A78-25427

Energy and environment /64th Thomas Hawksley
Lecture/ --- overall optimization concept of
energy sources diversification
[ONERA, TF NC. 1978-20] 18 p0224 A78-31123

The external flow induced by an Ocean Thermal
Energy Conversion /OTEC/ power plant
19 p0302 A78-33319

Development of a numerical ocean model of the Gulf
of Mexico for OTEC environmental impact and
resource availability studies 19 p0302 A78-33320

A further evaluation of the oceanographic
conditions found off Keahole Point, Hawaii, and
the environmental impact of nearshore ocean
thermal energy conversion plants on subtropical
Hawaiian waters 19 p0303 A78-33324

Prediction of air quality impacts for a commercial
shale oil complex 19 p0320 A78-35700

Hydrogen sulfide as an air pollutant 19 p0337 A78-38245

Highlights of the ILL Hoe Creek No. 2 underground
coal gasification experiment 19 p0367 A78-41524

Solar program assessment: Environmental factors
[ERDA-77-47/5] 17 p0113 A78-10577

Analysis of brine disposal in the Gulf of Mexico.
3: Capline sector
[PB-271292/5] 17 p0146 A78-13648

Solar program assessment: Environmental factors
[ERDA-77-47/4] 17 p0156 A78-14681

Solar program assessment: Environmental factors.
Wind energy conversion
[ERDA-77-47/6] 17 p0156 A78-14682

Solar program assessment: Environmental factors.
Ocean thermal energy conversion
[ERDA-77-47/8] 17 p0156 A78-14683

Western energy resources and the environment:
Geothermal energy
[PB-271561/3] 17 p0156 A78-14687

Environmental issues associated with solar heating
and cooling of residential dwellings
[SAND-77-0172] 17 p0161 A78-15581

Development status and environmental hazards of
several candidate advanced energy systems
[PB-272759/2] 17 p0162 A78-15588

An analysis of alternative residential heating
systems in terms of three criteria: Energy
conservation, environmental impact and
life-cycle economics 18 p0239 A78-16423

Preliminary environmental assessment of solar
energy systems
[PB-272352/6] 18 p0243 A78-16465

A linear programming model for assessing the
regional impacts of energy development on water
resources
[PB-273022/4] 18 p0251 A78-17491

Alaskan oil transportation issues
[PB-276449/6] 18 p0289 A78-21661

Energy supply and environmental impacts:
Conventional energy sources
[PB-276410/8] 18 p0289 A78-21669

Oil shale, FY 1977
[EDE/F-01(77)] 19 p0411 A78-24694

Environmental, health, and control aspects of coal
conversion, an information overview, volume 1
[ORNL/EIS-94-VOL-1] 19 p0411 A78-24696

Solar energy conversion: An analysis of impacts
on desert ecosystems
[COO-4339-1] 19 p0427 A78-25612

Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 A78-25637

Assessment, selection, and development of
procedures for determining the environmental
acceptability of synthetic fuel plants based on
coal, appendix 2
[FP-1795-3-PT-2-REV] 19 p0433 A78-25674

Approach to liquefied natural gas (LHG) safety and
environmental control research
[DOE/EV-0002] 19 p0437 A78-26227

Environmental effects of energy
[PB-278169/8] 19 p0449 A78-26620

Effect of liquid waste discharges from steam
generating facilities
[BNWL-2393] 19 p0450 A78-26634

Environmental assessment of coal liquefaction
[PB-278333/0] 19 p0451 A78-26654

Environmental effects of burning solid waste as fuel
[IS-M-124] 19 p0466 A78-27637

ENVIRONMENT MANAGEMENT

Coal energy and the environment: Analysis of
economic and energy efficiency implications of
environmental and resource constraints on the
utilization of coal to produce electricity
18 p0274 A78-20600

OCS oil and gas: An assessment of the Department
of the Interior Environmental Studies Program
[PB-277493] 19 p0419 A78-25526

ENVIRONMENT MODELS

Submarine seepage of natural gas in Norton Sound,
Alaska 17 p0087 A78-17263

Coal gasification and water resources development
17 p0097 A78-18775

Environmental transport model of heavy metals
18 p0215 A78-28946

Description and comparison of energy impact
assessment models
[BNWL-2107] 18 p0290 A78-21671

Low-cost silicon solar array project environmental
hail model for assessing risk to solar collectors
[NASA-CR-157225] 19 p0442 A78-26541

ENVIRONMENT POLLUTION

A detailed analysis of the environmental effects
of energy utilization in the U.S. economy
17 p0031 A78-11102

Environmental impact of solid waste and biomass
conversion-to-energy processes 17 p0036 A78-11139

Engine development toward lower energy consumption
and reduced environmental impact
[AIAA PAPER 78-307] 18 p0178 A78-24008

Emissions of trace elements from the combined
firing of coal and RDF in a utility boiler ---
Refuse-Derived Fuel
[APCA PAPER 77-37,6] 18 p0185 A78-25404

Environmental transport model of heavy metals
18 p0215 A78-28946

An analysis of the back end of the nuclear fuel
cycle with emphasis on high-level waste
management, volume 1
[NASA-CR-155319] 17 p0128 A78-12823

An analysis of the back end of the nuclear fuel
cycle with emphasis on high-level waste
management, volume 2
[NASA-CR-155320] 17 p0128 A78-12824

Solar program assessment: Environmental factors.
Solar heating and cooling of buildings
[ERDA-77-47/1] 17 p0155 A78-14680

Solar program assessment: Environmental factors
[ERDA-77-47/4] 17 p0156 A78-14681

ENVIRONMENT PROTECTION

The potential of satellite solar power
17 p0002 A78-10411

French policy in the area of the campaign against
atmospheric pollution 17 p0082 A78-16473

A study of the formation of unpumpable residues of
crude oil on tankers for the purpose of
preventing marine pollution 17 p0093 A78-18050

On the right to sunshine --- homeowner access to
solar energy 17 p0105 A78-19836

Securing energy production and protecting the
environment --- electric power production
18 p0177 A78-23941

Coal technology - Users' viewpoint
18 p0181 A78-24755

SUBJECT INDEX

ENVIRONMENTAL SURVEYS

Environmental assessment of the fluidized-bed combustion of coal - Methodology and initial results 18 p0206 A78-28271

Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study 19 p0301 A78-33308

A systematic approach to the problem of characterizing the emission potential of energy conversion processes --- coal gasification pollution potentials 19 p0320 A78-35699

Environmental protection issues facing the nation [PB-269748/0] 17 p0117 N78-10633

Conference proceedings: A critical economic balance: Water, land, energy, people [PB-274089/2] 18 p0253 N78-17944

Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program [PB-277917] 19 p0433 N78-25678

A national environmental/energy workforce assessment, business and industry, phase 1 [PB-277904/9] 19 p0452 N78-26968

A national environmental/energy workforce assessment, national legislation, phase 1 [PB-277905/6] 19 p0452 N78-26969

A national environmental/energy workforce assessment, national abstract [PB-277906/4] 19 p0452 N78-26970

Effects of environmental protection regulation on regional economic development [PB-278918/8] 19 p0468 N78-28015

ENVIRONMENTAL SIMULATION

Current progress in materials development for coal conversion 17 p0073 A78-14399

Applications of wind tunnels to investigations of wind-engineering problems [AIAA 78-812] 18 p0233 A78-32366

Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320

A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters 19 p0303 A78-33324

Thermal performance of NSFC hot air collectors under natural and simulated conditions [NASA-CR-150506] 18 p0256 N78-18525

ENVIRONMENTAL CONTROL

Some opportunities in teleoperated mining 18 p0222 A78-30507

Energy conservation and thermal comfort in a New York City high rise office building 19 p0311 A78-34380

Health and environmental aspects of energy development [ISS-P-77/2] 19 p0399 N78-23599

ENVIRONMENTAL ENGINEERING

A history of flue gas desulfurization systems since 1850 - Research, development and demonstration 17 p0003 A78-10502

Synthetic SO2 sorbents for fluidized-bed coal combustors 17 p0003 A78-10503

Technical and economic impacts of the application of environmental control technology options [APCA PAPER 77-56,4] 18 p0186 A78-25447

Sulfur, energy, and environment --- Book 18 p0224 A78-31069

Environmental technology '77: Proceedings of the Twenty-third Annual Technical Meeting, Los Angeles, Calif., April 25-27, 1977 18 p0231 A78-32101

Factors detrimental to electrostatic precipitator performance [ASHE PAPER 77-WA/APC-7] 19 p0297 A78-33130

Research design construction and evaluation of a low energy utilization school, phase 2 [PB-269407/3] 17 p0112 N78-10569

ENVIRONMENTAL MONITORING

Characterization of terrestrial service environments - The simultaneous occurrence of combined conditions of solar insolation and climatic variables 17 p0049 A78-11283

Energy resource development - The monitoring components 17 p0104 A78-19616

Oil shale research overview [PB-278159/9] 19 p0442 N78-26529

Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year, 1976, volume 1 [ERDA-77-104/1-VOL-1] 19 p0466 N78-27635

Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year 1976, volume 2 [ERDA-77-104/2-VOL-2] 19 p0466 N78-27636

ENVIRONMENTAL SURVEYS

MAF3S - An investigation of atmospheric, energy related pollutants in the northeastern United States 19 p0366 A78-41284

Integrated environmental analysis and the development of new energy technologies [BNL-22676] 17 p0117 N78-10614

Strategic petroleum reserve: Supplement to final environmental impact statement for bayou choctaw salt dome [PB-270435/1] 17 p0119 N78-11254

Strategic petroleum reserve: Central Rock Mine [PB-270447/6] 17 p0119 N78-11255

Strategic petroleum reserve: Byron Round salt dome, draft supplement [PB-270108/4] 17 p0119 N78-11256

Compilation of air pollutant emission factors, supplement no. 7 [PB-270281/9] 17 p0122 N78-11541

Cumulative production/consumption effects of the crude oil price incentive rulemakings [PB-271319/6] 17 p0124 N78-12247

Solar program assessment: Environmental factors. Photovoltaics [ERDA-77-47/3] 17 p0142 N78-13593

Pathways of trace elements in the environment [CONF-770210-3] 17 p0146 N78-13644

Assessment in industrial hazardous waste management petroleum re-refining industry [PB-272267/6] 17 p0157 N78-14951

Energy conservation and the environment [PB-272428/4] 17 p0162 N78-15590

Hydrocarbon pollutants from stationary sources [PB-272784/0] 17 p0163 N78-15605

Literature survey of emissions associated with emerging energy technologies [PB-272550/5] 17 p0163 N78-15606

Environmental assessment of waste-to-energy processes: Source assessment document [PB-272646/1] 17 p0163 N78-15956

Strategic petroleum reserve [PB-273487/9] 18 p0237 N78-16198

An examination of small wind electric systems in Michigan 18 p0239 N78-16428

A hypothetical 1000 MW(e) photovoltaic solar-electric plant [PB-273108/1] 18 p0243 N78-16468

Advanced fossil fuel and the environment: An executive report [PB-274541/2] 18 p0261 N78-18587

Enhanced oil recovery potential in the United States [PB-276594/9] 19 p0388 N78-22452

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 1: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FBA/S-77/323-VOL-1] 19 p0390 N78-22487

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 2, appendices A and B: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FBA/S-77/323-VOL-2] 19 p0391 N78-22488

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 4, appendices D-S: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FBA/S-77/323-VOL-4] 19 p0391 N78-22490

- Environmental, health, and control aspects of coal conversion: An information overview, volume 2
[ORNL/EIS-95-VOL-2] 19 p0411 W78-24697
- Alternative fuels demonstration program, volume 1 of 2
[ERDA-1547-VOL-1] 19 p0415 W78-25245
- Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas
[TID-18040] 19 p0429 W78-25630
- Pollution and environmental aspects of fuel conversion. A bibliography with abstracts
[NTIS/PS-78/0314] 19 p0434 W78-25701
- Energy from biomass: An overview of environmental aspects
[CONF-780109-3] 19 p0446 W78-26585
- Community leaders workshop on solar energy assessment
[RL0/2230/T5-1] 19 p0446 W78-26586
- Environmental assessment of high-PTU gasification
[PB-278175/5] 19 p0450 W78-26646
- Task reports: Slurry coal pipelines, volume 2, part 1 --- environmental impact
[PB-278676/2] 19 p0465 W78-27603
- Task reports: Slurry coal pipelines, volume 2, part 2 --- environmental impact
[PB-278677/0] 19 p0465 W78-27604
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators
[PB-279008/7] 19 p0466 W78-27621
- Control of emissions from Lurgi coal gasification plants
[PB-279012/9] 19 p0466 W78-27623
- Air quality analysis of the Southern California Bight in relation to potential impact of offshore oil and gas development
[PB-279088/9] 19 p0467 W78-27665
- ENVIRONMENTAL TESTS**
- Thermal performance of NSFC hot air collectors under natural and simulated conditions
[NASA-CR-150506] 18 p0256 W78-18525
- Geothermal environmental studies, Heber region, Imperial Valley, California. Environmental baseline data acquisition
[EPRI-EE-352] 18 p0286 W78-21630
- General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program --- plutonium oxide radioisotopic power systems
[LA-7184-PR] 19 p0467 W78-27898
- ENZYME ACTIVITY**
- Catalytic and structural properties of the enzyme hydrogenase and its role in biophotolysis of water --- for hydrogen fuel production 18 p0207 W78-28354
- Use of an enzymic electric cell and immobilized hydrogenase in the study of the biophotolysis of water to produce hydrogen 18 p0207 W78-28355
- Enzymes show promise for biomass conversion 19 p0327 W78-36443
- Physiological studies of nitrogen fixation by blue-green algae 17 p0128 W78-12647
- EPITAXY**
- Analysis of epitaxial drift field E on P silicon solar cells 17 p0012 W78-10904
- The role of defects on the performance of epitaxial and diffused solar cells fabricated on EPG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 W78-10905
- Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells 17 p0026 W78-11055
- Molecular-beam epitaxy in space 17 p0103 W78-19472
- Epitaxial silicon solar cells with uniformly doped layer 18 p0228 W78-31732
- GaAs solar cell development 17 p0138 W78-13544
- EPOXY COMPOUNDS**
- Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 W78-40047
- EPOXY RESINS**
- Fiber-composite systems for energy-storage flywheels 17 p0085 W78-16901
- EQUATIONS OF MOTION**
- Nonlinear dynamic response of wind turbine rotors 17 p0160 W78-15565
- EQUIPMENT SPECIFICATIONS**
- Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 W78-10936
- Heat pipe materials unique requirements for coal gasification processes 17 p0085 W78-16902
- Design data brochure: SIMS prototype system 3 [NASA-CR-150707] 19 p0421 W78-25552
- EQUIVALENT CIRCUITS**
- Analysis of various field programming to produce the RPP configuration --- Reversed Field Pinch 17 p0039 W78-11174
- Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 W78-31731
- Two-dimensional analysis of diagonal HBD generator via equivalent circuit 19 p0293 W78-32833
- Analysis of end effects in diagonal type HBD generator by means of equivalent circuit 19 p0327 W78-36320
- ERROR ANALYSIS**
- Tutorial, test measurement accuracy --- for gas turbine engine performance 17 p0088 W78-17409
- A correction procedure for separating direct and diffuse insolation on a horizontal surface 17 p0105 W78-19839
- Low cost test procedure for solar collectors [ASME PAPER 77-WA/SOL-4] 19 p0299 W78-33192
- ERROR CORRECTING DEVICES**
- Techniques for the determination of ohmic drop in half-cells and full cells - A review 17 p0095 W78-18408
- ESA SATELLITES**
- Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 W78-10936
- ESTIMATES**
- Domestic energy resource and reserve estimates: Uses, limitations, and needed data [PB-268966/9] 17 p0115 W78-10590
- ESTIMATING**
- Energy embodied in goods [ORAU/IEA (M)-77-6] 17 p0127 W78-12542
- ETCHING**
- New developments in vertical-junction solar cells --- groove structure to promote radiation resistance 17 p0012 W78-10907
- Textured surface cell performance characteristics 17 p0019 W78-10996
- Developments in vertical-junction silicon solar cells 17 p0137 W78-13540
- ETHERS**
- Occupational exposure to refined petroleum solvents. Criteria for a recommended standard [DHHS/PUB/NIOSH-77/192] 19 p0412 W78-24790
- ETHYL ALCOHOL**
- The use of ethanol-gasoline mixtures for automotive fuel 17 p0034 W78-11128
- Enzymes show promise for biomass conversion 19 p0327 W78-36443
- EUROPE**
- A European energy policy - Distant mirage or tomorrow's reality 18 p0195 W78-27777
- Sulphur emissions in Europe 19 p0366 W78-41267
- Status of European thermochemical hydrogen programs [LA-UR-77-2985] 19 p0446 W78-26583
- EUROPEAN COMMUNICATIONS SATELLITE**
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1 --- forecasting offshore structures and requirements based on ECS [CWJ1/C-640003-VOL-1] 17 p0134 W78-13308

SUBJECT INDEX

EXPLORATION

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2 --- transmission system analysis
[CWJ1/C-640003-VOL-2] 17 p0134 N78-13309

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3
[CWJ1/C-640003-VOL-3] 17 p0134 N78-13310

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4
[CWJ1/C-640003-VOL-4] 17 p0134 N78-13311

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary
[CWJ1/C-640003-VOL-5-SUMM] 17 p0134 N78-13312

EUROPIUM

Improved solar photolysis of water
[NASA-CASE-WFO-14126-1] 17 p0120 N78-11500

EUTECTICS

Properties of some salt hydrates for latent heat storage
17 p0075 A78-14691

Demand sensitive energy storage in molten salts
18 p0220 A78-30264

EVALUATION

The quality of NOAA's ocean research and development program: An evaluation
[PB-277095/6] 18 p0290 N78-21980

EVAPORATION

Evaporated Cds film based heterojunction solar cells
19 p0372 A78-42122

EVAPORATORS

Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water
18 p0172 A78-22543

Compact heat exchangers for sea thermal power plants
19 p0303 A78-33330

The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion
19 p0304 A78-33335

Enhanced performance heat exchangers --- for Ocean Thermal Energy Conversion
19 p0304 A78-33336

Heat transfer enhancement for evaporators --- in Ocean Thermal Energy Conversion
19 p0304 A78-33337

Dynamic models of falling film evaporators for ocean thermal energy conversion plants
[COO-2641-3] 19 p0447 N78-26591

EVOLUTION (LIBERATION)

Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation
19 p0367 A78-41521

EXCITATION

Employing static excitation control and tie line reactance to stabilize wind turbine generators
[NASA-CR-135344] 18 p0274 N78-20603

EXHAUST DIFFUSERS

Aerodynamic augmentation of wind turbines
19 p0361 A78-40366

EXHAUST GASES

A history of flue gas desulfurization systems since 1850 - Research, development and demonstration
17 p0003 A78-10502

Synthetic SO₂ sorbents for fluidized-bed coal combustors
17 p0003 A78-10503

Prospects of energy recovery from the incineration of chemical plant wastes
17 p0006 A78-10635

Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles
17 p0061 A78-11459

Influence of combustion chamber geometry on toxic compound emissions
17 p0067 A78-13169

Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones
[WSS/CI PAPER 77-6] 17 p0081 A78-16340

Estimates of smoke and sulphur dioxide pollution from fuel combustion in the United Kingdom for 1975 and 1976
17 p0097 A78-18819

Utilization of exhaust-gas heat from gas turbine power plants
17 p0103 A78-19525

Fuel vapourization - Economy with reduced exhaust emission
18 p0221 A78-30366

Further studies with a hydrogen engine
[SAE PAPER 780233] 19 p0307 A78-33381

Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo
[SAE PAPER 780417] 19 p0308 A78-33389

Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures
19 p0321 A78-35703

Pollution control with SO₂ recovery
19 p0328 A78-36679

Automobile exhaust emission surveillance analysis of the FY 1974 program
[PB-268782/0] 17 p0117 N78-10622

Aircraft engine emissions --- conference
[NASA-CP-2021] 17 p0118 N78-11063

Organic compounds in turbine combustor exhaust
[AD-A045582] 17 p0129 N78-13065

Ford-EPA emission laboratory correlation study
[PB-270699/2] 17 p0145 N78-13631

EPA-BMW correlation program
[PB-270559/8] 17 p0145 N78-13632

Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels
[NASA-TN-73786] 17 p0148 N78-14177

Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Blend of total hydrocarbon emissions
[PB-273219/6] 18 p0244 N78-16483

Performance characteristics of automotive engines in the United States. Report no. 10: Chevrolet (1975) 250 CID 1-bbl engine
[PB-274376/3] 18 p0254 N78-18439

Shift schedules for emissions and fuel economy testing
[PB-274865/5] 18 p0261 N78-18594

Effect of fuel bound nitrogen on oxides of nitrogen emission from a gas turbine engine
[AD-A048382] 18 p0262 N78-19162

Baseline gas turbine development program
[COO-2749-18] 18 p0281 N78-21479

Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics
[PB-277135/0] 19 p0393 N78-23261

Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy
[COO-2631-22] 19 p0394 N78-23442

Experiments with novel fuels for diesel engines
[BEHC/TPR-77/8] 19 p0436 N78-26225

Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] 19 p0453 N78-27122

Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report
[PB-279417/0] 19 p0467 N78-27659

EXHAUSTING

Direct energy conversion of exhaust fusion plasma by magnetic deflection
19 p0348 A78-39815

EXOTHERMIC REACTIONS

A reactive-heat-pipe for combined heat generation and transport
[AIAA 78-440] 19 p0318 A78-35620

EXPERIMENTAL DESIGN

Preliminary assessment for designing experiments using federal innovation processes
[PB-270089/6] 17 p0122 N78-11863

Project STOP (Spectral Thermal Optimization Program)
17 p0137 N78-13541

Evaluation of a photovoltaic central power station
[CONF-770403-8] 17 p0141 N78-13582

Solar collector field subsystem program on the fixed mirror solar concentrator
[GA-A-14209-REV] 17 p0141 N78-13583

Preliminary design package for solar hot water system
[NASA-CR-150617] 18 p0283 N78-21603

EXPLORATION

Exploration for geothermal energy on Oahu, Hawaii
[AD-A046954] 18 p0241 N78-16445

EXPLOSIVE DEVICES

SUBJECT INDEX

EXPLOSIVE DEVICES

- Explosive magnetic flux compression plate
generators as fast high-energy power sources 17 p0008 A78-10705

NUMERICALS

- Numerical methods for studying compressed magnetic field generators 17 p0102 A78-18908

- Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology [AD-A046641] 17 p0158 A78-15295

EXTERNAL COMBUSTION ENGINES

- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies [GMR-2690-PT-2] 19 p0438 A78-26262

EXTRACTION

- Energy from in situ processing of antrim oil shale [FE-2346-16] 19 p0432 A78-25649

EXTRAPOLATION

- A note on vertical extrapolation formulas for Weibull velocity distribution parameters --- of wind 18 p0234 A78-32413

EXTRATERRESTRIAL RESOURCES

- Systems analysis of space manufacturing from nonterrestrial materials [JAF PAPER 77-72] 17 p0680 A78-15930
- The industrialization of space - A myth or tomorrow's reality. I 17 p0106 A78-20148
- Space industrialization - Redefining the world 18 p0193 A78-26823
- Demandite, lunar materials and space industrialization 18 p0204 A78-27933
- The extraterrestrial imperative --- space industrialization 19 p0308 A78-33589
- A road map to space products --- extraterrestrial manufactured products for Earth use [AAS 77-239] 19 p0329 A78-36716

EXTRUDING

- Coal extrusion in the plastic state 17 p0132 A78-13256
- The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 A78-13269

F

FABRICATION

- Single crystal silicon photocells for terrestrial use - State of the art and perspectives on the future 17 p0003 A78-10553
- Solar cells by ionized-cluster beam deposition and epitaxial techniques 17 p0013 A78-10912
- Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915
- Dip-coated sheet silicon solar cells 17 p0014 A78-10926
- The tubular silicon solar cell - A new concept for photovoltaic power generation 17 p0014 A78-10927
- Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells 17 p0014 A78-10928
- Ribbon-to-ribbon crystal growth --- for solar cell fabrication 17 p0014 A78-10929
- An analysis of factors influencing the efficiency of EFG silicon ribbon solar cells 17 p0014 A78-10930
- Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943
- High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 A78-10944
- Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells 17 p0015 A78-10945
- Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946

- Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947
- Total energy use in the production of silicon solar cells from raw materials to finished product 17 p0016 A78-10954
- Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036
- Rheotaxy for large grain thin film solar cell fabrication 17 p0027 A78-11067
- Procedure for minimizing the cost per watt of photovoltaic systems 18 p0176 A78-23636
- Simplified fabrication of GaAs homojunction solar cells with increased conversion efficiencies 18 p0216 A78-29199
- Development and fabrication of a diffusion welded Columbian alloy heat exchanger --- for space power generation [AINE PAPER A78-61] 18 p0228 A78-31500
- How to build wind wheels: Construction and calculation --- German book 18 p0231 A78-32075
- Blade design and fabrication - 17-meter VAWT --- Vertical Axis Wind Turbine 18 p0234 A78-32422
- Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 A78-24622
- Heat pipes, volume 2. Citations from the engineering index data base [NTIS/FS-78/0303] 19 p0417 A78-25382
- FAIL-SAFE SYSTEMS
- Annual Canadian Symposium on Reliability Engineering, 4th, Ottawa, Canada, October 13, 14, 1977, Proceedings 18 p0217 A78-29476
- Modular approach for emergency and stand-by electric power in Northern Canada 19 p0337 A78-38402
- FAILURE ANALYSIS
- Failure analysis of cadmium sulphide solar cells --- for spacecraft power supplies 19 p0372 A78-42124
- BBV ball-valve stem failure: Synthane coal-gasification pilot plant, failure analysis report [ANL/MSD/FE-77-4] 19 p0404 A78-24559
- Stirling engine heater tube failures [GMR-2690-SECT-3.101] 19 p0438 A78-26285
- Stirling engine heater tube failure [GMR-2690-SECT-3.102] 19 p0438 A78-26286
- Examination of Stirling engine regenerator screens [GMR-2690-SECT-3.105] 19 p0439 A78-26289
- FAILURE MODES
- High energy density, long life energy storage capacitor dielectric system 19 p0359 A78-40099
- FAIRINGS
- The effect of hub fairings on wind turbine rotor performance 18 p0219 A78-30039
- FALLOUT
- Environmental transport model of heavy metals 18 p0215 A78-28946
- FAR INFRARED RADIATION
- Applications of submillimeter waves in plasma physics and controlled fusion research 19 p0360 A78-40241
- PARADAY EFFECT
- Effectiveness of using a pulsed Paraday HED generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- Two-dimensional analysis of diagonal HED generator via equivalent circuit 19 p0293 A78-32833
- Effect of Paraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor 19 p0369 A78-41909
- FARM CROPS
- Energy for agriculture and the gasification of crop residues 19 p0368 A78-41815

SUBJECT INDEX

FERMENTATION

Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing 19 p0368 A78-41818

FAST NEUTRONS
Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265

FAST NUCLEAR REACTORS
What comes after oil and gas - Development trends offered by energy sources 18 p0223 A78-30709

FATIGUE LIFE
NASTRAN use for cyclic response and fatigue analysis of wind turbing towers 17 p0125 N78-12459
Fatigue load spectra for upwind and downwind rotors 18 p0267 N78-19635

FEASIBILITY ANALYSIS
A forecast of electric power generation technology - 1975-2000 17 p0028 A78-11077
Evaluation of offshore site for wind energy generation 17 p0029 A78-11080
Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power 17 p0032 A78-11110
Site-dependent factors affecting the economic feasibility of solar powered absorption cooling 17 p0046 A78-11247
An expression for beta in linked Min-E configurations --- fusion reactor economic feasibility parameter 18 p0173 A78-22836
Solar energy - Its nature and possibilities as a source of power for terrestrial use 18 p0188 A78-26144
Concepts for the intermediate storage of wind-generated secondary energy 18 p0211 A78-28567
The coupling of solar energy utilization and wind energy utilization 18 p0211 A78-28568
Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596
The production of electricity from the wind - A preliminary feasibility study for Greece 18 p0231 A78-32049
Economic feasibility of solar heating systems in the northeastern United States 19 p0295 A78-33035
Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
An assessment of laser-driven fusion 19 p0338 A78-38418
Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing 19 p0368 A78-41818
Prospects of using superconducting dc lines [BNL-TR-637] 17 p0115 N78-10589
Investigation of the feasibility of a dual model electric transportation system [LBL-6301] 17 p0157 N78-14954
Evaluation of the use of hydrogen as a supplement to natural gas [TID-27747] 18 p0281 N78-21323
Commercial feasibility of fusion power based on the Tokamak concept [CONF-771109-55] 19 p0391 N78-22915
Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design 19 p0447 N78-26594
Analysis of the current economic feasibility of solar water and space heating [DOE/CS-0023] 19 p0460 N78-27560

FEDERAL BUDGETS
NASA authorization, 1979, program review, volume 2, part 1 [GPO-98-932] 18 p0252 N78-17932

FEED SYSTEMS
Evaluation of coal feed systems being developed by the Energy Research and Development Administration [NASA-CR-155267] 17 p0124 N78-12419

Proceedings of the conference on Coal Feeding Systems [NASA-CR-155331] 17 p0131 N78-13241
Experience in feeding coal into a liquefaction process development unit 17 p0131 N78-13242
The Petrocarb pneumatic feeding system: A proven method for feeding particulate solids at controlled rates --- for coal gasification systems 17 p0131 N78-13243
Coal pressurization and feeding: Use of a lock hopper system 17 p0131 N78-13244
Coal gasification: New challenge for the Beaumont rotary feeder 17 p0131 N78-13245
Development of coal-feeding systems at the Morgantown Energy Research Center 17 p0131 N78-13246
Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 N78-13247
Slurry pumping techniques for feeding high-pressure coal gasification reactors 17 p0131 N78-13248
Development of dry coal feeders 17 p0131 N78-13249
Dry coal feeder development program at Ingersoll-Rand Research, Incorporated --- for coal gasification systems 17 p0132 N78-13250
Foster-Miller's development of dry coal feed systems 17 p0132 N78-13251
Evaluation of ERDA-sponsored coal feed system development 17 p0132 N78-13252
Continuous high pressure lump coal feeder design study --- fluidized bed processors 17 p0132 N78-13253
Babcock and Wilcox's experience with two-phase flow mixtures of coal and gas 17 p0132 N78-13254
Pressurized feeding on the GREGAS system 17 p0132 N78-13255
Coal extrusion in the plastic state 17 p0132 N78-13256
A novel dry coal feeding concept for high-pressure gasifiers 17 p0132 N78-13257
Feeding the feeder 17 p0132 N78-13258
Gravity flow rate of solids through orifices and pipes 17 p0133 N78-13260
High pressure rotary piston coal feeder 17 p0133 N78-13261
Coal feed component testing for CDIF 17 p0133 N78-13262
Storage and feeding of coal 17 p0133 N78-13263
Injection of coal by screw feed 17 p0133 N78-13264
Rocketdyne's advanced coal slurry pumping program 17 p0133 N78-13266
Acton mass flow system applied to RFBC feed 17 p0133 N78-13267
The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 N78-13269

FEEDBACK CIRCUITS
Evaluation of the feedback in MHD conduction machines 18 p0167 A78-21397

FEEDBACK CONTROL
Control system of plasma position and cross-sectional shape in large tokamak device 19 p0346 A78-39800
Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965

FEEDERS
High pressure rotary piston coal feeder [NERC/SP-77/6] 19 p0417 N78-25443

FERMENTATION
Biomass - Progress and plans --- fermentation, thermochemical conversion and methane production 18 p0182 A78-24764

- Fuel gas production from selected biomass via anaerobic fermentation 18 p0208 A78-28366
- Anaerobic fermentation of simulated in-situ oil shale retort water [LBL-6855] 19 p0431 N78-25646
- FERRITIC STAINLESS STEELS**
The application of stainless steel to solar collectors 17 p0045 A78-11238
- FIELD COILS**
The mechanical structure of the Joint European Torus 17 p0040 A78-11182
Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX 19 p0345 A78-39789
Toroidal field ripple effects in TNS design --- computer simulation model for Tokamak 19 p0347 A78-39810
Hybrid equilibrium field coils for the ORNL TNS 19 p0347 A78-39812
Magnet conceptual design for a high field tokamak reactor 19 p0349 A78-39884
Cryostabilization of large superconducting magnets using pool boiled helium II 19 p0350 A78-39896
PDX PF power tests --- Princeton Divertor Experiment tokamak Poloidal Field coil system 19 p0351 A78-39909
Lateral support structure for constant tension D-shaped coils in tokamak fusion devices 19 p0351 A78-39916
General Electric conceptual design of a test coil for the large coil program --- for superconducting electromagnet construction 19 p0351 A78-39928
Pulse coil concepts for the LCP facility --- Large Coil Program to simulate tokamak coils 19 p0352 A78-39935
The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils 19 p0352 A78-39936
- FIELD MODE THEORY**
Wall stabilization of axisymmetric modes in noncircular tokamak plasmas 19 p0332 A78-37143
Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- FILM THICKNESS**
Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427
Thickness dependence of structural and electrical properties of CdS films for solar cells 19 p0325 A78-36035
A simple theory of back surface field /BSF/ solar cells 19 p0338 A78-38552
Investigation on the non-uniform thickness of the skin region of a CdS solar cell 19 p0372 A78-42121
Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer 19 p0373 A78-42128
- FILTRATION**
Improving sludge incineration and vacuum filtration with pulverized coal 17 p0095 A78-18498
Coagulation and filtration of solids from liquefied coal of SYNTHOIL process 18 p0191 A78-26587
Filterability of a coal-derived liquid 18 p0191 A78-26588
Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams 19 p0435 N78-26007
- FINANCE**
Project Independence Evaluation System (PIES) documentation. Volume 11: Finance submodel for the FEA oil and gas supply model [PB-269948/6] 17 p0126 N78-12540
- FINANCIAL MANAGEMENT**
Energy economy in the investment policy of French companies. I - The industrial attitude 17 p0069 A78-13469
- Cost-effective electricity rates - A stronger incentive to rational energy use 18 p0176 A78-23919
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- Impacts and benefits of a satellite power system on the electric utility industry [NASA-CR-157157] 19 p0402 N78-24255
- FINITE DIFFERENCE THEORY**
Plasma flow computation method for MHD conversion channels 17 p0002 A78-10375
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
Analysis of end effects in diagonal type MHD generator by means of equivalent circuit 19 p0327 A78-36320
Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions 19 p0380 A78-42260
- FINITE ELEMENT METHOD**
Finite-element solutions for geothermal systems 17 p0094 A78-18097
Finite hybrid elements to compute the ideal magnetohydrodynamic spectrum of an axisymmetric plasma 18 p0231 A78-32067
Natural convection in compound parabolic concentrators - A finite-element solution --- for solar collectors 19 p0337 A78-38269
Simplified modeling for wind turbine modal analysis using NASTRAN 18 p0265 N78-19619
- FIRE PREVENTION**
Corrective action program for bromochloromethane-containing fire-safe diesel fuel [AD-A043323] 17 p0119 N78-11253
- FISHERIES**
Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274
- FLAME PROBES**
Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones [WSS/CI PAPER 77-6] 17 p0081 A78-16340
- FLAME PROPAGATION**
Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3] 17 p0081 A78-16337
- FLAME SPECTROSCOPY**
Experimental determination of alkali impurity release from various dolomites 17 p0073 A78-14218
The emission characteristics of liquid-fuel flames 18 p0222 A78-30496
- FLAME STABILITY**
The microstructure of pulverized coal-air flames. I - Stabilization on small burners and direct sampling techniques 17 p0078 A78-15829
Flame stabilization of low volatile fuels 17 p0079 A78-15832
- FLAMES**
Nitric oxide formation in hydrocarbon-air flames 18 p0199 A78-27834
- FLAT PLATES**
Theoretical method to determine monthly efficiency of flat plate solar collectors 17 p0029 A78-11084
A detailed model of flat plate solar collectors 17 p0042 A78-11213
The analysis, design and thermal performance testing of a heat pipe flat plate collector 17 p0042 A78-11214
Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215
Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216

- Teflon PEP fluorocarbon film for flat plate solar collectors 17 p0042 A78-11218
- Performance of Lexan vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219
- Testing of flat-plate air heaters according to ASHRAE Standard 93-77 17 p0042 A78-11220
- Flat plate air-heater improvements 17 p0043 A78-11221
- Re-evaluation of flat plate solar panels in use for twenty years 17 p0043 A78-11225
- Natural convection characteristics of flat plate collectors 17 p0044 A78-11235
- Fluid flow control strategies in flat-plate and evacuated tube collectors --- solar collectors 17 p0047 A78-11260
- A study of the differential spectral absorption flat-plate solar collectors 17 p0048 A78-11275
- On the design of flat reflector - collector combinations 17 p0060 A78-11385
- Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results 17 p0060 A78-11386
- Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- Enhancement of flat plate solar collector performance through the use of planar reflectors 17 p0060 A78-11388
- Basic physical factors in the calculation of flat-plate collectors. VI 17 p0072 A78-14104
- The effect of off-south orientation on the performance of flat-plate solar collectors 17 p0104 A78-19830
- Geometric factors for plane specular reflectors 17 p0105 A78-19835
- Solar energy utilization - Liquid flat plate collectors 18 p0200 A78-27856
- Convective heat transfer effects within honeycomb structures for flat plate solar collectors 18 p0200 A78-27857
- Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations [LBL-6841] 18 p0230 A78-31953
- Natural convection characteristics of flat plate collectors 19 p0294 A78-33028
- Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage 19 p0295 A78-33037
- Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb [AIAA PAPER 78-899] 19 p0324 A78-36018
- Experiments on flat-plate solar energy collectors 19 p0342 A78-39179
- Determination of shading factor for flat-plate collectors 19 p0375 A78-42155
- Flat-plate solar collector design for industrial air heating using design data hand book 19 p0375 A78-42157
- Optimization of coatings for flat plate solar collectors, phase 2 [COO-2930-4] 17 p0152 A78-14648
- Provisional flat plate solar collector testing procedures [PB-272500/0] 18 p0243 A78-16463
- HSFC hot air collectors. Phase 1: Test report [NASA-CR-150495] 18 p0249 A78-17471
- Development of surfaces optically suitable for flat solar panels [NASA-CR-150539] 18 p0250 A78-17477
- Collation of quarterly reports on air flat plate collectors [NASA-CR-150514] 18 p0250 A78-17479
- Indoor test for thermal performance evaluation of Lenox-Honeywell solar collector --- conducted using Marshall Space Flight Center Solar Simulator [NASA-CR-150510] 18 p0250 A78-17481
- Installation package for air flat plate collector [NASA-CR-150536] 18 p0263 A78-19605
- Liquid flat plate collector and pump for solar heating and cooling systems: A collection of quarterly reports [NASA-CR-150599] 18 p0275 A78-20614
- Preliminary design review package on air flat plate collector for solar heating and cooling system [NASA-CR-150601] 18 p0275 A78-20616
- Studies on methods of reducing heat losses from flat plate solar collectors, phase 2 [COO-2597] 18 p0285 A78-21624
- Analysis of data and results for the roundrobin flat-plate collector test program [PB-275576/7] 18 p0289 A78-21655
- Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2 [NASA-CR-156185] 19 p0388 A78-22464
- Indoor test for thermal performance evaluation on the Sunworks (air) solar collector [NASA-CR-150666] 19 p0405 A78-24613
- Optimization of coatings for flat plate solar collectors, phase 2 [COO-2930-12] 19 p0444 A78-26565
- FLAT SURFACES**
- Evaluation of the energy provided for a solar collector 18 p0165 A78-20621
- Equalizing an irradiance field on the surface of a receiver 18 p0187 A78-25734
- Engineering estimate of the quality of facets obtained by a deformation method of form giving --- mirrors for solar collectors 18 p0214 A78-28890
- Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface 19 p0371 A78-42114
- FLIGHT OPERATIONS**
- Canadian Symposium on Energy Conserving Transport Aircraft, Ottawa, Canada, October 3, 4, 1977, Proceedings 18 p0226 A78-31301
- FLIGHT TESTS**
- ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932
- FLOODS**
- Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B [SAH/1395-14] 19 p0418 A78-25519
- FLORIDA**
- Solar energy commercialization at the state level: The Florida solar energy water heater program [PB-270158/9] 17 p0128 A78-12551
- FLOW DISTRIBUTION**
- Computer aided aerogenerator analysis and performance 18 p0169 A78-22229
- Momentum theory and flow states for windmills 18 p0234 A78-32420
- The external flow induced by an Ocean Thermal Energy Conversion (OTEC) power plant 19 p0302 A78-33319
- A simple test for determining a best flow rate through solar collectors [AIAA PAPER 78-900] 19 p0324 A78-36020
- Energy flow patterns for 1975 [LA-6770] 18 p0242 A78-16456
- Flow field analysis 18 p0265 A78-19623
- Pilot demonstration-enhanced oil recovery by micellar-polymer waterflooding Bell Creek Field [COO-4207-14] 19 p0418 A78-25510
- FLOW EQUATIONS**
- Finite-element solutions for geothermal systems 17 p0094 A78-18097

FLOW GEOMETRY

Choice of optimal configuration of frame and cross section shape for a frame-type MHD channel
18 p0168 A78-22139

FLOW MEASUREMENT

Flow-measurement using solar radiations
19 p0374 A78-42141

FLOW REGULATORS

Automotive gas turbine fuel control
[NASA-CASE-LPW-12785-1] 19 p0404 A78-24545

FLOW RESISTANCE

Design parameters affecting the performance of resistance-type, vertical-axis windrotors - An experimental investigation
17 p0094 A78-18093

Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials
[GHR-2690-SECT-6.006] 19 p0440 A78-26324

FLOW STABILITY

Effect of flow inhomogeneity on plasma instability near a channel wall
17 p0002 A78-10245

Flame stabilization by wall recess technique
18 p0199 A78-27835

FLOW VELOCITY

Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation
18 p0230 A78-31872

A simple test for determining a best flow rate through solar collectors
[AIAA PAPER 78-900] 19 p0324 A78-36020

Gravity flow rate of solids through orifices and pipes
17 p0133 A78-13260

FLOWS

A history of flue gas desulfurization systems since 1850 - Research, development and demonstration
17 p0003 A78-10502

Bergbau-Forschung process for the desulfurization of flue gas
18 p0223 A78-30708

The status of flue gas desulfurization applications in the United States: A technological assessment, highlights
[PB-271361/8] 17 p0128 A78-12560

The status of flue gas desulfurization applications in the United States: A technological assessment, report in full
[PB-271362/6] 17 p0128 A78-12561

FLUID DYNAMICS

Experimental two-phase liquid-metal magnetohydrodynamic generator program
[ANL-MHD-77-3] 19 p0432 A78-25651

FLUID FILTERS

Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity
18 p0172 A78-22537

Control of fine particulate from coal-fired utility boilers
[APCA PAPER 77-14,1] 18 p0185 A78-25410

Screens for the OTEC plants --- protection from biological materials for Ocean Thermal Energy Conversion heat exchangers
19 p0303 A78-33329

Heat transfer in a dense layer at large Biot numbers
19 p0335 A78-37912

Comparison tests on the 100-GPM electrokinetic fuel decontaminator and a 100-GPM military standard filter/separator
[AD-A048655] 18 p0253 A78-18226

FLUID FLOW

Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients
[PB-268603/8] 17 p0110 A78-10546

Two-phase working fluids for the temperature range 50 to 350 C
[NASA-CR-135255] 18 p0238 A78-16329

Owens-Illinois liquid solar collector materials assessment
[NASA-TN-78163] 18 p0283 A78-21597

Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials
[GHR-2690-SECT-6.006] 19 p0440 A78-26324

FLUID INJECTION

Geothermal well stimulation with a secondary fluid
17 p0104 A78-19625

FLUID MECHANICS

Solar energy for process heat: Design/cost studies of four industrial retrofit applications
[NASA-CR-156139] 18 p0276 A78-20619

Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 A78-26933

FLUID PRESSURE

A pressurized-liquid concept for solar-thermal energy storage
19 p0364 A78-40819

FLUIDICS

Solar heat transport fluid
[NASA-CR-150612] 18 p0283 A78-21592

FLUIDIZED BED PROCESSES

Synthetic SO₂ sorbents for fluidized-bed coal combustors
17 p0003 A78-10503

Application of special fluidized bed techniques to coal gasification
17 p0031 A78-11096

Clean fuels from coal - Finding the right combination
17 p0065 A78-12604

Fluidized-bed combustion technology - A review
17 p0079 A78-15836

Advances in liquid fluidized-bed heat exchanger development --- using geothermal water
[ASME PAPER 77-HT-66] 17 p0090 A78-17498

A fluidized bed solar reactor - A thermochemical application
18 p0165 A78-20623

Coal dryer emission control with the energy saving centripetal vortex wet scrubber
[APCA PAPER 77-17,5] 18 p0185 A78-25424

Deactivation and attrition of Co-Mo catalyst during H-Coal operations --- coal gasification and liquefaction
18 p0190 A78-26582

Utilization of energy from organic wastes through fluidized-bed combustion
18 p0198 A78-27813

Environmental assessment of the fluidized-bed combustion of coal - Methodology and initial results
18 p0206 A78-28271

H-Gas process for production of fuel gas from heavy oil
18 p0225 A78-31273

Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation
18 p0230 A78-31872

Modeling fluidized bed combustion
18 p0230 A78-31959

The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants
[WSS/CI PAPER 77-30] 18 p0230 A78-31968

What's new in high temperature sulfur removal systems for fluidized-bed coal gasification
18 p0233 A78-32217

The use of fluidized beds for heating air for wind tunnels
[AIAA 78-818] 18 p0234 A78-32372

Conceptual design of a coal-fueled, fluid bed combined cycle power plant
[ASME PAPER 77-WA/ENER-11] 19 p0298 A78-33149

Effluent characterization from a conical pressurized fluid bed
19 p0300 A78-33221

Fluidized bed combustion of coal and waste materials --- Book
19 p0309 A78-33803

Emissions from FBC boilers --- Fluidized Bed Combustion
19 p0310 A78-34186

Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite
19 p0362 A78-40457

Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor
19 p0365 A78-41223

- High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246
Continuous high pressure lump coal feeder design
study --- fluidized bed processors 17 p0132 N78-13253
- Material handling systems for the fluidized-bed
combustion boiler at Rivesville, West Virginia
17 p0133 N78-13265
- Coal technology program --- hydrocarbon fuel
production [ORNL/TN-5883] 17 p0142 N78-13586
- Fluid bed process studies on selective conversion
of methanol to high octane gasoline
[FE-2490-8] 18 p0272 N78-20356
- Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 N78-23604
- Fluidized bed combustion, volume 2. Citations
from the NTIS data base 19 p0400 N78-23607
- Fluidized bed combustion, volume 1. Citations
from the engineering index data base
[NTIS/PS-78/0195/4] 19 p0400 N78-23608
- Fluidized bed combustion, volume 2. Citations
from the engineering index data base
[NTIS/PS-78/0196/2] 19 p0400 N78-23609
- Coal-fired alkali metal power system design study
[ORNL-TM-6000] 19 p0423 N78-25576
- Industrial application of fluidized-bed combustion
--- boiler and plant design
[FE-2461-5] 19 p0436 N78-26190
- Assessment of advanced technology for direct
combustion of coal [HCP/T1216-0001] 19 p0446 N78-26578
- Evaluation of sulfate-bearing waste material from
fluidized bed combustion of coals for soil
stabilization [PB-278031/0] 19 p0451 N78-26657
- Project acquisition and evaluation process for
atmospheric fluidized bed combustion
demonstration plant [FE-2343-1] 19 p0459 N78-27550
- FLUIDS**
Preliminary design package for noncorrosive fluid
subsystem, solar heating and cooling
[NASA-CR-150698] 19 p0421 N78-25549
- FLUORESCENCE**
Lipinites and lipid substances in an oil source
rock 17 p0061 A78-11458
- FLUORIDES**
Material selection considerations for fluoride
thermal energy storage containment in a sodium
heat pipe environment [AD-A042389] 17 p0112 N78-10563
- FLUORO COMPOUNDS**
New materials for fluorosulfonic acid electrolyte
fuel cells [AD-A044414] 17 p0126 N78-12531
- FLUOROCARBONS**
Teflon PTFE fluorocarbon film for flat plate solar
collectors 17 p0042 A78-11218
- FLUTTER**
Flutter of Darrieus wind turbine blades 18 p0265 N78-19624
- FLYWHEELS**
Fiber-composite systems for energy-storage flywheels
17 p0085 A78-16901
- Optimal design of anisotropic /fiber-reinforced/
flywheels --- for energy storage 17 p0092 A78-17789
- For the latest in energy storage, try the flywheel
18 p0217 A78-29600
- Optimal control of flywheel hybrid transmissions
[ASME PAPER 77-WA/AUT-3] 18 p0229 A78-31828
- Development of satellite flywheels utilizing
magnetic bearings with passive radial centering
- Concepts and results [AIAA 78-571] 19 p0294 A78-32912
- Computer simulation of an advanced hybrid
electric-powered vehicle [SAE PAPER 780217] 19 p0307 A78-33378
- Electric-flywheel vehicle for postal service
applications [SAE PAPER 780297] 19 p0308 A78-33387
- Investigation of the energy capacity of wound
composite flywheels 19 p0311 A78-34331
- Simulation study of a flywheel powered electric
vehicle utilizing the modern high energy density
energy storage flywheel 19 p0385 A78-43044
- Fiber-composite systems for energy-storage flywheels
[UCRL-78610] 17 p0114 N78-10587
- Hybrid drive for motor vehicles with a
preponderantly intermittent method of operation
[NASA-TN-75215] 17 p0124 N78-12418
- Research toward improved flywheel suspension and
energy conversion systems --- for use with
energy storage systems [PB-271413/7] 17 p0139 N78-13564
- Demonstration of an inductor
motor/alternator/flywheel energy storage system
[COO-4010-2] 17 p0141 N78-13579
- Flywheel propulsion simulation
[PB-272259/3] 17 p0149 N78-14426
- Energy storage apparatus
[NASA-CASE-GSC-12030-1] 19 p0404 N78-24608
- Fiber composite flywheel program
[UCRL-50033-77-3] 19 p0425 N78-25592
- Research toward improved flywheel suspension and
energy conversion systems [PB-278679/G] 19 p0458 N78-27544
- FOAMING**
The foam OTEC system - A proposed alternative to
the closed cycle OTEC system 19 p0306 A78-33350
- FOCUSING**
Computer simulation of the periodic electrostatic
focusing converter --- controlled fusion reactor
design 17 p0095 A78-16392
- Laser-fusion experiments utilizing a q/π /
illumination system 18 p0235 A78-32434
- Measurements of high-energy deuterons in the
plasma-focus device 18 p0235 A78-32439
- Practical interferometry at 1.06 microns --- for
testing high energy fusion laser focusing lenses
19 p0360 A78-40223
- Focusing systems for high energy glass lasers
19 p0360 A78-40224
- Sequences of neutron and X-ray flashes during a
long-lasting current in a plasma focus device
19 p0381 A78-42265
- FOKKER-PLANCK EQUATION**
A Fokker-Planck analysis of photovoltaic systems
18 p0173 A78-22841
- FORCE DISTRIBUTION**
Influence of the nonuniformity of the field of
force on the flow in an MHD channel 18 p0216 A78-28951
- FORCED CONVECTION**
Forced convection heat transfer at an inclined and
yawed square plate - Application to solar
collectors 17 p0076 A78-15053
- FORCED VIBRATION**
Analytical testing techniques 18 p0266 N78-19625
- FORECASTING**
Stochastic modeling and forecasting of solar
radiation data 17 p0084 A78-16842
- Guidelines for forecasting energy demand
[IA-1327] 17 p0114 N78-10582
- Petroleum supply alternatives for the northern
tier states through 1980 [PB-269809/0] 17 p0116 N78-10600
- Consensus forecast of US energy supply and demand
to the year 2000 [ORNL/TN-5369] 17 p0140 N78-13576
- Consensus forecast of US electricity supply and
demand to the year 2000 [ORNL/TN-5370] 17 p0141 N78-13578
- Fuel and energy price forecasts. Volume 1: Report
[EPRI-BA-411-VOL-1] 17 p0142 N78-13589
- Fuel and energy price forecasts. Volume 2:
Schedules [EPRI-BA-411-VOL-2] 17 p0142 N78-13590
- Approach for evaluating alternative future energy
systems: A dynamic net energy analysis
[SAND-77-0489] 17 p0155 N78-14670
- Projection of distributed-collector solar-thermal
electric power plant economics to years 1990-2000
[NASA-CR-155427] 17 p0160 N78-15568

- Forecasting and modeling time-of-day and seasonal electricity demands
[EPRI-FA-578-SR] 19 p0425 N78-25598
- FOREIGN TRADE**
The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 --- Venezuelan exports
[AD-A051131] 19 p0403 N78-24372
- FOREST MANAGEMENT**
Potential of wood as an energy resource in New England
[TID-28131] 19 p0432 N78-25655
- FORESTS**
Energy and materials from the forest biomass
17 p0034 A78-11126
Potential of wood as an energy resource in New England
[TID-28131] 19 p0432 N78-25655
- FORMING TECHNIQUES**
Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet, task of the low cost silicon solar array project
[NASA-CR-155934] 18 p0255 N78-18517
Steam reforming of methyl fuel, phase 1
[AD-A044787] 19 p0403 N78-24375
- FOSSIL FUELS**
Trithem heating --- synthesis of solar, heat pump and fossil fuel heating
17 p0074 A78-14421
Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems
17 p0106 A78-20244
From oil and gas to alternate fuels - The transition in conversion equipment
18 p0174 A78-22843
An analysis of an early hybrid fossil-geothermal power plant proposal
18 p0218 A78-29998
What comes after oil and gas - Development trends offered by energy sources
18 p0223 A78-30709
The role of nuclear energy in the more efficient exploitation of fossil fuel resources
19 p0311 A78-34399
Energy: Global prospects, 1985-2000 --- Book
19 p0312 A78-34520
Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite
19 p0362 A78-40457
Energy resources --- on natural and nuclear energy technology and efficiency
19 p0385 A78-43072
Domestic energy resource and reserve estimates: Uses, limitations, and needed data
[PB-268966/9] 17 p0115 N78-10590
Fuels and energy data: United States by states and census divisions, 1974
[PB-271093/7] 17 p0124 N78-12245
Fossil energy research program of the Energy Research and Development Administration, FY 1978
[ERDA-77-33] 17 p0127 N78-12544
Fundamentals of nitric oxide formation in fossil fuel combustion
[FE-2018-5] 17 p0130 N78-13175
Time-variable air pollutant emission strategies for individual power plants
[EPRI-FA-418] 17 p0146 N78-13645
Application of near-term fossil technologies to the energy supply/demand profiles of the U.S. states and regions
[PB-2442-1] 17 p0155 N78-14679
Character and transformation of pollutants from major fossil fuel energy sources
[ORNL/TM-5919] 17 p0156 N78-14698
Literature survey of emissions associated with emerging energy technologies
[PB-272550/5] 17 p0163 N78-15606
Three-region world dynamics of fossil/hydrogen energy system
18 p0239 N78-16427
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry
[PB-273019/0] 18 p0244 N78-16476
Present and future production of CO₂ from fossil fuels: A global appraisal
[ORAU/IRPA (O)-77-15] 18 p0245 N78-16495
- Alternative aircraft fuels
[NASA-TM-73836] 18 p0247 N78-17229
Technical and economic feasibility study of solar/fossil hybrid power systems
[NASA-TM-73820] 18 p0250 N78-17486
Advanced fossil fuel and the environment: An executive report
[PB-274541/2] 18 p0261 N78-18587
Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California. Volume 2: Radiological health and related standards for nuclear power plants
[LBL-5285-VOL-2] 18 p0278 N78-20769
Fossil energy research meeting
[CONR-7706100] 19 p0398 N78-23585
The 1978 ERDA authorization; the Clinch River breeder reactor program, volume 4
[GPO-92-462] 19 p0413 N78-25006
Carbonaceous shales of Indiana as sources of energy, petrochemicals, and ceramic materials
[TID-28179] 19 p0418 N78-25518
Central heating: Package boilers
[ANL/CES/TE-77-6] 19 p0422 N78-25564
Fossil energy program report
[ERDA-77-70] 19 p0424 N78-25582
Instrumentation and process control for fossil demonstration plants
[ANL/FE-49622-9] 19 p0430 N78-25640
Fossil energy demonstration plants
[TID-28182] 19 p0445 N78-26573
- FOULING**
Screens for the OTEC plants --- protection from biological materials for Ocean Thermal Energy Conversion heat exchangers
19 p0303 A78-33329
Hydrodynamic control of biofouling in OTEC heat exchangers
19 p0305 A78-33346
- FOUNDATIONS**
Influence of wind turbine foundation
18 p0266 N78-19626
- FRACTURE MECHANICS**
Microcrack technology for geothermal exploration and assessment
[PB-271940/9] 17 p0157 N78-14725
LLG gas stimulation program
[UCRL-50036-77-3] 19 p0445 N78-26575
- FRACTURE STRENGTH**
Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977
19 p0360 A78-40301
- FRACTURES (MATERIALS)**
Pulse test analysis of vertically fractured wells
[ORO-8036-5] 19 p0418 N78-25511
- FRAGMENTATION**
Some opportunities in teleoperated mining
18 p0222 A78-30507
- FRANCE**
French policy in the area of the campaign against atmospheric pollution
17 p0082 A78-16473
A short summary of present applications and hopes for the development of heat pumps in France
18 p0197 A78-27789
European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France)
[CONS/2103-1] 18 p0245 N78-16932
- FREE CONVECTION**
Natural convection characteristics of flat plate collectors
17 p0044 A78-11235
Heat transfer from a horizontal plate facing upward to superposed liquid-layers with change of phase
[ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057
Natural convection characteristics of flat plate collectors
19 p0294 A78-33028
Techniques for reducing thermal conduction and natural convection heat losses in annular receiver geometries --- for solar collectors
19 p0294 A78-33029
Natural convection in compound parabolic concentrators - A finite-element solution --- for solar collectors
19 p0337 A78-38269

The natural circulation solar heater-models with linear and nonlinear temperature distributions
19 p0369 A78-42064

The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs
19 p0369 A78-42080

FREE ENERGY
Ocean energy from salinity gradients
17 p0006 A78-10654

Metal hydride development program at Brookhaven National Library [BNL-23574]
19 p0461 N78-27568

FREE VIBRATION
Approximate method for calculating free vibrations of a large-wind-turbine tower structure [NASA-TN-73754]
18 p0240 N78-16434

FREEZING
Development of a freeze-tolerant solar water heater using crosslinked polyethylene as a material of construction [COO-2956-5]
17 p0162 N78-15584

FREIGHT COSTS
A study of the energy consequences of alternative transport policies in intercity freight markets
18 p0258 N78-18547

Energy intensity of various transportation modes
18 p0260 N78-18555

FREQUENCY DISTRIBUTION
Power oscillation of the Mod-0 wind turbine
18 p0266 N78-19629

FREQUENCY MEASUREMENT
Influence of wind turbine foundation
18 p0266 N78-19626

FREQUENCY RESPONSE
Spectral responses limitation mechanisms of a shallow junction n+/p photodiode
18 p0205 A78-28141

FREQUENCY SYNCHRONIZATION
Synchronization of wind turbine generators against an infinite bus under gusting wind conditions [IEEE PAPER P 77 675-2]
18 p0219 A78-30196

FRESNEL DIFFRACTION
The linear Fresnel lens - Solar optical analysis of tracking error effects
17 p0059 A78-11375

FRESNEL LENSES
An analytical and experimental investigation of a 1.8 by 3.7 meter Fresnel lens solar concentrator
17 p0059 A78-11373

Efficiency of Fresnel lens solar collector
18 p0232 A78-32113

A novel square Fresnel lens design for illuminating circular solar cells
19 p0342 A78-39369

High-temperature linear radiation-cavity solar collector with a Fresnel concentrator [AD-A049982]
18 p0276 N78-20628

FRESNEL REFLECTORS
Design, construction and test of a collector system using a linear asymmetric Fresnel reflector
17 p0059 A78-11374

FRESNEL REGION
Prospects for using Fresnel lenses for concentrating systems of solar energy equipment
17 p0064 A78-12388

Prospect for using Fresnel lenses for the concentrating systems of solar installations
19 p0331 A78-36865

FRICTION
Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials [GRR-2690-SECT-6.006]
19 p0440 N78-26324

FUEL CAPSULES
Thermo-nuclear fusion study by glass laser 'Gekko II'
19 p0362 A78-40384

FUEL CELLS
Inverters for commercial fuel cell power generation
17 p0009 A78-10733

The thermodynamics of a fuel cell aggregate involving thermal-catalytic methanol decomposition
17 p0074 A78-14497

Model considerations concerning the gas-electrolyte balance of supported gas-diffusion electrodes for fuel cells
17 p0096 A78-18646

Constraining the energy gobble --- industrial waste heat recovery techniques
17 p0096 A78-18674

Hydrogen fuel cells and hydrogen engines
17 p0099 A78-18841

Methanol-air fuel cell with hydrophilic air electrodes
18 p0174 A78-22844

ECAS Phase I fuel cell results --- Energy Conservation Alternatives Study
18 p0188 A78-26110

Analysis of electrolyte shunt currents in fuel cell power plants
18 p0219 A78-30188

25 years of fuel cell development /1951-1976/
18 p0233 A78-32235

Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances
19 p0267 A78-41795

Fuel cell stacks [AD-A042315]
17 p0112 N78-10566

Materials for fuel cells [PB-269518/7]
17 p0113 N78-10573

A survey of the use of ceramics in battery and fuel cell applications [AD-A044888]
17 p0126 N78-12534

Transport processes in Teflon-bonded fuel cell electrodes
17 p0135 N78-13524

Molten carbonate fuel cell research at ORNL [ORNL/TN-5886]
17 p0151 N78-14639

Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881]
17 p0155 N78-14676

Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology [AD-A046641]
17 p0158 N78-15295

Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920]
19 p0389 N78-22476

Optimization of PtDoped Kocite: Electrodes in H₃PO₄ fuel cells [AD-A053300]
19 p0422 N78-25562

Improved cathodes for phosphoric acid fuel cells --- catalysts [EPRI-EM-505]
19 p0423 N78-25578

Advanced fuel cell development [ANL-77-79]
19 p0445 N78-26571

Fuel cells: Applied research fuel cell materials and electrocatalysis [BNL-50652]
19 p0447 N78-26597

Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TN-6168/V2]
19 p0448 N78-26601

Advanced technology fuel cell program [EPRI-EM-576]
19 p0459 N78-27553

FUEL COMBUSTION
ROEMMC subscript B Burner - High ash solid fuel combustion system
17 p0032 A78-11111

Critical paths to coal utilization
17 p0075 A78-14690

Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames
17 p0078 A78-15828

Flame stabilization of low volatile fuels
17 p0079 A78-15832

The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions
17 p0079 A78-15834

Fluidized-bed combustion technology - A review
17 p0079 A78-15836

Combustion --- Book
17 p0080 A78-15951

Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3]
17 p0081 A78-16337

Pollutant measurements in a methanol furnace [WSS/CI PAPER 77-8]
17 p0081 A78-16339

Synthetic fuels and combustion
17 p0082 A78-16637

Exergy of gas fuels and their combustion gases
17 p0088 A78-17425

- Estimates of smoke and sulphur dioxide pollution from fuel combustion in the United Kingdom for 1975 and 1976 17 p0057 A78-18819
- Characteristics of water-emulsion fuels --- combustion of hydrocarbon emulsions 17 p0102 A78-18949
- Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822
- Investigations into the suitability of methanol and methanol gasoline blends as s.i. engine fuels --- spark ignition engine emission decrease 18 p0199 A78-27828
- Flame stabilization by wall recess technique 18 p0199 A78-27835
- Can coal-oil mixtures make it as industrial fuels 18 p0206 A78-28210
- Environmental assessment of the fluidized-bed combustion of coal - Methodology and initial results 18 p0206 A78-28271
- Petroleum fuel additives - A case for recognition 18 p0216 A78-29290
- The emission characteristics of liquid-fuel flames 18 p0222 A78-30496
- Surface ignition of coal and other fuel particles in radiative and diffusive environment --- in MHD combustor 18 p0222 A78-30511
- Shock-tube combustion of high density hydrocarbon fuels 18 p0222 A78-30512
- Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations. [LBL-6841] 18 p0230 A78-31953
- Modeling fluidized bed combustion 18 p0230 A78-31959
- Gas turbine combustion and fuels technology; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977 19 p0296 A78-33108
- Combustion and incineration processes --- Book 19 p0300 A78-33212
- Effluent characterization from a conical pressurized fluid bed 19 p0300 A78-33221
- Fluidized bed combustion of coal and waste materials --- Book 19 p0309 A78-33803
- Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures 19 p0321 A78-35703
- Analysis of spray combustion in a research gas turbine combustor 19 p0333 A78-37297
- Investigating the efficiency of gas turbines in off-design operation --- multistage experimental data 19 p0335 A78-37860
- Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite 19 p0362 A78-40457
- The effect of coherent structures on open-cycle generators [AIAA PAPER 78-1173] 19 p0368 A78-41870
- Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- Impact of natural gas shortage on major industrial fuel burning installations. Volume 3. Appendix: Summary and analysis of fuel-burning characteristics of HPEIS [PB-269367/9] 17 p0116 N78-10598
- Diagnostic assessment for advanced power systems [SAND-77-8216] 17 p0121 N78-11509
- Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TM-73780] 17 p0129 N78-13056
- Fundamentals of nitric oxide formation in fossil fuel combustion [PE-2018-5] 17 p0130 N78-13175
- Characteristics and combustion of future hydrocarbon fuels --- aircraft fuels [NASA-TM-78865] 19 p0403 N78-24370
- FUEL CONSUMPTION
- Comparative residential energy consumption and fuel costs with various types of systems --- Oil-, gas-, electric-furnaces and heat pumps 17 p0033 A78-11118
- Adaptation for economization, or adaptation for the economization of energy --- in transport aircraft design and operation 17 p0063 A78-12030
- Energy savings - The viewpoint of an aircraft manufacturer 17 p0063 A78-12031
- Helicopters and energy savings 17 p0076 A78-15020
- Future fuels for aviation [ONERA, TP NO. 1977-156] 17 p0076 A78-15021
- Update - Automobile fuel economy 17 p0092 A78-17672
- Advances in aircraft efficiency 17 p0093 A78-18022
- The availability of jet fuel over the next two decades 17 p0102 A78-19222
- The use of heat pumps in reducing fuel consumption for nonsolar climate control of buildings 18 p0174 A78-22842
- Engine development toward lower energy consumption and reduced environmental impact [AIAA PAPER 78-307] 18 p0178 A78-24008
- Fuels outlook I - Transportation and the U.S. petroleum resource, an aviation perspective [AIAA PAPER 78-357] 18 p0178 A78-24032
- The challenge of advanced fuel-conservative aircraft - A manufacturer's view [AIAA PAPER 78-362] 18 p0178 A78-24034
- Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
- General aviation energy-conservation research programs at NASA-Lewis Research Center --- for non-turbine general aviation engines 18 p0216 A78-29330
- Aviation fuel usage - Economy and conservation 18 p0223 A78-30698
- Improved energy efficiency for small CTOL transport aircraft 18 p0226 A78-31305
- Fuel saving potential of Mach 0.8 twin engine prop-fan transports 18 p0226 A78-31306
- Fuel efficiency - Where we are heading in the design of future jet transports 18 p0226 A78-31307
- Thrust computing system applications to increase engine life and provide fuel conservation 18 p0227 A78-31311
- Analytic determination of the fuel effect of air storage gas turbine electric power stations 18 p0227 A78-31364
- Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion [SAE PAPER 780295] 19 p0308 A78-33386
- Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo [SAE PAPER 780417] 19 p0308 A78-33389
- An update of the development on the new Audi NSU rotary engine generation [SAE PAPER 780418] 19 p0308 A78-33390
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- A modeling analysis of the impact of the energy shortage on ambient air quality 19 p0320 A78-35683
- Supersonic transport in terms of energy savings 19 p0323 A78-35893
- Application of gas turbines for peak and base load operation 19 p0327 A78-36371
- Aero engines climb towards better fuel efficiency 19 p0332 A78-37114

- Development of a new combustion system /MCA-jet/
in gasoline engine 19 p0386 A78-43296
- World sources of energy and new energy resource
development in Iran 17 p0111 N78-10553
- Impact of natural gas shortage on major industrial
fuel-burning installations. Volume 1: Text
[PB-269365/3] 17 p0115 N78-10596
- Impact of natural gas shortage on major industrial
fuel-burning installations. Volume 2: Schedules
(data and tables) 17 p0116 N78-10597
- Impact of natural gas shortage on major industrial
fuel burning installations. Volume 3. Appendix:
Summary and analysis of fuel-burning
characteristics of NFBIIS
[PB-269367/9] 17 p0116 N78-10598
- Methanol as an automotive fuel with special
emphasis on methanol-gasoline blends
[PB-270401/3] 17 p0123 N78-12243
- Fuels and energy data: United States by states
and census divisions, 1974 17 p0124 N78-12245
- Cumulative production/consumption effects of the
crude oil price incentive rulemakings
[PB-271319/6] 17 p0124 N78-12247
- General aviation energy-conservation research
programs at NASA-Lewis Research Center
[NASA-TM-73884] 18 p0247 N78-17060
- Performance characteristics of automotive engines
in the United States. Report no. 8: Mitsubishi
Model 6DS7 diesel engine
[PB-274374/8] 18 p0254 N78-18437
- Performance characteristics of automotive engines
in the United States. Report no. 9: Chrysler
(1975) 225-CID 1-bbl engine
[PB-274375/5] 18 p0254 N78-18438
- Performance characteristics of automotive engines
in the United States. Report no. 10: Chevrolet
(1975) 250 CID 1-bbl engine
[PB-274376/3] 18 p0254 N78-18439
- Performance characteristics of automotive engines
in the United States. Report no. 11: Chrysler
(1975) 318-CID 2-bbl engine
[PB-274377/1] 18 p0254 N78-18440
- Energy consumption in the transportation sector
18 p0256 N78-18531
- Optimization of the vehicle-fuel-refinery system
18 p0257 N78-18533
- Trucking and fuel economy 18 p0257 N78-18538
- Estimated highway fuel savings in 1975 18 p0257 N78-18539
- Potential for automotive fuel economy improvement
18 p0258 N78-18543
- Measurement and simulation of fuel consumption in
rail freight service 18 p0258 N78-18545
- Federal policy options to effect fuel conservation
in the air industry 18 p0259 N78-18548
- Measuring the impact on scheduled air lines
operations of restrictions in fuel availability
18 p0259 N78-18549
- Energy intensity of various transportation modes
18 p0260 N78-18555
- Shift schedules for emissions and fuel economy
testing
[PB-274865/5] 18 p0261 N78-18594
- Fuel conservation merits of advanced turboprop
transport aircraft
[NASA-CR-152096] 18 p0279 N78-21095
- The automotive fuel economy standards for model
year 1981-1984 passenger cars
[PB-275827/4] 18 p0280 N78-21314
- Rulemaking support paper concerning the 1981-1984
passenger auto average fuel economy standards
[PB-275895/1] 18 p0280 N78-21315
- Annual survey of manufactures, 1975. Fuels and
electric energy consumed. Statistics for the
United States
[PB-275772/2] 18 p0289 N78-21659
- Automotive Stirling engine development program ---
fuel economy assessment
[NASA-CR-135331] 19 p0392 N78-22970
- Situation of air traffic in comparison to ground
transportation noting especially energetic
problems
[ILR-20] 19 p0392 N78-23072
- Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy
[COO-2631-22] 19 p0394 N78-23442
- Helicopters and energy savings
[AAAF-WT-77-25] 19 p0401 N78-24128
- The fuel efficiency incentive tax proposal: Its
impact upon the future of the US passenger
automobile industry
[GPO-93-188] 19 p0412 N78-25002
- Energy losses in heavy commercial vehicles
[PB-277354] 19 p0417 N78-25434
- Study of future heat engine vehicle systems
[UCRL-13781] 19 p0436 N78-26039
- Design approaches to more energy efficient engines
[NASA-TM-78893] 19 p0441 N78-26442
- ACEE propulsion overview 19 p0453 N78-27048
- Energy efficient engine: Preliminary design and
integration studies 19 p0453 N78-27053
- Energy efficient engine preliminary design and
integration studies 19 p0453 N78-27054
- Motor gasolines, summer 1977
[BEEC/PPS-78/1] 19 p0454 N78-27287
- Methods of forecasting of scientific and technical
progress in the production and consumption of
fuel and energy resources
[DOE-TM-24] 19 p0461 N78-27573
- Hybrid vehicle technology constraints and
application assessment study. Volume 1: Summary
[PB-278118/5] 19 p0464 N78-27596
- Hybrid vehicle technology constraints and
application assessment study. Volume 2:
Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and
application assessment study. Volume 3:
Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and
application assessment study. Volume 4:
Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- FUEL CONTROL**
- Improving the emission performance of vehicles in
the field
[APCA FAPER 77-3,4] 18 p0184 A78-25386
- Tritium systems preliminary design for TNS ---
Tokamak Next Step with fuel reprocessing
19 p0346 A78-39798
- Tritium handling trade studies and design options
for the GA/ANL TNS --- The Next Step tokamak
19 p0355 A78-39983
- Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] 19 p0404 N78-24545
- FUEL INJECTION**
- Cold flow mixing rate data for pulverized coal
reactors 19 p0328 A78-36616
- TPTR tritium valve for pulsed gas feed, test results
19 p0358 A78-40075
- Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] 19 p0453 N78-27122
- FUEL OILS**
- Autothermal gasification of liquid hydrocarbons by
partial oxidation 17 p0002 A78-10320
- A heating oil tank as a solar energy reservoir
17 p0072 A78-14105
- The nature of pyrolytic oil from municipal solid
waste 18 p0197 A78-27806
- The production of oil from wood waste 18 p0198 A78-27809
- Investigation of some factors affecting the
performance of an alcohol-diesel oil dual fuel
engine 18 p0199 A78-27829
- Can coal-oil mixtures make it as industrial fuels
18 p0206 A78-28210
- Petroleum fuel additives - A case for recognition
18 p0216 A78-29290

- Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations 19 p0335 A78-37862
- Catalytic hydrosolvation process converts coal to low-sulfur liquid fuel 19 p0368 A78-41817
- Alternative fuels for transportation:
Implications of the broad-cut option [UCRL-52313] 18 p0281 A78-21322
- Diesel fuel cells, 1977 [BBEC/PPS-77/5] 18 p0281 A78-21324
- Riser cracking of coal to oil and gas [CONP-770814-10] 19 p0392 A78-23250
- The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 --- Venezuelan exports [AD-A051131] 19 p0403 A78-24372
- Catalytic hydroprocessing of shale oil to produce distillate fuels [CONP-770814-9] 19 p0423 A78-25579
- FUEL SPRAYS**
Analysis of spray combustion in a research gas turbine combustor 19 p0333 A78-37297
- FUEL SYSTEMS**
Experimental evaluation of fuel preparation systems for an automotive gas turbine catalytic combustor [NASA-TM-78856] 19 p0387 A78-22243
- Impact of future fuel properties on aircraft engines and fuel systems [NASA-TM-78866] 19 p0402 A78-24369
- Effect of diesel fuel on Stirling engine ground power unit components --- fuel system [GHR-2690-SECT-1.201] 19 p0437 A78-26251
- Supercritical fuel injection system [NASA-CASE-LEW-12990-1] 19 p0453 A78-27122
- Fuel conservative aircraft engine technology [NASA-TM-78962] 19 p0454 A78-27127
- FUEL TESTS**
Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050
- Properties of fuels used in the Czechoslovak aircraft industry 18 p0217 A78-29588
- Methanol - A boiler fuel alternative 19 p0321 A78-35704
- Evaluation of NO_x emission characteristics of alcohol fuels for use in stationary combustion systems 19 p0321 A78-35705
- FUEL-AIR RATIO**
Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338
- Nitric oxide formation in hydrocarbon-air flames 18 p0199 A78-27834
- Development of a new combustion system /ECA-jet/ in gasoline engine 19 p0386 A78-43296
- FUELS**
Bioconversion: Fuels from biomass --- Book 18 p0167 A78-21700
- Energy from wastes - An overview of present technologies and programs 18 p0197 A78-27803
- Photochemical production of a fuel 18 p0202 A78-27894
- Comparative energies of alternative fuels 18 p0216 A78-29289
- State-of-the-art of functional use data measuring energy consumption in the commercial sector [PB-269906/4] 17 p0115 A78-10592
- Fuel and energy price forecasts. Volume 1: Report [EPRI-EA-411-VOL-1] 17 p0142 A78-13589
- Fuel and energy price forecasts. Volume 2: Schedules [EPRI-EA-411-VOL-2] 17 p0142 A78-13590
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers. [H-REPT-95-589] 19 p0392 A78-22968
- Sources of alcohol fuels for vehicle fleet tests [CONS/2693-1] 19 p0415 A78-25242
- Regenerative process for desulfurization of high temperature combustion and fuel gases [BBL-50706] 19 p0427 A78-25610
- Impact of alternate fuels on refractories and refractory insulations [ORNL-TM-5895-ADD] 19 p0436 A78-26226
- FURNACES**
Comparative residential energy consumption and fuel costs with various types of systems - Oil-, gas-, electric-furnaces and heat pumps 17 p0033 A78-11118
- Pollutant measurements in a methanol furnace [WSS/CI PAPER 77-8] 17 p0081 A78-16339
- The UMass wind furnace blade design 18 p0267 A78-19641
- FUSION (HEATING)**
Solar furnaces 18 p0200 A78-27861
- FUSION REACTORS**
Commercial application of laser fusion 17 p0004 A78-10605
- Mirror reactor studies --- fusion and fusion-fission reactors 17 p0011 A78-10874
- The present status of fusion power 17 p0028 A78-11075
- Symposium on Fusion Technology, 9th, Garmisch-Partenkirchen, West Germany, June 14-18, 1976, Proceedings 17 p0038 A78-11161
- The progress and the development program of fusion technology in Japan 17 p0038 A78-11162
- Vacuum vessel and pumping system of the J.E.T. experiment --- Joint European Torus 17 p0038 A78-11164
- Eddy current losses and transient magnetic forces in pulsed fusion reactors 17 p0039 A78-11172
- Analysis of various field programming to produce the RFP configuration --- Reversed Field Pinch 17 p0039 A78-11174
- A survey of the U.S. magnetic fusion program 17 p0040 A78-11179
- Conceptual design problems in future reversed field pinch experiments 17 p0040 A78-11181
- Parameter study of a screw-pinch reactor 17 p0041 A78-11187
- Plasma stabilization requirements of the Reference Theta-Pinch Reactor /RTPR/ 17 p0041 A78-11193
- Investigation of the efficiency of a Faraday MHD-generator coupled to a thermonuclear reactor 17 p0063 A78-12348
- Experimental and computational results on direct energy conversion for mirror fusion reactors 17 p0064 A78-12486
- Waste management considerations for fusion power reactors 18 p0176 A78-23588
- Materials requirements for fusion reactors 18 p0182 A78-25051
- Re-circulating power, unit costs and thermal pollution of fusion power stations 18 p0189 A78-26372
- Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- Heliotron as a D-D fusion reactor - Preliminary analysis 18 p0220 A78-30226
- Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor 19 p0291 A78-32572
- Giant laser system readied for tests --- for inertial fusion 19 p0316 A78-35300
- On the trends in nuclear fusion research 19 p0338 A78-38417
- Advanced lasers for fusion applications 19 p0342 A78-39367
- Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volumes 1 & 2 19 p0345 A78-39783
- The technology of mirror machines - LLL facilities for magnetic mirror fusion experiments 19 p0345 A78-39784

Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793

Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system 19 p0350 A78-39897

Argonne national laboratory energy storage and transfer experimental program --- for fusion reactors 19 p0353 A78-39956

Design of the ZT-40 power crowbar system --- for toroidal Z pinch current maintenance 19 p0353 A78-39957

Dual 30 kA, HVDC interrupter test facility --- for fusion reactors 19 p0353 A78-39959

A 40-kV, 26-ms neutral-beam power supply for TMI --- Tandem Mirror Experiment 19 p0353 A78-39964

A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors 19 p0354 A78-39978

Some design aspects of computer based control systems for pulsed fusion experiments 19 p0355 A78-39991

Pulsed acceleration of exhaust plasma in a fusion-NHD power plant 19 p0356 A78-40014

Mechanical and thermal design of a gas-cooled fusion blanket module 19 p0357 A78-40040

Ignition of catalyzed-D reactor from D-T burning 19 p0358 A78-40083

High temperature blankets for the production of synthetic fuels 19 p0359 A78-40093

Design and performance of large cryopumps for high power neutral injectors 19 p0359 A78-40108

Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K 19 p0359 A78-40112

A survey of applications of fusion power technology for the chemical and material processing industries 19 p0368 A78-41812

Thermochemistry of the reactions of the metals Nb, V, and Mo with the residual gases of a vacuum 19 p0379 A78-42227

Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing 19 p0380 A78-42257

Two-component, multiple-mirror reactor with depressed ion temperature 19 p0380 A78-42263

Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269

Workshop on Synthetic Fuels from Fusion [EPRI-ER-439-SR] 17 p0131 N78-13239

Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673

Perspectives on the development of fusion power by magnetic confinement, 1977 [DOE/ET-0002] 19 p0401 N78-23900

Exploratory studies of high-efficiency advanced fuel fusion reactors [EPRI-ER-581] 19 p0435 N78-25938

Economic impact of using refractory metals for fusion reactors, phase 1 [COO-4247-1] 19 p0435 N78-25939

FUSION-FISSION HYBRID REACTORS

Mirror reactor studies --- fusion and fusion-fission reactors 17 p0011 A78-10874

Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191

Tokamak reactors --- review [ASME PAPER 77-WA/NE-3] 19 p0299 A78-33187

Fusion reactor development scenarios for the laser solenoid concept 19 p0349 A78-39881

Poloidal field coil design for a fusion-fission breeder reactor 19 p0354 A78-39977

A tokamak hybrid blanket design 19 p0355 A78-39982

Structural analysis of a two-component torus /TCT/ hybrid reactor first wall 19 p0358 A78-40072

Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing 19 p0380 A78-42257

Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269

G

GALLIUM ARSENIDES

Structures for photocells - Homojunctions, heterostructures or heterojunctions 17 p0003 A78-10552

Concentrator solar arrays for space power 17 p0017 A78-10970

Potential of GaAs solar cells for Air Force space power systems 17 p0019 A78-10994

Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025

High efficiency and large area /GaAl/As-GaAs solar cells 17 p0026 A78-11054

Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells 17 p0026 A78-11055

Improved GaAs solar cells with very thin junctions 17 p0026 A78-11057

The structure and Schottky barrier diode properties of polycrystalline GaAs films grown by the close spaced vapour transport technique on Mo substrates 17 p0027 A78-11060

High efficiency thin window Ga/1-x/Al/x/As-GaAs solar cells 17 p0027 A78-11065

Photocells employing smooth AlGaAs-GaAs heterojunctions to extend the spectral response range 17 p0062 A78-11668

High-efficiency GaAs shallow-homojunction solar cells 17 p0062 A78-11933

Molecular-beam epitaxy in space 17 p0103 A78-19472

Diffusion lengths in amphoteric GaAs heteroface solar cells 18 p0216 A78-29195

Simplified fabrication of GaAs homojunction solar cells with increased conversion efficiencies 18 p0216 A78-29199

Theoretical analysis of a novel MPN gallium arsenide Schottky barrier solar cell 18 p0227 A78-31385

AlGaAs-GaAs graded-heterostructure photocells with expanded sensitivity spectrum 19 p0300 A78-33271

A computer analysis of Ga/1-x/Al/x/As-GaAs solar cells with multilayered window structure 19 p0313 A78-34850

State of the art homojunction cells 19 p0343 A78-39454

n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467

A Review of Air Force space photovoltaic development efforts 17 p0136 N78-13530

High efficiency GaAs solar cells 17 p0137 N78-13542

GaAs solar cell development 17 p0138 N78-13544

GARBAGE

The Garrett pyrolysis process 17 p0036 A78-11141

Partial oxidation of refuse using the Purox system 17 p0036 A78-11143

Prospects of materials and energy from refuse in India 17 p0037 A78-11145

Energy recovery from municipal and industrial waste 17 p0037 A78-11146

- Combination of refuse incineration with electric power generation 17 p0037 A78-11148
- Refuse energy in the United States - Two generations of steam generating waterwall incinerators 17 p0037 A78-11150
- Combined refuse and sludge incineration 17 p0037 A78-11151
- A solid waste package deal - Energy and materials from garbage 17 p0052 A78-17671
- Comparing the Ames and St. Louis resource recovery projects 18 p0186 A78-25700
- The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry 19 p0332 A78-36945
- GAS ANALYSIS**
- Variation in excess oxidant factor in combustion products of MHD generator 17 p0066 A78-13155
- Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa. [PB-271875/7] 17 p0145 A78-13624
- Analyses of natural gases, 1976 [PB-272735/2] 18 p0238 A78-16419
- The evolution of pollutants during the rapid devolatilization of coal [PB-278496/5] 19 p0466 A78-27617
- GAS CHROMATOGRAPHY**
- Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844
- Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis 18 p0232 A78-32104
- Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product 19 p0363 A78-40594
- Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography 17 p0119 A78-11207
- GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification [BREC/BI-77/12] 19 p0402 A78-24324
- GAS COMPOSITION**
- Consol stack gas process for SO₂ removal 19 p0320 A78-35697
- GAS COOLED REACTORS**
- Large closed-cycle gas turbine plant [GA-A-14311] 17 p0152 A78-14652
- HTS thermal storage peaking plant [ORNL/SUB-4188-2] 18 p0277 A78-20645
- GAS DISCHARGES**
- Sodium vapor heat pipe laser cell [AIAA 78-392] 19 p0317 A78-35587
- Neutral particle emission of the pulsator plasma during high-density discharges --- in tokamaks 19 p0379 A78-42216
- GAS DYNAMICS**
- Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
- GAS EVOLUTION**
- Performance and NO_x/ emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines 19 p0333 A78-37299
- Fuel gas production from animal waste, phase 1 [COO-2991-23] 19 p0415 A78-25248
- GAS EXPLOSIONS**
- Coaxial, explosive-type MHD generator 18 p0166 A78-21387
- Dispersion and analysis of methane in the atmosphere [CL-1976-16] 19 p0450 A78-26644
- GAS FLOW**
- Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115
- Analysis of the seeded combustion gas boundary layer near a cold electrode 17 p0083 A78-16814
- 'local' breakdown criterion for a highly ionized gas stream 19 p0292 A78-32707
- A large scale heat exchanger with polygonally configured heat pipe units [AIAA 78-393] 19 p0317 A78-35588
- Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations 19 p0335 A78-37862
- Time- and space-resolved species determination in diesel combustion using continuous flow gas sampling 18 p0279 A78-21227
- GAS GENERATORS**
- Autothermal gasification of liquid hydrocarbons by partial oxidation 17 p0002 A78-10320
- Compact gas generator for fuel gasification aboard motor vehicles 18 p0236 A78-32509
- Gas generator research and development: Bi-gas process [FE-1207-29] 18 p0241 A78-16447
- GAS HEATING**
- Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water 18 p0172 A78-22543
- The use of fluidized beds for heating air for wind tunnels [AIAA 78-818] 18 p0234 A78-32372
- Evaluation of devolatilization concept [EPRI-AP-608] 19 p0430 A78-25639
- GAS INJECTION**
- Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338
- In-situ laser retorting of oil shale [NASA-CASE-LEW-12217-1] 17 p0149 A78-14452
- Tertiary oil recovery by CO₂ injection [ORO-5302-20] 19 p0455 A78-27499
- GAS LASERS**
- Limitation of 3547 to 1182 Å conversion efficiency in Xe 18 p0215 A78-28924
- Power deposition in volumetric /U-235/F6-He fission-pumped nuclear lasers 18 p0235 A78-32436
- Gas laser with solar excitation 19 p0308 A78-33395
- Korea Atomic Energy Research Institute, Collected Reprints. Volume 4 --- Book 19 p0335 A78-37901
- Design of the power amplifier for the BEGLF at LASL --- High Energy Gas Laser Facility 19 p0349 A78-39861
- Design of the energy storage system for the high energy gas laser facility at LASL 19 p0353 A78-39955
- GAS LUBRICANTS**
- Design, develop, and manufacture process gas lubricated hot recycle gas circulators [COO-0004-1] 19 p0423 A78-25573
- GAS MIXTURES**
- Gas laser with solar excitation 19 p0308 A78-33395
- Study of the thermodynamics of coal gasification 19 p0337 A78-38200
- Evaluation of the use of hydrogen as a supplement to natural gas [TID-27747] 18 p0281 A78-21323
- GAS RECOVERY**
- Technical and economic aspects of hydrogen storage in metal hydrides 17 p0099 A78-18842
- Gas stimulation studies at LASL [LA-UR-77-1937] 19 p0410 A78-24678
- LLL gas stimulation program [UCRL-50036-77-3] 19 p0445 A78-26575

GAS TRANSPORT

- The hydrogen pipeline network in the Rhine-Ruhr area
17 p0099 A78-18837
- Storage and distribution of large quantities of hydrogen
17 p0099 A78-18838
- Use of gas turbines in natural gas transport systems /pipelines/
19 p0327 A78-36372

GAS TURBINE ENGINES

- The effect of ambient temperature and humidity on the carbon monoxide emissions of an idling gas turbine
17 p0065 A78-12557
- Influence of combustion chamber geometry on toxic compound emissions
17 p0067 A78-13169
- Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones [WSS/CI PAPER 77-6]
17 p0081 A78-16340
- Tutorial, test measurement accuracy --- for gas turbine engine performance
17 p0088 A78-17409
- High-temperature ceramics for automobile gas turbines
[DGLR PAPER 77-073] 17 p0096 A78-18708
- Recent developments in heat exchangers for vehicle gas turbines
[DGLR PAPER 77-075] 17 p0096 A78-18711
- Research needs for U.S. Army aircraft propulsion [AIAA PAPER 78-45]
18 p0172 A78-22558
- Gas turbine module performance analysis [SAE PAPER 770992]
18 p0176 A78-23828
- Engine development toward lower energy consumption and reduced environmental impact [AIAA PAPER 78-307]
18 p0178 A78-24008
- Some problems in the operational analysis of a hydrogen-fueled gas turbine
18 p0186 A78-25637
- Indices and areas of application of gas-turbine-driven thermal power plants
18 p0193 A78-27096
- Evolution of the aircraft gas turbine engine
18 p0220 A78-30257
- Spinning a turbine with sunlight
18 p0223 A78-30742
- Energy conserving aircraft from the engine viewpoint
18 p0226 A78-31310
- Gas turbine combustion and fuels technology; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977
19 p0296 A78-33108
- Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor
19 p0296 A78-33114
- A low-risk approach to the high-temperature turbine [ASME PAPER 77-WA/ENER-10]
19 p0298 A78-33148
- Analytical investigation of thermal barrier coatings for advanced power generation combustion turbines [ASME PAPER 77-WA/ENER-13]
19 p0298 A78-33151
- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine
[SAE PAPER 780075] 19 p0306 A78-33364
- Problems and progress in developing the automotive gas turbine
19 p0316 A78-35423
- Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/
19 p0326 A78-36279
- Analysis of spray combustion in a research gas turbine combustor
19 p0333 A78-37297
- Investigating the efficiency of gas turbines in off-design operation --- multistage experimental data
19 p0335 A78-37860
- Israel Conference on Mechanical Engineering, 11th, Technion - Israel Institute of Technology, Haifa, Israel, July 11, 12, 1977, Proceedings --- computer aided aircraft and radial gas turbine engines
19 p0367 A78-41506
- Baseload reliability in a combustion turbine
19 p0385 A78-43101
- Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1]
17 p0109 A78-10467

- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine
[NASA-TN-73849] 17 p0129 A78-13062
- Baseline gas turbine development program [COO-2749-17]
17 p0135 A78-13455
- High temperature turbine technology program. Phase 1: Program and system definition. Topical Report: Overall plant design description, low Btu combined cycle electric power plant
[FE-2290-18] 17 p0148 A78-14419
- High temperature turbine technology program. Phase 1: Program and system definition. Topical Report: Overall plant design description liquid fuel combined cycle electric power plant
[FE-2290-19] 17 p0149 A78-14420
- Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg
[NASA-TF-1007] 18 p0237 A78-16053
- Interdisciplinary research and development on the effects of the nature and properties of ceramic materials in the design of advanced structural components
[NASA-CR-155733] 18 p0247 A78-17223
- The status of small, cooled, axial-flow turbines
18 p0279 A78-21123
- Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine. 1: Journal bearing performance
[NASA-CR-135368] 18 p0281 A78-21472
- Baseline gas turbine development program [COO-2749-18]
18 p0281 A78-21479
- Experimental evaluation of fuel preparation systems for an automotive gas turbine catalytic combustor
[NASA-TN-78856] 19 p0387 A78-22243
- Transit bus propulsion systems alternate power plant installation
[FE-276612/9] 19 p0387 A78-22385
- Automotive gas turbine fuel control [NASA-CASE-LEW-12785-1]
19 p0404 A78-24545
- Cold-air performance of the compressor-drive turbine of the Department of Energy baseline automobile gas-turbine engine
[NASA-TN-78894] 19 p0436 A78-26098
- Liquid-cooling technology for gas turbines review and status
[NASA-TN-78906] 19 p0436 A78-26145
- Issues in Federally supported research on advanced automotive power systems
[FE-278124/3] 19 p0442 A78-26457
- GAS TURBINES**
- The Gas Turbine HTGR plant with a binary cycle
17 p0029 A78-11083
- Reference wind speed statistics for wind turbine design
17 p0051 A78-11313
- Optimum and near-optimum blade configurations for high speed wind turbines
17 p0051 A78-11314
- A practical approach to vortex augmentation of wind turbines
17 p0052 A78-11315
- Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator
17 p0066 A78-13157
- Pulverized coal-pressure gasification with air as a topping stage for the combined gas/steam turbine process
17 p0074 A78-14498
- The design and performance of high temperature turbines in turbofan engines
17 p0093 A78-18023
- Selected wind tunnel test results for the Darrieus wind turbine
17 p0094 A78-18099
- Review of the development of small- and medium-capacity gas turbines at the Motoren- und Turbinen Union
[DGLR PAPER 77-061] 17 p0096 A78-18702
- The gas turbine as an advantageous propulsion unit for high-performance rail traffic
17 p0096 A78-18713

- Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525
- Gas turbines. Part 2 - Aerodynamic processes, regenerators, combustion chambers, and construction /2nd revised and enlarged edition/ --- Russian book 18 p0219 A78-30200
- Analytic determination of the fuel effect of air storage gas turbine electric power stations 18 p0227 A78-31364
- The technology of closed-cycle gas turbines 19 p0291 A78-32650
- Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal [ASHE PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- Conceptual design of a coal-fueled, fluid bed combined cycle power plant [ASHE PAPER 77-WA/ENER-11] 19 p0298 A78-33149
- The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles [ASHE PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- Combined cycles for operation on coal derived fuels with high temperature combustion turbines [ASHE PAPER 77-WA/ENER-14] 19 p0298 A78-33152
- Vehicular gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486
- Application of gas turbines for peak and base load operation 19 p0327 A78-36371
- Use of gas turbines in natural gas transport systems /pipelines/ 19 p0327 A78-36372
- Characteristics of the utilization of M204 in solar gas-turbine power plants 19 p0335 A78-37947
- Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
- Baseline gas turbine development program [COO-2749-16] 17 p0120 A78-11405
- Diagnostic assessment for advanced power systems [SAND-77-8216] 17 p0121 A78-11509
- High temperature turbine technology program. Phase 1: Program and system definition. Topical report: Phase 3, preliminary turbine subsystem technology readiness verification program plan [FE-2290-21] 17 p0149 A78-14421
- Large closed-cycle gas turbine plant [GA-A-14311] 17 p0152 A78-14652
- Effect of fuel bound nitrogen on oxides of nitrogen emission from a gas turbine engine [AD-A048382] 18 p0262 A78-19162
- Gas turbine HTGR: A total energy utilization option [GA-A-14484] 18 p0270 A78-19670
- High Temperature Turbine Technology Program. Phase 1: Program and system definition. Topical report: Low PTO gas combustor technology development plan [FE-2290-26] 18 p0282 A78-21480
- Venture analysis case study of combined gas and steam power systems for the generation of utility electric power [APAE-2483-5] 19 p0416 A78-25337
- Helium heaters of the helium turbine unit of the Oberhausen energy supply [DOE-TR-35] 19 p0455 A78-27440
- Closed gas turbine heater program [TID-28200] 19 p0455 A78-27441
- GAS-LIQUID INTERACTIONS**
- A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323
- Investigation of gas-controlled cryogenic heat pipes 18 p0221 A78-30495
- Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation [CONF-771098-1] 19 p0452 A78-26933
- GAS-SOLID INTERFACES**
- Modeling fluidized bed combustion 18 p0230 A78-31959
- GASEOUS DIFFUSION**
- Model considerations concerning the gas-electrolyte balance of supported gas-diffusion electrodes for fuel cells 17 p0096 A78-18646
- GASEOUS FISSION REACTORS**
- PACER: Short cut solution to fusion energy production [TID-27687] 18 p0270 A78-19674
- GASEOUS FUELS**
- Autothermal gasification of liquid hydrocarbons by partial oxidation 17 p0002 A78-10320
- The Andco-Torrax process - A slagging pyrolysis solid waste conversion system 17 p0036 A78-11142
- Partial oxidation of refuse using the Purox system 17 p0036 A78-11143
- Methane production from waste 17 p0037 A78-11144
- Energy - Fluid fuels from solids 17 p0069 A78-13625
- Energy of gas fuels and their combustion gases 17 p0088 A78-17425
- Upgrading of coal liquids for use as power generation fuels [EPRI-AP-444] 19 p0427 A78-25608
- GASES**
- Heat pipe central solar receiver [COO-2839-1] 17 p0114 A78-10579
- Regenerative process for desulfurization of high temperature combustion and fuel gases [BNL-50706] 19 p0427 A78-25610
- GASIFICATION**
- Rotary kiln gasification of biomass and municipal wastes 17 p0035 A78-11130
- Energy recovery from municipal and industrial waste 17 p0037 A78-11146
- Heavy oil gasification --- Book 17 p0087 A78-17144
- Production of low-Btu gas from wastes, using molten salts 18 p0197 A78-27804
- Pipeline gas from solid wastes by the Syngas recycling process 18 p0197 A78-27805
- Pyrolytic gasification of Kraft black liquors 18 p0158 A78-27811
- Waste pyrolysis - Alternative fuel source 19 p0333 A78-37172
- Surface structure and mechanisms of gasification catalyst deactivation [FE-2229-5] 19 p0398 A78-23589
- GASOLINE**
- The use of ethanol-gasoline mixtures for automotive fuel 17 p0034 A78-11128
- Investigations into the suitability of methanol and methanol gasoline blends as s.i. engine fuels --- spark ignition engine emission decrease 18 p0199 A78-27828
- Methanol-gasoline blends - Performance and emissions 19 p0321 A78-35702
- Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223
- Development of a new combustion system /MCA-jet/ in gasoline engine 19 p0386 A78-43296
- Demand for gasoline 17 p0110 A78-10551
- Experimental and analytical comparisons of the performance and combustion characteristics of gasoline, methane, and methanol in a Wankel engine 17 p0158 A78-15487
- Fluid bed process studies on selective conversion of methanol to high octane gasoline [FE-2490-8] 18 p0272 A78-20356
- Riser cracking of coal to oil and gas [CONF-770814-10] 19 p0392 A78-23250
- Research guidance studies to assess gasoline from coal by methanol-to-gasoline and sasol-type Fischer-Tropsch technologies [FE-2447-12] 19 p0415 A78-25251
- Motor gasolines, summer 1977 [BERC/PPS-78/1] 19 p0454 A78-27287
- Development studies on selected conversion of synthesis gas from coal to high octane gasoline [FE-2276-20] 19 p0454 A78-27289
- GELS**
- The use of silicone gel for potting photovoltaic arrays 17 p0054 A78-11336

GENERAL AVIATION AIRCRAFT

Engine development toward lower energy consumption and reduced environmental impact
[AIAA PAPER 78-307] 18 p0178 A78-24008
General aviation energy-conservation research programs at NASA-Lewis Research Center --- for non-turbine general aviation engines 18 p0216 A78-29330

General aviation energy-conservation research programs at NASA-Lewis Research Center
[NASA-TN-73884] 18 p0247 A78-17060

GEOCHEMISTRY

Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784

Hydrothermal alteration in active geothermal fields
[VPI-SU-5103-3] 19 p0339 A78-38770

Evaluation and targeting of geothermal energy resources in the southeastern United States
[VPI-SU-5103-3] 17 p0162 N78-15585

Analyses of natural gases, 1976
[PB-272735/2] 18 p0238 N78-16419

Geochemical characterization of Devonian gas shale
[MLM-2467(OP)] 19 p0434 N78-25719

Physiochemical characterization of Devonian gas shale
[MLM-2466(OP)] 19 p0434 N78-25720

Hydrogeochemical and stream-sediment survey of the National Resource Evaluation (NORE) program: Western United States
[UCID-16911-77-2] 19 p0434 N78-25722

GEOGRAPHY

Data bank for the geographical allocation of future US energy supply facilities by county
[BNI-50754] 19 p0463 N78-27590

GEOLOGICAL SURVEYS

Industrial use of geological remote sensing from space 17 p0075 A78-14787

Landsat detection of hydrothermal alteration in the Ngal Canyon Cauldron, New Mexico 17 p0075 A78-14815

Geothermal energy resources map of the western United States 19 p0362 A78-40535

Geology and gas content of coalbeds in vicinity of bureau of mines, Princeton, Pa.
[PB-271875/7] 17 p0145 N78-13624

Analyses of natural gases, 1976
[PB-272735/2] 18 p0238 N78-16419

Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada
[GJBY-74(77)] 19 p0391 N78-22534

GEOLOGY

Bibliography of earth science reports for 1976
[UCID-17476-76] 17 p0149 N78-14451

Application of remote sensing to geothermal anomaly mapping in the Caldas Novas County, Goiás
[INPE-1129-TPT/070] 17 p0149 N78-14610

Borehole gravity survey to determine density variations in the Devonian shale sequence of Lincoln County
[MERC/CB-77/7] 17 p0157 N78-14729

Evaluation and targeting of geothermal energy resources in the southeastern United States
[VPI-SU-5103-3] 17 p0162 N78-15585

Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission
[E78-10092] 18 p0263 N78-19570

Bibliography of New Mexico geology and mineral technology, 1971-1975
[PB-278348/8] 19 p0451 N78-26699

Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152] 19 p0455 N78-27482

GEOMORPHOLOGY

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region
[E78-10123] 19 p0394 N78-23499

GEOPHYSICS

Evaluation and targeting of geothermal energy resources in the southeastern United States
[VPI-SU-5103-3] 17 p0162 N78-15585

Use of the method of one-dimensional nonlinear transformations to forecast the natural model of an oil stratum 18 p0290 N78-21693

GEORGIA

Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design 19 p0409 N78-24672

Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3
[ALC/3987-1/3-VOL-3] 19 p0409 N78-24673

Solar total energy system: Large scale experiment, Shenandoah, Georgia. Volume 1. Section 1: Conclusions and recommendations. Section 2: Systems requirements
[ALC/3987-1/1-VOL-1] 19 p0431 N78-25644

Environmental effects of energy
[PB-278169/8] 19 p0449 N78-26620

Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152] 19 p0455 N78-27482

GEOS SATELLITES (ESA)

Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISEE-B 17 p0085 A78-16852

GEOTHERMAL ENERGY CONVERSION

Capital and electrical production costs for geothermal power plants 17 p0010 A78-10744

Prospects for geothermal energy applications and utilization in Canada 17 p0067 A78-13343

Non-electrical uses of geothermal energy 17 p0082 A78-16635

Economics and projections for geothermal development in the Northwest --- Washington, Oregon and Idaho 17 p0082 A78-16769

A parametric study of a heat exchanger designed for geothermal power plant application
[ASHE PAPER 77-HT-1] 17 p0088 A78-17476

Evaluation and design considerations for liquid-liquid direct contact heat exchangers for geothermal applications
[ASHE PAPER 77-HT-2] 17 p0089 A78-17477

Application of direct contact heat exchangers in geothermal systems
[ASHE PAPER 77-HT-3] 17 p0089 A78-17478

Testing of direct contact heat exchangers for geothermal brines
[ASHE PAPER 77-HT-4] 17 p0089 A78-17479

Operational limitations of direct contact boilers for geothermal applications
[ASHE PAPER 77-HT-5] 17 p0089 A78-17480

Advances in liquid fluidized-bed heat exchanger development --- using geothermal water
[ASHE PAPER 77-HT-66] 17 p0090 A78-17498

Finite-element solutions for geothermal systems 17 p0094 A78-18097

Geothermal well stimulation with a secondary fluid 17 p0104 A78-19625

Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537

Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water 18 p0172 A78-22543

Geothermal energy utilization --- Book 18 p0198 A78-27824

An analysis of an early hybrid fossil-geothermal power plant proposal 18 p0218 A78-29998

Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742

A scenario for geothermal electric power development in Imperial Valley 18 p0228 A78-31743

Making use of moderate temperature geothermal resources 18 p0232 A78-32117

Transient conduction in the space surrounding a ring of holes --- solar energy earth storage
[ASHE PAPER 77-WA/HT-12] 19 p0299 A78-33175

- The potential for geothermal and solar thermal power systems 19 p0361 A78-40368
- Union Oil gets up steam for geothermal energy --- steam and hot water from the earth's crust 19 p0383 A78-42773
- Performance tests of a total flow impulse turbine for geothermal applications [UCID-17411] 17 p0127 N78-12546
- Economic study of low temperature geothermal energy in Lassen and Modoc Counties, California [PB-270256/1] 17 p0127 N78-12549
- Research on the physical properties of geothermal reservoir rocks. Summary report on collection of samples of volcanic rocks for petrophysical studies [COO-2908-1] 17 p0141 N78-13584
- Coso geothermal corrosion studies [AD-A045511] 17 p0147 N78-13681
- An evaluation of geothermal energy potential [SAB/1116-1] 18 p0274 N78-20601
- Geothermal direct contact heat exchange [SAB/1116-1] 18 p0277 N78-20638
- Floating power optimization studies for the cooling system of a geothermal power plant [TREE-1164] 18 p0277 N78-20646
- Definition of requirements for geothermal power conversion system studies [UCRL-137511] 18 p0288 N78-21650
- ERDA Geothermal Component Test Facility (GCTF), East Mesa, Imperial Valley, California. Test operations management plan [TID-28010] 19 p0397 N78-23577
- Study of brine treatment [BPRI-ER-476] 19 p0430 N78-25633
- Potential growth of electric power production from Imperial Valley geothermal resources [UCRL-52252] 19 p0430 N78-25635
- Corrosion of iron-base alloys versus alternate materials in geothermal brines [PNL-2456] 19 p0454 N78-27264
- Geothermal systems 19 p0457 N78-27524
- A market survey of geothermal wellhead power generation systems [NASA-CR-157262] 19 p0458 N78-27533
- GEOHERMAL RESOURCES**
- Ocean geothermal energy 17 p0006 A78-10656
- The prospect for geothermal power 17 p0010 A78-10740
- Status report on the alternative energy sources 17 p0061 A78-11489
- Chemical and isotopic techniques in geothermal investigations 17 p0061 A78-11490
- Chemical geothermometers and mixing models for geothermal systems 17 p0062 A78-11491
- Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492
- Stable isotopic studies of Japanese geothermal systems 17 p0062 A78-11493
- Volcanoes as a source of geothermal energy 17 p0067 A78-13346
- The impact of H₂S emissions on future geothermal power generation - The Geysers region, California [IEEE PAPER A 77 816-2] 17 p0071 A78-14077
- Downhole measurements of thermal conductivity in geothermal reservoirs [ASME PAPER 77-PET-23] 17 p0076 A78-15079
- Geothermal energy - Heat extraction from hot dry rock masses [ASME PAPER 77-PET-41] 17 p0076 A78-15080
- Seals for geothermal roller drill bits [ASME PAPER 77-PET-53] 17 p0077 A78-15081
- Geothermal drill bit improvement - Specific application to the Geysers [ASME PAPER 77-PET-67] 17 p0077 A78-15082
- The significance of an arc shaped dark patch on the Nimbus III /HRIR/ imagery of India 17 p0082 A78-16507
- Economics and projections for geothermal development in the Northwest --- Washington, Oregon and Idaho 17 p0082 A78-16769
- Ground as a heat source --- for house heating 17 p0097 A78-18816
- Geothermal well stimulation with a secondary fluid 17 p0104 A78-19625
- Geothermal energy utilization --- Book 18 p0198 A78-27824
- Models for calculating density and vapor pressure of geothermal brines 18 p0206 A78-28249
- Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742
- Making use of moderate temperature geothermal resources 18 p0232 A78-32117
- Magma - A potential source of fuels 19 p0311 A78-34398
- Geothermal energy in the Western United States: Innovation versus monopoly --- Book 19 p0322 A78-35768
- Broadlands - A gas-dominated geothermal field 19 p0330 A78-36825
- Hydrothermal alteration in active geothermal fields 19 p0339 A78-38770
- Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534
- Geothermal energy resources map of the western United States 19 p0362 A78-40535
- California's geothermal resource potential 19 p0368 A78-41816
- The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs 19 p0369 A78-42080
- Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients [PB-268603/8] 17 p0110 N78-10546
- Planning and design of additional East Mesa geothermal test facilities, phase 1B. Volume 3: Appendices [SAB/1140-1/3-VOL-3-APP] 17 p0127 N78-12545
- Economic study of low temperature geothermal energy in Lassen and Modoc Counties, California [PB-270256/1] 17 p0127 N78-12549
- Heat extraction from hot, dry rock masses [PB-271411/1] 17 p0139 N78-13560
- Development of working fluid thermodynamic properties information for geothermal cycles; phase 1 [ORO-5249-1] 17 p0143 N78-13600
- Application of remote sensing to geothermal anomaly mapping in the Caidas Novas County, Goias [INPE-1129-TPT/070] 17 p0149 N78-14610
- Unconventional energy sources. A select bibliography [NCWTB-CNDST-BIB-6] 17 p0150 N78-14626
- GEOCITY: A computer code for calculating costs of district heating using geothermal resources [BNWL-2208] 17 p0151 N78-14644
- Western energy resources and the environment: Geothermal energy [PB-271561/3] 17 p0156 N78-14687
- Microcrack technology for geothermal exploration and assessment [PB-271940/9] 17 p0157 N78-14725
- Evaluation and targeting of geothermal energy resources in the southeastern United States [VPI-SU-5103-3] 17 p0162 N78-15585
- Remote sensing applications in hydro-geothermal exploration of the northern basin and range province 18 p0238 N78-16405
- Exploration for geothermal energy on Oahu, Hawaii [AD-A046954] 18 p0241 N78-16445
- Analysis of electricity production costs from the geopressed geothermal resource [BNWL-2192] 18 p0241 N78-16449
- Analysis of requirements for accelerating the development of geothermal energy resources in California [NASA-CR-155782] 18 p0256 N78-18528

- Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission [E78-10092] 18 p0263 N78-19570
- Hawaii geothermal project. Well completion report, RGP-A [RID-27312] 18 p0269 N78-19668
- Hot dry rock geothermal energy: Status of exploration and assessment. Report no. 1: Of the hot dry rock assessment panel [ERDA-77-74] 18 p0270 N78-19671
- Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California. Volume 2: Radiological health and related standards for nuclear power plants [LBL-5285-VOL-2] 18 p0278 N78-20769
- Study of treatment methods for geothermal fluids [LBL-6337] 18 p0285 N78-21622
- Distributed technologies in California's energy future, volume 1 [LBL-6831-VOL-1] 18 p0285 N78-21623
- Geothermal environmental studies, Heber region, Imperial Valley, California. Environmental baseline data acquisition [EPRI-ER-352] 18 p0286 N78-21630
- Results of reservoir evaluation tests, 1976 East Mesa Geothermal Field, California [LBL-6369] 18 p0286 N78-21631
- Geothermal energy potential for district and process heating applications in the US: An economic analysis [BNWL-2311] 18 p0288 N78-21649
- Study of practical cycles for geothermal power plants [COO-2619-1] 18 p0288 N78-21651
- Analysis of the bipole-dipole resistivity method for geothermal exploration [LBL-6332] 18 p0290 N78-21710
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] 19 p0387 N78-22435
- Materials evaluation for geothermal applications: Turbine materials [UCRL-79360] 19 p0392 N78-23238
- Geothermal energy-related problems of natural convection in porous media 19 p0393 N78-23378
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] 19 p0394 N78-23499
- An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon [BULL-55] 19 p0396 N78-23568
- Potential fuel production from magma [SAND-77-0509] 19 p0403 N78-24383
- Study of brine treatment [EPRI-ER-476] 19 p0430 N78-25633
- Removal of silica from spent geothermal brine [UCID-17702] 19 p0430 N78-25636
- Resource, technology, and environment at the geysers [LBL-5231] 19 p0430 N78-25637
- Geothermal potential of the west Boise area [TREE-1162] 19 p0455 N78-27497
- Geothermal systems 19 p0457 N78-27524
- Subsurface structure of the southern portion of the Salton Sea geothermal field [UCRL-52354] 19 p0467 N78-27695
- GERMANY**
- Forty-nine theses on energy policy --- West German situation 17 p0074 A78-14420
- Scenarios for chemical technology --- forecasts for the year 2000 [BMPT-PE-T-77-01] 17 p0123 N78-11897
- GEYSERS**
- The impact of E2S emissions on future geothermal power generation - The Geysers region, California [IEEE PAPER A 77 816-2] 17 p0071 A78-14077
- Geothermal drill bit improvement - Specific application to the Geysers [ASME PAPER 77-PET-67] 17 p0077 A78-15082
- Heat flow in a geothermally active area: The Geysers, California 18 p0261 N78-18602
- Resource, technology, and environment at the geysers [LBL-5231] 19 p0430 N78-25637
- GLACIERS**
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington [E78-10121] 19 p0394 N78-23498
- GLASS**
- Performance of Lexan vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219
- Solar energy applications for heat-absorbing glass 17 p0048 A78-11273
- All-glass collectors in solar energy utilization 17 p0097 A78-18785
- GLASS COATINGS**
- Integral glass sheet encapsulation for terrestrial panel applications --- solar cell modules 17 p0016 A78-10948
- GLASSWARE**
- Heat losses from solar energy absorbers enclosed in glass tubes 17 p0044 A78-11234
- GLOBAL POSITIONING SYSTEM**
- Positioning and navigation by satellite --- for marine operations [AIAA 77-1553] 17 p0069 A78-13684
- GLUCOSE**
- Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis --- Conversion to glucose 17 p0035 A78-11129
- GOLD**
- Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- GOLD COATINGS**
- The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232
- Structural composition and optical properties of solar blacks - Gold black 17 p0070 A78-13908
- GOVERNMENT PROCUREMENT**
- An electrifying experience - Electric vehicles in the Postal Service [EVC PAPER 7750] 17 p0085 A78-16927
- Preliminary assessment for designing experiments using federal innovation processes [PB-270089/6] 17 p0122 N78-11863
- Preliminary analysis of an option for the Federal photovoltaic utilization program [PB-274220/3] 18 p0260 N78-18562
- Issues in Federally supported research on advanced automotive power systems [PB-278124/3] 19 p0442 N78-26457
- GOVERNMENT/INDUSTRY RELATIONS**
- The impact of solar central electric technology on the regulated utility 17 p0033 A78-11119
- Federal policy and the electric vehicle 17 p0092 A78-17568
- Overview of the Federal solar energy program [AIAA PAPER 78-290] 18 p0177 A78-24001
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- A view of the government's role in energy research and development for the civilian sector 18 p0220 A78-30275
- Geothermal energy in the Western United States: Innovation versus monopoly --- Book 19 p0322 A78-35768
- Unrealities in the energy R & D program 19 p0385 A78-43276
- Development of an industry-government cooperative energy conservation program for small manufacturers, phase 1. Project 8978 [COO-2852-2] 17 p0140 N78-13572
- Federal policy options to effect fuel conservation in the air industry 18 p0259 N78-18548
- Introduction to the ERDA electric and hybrid demonstration project --- provisions of the Legislative Act [EBHQ-0008] 18 p0279 N78-21016

- Issues in Federally supported research on advanced automotive power systems
[PB-278124/3] 19 p0442 N78-26457
- Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791
- GOVERNMENTS**
- Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior
[PB-269865/2] 17 p0110 N78-10550
- Energy policy making in the Northeast: A directory of state programs and institutions
[PB-277503/9] 19 p0449 N78-26621
- GRANULAR MATERIALS**
- Optimization of particulate type selective solar absorber
17 p0044 N78-11233
- Calculation of the drag of a cylindrical pebble-type heat retainer --- for solar energy accumulation
18 p0215 N78-28899
- GRAPHITE**
- Effect of substrate on graphite and other solar selective surfaces
19 p0345 N78-39637
- GRAVELS**
- Gravel-filled trenches in earth for annual thermal energy storage
17 p0050 N78-11297
- GRAVIMETRY**
- Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region
19 p0313 N78-34877
- GRAVITATIONAL EFFECTS**
- Use of the gravity field to shape large linear solar concentrators with fixed focal axis
17 p0082 N78-16633
- Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation
[AIAA 78-434] 19 p0318 N78-35614
- GRAVITATIONAL FIELDS**
- Use of the gravity field to shape large linear solar concentrators with fixed focal axis
17 p0082 N78-16633
- GRAVITY GRADIENT SATELLITES**
- GSSPS - Taking a new approach to the space solar power station --- Gravity-gradient-stabilized Satellite Solar Power Station
17 p0066 N78-13072
- GREAT BRITAIN**
- Short communication on the optimum orientation of solar collectors - An alternative approach
17 p0075 N78-14692
- Renewable energy sources and storage --- wind power in Britain
18 p0233 N78-32249
- GREAT PLAINS CORRIDOR (NORTH AMERICA)**
- Remote-sensing methods for monitoring surface coal mining in the northern Great Plains
18 p0206 N78-28247
- GREENHOUSE EFFECT**
- Materials for luminescent greenhouse solar collectors
17 p0002 N78-10171
- West Antarctic ice sheet and CO2 greenhouse effect - A threat of disaster
18 p0175 N78-23492
- Solar architecture: Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977
19 p0336 N78-38051
- GRIDS**
- Mathematical model for the design of grids for electric vehicle batteries
[SAE PAPER 780221] 19 p0307 N78-33380
- Lead-strontium alloys for battery grids
19 p0363 N78-40617
- GRINDING (COMBUSTION)**
- Improving sludge incineration and vacuum filtration with pulverized coal
17 p0095 N78-18498
- GROOVES**
- Natural convection in groove-like geometries - The overall heat transfer coefficient --- in solar collectors
[AIAA PAPER 78-896] 19 p0323 N78-36016
- Heat pipe development
[NASA-CR-156669] 18 p0238 N78-16327
- GROUND TESTS**
- Study of test methods for large flexible solar arrays (VELSA) --- dynamic characteristics
[ESA-CR(P)-1016] 19 p0411 N78-24688
- GROUND WATER**
- Chemical geothermometers and mixing models for geothermal systems
17 p0062 N78-11491
- Reversible thermodynamics of the airlift pump
18 p0235 N78-32503
- Hydrothermal alteration in active geothermal fields
19 p0339 N78-38770
- Use of brackish ground water resources for regional energy center development, Tularosa Basin, New Mexico: Preliminary evaluation
[PB-269898/3] 17 p0116 N78-10602
- RCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10111] 18 p0282 N78-21516
- GULF OF MEXICO**
- An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico
19 p0302 N78-33317
- Pricing effects on frontier oil production
[PB-269807/4] 17 p0115 N78-10593
- Analysis of brine disposal in the Gulf of Mexico. 3: Capline sector
[PB-271292/5] 17 p0146 N78-13648
- Development and coordination of a program of energy-related oceanographic research and the continental shelves of the Gulf of Mexico
[ORO-5017-3] 19 p0434 N78-25742
- GULF STREAM**
- Gulf Stream OTEC resource potential
19 p0291 N78-32535
- GUNN DIODES**
- Frequency limitations of transferred electron devices related to quality of contacts
19 p0334 N78-37468
- GUST LOADS**
- Synchronization of wind turbine generators against an infinite bus under gusting wind conditions
[IEEE PAPER 77 675-2] 18 p0219 N78-30196
- DOE/NASA Mod-0 100KW wind turbine test results
18 p0266 N78-19628
- H**
- HAIL**
- Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors
[NASA-CR-157225] 19 p0442 N78-26541
- HALL EFFECT**
- Hall effect on an rf induction discharge
17 p0070 N78-13857
- Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma
18 p0192 N78-26622
- The formation of electrode arcs and the electric fluctuations in an MHD channel
18 p0194 N78-27137
- Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel --- in MHD generators
18 p0204 N78-28120
- Two-dimensional analysis of diagonal MHD generator via equivalent circuit
19 p0293 N78-32833
- MHD's target - Payoff by 2000
19 p0316 N78-35444
- Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media
19 p0327 N78-36321
- Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions
19 p0341 N78-38965
- Optimization of the current profile in MHD generators
19 p0364 N78-40834
- HALLEY'S COMET**
- Solar array conceptual design for the Halley's Comet ion drive mission, phase 2
[NASA-CR-155594] 18 p0240 N78-16438
- HANDBOOKS**
- Coal gasification study handbook
[AD-A042385] 17 p0112 N78-10561

SUBJECT INDEX

HEAT EXCHANGERS

- State energy conservation program sourcebook.
Volume 1: Overview and guide
[PB-271798/1] 17 p0143 N78-13609
- State energy conservation program sourcebook.
Volume 2: State energy conservation plan handbook
[PB-271799/9] 17 p0143 N78-13610
- State energy conservation program sourcebook.
Volume 3: Grants-in aid management handbook
[PB-271800/5] 17 p0144 N78-13611
- State energy conservation program sourcebook.
Volume 4: Program measures and abstracts
[PB-271801/3] 17 p0144 N78-13612
- Planner's energy workbook: A manual for exploring relationships between land use and energy utilization
[BNL-50633] 18 p0286 N78-21634
- Legislative handbook on energy-related topics
[PB-276766/3] 19 p0390 N78-22477
- HARDWARE**
- EPDA/NASA advanced thermionic technology program
[NASA-CR-157117] 19 p0409 N78-24674
- Hardware problems encountered in solar heating and cooling systems
[NASA-TN-78172] 19 p0420 N78-25539
- HAWAII**
- Air flow in the central valley of Maui, Hawaii --- windpower generation potential
19 p0386 N78-43287
- Wind studies in complex terrain
[UCRL-79430] 17 p0157 N78-14762
- Exploration for geothermal energy on Oahu, Hawaii
[AD-A046954] 18 p0241 N78-16445
- HAZARDS**
- Dispersion and analysis of methane in the atmosphere
[CI-1976-16] 19 p0450 N78-26644
- HEALTH PHYSICS**
- Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California. Volume 2: Radiological health and related standards for nuclear power plants
[LBL-5285-VOL-2] 18 p0278 N78-20769
- Health and economic costs of alternative energy sources
[IAEA-CN-36/448] 19 p0390 N78-22484
- HEART VALVES**
- Implanted energy conversion system
[PB-272609/9] 18 p0243 N78-16464
- HEAT**
- Survey of the applications of solar thermal energy systems to industrial process heat. Volume 1: Summary
[TID-27348/1-VOL-1] 17 p0153 N78-14656
- Cogeneration power systems
19 p0457 N78-27525
- HEAT BALANCE**
- Heat balance of a solar house: Rapid calculation method --- French book
18 p0177 N78-23975
- Steam bottoming plants for combined cycles
19 p0296 N78-33102
- The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion
19 p0304 N78-33335
- HEAT CAPACITY MAPPING MISSION**
- ECM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10111] 18 p0282 N78-21516
- HEAT EXCHANGERS**
- Fluid flow control strategies in flat-plate and evacuated tube collectors --- solar collectors
17 p0047 N78-11260
- Heat pump application in houses
17 p0068 N78-13452
- Air source heat pumps
17 p0068 N78-13453
- Standard and solar energy exchange-heat water installation
17 p0071 N78-14092
- Evaluation and design considerations for liquid-liquid direct contact heat exchangers for geothermal applications
[ASME PAPER 77-HT-2] 17 p0089 N78-17477
- Application of direct contact heat exchangers in geothermal systems
[ASME PAPER 77-HT-3] 17 p0089 N78-17478
- Testing of direct contact heat exchangers for geothermal brines
[ASME PAPER 77-HT-4] 17 p0089 N78-17479
- Analysis of a new concept for a high temperature direct coal-fired falling particle air pre-heater for MHD power generation
[ASME PAPER 77-HT-60] 17 p0089 N78-17492
- Specifics of heat exchanger design for a 2000-MW dual cycle, MHD Topping-Steam Bottoming power plant
[ASME PAPER 77-HT-61] 17 p0090 N78-17493
- Advances in liquid fluidized-bed heat exchanger development --- using geothermal water
[ASME PAPER 77-HT-66] 17 p0090 N78-17498
- Recent developments in heat exchangers for vehicle gas turbines
[DGLR PAPER 77-075] 17 p0096 N78-18711
- Heat transfer for solar energy utilization
18 p0200 N78-27855
- Solar pond
18 p0200 N78-27860
- Comparisons of deep well and insulated shallow earth storage of solar heat
18 p0205 N78-28164
- Development and fabrication of a diffusion welded Columbian alloy heat exchanger --- for space power generation
[ASME PAPER 78-61] 18 p0228 N78-31500
- Performance and cost evaluation for a thermionic topping power plant
[ASME PAPER 77-WA/ENER-7] 19 p0297 N78-33145
- Cost-effectiveness study of heat pipe heat exchangers
[ASME PAPER 77-WA/HT-5] 19 p0298 N78-33171
- Compact heat exchangers for sea thermal power plants
19 p0303 N78-33330
- Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory
19 p0303 N78-33331
- Enhanced performance heat exchangers --- for Ocean Thermal Energy Conversion
19 p0304 N78-33336
- Comments on sea water side enhancement for OTEC heat exchangers
19 p0304 N78-33338
- A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems
19 p0304 N78-33340
- Studies of biofouling in Ocean Thermal Energy Conversion plants
19 p0305 N78-33342
- Hydrodynamic control of biofouling in OTEC heat exchangers
19 p0305 N78-33346
- Vehicular gas turbine with ceramic recuperative heat exchanger
19 p0311 N78-34486
- A large scale heat exchanger with polygonally configured heat pipe units
[AIAA 78-393] 19 p0317 N78-35588
- Improved ceramic heat exchanger material
[NASA-CR-135292] 17 p0130 N78-13209
- Enhanced single-phase heat transfer for ocean thermal energy conversion systems
[ORNL/SUB-77/14216/1] 17 p0153 N78-14657
- Prototype solar heated hot water systems and double-walled heat exchangers: A collection of quarterly reports
[NASA-CR-150591] 18 p0282 N78-21591
- Preliminary design package for maxi-therm heat exchanger module
[NASA-CR-150620] 19 p0389 N78-22473
- Design study of an experiment cooling system with liquid/air heat exchanger for Spacelab payloads (ECLA) --- control system for fluid loop with heat pump
[P+W-FO-1378] 19 p0404 N78-24511
- Ocean thermal power plants heat exchangers
[ERDA/NSF-43441/76/1] 19 p0410 N78-24681
- Waste heat utilization in industrial processes
[NASA-TN-75210] 19 p0413 N78-25012
- Heat pipes, volume 3. Citations from the engineering index data base
[NTIS/PS-78/0304] 19 p0417 N78-25383
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150686] 19 p0420 N78-25537

- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150687] 19 p0420 N78-25538
- Examination of Stirling engine regenerator screens
[GHR-2690-SECT-3.105] 19 p0439 N78-26289
- Closed gas turbine heater program
[TID-28200] 19 p0455 N78-27441
- Preliminary design package for Sunspot Domestic Hot Water Heating System
[NASA-CR-150605] 19 p0456 N78-27518
- Direct contact heat exchange for latent heat-of-fusion energy storage systems
[SAND-77-8665] 19 p0464 N78-27595
- HEAT FLUX**
- Augmenting the condenser heat transfer performance of rotating heat pipes
[AIAA 78-409] 19 p0318 A78-35597
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington
[E78-10122] 19 p0387 N78-22435
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1. --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington
[E78-10121] 19 p0394 N78-23498
- Evaluation of stresses in tubes with external heat flux and internal pressurization
[GHR-2690-SECT-3.204] 19 p0439 N78-26294
- HEAT GENERATION**
- A reactive-heat-pipe for combined heat generation and transport
[AIAA 78-440] 19 p0318 A78-35620
- Waste heat utilization. Citations from the NTIS data base
[NTIS/PS-78/0294] 19 p0433 N78-25661
- Waste heat utilization, volume 3. Citations from the engineering index data base
[NTIS/PS-78/0296] 19 p0433 N78-25662
- Waste heat utilization, volume 2. Citations from the engineering index data base
[NTIS/PS-78/0295] 19 p0433 N78-25663
- Solar thermal systems
19 p0457 N78-27526
- HEAT MEASUREMENT**
- CPC thermal collector test plan
[CONF-770953-6] 19 p0429 N78-25628
- HEAT OF COMBUSTION**
- Comparative energies of alternative fuels
18 p0216 A78-29289
- HEAT OF DISSOCIATION**
- Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen
18 p0247 N78-17166
- HEAT OF FORMATION**
- Demand sensitive energy storage in molten salts
18 p0220 A78-30264
- Application of chemical engineering to large scale solar energy
18 p0220 A78-30265
- Direct contact heat exchange for latent heat-of-fusion energy storage systems
[SAND-77-8665] 19 p0464 N78-27595
- HEAT OF SOLUTION**
- Fundamental studies of direct contact latent heat energy storage
17 p0051 A78-11306
- Molten salt energy storage system - A feasibility study
19 p0296 A78-33119
- HEAT OF VAPORIZATION**
- Cost-effective energy from humid air
19 p0361 A78-40363
- HEAT PIPES**
- The analysis, design and thermal performance testing of a heat pipe flat plate collector
17 p0042 A78-11214
- An internal cusp reflector for an evacuated tubular heat pipe solar thermal collector
17 p0060 A78-11384
- Heat pipe materials unique requirements for coal gasification processes
17 p0085 A78-16902
- Heat pipes in space and on earth
[AIAA PAPER 78-295] 18 p0178 A78-24005
- Investigation of gas-controlled cryogenic heat pipes
18 p0221 A78-30495
- Cost-effectiveness study of heat pipe heat exchangers
[ASME PAPER 77-WA/HT-5] 19 p0298 A78-33171
- Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes
19 p0308 A78-33573
- International Heat Pipe Conference, 3rd, Palo Alto, Calif., May 22-24, 1978, Technical Papers
19 p0317 A78-35576
- A variable conductance heat pipe for terrestrial applications
[AIAA 78-377] 19 p0317 A78-35578
- Emerging heat pipe applications
[AIAA 78-390] 19 p0317 A78-35585
- Heat pipe mirrors for high power lasers
[AIAA 78-391] 19 p0317 A78-35586
- Sodium vapor heat pipe laser cell
[AIAA 78-392] 19 p0317 A78-35587
- A large scale heat exchanger with polygonally configured heat pipe units
[AIAA 78-393] 19 p0317 A78-35588
- Technical applications of heat pipes
[AIAA 78-396] 19 p0318 A78-35589
- A non-tracking moderately focusing heat pipe solar collector
[AIAA 78-402] 19 p0318 A78-35592
- Augmenting the condenser heat transfer performance of rotating heat pipes
[AIAA 78-409] 19 p0318 A78-35597
- Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation
[AIAA 78-434] 19 p0318 A78-35614
- High temperature heat pipes for terrestrial applications
[AIAA 78-435] 19 p0318 A78-35615
- Heat pipes in space and on earth
[AIAA 78-439] 19 p0318 A78-35619
- A reactive-heat-pipe for combined heat generation and transport
[AIAA 78-440] 19 p0318 A78-35620
- 'T-System' - Proposal of a new concept heat transport system
[AIAA 78-444] 19 p0319 A78-35623
- Application of heat pipes in electronic modules
[AIAA 78-449] 19 p0319 A78-35625
- Direct heat pipe cooling of semiconductor devices
[AIAA 78-450] 19 p0319 A78-35626
- Heat pipe nuclear reactors for space applications
[AIAA 78-454] 19 p0319 A78-35629
- A thermal canister experiment for the Space Shuttle
[AIAA 78-456] 19 p0319 A78-35631
- Heat pipes for sun energy conversion
[AIAA 78-457] 19 p0319 A78-35632
- Heat transfer and thermal control systems; Aerospace Sciences Meeting, 15th, Los Angeles, Calif., January 24-26, 1977 and Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Technical Papers
19 p0336 A78-38054
- Comment on 'Heat-pipe reactors for space power applications'
19 p0364 A78-40626
- Stationary and dynamic behavior of heat pipes
19 p0364 A78-40664
- Design and evaluation of an inexpensive heat pipe
19 p0374 A78-42145
- Design of a heat pipe with separate ducts for vapor and fluid
19 p0383 A78-42638
- Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment
[AD-A042389] 17 p0112 N78-10563
- Parametric performance of a spiral-artery, liquid-trap-diode heat pipe
[NASA-TN-78448] 17 p0134 N78-13368
- Lifetimes of the telecommunications satellite heat pipes
[ESA-CR(P)-997] 17 p0135 N78-13398
- Heat pipe reactors for space power applications
[LA-UR-77-296] 17 p0153 N78-14653
- Heat pipe development
[NASA-CR-156669] 18 p0238 N78-16327
- Two-phase working fluids for the temperature range 50 to 350 C
[NASA-CR-135255] 18 p0238 N78-16329

SUBJECT INDEX

HEAT SOURCES

Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] 18 p0248 N78-17336

Heat pipes and their use in technology
[NASA-TM-75148] 18 p0254 N78-18357

High temperature heat pipe research at NASA Lewis
Research Center
[NASA-TM-78832] 19 p0393 N78-23384

Reactor technology --- including heat pipe
specifications
[LA-6931-PR] 19 p0400 N78-23899

Heat pipes, volume 2. Citations from the
engineering index data base
[NTIS/PS-78/0303] 19 p0417 N78-25382

Heat pipes, volume 3. Citations from the
engineering index data base
[NTIS/PS-78/0304] 19 p0417 N78-25383

Heat pipes, volume 3. Citations from the NTIS
data base
[NTIS/PS-78/0302] 19 p0417 N78-25384

Stirling engine heater tube failures
[GHR-2690-SECT-3.101] 19 p0438 N78-26285

Stirling engine heater tube failure
[GHR-2690-SECT-3.102] 19 p0438 N78-26286

Evaluation of stresses in tubes with external heat
flux and internal pressurization
[GHR-2690-SECT-3.204] 19 p0439 N78-26294

Performance of a thermionic converter module
utilizing emitter and collector heat pipes
[NASA-TM-78941] 19 p0454 N78-27174

HEAT PUMPS

The heat pump in relation to solar energy
17 p0004 A78-10618

Comparative residential energy consumption and
fuel costs with various types of systems - oil-,
gas-, electric-furnaces and heat pumps
17 p0033 A78-11118

Evaluation of an energy conserving research house
involving multi-modal operation of solar and
heat pump systems
17 p0046 A78-11244

Heat pump application in houses
17 p0068 A78-13452

Air source heat pumps
17 p0068 A78-13453

Solar energy economizes on heat pump current ---
in house heating system
17 p0071 A78-14091

The first 'solar hotel' in Germany
17 p0072 A78-14096

The Tritherm House of Bosch-Junkers in Wernau ---
solar heating for private homes
17 p0072 A78-14097

The sun satisfies two thirds of the heat
requirements
17 p0072 A78-14098

A prefabricated-house series with solar technology
17 p0072 A78-14099

Tritherm heating --- synthesis of solar, heat pump
and fossil fuel heating
17 p0074 A78-14421

Solar energy and economic considerations
17 p0078 A78-15407

Solar absorption system for space cooling and
heating
17 p0078 A78-15409

Ground as a heat source --- for house heating
17 p0097 A78-18816

Unconventional types of power-heat coupling
17 p0102 A78-19246

The use of heat pumps in reducing fuel consumption
for nonsolar climate control of buildings
18 p0174 A78-22842

A short summary of present applications and hopes
for the development of heat pumps in France
18 p0197 A78-27789

Integration of heat pumps into solar-heating systems
18 p0213 A78-28592

Energy savings through combining of operation of
heat pump and air conditioning systems
18 p0232 A78-32115

Operational dynamics of coupled flat plate solar
collector and adsorption cycle heat pump system
with energy storage
19 p0295 A78-33037

A comparison of some alternative domestic energy
systems --- solar, heat pump and conventional
space and water heating
19 p0316 A78-35361

Study of liquid-metal heat pipes characteristics
at start-up and operation under gravitation
[AIAA 78-434] 19 p0318 A78-35614

Use of heat pumps with solar collectors for
domestic space heating in the United Kingdom
19 p0341 A78-38571

Performance potential of the energy separator
without mechanical energy recovery
[PB-269721/7] 17 p0116 N78-10601

Investigation of an ejector heat pump
17 p0124 N78-12361

Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Volume 3: Appendices B, C, D
[EPRI-EM-319-VOL-3-APP-B] 17 p0139 N78-13565

Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Final report, volume 1
[EPRI-EM-319-VOL-1] 17 p0139 N78-13567

Survey of research and development activities in
the Netherlands on heat pumps for residential
heating
[CTI-76-09497] 17 p0156 N78-14684

HYC50S: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334

Evaluation of a large capacity heat pump concept
for active cooling of hypersonic aircraft
structure
[NASA-CR-145301] 18 p0248 N78-17339

Liquid flat plate collector and pump for solar
heating and cooling systems: A collection of
quarterly reports
[NASA-CR-150599] 18 p0275 N78-20614

Preliminary design package for solar collector and
solar pump
[NASA-CR-150630] 19 p0389 N78-22472

Design study of an experiment cooling system with
liquid/air heat exchanger for Spacelab payloads
(ECLA) --- control system for fluid loop with
heat pump
[P+W-FO-1378] 19 p0404 N78-24511

Waste heat utilization in industrial processes
[NASA-TM-75210] 19 p0413 N78-25012

Performance evaluation of a Stirling cycle heat pump
[GHR-2690-SECT-7.110] 19 p0441 N78-26336

Methodology for predicting the demand for new
electricity using goods
[EPRI-EA-593] 19 p0445 N78-26570

Analysis of the impact of heat pump technology on
the Irish energy system to the year 2000.
Energy case study series: no. 2
[CONF-770956-2] 19 p0448 N78-26599

Solar energy and the heat pump in a northern climate
[EPRI-EA-407] 19 p0462 N78-27583

HEAT RADIATORS

Air source heat pumps
17 p0068 A78-13453

The Tritherm House of Bosch-Junkers in Wernau ---
solar heating for private homes
17 p0072 A78-14097

High temperature heat pipes for terrestrial
applications
[AIAA 78-435] 19 p0318 A78-35615

Conceptual design of a heat pipe radiator
[LA-6939-MS] 18 p0273 N78-20471

HEAT RESISTANT ALLOYS

High temperature materials for space power systems
18 p0218 A78-29954

Material selection considerations for fluoride
thermal energy storage containment in a sodium
heat pipe environment
[AD-A042389] 17 p0112 N78-10563

HEAT SHIELDING

Temperature sheaths on probes or electrodes in HED
plasmas
19 p0336 A78-38108

Evaluation of a large capacity heat pump concept
for active cooling of hypersonic aircraft
structure
[NASA-CR-145301] 18 p0248 N78-17339

HEAT SOURCES

Economic energy utilization by means of remote
heating
17 p0093 A78-18025

Nitric acid cycle process for extracting thermal
energy from low-level heat sources --- for Ocean
Thermal Energy Conversion
19 p0315 A78-35171

- Union Oil gets up steam for geothermal energy --- steam and hot water from the earth's crust
19 p0383 A78-42773
- Heat source component development program
[BHI-X-679] 17 p0141 A78-13580
- European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France)
[CONS/2103-1] 18 p0245 A78-16932
- Potential for cogeneration of heat and electricity in California industry, phase 1
[NASA-CR-157168] 19 p0419 A78-25536
- Mechanical engineering department
[UCRL-50016-77-3] 19 p0431 A78-25645
- General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program --- plutonium oxide radioisotopic power systems
[LA-7184-PB] 19 p0467 A78-27898
- HEAT STORAGE**
- Solar water heating - Some economic and commercial aspects
17 p0005 A78-10620
- Economic considerations in the energy supply of autarkic dwellings
17 p0005 A78-10621
- The prospect for geothermal power
17 p0010 A78-10740
- Storage of off-peak thermal energy in oil
17 p0029 A78-11078
- The design of passive solar heating systems
17 p0030 A78-11094
- A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity
17 p0047 A78-11262
- A hybrid passive/active solar house
17 p0047 A78-11269
- Thermal mass and heatwalls in two new buildings --- for solar energy storage
17 p0048 A78-11276
- Shenandoah Solar Recreational Center - An overview
17 p0049 A78-11281
- Efficiency of paraffin wax as a thermal energy storage system
17 p0049 A78-11295
- Optimization of an annual storage solar heating system over its life cycle
17 p0050 A78-11296
- Gravel-filled trenches in earth for annual thermal energy storage
17 p0050 A78-11297
- Modeling underground storage in aquifers of hot water from solar power systems
17 p0050 A78-11298
- ROCKBED - A computer program for thermal storage
17 p0050 A78-11304
- A numerical simulation of heat transfer in rock beds
17 p0050 A78-11305
- Rock properties for thermal energy storage systems in the 0 to 500 C range
17 p0051 A78-11308
- Large-scale thermal energy storage using sodium hydroxide /NaOH/
17 p0051 A78-11309
- Dual-medium thermal storage system for solar thermal power plants
17 p0051 A78-11310
- A feasibility study of a combined wind-solar system for space and domestic hot water heating
17 p0052 A78-11319
- A heating oil tank as a solar energy reservoir
17 p0072 A78-14105
- Properties of some salt hydrates for latent heat storage
17 p0075 A78-14691
- Seasonal solar collector performance with maximum storage
17 p0078 A78-15410
- Solar energy: Fundamentals in building design --- Book
17 p0081 A78-16275
- Underground longterm storage of solar energy - An overview
17 p0083 A78-16827
- Lightweight thermal storage for solar heated buildings
17 p0083 A78-16832
- Proposal for the production and seasonal storage of hot water to heat a city
17 p0083 A78-16833
- Optimal proportioning of an insulated earth cylinder for storage of solar heat
17 p0084 A78-16836
- A method of testing for rating thermal storage devices based on thermal performance
17 p0084 A78-16838
- Heat transfer in solar energy storage --- using unprepared earth as storage medium
[ASME PAPER 77-HT-38] 17 p0089 A78-17487
- The University of Louisville Dual Solar Energy Research Center
17 p0091 A78-17551
- Ground as a heat source --- for house heating
17 p0097 A78-18816
- Inexpensive solar collectors for agricultural requirements
17 p0105 A78-19837
- A sheet-metal roof as a solar absorber
18 p0179 A78-24344
- Solar pond
18 p0200 A78-27860
- Storage of solar energy
18 p0201 A78-27865
- Comparisons of deep well and insulated shallow earth storage of solar heat
18 p0205 A78-28164
- Water-storage in a solar-heating system - Cost effectiveness, realization and requirements
18 p0213 A78-28590
- Direct utilization of solar energy with the aid of low-temperature heating
18 p0213 A78-28591
- Calculation of the drag of a cylindrical pebble-type heat retainer --- for solar energy accumulation
18 p0215 A78-28899
- Demand sensitive energy storage in molten salts
18 p0220 A78-30264
- Application of chemical engineering to large scale solar energy
18 p0220 A78-30265
- Photon energy storage in organic materials - The case of linked anthracenes
18 p0220 A78-30267
- Transient conduction in the space surrounding a ring of holes --- solar energy earth storage
[ASME PAPER 77-WA/HT-12] 19 p0299 A78-33175
- A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters
19 p0303 A78-33324
- A parametric study of hot water storage for peak power generation
19 p0309 A78-34076
- High temperature thermal energy storage, including a discussion of TES integrated into power plants --- Book
19 p0311 A78-34468
- A pressurized-liquid concept for solar-thermal energy storage
19 p0364 A78-40819
- Some data collected by experiments to be utilized for solar energy application
19 p0370 A78-42107
- Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment
[AD-A042389] 17 p0112 A78-10563
- Boiling heat transfer in a bench-scale molten-salt thermal energy storage device
[ORNL/TR-5689] 17 p0114 A78-10586
- Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power
[ORNL/TR-5821] 17 p0115 A78-10588
- Parametric study of rock pile thermal storage for solar heating and cooling phase 1
[NASA-CR-155336] 17 p0138 A78-13552
- Use of aerial thermography in Canadian energy conservation programs
17 p0149 A78-14566

SUBJECT INDEX

HEAT TRANSFER COEFFICIENTS

- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135244] 17 p0150 N78-14632
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135245] 17 p0150 N78-14633
- Central receiver solar thermal power system, phase 1
[SAN/1110-76/3] 17 p0161 N78-15583
- Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 2: Phase change TES sizing computer program
[EPRI-EM-256-VOL-2] 17 p0162 N78-15586
- Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 3: Thermochemical TES sizing computer program
[EPRI-EM-256-VOL-3] 17 p0162 N78-15587
- Technical and economic assessment of phase change and thermochemical advanced thermal energy storage (TES) systems. Volume 4: Solar Power Plant Operation, analysis computer program
[EPRI-EM-256-VOL-4] 18 p0242 N78-16462
- Heat pipes and their use in technology
[NASA-TM-75148] 18 p0254 N78-18357
- Solar energy storage subsystem utilizing latent heat of phase change
18 p0255 N78-18513
- Thermal energy storage
[NASA-CR-150563] 18 p0255 N78-18520
- Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 N78-24618
- Design method for heat loss calculation for in-ground heat storage tanks
[COO-2939-3] 19 p0441 N78-26402
- Subsurface waste-heat storage: Experimental study
[ORO-5003-1] 19 p0459 N78-27554
- HEAT TRANSFER**
- Heat losses from solar energy absorbers enclosed in glass tubes
17 p0044 A78-11234
- Heat-transfer allowing for ion slip in an MHD channel
17 p0063 A78-12346
- Interaction between collector and consumer --- storage and use of solar energy
17 p0071 A78-14095
- Operational limitations of direct contact boilers for geothermal applications
[ASME PAPER 77-HT-5] 17 p0089 A78-17480
- Heat transfer in solar energy storage --- using unprepared earth as storage medium
[ASME PAPER 77-HT-38] 17 p0089 A78-17487
- Heat transfer problem associated with an MHD power generation system - An overview
[ASME PAPER 77-HT-62] 17 p0090 A78-17494
- Effects of wall electrical conductance and induced magnetic field on MHD channel heat transfer with developing thermal and velocity fields
[ASME PAPER 77-HT-63] 17 p0090 A78-17495
- Advances in liquid fluidized-bed heat exchanger development --- using geothermal water
[ASME PAPER 77-HT-66] 17 p0090 A78-17498
- Economical photovoltaic power generation with heat recovery
17 p0091 A78-17552
- Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity
18 p0172 A78-22537
- Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water
18 p0172 A78-22543
- Heat transfer for solar energy utilization
18 p0200 A78-27855
- Air as a heat-transfer fluid --- for solar houses
18 p0213 A78-28589
- Heat exchange in an MHD channel with allowance for the ion slippage
19 p0291 A78-32570
- Heat transfer in solar energy systems: Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977
19 p0294 A78-33026
- Heat transfer analysis of a system for annual collection and storage of solar energy
19 p0296 A78-33038
- Heat transfer effects in compressed air energy storage
19 p0296 A78-33120
- Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods
19 p0313 A78-34603
- Natural convection in groove-like geometries - The overall heat transfer coefficient --- in solar collectors
[AIAA PAPER 78-896] 19 p0323 A78-36016
- Heat transfer and thermal control systems; Aerospace Sciences Meeting, 15th, Los Angeles, Calif., January 24-26, 1977 and Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Technical Papers
19 p0336 A78-38054
- Cryostabilization of large superconducting magnets using pool boiled helium II
19 p0350 A78-39896
- Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system
19 p0350 A78-39897
- Stationary and dynamic behavior of heat pipes
19 p0364 A78-40864
- Solar energy operated oscillating heat engine
19 p0376 A78-42162
- Design of a heat pipe with separate ducts for vapor and fluid
19 p0383 A78-42638
- Fluids serving as heat transfer agents in solar energy conversion
19 p0384 A78-42897
- Heat extraction from hot, dry rock masses
[PB-271411/1] 17 p0139 N78-13560
- Enhanced single-phase heat transfer for ocean thermal energy conversion systems
[ORNL/SUB-77/14216/1] 17 p0153 N78-14657
- Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] 18 p0248 N78-17336
- Indoor test for thermal performance evaluation of Lenox-Honeywell solar collector --- conducted using Marshall Space Flight Center Solar Simulator
[NASA-CR-150510] 18 p0250 N78-17481
- Solar energy storage subsystem utilizing latent heat of phase change
18 p0255 N78-18513
- Solar energy for process heat: Design/cost studies of four industrial retrofit applications
[NASA-CR-156139] 18 p0276 N78-20619
- Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639
- Solar heat transport fluid
[NASA-CR-150612] 18 p0283 N78-21592
- ERDA Geothermal Component Test Facility (GCTF), East Mesa, Imperial Valley, California. Test operations management plan
[TID-28010] 19 p0397 N78-23577
- Study of heat transfer through refractory lined gasifier vessel walls
[FE-2210-20] 19 p0417 N78-25376
- Heat pipes, volume 3. Citations from the NTIS data base
[NTIS/PS-78/0302] 19 p0417 N78-25384
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes
[ORNL-5356] 19 p0429 N78-25623
- CPC thermal collector test plan
[CONF-770953-6] 19 p0429 N78-25628
- Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials
[GHR-2690-SECT-6.006] 19 p0440 N78-26324
- Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies
[GHR-2690-SECT-7.104] 19 p0440 N78-26330
- Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers
[SAND-77-8300] 19 p0444 N78-26563
- Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes
[EPRI-ER-635-VOL-2] 19 p0462 N78-27578
- HEAT TRANSFER COEFFICIENTS**
- Natural convection characteristics of flat plate collectors
17 p0044 A78-11235

HEAT TRANSMISSION

SUBJECT INDEX

- Solar and wind induced external coefficients -
Solar collectors 18 p0165 A78-20625
- Natural convection characteristics of flat plate
collectors 19 p0294 A78-33028
- Comments on sea water side enhancement for OTEC
heat exchangers 19 p0304 A78-33338
- Boiling heat transfer in a bench-scale molten-salt
thermal energy storage device [ORNL/TM-5689] 17 p0114 N78-10586
- HEAT TRANSMISSION**
- Geothermal energy - Heat extraction from hot dry
rock masses [ASME PAPER 77-PET-41] 17 p0076 A78-15080
- The construction of long-distance thermal-energy
supply systems in Mannheim within the framework
of a demonstration project 17 p0102 A78-19245
- Utilization of exhaust-gas heat from gas turbine
power plants 17 p0103 A78-19525
- A reactive-heat-pipe for combined heat generation
and transport [AIAA 78-440] 19 p0318 A78-35620
- 'T-System' - Proposal of a new concept heat
transport system [AIAA 78-444] 19 p0319 A78-35623
- Alternative forms of energy transmission from OTEC
plants [CONF-770331-5] 18 p0241 N78-16453
- Heat flow in a geothermally active area: The
Geysers, California 18 p0261 N78-18602
- HCMM energy budget data as a model input for
assessing regions of high potential groundwater
pollution [E78-10111] 18 p0282 N78-21516
- HEAT TREATMENT**
- Thermal processing of biomass materials --- overview
17 p0033 A78-11117
- Effect of heat treatment on optical properties of
collectors for solar energy installations 18 p0215 A78-28896
- HEATERS**
- Testing of flat-plate air heaters according to
ASHRAE Standard 93-77 17 p0042 A78-11220
- Flat plate air-heater improvements 17 p0043 A78-11221
- Analysis of a new concept for a high temperature
direct coal-fired falling particle air
pre-heater for MHD power generation [ASME PAPER 77-BT-60] 17 p0089 A78-17492
- Particulate deposition in direct fired MHD air
preheaters [ASME PAPER 77-HT-65] 17 p0090 A78-17497
- Thermal optimization of compact solar water heaters
18 p0206 A78-28172
- Thermal energy storage--Stirling engine power
plants 2. Calculated energy transfer rates from
solidifying lithium fluoride to a plain-tube
heater [GMR-2690-SECT-7.108] 19 p0440 N78-26334
- HEATING**
- Input-output models support corrections of
previous principles for the estimation of energy
economy and development strategies in directed
systems 18 p0177 A78-23940
- Heating costs and rentability - Projection of
growth of demand in the housing market 18 p0214 A78-28597
- Solar and wind home heating and domestic hot water
systems: Energy and economics study 17 p0111 N78-10555
- State-of-the-art of functional use data measuring
energy consumption in the commercial sector
[PB-269906/4] 17 p0115 N78-10592
- Performance potential of the energy separator
without mechanical energy recovery [PB-269721/7] 17 p0116 N78-10601
- Solar energy commercialization at the state level:
The Florida solar energy water heater program
[PB-270158/9] 17 p0128 N78-12551
- GEOCITY: A computer code for calculating costs of
district heating using geothermal resources
[BNWL-2208] 17 p0151 N78-14644
- Prospects for the utilization of waste heat in
large scale district heating systems [ENI-22559] 17 p0152 N78-14651
- Combined heat and power: A discussion of Energy
Paper 20 [ERG-018] 18 p0284 N78-21608
- Grid-connected integrated community energy system,
executive summary, phase 1 [COO-4210-1-SUMH] 18 p0286 N78-21638
- Solar space heating systems using annual heat
storage [COO-2939] 18 p0287 N78-21645
- Annual cycle energy system concept and application
[CONF-770870-1] 18 p0288 N78-21647
- Geothermal energy potential for district and
process heating applications in the US: An
economic analysis [BNWL-2311] 18 p0288 N78-21649
- Central heating: Package boilers [ANL/CES/TE-77-6] 19 p0422 N78-25564
- Evaluation of devolatilization concept [EPRI-AP-608] 19 p0430 N78-25639
- HEATING EQUIPMENT**
- Utilization of waste heat from electric power
generation 17 p0031 A78-11095
- Solar energy utilization and resource recovery
application in space heating 17 p0031 A78-11104
- A solar energy system for domestic hot water
17 p0032 A78-11106
- Refuse incineration with heat recovery - Typical
design and practical experience 17 p0037 A78-11147
- Performance tests of a solar energy collector used
to heat air 17 p0043 A78-11224
- Experimental investigation and computer modeling
of a solar natural circulation system 17 p0044 A78-11236
- Analytical and experimental study of thermosyphon
solar water heaters 17 p0045 A78-11237
- Prediction of the monthly and annual performance
of solar heating systems 17 p0047 A78-11255
- Monitoring and evaluation of solar heating in
northern New England 17 p0049 A78-11282
- An evaluation of residential heating methods in
terms of energy conservation, environmental
impact and life-cycle economics 17 p0057 A78-11357
- Principles of nuclear district heating 17 p0066 A78-13150
- A procedure for comparing the economy of different
electrical space heating systems 17 p0068 A78-13451
- Heat pump application in houses 17 p0068 A78-13452
- Air source heat pumps 17 p0068 A78-13453
- The BBC solar house - Design and operating
experience 17 p0068 A78-13454
- Solar energy installations in Germany 17 p0068 A78-13455
- A heating oil tank as a solar energy reservoir 17 p0072 A78-14105
- Trithem heating --- synthesis of solar, heat pump
and fossil fuel heating 17 p0074 A78-14421
- Application of airborne infrared technology to
monitor building heat loss 17 p0075 A78-14853
- Non-electrical uses of geothermal energy 17 p0082 A78-16635
- The block heating power station - Characteristics
and first experience 17 p0103 A78-19247
- A performance-optimised wind energy conversion
system for space heating 18 p0171 A78-22251
- Solar air heaters and their applications 18 p0200 A78-27858
- Solar-array installations operating in Germany
18 p0212 A78-28579

SUBJECT INDEX

HELIOSTATS

Integration of solar-energy designs with existing heating systems 18 p0213 A78-28586

Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590

Integration of heat pumps into solar-heating systems 18 p0213 A78-28592

Technical safety questions concerning solar energy installations 18 p0214 A78-28593

Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596

Monitoring solar space heat 18 p0214 A78-28800

Simple solar technology for applications in rural areas 18 p0221 A78-30321

The use of fluidized beds for heating air for wind tunnels [AIAA 78-818] 18 p0234 A78-32372

A study of solar water heating for existing homes in Southern New England 19 p0295 A78-33034

Economic feasibility of solar heating systems in the northeastern United States 19 p0295 A78-33035

On the study of applications of solar thermal energy for mobile home park and community 19 p0296 A78-33040

Temperature operating conditions of the energy storage device of a solar heating system 19 p0319 A78-35646

Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ --- German book 19 p0328 A78-36650

Design and evaluation of an inexpensive heat pipe 19 p0374 A78-42145

Performance study of spray-type solar water heater 19 p0374 A78-42147

Testing of five solar cookers Jodhpur 19 p0376 A78-42166

Emissions and energy conservation in residential oil heating 19 p0384 A78-42902

Heat pipe central solar receiver [COO-2839-1] 17 p0114 A78-10579

Investigation of methods to improve heat pump performance and reliability in a northern climate. Final report, volume 1 [EPRI-EH-319-VOL-1] 17 p0139 A78-13567

An analysis of alternative residential heating systems in terms of three criteria: Energy conservation, environmental impact and life-cycle economics 18 p0239 A78-16423

SIMS prototype system 1: Design data brochure --- solar heating system [NASA-CR-150534] 18 p0250 A78-17484

Installation package - SIMS prototype system 1A [NASA-CR-150524] 18 p0255 A78-18523

Design data brochure: SIMS prototype system 2 [NASA-CR-150558] 18 p0268 A78-19649

Prototype solar heating and hot water system [NASA-CR-150575] 18 p0268 A78-19653

Installation package maxi-therm S-101 heating module [NASA-CR-150512] 18 p0274 A78-20602

System design package for SIMS prototype system 2, solar hot water [NASA-CR-150521] 19 p0388 A78-22465

Prototype solar heating and combined heating and cooling systems [NASA-CR-150693] 19 p0420 A78-25542

Solar energy in high-rise buildings [DSE/1963-1] 19 p0431 A78-25641

Total energy systems for buildings. Citations from the engineering index data base [NTIS/PS-78/0306] 19 p0432 A78-25657

Total energy systems for buildings. Citations from the NTIS data base [NTIS/PS-78/0305] 19 p0433 A78-25658

Support testing and design study evaluation of regenerative air heaters [FE-2254-5] 19 p0441 A78-26398

Design method for heat loss calculation for in-ground heat storage tanks [COO-2939-3] 19 p0441 A78-26402

Helium heaters of the helium turbine unit of the Oberhausen energy supply [DOE-TR-35] 19 p0455 A78-27440

Closed gas turbine heater program [TID-28200] 19 p0455 A78-27441

Dynamic models of house heating based on equivalent thermal parameters 19 p0456 A78-27517

Stirling total energy systems study [HCP/T2947-1] 19 p0461 A78-27570

HEAVY ELEMENTS

Heavy metal interactions with natural organics in aquatic environments 18 p0244 A78-16479

HEAVY WATER

Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 A78-15564

HELICAL WINDINGS

Kine-Pak: A self-contained, electrical power generator system --- using a helical spring to rotate a rotor and generate electric current [NASA-CASE-LAR-11551-1] 19 p0389 A78-22468

HELICOPTER DESIGN

Helicopters and energy savings 17 p0076 A78-15020

HELICOPTER ENGINES

Research needs for U.S. Army aircraft propulsion [AIAA PAP-78-45] 18 p0172 A78-22558

HELICOPTER PERFORMANCE

Some aspects of offshore operations in the Netherlands 18 p0262 A78-19135

HELICOPTERS

Some aspects of offshore operations in the Netherlands 18 p0262 A78-19135

Helicopters and energy savings [AIAA-PT-77-25] 19 p0401 A78-24128

HELIOS SATELLITES

Improved Helios cell output --- solar generator power efficiency 17 p0019 A78-10995

HELIOSTATS

Results of experiments with heliostats for central receiver power plants 17 p0053 A78-11326

Subsystem research experiments on a central receiver collector --- for solar thermal power plant 17 p0053 A78-11327

An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328

A cellwise method for the optimization of large central receiver systems --- solar collectors 17 p0053 A78-11330

The linear Fresnel lens - Solar optical analysis of tracking error effects 17 p0059 A78-11375

Structure of a beam reflected by a heliostat 18 p0214 A78-28888

Automating the control of the optical system of a tower-type solar power station --- heliostat servocontrol 18 p0215 A78-28891

Solar thermal test facility 18 p0216 A78-29227

Steering a field of mirrors using a shared computer-based controller --- for solar array and heliostat application 19 p0312 A78-34516

A cellwise method for the optimization of large central receiver systems 19 p0314 A78-34937

A 400 kW high temperature solar test facility 19 p0384 A78-42894

Parameter study for a central-receiver power station [SAND-77-0667C] 17 p0154 A78-14664

- Central receiver solar thermal power system.
Phase 1, CRDL Item 2: Pilot plant preliminary design report. Volume 3, book 2: Collector subsystem
[SAN/1108-8/3] 19 p0398 N78-23587
- Modal analysis of the first production design heliostat used at the Solar Thermal Test Facility (STTP)
[SAND-77-1393] 19 p0410 N78-24686
- Central receiver solar thermal power system pilot plant preliminary design report. Volume 3: Collector subsystem
[SAN/1111-8/2] 19 p0422 N78-25565
- HELIUM**
Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen
[GHE-2690-SFCT-1.206] 19 p0428 N78-26256
- Helium heaters of the helium turbine unit of the Oberhausen energy supply
[DOE-TR-35] 19 p0455 N78-27440
- HELIUM PLASMA**
Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K 19 p0359 A78-40112
- HELIUM-NEON LASERS**
Response of a solar cell partially illuminated by a nonuniform light source 18 p0192 A78-26614
- HETEROJUNCTION DEVICES**
Photoelectric and electric properties of nSiC-nCds heterojunctions 19 p0330 A78-36855
- Thin film Cds-CuI heterojunction photocells 19 p0333 A78-37260
- SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device 19 p0338 A78-38550
- Comparative radiation resistance calculation for graded- and constant-composition n Al/x/Ga/1-x/As-p Al/z/Ga/1-z/As solar cells 19 p0338 A78-38551
- Photocells based on AlGaAs heterostructure with a transition layer 19 p0341 A78-38941
- n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- Low-resistivity ZnCdS films for use as windows in heterojunction solar cells 19 p0369 A78-41913
- Evaporated Cds film based heterojunction solar cells 19 p0372 A78-42122
- HEURISTIC METHODS**
Finite Larmor radius equations in an arbitrary near-theta pinch geometry 19 p0582 A78-42491
- HEXAGONS**
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] 19 p0456 N78-27515
- HIGH ACCELERATION**
Acceleration of one ampere negative ion beams to energies up to 120 keV 19 p0348 A78-39832
- HIGH ASPECT RATIO**
Classical diffusion in large-aspect toroidal plasmas 19 p0382 A78-42482
- HIGH CURRENT**
Direct conversion of CO₂ laser energy to high-voltage electrical energy using a laser-produced plasma 17 p0078 A78-15788
- Numerical methods for studying compressed magnetic field generators 17 p0102 A78-18908
- Optimization of the current profile in HED generators 19 p0364 A78-40834
- High-voltage high-current breaker and closer for power systems with inductive storage devices
[UCRL-TRANS-11310] 19 p0454 N78-27344
- HIGH ENERGY ELECTRONS**
Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma 19 p0310 A78-34237
- Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- HIGH ENERGY FUELS**
Shock-tube combustion of high density hydrocarbon fuels 18 p0222 A78-30512
- HIGH ENERGY INTERACTIONS**
Fusion energy applied to synthetic fuel production: A report to the DOE Division of Magnetic Fusion Energy based on a preliminary study by an ad-hoc advisory group
[CONF-770593] 19 p0393 N78-23251
- HIGH FIELD MAGNETS**
TPT Toroidal Field coil design --- Tokamak Fusion Test Reactor 19 p0345 A78-39785
- Computational model for superconducting toroidal-field magnets for a tokamak reactor 19 p0350 A78-39905
- Fast ramp superconductor for ohmic heating coils --- of Tokamak Next Step reactor 19 p0356 A78-40009
- Superconducting energy storage coils 19 p0356 A78-40010
- First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245
- HIGH PRESSURE**
Mathematical model for the gasification of coal under pressure 18 p0184 A78-25323
- Catalytic gasification of coal with high-pressure steam 18 p0227 A78-31497
- A novel dry coal feeding concept for high-pressure gasifiers 17 p0132 N78-13257
- High pressure rotary piston coal feeder 17 p0133 N78-13261
- The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 N78-13269
- High pressure rotary piston coal feeder
[MERC/SP-77/6] 19 p0417 N78-25443
- HIGH TEMPERATURE**
Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction 18 p0190 A78-26580
- What's new in high temperature sulfur removal systems for fluidized-bed coal gasification 18 p0233 A78-32217
- Combined cycles for operation on coal derived fuels with high temperature combustion turbines
[ASME PAPER 77-WA/ENER-14] 19 p0298 A78-33152
- Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures 19 p0317 A78-35560
- High temperature heat pipes for terrestrial applications
[AIAA 78-435] 19 p0318 A78-35615
- Thermal optical surface properties and high-temperature solar energy conversion
[AIAA PAPER 78-903] 19 p0324 A78-36021
- Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power
[ORNL/TN-5821] 17 p0115 N78-10588
- High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246
- High temperature turbine technology program.
Phase 1: Program and system definition.
Topical Report: Overall plant design description, low Btu combined cycle electric power plant
[FE-2290-18] 17 p0148 N78-14419
- High temperature turbine technology program.
Phase 1: Program and system definition.
Topical Report: Overall plant design description liquid fuel combined cycle electric power plant
[FE-2290-19] 17 p0149 N78-14420
- High temperature turbine technology program.
Phase 1: Program and system definition. Topical report: Phase 3, preliminary turbine subsystem technology readiness verification program plan
[FE-2290-21] 17 p0149 N78-14421

SUBJECT INDEX

HOT SURFACES

Coal gasification valves, phase 2
[FE-2355-2-REV-D] 19 pC394 N78-23441

High temperature turbine technology program. Phase 1: Combined cycle electric power plant with coal derived low Btu gas or coal-liquid fuel, book 2
[FE-2291-18-BK-2] 19 p0417 N78-25442

Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride
[GMP-2690-SECT-7.109] 19 p0440 N78-26335

HIGH TEMPERATURE AIR
Analysis of a new concept for a high temperature direct coal-fired falling particle air pre-heater for MHD power generation
[ASME PAPER 77-HT-60] 17 p0089 A78-17492

MSFC hot air collectors. Phase 1: Test report
[NASA-CR-150495] 18 p0249 N78-17471

Thermal performance of MSFC hot air collectors under natural and simulated conditions
[NASA-CR-150506] 18 p0256 N78-18525

Indoor test for thermal performance evaluation of the Solaron (air) solar collector
[NASA-CR-150572] 18 p0268 N78-19652

Design data brochure: Solar hot air heater
[NASA-CR-150697] 19 p0421 N78-25548

HIGH TEMPERATURE ENVIRONMENTS
Silicon solar cell development for concentrated-sunlight, high-temperature applications
17 p0022 A78-11020

HIGH TEMPERATURE GAS COOLED REACTORS
The Gas Turbine HTR plant with a binary cycle
17 p0029 A78-11083

HIGH TEMPERATURE GASES
A low-risk approach to the high-temperature turbine
[ASME PAPER 77-WA/ENR-10] 19 p0298 A78-33148

The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles
[ASME PAPER 77-WA/ENR-12] 19 p0298 A78-33150

High Temperature Turbine Technology Program. Phase 1: Program and system definition. Topical report: Low FTU gas combustor technology development plan
[FE-2290-26] 18 p0282 N78-21480

Analysis of a high-temperature coal combustor according to a one-dimensional flow model
[AHL/MHD-77-2] 19 p0422 N78-25568

HIGH TEMPERATURE NUCLEAR REACTORS
Uses of nuclear heat at high temperatures for energy conversion processes
17 p0101 A78-18852

Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474

Electrofluid gasification of coal with nuclear energy
19 p0338 A78-38407

High-temperature, high-power-density thermionic energy conversion for space
[NASA-TN-73844] 17 p0147 N78-13890

HIGH TEMPERATURE PLASMAS
Ionization equilibrium and radiative cooling of a high temperature plasma
18 p0227 A78-31423

Plasma engineering problems associated with superthermal fusion products
19 p0358 A78-40081

Protection of walls from hard disruptions in large tokamaks
19 p0379 A78-42214

HIGH TEMPERATURE RESEARCH
Processing the results of experiments on the U-25 unit by means of an information measuring system --- MHD generator
17 p0002 A78-10246

The contemporary state of studies on controlled thermonuclear fusion --- Soviet plasma research
18 p0166 A78-21350

High-temperature materials for MHD generators --- Russian book
19 p0328 A78-36551

Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers
[SAND-77-8300] 19 p0444 N78-26563

HIGH TEMPERATURE TESTS

The design and performance of high temperature turbines in turbofan engines
17 p0093 A78-18023

Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis
17 p0097 A78-18784

Testing and evaluation of MHD materials and substructures
[FE-2246-3-REV-A] 19 p0446 N78-26581

HIGH VACUUM
TFTR vacuum system --- Tokamak Fusion Test Reactor
19 p0325 A78-36046

HIGH VOLTAGES
Development of inductive storage for generation of high voltage pulses
17 p0007 A78-10699

Direct conversion of CO2 laser energy to high-voltage electrical energy using a laser-produced plasma
17 p0078 A78-15788

Sodium vapor heat pipe laser cell
[AIAA 78-392] 19 p0317 A78-35587

Application of homopolar generators for high voltage plasma experiments
19 p0348 A78-39848

Potential damage to dc superconducting magnets due to high frequency electromagnetic waves
19 p0350 A78-39902

The design philosophy and use of high voltage power systems for multimewatt ion beam accelerators
19 p0354 A78-39974

The TFTR neutral beam power system --- Tokamak Fusion Test Reactor
19 p0354 A78-39976

High-voltage high-current breaker and closer for power systems with inductive storage devices
[UCRL-TRANS-11310] 19 p0454 N78-27344

HIGHWAYS
Investigation of the feasibility of a dual mode electric transportation system
[LBL-6301] 17 p0157 N78-14954

Photovoltaic highway applications: Assessment of the near-term market
[NASA-TN-73863] 18 p0252 N78-17935

Estimated highway fuel savings in 1975
18 p0257 N78-18539

HISTORIES
Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 N78-25637

HOLOGRAPHIC INTERFEROMETRY
Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624

HONEYCOMB STRUCTURES
An approximate equation for predicting the solar transmittance of transparent honeycombs --- flat plate collector efficiency
17 p0044 A78-11231

Convective heat transfer effects within honeycomb structures for flat plate solar collectors
18 p0200 A78-27857

Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb
[AIAA PAPER 78-899] 19 p0324 A78-36018

Solar and infrared radiation properties of parallel-plate honeycomb
[AIAA PAPER 78-901] 19 p0324 A78-36019

HORIZONTAL TAIL SURFACES
BOD-1 WTC dynamic analysis
18 p0265 N78-19618

Some alternative dynamic design configurations for large horizontal axis WECs
18 p0266 N78-19634

HORSEPOWER
Weight propagation and equivalent horsepower for alternate-engined cars
[SAE PAPER 780348] 19 p0366 A78-41225

HOT SURFACES
Catalyzed combustion in a flat plate boundary layer. I. - Experimental measurements and comparison with numerical calculations
[LBL-6841] 18 p0230 A78-31953

HOT WEATHER

SUBJECT INDEX

HOT WEATHER

Analysis of solar space cooling systems suitable for tropical climates 19 p0375 A78-42159

HOT WORKING

Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 A78-18517

HOT-WIRE FLOWMETERS

Flow-measurement using solar radiations 19 p0374 A78-42141

HOUSINGS

Solar and wind home heating and domestic hot water systems: Energy and economics study 17 p0111 A78-10555

HUBS

The effect of hub fairings on wind turbine rotor performance 18 p0219 A78-30039

HUMAN FACTORS ENGINEERING

The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908
Industries in space to benefit mankind: A view over the next 30 years [NASA-CR-155203] 17 p0118 A78-10973

HUMAN RESOURCES

Conference proceedings: A critical economic balance: Water, land, energy, people [PB-274089/2] 18 p0253 A78-17944

HUMIDITY

The effect of ambient temperature and humidity on the carbon monoxide emissions of an idling gas turbine 17 p0065 A78-12557

HUNGARY

Translations on eastern Europe: Scientific affairs, no. 566 [JPRS-70283] 17 p0147 A78-13849

HYBRID COMPUTERS

Magdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781

HYBRID PROPULSION

Computer simulation of an advanced hybrid electric-powered vehicle [SAE PAPER 780217] 19 p0307 A78-33378
Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion [SAE PAPER 780295] 19 p0308 A78-33386
Hybrid drive for motor vehicles with a preponderantly intermittent method of operation [NASA-TN-75215] 17 p0124 A78-12418

HYDRATES

Properties of some salt hydrates for latent heat storage 17 p0075 A78-14691

HYDRAULIC EQUIPMENT

Hydraulic container pipelining - A future transportation system to conserve energy 17 p0030 A78-11091
Implanted energy conversion system [PB-272609/9] 18 p0243 A78-16464

HYDRAULIC FLUIDS

LLL gas stimulation program [UCRL-50036-77-3] 19 p0445 A78-26575

HYDRIDES

Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies [BNL-50667] 19 p0409 A78-24676

HYDROCARBON COMBUSTION

Autothermal gasification of liquid hydrocarbons by partial oxidation 17 p0002 A78-10320
Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles 17 p0061 A78-11459
Coal pyrolysis at fire-level heat flux 17 p0079 A78-15835
Fluidized-bed combustion technology - A review 17 p0079 A78-15836
Pollutant measurements in a methanol furnace [WSS/CI PAPER 77-8] 17 p0081 A78-16339
Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones [WSS/CI PAPER 77-6] 17 p0081 A78-16340

Combustion treatment of smoke and odors of industrial origin - Energy recovery 17 p0082 A78-16475

Nitric oxide formation in hydrocarbon-air flames 18 p0199 A78-27834

Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel --- in MHD generators 18 p0204 A78-28120

Formation and growth of thermal NOx in hydrocarbon combustion 18 p0227 A78-31498

Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor 19 p0296 A78-33114

In-situ laser retorting of oil shale [NASA-CASE-LEW-12217-1] 17 p0149 A78-14452

HYDROCARBON FUEL PRODUCTION

The U.S. Navy's Ocean Food and Energy Farm Project 17 p0007 A78-10657
Devonian - Ohio Shale productive potential 17 p0030 A78-11090

Application of special fluidized bed techniques to coal gasification 17 p0031 A78-11096

Biomass as a long range source of hydrocarbons 17 p0034 A78-11122

Methane production from waste 17 p0037 A78-11144

U.S. energy conversion research needs 17 p0069 A78-13624

Energy - Fluid fuels from solids 17 p0069 A78-13625

Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3] 17 p0081 A78-16337

Fuels and energy from renewable resources; Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977 17 p0107 A78-20524

An evaluation of in-situ recovery of tar sands 18 p0189 A78-26250

Liquid fuels from coal; Proceedings of the Symposium, San Francisco, Calif., August 29-September 3, 1976 18 p0189 A78-26576

Biogasification using NaOH treated pig faeces 18 p0194 A78-27550

Possibilities of biomass from the ocean - The Marine Farm Project 18 p0208 A78-28362

A critical analysis of bioconversion with microalgae --- methane production 18 p0208 A78-28364

Fuel gas production from selected biomass via anaerobic fermentation 18 p0208 A78-28366

Multi-stage digestion of municipal solid waste to fuel gas 18 p0218 A78-29868

The production of substitute natural gas by oil gasification 18 p0225 A78-31272

H-Gas process for production of fuel gas from heavy oil 18 p0225 A78-31273

New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data 19 p0337 A78-38404

Residence time measurements in a coal hydrogenation process 19 p0337 A78-38405

Electrofluid gasification of coal with nuclear energy 19 p0338 A78-38407

Engineering development of a short residence time, coal hydrolysis process 19 p0362 A78-40592

Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal 19 p0363 A78-40593

SUBJECT INDEX

HYDROGEN FUELS

Viscosity of coal-derived liquids 19 p0363 A78-40595

Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223

Catalytic hydrosolvation process converts coal to low-sulfur liquid fuel 19 p0368 A78-41817

HYDROCARBON FUELS

Alternative hydrocarbon fuels for aviation 17 p0077 A78-15400

Exergy of gas fuels and their combustion gases 17 p0088 A78-17425

Characteristics of water-emulsion fuels --- combustion of hydrocarbon emulsions 17 p0102 A78-18949

Future aviation turbine fuels [AIAA PAPER 78-268] 18 p0165 A78-20781

Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822

Liquid fuels from coal - From R & D to an industry 18 p0175 A78-23561

The detection of hydrocarbon sheets on the sea 18 p0209 A78-28395

The emission characteristics of liquid-fuel flames 18 p0222 A78-30496

Shock-tube combustion of high density hydrocarbon fuels 18 p0222 A78-30512

Pyrolysis of subbituminous coal in relation to in-situ coal gasification 18 p0229 A78-31750

Compact gas generator for fuel gasification aboard motor vehicles 18 p0236 A78-32509

Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions 19 p0341 A78-38965

Three-region world dynamics of fossil/hydrogen energy systems 18 p0239 A78-16427

Alternative fuels for transportation: Implications of the broad-cut option [UCRL-52313] 18 p0281 A78-21322

An evaluation of the national energy plan [END-77-48] 19 p0396 A78-23566

Characteristics and combustion of future hydrocarbon fuels --- aircraft fuels [NASA-TN-78865] 19 p0403 A78-24370

Optimization of pyrolytic conversion of coal to clean fuel --- computer programs [PB-2253-5] 19 p0427 A78-25609

HYDROCARBONS

Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844

Materials and energy from the sun 17 p0071 A78-14025

Hydrocarbons via photosynthesis 17 p0074 A78-14688

Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides* 18 p0167 A78-22008

Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578

Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons 18 p0193 A78-26818

Hydrocarbon group type determination in jet fuels by high performance liquid chromatography [NASA-TN-73829] 17 p0130 A78-13233

Energy sources of polycyclic aromatic hydrocarbons [CONF-770130-2] 17 p0148 A78-14181

Hydrocarbon pollutants from stationary sources [PB-272784/0] 17 p0163 A78-15605

Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Blend of total hydrocarbon emissions [PB-273219/6] 18 p0244 A78-16483

HYDROCYANIC ACID

Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822

HYDRODYNAMICS

Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537

Synthoil hydrodynamics [COO-0056-4] 18 p0273 A78-20473

HYDROELECTRIC POWER STATIONS

Wind energy - A supplement to hydro-electric energy using the Columbia River Valley as an example 17 p0052 A78-11317

Underground hydroelectric pumped storage - A practical option 17 p0063 A78-12221

Economic load distribution in the hybrid hydrothermal power system 17 p0092 A78-17949

Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam 18 p0222 A78-30571

Problems of electrical energy generation / Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36127

Hydroelectric solar energy conversion 19 p0368 A78-41813

Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418

Digital load control for hydroelectric powerplants [PB-274027/2] 18 p0251 A78-17492

HYDROGEN

Stoichiometric calculations concerning the Fischer-Tropsch synthesis 17 p0077 A78-15101

An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412

Safety in hydrogen transport and storage installations 17 p0101 A78-18856

Production of ammonia using coal as a source of hydrogen [PB-271916/9] 17 p0130 A78-13237

Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen 18 p0247 A78-17166

Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSF-00033/76/II] 19 p0409 A78-24677

Production economics for hydrogen, ammonia and methanol during the 1980-2000 period [BNL-50663] 19 p0415 A78-25243

Proceedings of the DOE Chemical Energy Storage and Hydrogen Energy Systems Contracts Review [NASA-CR-157164] 19 p0419 A78-25532

Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen [GHR-2690-SECT-1.206] 19 p0438 A78-26256

HYDROGEN CHLORIDES

Hydrogen-chlorine energy storage system [BNL-23670] 19 p0460 A78-27558

HYDROGEN ENGINES

Further Stirling engine development work. II 17 p0093 A78-18049

Hydrogen fuel cells and hydrogen engines 17 p0099 A78-18841

Hydrogen cryogenic storage - Liquid for automotive applications and cryoadsorbents for pipeline distribution systems 17 p0100 A78-18844

The storage of hydrogen in the form of metal hydrides - An application to thermal engines 17 p0100 A78-18845

Further studies with a hydrogen engine [SAE PAPER 780233] 19 p0307 A78-33381

HYDROGEN FUELS

Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050

The hydrogen pipeline network in the Rhine-Ruhr area 17 p0099 A78-18837

Storage and distribution of large quantities of hydrogen 17 p0099 A78-18838

- Hydrogen fueled subsonic aircraft - A prospective
17 p0100 A78-18843
- Hydrogen cryogenic storage - Liquid for automotive
applications and cryoadsorbents for pipeline
distribution systems
17 p0100 A78-18844
- The storage of hydrogen in the form of metal
hydrides - An application to thermal engines
17 p0100 A78-18845
- Safety problems in the use of liquid hydrogen
17 p0102 A78-18858
- Liquid hydrogen as energy source - Economic
considerations through a comparison with
imported liquefied natural gas
17 p0107 A78-20516
- Some problems in the operational analysis of a
hydrogen-fueled gas turbine
18 p0186 A78-25637
- Some characteristics of oil consumption measured
by hydrogen fueled engine
[ASLE PEREENT 77-LC-5E-1]
18 p0209 A78-28434
- The utilization of LaNi5 as a hydrogen-storage
medium for heat engines
18 p0233 A78-32193
- Hydrogen as an energy carrier: Production,
storage, transport --- German book
19 p0315 A78-35179
- Hydrogen fuel and its application to vehicular
systems
19 p0327 A78-36445
- Performance and NO_x emissions of spark ignited
combustion engines using alternative fuels -
Quasi one-dimensional modeling. I - Hydrogen
fueled engines
19 p0333 A78-37299
- Air terminals and liquid hydrogen commercial air
transports
19 p0383 A78-42860
- Hydrogen turbine power conversion system assessment
[NASA-CR-135298]
18 p0276 A78-20621
- Evaluation of the use of hydrogen as a supplement
to natural gas
[TID-27747]
18 p0281 A78-21323
- Exploratory studies of high-efficiency advance
fuel fusion reactors
[EPRI-ER-581]
19 p0435 A78-25938
- Status of European thermochemical hydrogen programs
[LA-UR-77-2985]
19 p0446 A78-26583
- HYDROGEN ISOTOPES**
- Four Workshops in Alternate Concepts in Controlled
Fusion. Part A: Executive summaries. Part B:
Extended summaries. Part C: CTR using the
p-B-11 reaction
[EPRI-ER-429-SR-PT-A]
18 p0290 A78-21927
- HYDROGEN OXYGEN ENGINES**
- Future peak-power plants based on hydrogen-oxygen
rocket steam generators
17 p0100 A78-18846
- Technical concepts and economic prospects for
thermal hydrogen power plants for peak load
generation
17 p0100 A78-18847
- Hydrogen turbine power conversion system assessment
[NASA-CR-135298]
18 p0276 A78-20621
- HYDROGEN OXYGEN FUEL CELLS**
- An off-peak energy storage concept for electric
utilities. II - The water battery concept
17 p0068 A78-13449
- Doped silver catalysts for H₂/air fuel cells
17 p0095 A78-18644
- Hydrogen fuel cells and hydrogen engines
17 p0099 A78-18841
- New materials for fluorensulfonic acid electrolyte
fuel cells
[AD-A044414]
17 p0126 A78-12531
- HYDROGEN PLASMA**
- Evolution of stimulated Brillouin to stimulated
ion Compton scattering in a CO₂ laser-plasma
interaction experiment
18 p0235 A78-32425
- HYDROGEN PRODUCTION**
- Potentials of hydrogen production through
biophotolysis
17 p0034 A78-11125
- Hydrogen from sunlight: The biological answer -
Development of a low-cost biological solar panel
17 p0056 A78-11350
- Photoelectrolysis of water at high current density
- Use of ultraviolet laser excitation
17 p0062 A78-11927
- Use of solar energy for direct and two-step water
decomposition cycles
17 p0080 A78-16048
- High temperature, stable, spectrally selective
solar absorbers for thermochemical hydrogen
production
17 p0080 A78-16049
- The problem of photosynthetic hydrogen
17 p0095 A78-18521
- International Workshop on Hydrogen and its
Perspectives, Liege, Belgium, November 15-18,
1976, Proceedings. Volumes 1 & 2
17 p0097 A78-18826
- Methods for the production of hydrogen from
natural gas and petroleum fractions
17 p0098 A78-18828
- Hydrogen production from coal gasification
17 p0098 A78-18829
- Electrolytic production of hydrogen
17 p0098 A78-18830
- Possibilities for improving the electrolysis of
water in alkaline solutions
17 p0098 A78-18831
- Solid electrolyte and elevated temperature water
electrolysis
17 p0098 A78-18832
- Thermodynamics of thermochemical cycles in the
decomposition of water
17 p0098 A78-18833
- Thermochemical hydrogen production - Engineering
efficiency and economics
17 p0099 A78-18834
- Design and evaluation of thermochemical cycles -
The work performed at J.R.C. Ispra establishment
17 p0099 A78-18835
- Materials problems in hydrogen energy systems
17 p0099 A78-18839
- Outline for a hydrogen economy in 1985-2000
17 p0100 A78-18848
- Chemistry of thermochemical cycles from United
States hydrogen programme - Thermochemical
hydrogen production: Chemistry and
thermochemical efficiency --- for hydrogen
production
17 p0100 A78-18849
- Comparison of the costs of producing hydrogen by
electrolysis and by nuclear-based thermochemistry
17 p0101 A78-18850
- Uses of nuclear heat at high temperatures for
energy conversion processes
17 p0101 A78-18852
- Profitability of a hydrogen network in a chemical
complex
17 p0101 A78-18853
- Aspects relative to security and environment in
the production and use of hydrogen in the new
Esso refinery at Antwerp
17 p0101 A78-18854
- Entropy production, efficiency, and economics in
the thermochemical generation of synthetic
fuels. II - The methanol water splitting cycle
18 p0174 A78-22868
- Conceptual design of large scale water
electrolysis plant using solid polymer
electrolyte technology
18 p0174 A78-22869
- Materials problems in large scale production of
hydrogen from water and in hydrogen storage
18 p0183 A78-25056
- Solar production of hydrogen
18 p0201 A78-27868
- Photochemical storage of solar energy
18 p0206 A78-28170
- Photohydrogen production in green algae - Water
serves as the primary substrate for hydrogen and
oxygen production
18 p0207 A78-28352
- Hydrogen production by marine photosynthetic
organisms as a potential energy resource
18 p0207 A78-28353
- Catalytic and structural properties of the enzyme
hydrogenase and its role in biophotolysis of water
--- for hydrogen fuel production
18 p0207 A78-28354

SUBJECT INDEX

HYDROGENATION

Use of an enzymic electric cell and immobilized hydrogenase in the study of the biophotolysis of water to produce hydrogen 18 p0207 A78-28355

The mechanism of hydrogen photoevolution in photosynthetic organisms 18 p0207 A78-28356

Mutational analysis of *Chlamydomonas reinhardtii* - Application to biological solar energy conversion 18 p0207 A78-28357

Hydrogen photoproduction from water 18 p0207 A78-28358

The molecular mechanisms of photosynthetic hydrogen and oxygen production 18 p0208 A78-28359

Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475

Status of the DOE /SOLAR/-sponsored national program on hydrogen production from water via thermochemical cycles 18 p0217 A78-29331

High efficiency water electrolysis in alkaline solution --- for hydrogen production 19 p0311 A78-34400

Hydrogen as an energy carrier: Production, storage, transport --- German book 19 p0315 A78-35179

Water dissociation by a thermochemical cycle - A thermodynamic analysis of principles and efficiencies 19 p0340 A78-38893

Solar energy conversion through biology - Could it be a practical energy source 19 p0342 A78-39123

Optimal electrode properties and the selection of stabilizing electrolytes --- for photoelectrolytic hydrogen production 19 p0344 A78-39470

High temperature blankets for the production of synthetic fuels 19 p0359 A78-40093

Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858

Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859

Improved solar photolysis of water [NASA-CASE-NPO-14126-1] 17 p0120 A78-11500

Investigation of sulfur based thermochemical cycles for hydrogen production by water decomposition 17 p0123 A78-12160

Potential fuel production from magma [SAND-77-0509] 19 p0403 A78-24383

SPE water electrolysis technology development for large scale hydrogen production [COO-2675-6] 19 p0415 A78-25249

Status of steam-iron pilot plant operations [CONF-771092-5] 19 p0415 A78-25250

Development of the steam-iron process for hydrogen production [FE-2435-12] 19 p0416 A78-25254

Status of photoelectrochemical production of hydrogen and electrical energy 19 p0451 A78-26865

Gas core reactors for coal gasification 19 p0451 A78-26869

Solar energy conversion with hydrogen producing algae [SAND-0034-77/1] 19 p0460 A78-27565

Electrolysis based hydrogen storage system [BNL-50760] 19 p0462 A78-27580

HYDROGEN SULFIDE

The impact of H₂S emissions on future geothermal power generation - The Geysers region, California [IEEE PAPER A 77-816-2] 17 p0071 A78-14077

Effect of carbon monoxide on the reaction of hydrogen sulfide and calcium oxide [ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129

Hydrogen sulfide as an air pollutant 19 p0337 A78-38245

Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen 18 p0247 A78-17166

HYDROGEN-BASED ENERGY

Hydrogen transmission - The significance of efficiency --- in comparison with conventional electric power system 17 p0009 A78-10736

International Workshop on Hydrogen and its Perspectives, Liege, Belgium, November 15-18, 1976, Proceedings. Volumes 1 & 2 17 p0097 A78-18826

Technical and economic aspects of hydrogen storage in metal hydrides 17 p0099 A78-18842

Technical concepts and economic prospects for thermal hydrogen power plants for peak load generation 17 p0100 A78-18847

Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848

Profitability of a hydrogen network in a chemical complex 17 p0101 A78-18853

Toxicological aspects of the use of hydrogen in the future as main energy source 17 p0101 A78-18855

Safety aspects of a widespread hydrogen energy economy 17 p0101 A78-18857

Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process 18 p0174 A78-22867

Where aerospace can serve afresh - Paths to energy independence 18 p0175 A78-23420

Materials problems in large scale production of hydrogen from water and in hydrogen storage 18 p0183 A78-25056

The hydrogen energy economy: A realistic appraisal of prospects and impacts --- Book 19 p0336 A78-38055

Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858

HYDROGENATION

The manufacture of synthetic natural gas by hydrogenation of fossil fuel residuals 17 p0099 A78-18840

Coal conversion to liquid and gaseous fuels - Aerospace technology in a new role [AIAA PAPER 78-293] 18 p0177 A78-24004

Analysis and scale-up consideration of bituminous coal liquefaction rate processes 18 p0184 A78-25322

The role of solvent in the solvent refined coal process 18 p0190 A78-26577

Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578

Effect of coal minerals on reaction rates during coal liquefaction 18 p0190 A78-26579

Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction 18 p0190 A78-26580

Catalytic liquefaction of coal 18 p0191 A78-26583

Kinetics of coal hydrodesulfurization in a batch reactor 18 p0191 A78-26584

Kinetics and solubility of hydrogen in coal liquefaction reactions 18 p0191 A78-26585

Short contact time coal liquefaction - Techniques and product distributions 18 p0191 A78-26586

A petrographic classification of solid residues derived from the hydrogenation of bituminous coals 18 p0192 A78-26592

Deactivation of hydrodesulfurization catalysts under coal liquids. I - Loss of hydrogenation activity due to carbonaceous deposits 18 p0203 A78-27919

Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics 18 p0203 A78-27920

- Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
- Early coal hydrogenation catalysis
19 p0337 A78-38403
- New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data
19 p0337 A78-38404
- Residence time measurements in a coal hydrogenation process
19 p0337 A78-38405
- Hydroconversion of a bituminous coal with CO-H₂O
19 p0342 A78-39125
- Engineering development of a short residence time, coal hydrolysis process
19 p0362 A78-40592
- Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal
19 p0363 A78-40593
- Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product
19 p0363 A78-40594
- Non-catalytic hydrogenation of Australian coals
19 p0363 A78-40596
- Water in synthetic fuel production: the technology and alternatives --- Book
19 p0365 A78-41000
- Catalytic hydrosolvation process converts coal to low-sulfur liquid fuel
19 p0368 A78-41817
- The conversion of model coal liquids compounds to Naphtha species
[PB-275891/0] 18 p0272 A78-20291
- Research and development of rapid hydrogenation for coal conversion to synthetic motor fuels (riser cracking of coal)
[FE-2307-17] 19 p0403 A78-24382
- Hydrogasifier development for the Hydrane process
[FE-2518-4] 19 p0415 A78-25244
- Catalytic hydroprocessing of shale oil to produce distillate fuels
[CONF-770814-9] 19 p0423 A78-25579
- Assessment of technology for the liquefaction of coal: Summary
[FE-1216-2] 19 p0445 A78-26572
- In situ conversion of coal
[COO-0066-2] 19 p0448 A78-26610
- HYDROGENOLYSIS**
Use of solar energy for direct and two-step water decomposition cycles
17 p0080 A78-16048
- Proceedings of the DOE Chemical Energy Storage and Hydrogen Energy Systems Contracts Review
[NASA-CR-157164] 19 p0419 A78-25532
- HYDROGEOLOGY**
Making use of moderate temperature geothermal resources
18 p0232 A78-32117
- Hydrogeochemical and stream-sediment survey of the National Resource Evaluation (NRE) program: Western United States
[UCID-16911-77-2] 19 p0434 A78-25722
- HYDROLOGY**
Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B
[SAN/1395-15] 19 p0455 A78-27498
- HYDROLYSIS**
Upgrading of coal liquids for use as power generation fuels
[BPRI-AP-444] 19 p0427 A78-25608
- IBM COMPUTERS**
Sims Prototype System 2 test results: Engineering analysis
[NASA-CR-150544] 18 p0263 A78-19604
- ICELAND**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt. Baker, Washington
[E78-10121] 19 p0394 A78-23498
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] 19 p0394 A78-23500
- IGNEOUS ROCKS**
Research on the physical properties of geothermal reservoir rocks. Summary report on collection of samples of volcanic rocks for petrophysical studies
[COO-2908-1] 17 p0141 A78-13584
- IGNITION**
Surface ignition of coal and other fuel particles in radiative and diffusive environment --- in HED combustor
18 p0222 A78-30511
- IGNITION SYSTEMS**
An approach to decision modeling for an ignition test reactor --- The Next Step Tokamak design
19 p0346 A78-39797
- Engineering features of an upgradable ignition test reactor
19 p0349 A78-39878
- A lower hybrid heating system for an ignition tokamak
19 p0354 A78-39972
- The GPU-3 Stirling engine ground power unit ignition system
[GHR-2690-SECT-1.203] 19 p0438 A78-26253
- IGNITION TEMPERATURE**
A shock tube study of the ignition delay of methane at elevated temperatures
11 p0199 A78-27831
- ILLINOIS**
The Illinois program for comprehensive solar energy legislation
[PB-275565/0] 18 p0277 A78-20648
- ILLUMINATING**
Research design construction and evaluation of a low energy utilization school, phase 2
[PB-269407/3] 17 p0112 A78-10569
- IMAGE RESOLUTION**
Photosensing arrays with improved spatial resolution
18 p0204 A78-28134
- IMAGE TRANSDUCERS**
Photosensing arrays with improved spatial resolution
18 p0204 A78-28134
- IMPEDANCE MEASUREMENTS**
Experimental determination of series resistance of p-n junction diodes and solar cells
18 p0128 A78-31731
- IMPERIAL VALLEY (CA)**
Engineering aspects of geothermal development with emphasis on the Imperial Valley of California
18 p0278 A78-31742
- A scenario for geothermal electric power development in Imperial Valley
18 p0278 A78-31743
- Planning and design of additional East Mesa geothermal test facilities, phase 1B. Volume 3: Appendices
[SAN/1140-1/3-VOL-3-APP] 17 p0127 A78-12545
- IMPLOSIONS**
Implosion experiments with D₂, He-3 filled microspheres
18 p0235 A78-32440
- Thermo-nuclear fusion study by glass laser 'Gekko II'
19 p0362 A78-40384
- Computer simulation on laser plasma compression
19 p0362 A78-40386
- Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions
19 p0380 A78-42260
- IMPURITIES**
Experimental determination of alkali impurity release from various dolomites
17 p0073 A78-14218
- Effects of slagging in HED generator ducts
[ASME PAPER 77-HT-59] 17 p0089 A78-17491

Impurity and gas throughput control for TNS ---
The Next Step tokamaks 19 p0348 A78-39822

Divertors for impurity control and review of
impurity effects in PPL tokamaks 19 p0377 A78-42203

Effect of neutral injection heating on the
impurity level in the W VII A Stellarator 19 p0378 A78-42208

Surface and impurity studies in ORMAK and ISI ---
tokamaks 19 p0378 A78-42210

Screening property of the limiter shadow region
for heavy wall impurities --- in tokamak 19 p0378 A78-42213

Models for impurity production and transport in
tokamaks 19 p0379 A78-42217

Relative importance of different impurity sources
in tokamak reactors as estimated from particle
balance equations 19 p0379 A78-42221

Impurity gradients and high efficiency solar cells 17 p0136 N78-13531

Impurity concentrations and surface charge
densities on the heavily doped face of a silicon
solar cell 17 p0136 N78-13534

Investigation of the topographical features of
surface carrier concentrations in silicon solar
cell material using electrolyte electroreflectance 17 p0136 N78-13535

Tokamak impurity report
[DOE/ET-0001] 19 p0434 N78-25920

INCENTIVES

Economic incentives for the commercialization of
OTEC --- Ocean Thermal Energy Conversion 19 p0301 A78-33307

The fuel efficiency incentive tax proposal: Its
impact upon the future of the US passenger
automobile industry [GPO-93-188] 19 p0412 N78-25002

Solar energy incentives analysis: Psycho-economic
factors affecting the decision making of
consumers and the technology delivery system
[HCP/M2534] 19 p0463 N78-27584

INCINERATORS

Overcoming obstacles to energy recovery from
industrial wastes 17 p0006 A78-10637

Hazardous wastes and energy recovery 17 p0032 A78-11112

Modular incinerator energy recovery systems - The
Siloam Springs experience 17 p0033 A78-11114

Energy recovery from municipal and industrial waste 17 p0037 A78-11146

Refuse incineration with heat recovery - Typical
design and practical experience 17 p0037 A78-11147

Combination of refuse incineration with electric
power generation 17 p0037 A78-11148

Refuse energy in the United States - Two
generations of steam generating waterwall
incinerators 17 p0037 A78-11150

Combined refuse and sludge incineration 17 p0037 A78-11151

Combustion treatment of smoke and odors of
industrial origin - Energy recovery 17 p0082 A78-16475

Improving sludge incineration and vacuum
filtration with pulverized coal 17 p0095 A78-18498

Energy recovery by the incineration of solid waste
- Development, present status, and experiences
in Germany /James Clayton Lecture/ 18 p0221 A78-30373

Combustion and incineration processes --- Book 19 p0300 A78-33212

Thermal refuse treatment --- waste incineration 19 p0315 A78-34973

Refuse without imperfection - Refuse combustion
with combined sediment processing 19 p0316 A78-35297

INDEXES (DOCUMENTATION)

Energy policy making in the Northeast: A
directory of state programs and institutions
[PB-277503/9] 19 p0449 N78-26621

INDIA

The significance of an arc shaped dark patch on
the Nimbus III /HBIR/ imagery of India 17 p0082 A78-16507

Scope for energy substitution policy in India 18 p0196 A78-27780

INDIANA

Carbonaceous shales of Indiana as sources of
energy, petrochemicals, and ceramic materials
[TID-28179] 19 p0418 N78-25518

INDIUM

Trap induced photovoltage in thin films of
gold-cadmium sulphide-indium diodes 19 p0373 A78-42131

INDIUM ALLOYS

Solar cell collector
[NASA-CASE-LEW-12552-1] 19 p0419 N78-25527

INDIUM COMPOUNDS

Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells 17 p0054 A78-11334

Electrical and photovoltaic characteristics of
indium-tin oxide/silicon heterojunctions 19 p0315 A78-35282

INDIUM PHOSPHIDES

InP/CdS solar cells 17 p0018 A78-10985

Indium phosphide films deposited by cylindrical
magnetron reactive sputtering 17 p0019 A78-10987

A simple measurement of absolute solar-cell
efficiency 17 p0079 A78-15850

Silicon monoxide antireflection coatings for
InP/CdS solar cells 18 p0221 A78-30305

Indium phosphide/cadmium sulfide thinfilm
terrestrial solar cells [ALO/3717-1] 19 p0462 N78-27581

INDIUM SULFIDES

CuInS₂ liquid junction solar cells 19 p0310 A78-34274

INDUCTION MOTORS

Problem of end effect in a linear induction MHD
machine at arbitrary load current 18 p0167 A78-21395

Three-phase induction motor loads on a variable
frequency wind electric generator 18 p0231 A78-32050

The induction generator for wind energy conversion 18 p0236 A78-32507

Demonstration of an inductor
motor/alternator/flywheel energy storage system
[COO-4010-2] 17 p0141 N78-13579

Baseline tests of the power-train electric
delivery van [NASA-TN-73765] 18 p0252 N78-17936

INDUCTORS

Pulse power systems employing inductive energy
storage 17 p0007 A78-10698

Pulsed superconducting inductive storage system 17 p0008 A78-10702

Superconductive inductor storage and converters
for pulsed power loads 17 p0008 A78-10703

Inductor network development for aircraft high
power supplies [AD-A052750] 19 p0413 N78-25096

INDUSTRIAL AREAS

Multi-organizational strategies: An analytic
framework and case illustrations
[IIASA-RN-77-4] 17 p0122 N78-11864

INDUSTRIAL ENERGY

The economic viability of solar assisted
industrial process heat systems - The need for
government economic incentives 17 p0057 A78-11364

Survey of the applications of solar thermal energy
systems to industrial process heat 17 p0058 A78-11370

A solar collector for industrial and commercial
applications 17 p0058 A78-11371

INDUSTRIAL MANAGEMENT

SUBJECT INDEX

Means of transport and the energy consumed by them
17 p0067 A78-13421

Energy economy in the investment policy of French
companies. I - The industrial attitude
17 p0069 A78-13469

Forty-nine theses on energy policy --- West German
situation
17 p0074 A78-14420

Combustion treatment of smoke and odors of
industrial origin - Energy recovery
17 p0082 A78-16475

Non-electrical uses of geothermal energy
17 p0082 A78-16635

Relative evaluation of competing processes -
Energetic economy analysis of competing
processes of coal and oil chemistry
17 p0087 A78-17349

Design and performance of an air collector for
industrial crop dehydration
17 p0104 A78-19828

Process innovation and changes in industrial
energy use
18 p0175 A78-23559

Industrial energy in transition - A petrochemical
perspective
18 p0175 A78-23560

Solar energy in office and industrial buildings
18 p0181 A78-24760

Development of a flow-model for energies and
products
18 p0187 A78-25946

A short summary of present applications and hopes
for the development of heat pumps in France
18 p0197 A78-27789

Can coal-oil mixtures make it as industrial fuels
18 p0206 A78-28210

Cogeneration --- single site simultaneous
electricity/heat generation
18 p0216 A78-29226

Preliminary assessment of nontechnical issues
related to industrial application of
solar-thermal-energy systems
18 p0232 A78-32112

Technologies for the utilization of waste energy
18 p0232 A78-32116

Ocean energy industrial complexes
19 p0301 A78-33311

OTEC implementation problems for specific missions
--- Ocean Thermal Energy Conversion
19 p0302 A78-33315

Refuse-derived fuel wins out over oil and coal at
new industrial power plant
19 p0315 A78-34974

A survey of applications of fusion power
technology for the chemical and material
processing industries
19 p0368 A78-41812

Solar energy for industrial processes - A
simplified design method
19 p0383 A78-42891

Improvements in energy efficiency of industrial
electrochemical processes
[ANL/OEPR-77-2]
17 p0114 A78-10584

Impact of natural gas shortage on major industrial
fuel-burning installations. Volume 1: Text
[PB-269365/3]
17 p0115 A78-10596

Impact of natural gas shortage on major industrial
fuel-burning installations. Volume 2: Schedules
(data and tables)
[PB-269366/1]
17 p0116 A78-10597

Impact of natural gas shortage on major industrial
fuel burning installations. Volume 3. Appendix:
Summary and analysis of fuel-burning
characteristics of MFBIS
[PB-269367/9]
17 p0116 A78-10598

Industrial energy thrift scheme
[NPL-CHEM-68-PR-1]
17 p0121 A78-11510

Energy System Analysis Procedure (ESAP)
[AD-A044131]
17 p0126 A78-12532

Modeling and analysis of industrial energy usage
[NTR-7329]
17 p0151 A78-14641

Survey of the applications of solar thermal energy
systems to industrial process heat. Volume 1:
Summary
[TID-27348/1-VOL-1]
17 p0153 A78-14656

Industrial applications of solar energy
[SAN/1132-1]
18 p0242 A78-16457

Fuel and energy price forecasts: Quantities and
long-term marginal prices, volume 1
[EPRI-EA-433-VOL-1]
18 p0286 A78-21637

Energy oriented study of industrial cyclone
separators
[TREE-1174]
18 p0287 A78-21642

Energy audit scheme
[NPL-CHEM-72]
19 p0399 A78-23602

The energy/real gross domestic product ratio: An
analysis of changes during the 1966-1970 period
in relation to long-run trends
[PB-277235]
19 p0411 A78-24690

Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169]
19 p0419 A78-25535

Industrial applications of solar total energy.
Volume 1: Summary
[SAN/1132-2/1-VOL-1]
19 p0424 A78-25587

Industrial applications of solar total energy.
Volume 2: Technical
[SAN/1132-2/2-VOL-2]
19 p0424 A78-25588

Solar total energy system: Large scale
experiment, Shenandoah, Georgia. Volume 1.
Section 1: Conclusions and recommendations.
Section 2: Systems requirements
[AEO/3987-1/1-VOL-1]
19 p0431 A78-25644

Impact of alternate fuels on refractories and
refractory insulations
[ORNL-TM-5895-ADD]
19 p0436 A78-26226

A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 1: Project overview
[PB-278078/1]
19 p0449 A78-26616

A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 2: Case study and
technical assistance
[PB-278079/9]
19 p0449 A78-26617

A project to reduce the impact of energy shortages
and cost increases on industrial production in
the southeast. Volume 3: Transfer package
[PB-278080/7]
19 p0449 A78-26618

Overcoming institutional barriers to solid waste
utilization as an energy source --- electric
power plants
[HCF/L50172-01]
19 p0452 A78-27005

Overcoming institutional barriers to solid waste
utilization as an energy source: Executive
summary --- electric power plants
[HCF/L50172-02]
19 p0453 A78-27006

How industrial societies use energy
[EPRI-EA-707-SI]
19 p0461 A78-27572

INDUSTRIAL MANAGEMENT

Preliminary assessment of nontechnical issues
related to industrial application of
solar-thermal-energy systems
18 p0232 A78-32112

Computer model for refinery operations with
emphasis on jet fuel production. Volume 1:
Program description
[NASA-CR-135333]
18 p0272 A78-20350

INDUSTRIAL PLANTS

Refuse energy in the United States - Two
generations of steam generating waterwall
incinerators
17 p0037 A78-11150

Pollution abatement energy usage of gas treating
and processing plants
17 p0073 A78-14161

Profitability of a hydrogen network in a chemical
complex
17 p0101 A78-18853

Aspects relative to security and environment in
the production and use of hydrogen in the new
Esso refinery at Antwerp
17 p0101 A78-18854

Evaluation of coal feed systems being developed by
the Energy Research and Development administration
[NASA-CR-155267]
17 p0124 A78-12419

Lock hopper values for coal gasification plant
service
17 p0134 A78-13270

Energy consumption in commercial industries by
census division - 1974
[PB-268851/3]
17 p0139 A78-13558

Oil/gas complex conceptual design/economic
analysis: Oil and SWG production
[FE-1775-8]
17 p0161 A78-15575

SUBJECT INDEX

INFORMATION SYSTEMS

Sampling of water and wastewater
[PB-272664/4] 17 p0163 N78-15957

Solar energy for process heat: Design/ccst
studies of four industrial retrofit applications
[NASA-CR-156139] 18 p0276 N78-20619

Solar total energy system, large scale experiment,
Shenandoah, Georgia. Volume 2, Section 3:
Facility concept design
[ALO/3987-1/2-VOL-2] 19 p0409 N78-24672

Solar total energy system, large scale experiment,
Shenandoah, Georgia, volume 3
[ALO/3987-1/3-VOL-3] 19 p0409 N78-24673

Status of steam-iron pilot plant operations
[CONF-771092-5] 19 p0415 N78-25250

Potential for cogeneration of heat and electricity
in California industry, phase 1
[NASA-CR-157168] 19 p0419 N78-25536

Development work for an advanced coal gasification
system for electric power generation from coal
directed toward a commercial gasification
generating plant, phase 2. Volume 14: System
analysis
[FE-1521-33] 19 p0426 N78-25602

Industrial application of fluidized-bed combustion
--- boiler and plant design
[FE-2461-5] 19 p0436 N78-26190

Possil energy demonstration plants
[TID-28182] 19 p0445 N78-26573

INDUSTRIAL SAFETY

Code of practice for the petroleum industry. Part
1: The handling, storage, and distribution of
petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366

Occupational exposure to refined petroleum
solvents. Criteria for a recommended standard
[DHEW/PUB/NIOSH-77/192] 19 p0412 N78-24790

INDUSTRIAL WASTES

Prospects of energy recovery from the incineration
of chemical plant wastes
17 p0006 A78-10635

Experience with burning industrial wastes in
steam-generating and high-temperature heat
recovery systems
17 p0006 A78-10636

Overcoming obstacles to energy recovery from
industrial wastes
17 p0006 A78-10637

Hazardous wastes and energy recovery
17 p0032 A78-11112

Prospects of materials and energy from refuse in
India
17 p0037 A78-11145

Energy recovery from municipal and industrial waste
17 p0037 A78-11146

Constraining the energy gobbler --- industrial
waste heat recovery techniques
17 p0096 A78-18674

A continuous monitoring system for sulfur dioxide
mass emissions from stationary sources
[APCA PAPERS 77-27,5] 18 p0185 A78-25400

Experience at Edmonton /GLC/ of generating
electricity using refuse as fuel
18 p0186 A78-25504

Fuels from waste --- Book
18 p0197 A78-27801

Fluidized bed combustion of coal and waste materials
--- Book
19 p0309 A78-33803

Hydrogen sulfide as an air pollutant
19 p0337 A78-38245

Compilation of air pollutant emission factors,
supplement no. 7
[PB-270281/9] 17 p0122 N78-11541

High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246

Water conservation and pollution control in coal
conversion processes
[PB-269568/2] 17 p0128 N78-12556

Synthetic fuel production from solid wastes
[PB-272423/5] 17 p0148 N78-14182

Assessment in industrial hazardous waste
management petroleum re-refining industry
[PB-272267/6] 17 p0157 N78-14951

Energy and protein production from pulp mill wastes
[COO-2983-3] 17 p0157 N78-14952

Consequences of new energy patterns
[PB-273259/2] 18 p0244 N78-16474

Energy and protein production from pulp mill wastes
[COO-2983-6] 19 p0428 N78-25617

Effect of liquid waste discharges from steam
generating facilities
[BNWL-2393] 19 p0450 N78-26634

Effective control of secondary water pollution
from flue gas desulfurization systems
[PB-278373/6] 19 p0450 N78-26645

INDUSTRIES

Estimating the potential of a solar-to-thermal
collector industry
17 p0070 A78-13851

Industries in space to benefit mankind: A view
over the next 30 years
[NASA-CR-155203] 17 p0118 N78-10973

Annual survey of manufactures, 1975. Fuels and
electric energy consumed. Statistics for the
United States
[PB-275772/2] 18 p0289 N78-21659

Impacts and benefits of a satellite power system
on the electric utility industry
[NASA-CR-157157] 19 p0402 N78-24255

Code of practice for the petroleum industry. Part
1: The handling, storage, and distribution of
petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366

Industrial applications of solar total energy.
Volume 1: Summary
[SAN/1132-2/1-VOL-1] 19 p0424 N78-25587

Industrial applications of solar total energy.
Volume 2: Technical
[SAN/1132-2/2-VOL-2] 19 p0424 N78-25588

Industrial applications of solar total energy.
Volume 3: Market penetration
[SAN/1132-2/3-VOL-3] 19 p0424 N78-25589

Industrial applications of solar total energy.
Volume 5: Catalog of conceptual designs
[SAN/1132-2/5-VOL-5] 19 p0425 N78-25590

Dynamic models of the industrial demand for energy
[EPRI-BA-580] 19 p0425 N78-25596

A national environmental/energy workforce
assessment, business and industry, phase 1
[PB-277904/9] 19 p0452 N78-26968

INERTIAL FUSION (REACTOR)

An overview of the planning considerations in the
United States inertial confinement fusion program
17 p0004 A78-10606

Giant laser system readied for tests --- for
inertial fusion
19 p0316 A78-35300

An assessment of laser-driven fusion
19 p0338 A78-38418

INFLATABLE STRUCTURES

Mechanical engineering department
[UCBL-50016-77-3] 19 p0431 N78-25645

INFORMATION DISSEMINATION

Transportation energy conservation data book,
supplement-3
[CRNL-5248] 17 p0121 N78-11508

INFORMATION FLOW

Facilitating data interchange with ERDA
[BNL-22595] 19 p0468 N78-27988

INFORMATION RETRIEVAL

A pilot system for the Texas energy data bank and
information retrieval system
17 p0118 N78-10957

INFORMATION SYSTEMS

A pilot system for the Texas energy data bank and
information retrieval system
17 p0118 N78-10957

Information and data flows in societal problem
areas: Focus-energy
[PB-269497/4] 17 p0118 N78-10965

The role of scientific and technical information
in critical period management, volume 1
[PB-272178/5] 17 p0157 N78-14939

The role of scientific and technical information
in critical period management, volume 2
[PB-272179/3] 17 p0157 N78-14940

Decision making with interactive access to
integrated administrative and technological data
bases. An illustrated conceptual overview ---
energy storage
[UCBL-80353] 18 p0290 N78-21986

Energy information and analytic system for New
York State
[BNL-22677] 19 p0397 N78-23579

Data-base management system for spatial display of
federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791

INFRARED ABSORPTION

SUBJECT INDEX

INFRARED ABSORPTION

Solar energy applications for heat-absorbing glass
17 p0048 A78-11273

INFRARED DETECTORS

A low cost, portable instrument for measuring
emittance
17 p0061 A78-11392
Infrared focal planes in intrinsic semiconductors
--- technology review
18 p0204 A78-28139

INFRARED IMAGERY

The significance of an arc shaped dark patch on
the Nimbus III /HRIR/ imagery of India
17 p0082 A78-16507

INFRARED INSPECTION

Time and space resolved temperature measurements
of a limiter in a Tokamak discharge using an
infra red camera
17 p0041 A78-11200

INFRARED LASERS

Stimulated electronic Raman scattering in Cs
vapour - A simple tunable laser system for the
2.7 to 3.5 micron region
17 p0064 A78-12440
Implosion experiments with D2, Be-3 filled
microspheres
18 p0235 A78-32440
Preliminary results on the conversion of laser
energy into electricity
19 p0313 A78-34631
Applications of submillimeter waves in plasma
physics and controlled fusion research
19 p0360 A78-40241

INFRARED RADIATION

Solar and infrared radiation properties of
parallel-plate honeycomb
[AIAA PAPER 78-901]
19 p0324 A78-36019

INFRARED REFLECTION

Evaluation of portable optical property
measurement equipment for solar selective surfaces
[ASME PAPER 77-WA/SOL-1]
19 p0299 A78-33189

INFRARED SCANNERS

Application of airborne infrared technology to
monitor building heat losses
17 p0075 A78-14853
Energy flux and surface temperature measurements
at surfaces in the DITE tokamak
19 p0377 A78-42205

INFRARED SPECTRA

Infrared spectral emittance profiles of spectrally
selective solar absorbing layers at elevated
temperatures
17 p0070 A78-13907

INFRARED SPECTROSCOPY

Field infrared method to discriminate natural
seeps from non-seeps, Santa Barbara, California
area
[AD-A042861]
17 p0116 A78-10608

INHIBITORS

Inhibitor analysis for a solar heating and cooling
system
[NASA-CR-150513]
18 p0249 A78-17475

INJECTION

Injection of coal by screw feed
17 p0133 A78-13264

INJECTORS

Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
Some results of investigation of pressure
fluctuations in a condensing injector --- for
liquid metal MHD generator
17 p0066 A78-13154
Cryopumping system for TFTR neutral beam injectors
19 p0352 A78-39952
Using computer graphics to analyze the placement
of neutral-beam injectors for the Mirror Fusion
Test Facility
19 p0357 A78-40026
Facility for the testing of the TFTR prototype
neutral beam injector --- Tokamak Fusion Test
Reactor
19 p0357 A78-40049
A computer program for parameter studies of a
neutral injection beam line
19 p0357 A78-40052

INORGANIC COMPOUNDS

Inorganic pollutants from pulverized coal
combustion /A review/
[WSS/CI PAPER 77-48]
18 p0230 A78-31957
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1]
19 p0419 A78-25530

INSOLATION

Potential role of solar thermal electric power in
the U.S.
17 p0010 A78-10743
Insolation and wind - A natural combination for
self-sufficient power systems
17 p0022 A78-11017
Site-dependent factors affecting the economic
feasibility of solar powered absorption cooling
17 p0046 A78-11247
Shenandoah Solar Recreational Center - An overview
17 p0049 A78-11281
Characterization of terrestrial service
environments - The simultaneous occurrence of
combined conditions of solar insolation and
climatic variables
17 p0049 A78-11283
An accurate, economical, solar insolation computer
model for the United States
17 p0049 A78-11284
Estimation of availability of solar energy
17 p0049 A78-11285
Hourly direct-normal solar radiation data tapes
for the United States
17 p0049 A78-11288
Solar shade control --- legislation to assure
direct solar radiation availability
17 p0057 A78-11358
Evaluation of an optimized solar thermal collector
by a new method
17 p0060 A78-11381
Solar energy collector orientation and tracking mode
17 p0104 A78-19827
On the right to sunshine --- homeowner access to
solar energy
17 p0105 A78-19836
A correction procedure for separating direct and
diffuse insolation on a horizontal surface
17 p0105 A78-19839
Estimation of the monthly average of the diffuse
component of total insolation on a horizontal
surface
17 p0105 A78-19840
Calculation of the energy delivered by a collector
with the method of average direct optical output
18 p0165 A78-20620
Evaluation of the energy provided for a solar
collector
18 p0165 A78-20621
Solar insolation measurements at Las Vegas, Nevada
18 p0206 A78-28173
Calibration standards and field instruments for
the precision measurement of insolation
19 p0312 A78-34517
Sunstations --- calibrated silicon solar cell for
insolation measurement
19 p0314 A78-34933
On the relation between insolation and
climatological variables. III - The relation
between normal incidence solar intensity, total
insolation, and weather at Fort Hood, Texas. IV
- Construction of a model year of solar
intensity and climate
19 p0322 A78-35781
Time integrated calculation of the insolation
collected by a reflector-collector system
19 p0323 A78-35799
Development of a solar-power cadaster
19 p0331 A78-36662
Daily input modelling for solar collectors and
systems
19 p0383 A78-42890
Solar energy meter
[NASA-TN-73791]
17 p0150 A78-14630
Variation of solar cell sensitivity and solar
radiation on tilted surfaces
[NASA-TN-78921]
19 p0443 A78-26547

INSPECTION

Inspection manual for the enforcement of new
source performance standards: Coal preparation
plants
[PB-274262/5]
18 p0270 A78-19683

SUBJECT INDEX

INVERTED CONVERTERS (DC TO AC)

INSTALLATION MANUALS

Installation package - SINS prototype system 1A
[NASA-CR-150524] 18 p0255 N78-18523

INSTRUMENT ERRORS

Tutorial, test measurement accuracy --- for gas
turbine engine performance 17 p0088 A78-17409

INSULATED STRUCTURES

Optimal proportioning of an insulated earth
cylinder for storage of solar heat 17 p0084 A78-16836

INSULATION

The estimation of daily, clear-sky solar radiation
intercepted by a tilted surface 17 p0044 A78-11230

Impact of alternate fuels on refractories and
refractory insulations
[ORNL-TN-5895-ADD] 19 p0436 N78-26226

INSULATORS

MHD electrode-insulator micro- and macro-structure
17 p0088 A78-17464

Optical properties of selectively absorbing
metal/insulator composite films 19 p0324 A78-36032

Development, testing, and evaluation of:
MHD-materials
[PE-6010-9] 19 p0441 N78-26380

INTEGRAL EQUATIONS

An integral equation method to calculate the
transient behaviour of a photovoltaic solar cell
19 p0292 A78-32695

INTEGRATED CIRCUITS

A monolithic series-array solar-cell system
17 p0103 A78-19374

Photosensing arrays with improved spatial resolution
18 p0204 A78-28134

Infrared focal planes in intrinsic semiconductors
--- technology review 18 p0204 A78-28139

Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] 19 p0421 N78-25553

INTERFACE STABILITY

Stability and voltammetry of illuminated
semiconductor-liquid interfaces 19 p0343 A78-39464

INTERFACES

Interface design considerations for terrestrial
solar cell modules 17 p0023 A78-11030

INTERFACIAL TENSION

Interfacial effects in the recovery of residual
oil by displacement: Studies at Northwestern
University [COO-0039-5] 18 p0244 A78-16494

INTERFEROMETRY

Practical interferometry at 1.06 microns --- for
testing high energy fusion laser focusing lenses
19 p0360 A78-40223

INTERLAYERS

GaAs solar cell development 17 p0138 A78-13544

Status of wraparound contact solar cells and arrays
[NASA-TN-78911] 19 p0443 A78-26543

INTERNAL COMBUSTION ENGINES

Characteristics of water-emulsion fuels ---
combustion of hydrocarbon emulsions 17 p0102 A78-18949

National Conference on Internal Combustion Engines
and Combustion, 3rd, University of Roorkee,
Roorkee, India, December 10-12, 1976, Proceedings
18 p0198 A78-27826

Some characteristics of oil consumption measured
by hydrogen fueled engine [ASLE PREPRINT 77-LC-58-1] 18 p0209 A78-28434

Fuel vaporization - Economy with reduced exhaust
emission 18 p0221 A78-30366

The utilization of LaNi5 as a hydrogen-storage
medium for heat engines 18 p0233 A78-32193

Engine performance and exhaust emission
characteristics of spark-ignition engines
burning methanol and methanol-gasoline mixtures
19 p0321 A78-35703

Performance and NO/x emissions of spark ignited
combustion engines using alternative fuels -
Quasi one-dimensional modeling. I - Hydrogen
fueled engines 19 p0333 A78-37299

Development of a new combustion system /HCA-jet/
in gasoline engine 19 p0386 A78-43296

Performance analysis of a modified internal
combustion engine [AD-A045378] 17 p0135 A78-13442

Alternative automotive engines and energy
conservation 18 p0257 A78-18534

State-of-the-art assessment of electric vehicles
and hybrid vehicles [NASA-TN-73756] 18 p0262 A78-18988

Performance of conventionally powered vehicles
tested to an electric vehicle test procedure
[NASA-TN-73768] 18 p0271 A78-20022

Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy [COO-2631-22] 19 p0394 A78-23442

Energy use and other comparisons between diesel
and gasoline pickup trucks [PB-277464] 19 p0404 A78-24564

A collection of Stirling engine reports from
General Motors' research, 1958 to 1970. Part
1.: Model 3 ground power units design,
construction and testing. Government contract
reports [GHR-2690-PT-1.1] 19 p0437 A78-26237

Stirling engine ground power unit
[GHR-2690-SECT-1.108] 19 p0437 A78-26245

Stirling engine Ground Power Unit model GPU 3
acceptance test report [GHR-2690-SECT-1.110] 19 p0437 A78-26247

US Army Engineer Research and Development
Laboratories five hundred hour engineering
evaluation of the Stirling GPU 2-1
[GHR-2690-SECT-1.112] 19 p0437 A78-26249

Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] 19 p0453 A78-27122

Stirling total energy systems study
[HCE/22947-1] 19 p0461 A78-27570

INTERNAL WAVES

The energy of near-surface internal waves in the
Strait of Georgia 17 p0092 A78-17948

INTERNATIONAL COOPERATION

Review of overseas solar technologies relative to
international cooperation 17 p0058 A78-11367

Energy supply-demand integrations to the year
2000: Global and national studies --- Book
18 p0165 A78-20618

Regimes for the ocean, outer space, and weather
--- Book 18 p0189 A78-26399

The search for a reasonable world energy policy -
Some basic considerations and options 18 p0196 A78-27782

Investigation of international energy economics
[BNWL-2134] 17 p0140 A78-13571

Completion of the fuel cycle in small countries
[CONF-770323-5] 19 p0451 A78-26906

INTERNATIONAL LAW

The geostationary orbit, focal point of space
telecommunication law 19 p0326 A78-36301

INTERNATIONAL SUN EARTH EXPLORER 2

Implementation of extreme-purity specifications in
the case of solar generators, taking into
account, as an example, the satellites GEOS and
ISEE-B 17 p0085 A78-16852

INTERNATIONAL TRADE

International energy trends: Monthly supplement
on oil trends [NF-22885] 19 p0462 A78-27577

INTERPLANETARY SPACECRAFT

High-power, ultralow-mass solar arrays: FY-77
solar arrays technology readiness assessment
report, volume 1 [NASA-CR-157264] 19 p0457 A78-27530

High-power, ultralow-mass solar arrays: FY-77
solar arrays technology readiness assessment
report, volume 2 [NASA-CR-157265] 19 p0457 A78-27531

INVERTED CONVERTERS (DC TO AC)

Inverters for commercial fuel cell power generation
17 p0009 A78-10733

INVESTMENTS

SUBJECT INDEX

Experimental investigation of a solar cell/inverter system 17 p0054 A78-11339

Some results of investigations on the U-25 pilot plant to attain its design parameters --- MHD generator operation 17 p0066 A78-13153

Transistor inverters for satellite onboard networks of higher power 19 p0365 A78-40865

Advanced semiconductor technology for alternate energy sources: dc to ac inverters [AD-A048806] 18 p0269 A78-19662

An inverter/controller subsystem optimized for photovoltaic applications [NASA-TN-78903] 19 p0452 A78-26995

INVESTMENTS

How much investment in conversion devices --- for terrestrial solar energy utilization 17 p0004 A78-10617

Energy economy in the investment policy of French companies. I - The industrial attitude 17 p0069 A78-13469

Production of synthetic methanol from air and water using controlled thermonuclear reactor power. II - Capital investment and production costs 19 p0322 A78-35778

IODIDES

Thin film Cds-CuI heterojunction photocells 19 p0333 A78-37260

ION ACCELERATORS

Acceleration of one ampere negative ion beams to energies up to 120 keV 19 p0348 A78-39832

The design philosophy and use of high voltage power systems for multimewatt ion beam accelerators 19 p0354 A78-39974

ION ACOUSTIC WAVES

Mechanism for the omega/pe/ radiation in Tokamaks 18 p0225 A78-31215

Effect of Faraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor 19 p0369 A78-41909

Non-resonant pump field modification of the side-scatter threshold 19 p0381 A78-42264

ION BEAMS

Solar cells by ionized-cluster beam deposition and epitaxial techniques 17 p0013 A78-10912

Fabrication of OSOS cells by neutral ion beam sputtering --- Oxide Semiconductor On Silicon solar cells 17 p0027 A78-11062

Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908

International Topical Conference on High Power Electron and Ion Beam Research and Technology, 2nd, Cornell University, Ithaca, N.Y., October 3-5, 1977, Proceedings. Volumes 1 & 2 18 p0189 A78-26173

Acceleration of one ampere negative ion beams to energies up to 120 keV 19 p0348 A78-39832

Engineering of beam direct conversion for a 120-kV, 1-MW ion beam 19 p0348 A78-39834

The design philosophy and use of high voltage power systems for multimewatt ion beam accelerators 19 p0354 A78-39974

ION CYCLOTRON RADIATION

Ion-cyclotron instability in the TFE tokamak 19 p0369 A78-42016

Cyclotron oscillations of a large-larmor-radius plasma 19 p0380 A78-42262

ION ENGINES

Solar array conceptual design for the Halley's Comet ion drive mission, phase 2 [NASA-CR-155594] 18 p0240 A78-16438

ION EXCHANGE RESINS

Inorganic-organic separators for alkaline batteries [NASA-CASE-LEW-12649-1] 19 p0419 A78-25530

ION IMPACT

Recent results on plasma-wall interaction in the T. P. B. tokamak 19 p0377 A78-42202

ION IMPLANTATION

Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells 17 p0015 A78-10945

Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946

Ion-implanted drift field silicon solar cell 19 p0335 A78-37904

Applications of ion implantation for high efficiency silicon solar cells 17 p0137 A78-13538

ION INJECTION

Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks 19 p0356 A78-40013

Effect of neutral injection heating on the impurity level in the W VII A Stellarator 19 p0378 A78-42208

Electron and ion heating by neutral injection in the DTF tokamak 19 p0381 A78-42268

ION MOTION

Heat-transfer allowing for ion slip in an MHD channel 17 p0063 A78-12346

Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705

Heat exchange in an MHD channel with allowance for the ion slippage 19 p0291 A78-32570

ION PROBES

Collection of ions by electric probes in combustion MHD plasmas - An overview 18 p0188 A78-26111

ION PRODUCTION RATES

Ionization equilibrium and radiative cooling of a high temperature plasma 18 p0227 A78-31423

ION PROPULSION

Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 A78-16090

Closed loop solar array-ion thruster system with power control circuitry [NASA-CASE-LEW-12780-1] 19 p0387 A78-22149

ION SCATTERING

Evolution of stimulated Brillouin to stimulated ion Compton scattering in a CO2 laser-plasma interaction experiment 18 p0235 A78-32425

ION SOURCES

Computer simulation of ion extraction 18 p0188 A78-25947

The Princeton neutral injection power supply system 19 p0354 A78-39975

The TFTR neutral beam power system --- Tokamak Fusion Test Reactor 19 p0354 A78-39976

Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027

ION TEMPERATURE

Two-component, multiple-mirror reactor with depressed ion temperature 19 p0380 A78-42263

IONIC COLLISIONS

The ambipolarity paradox in toroidal diffusion, revisited 19 p0380 A78-42259

IONIC CRYSTALS

Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705

IONIZATION COEFFICIENTS

Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015

IONIZED GASES

Stability of nonequilibrium plasmas 17 p0063 A78-12352

Stability of nonequilibrium plasma 19 p0291 A78-32575

'Local' breakdown criterion for a highly ionized gas stream
19 p0292 A78-32707

IRAN
World sources of energy and new energy resource development in Iran
17 p0111 N78-10553

IRON
An iron-air vehicle battery
18 p0174 A78-23241
Advantages of iron core in a tokamak
19 p0347 A78-39814
Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas [NASA-TF-1150]
18 p0273 N78-20512
Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies [BNL-50667]
19 p0409 N78-24676

IRON COMPOUNDS
Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes
19 p0363 A78-40618
Development of a Ti/Fe redox couple flow battery system
19 p0388 N78-22458

IRON OXIDES
Status of steam-iron pilot plant operations [CONF-771092-5]
19 p0415 N78-25250

IRRADIANCE
Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape
17 p0104 A78-19829
A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems
18 p0187 A78-25733
Equalizing an irradiance field on the surface of a receiver
18 p0187 A78-25734
Solar irradiance, total and spectral --- data for cost-effective solar energy conversion
18 p0199 A78-27853
Calibration standards and field instruments for the precision measurement of insolation
19 p0312 A78-34517
Diffraction analysis for multiple-beam pellet irradiance
19 p0360 A78-40225

IRREVERSIBLE PROCESSES
Thermodynamics of thermochemical cycles in the decomposition of water
17 p0098 A78-18833
Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods
19 p0313 A78-34603

IRRIGATION
Wind power installations for water pumping in developing countries
18 p0171 A78-22247
Photovoltaic power in less developed countries [COO-4094-1]
17 p0141 N78-13581
Solar irrigation program plan, revision [SAND-77-0730-REV]
17 p0151 N78-14642
Solar irrigation program [SAND-77-0380]
17 p0161 N78-15582
Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations [SAND-77-1403]
19 p0428 N78-25620
Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152]
19 p0455 N78-27482

ISOMERIZATION
Use of transition metal compounds to sensitize a photochemical energy storage reaction
17 p0083 A78-16830
Photon energy storage in organic materials - The case of linked anthracenes
18 p0220 A78-30267
Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization [AD-A051336]
19 p0408 N78-24665

ISOTHERMAL PROCESSES

Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C
17 p0079 A78-15831
Stationary and dynamic behavior of heat pipes
19 p0364 A78-40864

ISOTOPE SEPARATION

Study of a collisional plasma rotating between two cylinders
19 p0293 A78-32718

ISOTOPES

Stable isotopic studies of Japanese geothermal systems
17 p0062 A78-11493
Selenide isotope generators [CONF-770302-1]
17 p0114 N78-10581

ISOTOPIC LABELING
Chemical and isotopic techniques in geothermal investigations
17 p0061 A78-11490

J

JAPAN

The progress and the development program of fusion technology in Japan
17 p0038 A78-11162
Stable isotopic studies of Japanese geothermal systems
17 p0062 A78-11493
Options of long-term energy strategy of Japan
18 p0195 A78-27778

JET AIRCRAFT

Fuel efficiency - Where we are heading in the design of future jet transports
18 p0226 A78-31307
Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/
19 p0326 A78-36279

JET CONTROL

Development of a new combustion system /MCA-jet/ in gasoline engine
19 p0386 A78-43296

JET ENGINE FUELS

Increasing the resources of jet fuels
17 p0062 A78-11699
Alternative hydrocarbon fuels for aviation
17 p0077 A78-15400
The availability of jet fuel over the next two decades
17 p0102 A78-19222
Future aviation turbine fuels [AIAA PAPER 78-268]
18 p0165 A78-20781
Properties of fuels used in the Czechoslovak aircraft industry
18 p0217 A78-29588
Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor
19 p0296 A78-33114
Hydrocarbon group type determination in jet fuels by high performance liquid chromatography [NASA-TN-73829]
17 p0130 N78-13233
Comparison tests on the 100-GPM electrokinetic fuel decontaminator and a 100-GPM military standard filter/seperator [AD-A048655]
18 p0253 N78-18226
Effect of fuel bound nitrogen on oxides of nitrogen emission from a gas turbine engine [AD-A048382]
18 p0262 N78-19162
Computer model for refinery operations with emphasis on jet fuel production. Volume 2: Data and technical bases [NASA-CR-135334]
18 p0262 N78-19326
Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description [NASA-CR-135333]
18 p0272 N78-20350
Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation [NASA-CR-135335]
19 p0414 N78-25235
Alternate fuels nitrogen chemistry [AD-A053299]
19 p0414 N78-25240
Aviation fuels beyond the 1980's --- liquefied gases and synthetic fuels [NASA-TN-79510]
19 p0436 N78-26223

- Impact of broad-specification fuels on future jet aircraft --- engine components and performance
19 p0453 N78-27059
- JET ENGINES**
Thrust computing system applications to increase engine life and provide fuel conservation
18 p0227 A78-31311
- JET IMPINGEMENT**
Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639
- JET MIXING FLOW**
Cold flow mixing rate data for pulverized coal reactors
19 p0328 A78-36616
- JOURNAL BEARINGS**
Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine.
1: Journal bearing performance
[NASA-CR-135368] 18 p0281 N78-21472
- JP-4 JET FUEL**
Analysis of spray combustion in a research gas turbine combustor
19 p0333 A78-37297
- JUNCTION DIODES**
Experimental determination of series resistance of p-n junction diodes and solar cells
18 p0228 A78-31731

K

- KAPTON (TEADENARK)**
Optical and electrical properties of ion beam textured Kapton and Teflon
18 p0182 A78-24908
- KENTUCKY**
Strategic petroleum reserve: Central Rock Mine
[PB-270447/6] 17 p0119 N78-11255
- KEROSENE**
Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses
17 p0105 A78-20075
- Aviation fuels - A supplier's perspective
18 p0226 A78-31308
- Occupational exposure to refined petroleum solvents. Criteria for a recommended standard
[DHEW/EOB/NIOSH-77/192] 19 p0412 N78-24790
- KERR EFFECTS**
Limitation of 3547 to 1182 Å conversion efficiency in Xe
18 p0215 A78-28924
- KINETIC EQUATIONS**
Finite Larmor radius equations in an arbitrary near-theta pinch geometry
19 p0382 A78-42491
- KINETIC THEORY**
Kinetic theory of plasma in the limiter-shadow region
19 p0378 A78-42212
- KLYSTRONS**
Solar power satellite 50 kW VKS-7773 cw klystron evaluation
[NASA-CR-151577] 17 p0130 N78-13106

L

- LABORATORY EQUIPMENT**
Coal desulfurization by low temperature chlorinolysis, phase 1
[NASA-CR-157172] 19 p0419 N78-25533
- LAGRANGIAN EQUILIBRIUM POINTS**
The economics of space industrialization - A phased approach
18 p0204 A78-27934
- LAMINAR BOUNDARY LAYER**
Analysis of the seeded combustion gas boundary layer near a cold electrode
17 p0083 A78-16814
- LAMINAR FLOW**
Laminar flow of a conducting liquid between coaxial cylinders in a traveling magnetic field
19 p0339 A78-38673
- LAMINATES**
Optimum design of wideband selective absorbers with provision for specified included layers --- for solar applications
19 p0323 A78-35796

- LAND ICE**
West Antarctic ice sheet and CO2 greenhouse effect - A threat of disaster
18 p0175 A78-23492
- LAND USE**
Solar biomass energy - An overview of U.S. potential
18 p0193 A78-26967
- Remote-sensing methods for monitoring surface coal mining in the northern Great Plains
18 p0206 A78-28247
- The role of advanced transit in the implementation of the polycentric city concept
19 p0329 A78-36697
- Land use-energy simulation model: A computer-based model for exploring land use and energy relationships
[BNL-50634] 18 p0241 N78-16450
- Conference proceedings: A critical economic balance: Water, land, energy, people
[PB-274089/2] 18 p0253 N78-17944
- Applications of remote sensing in resource management in Nebraska
[E78-10099] 18 p0273 N78-20567
- Planner's energy workbook: A manual for exploring relationships between land use and energy utilization
[BNL-50633] 18 p0286 N78-21634
- Distributed technologies in California's energy future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 N78-21635
- Land use configurations and the utilization of distributed energy technology
[UCRL-13773] 19 p0418 N78-25512
- Interaction of land-use patterns and residential energy conservation
[TID-28058] 19 p0418 N78-25513
- Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152] 19 p0455 N78-27482
- LANDFORMS**
Land contouring to optimize wind power
[AIAA PAPER 78-279] 18 p0166 A78-20786
- LANDSAT SATELLITES**
Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico
17 p0075 A78-14815
- Remote sensing of earth resources. Volume 5 - Annual Remote Sensing of Earth Resources Conference, 5th, Tullahoma, Tenn., March 29-31, 1976, Technical Papers
18 p0198 A78-27823
- Remote-sensing methods for monitoring surface coal mining in the northern Great Plains
18 p0206 A78-28247
- LANTHANUM COMPOUNDS**
The utilization of LaH5 as a hydrogen-storage medium for heat engines
18 p0233 A78-32193
- LANTHANUM FLUORIDES**
LaF3 solar cell
17 p0027 A78-11068
- LARGE SPACE STRUCTURES**
GSSPS - Taking a new approach to the space solar power station --- Gravity-gradient-stabilized Satellite Solar Power Station
17 p0066 A78-13072
- Alm reflectors in space --- Russian book on orbiting solar power stations and solar sails
17 p0078 A78-15423
- Self-powered electric propulsion of satellite power systems
[AIAA PAPER 78-694] 19 p0293 A78-32765
- Structure assembly demonstration slated --- for large space structures in low orbit
19 p0339 A78-38774
- Construction in space: A proposed experiment in support of the space solar power concept and other large space systems
[NASA-TN-79435] 18 p0279 N78-21179
- LARMOR RADII**
Cyclotron oscillations of a large-Larmor-radius plasma
19 p0380 A78-42262
- Finite Larmor radius equations in an arbitrary near-theta pinch geometry
19 p0382 A78-42491

LASER APPLICATIONS

- Ribbon-to-ribbon crystal growth --- for solar cell fabrication 17 p0014 A78-10929
- Photoelectrolysis of water at high current density - Use of ultraviolet laser excitation 17 p0062 A78-11927
- Advancing technologies --- Book 18 p0225 A78-31151
- Solar-powered global aerospace transportation [AIAA PAPER 78-689] 11 p0293 A78-32761
- A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators 19 p0326 A78-36137
- High-power lasers --- industrial applications 19 p0382 A78-42446
- Laser-zone growth in a Ribbon-To-Ribbon, BTR, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 A78-16437
- A review of the thermoelectronic laser energy converter (TELEC) program at Lewis Research Center [NASA-TM-73888] 18 p0381 A78-21441
- Preliminary tests using a laser particle-size analyzer on geothermal brine [UCID-17637] 19 p0430 A78-25634
- Laser ray trace and bi-directional reflectometry measurements of various solar concentrators [SAND-77-1466C] 19 p0444 A78-26564
- LASER DRILLING**
- In-situ laser retorting of oil shale [NASA-CASE-LEW-12217-1] 17 p0145 A78-14452
- LASER FUSION**
- Commercial application of laser fusion 17 p0004 A78-10605
- Pulsed power systems for the LASL high energy gas laser facility 17 p0007 A78-10691
- Nuclear fusion by means of a laser 17 p0068 A78-13464
- Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation 18 p0195 A78-27700
- Laser-fusion experiments utilizing a 4/pi/ illumination system 18 p0235 A78-32434
- Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- Laser fusion --- overview 19 p0314 A78-34953
- Giant laser system readied for tests --- for inertial fusion 19 p0316 A78-35300
- Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave 19 p0332 A78-37139
- An assessment of laser-driven fusion 19 p0338 A78-36418
- Advanced lasers for fusion applications 19 p0342 A78-39367
- Design of the power amplifier for the HEGLF at LASL --- High Energy Gas Laser Facility 19 p0349 A78-39161
- Design of the energy storage system for the high energy gas laser facility at LASL 19 p0353 A78-39555
- The OMEGA fusion laser system 19 p0359 A78-40221
- An automatic alignment system for a multibeam laser system --- for use in fusion reactors 19 p0359 A78-40222
- Practical interferometry at 1.06 microns --- for testing high energy fusion laser focusing lenses 19 p0360 A78-40221
- Focusing systems for high energy glass lasers 19 p0360 A78-40224
- Diffraction analysis for multiple-beam pellet irradiance 19 p0360 A78-40225
- The Shiva laser - Hearing completion 19 p0360 A78-40226
- Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384

- Thermo-nuclear fusion plasma produced by CO₂ laser 19 p0362 A78-40385
- Effect of Faraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor 19 p0369 A78-41909
- Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269
- Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858
- LASER HEATING**
- Coal pyrolysis at fire-level heat flux 17 p0079 A78-15835
- Laser-fusion experiments utilizing a 4/pi/ illumination system 18 p0235 A78-32434
- Fusion reactor development scenarios for the laser solenoid concept 19 p0349 A78-39881
- Space electric power design study --- laser energy conversion [NASA-CR-152031] 18 p0282 A78-21590
- LASER OUTPUTS**
- Heat pipe mirrors for high power lasers [AIAA 78-391] 19 p0317 A78-35586
- Korea Atomic Energy Research Institute, Collected Reprints. Volume 4 --- Book 19 p0335 A78-37901
- Design of the power amplifier for the HEGLF at LASL --- High Energy Gas Laser Facility 19 p0349 A78-39861
- Design of the energy storage system for the high energy gas laser facility at LASL 19 p0353 A78-39955
- High-power lasers --- industrial applications 19 p0382 A78-42446
- LASER PLASMA INTERACTIONS**
- Evolution of stimulated Brillouin to stimulated ion Compton scattering in a CO₂ laser-plasma interaction experiment 18 p0235 A78-32425
- The OMEGA fusion laser system 19 p0359 A78-40221
- LASER PLASMAS**
- Direct conversion of CO₂ laser energy to high-voltage electrical energy using a laser-produced plasma 17 p0078 A78-15788
- Preliminary results on the conversion of laser energy into electricity 19 p0313 A78-34631
- An automatic alignment system for a multibeam laser system --- for use in fusion reactors 19 p0359 A78-40222
- Computer simulation on laser plasma compression 19 p0362 A78-40386
- Non-resonant pump field modification of the side-scatter threshold 19 p0381 A78-42264
- TELEC laser experiment [NASA-CR-152077] 18 p0247 A78-17251
- LASING**
- Gas laser with solar excitation 19 p0308 A78-33395
- LATEX**
- Materials and energy from the sun 17 p0071 A78-14025
- LAW (JURISPRUDENCE)**
- Solar shade control --- legislation to assure direct solar radiation availability 17 p0057 A78-11358
- The draft of a law for changing energy-law regulations 17 p0088 A78-17350
- On the right to sunshine --- homeowner access to solar energy 17 p0105 A78-19836
- Digest of federal registers [PB-270153/0] 17 p0113 A78-10574
- Legal-institutional implications of Wind Energy Conversion Systems (WECS), executive summary [PB-273006/7] 18 p0244 A78-16472
- State solar energy legislation of 1976: A review of statutes relating to buildings [PB-273899/5] 18 p0261 A78-18567

- A Forum on Solar Access 18 p0264 N78-19607
- Political and legal implications of developing and operating a satellite power system [NASA-CR-157077] 19 p0412 N78-25003
- Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2] 19 p0450 N78-26642
- A national environmental/energy workforce assessment, national legislation, phase 1 [PB-277905/6] 19 p0452 N78-26969
- LEACHING**
- The use of oxygen/water for removal of sulfur from coals 19 p0320 A78-35694
- LEAD (METAL)**
- Study of the manufacturing costs of lead-acid batteries for peaking power [CONS/2114-2] 17 p0114 N78-10583
- LEAD ACID BATTERIES**
- Mathematical model for the design of grids for electric vehicle batteries [SAE PAPER 780221] 19 p0307 A78-33380
- Lead-acid battery-operated electric street vehicles - New constructions from Germany 19 p0322 A78-35764
- Lead-strontium alloys for battery grids 19 p0363 A78-40617
- Rapid, efficient charging of lead-acid and nickel-zinc traction cells [NASA-TN-78901] 19 p0405 N78-24616
- LEAD ALLOYS**
- Lead-strontium alloys for battery grids 19 p0363 A78-40617
- LEADING EDGES**
- Blade twist, droop snoot, and forward spars --- in windmill blades 18 p0234 A78-32421
- LEAKAGE**
- Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle --- in Ocean Thermal Energy Conversion plants 19 p0306 A78-33351
- The effects of air leaks on solar air collector behaviour 19 p0313 A78-34932
- Remote leak detection for the TFTR --- Tokamak Fusion Test Reactor 19 p0352 A78-39939
- LEGAL LIABILITY**
- Legal problems of solar energy utilization 18 p0214 A78-28595
- Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study 19 p0301 A78-33308
- Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization [DOE/NSF/19137-77/3] 19 p0435 N78-25982
- Legal-institutional implications of Wind Energy Conversion Systems (WECS) [NSF/RA-770204] 19 p0435 N78-25983
- LENS DESIGN**
- Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications 17 p0001 A78-10170
- The linear Fresnel lens - Solar optical analysis of tracking error effects 17 p0059 A78-11375
- Prospects for using Fresnel lenses for concentrating systems of solar energy equipment 17 p0064 A78-12388
- Concentrating collectors --- for solar energy conversion 18 p0200 A78-27859
- Prospect for using Fresnel lenses for the concentrating systems of solar installations 19 p0331 A78-36865
- A novel square Fresnel lens design for illuminating circular solar cells 19 p0342 A78-39369
- Practical interferometry at 1.06 microns --- for testing high energy fusion laser focusing lenses 19 p0360 A78-40223
- Focusing systems for high energy glass lasers 19 p0360 A78-40224
- Non-tracking solar concentration for solar cell 19 p0371 A78-42111
- LEVEL (QUANTITY)**
- Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions [ORNL/TN-6098-VOL-1] 19 p0442 N78-26524
- LIFE (DURABILITY)**
- Minority carrier lifetime measurement of silicon solar cell 19 p0335 A78-37903
- Comparative radiation resistance calculation for graded- and constant-composition n Al_{1/2}Ga_{1/2}As-p Al_{1/2}Ga_{1/2}As solar cells 19 p0338 A78-38551
- Real-time and accelerated outdoor endurance testing of solar cells [NASA-TN-73743] 17 p0150 N78-14628
- Ceramic technology readiness program [PE-2664-3] 19 p0454 N78-27279
- LIFE CYCLE COSTS**
- Annual Canadian Symposium on Reliability Engineering, 4th, Ottawa, Canada, October 13, 14, 1977, Proceedings 18 p0217 A78-29476
- Advanced fuel cell development [ANL-77-79] 19 p0445 N78-26571
- System definition study: Phase 1 of individual load center, solar heating and cooling residential project [EPRI-78-594] 19 p0459 N78-27548
- LIFE SCIENCES**
- Indoor test for thermal performance evaluation on life sciences engineering (air) solar collector [NASA-CR-150665] 19 p0420 N78-25547
- LIFT**
- Lift on a rotating porous cylinder --- with application to wind power generation 18 p0167 A78-21633
- LIGHT AMPLIFIERS**
- Giant laser system readied for tests --- for inertial fusion 19 p0316 A78-35300
- Advanced lasers for fusion applications 19 p0342 A78-39367
- LIGHT BEAMS**
- Structure of a beam reflected by a heliostat 18 p0214 A78-28888
- LIGHT MODULATION**
- Spectral responses limitation mechanisms of a shallow junction n⁺/p photodiode 18 p0205 A78-28141
- LIGHT SCATTERING**
- Concentration by conical and cylindrical concentrators of radiation scattered by near-solar regions of the sky 17 p0064 A78-12387
- Peculiar and focal concentration of radiation scattered by circumsolar parts of the sky 19 p0331 A78-36864
- LIGHT SOURCES**
- Response of a solar cell partially illuminated by a nonuniform light source 18 p0192 A78-26614
- LIGHT TRANSMISSION**
- Transmission of sunlight through a uniform water-drop atmosphere --- computer-aided design for solar collectors 17 p0105 A78-19838
- Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908
- LIGHT WATER BREEDER REACTORS**
- Fusion reactor development scenarios for the laser solenoid concept 19 p0349 A78-39881
- LINE CURRENT**
- The potential for application of energy storage capacity on electric utility systems in the United States. II 17 p0030 A78-11087
- LINEAR EQUATIONS**
- Sensitivity theory for general nonlinear algebraic equations with constraints [ORNL/TN-5815] 17 p0118 N78-10814
- LINEAR PROGRAMMING**
- A linear programming model for assessing the regional impacts of energy development on water resources [PB-273022/4] 18 p0251 N78-17491

LINEAR SYSTEMS

- Design, construction and test of a collector system using a linear asymmetric Fresnel reflector 17 p0059 A78-11374
- Problem of end effect in a linear induction MHD machine at arbitrary load current 18 p0167 A78-21395

LINES OF FORCE

- Reconnection of field lines and disruptive instability in Tokamaks 17 p0011 A78-10796

LININGS

- Design aspects of a large toroidal stabilizing shell and vacuum liner assembly 17 p0040 A78-11184
- Transport calculations for a wall-confined liner-compressed plasma 19 p0380 A78-42258

LIPIDS

- Lipinites and lipid substances in an oil source rock 17 p0061 A78-11458
- Ultrathin barriers and solar energy conversion --- photosynthetic pigmented bilayer lipid membrane 18 p0203 A78-27895

LIQUEFACTION

- Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 A78-15564

LIQUEFIED GASES

- Aviation fuels beyond the 1980's --- liquefied gases and synthetic fuels [NASA-TN-79510] 19 p0436 A78-26223

LIQUEFIED NATURAL GAS

- Liquid hydrogen as energy source - Economic considerations through a comparison with imported liquefied natural gas 17 p0107 A78-20516
- Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states 19 p0323 A78-35897
- Allocation of petroleum feedstocks to synthetic natural gas plants [PB-273098/4] 18 p0251 A78-17490
- The conversion of model coal liquids compounds to Naphtha species [PB-275891/0] 18 p0272 A78-20291
- Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 A78-20376
- Approach to liquefied natural gas (LNG) safety and environmental control research [DOE/EV-0002] 19 p0437 A78-26227
- Dispersion and analysis of methane in the atmosphere [CL-1976-16] 19 p0450 A78-26644

LIQUID AMMONIA

- Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSF-00033/76/TI] 19 p0409 A78-24677

LIQUID CHROMATOGRAPHY

- High pressure liquid chromatographic studies of coal liquefaction kinetics 18 p0192 A78-26591
- Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis 18 p0232 A78-32104
- GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification [BBRC/BI-77/12] 19 p0402 A78-24324

LIQUID COOLED REACTORS

- Evaluation of a seafloor nuclear power supply and its potential applications [COO-4123-1] 18 p0277 A78-20643

LIQUID COOLING

- Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling 18 p0166 A78-21030
- A simple test for determining a best flow rate through solar collectors [AIAA PAPER-78-900] 19 p0324 A78-36020
- Cryostabilization of large superconducting magnets using pool boiled helium II 19 p0350 A78-39896

The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils 19 p0352 A78-39936

Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047

Liquid-cooling technology for gas turbines review and status [NASA-TN-78906] 19 p0436 A78-26145

LIQUID FLOW

- Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216
- Performance analysis of a black liquid absorbing collector /ELAC/ 17 p0042 A78-11217
- Solar energy utilization - Liquid flat plate collectors 18 p0200 A78-27856

LIQUID HELIUM

- Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system 19 p0350 A78-39897
- The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils 19 p0352 A78-39936
- Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047
- Design and performance of large cryopumps for high power neutral injectors 19 p0359 A78-40108

LIQUID HELIUM 2

- Cryostabilization of large superconducting magnets using pool boiled helium II 19 p0350 A78-39896

LIQUID HYDROGEN

- Current and future fuels for transport aircraft 17 p0096 A78-18669
- Hydrogen fueled subsonic aircraft - A prospective 17 p0100 A78-18843
- Hydrogen cryogenic storage - Liquid for automotive applications and cryoadsorbents for pipeline distribution systems 17 p0100 A78-18844
- Safety in hydrogen transport and storage installations 17 p0101 A78-18856
- Safety problems in the use of liquid hydrogen 17 p0102 A78-18858
- Liquid hydrogen as energy source - Economic considerations through a comparison with imported liquefied natural gas 17 p0107 A78-20516
- Cryogenic supplies for the TFTR neutral beam line cryopanels --- Tokamak Fusion Test Reactor 19 p0352 A78-39951
- Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860

The Liquid Hydrogen Option for the Subsonic Transport: A status report [NASA-TN-74089] 17 p0109 A78-10306

Liquid hydrogen flash vaporizer --- for aircraft fuel systems [NASA-CASE-LAR-12159-1] 17 p0120 A78-11260

Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 A78-15564

Studies of hydrogen liquefier efficiency and the recovery of the liquefaction energy [PB-274058/7] 18 p0237 A78-16199

Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSF-00033/76/TI] 19 p0409 A78-24677

LIQUID LITHIUM

- Lithium and potassium heat pipes for thermionic converters [NASA-TN-78946] 19 p0441 A78-26390

LIQUID METAL FAST BREEDER REACTORS

- Fusion and fast breeder reactors [IIRASA-BR-77-8] 18 p0278 A78-20941
- Tribology: Research and development needs in advanced energy technology [HEDL-SA-1191-BEV] 19 p0442 A78-26450

LIQUID METALS

- A liquid sodium cooled solar tower system
17 p0053 A78-11325
- Some results of investigation of pressure
fluctuations in a condensing injector --- for
liquid metal MHD generator
17 p0066 A78-13154
- Evaluation of the feedback in MHD conduction
machines
18 p0167 A78-21397
- Study of liquid-metal heat pipes characteristics
at start-up and operation under gravitation
[AIAA 78-434]
19 p0318 A78-35614
- Tritium removal from liquid metals by sorption on
yttrium
19 p0358 A78-40074
- Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[AD-A046951]
18 p0240 A78-16444
- Liquid metal cooled solar central receiver
feasibility study and heliostat field analysis.
Part 1: Liquid sodium cooled central receiver
system conceptual design
[ORO-5178-78/1]
19 p0447 A78-26594
- Studies on two-phase flow mixing pertaining to
liquid-metal magnetohydrodynamic power generation
[CONF-771098-1]
19 p0452 A78-26933
- LIQUID NITROGEN**
The Alcatraz C magnetic coil systems
19 p0346 A78-39791
- LIQUID PHASES**
Mass and energy transfer in a hot liquid energy
storage system
17 p0050 A78-11302
- LIQUID POTASSIUM**
Lithium and potassium heat pipes for thermionic
converters
[NASA-TN-78946]
19 p0441 A78-26390
- LIQUID-LIQUID INTERFACES**
Evaluation and design considerations for
liquid-liquid direct contact heat exchangers for
geothermal applications
[ASME PAPER 77-HT-2]
17 p0089 A78-17477
- LIQUID-SOLID INTERFACES**
Heat transfer in a dense layer at large Péclet numbers
19 p0335 A78-37912
- Semiconductor liquid-junction solar cells;
Proceedings of the Conference on the
Electrochemistry and Physics of Semiconductor
Liquid Interfaces under Illumination, Airline,
Va., May 3-5, 1977
19 p0342 A78-39453
- Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells
19 p0343 A78-39456
- Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency
19 p0343 A78-39461
- Stability and voltammetry of illuminated
semiconductor-liquid interfaces
19 p0343 A78-39464
- Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells
19 p0344 A78-39469
- LIQUID-VAPOR INTERFACES**
Broadlands - A gas-dominated geothermal field
19 p0330 A78-36825
- LITERATURE**
Study of brine treatment
[EPRI-EE-476]
19 p0430 A78-25633
- LITHIUM**
Current efficiency in the lithium-water battery
17 p0095 A78-18410
- Primary lithium organic electrolyte battery BA -
5598 ()/U
[AD-A042799]
17 p0112 A78-10568
- LITHIUM COMPOUNDS**
A lithium solid-state cell based on the
Li₃75S0.75P0.25O₄ electrolyte
19 p0363 A78-40620
- LITHIUM COOLED REACTOR EXPERIMENT**
Thermal hydraulic analyses of two fusion reactor
first wall/blanket concepts --- lithium cooled
reactor experiment hydraulic equipment
[CONF-771029-178]
19 p0434 A78-25930

LITHIUM FLUORIDES

- Thermal energy storage--Stirling engine power
plants 2. Calculated energy transfer rates from
solidifying lithium fluoride to a plain-tube
heater
[GNP-2690-SECT-7.108]
19 p0440 A78-26334
- Metallurgical studies of high temperature alloy
capsules after long time cyclic corrosion tests
as containers for lithium fluoride
[GNP-2690-SECT-7.109]
19 p0440 A78-26335
- LITHIUM HYDROXIDES**
Analysis of the failure of the nickel tank used
for LION thermal energy storage for the Calvair
automobile
[GNP-2690-SECT-7.106]
19 p0440 A78-26332
- LOAD DISTRIBUTION (FORCES)**
Digital load control for hydroelectric powerplants
[PB-274027/2]
18 p0251 A78-17492
- LOAD TESTS**
The battery energy storage test /BEST/ facility -
its purposes and description
17 p0029 A78-11079
- LOADS (FORCES)**
Fatigue load spectra for upwind and downwind rotors
18 p0267 A78-19635
- Development program for MHD power generation.
Volume 4: Superconducting magnet study
[PB-2015-16-VOL-4]
19 p0455 A78-27447
- LOCOMOTIVES**
The electric locomotive opportunity in the United
States
[EVC PAPER 7781]
17 p0086 A78-16933
- The gas turbine as an advantageous propulsion unit
for high-performance rail traffic
17 p0096 A78-18713
- The new electric locomotives
18 p0179 A78-24378
- LOGISTICS MANAGEMENT**
A study of the energy consequences of alternative
transport policies in intercity freight markets
18 p0258 A78-18547
- LONG TERM EFFECTS**
Solar house Rothenkirchen --- heating and hot
water system
18 p0179 A78-24345
- LORENTZ FORCE**
Influence of the nonuniformity of the field of
force on the flow in an MHD channel
18 p0216 A78-28951
- LOUISIANA**
Strategic petroleum reserve: Supplement to final
environmental impact statement for Bayou Choctaw
salt dome
[PB-270435/1]
17 p0119 A78-11254
- Strategic petroleum reserve. Texoma group salt
domes. Draft environmental impact statement.
Volume 1: West Hackberry expansion, Black
Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-1]
19 p0390 A78-22487
- Strategic petroleum reserve. Texoma group salt
domes. Draft environmental impact statement.
Volume 2, appendices A and B: West Hackberry
expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-2]
19 p0391 A78-22488
- Strategic petroleum reserve. Texoma group salt
domes. Draft environmental impact statement.
Volume 4, appendices D-S: West Hackberry
expansion, Black Bayou, Vinton, Big Hill
[FEA/S-77/323-VOL-4]
19 p0391 A78-22490
- LOW ASPECT RATIO WINGS**
Betz type limitation of vortex wind machines
17 p0093 A78-18090
- LOW COST**
Inverters for commercial fuel cell power generation
17 p0009 A78-10733
- Low cost test procedure for solar collectors
[ASME PAPER 77-WA/SOL-4]
19 p0299 A78-33192
- Polycrystalline silicon p-n junctions ---
fabrication of low cost solar cells
19 p0334 A78-37467
- Economic analysis of EBT reactor --- Elao Bumpy
Torus
19 p0350 A78-39895
- Summary of the NASA space photovoltaic research
and technology program
17 p0136 A78-13528

SUBJECT INDEX

MAGNETIC COILS

Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464

Wind turbine generator rotor blade concepts with low cost potential [NASA-TN-73835] 18 p0249 N78-17466

Phase 1 of the automated array assembly task of the low cost silicon solar array project [NASA-CR-155935] 18 p0255 N78-18516

Research of low cost wind generator rotors 18 p0267 N78-19639

Process for utilizing low-cost graphite substrates for polycrystalline solar cells [NASA-CASE-GSC-12022-2] 19 p0405 N78-24609

LOW GRAVITY MANUFACTURING

A road map to space products --- extraterrestrial manufactured products for Earth use [AAS 77-239] 19 p0329 A78-36716

LOW SPEED WIND TUNNELS

Applications of wind tunnels to investigations of wind-engineering problems [AIAA 78-812] 18 p0233 A78-32366

LOW TEMPERATURE

Direct utilization of solar energy with the aid of low-temperature heating 18 p0213 A78-28591

LOW TEMPERATURE PHYSICS

Dielectric relaxation in polymers at low temperatures 17 p0148 N78-14170

LOW TEMPERATURE TESTS

Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427

LUBRICATING OILS

Some characteristics of oil consumption measured by hydrogen fueled engine [ASLE PREPRINT 77-LC-5R-1] 18 p0209 A78-28434

LUBRICATION SYSTEMS

Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1] 17 p0109 N78-10467

LUMINOUS INTENSITY

Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory 17 p0023 A78-11026

Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 A78-11027

High intensity solar cell 17 p0023 A78-11028

Improved performance of solar cells for high intensity applications 17 p0024 A78-11033

General principles of calculating multielement concentrating systems --- solar collectors 19 p0326 A78-36136

Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave 19 p0332 A78-37139

Deviation in solar cell characteristics from their ideal behaviour 19 p0371 A78-42118

M

MACHINE TOOLS

Advancing technologies --- Book 18 p0225 A78-31151

Mechanics of cutting and boring. Part 6: Dynamics and energetics of transverse rotation machines [AD-A045127] 17 p0135 N78-13444

MAGMA

Stable isotopic studies of Japanese geothermal systems 17 p0062 A78-11493

Volcanoes as a source of geothermal energy 17 p0067 A78-13346

Magma - A potential source of fuels 19 p0311 A78-34398

The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs 19 p0369 A78-42080

Potential fuel production from magma [SAND-77-0509] 19 p0403 N78-24383

MAGNESIUM OXIDES

Study of the behavior of periclase materials in gas flows containing alkali additions --- for MHD channel linings 19 p0328 A78-36578

MAGNET COILS

The analysis of superconducting magnet systems for the M.H.D. energy conversion 18 p0229 A78-31752

Design for the magnetic field requirements of the tandem mirror experiment 19 p0349 A78-39889

Pulsed power conversion with inductive storage --- compression for superconducting coil fields 19 p0353 A78-39954

Losses in a coil where the multifilamentary composite is subjected to simultaneous orthogonal and parallel induction variations --- superconducting toroidal field magnet in Tokamak 19 p0356 A78-40008

MAGNETIC CIRCUITS

Pulse power systems employing inductive energy storage 17 p0007 A78-10698

MAGNETIC COILS

Design, construction and operation of the DITE divertor field system --- Divertor Injection Tokamak Experiment 17 p0039 A78-11175

TFTR Toroidal Field coil design --- Tokamak Fusion Test Reactor 19 p0345 A78-39785

Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX 19 p0345 A78-39789

Design of the TEXT toroidal and poloidal field coils --- Texas fusion plasma research tokamak 19 p0345 A78-39790

The Alcator C magnetic coil systems 19 p0346 A78-39791

Stress and deflection analysis of the PLT-coil using ANSYS computer code 19 p0346 A78-39792

Toroidal field ripple effects in TNS design --- computer simulation model for Tokamak 19 p0347 A78-39810

Hybrid equilibrium field coils for the ORNL TNS 19 p0347 A78-39812

The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901

Potential damage to dc superconducting magnets due to high frequency electromagnetic waves 19 p0350 A78-39902

Magnetic forces in the PDX toroidal field coils 19 p0350 A78-39908

PDX PF power tests --- Princeton Divertor Experiment tokamak Poloidal Field coil system 19 p0351 A78-39909

Bending free toroidal shells for tokamak fusion reactors 19 p0351 A78-39915

Lateral support structure for constant tension D-shaped coils in tokamak fusion devices 19 p0351 A78-39916

Electrical design of TNS --- Next Step tokamak 19 p0351 A78-39918

General Electric conceptual design of a test coil for the large coil program --- for superconducting electromagnet construction 19 p0351 A78-39928

Pulse coil concepts for the LCP facility --- Large Coil Program to simulate tokamak coils 19 p0352 A78-39935

Parametric study of plasma startup systems for tokamaks 19 p0354 A78-39971

An apparatus to examine pulsed parallel field losses in large conductors --- of superconducting magnetic coils in Tokamak 19 p0355 A78-40006

Time dependent study of eddy current loss in a superconducting composite --- for Tokamak toroidal field coils 19 p0355 A78-40007

Fast ramp superconductor for ohmic heating coils --- of Tokamak Next Step reactor 19 p0356 A78-40009

- Superconducting energy storage coils
19 p0356 A78-40010
- Magnetics design for ripple-assisted beam
injection into the ISI-B and TFTR tokamaks
19 p0356 A78-40013
- Using computer graphics to analyze the placement
of neutral-beam injectors for the Mirror Fusion
Test Facility
19 p0357 A78-40026
- MAGNETIC CONTROL**
Status and prospects for continued progress in
magnetic fusion energy research and development
18 p0181 A78-24756
- Destruction of magnetic surfaces near a separatrix
of a stellarator attributed to perturbations of
magnetic fields
18 p0217 A78-29433
- MAGNETIC CORES**
Magnetic field computations for ISI using GFUN-3D
--- Impurity Study experiment iron core tokamak
computerized design
19 p0356 A78-40019
- MAGNETIC DIFFUSION**
Eddy current losses and transient magnetic forces
in pulsed fusion reactors
17 p0039 A78-11172
- Transport calculations for a wall-confined
liner-compressed plasma
19 p0380 A78-42258
- MAGNETIC EFFECTS**
Direct energy conversion of exhaust fusion plasma
by magnetic deflection
19 p0348 A78-39815
- Performance of a turbomolecular pump in a pulsed
magnetic field --- for controlled fusion
experiments
19 p0352 A78-39938
- Pulsed power conversion with inductive storage ---
compression for superconducting coil fields
19 p0353 A78-39954
- MAGNETIC FIELD CONFIGURATIONS**
The transformer design for a proposed technical
feasibility Tokamak reactor
17 p0039 A78-11171
- The poloidal field circuit in the Joint European
Torus /JET/
17 p0039 A78-11177
- Poloidal field equilibrium calculations for JET
--- Joint European Torus
17 p0040 A78-11178
- Conceptual design problems in future reversed
field pinch experiments
17 p0040 A78-11181
- The practical feasibility of a bundle divertor for
a Tokamak power reactor
17 p0041 A78-11188
- An expression for beta in linked Min-B
configurations --- fusion reactor economic
feasibility parameter
18 p0173 A78-22836
- Destruction of magnetic surfaces near a separatrix
of a stellarator attributed to perturbations of
magnetic fields
18 p0217 A78-29433
- Heliotron as a D-D fusion reactor - Preliminary
analysis
18 p0220 A78-30226
- Collapse of Alfvén waves
18 p0224 A78-31008
- Coaxial MHD generator
18 p0229 A78-31751
- The analysis of superconducting magnet systems for
the M.H.D. energy conversion
18 p0229 A78-31752
- A small tokamak 'Nova II'
19 p0327 A78-36319
- Mode mixing of large scale fluctuations in JET-2
tokamak
19 p0332 A78-37147
- Design of the TEXT toroidal and poloidal field coils
--- Texas fusion plasma research tokamak
19 p0345 A78-39790
- Engineering features of ISI-B --- Tokamak reactor
design
19 p0347 A78-39802
- Design of an electrostatic end-plugged
plasma-confinement device
19 p0347 A78-39806
- Toroidal field ripple effects in TMS design ---
computer simulation model for Tokamak
19 p0347 A78-39810
- Hybrid equilibrium field coils for the CNHL-TMS
19 p0347 A78-39812
- Design for the magnetic field requirements of the
tandem mirror experiment
19 p0349 A78-39889
- Magnetic forces in the PDX toroidal field coils
19 p0350 A78-39908
- PDX PF power tests --- Princeton Divertor
Experiment tokamak Poloidal field coil system
19 p0351 A78-39909
- Parametric study of plasma startup systems for
tokamaks
19 p0354 A78-39971
- Poloidal field coil design for a fusion-fission
breeder reactor
19 p0354 A78-39977
- Magnetics design for ripple-assisted beam
injection into the ISI-B and TFTR tokamaks
19 p0356 A78-40013
- Magnetic field computations for ISI using GFUN-3D
--- Impurity Study experiment iron core tokamak
computerized design
19 p0356 A78-40019
- Shear stabilization of collisional drift instability
19 p0369 A78-42022
- Tearing-mode-stable diffuse-pinch configurations
--- of plasmas
19 p0380 A78-42261
- Cyclotron oscillations of a large-Larmor-radius
plasma
19 p0380 A78-42262
- Reversed-field pinch-burn dynamics --- of
contained plasmas
19 p0381 A78-42266
- Reversed-field configuration generated by a
rotating relativistic electron beam
19 p0382 A78-42492
- MAGNETIC FIELDS**
Reconnection of field lines and disruptive
instability in Tokamaks
17 p0011 A78-10796
- The UHAK-II study and magnet design
17 p0038 A78-11169
- Numerical methods for studying compressed magnetic
field generators
17 p0102 A78-18908
- Evaluation of the feedback in MHD conduction
machines
18 p0167 A78-21397
- High magnetic field MHD generator program
[FE-2341-1]
18 p0245 A78-16874
- Magnetic confinement fusion energy research
[COO-3077-143]
18 p0270 A78-19673
- MAGNETIC FLUX**
Explosive magnetic flux compression plate
generators as fast high-energy power sources
17 p0008 A78-10705
- Superconducting magnetic energy storage
17 p0074 A78-14649
- MAGNETIC INDUCTION**
Development of inductive storage for generation of
high voltage pulses
17 p0007 A78-10699
- Terawatt pulse power systems utilizing inductive
storage
17 p0008 A78-10701
- Pulsed superconducting inductive storage system
17 p0008 A78-10702
- Superconductive inductor storage and converters
for pulsed power loads
17 p0008 A78-10703
- Hall effect on an rf induction discharge
17 p0070 A78-13857
- Effects of wall electrical conductance and induced
magnetic field on MHD channel heat transfer with
developing thermal and velocity fields
[ASME PAPER 77-HT-63]
17 p0090 A78-17495
- Integral characteristics of an induction MHD
device at large parameters of electromagnetic
interaction
18 p0204 A78-28087
- Comparison of several computation methods for
inductive MHD channel and free jet converters
with nonmagnetic liquid metals as working fluids
[SPB-MHD-27]
17 p0121 A78-11512

SUBJECT INDEX

MAGNETOHYDRODYNAMIC GENERATORS

MAGNETIC LEVITATION VEHICLES

Electric levitated inter-city vehicles
[EVC PAPER 7782] 17 p0085 A78-16928
Technical alternatives for a maglev system 19 p0292 A78-32653
Specialized complex electromechanical systems -
Computer and microelectronics technology in
control systems /Some results of the
International Electrotechnology Congress -
Moscow, 1977/ 19 p0325 A78-36129

The German research and technology program
concerning advanced tracked
ground-transportation systems 19 p0329 A78-36700

MAGNETIC MEASUREMENT

Significance of the space imagery for studies of
the petroleum platform areas --- in Lower Volga
region 19 p0313 A78-34877

MAGNETIC MIRRORS

Mirror reactor studies --- fusion and
fusion-fission reactors 17 p0011 A78-10874
Experimental and computational results on direct
energy conversion for mirror fusion reactors 17 p0064 A78-12486
Measurement of a theta-pinch plasma by holographic
interferometry 18 p0192 A78-26624
The technology of mirror machines - LLL facilities
for magnetic mirror fusion experiments 19 p0345 A78-39784
TMX - A new facility --- Tandem Mirror Experiment
fusion reactor design 19 p0347 A78-39805
System design for the new TMX machine --- Tandem
Mirror Experiment 19 p0349 A78-39888
Design for the magnetic field requirements of the
tandem mirror experiment 19 p0349 A78-39889
The coil winder for the magnet of the Mirror
Fusion Test Facility 19 p0350 A78-39901
Plasma-wall charge-exchange interactions in the
2XIIIB magnetic mirror experiment 19 p0377 A78-42207
Two-component, multiple-mirror reactor with
depressed ion temperature 19 p0380 A78-42263
Experimental transfer function analysis of a
dissipative and a reactive mode --- instability
in magnetic mirror plasma 19 p0381 A78-42267

MAGNETIC PUMPING

Integral characteristics of an induction MHD
device at large parameters of electromagnetic
interaction 18 p0204 A78-28087
TMP heating studies on Petula Tokamak --- Transit
Time Magnetic Pumping 19 p0354 A78-39969

MAGNETIC SUSPENSION

Development of satellite flywheels utilizing
magnetic bearings with passive radial centering
- Concepts and results 19 p0294 A78-32912
[AIAA 78-571]
Research toward improved flywheel suspension and
energy conversion systems --- for use with
energy storage systems 17 p0139 A78-13564
[PB-271413/7]

MAGNETIC TAPES

Hourly direct-normal solar radiation data tapes
for the United States 17 p0049 A78-11288

MAGNETICALLY TRAPPED PARTICLES

On toroidal diverters for tokamaks 19 p0379 A78-42242

MAGNETOHYDRODYNAMIC FLOW

Plasma flow computation method for MHD conversion
channels 17 p0002 A78-10375
Two-dimensional electrical effects in a frame-type
MHD channel 17 p0103 A78-19269
Collection of ions by electric probes in
combustion MHD plasmas - An overview 18 p0188 A78-26111

Influence of the nonuniformity of the field of
force on the flow in an MHD channel 18 p0216 A78-28951
Laminar flow of a conducting liquid between
coaxial cylinders in a traveling magnetic field 19 p0339 A78-38673
Impurity and gas throughput control for TNS ---
The Next Step tokamaks 19 p0348 A78-39822

MAGNETOHYDRODYNAMIC GENERATORS

Cathode spots on metallic electrodes under the
conditions of the channel of an MHD generator 17 p0002 A78-10243
Acceleration nozzles of MHD generators with
deformation of supersonic flow 17 p0002 A78-10244
Effect of flow inhomogeneity on plasma instability
near a channel wall 17 p0002 A78-10245
Processing the results of experiments on the U-25
unit by means of an information measuring system
--- MHD generator 17 p0002 A78-10246
Plasma flow computation method for MHD conversion
channels 17 p0002 A78-10375
Some results of research carried out at the Soviet
U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734
National program for MHD power generation 17 p0010 A78-10745
Dynamic modeling and control of
magnetohydrodynamic/steam systems 17 p0028 A78-11070
MHD generators for baseload power stations 17 p0032 A78-11108
Heat-transfer allowing for ion slip in an MHD
channel 17 p0063 A78-12346
Investigation of the efficiency of a Faraday
MHD-generator coupled to a thermonuclear reactor 17 p0063 A78-12348
Stability of nonequilibrium plasmas 17 p0063 A78-12352
Some results of investigations on the U-25 pilot
plant to attain its design parameters --- MHD
generator operation 17 p0066 A78-13153
Some results of investigation of pressure
fluctuations in a condensing injector --- for
liquid metal MHD generator 17 p0066 A78-13154
Variation in excess oxidant factor in combustion
products of MHD generator 17 p0066 A78-13155
Experimental investigation of pulsating modes of
combustion in the combustion chambers of the
U-25 plant --- energy converter for MHD generator 17 p0066 A78-13156
Hall effect on an rf induction discharge 17 p0070 A78-13857
The use of MHD generators in the nuclear energy
field 17 p0072 A78-14130
Two-dimensional analysis of a diagonal-type
nonequilibrium plasma MHD generator 17 p0073 A78-14274
Probe-tube microphone for pressure-fluctuation
measurements in harsh environments 17 p0077 A78-15155
Analysis of the seeded combustion gas boundary
layer near a cold electrode 17 p0083 A78-16814
MHD electrode-insulator micro- and macro-structure 17 p0088 A78-17464
Effects of slagging in MHD generator ducts
[ASME PAPER 77-HT-59] 17 p0089 A78-17491
Analysis of a new concept for a high temperature
direct coal-fired falling particle air
pre-heater for MHD power generation
[ASME PAPER 77-HT-60] 17 p0089 A78-17492
Specifics of heat exchanger design for a 2000-MW
dual cycle, MHD Topping-Steam Bottoming power
plant [ASME PAPER 77-HT-61] 17 p0090 A78-17493
Heat transfer problem associated with an MHD power
generation system - An overview
[ASME PAPER 77-HT-62] 17 p0090 A78-17494

- Effects of wall electrical conductance and induced magnetic field on MHD channel heat transfer with developing thermal and velocity fields
[ASME PAPER 77-HT-63] 17 p0090 A78-17495
- 1 MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 MWt MHD power plant
[ASME PAPER 77-HT-64] 17 p0090 A78-17496
- Particulate deposition in direct fired MHD air preheaters
[ASME PAPER 77-HT-65] 17 p0090 A78-17497
- 2 numerical solution to the unsteady, quasi-three-dimensional, turbulent heat transfer problem in an MHD channel
[ASME PAPER 77-HT-90] 17 p0091 A78-17506
- Numerical methods for studying compressed magnetic field generators 17 p0102 A78-18908
- Limiting values of the energy generated by pulsed MHD converters 17 p0103 A78-19268
- Two-dimensional electrical effects in a frame-type MHD channel 17 p0103 A78-19269
- Cold wall Faraday type generating channel 17 p0106 A78-20199
- The efficiency of half-peak MHD electric power plant 18 p0166 A78-21034
- Coaxial, explosive-type MHD generator 18 p0166 A78-21387
- Problem of end effect in a linear induction MHD machine at arbitrary load current 18 p0167 A78-21395
- Evaluation of the feedback in MHD conduction machines 18 p0167 A78-21397
- Method for taking account of the effect of chemical kinetics on the thermodynamic properties of the working fluid in a supersonic MHD generator 18 p0168 A78-22137
- The experimental MHD power plant of India 18 p0168 A78-22138
- Choice of optimal configuration of frame and cross section shape for a frame-type MHD channel 18 p0168 A78-22139
- Energy characteristics of an MHD generator cycle with internal cooling of the channel 18 p0172 A78-22531
- Two-dimensional temperature distribution in a ceramic-based electrode --- for MHD channels 18 p0173 A78-22806
- Power conditioning systems for high-power, airborne, pulsed applications 18 p0174 A78-23412
- Electricity from coal by the MHD process [AIAA PAPER 78-291] 18 p0177 A78-24002
- MHD electric power generation --- using fossil fuels 18 p0179 A78-24329
- Materials engineering and development for coal fired MHD power generators 18 p0182 A78-25052
- Design of superconducting magnets for full scale MHD generators 18 p0183 A78-25108
- Potential effects of coal slag condensation on plasma conductivity in MHD generators 18 p0188 A78-26109
- Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma 18 p0192 A78-26622
- Conditions for the constricted discharge at electrodes in a combustion product plasma --- in MHD generator 18 p0193 A78-27127
- Calculation of electron heating in a nonequilibrium MHD channel 18 p0193 A78-27133
- Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136
- The formation of electrode arcs and the electric fluctuations in an MHD channel 18 p0194 A78-27137
- Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- Some results of applying the MHD method in power engineering 18 p0204 A78-28086
- Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel --- in MHD generators 18 p0204 A78-28120
- Influence of the nonuniformity of the field of force on the flow in an MHD channel 18 p0216 A78-28951
- Surface ignition of coal and other fuel particles in radiative and diffusive environment --- in MHD combustor 18 p0222 A78-30511
- Coaxial MHD generator 18 p0229 A78-31751
- The analysis of superconducting magnet systems for the M.B.D. energy conversion 18 p0229 A78-31752
- Heat exchange in an MHD channel with allowance for the ion slippage 19 p0291 A78-32570
- Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor 19 p0291 A78-32572
- Stability of nonequilibrium plasma 19 p0291 A78-32575
- 'Local' breakdown criterion for a highly ionized gas stream 19 p0292 A78-32707
- The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields 19 p0293 A78-32717
- Study of a collisional plasma rotating between two cylinders 19 p0293 A78-32718
- Two-dimensional analysis of diagonal MHD generator via equivalent circuit 19 p0293 A78-32893
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- Coal fired non-equilibrium, Closed Cycle MHD/steam power generation [ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels 19 p0309 A78-34018
- Calculation of porous-particle combustion --- coal for MHD generators 19 p0315 A78-35052
- MHD's target - Payoff by 2000 19 p0316 A78-35441
- Analysis of end effects in diagonal type MHD generator by means of equivalent circuit 19 p0327 A78-36320
- High-temperature materials for MHD generators --- Russian book 19 p0328 A78-36551
- Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556
- Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563
- Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 A78-36566
- Study of the behavior of periclase materials in gas flows containing alkali additions --- for MHD channel linings 19 p0328 A78-36578
- Temperature sheaths on probes or electrodes in MHD plasmas 19 p0336 A78-38108
- Simplest physical model of a magnetohydrodynamic generator 19 p0339 A78-38634
- Subsonic flow in an MHD channel 19 p0341 A78-38963

- Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions 19 p0341 A78-38965
- Development of a mathematical model for interelectrode breakdown in an MHD generator 19 p0341 A78-38968
- The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel 19 p0341 A78-38969
- Constructing the vacuum vessel for J.E.T. /Joint European Torus/ 19 p0352 A78-39947
- Pulsed power conversion with inductive storage --- compression for superconducting coil fields 19 p0353 A78-39954
- Pulsed acceleration of exhaust plasma in a fusion-MHD power plant 19 p0356 A78-40014
- The stationary regimes of open cycle MHD power units - A mathematical model 19 p0362 A78-40456
- Large superconducting magnets - A key issue in commercialization of MHD 19 p0362 A78-40509
- Optimization of the current profile in MHD generators 19 p0364 A78-40834
- The effect of coherent structures on open-cycle generators [AIAA PAPER 78-1173] 19 p0368 A78-41870
- Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- Open-cycle MHD energy conversion - Prospects and developments for central station power generation 19 p0385 A78-43176
- Study of high power, high performance portable MHD generator power supply systems [AD-A040381] 17 p0111 N78-10560
- Comparison of several computation methods for inductive MHD channel and free jet converters with nonmagnetic liquid metals as working fluids [SPB-MHD-27] 17 p0121 N78-11512
- On pressure and heat flux distribution along magnetohydrodynamic generator channel-diffuser systems 17 p0128 N78-12837
- Experimental two-phase liquid-metal magnetohydrodynamic generator program [AD-A046951] 18 p0240 N78-16444
- High magnetic field MHD generator program [FE-2341-1] 18 p0245 N78-16874
- Tokamak reactor and an MHD energy conversion system (the TVE-2500 project) 18 p0278 N78-20942
- Study of some recent advances in the concept and design of MHD generators [AEOL-26] 18 p0289 N78-21662
- Development, characterization, and evaluation of materials for open cycle MHD [BNWL-2004-6] 19 p0357 N78-23583
- Two-phase Hartmann flows in the MHD generator configuration [AD-A051450] 19 p0401 N78-23927
- Thermodynamic analysis of a tin-steamed LMHD system [AD-A052395] 19 p0409 N78-24669
- Characterization of open-cycle coal-fired MHD generators, revision A [FE-2478-4-REV-A] 19 p0422 N78-25566
- Noble-gas closed-cycle system of magnetohydrodynamic power generation [R-2128-EBDA] 19 p0422 N78-25570
- Experimental two-phase liquid-metal magnetohydrodynamic generator program [ANL-MHD-77-3] 19 p0432 N78-25651
- Development, testing, and evaluation of MHD-materials [FE-6010-9] 19 p0441 N78-26380
- Testing and evaluation of MHD materials and substructures [FE-2246-3-REV-A] 19 p0446 N78-26581
- MHD generator component development [FE-2519-1] 19 p0447 N78-26596
- Numerical codes for MHD flows [SAND-77-1658] 19 p0448 N78-26604
- Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation [CONF-771098-1] 19 p0452 N78-26533
- Development program for MHD power generation. Volume 4: Superconducting magnet study [FE-2015-16-VOL-4] 19 p0455 N78-27447
- MAGNETOHYDRODYNAMIC SHEAR HEATING**
Support testing and design study evaluation of regenerative air heaters [FE-2254-5] 19 p0441 N78-26398
- MAGNETOHYDRODYNAMIC STABILITY**
Shaping and compression experiments in a Tokamak 17 p0011 A78-10778
- Reconnection of field lines and disruptive instability in Tokamaks 17 p0011 A78-10796
- Plasma stabilization requirements of the Reference Theta-Pinch Reactor /RTPR/ 17 p0041 A78-11193
- Stability of nonequilibrium plasmas 17 p0063 A78-12352
- Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma 18 p0192 A78-26622
- Collapse of Alfvén waves 18 p0224 A78-31008
- Finite hybrid elements to compute the ideal magnetohydrodynamic spectrum of an axisymmetric plasma 18 p0231 A78-32067
- Stability of nonequilibrium plasma 19 p0291 A78-32575
- Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715
- A small tokamak 'Nova II' 19 p0327 A78-36319
- Wall stabilization of axisymmetric modes in noncircular tokamak plasmas 19 p0332 A78-37143
- Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- Production of fusion energy by vortex structure compression 19 p0338 A78-38419
- Plasma engineering problems associated with superthermal fusion products 19 p0358 A78-40081
- Thermo-nuclear fusion plasma produced by CO₂ laser 19 p0362 A78-40385
- Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- Shear stabilization of collisional drift instability 19 p0369 A78-42022
- Models for impurity production and transport in tokamaks 19 p0379 A78-42217
- Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions 19 p0380 A78-42260
- Tearing-mode-stable diffuse-pinch configurations --- of plasmas 19 p0380 A78-42261
- Cyclotron oscillations of a large-Larmor-radius plasma 19 p0380 A78-42262
- Reversed-field pinch-burn dynamics --- of contained plasmas 19 p0381 A78-42266
- Experimental transfer function analysis of a dissipative and a reactive mode --- instability in magnetic mirror plasma 19 p0381 A78-42267
- Classical diffusion in large-aspect toroidal plasmas 19 p0382 A78-42482
- Turbulence theory for the dissipative trapped electron instability --- in tokamak toroidal devices 19 p0382 A78-42487
- Finite Larmor radius equations in an arbitrary near-theta pinch geometry 19 p0382 A78-42491
- MAGNETOHYDRODYNAMIC WAVES**
Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media 19 p0327 A78-36321

MAGNETOHYDRODYNAMICS

- Integral characteristics of an induction MHD device at large parameters of electromagnetic interaction 18 p0204 A78-28087
- Research in coal-based magnetohydrodynamics [TID-27893] 19 p0432 N78-25650
- Experimental two-phase liquid-metal magnetohydrodynamic generator program [ANL-MHD-77-3] 19 p0432 N78-25651
- Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 N78-26217

MAGNETRONS

- Indium phosphide films deposited by cylindrical magnetron reactive sputtering 17 p0019 A78-10987

MAGNUS EFFECT

- Performance of counter- and corotating arrays of Savonius turbines --- windpowered machines 18 p0188 A78-26113

MAINTAINABILITY

- Annual Canadian Symposium on Reliability Engineering, 4th, Ottawa, Canada, October 13, 14, 1977, Proceedings 18 p0217 A78-29476
- Solar power satellite system definition study, Part 3 [NASA-CR-151673] 18 p0272 N78-20164

MAINTENANCE

- Reactor costs and maintenance, with reference to the Culham Mark II conceptual Tokamak reactor design 17 p0011 A78-10872
- Maintenance costs of solar air heating systems 17 p0047 A78-11264
- Lock hopper valves for coal gasification plant service 17 p0134 N78-13270
- Operation and maintenance of particulate control devices on coal-fired utility boilers [PB-274104/9] 18 p0251 N78-17505

MAN ENVIRONMENT INTERACTIONS

- Modeling the effect of atmospheric carbon dioxide on the global radiative heat balance 17 p0068 A78-13447

MAN MACHINE SYSTEMS

- Computer aided preliminary energy analysis and energy use options for architectural students 17 p0057 A78-11359
- Concepts and features of the automated unit control system for the Raccoon Mountain Pumped-Storage Plant [IEEE PAPER F 77 672-9] 18 p0219 A78-30195

MANAGEMENT

- Energy policy making in the Northeast: A directory of state programs and institutions [PB-277503/9] 19 p0449 N78-26621

MANAGEMENT METHODS

- The Stanford pilot energy/economic model [AD-A044908] 17 p0126 N78-12537

MANAGEMENT PLANNING

- Estimation of the characteristic time required for construction of energy delivery systems 17 p0088 A78-17424
- Energy-politics alternatives for the urban region of Munich until 1985 17 p0093 A78-17950
- Options of long-term energy strategy of Japan 18 p0195 A78-27778
- Energy modeling and forecasting at the U.S. Energy Research and Development Administration 19 p0316 A78-35420
- Energy management as a scientific discipline 17 p0111 N78-10558
- Domestic energy resource and reserve estimates: Uses, limitations, and needed data [PB-268966/9] 17 p0115 N78-10590
- Management plan for enhanced oil recovery. Volume 2: Appendices [ERDA-77-15/2-VOL-2-APP] 17 p0127 N78-12543
- An evaluation of the national energy plan [PB-270172/0] 17 p0127 N78-12548
- Energy emergency conservation and allocation plan [PB-274492/8] 18 p0270 N78-19675
- Energy systems analysis and development [BNL-22969] 18 p0286 N78-21633

- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 1 [HCP/M3879-VOL-1] 19 p0399 N78-23594
- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 2 [HCP/M3879-1-VOL-2] 19 p0399 N78-23595
- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development: Executive summary [HCP/M3879-0003] 19 p0399 N78-23596
- Energy and Resource Planning Group [UCBL-50029-77] 19 p0448 N78-26611
- Managing the socio-economic impacts of energy development: A guide for the small community [ERDA-77-79] 19 p0463 N78-27589

MANAGEMENT SYSTEMS

- Data-base management system for spatial display of federal offshore oil and gas lease data [LA-OR-77-2779] 19 p0467 N78-27791

MANPOWER

- A national environmental/energy workforce assessment, business and industry, phase 1 [PB-277904/9] 19 p0452 N78-26968
- A national environmental/energy workforce assessment, national legislation, phase 1 [PB-277905/6] 19 p0452 N78-26969
- A national environmental/energy workforce assessment, national abstract [PB-277906/4] 19 p0452 N78-26970

MANUALS

- Reference guide to changes in reseller pricing regulations and rulings [PB-270152/2] 17 p0115 N78-10594

MANUFACTURING

- SAMIS - A simulation of the solar array manufacturing industry 17 p0016 A78-10955
- The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects --- Joint European Torus reactor design 19 p0349 A78-39887

- Fuel cell stacks [AD-A042315] 17 p0112 N78-10566

- Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-NPS-23518-3] 19 p0421 N78-25557

MAPPING

- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506
- Application of remote sensing to geothermal anomaly mapping in the Caltas Novas County, Goias [INPR-1129-TPT/070] 17 p0149 N78-14610
- Analysis of the bipole-dipole resistivity method for geothermal exploration [L31-6332] 18 p0290 N78-21710

MAPS

- Energetics of the United States of America: An atlas [BNL-50501-R] 19 p0397 N78-23578
- Tectonic atlas of uranium potential in crystalline rocks of the eastern US [GJBX-69(77)] 19 p0400 N78-23666

MARINE BIOLOGY

- Ocean thermal energy conversion system biofouling and corrosion problems [BNWL-SA-5970] 17 p0154 N78-14662
- Nature of primary organic films in the marine environment and their significance for Ocean Thermal Energy Conversion (OTEC) heat exchange surfaces [BNWL-2283] 17 p0154 N78-14663

MARINE ENVIRONMENTS

- Keeping oil out of the marine environment 17 p0073 A78-14170
- Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784

SUBJECT INDEX

MASS SPECTROSCOPY

- Resource assessment of a high potential OTEC site near Puerto Rico --- Ocean Thermal Energy Conversion 19 p0302 A78-33323
- Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion 19 p0305 A78-33345
- Heavy metal interactions with natural organics in aquatic environments 18 p0244 A78-16479
- MARINE METEOROLOGY**
- Determination of design and operational criteria for offshore facilities [AIAA 77-1577] 17 p0069 A78-13663
- Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320
- MARINE PROPULSION**
- Speed polar of a wind turbine powered cargo boat 17 p0094 A78-18094
- MARINE RESOURCES**
- Future onshore and offshore exploration by remote sensing from space [AIAA 77-1550] 17 p0069 A78-13681
- Regimes for the ocean, outer space, and weather --- Book 18 p0189 A78-26399
- Ocean energy industrial complexes 19 p0301 A78-33311
- MARINE TECHNOLOGY**
- Ship Technology and Research /STAR/ Symposium, 2nd, San Francisco, Calif., May 25-27, 1977, Proceedings 17 p0008 A78-10722
- Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans --- Ocean Thermal Energy Conversion 17 p0056 A78-11349
- Positioning and navigation by satellite --- for marine operations [AIAA 77-1553] 17 p0069 A78-13684
- Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131
- Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant - What are the questions 19 p0305 A78-33343
- MARINE TRANSPORTATION**
- Ship Technology and Research /STAR/ Symposium, 2nd, San Francisco, Calif., May 25-27, 1977, Proceedings 17 p0008 A78-10722
- MARKET RESEARCH**
- Projected market penetration of solar heating and cooling in the United States 17 p0005 A78-10622
- Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans --- Ocean Thermal Energy Conversion 17 p0056 A78-11349
- Constraints in solar life cycle cost modeling 17 p0056 A78-11353
- Solar electric-energy market penetration 17 p0057 A78-11362
- Assessment of incentives to accelerate market penetration of solar heating and cooling systems 17 p0057 A78-11363
- The economic viability of solar assisted industrial process heat systems - The need for government economic incentives 17 p0057 A78-11364
- Engineering cost estimates for solar technologies 17 p0058 A78-11365
- Estimating the potential of a solar-to-thermal collector industry 17 p0070 A78-13851
- Paratransit prospects - Filling a gap 17 p0084 A78-16848
- The electric automobile --- technical problems, market prospects and environmental impact 19 p0321 A78-35763
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 1 [PB-273969/6] 18 p0243 A78-16469
- DCD photovoltaic energy conversion systems market inventory and analysis, volume 2 [PB-273970/4] 18 p0243 A78-16470
- DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume [PB-273971/2] 18 p0243 A78-16471
- Photovoltaic highway applications: Assessment of the near-term market [NASA-TM-73863] 18 p0252 A78-17935
- Photovoltaic village power application: Assessment of the near-term market [NASA-TM-73893] 18 p0267 A78-19643
- Photovoltaic water pumping applications: Assessment of the near-term market [NASA-TM-78847] 18 p0268 A78-19644
- Photovoltaic remote instrument applications: Assessment of the near-term market [NASA-TM-73881] 18 p0271 A78-19710
- Market analysis of recovered materials and energy from solid waste, executive summary [PB-277143/4] 19 p0392 A78-22979
- Application analysis of solar total energy to the residential sector [TID-28104] 19 p0431 A78-25643
- A market survey of geothermal wellhead power generation systems [NASA-CR-157262] 19 p0458 A78-27533
- MARKETING**
- Reference guide to changes in refiner and reseller pricing regulations and rulings [PB-270151/4] 17 p0115 A78-10595
- An attitudinal study of the home market for solar devices [AD-A045082] 17 p0126 A78-12535
- The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 --- Venezuelan exports [AD-A051131] 19 p0403 A78-24372
- Alternative fuels utilization program [UCID-17645] 19 p0414 A78-25241
- Industrial applications of solar total energy.. Volume 1: Summary [SAN/1132-2/1-VOL-1] 19 p0424 A78-25587
- Industrial applications of solar total energy.. Volume 2: Technical [SAN/1132-2/2-VOL-2] 19 p0424 A78-25588
- Industrial applications of solar total energy.. Volume 3: Market penetration [SAN/1132-2/3-VOL-3] 19 p0424 A78-25589
- Solar energy in high-rise buildings [DSE/1963-1] 19 p0431 A78-25641
- Factors affecting market initiation of solar total energy [SAND-78-0148C] 19 p0460 A78-27561
- MARKOV PROCESSES**
- Optimization of solar heating in residential buildings using a stochastic performance model 17 p0046 A78-11252
- MASS FLOW**
- Acton mass flow system applied to PFBC feed 17 p0133 A78-13267
- Two-phase Hartmann flows in the MHD generator configuration [AD-A051450] 19 p0401 A78-23927
- MASS FLOW RATE**
- Tritium removal from liquid metals by sorption on yttrium 19 p0358 A78-40074
- MASS SPECTRA**
- Mass spectrometric analytical services and research activities to support coal-liquid characterization research [COO-0020-8] 19 p0427 A78-25607
- MASS SPECTROSCOPY**
- Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844
- Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis 18 p0232 A78-32104

- Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product 19 p0363 A78-40594
- MASS TRANSFER**
- Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537
- Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water 18 p0172 A78-22543
- Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods 19 p0313 A78-34603
- Heat transfer in a dense layer at large Biot numbers 19 p0335 A78-37912
- Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TM-6168/V2] 19 p0448 A78-26601
- Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes [EPRI-ER-635-VOL-2] 19 p0462 A78-27578
- MATERIALS**
- An agenda for technology assessment in the materials field. Volume 1: Principal findings --- energy technology requirements and impact [PB-278639/0] 19 p0453 A78-27009
- An agenda for technology assessment in the materials field. Volume 2: Appendixes --- energy technology requirements and impact [PB-278640/8] 19 p0453 A78-27010
- MATERIALS HANDLING**
- Air pollution by coal dust --- from coal slurry pipeline 17 p0065 A78-12995
- Saving raw materials or saving energy in aircraft construction 17 p0073 A78-14285
- Safety in hydrogen transport and storage installations 17 p0101 A78-18856
- Use of gas turbines in natural gas transport systems /pipelines/ 19 p0327 A78-36372
- Material handling systems for the fluidized-bed combustion boiler at Rivesville, West Virginia 17 p0133 A78-13265
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers [H-REPT-95-589] 19 p0392 A78-22968
- Code of practice for the petroleum industry. Part 1: The handling, storage, and distribution of petroleum products [SABS-089-1977-PT-1] 19 p0402 A78-24366
- Task reports: Slurry coal pipelines, volume 2, part 1 --- environmental impact [PB-278676/2] 19 p0465 A78-27603
- Task reports: Slurry coal pipelines, volume 2, part 2 --- environmental impact [PB-278677/0] 19 p0465 A78-27604
- MATERIALS RECOVERY**
- Materials and energy from refuse; Proceedings of the First International Symposium, Antwerp, Belgium, October 21, 22, 1976 17 p0036 A78-11140
- The Garrett pyrolysis process 17 p0036 A78-11141
- Prospects of materials and energy from refuse in India 17 p0037 A78-11145
- A solid waste package deal - Energy and materials from garbage 17 p0092 A78-17671
- Comparison of two government reports as to their approaches to recycling 17 p0106 A78-20248
- Comparing the Ames and St. Louis resource recovery projects 18 p0186 A78-25700
- The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry 19 p0332 A78-36945
- Application of solar energy to a solvent reclamation system 19 p0338 A78-38426
- Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 A78-10636
- European developments in the recovery of energy and materials from municipal solid waste [PB-270219/9] 17 p0122 A78-11892
- Assessment in industrial hazardous waste management petroleum re-refining industry [PB-272267/6] 17 p0157 A78-14951
- Market analysis of recovered materials and energy from solid waste, executive summary [PB-277143/4] 19 p0392 A78-22979
- Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0278] 19 p0433 A78-25659
- Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0279] 19 p0433 A78-25660
- MATERIALS SCIENCE**
- Heat pipe materials unique requirements for coal gasification processes 17 p0085 A78-16902
- Materials problems in hydrogen energy systems 17 p0099 A78-18839
- MATERIALS TESTS**
- Current progress in materials development for coal conversion 17 p0073 A78-14399
- Technique of testing silazane coatings --- for solar concentrators 19 p0331 A78-36859
- Materials research for clean utilization of coal [PB-6010-11] 19 p0426 A78-25603
- Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials [GHR-2690-SECT-6.006] 19 p0440 A78-26324
- MATHEMATICAL MODELS**
- A detailed analysis of the environmental effects of energy utilization in the U.S. economy 17 p0031 A78-11102
- A detailed model of flat plate solar collectors 17 p0042 A78-11213
- The estimation of daily, clear-sky solar radiation intercepted by a tilted surface 17 p0044 A78-11230
- Stochastic modeling and forecasting of solar radiation data 17 p0084 A78-16842
- Energy performance of solar walls - A computer analysis 17 p0107 A78-20496
- Ambient air quality in complex terrain 18 p0167 A78-21833
- Mathematical modelling of topographic effects on wind energy systems 18 p0169 A78-22228
- Mathematical model for the gasification of coal under pressure 18 p0184 A78-25323
- Development of a flow-model for energies and products 18 p0187 A78-25946
- Measurements of the behaviour of adsorbent energy storage beds 18 p0205 A78-28166
- A model for solar radiation conversion to algae in a shallow pond 18 p0205 A78-28167
- Analysis of electrolyte shunt currents in fuel cell power plants 18 p0219 A78-30188
- A dispersion model for the Solvent Refined Coal process 18 p0230 A78-31871
- Modeling fluidized bed combustion 18 p0230 A78-31959
- G2H, a two-dimensional diffusion time scale tokamak code 18 p0231 A78-32066
- HMSU - Casa del Sol of the future 18 p0232 A78-32114
- An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion 19 p0304 A78-33333

SUBJECT INDEX

METAL CRYSTALS

- A digital computer program for simulating electric vehicle performance
[SAE PAPER 780216] 19 p0307 A78-33377
- Mathematical model for the design of grids for electric vehicle batteries
[SAE PAPER 780221] 19 p0307 A78-33380
- Probability models of wind velocity magnitude and persistence
19 p0314 A78-34935
- Energy modeling and forecasting at the U.S. Energy Research and Development Administration
19 p0316 A78-35420
- Development of a mathematical model for interelectrode breakdown in an MHD generator
19 p0341 A78-38968
- A model for the current-voltage curve of photoexcited semiconductor electrodes
19 p0343 A78-39457
- Economic analysis of EBT reactor --- Elmc Pumpy Torus
19 p0250 A78-39895
- Computational model for superconducting toroidal-field magnets for a tokamak reactor
19 p0350 A78-39905
- The stationary regimes of open cycle MHD power units - A mathematical model
19 p0362 A78-40456
- Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor
19 p0365 A78-41222
- Models for impurity production and transport in tokamaks
19 p0379 A78-42217
- Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions
19 p0380 A78-42260
- Study of the performance of flat plate collectors in the transient regime
19 p0384 A78-42892
- Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, University of Pittsburgh, Pittsburgh, Pa., April 21, 22, 1977. Parts 1 & 2
19 p0385 A78-43026
- Modeling the sectors of production and energy transformation - The situation in France
19 p0385 A78-43270
- Comparison of several computation methods for inductive MHD channel and free jet converters with nonmagnetic liquid metals as working fluids
[SPB-MHD-27] 17 p0121 A78-11512
- Project Independence Evaluation System (PIES) documentation. Volume 4: FEA model of oil and gas supply: Data validation and update
[PB-270385/E] 17 p0139 A78-13559
- Residential energy demand analysis: Data and methodology
[BNL-21920] 17 p0140 A78-13573
- System dynamics model of national energy usage
[SAND-76-0415] 17 p0141 A78-13577
- Wind studies in complex terrain
[UCRL-79430] 17 p0157 A78-14762
- Adaptive curve fitting for chemical processes
[AD-A046456] 17 p0158 A78-15213
- A linear programming model for assessing the regional impacts of energy development on water resources
[PB-273022/4] 18 p0251 A78-17491
- Drive train dynamic analysis
18 p0266 A78-19630
- A solar adsorption cooling system: An analytical and experimental study
18 p0272 A78-20269
- Synthoil hydrodynamics
[COO-0056-4] 18 p0273 A78-20473
- Filtration model for coal fly ash with glass fabrics
[PB-276489/2] 18 p0289 A78-21667
- Methodology for predicting the demand for new electricity using goods
[EPRI-BA-593] 19 p0445 A78-26570
- Mathematical aspects of production and distribution of energy: Proceedings of symposia in applied mathematics of the American Mathematical Society, volume 21
[PB-278350/4] 19 p0449 A78-26619
- MEASURING INSTRUMENTS
- A pn junction silicon sensor for high-intensity solar flux mapping
17 p0023 A78-11023
- Nuclear Science Symposium, 4th, and Nuclear Power Systems Symposium, 9th, San Francisco, Calif., October 19-21, 1977, Proceedings
18 p0184 A78-25301
- Measurement program of the Dutch experimental vertical-axis wind turbine
18 p0210 A78-28561
- Coal thickness gauge using BRAS techniques, part 1 --- radiofrequency resonance absorption
[NASA-CR-150625] 18 p0273 A78-20573
- MECHANICAL DEVICES
- A low cost high temperature sun tracking solar energy collector
18 p0262 A78-19041
- MECHANICAL DRIVES
- Wind Turbine Structural Dynamics
[NASA-CP-2034] 18 p0265 A78-19616
- Drive train dynamic analysis
18 p0266 A78-19630
- Dynamics of drive systems for wind energy conversion
18 p0266 A78-19633
- MECHANICAL ENGINEERING
- Thermal-mechanical design of a 150-mA, direct-current, 400-keV accelerator for production of 14-MeV neutrons
19 p0357 A78-40032
- Israel Conference on Mechanical Engineering, 11th, Technion - Israel Institute of Technology, Haifa, Israel, July 11, 12, 1977, Proceedings --- computer aided aircraft and radial gas turbine engines
19 p0367 A78-41506
- Utilization of waste heat in trucks for increased fuel economy
[NASA-CR-157292] 19 p0458 A78-27532
- MECHANICAL PROPERTIES
- Lead-strontium alloys for battery grids
19 p0363 A78-40617
- Mechanical properties of oil shale of importance to in-situ rubblization
[SAND-77-0499C] 19 p0411 A78-24731
- MELTING
- Investigation of the dynamics of melting processes in a solar furnace
19 p0336 A78-37949
- MEMBRANE STRUCTURES
- Photo-galvano-voltaic cell - A new approach to the use of solar energy
19 p0333 A78-37174
- MERCURY (PLANET)
- Solar thermoelectric generators
[NASA-CR-157097] 19 p0407 A78-24645
- MESH
- Improved mesh interconnector technology for the Meteosat solar array
17 p0016 A78-10957
- METABOLIC WASTES
- The biogas facility at Benediktbeuern
18 p0221 A78-30323
- Fuel gas production from animal waste, phase 1
[COO-2991-17] 18 p0280 A78-21321
- METAL AIR BATTERIES
- An iron-air vehicle battery
18 p0174 A78-23241
- METAL COATINGS
- Analytical investigation of thermal barrier coatings for advanced power generation combustion turbines
[ASME PAPER 77-WA/ENBR-13] 19 p0298 A78-33151
- Solar cell collector
[NASA-CASE-LEW-12552-1] 19 p0419 A78-25527
- METAL COMBUSTION
- Steady metal combustor as a closed thermal energy source
18 p0233 A78-32141
- Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 A78-16499
- METAL COMPOUNDS
- Sputtered metal silicide solar selective absorbing surfaces
18 p0221 A78-30303
- METAL CRYSTALS
- Investigation of the electrical characteristics of low-temperature thermionic power generators
18 p0227 A78-31338

METAL CUTTING

Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-157080] 19 p0406 W78-24629

METAL FATIGUE

Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion 19 p0305 A78-33344

METAL FIBERS

Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes 19 p0308 A78-33573

METAL FILMS

Solar cells by ionized-cluster beam deposition and epitaxial techniques 17 p0013 A78-10912

An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967

The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries 18 p0187 A78-25736

Thin-film black-white coatings for the receivers of solar energy installations 18 p0215 A78-28897

Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427

METAL HYDRIDES

Technical and economic aspects of hydrogen storage in metal hydrides 17 p0099 A78-18842

The storage of hydrogen in the form of metal hydrides - an application to thermal engines 17 p0100 A78-18845

Toxicological aspects of the use of hydrogen in the future as main energy source 17 p0101 A78-18855

HYCSOS: A chemical heat pump and energy system based on metal hydrides [ANT-77-39] 18 p0238 W78-16334

Metal hydride development program at Broekhaven National Library [BNL-23574] 19 p0461 W78-27568

Electrolysis based hydrogen storage system [BNL-50760] 19 p0462 W78-27580

METAL IONS

An ionic model for the systematic selection of chemical decomposition reactions for energy storage 17 p0051 A78-11307

Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015

METAL JOINTS

Study of diffusion processes in low-temperature thermal elements --- for solar energy conversion 19 p0326 A78-36135

METAL OXIDE SEMICONDUCTORS

Single crystal and polycrystalline GaAs solar cells using AMOS technology 17 p0025 A78-11044

Experimental study of the interface properties of MOS tunnel devices 17 p0026 A78-11053

Low cost, high efficiency solar cells using indium-tin oxide on semiconductor /OSOS/ solar cells 17 p0054 A78-11334

Impurity concentrations and surface charge densities on the heavily doped face of a silicon solar cell 17 p0136 W78-13534

Innovations in microelectronics and solid state at North Carolina Agricultural and Technical State University 18 p0237 W78-16280

Solar cell collector [NASA-CASE-LEW-12552-1] 19 p0419 W78-25527

METAL OXIDES

Fabrication of OSOS cells by neutral ion beam sputtering --- Oxide Semiconductor Cn Silicon solar cells 17 p0027 A78-11062

Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556

Thermoelectric power and ac conductivity of A-type Nd2O3 19 p0332 A78-36964

METAL PARTICLES

Optimization of particulate type selective solar absorber 17 p0044 A78-11233

Selective absorption of solar energy in ultrafine chromium particles 17 p0070 A78-13785

Ultrafine chromium particles for photothermal conversion of solar energy 19 p0339 A78-38553

Selective absorption of solar energy in granular metals - The role of particle shape 19 p0369 A78-41910

METAL PLATES

Explosive magnetic flux compression plate generators as fast high-energy power sources 17 p0008 A78-10705

Metallographic analysis of a steel plate which failed in service in a coal gasifier 17 p0077 A78-15354

METAL POWDER

Coatings of ultrafine chromium particles - Efficient selective absorbers of solar energy 17 p0106 A78-20117

METAL SHEETS

A sheet-metal roof as a solar absorber 18 p0179 A78-24344

METAL SHELLS

The mechanical structure of the Joint European Torus 17 p0040 A78-11182

Design aspects of a large toroidal stabilizing shell and vacuum liner assembly 17 p0040 A78-11184

Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309

METAL SUBFACES

Optical properties of selectively absorbing metal/insulator composite films 19 p0324 A78-36032

Experimental studies of selective coatings for solar energy collectors 19 p0375 A78-42151

Development of selective solar surfaces 19 p0375 A78-42152

Investigation of plasma-wall interaction by the aid of a plasma accelerator 19 p0379 A78-42218

Test data on electrical contacts at high surface velocities and high current densities for homopolar generators [CONF-771029-121] 19 p0467 W78-27924

METAL VAPOR LASERS

Sodium vapor heat pipe laser cell [AIAA 78-392] 19 p0317 A78-35587

METALLIZING

Solar energy reflector using metallized polystyrene 19 p0371 A78-42110

METALLURGY

Energy considerations in electrodymetallurgy [IS-M-83] 17 p0120 W78-11505

Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride [GNP-2690-SECT-7.109] 19 p0440 W78-26335

METALS

Problem of the vulnerability of materials to radiation in relation to atomic and thermonuclear power engineering 18 p0180 A78-24748

Environmental transport model of heavy metals 18 p0215 A78-28946

A baseline of logistic and power requirements for full-scale manufacturing of metallic materials in earth orbit [AAS 77-237] 19 p0329 A78-36712

A home central electric system [NASA-TN-75084] 17 p0159 W78-15561

- Two-phase working fluids for the temperature range
50 to 350 C
[NASA-CR-135255] 18 p0238 N78-16329
- Metals in the combustible fraction of municipal
solid waste
[PB-272946/5] 18 p0245 N78-16499
- METEOROLOGICAL INSTRUMENTS**
Solar radiation and energy measurements --- solar
cell meter for meteorological monitoring
17 p0009 A78-10732
- METEOROLOGICAL PARAMETERS**
Characterization of terrestrial service
environments - The simultaneous occurrence of
combined conditions of solar insolation and
climatic variables
17 p0049 A78-11283
- Estimation of availability of solar energy
17 p0049 A78-11285
- Concentration by conical and cylindrical
concentrators of radiation scattered by
near-solar regions of the sky
17 p0064 A78-12387
- Classification of methods for controlling the
productivity of wind and solar power stations
18 p0187 A78-25737
- Solar energy availability prediction from
climatological data
18 p0199 A78-27854
- Meteorology and wind energy utilization
18 p0210 A78-28558
- The effect of certain major parameters on the
annual effectiveness of solar systems for
residential dwellings
[ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- On the relation between insolation and
climatological variables. III - The relation
between normal incidence solar intensity, total
insolation, and weather at Fort Hood, Texas. IV
- Construction of a model year of solar
intensity and climate
19 p0322 A78-35781
- Pocone and foci line concentration of radiation
scattered by circumsolar parts of the sky
19 p0331 A78-36864
- METEOROLOGICAL SERVICES**
Estimating the energy conservation potential of
ventilation control through weather data analysis
[PB-273949/8] 18 p0261 N78-18655
- METEOROLOGY**
Wind energy mission analysis, appendices A-J
[COO-2578-1-3] 17 p0152 N78-14647
- The quality of NOAA's ocean research and
development program: An evaluation
[PB-277095/6] 18 p0290 N78-21980
- METEOSAT SATELLITE**
Improved mesh interconnector technology for the
Meteosat solar array
17 p0016 A78-10957
- METHANE**
Biomass as an energy mechanism
17 p0033 A78-11116
- Methane production from waste
17 p0037 A78-11144
- Quenching of nitric-oxide formation in methane-air
flames by secondary-air injection
17 p0081 A78-16338
- Current and future fuels for transport aircraft
17 p0096 A78-18669
- Biomass - Progress and plans --- fermentation,
thermochemical conversion and methane production
18 p0182 A78-24764
- A shock tube study of the ignition delay of
methane at elevated temperatures
18 p0199 A78-27831
- Possibilities of biomass from the ocean - The
Marine Farm Project
18 p0208 A78-28362
- A critical analysis of bioconversion with microalgae
--- methane production
18 p0208 A78-28364
- The biogas facility at Benediktbeuern
18 p0221 A78-30323
- Research in a pre-vaporization combustion chamber
on natural gas in liquid and gaseous states
19 p0323 A78-35897
- Study of the thermodynamics of coal gasification
19 p0337 A78-38200
- Algae cultures and methanization - The role of
these techniques in the bioconversion of solar
energy
19 p0384 A78-42896
- Corrective action program for
bromochloromethane-containing fire-safe diesel
fuel
[AD-A043323] 17 p0119 N78-11253
- Energy and protein production from pulp mill wastes
[COO-2983-3] 17 p0157 N78-14952
- Experimental and analytical comparisons of the
performance and combustion characteristics of
gasoline, methane, and methanol in a Wankel engine
17 p0158 N78-15487
- Investigation of converting the product of coal
gasification to methane by the action of
microorganisms, phase 1
[PE-2203-16] 18 p0280 N78-21319
- Photoisomerization of bis 9-anthryl methane and
other linked anthracenes: The role of excimers
and biradicals in photodimerization
[AD-A051336] 19 p0408 N78-24665
- Research guidance studies to assess gasoline from
coal by methanol-to-gasoline and sasol-type
Fischer-Tropsch technologies
[PE-2447-12] 19 p0415 N78-25251
- Fast production of methane by anaerobic digestion
[COO-2900-11] 19 p0416 N78-25252
- Design, develop, and manufacture process gas
lubricated hot recycle gas circulators
[COO-0004-1] 19 p0423 N78-25573
- Dispersion and analysis of methane in the atmosphere
[CL-1976-16] 19 p0450 N78-26644
- METHYL ALCOHOLS**
The thermodynamics of a fuel cell aggregate
involving thermal-catalytic methanol decomposition
17 p0074 A78-14497
- Pollutant measurements in a methanol furnace
[WSS/CI PAPER 77-8] 17 p0081 A78-16339
- Methanol-air fuel cell with hydrophilic air
electrodes
18 p0174 A78-22844
- Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. I - Technology and energy requirement
18 p0174 A78-22846
- Entropy production, efficiency, and economics in
the thermochemical generation of synthetic
fuels. II - The methanol water splitting cycle
18 p0174 A78-22868
- Methanol production from organic waste
18 p0198 A78-27812
- Use of methanol in diesel engine - An experimental
study of engine performance
18 p0199 A78-27827
- Investigations into the suitability of methanol
and methanol gasoline blends as s.i. engine fuels
--- spark ignition engine emission decrease
18 p0199 A78-27828
- Methanol-gasoline blends - Performance and emissions
19 p0321 A78-35702
- Engine performance and exhaust emission
characteristics of spark-ignition engines
burning methanol and methanol-gasoline mixtures
19 p0321 A78-35703
- Methanol - A boiler fuel alternative
19 p0321 A78-35704
- Evaluation of NO_x/ emission characteristics of
alcohol fuels for use in stationary combustion
systems
19 p0321 A78-35705
- Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. II - Capital investment and production
costs
19 p0322 A78-35778
- Process variable effects in the conversion of
methanol to gasoline in a fluid bed reactor
19 p0365 A78-41223
- Methanol as an automotive fuel with special
emphasis on methanol-gasoline blends
[PB-270401/3] 17 p0123 N78-12243
- Fluid bed process studies on selective conversion
of methanol to high octane gasoline
[PE-2490-8] 18 p0272 N78-20356
- Economic pre-feasibility study: Large-scale
methanol fuel production from surplus Canadian
forest biomass. Part 2: Working papers
[NP-22159/2] 19 p0393 N78-23253

- Characterization of methanol/gasoline blends as automotive fuel. Performance and emissions characteristics [PB-277135/0] 19 p0393 N78-23261
- Steam reforming of methyl fuel, phase 1 [AD-A044787] 19 p0403 N78-24375
- Sources of alcohol fuels for vehicle fleet tests [CONS/2693-1] 19 p0415 N78-25242
- Production economics for hydrogen, ammonia and methanol during the 1980-2000 period [BNL-50663] 19 p0415 N78-25243
- Experiments with novel fuels for diesel engines [BERC/TPR-77/8] 19 p0436 N78-26225
- MICROBALANCES**
- American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., November 8-11, 1977, Proceedings 19 p0324 A78-36030
- MICROCHANNELS**
- Microchannel plate response to hard X-rays --- for imaging recompression beam fuel pellet implosion 19 p0360 A78-40267
- MICROCLIMATOLOGY**
- Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration [NASA-CR-155325] 17 p0125 N78-12527
- MICROCRACKS**
- Microcrack technology for geothermal exploration and assessment [PB-271940/9] 17 p0157 N78-14725
- MICROELECTRONICS**
- Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36129
- Innovations in microelectronics and solid state at North Carolina Agricultural and Technical State University 18 p0237 N78-16280
- MICROORGANISMS**
- Investigation of converting the product of coal gasification to methane by the action of microorganisms, phase 1 [PE-2203-16] 18 p0280 N78-21319
- MICROPARTICLES**
- Implosion experiments with D2, He-3 filled microspheres 18 p0235 A78-32440
- MICROPHONES**
- Probe-tube microphone for pressure-fluctuation measurements in harsh environments 17 p0077 A78-15155
- MICROPROCESSORS**
- The microprocessor controlled and instrumented solar energy project 17 p0091 A78-17556
- A microprocessor-based control system for solar heated/cooled residential dwellings 18 p0176 A78-23896
- Microprocessor-based solar cell measurement system 19 p0365 A78-40919
- Preliminary design package for RS600 microprocessor control subsystem [NASA-CR-150628] 19 p0405 N78-24611
- MICROSTRUCTURE**
- Ceramic microstructures '76: With emphasis on energy related applications; Proceedings of the Sixth International Materials Symposium, University of California, Berkeley, Calif., August 24-27, 1976 17 p0088 A78-17451
- Study of diffusion processes in low-temperature thermal elements --- for solar energy conversion 19 p0326 A78-36135
- MICROWAVE ATTENUATION**
- Estimates of satellite-to-earth microwave attenuation by cloud, rain, oxygen, and water vapor [AD-A052581] 19 p0404 N78-24431
- MICROWAVE SCATTERING**
- Ion-cyclotron instability in the TPR tokamak 19 p0369 A78-42016
- MICROWAVE TRANSMISSION**
- The potential of satellite solar power 17 p0002 A78-10411
- Solar power satellite status report 17 p0097 A78-18750
- New developments in electromagnetic energy beaming 18 p0224 A78-30883
- The beamed power microwave transmitting antenna 19 p0340 A78-38841
- Microwave power converter [NASA-CASE-NPO-14068-1] 18 p0264 N78-19609
- Solar power satellite system definition study. Part 2, volume 4: Microwave power transmission systems [NASA-CR-151668] 18 p0271 N78-20158
- Space solar power. Description of concept, results of preliminary studies, requirements for evaluation [NASA-TN-79436] 18 p0284 N78-21611
- Solar power satellites [NASA-TN-79434] 18 p0284 N78-21612
- MICROWAVES**
- Proposed high-power microwave source using a superconducting cavity as an energy storage [IPPJ-T-30] 18 p0240 N78-16436
- MILITARY AIRCRAFT**
- Research needs for U.S. Army aircraft propulsion [AIAA PAPER 78-45] 18 p0172 A78-22558
- MILITARY AVIATION**
- Future aviation turbine fuels [AIAA PAPER 78-268] 18 p0165 A78-20781
- MILITARY TECHNOLOGY**
- Military applications of solar cell power 17 p0022 A78-11018
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 2 [PB-273970/4] 18 p0243 N78-16470
- MINERAL DEPOSITS**
- Geothermal energy utilization --- Book 18 p0198 A78-27824
- Underground mineral extraction [NASA-CASE-NPO-14140-1] 19 p0403 N78-24387
- Bibliography of New Mexico geology and mineral technology, 1971-1975 [PB-278348/8] 19 p0451 N78-26699
- MINERAL EXPLORATION**
- Industrial use of geological remote sensing from space 17 p0075 A78-14787
- Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico 17 p0075 A78-14815
- Tectonic atlas of uranium potential in crystalline rocks of the eastern US [GJBX-69(77)] 19 p0400 N78-23666
- MINERAL OILS**
- Occupational exposure to refined petroleum solvents. Criteria for a recommended standard [DHEW/PUB/NIOSH-77/192] 19 p0412 N78-24790
- MINERALOGY**
- Hydrothermal alteration in active geothermal fields 19 p0339 A78-38770
- MINERALS**
- The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions 17 p0079 A78-15834
- Effect of coal minerals on reaction rates during coal liquefaction 18 p0190 A78-26579
- Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal 18 p0229 A78-31870
- Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission [E78-10092] 18 p0263 N78-19570
- MINES (EXCAVATIONS)**
- Developing an experimental oil shale mine 17 p0032 A78-11107
- The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber 17 p0071 A78-14072
- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506
- Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa. [PB-271875/7] 17 p0145 N78-13624

SUBJECT INDEX

MODULES

- Onsite control of sedimentation utilizing the modified block-cut method of surface mining [PB-27, 2244/5] 17 p0159 N78-15552
- Preliminary evaluation of sulfur variability in low-sulfur coals from selected mines [PB-27, 000/8] 18 p0261 N78-18566
- Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBX-7, 1(77)] 19 p0391 N78-22534
- Advancing coal mining technology research, development, and demonstration in fiscal year 1977 [PB-278, 101/3] 19 p0456 N78-27511
- MINICOMPUTERS:**
- CODAS - The proposed control and data acquisition system for JET --- Joint European Torus 19 p0355 A78-39986
- MINIMAL TECHNIQUE**
- Optimum testing period for new thermomechanical equipment 18 p0225 A78-31245
- MINING**
- Some opportunities in teleoperated mining 18 p0222 A78-30507
- Sampling of water and wastewater [PB-27266, 4/4] 17 p0163 N78-15957
- Underground mineral extraction [NASA-CAS, E-NPO-14140-1] 19 p0403 N78-24387
- MINNESOTA**
- Energy emergency conservation and allocation plan [PB-2, 049, 2/8] 18 p0270 N78-19675
- Energy consumption of advanced wastewater treatment at Ely, Minnesota [PB-2, 782, 1/4] 19 p0452 N78-26998
- MINORITY CARRIERS**
- MIS solar cell calculations 17 p0024 A78-11039
- Large open-circuit photovoltages in silicon minority carrier MIS solar cells 17 p0025 A78-11046
- Diffusion length measurement by a simple photoresponse technique --- for MIS and Schottky barrier solar cells 17 p0026 A78-11050
- Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745
- The efficiency of grating solar cells 18 p0178 A78-24131
- Solar cell behavior under variable surface recombination velocity and proposal of a novel structure 19 p0334 A78-37469
- Minority carrier lifetime measurement of silicon solar cell 19 p0335 A78-37903
- Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell 19 p0373 A78-42129
- MIRRORS**
- Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications 17 p0001 A78-10170
- Mirrors for solar energy application 17 p0045 A78-11242
- Optical analysis of the Fixed Mirror/Distributed Focus /FMDP/ solar energy collector 17 p0059 A78-11377
- Concentrating collectors --- for solar energy conversion 18 p0200 A78-27859
- Solar furnaces 18 p0200 A78-27861
- Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922
- Engineering estimate of the quality of facets obtained by a deformation method of form giving --- mirrors for solar collectors 18 p0214 A78-28890
- Heat pipe mirrors for high power lasers [AIAA 78-391] 19 p0317 A78-35586
- Solar collector field subsystem program on the fixed mirror solar concentrator [GA-A-14209-REV] 17 p0141 N78-13583
- Optical analysis of spherical segment solar collectors 18 p0239 N78-16425
- Preliminary system analysis of a fixed mirror solar power central station [EPRI-ER-434(6-77)] 18 p0241 N78-16452
- MIS (SEMICONDUCTORS)**
- Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038
- MIS solar cell calculations 17 p0024 A78-11039
- M-I-S solar cell - Theory and experimental results 17 p0025 A78-11040
- Controlling open circuit voltage in silicon Schottky /MIS/ solar cells 17 p0025 A78-11043
- Large open-circuit photovoltages in silicon minority carrier MIS solar cells 17 p0025 A78-11046
- Interface study of MIS silicon solar cells 17 p0025 A78-11047
- Photocurrent analysis in MIS silicon solar cells 17 p0025 A78-11048
- Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049
- Diffusion length measurement by a simple photoresponse technique --- for MIS and Schottky barrier solar cells 17 p0026 A78-11050
- Enhancement of MIS solar-cell 'efficiency' by peripheral collection 17 p0070 A78-13797
- The efficiency of grating solar cells 18 p0178 A78-24131
- New TiO_x-MIS and SiO₂-MIS silicon solar cells 19 p0313 A78-34847
- SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device 19 p0338 A78-38550
- MIXING**
- Chemical geothermometers and mixing models for geothermal systems 17 p0062 A78-11491
- Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation [CONF-771098-1] 19 p0452 N78-26933
- MIXTURES**
- Methanol as an automotive fuel with special emphasis on methanol-gasoline blends [PB-270401/3] 17 p0123 N78-12243
- MODELS**
- Review of air quality modeling techniques. Volume 8: health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California [LBL-5998] 17 p0117 N78-10615
- The Stanford pilot energy/economic model [AD-A044908] 17 p0126 N78-12537
- Energy modeling and data support for the Electric Power Research Institute [BNL-50696] 19 p0425 N78-25595
- Models and methodologies for assessing the impact of energy development [ERDA-77-91] 19 p0463 N78-27587
- MODERATORS**
- A tokamak hybrid blanket design 19 p0355 A78-39982
- Mechanical and thermal design of a gas-cooled fusion blanket module 19 p0357 A78-40040
- Mechanical design and analysis for a EPR first wall/blanket/shield system --- for tokamak Experimental Power Reactor 19 p0359 A78-40095
- MODULAR INTEGRATED UTILITY SYSTEM**
- Economic energy utilization by means of remote heating 17 p0093 A78-18025
- Unconventional types of power-heat coupling 17 p0102 A78-19246
- MODULES**
- Interface design considerations for terrestrial solar cell modules 17 p0023 A78-11030
- Modular approach for emergency and stand-by electric power in Northern Canada 19 p0337 A78-38402

MOIRE EFFECTS:

SUBJECT INDEX

MOIRE EFFECTS

The development and use of the moire method in solar engineering problems 18 p0187 A78-25731

MOLECULAR BEAMS

Molecular-beam epitaxy in space 17 p0103 A78-19472

MOLECULAR DIFFUSION

Optically thin diffusion barriers enhance the life of metal/metal oxide selective surfaces 17 p0045 A78-11241

Models for impurity production and transport in tokamaks 19 p0379 A78-42217

MOLECULAR EXCITATION

Power deposition in volumetric U-235/P6-He fission-pumped nuclear lasers 18 p0235 A78-32436

MOLECULAR PUMPS

Performance of a turbomolecular pump in a pulsed magnetic field --- for controlled fusion experiments 19 p0352 A78-39938

MOLECULAR WEIGHT

Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery 18 p0237 A78-16171

MOLTEN SALT ELECTROLYTES

Demand sensitive energy storage in molten salts 18 p0220 A78-30264

Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 A78-34513

Molten carbonate fuel cell research at ORNL [ORNL/TN-5886] 17 p0151 A78-14639

Molten salt thermal energy storage systems [NASA-CR-135419] 19 p0405 A78-24618

Molten carbonate fuel cell research at CNEL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TN-6168/V2] 19 p0448 A78-26601

Molten-salt thermal-energy storage systems [CONF-770955-3] 19 p0460 A78-27556

MOLTEN SALTS

Production of low-Btu gas from wastes, using molten salts 18 p0197 A78-27804

MOLYBDENUM

Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015

MOLYBDENUM COMPOUNDS

Deactivation and attrition of Co-Mo catalyst during B-Coal operations --- coal-gasification and liquefaction 18 p0190 A78-26582

MOLYBDENUM SULFIDES

Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction 18 p0190 A78-26580

MON (SEMICONDUCTORS)

Optically thin diffusion barriers enhance the life of metal/metal oxide selective surfaces 17 p0045 A78-11241

MOMENTUM THEORY

Momentum theory and flow states for windmills 18 p0234 A78-32420

MOMENTUM TRANSFER

A cross flow wind turbine 18 p0169 A78-22233
A wind energy conversion system based on the tracked vehicle airfoil concept 18 p0169 A78-22234

MONITORS

Design review package for the on-site monitor for solar heating and cooling systems [NASA-CR-150590] 18 p0275 A78-20611
Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance [CONF-770902-5] 18 p0282 A78-21483

MONTANA

Microcrack technology for geothermal exploration and assessment [PB-271940/9] 17 p0151 A78-14725
Legislative handbook on energy-related topics [PB-276766/3] 19 p0390 A78-22477
Bell Creek Field micellar-polymer pilot demonstration [BERC/TPR-77/13] 19 p0413 A78-25226

MOORING

Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach --- for Ocean Thermal Energy Conversion 19 p0313 A78-33327

MOTOR VEHICLES

The technical evaluation of transport drive systems 17 p0067 A78-13422

Improving the emission performance of vehicles in the field [APCA PAPER 77-3,4] 18 p0184 A78-25386

Hybrid drive for motor vehicles with a preponderantly intermittent method of operation [NASA-TN-75215] 17 p0124 A78-12418

Priority treatment for high occupancy vehicles: Project status report --- bus and car pool lanes [PB-270529/1] 17 p0129 A78-12907

Typical vehicle diurnal [PB-270690/1] 17 p0145 A78-13633

Shift schedules for emissions and fuel economy testing [PB-274865/5] 18 p0261 A78-18594

State-of-the-art assessment of electric vehicles and hybrid vehicles [NASA-TN-73756] 18 p0262 A78-18988

Transit bus propulsion systems alternative power plant installation [PB-276612/9] 19 p0387 A78-22385

Alternative fuels utilization program [UCID-17645] 19 p0414 A78-25241

Energy losses in heavy commercial vehicles [PB-277354] 19 p0417 A78-25434

MULTIPHASE FLOW

A dispersion model for the Solvent Refined Coal process 18 p0230 A78-31871

MUTATIONS

Mutational analysis of Chlamydomonas reinhardtii - Application to biological solar energy conversion 18 p0207 A78-28357

N

N-P-N JUNCTIONS

Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure 19 p0334 A78-37469

N-TYPE SEMICONDUCTORS

Analysis of epitaxial drift field N on P silicon solar cells 17 p0012 A78-10904

M-I-S solar cell - Theory and experimental results 17 p0025 A78-11040

Semiconductor electrodes. I. V - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233

CuInS_2 liquid junction solar cells 19 p0310 A78-34274

Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes 19 p0343 A78-39462

Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems 19 p0344 A78-39465

Dynamics of drive systems for wind energy conversion 18 p0266 A78-19633

NAPHTHALENE

Enthalpy measurement of coal-derived liquids [FE-2035-10] 19 p0452 A78-26962

NASA PROGRAMS

- The challenge of advanced fuel-conservative aircraft - A manufacturer's view
[AIAA PAPER 78-362] 18 p0178 A78-24034
- ECAS Phase I fuel cell results --- Energy Conservation Alternatives Study 18 p0188 A78-26110
- Industrialization of space - Myth or the reality of tomorrow 18 p0218 A78-29660
- The NASA Aircraft Energy Efficiency Program 18 p0226 A78-31302
- Making aerospace technology work for the automotive industry - Introduction 19 p0306 A78-33359
- Platform designed for numerous uses --- in geostationary orbit 19 p0382 A78-42509
- The Liquid Hydrogen Option for the Subsonic Transport: A status report
[NASA-TM-74089] 17 p0109 N78-10306
- General aviation energy-conservation research programs at NASA-Lewis Research Center
[NASA-TM-73884] 18 p0247 N78-17060
- Synchronization of the DOE/NASA 100-kilowatt wind turbine generator with a large utility network
[NASA-TM-73861] 18 p0249 N78-17467
- Bibliography of Lewis Research Center technical contributions announced in 1976
[NASA-TM-73860] 18 p0252 N78-17921
- DOE/NASA Mod-0 100KW wind turbine test results 18 p0266 N78-19628
- Description and status of NASA-LeRC/DOE photovoltaic applications systems
[NASA-TM-78936] 19 p0444 N78-26554
- Overview of NASA CTOL program 19 p0453 N78-27047

NASTRAN

- NASTRAN use for cyclic response and fatigue analysis of wind turbing towers 17 p0125 N78-12459
- Simplified modeling for wind turbine modal analysis using NASTRAN 18 p0265 N78-19619

NATURAL GAS

- Syngas process converts waste to SNG 17 p0035 A78-11134
- The economics of SNG production by anaerobic digestion of specially grown plant matter --- synthetic natural gas 17 p0036 A78-11138
- Pollution abatement energy usage of gas treating and processing plants 17 p0073 A78-14161
- Heavy oil gasification --- Book 17 p0087 A78-17144
- Submarine seepage of natural gas in Norton Sound, Alaska 17 p0087 A78-17263
- Methods for the production of hydrogen from natural gas and petroleum fractions 17 p0098 A78-18828
- The manufacture of synthetic natural gas by hydrogenation of fossil fuel residuals 17 p0099 A78-18840
- Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems 17 p0106 A78-20244
- Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977 18 p0180 A78-24751
- Natural gas technology --- emphasizing production from unconventional sources in U.S.A. 18 p0180 A78-24752
- The gasification of coal 18 p0196 A78-27788
- Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475
- Chemistry, thermodynamics and kinetics of reactions of sulphur in coal-gas reactions - A review 18 p0229 A78-31749
- Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions
[ASME PAPER 77-WA/APC-1] 19 p0297 A78-33126

Use of gas turbines in natural gas transport systems /pipelines/

- 19 p0327 A78-36372
- Preliminary study of the present and possible future oil and gas development of areas immediately surrounding the Interior Salt Domes Upper Gulf Coast Salt Dome basins of east Texas, north Louisiana, and Mississippi
[ORNL/SUB-75/87988] 17 p0110 N78-10545
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 1: Text
[PB-269365/3] 17 p0115 N78-10596
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables)
[PB-269366/1] 17 p0116 N78-10597
- Impact of natural gas shortage on major industrial fuel burning installations. Volume 3. Appendix: Summary and analysis of fuel-burning characteristics of HPBIS
[PB-269367/9] 17 p0116 N78-10598
- Project Independence Evaluation System (PIES) documentation. Volume 11: Finance submodel for the FEA oil and gas supply model
[PB-269948/6] 17 p0126 N78-12540
- Project Independence Evaluation System (PIES) documentation. Volume 10: Automation of finding rate and discount rates in the FEA gas supply model
[PB-269947/8] 17 p0127 N78-12541
- Project Independence Evaluation System (PIES) documentation. Volume 4: FEA model of oil and gas supply: Data validation and update
[PB-270385/8] 17 p0139 N78-13559
- US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 1
[PB-274000/9] 18 p0238 N78-16413
- US oil and natural gas findings costs. A study for the Federal Energy Administration. Volume 2: Statistical appendix
[PB-274001/7] 18 p0238 N78-16414
- Analyses of natural gases, 1976
[PB-272735/2] 18 p0238 N78-16419
- Report to Congress on the economic impact of energy actions
[PB-272080/3] 18 p0243 N78-16467
- Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 1
[PB-273700/5] 18 p0254 N78-18506
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 2
[PB-273701/3] 18 p0254 N78-18507
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 3
[PB-273702/1] 18 p0254 N78-18508
- Emergency natural gas purchases: Actions needed to correct program abuses and consumer inequities
[PB-275876/1] 18 p0280 N78-21313
- Evaluation of the use of hydrogen as a supplement to natural gas
[TID-27747] 18 p0281 N78-21323
- US oil and natural gas finding costs. Volume 2: Statistical appendix
[FEA/G-77/357-VOL-2] 19 p0398 N78-23588
- Interactive data management and analysis system for the Eastern Gas Shale Program
[MLN-2469(OP)] 19 p0401 N78-23988
- Oil and gas in coastal lands and waters 19 p0404 N78-24597
- Alternative fuels demonstration program, volume 1 of 2
[ERDA-1547-VOL-1] 19 p0415 N78-25245
- Oil and gas replacement cost: Development and production. Volume 1: Discussion of methodology, exhibits, and projections
[TID-28043/1] 19 p0418 N78-25514
- OCS oil and gas: An assessment of the Department of the Interior Environmental Studies Program
[PB-277493] 19 p0419 N78-25526
- Geochemical characterization of Devonian gas shale
[MLN-2467(OP)] 19 p0434 N78-25719
- Physicochemical characterization of Devonian gas shale
[MLN-2466(OP)] 19 p0434 N78-25720

NAVIGATION AIDS

SUBJECT INDEX

- A dynamic energy optimization model under uncertainty --- natural gas models and decision making 19 p0456 N78-27516
- Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2 [HCP/160901-01] 19 p0461 N78-27575
- Probability distribution of bids on outer continental shelf oil and gas leases [LA-7190-NS] 19 p0468 N78-27982
- NAVIGATION AIDS**
- Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual [AD-A047356] 19 p0409 N78-24667
- NAVIGATION SATELLITES**
- NIS-2 nickel hydrogen battery performance --- Navigation Technology Satellite [AIAA 78-536] 19 p0254 A78-32885
- NAVSTAR SATELLITES**
- Positioning and navigation by satellite --- for marine operations [AIAA 77-1553] 17 p0069 A78-13684
- NEAR FIELDS**
- Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants 19 p0302 A78-33316
- NEBRASKA**
- Applications of remote sensing in resource management in Nebraska [E78-10099] 18 p0273 N78-20567
- NEGATIVE RESISTANCE DEVICES**
- Frequency limitations of transferred electron devices related to quality of contacts 19 p0334 A78-37468
- NEODYMIUM COMPOUNDS**
- Thermoelectric power and ac conductivity of A-type Nd₂O₃ 19 p0332 A78-36964
- NEODYMIUM LASERS**
- Giant laser system readied for tests --- for inertial fusion 19 p0316 A78-35300
- The OMEGA fusion laser system 19 p0359 A78-40221
- Focusing systems for high energy glass lasers 19 p0360 A78-40224
- The Shiva laser - nearing completion 19 p0360 A78-40226
- NETHERLANDS**
- Survey of research and development activities in the Netherlands on heat pumps for residential heating [CTI-76-09497] 17 p0156 N78-14684
- Some aspects of offshore operations in the Netherlands 18 p0262 N78-19135
- NETWORK ANALYSIS**
- Analysis of end effects in diagonal type MHD generator by means of equivalent circuit 19 p0327 A78-36320
- NETWORK SYNTHESIS**
- The poloidal field circuit in the Joint European Torus /JET/ 17 p0039 A78-11177
- Electrical design of TNS --- Next Step tokamak 19 p0351 A78-39918
- The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974
- NEUTRAL BEAMS**
- Neutral beam injector research and development work in the USA 17 p0012 A78-10878
- Development of fast neutral beam injectors at Pontenay-aux-Roses 17 p0012 A78-10879
- Cryogenic supplies for the TFTR neutral beam line cryopanels --- Tokamak Fusion Test Reactor 19 p0352 A78-39951
- Cryopumping system for TFTR neutral beam injectors 19 p0352 A78-39952
- A 40-kV, 26-ms neutral-beam power supply for TFX --- Tandem Mirror Experiment 19 p0353 A78-39964
- Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965
- The Princeton neutral injection power supply system 19 p0354 A78-39975
- The TFTR neutral beam power system --- Tokamak Fusion Test Reactor 19 p0354 A78-39976
- Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks 19 p0356 A78-40013
- Using computer graphics to analyze the placement of neutral-beam injectors for the Mirror Fusion Test Facility 19 p0357 A78-40026
- Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027
- Facility for the testing of the TFTR prototype neutral beam injector --- Tokamak Fusion Test Reactor 19 p0357 A78-40049
- A computer program for parameter studies of a neutral injection beam line 19 p0357 A78-40052
- Design and performance of large cryopumps for high power neutral injectors 19 p0359 A78-40108
- Effect of neutral injection heating on the impurity level in the W VII A Stellarator 19 p0378 A78-42208
- Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- Tokamak impurity report [DOE/ET-0001] 19 p0434 A78-25920
- NEUTRAL PARTICLES**
- Neutral particle emission of the pulsator plasma during high-density discharges --- in tokamaks 19 p0379 A78-42216
- NEUTRON IRRADIATION**
- Fusion-neutron-induced nuclear recoil emission probabilities 17 p0062 A78-11814
- NEUTRON SOURCES**
- Thermal-mechanical design of a 150-mA, direct-current, 400-keV accelerator for production of 14-MeV neutrons 19 p0357 A78-40032
- Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- NEVADA**
- Solar insolation measurements at Las Vegas, Nevada 18 p0206 A78-28173
- A hypothetical 1000 MW(e) photovoltaic solar-electric plant [PB-273108/1] 18 p0243 N78-16468
- Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBI-74(77)] 19 p0391 N78-22534
- NEW ENGLAND (US)**
- The impact of the President's energy plan on the northeast [GPO-97-013] 19 p0405 N78-24619
- Potential of wood as an energy resource in New England [TID-28131] 19 p0432 N78-25655
- NEW JERSEY**
- Trenton ICES, volume 1, phase 1 [COO-4212-1/1-VOL-1] 18 p0287 N78-21639
- NEW MEXICO**
- Approach to valuing visual pollution from western electricity production [BNI-2103] 17 p0117 N78-10613
- Annotated bibliography of natural resource information: Northwestern New Mexico [PB-276024/7] 18 p0273 N78-20597
- Bibliography of New Mexico geology and mineral technology, 1971-1975 [PB-278348/8] 19 p0451 N78-26699
- NEW YORK**
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 3: Noise tests [PB-269402/4] 17 p0110 N78-10485

SUBJECT INDEX

NOISE INTENSITY

- Energy information and analytic system for New York State
[BNL-22677] 19 p0397 N78-23579
- Energy modeling and data support for the Electric Power Research Institute
[BNL-50696] 19 p0425 N78-25595
- NEW ZEALAND**
Wind energy research in New Zealand 18 p0171 A78-22249
- NEWTON-RAPHSON METHOD**
Junction potentials of strongly illuminated n/p-p-p solar cells 19 p0292 A78-32693
- NICKEL**
Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni /CO/4 18 p0221 A78-30302
- Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas [NASA-TP-1150] 18 p0273 N78-20512
- Surface structure and mechanisms of gasification catalyst deactivation [FE-2229-5] 19 p0398 N78-23589
- NICKEL ALLOYS**
Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112
- Analysis of the failure of the nickel tank used for LIOB thermal energy storage for the Calvair automobile [GHR-2690-SECT-7.106] 19 p0440 N78-26332
- NICKEL COATINGS**
Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [DLR-FB-77-23] 17 p0156 N78-14686
- Performance evaluation of two black nickel and two black chrome solar collectors [NASA-CR-150497] 18 p0249 N78-17470
- Selective coating for solar panels --- using black chrome and black nickel [NASA-CAS2-IEW-12159-1] 18 p0263 N78-19599
- Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [ESA-TT-432] 19 p0390 N78-22482
- NICKEL COMPOUNDS**
The utilization of LaNi5 as a hydrogen-storage medium for heat engines 18 p0233 A78-32193
- NICKEL HYDROGEN BATTERIES**
NTS-2 nickel hydrogen battery performance --- Navigation Technology Satellite [AIAA 78-536] 19 p0294 A78-32885
- NICKEL ZINC BATTERIES**
Design and cost study of nickel-zinc batteries for electric vehicle [ANL-K-76-3541-1] 17 p0114 N78-10585
- Electric vehicle propulsion batteries: Design and cost study for nickel/zinc battery manufacture, task A [ANL-K-77-3542-1] 17 p0142 N78-13594
- Develop nickel-zinc battery suitable for electronic vehicle propulsion. Task A: Design and cost study [ANL-K-77-3558-1] 17 p0143 N78-13607
- Rapid, efficient charging of lead-acid and nickel-zinc traction cells [NASA-TB-78901] 19 p0405 N78-24616
- NIOBIUM ALLOYS**
Development and fabrication of a diffusion welded Columbian alloy heat exchanger --- for space power generation [AIME PAPER A78-61] 18 p0228 A78-31500
- NITINOL ALLOYS**
Nitinol engine development --- Ni-Ti alloy for thermal-to-mechanical energy converter 17 p0056 A78-11348
- NITRIC ACID**
Nitric acid cycle process for extracting thermal energy from low-level heat sources --- for Ocean Thermal Energy Conversion 19 p0315 A78-35171
- NITRIC OXIDE**
Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338
- Nitric oxide formation in hydrocarbon-air flames 18 p0199 A78-27834
- Formation and growth of thermal NOx in hydrocarbon combustion 18 p0227 A78-31498
- Fundamentals of nitric oxide formation in fossil fuel combustion [FE-2018-5] 17 p0130 N78-13175
- NITRIDES**
Materials for fuel cells [PB-269518/7] 17 p0113 N78-10573
- NITROGEN**
Physiological studies of nitrogen fixation by blue-green algae 17 p0128 N78-12647
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen [GHR-2690-SECT-1.206] 19 p0438 N78-26256
- NITROGEN COMPOUNDS**
Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product 19 p0363 A78-40594
- Characterization of nitrogen compounds in tar produced from underground coal gasification 19 p0368 A78-41814
- NITROGEN OXIDES**
NOx-O3 photochemistry in power plant plumes - Comparison of theory with observation 17 p0001 A78-10059
- Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames 17 p0078 A78-15828
- Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822
- Character and transformation of pollutants from major fossil-fuel energy sources [AFCA PAPER 77-15,1] 18 p0185 A78-25406
- Formation and growth of thermal NOx in hydrocarbon combustion 18 p0227 A78-31498
- Further studies with a hydrogen engine [SAE PAPER 780233] 19 p0307 A78-33381
- Evaluation of NOx/ emission characteristics of alcohol fuels for use in stationary combustion systems 19 p0321 A78-35705
- Performance and NOx/ emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines 19 p0333 A78-37299
- The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861
- Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations 19 p0335 A78-37862
- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-269277/0] 17 p0121 N78-11526
- Burner design criteria for NOx control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 N78-15607
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators [PB-279008/7] 19 p0466 N78-27621
- NITROGEN TETROXIDE**
Characteristics of the utilization of N2O4 in solar gas-turbine power plants 19 p0335 A78-37947
- NOAA SATELLITES**
The quality of NOAA's ocean research and development program: An evaluation [PB-277095/6] 18 p0290 N78-21980
- NOCTURNAL VARIATIONS**
Nocturnal boundary-layer wind maxima and the problem of wind power assessment 18 p0179 A78-24314
- NOISE INTENSITY**
Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects [NASA-CR-151672] 18 p0272 N78-20163

NONAQUEOUS ELECTROLYTES

Solid electrolyte and elevated temperature water electrolysis

17 p0C98 A78-18832

NONDESTRUCTIVE TESTS

Nondestructive evaluation needs for coal

liquefaction

[AHL-77-61]

19 p0426 N78-25606

NONEQUILIBRIUM PLASMAS

Stability of nonequilibrium plasmas

17 p0063 A78-12352

Two-dimensional analysis of a diagonal-type

nonequilibrium plasma MHD generator

17 p0C73 A78-14274

Calculation of electron heating in a

nonequilibrium MHD channel

18 p0193 A78-27133

Stability of nonequilibrium plasma

19 p0291 A78-32575

Coal fired non-equilibrium, Closed Cycle MHD/steam

power generation

[ASME PAPER 77-WA/ENER-8]

19 p0298 A78-33146

NONFERROUS METALS

The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry

19 p0332 A78-36945

NONUNIFORM FLOW

Effect of flow inhomogeneity on plasma instability near a channel wall

17 p0002 A78-10245

NONUNIFORM PLASMAS

The effect of coherent structures on open-cycle generators

[AIAA PAPER 78-1173]

19 p0368 A78-41870

NORTH CAROLINA

Innovations in microelectronics and solid state at North Carolina Agricultural and Technical State University

18 p0237 N78-16280

NORTH DAKOTA

Legislative handbook on energy-related topics

[PB-276766/3]

19 p0390 N78-22477

NORTH SEA

Offshore oil pollution

[STP21-A76054]

17 p0122 N78-11535

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1 --- forecasting

offshore structures and requirements based on ECS

[CWJ/C-640003-VOL-1]

17 p0134 N78-13308

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2 --- transmission

system analysis

[CWJ/C-640003-VOL-2]

17 p0134 N78-13309

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3

[CWJ/C-640003-VOL-3]

17 p0134 N78-13310

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4

[CWJ/C-640003-VOL-4]

17 p0134 N78-13311

Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary

[CWJ/C-640003-VOL-5-SUMM]

17 p0134 N78-13312

NOSTOC

Isoprenoid hydrocarbons produced by thermal

alteration of Nostoc muscorum and

Rhodospseudomonas spheroides

18 p0167 A78-22008

NOZZLE DESIGN

Acceleration nozzles of MHD generators with deformation of supersonic flow

17 p0002 A78-10244

NOZZLE FLOW

Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water

18 p0172 A78-22543

NUCLEAR AUXILIARY POWER UNITS

Heat pipe reactors for space power applications

[LA-OR-77-296]

17 p0153 N78-14653

NUCLEAR ELECTRIC POWER GENERATION

Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977

18 p0180 A78-24751

Status and prospects for continued progress in magnetic fusion energy research and development

18 p0181 A78-24756

Nonconventional alternatives for conversion of nuclear energy

18 p0229 A78-31772

An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines

19 p0321 A78-35752

Is solar power more dangerous than nuclear

19 p0341 A78-38998

Energy resources --- on natural and nuclear energy technology and efficiency

19 p0385 A78-43072

Technology assessment in a dialectic key

17 p0123 N78-11896

Coal and nuclear generating costs

17 p0155 N78-14674

[EPRI-PS-455-SR]

Evaluation of a seafloor nuclear power supply and its potential applications

18 p0277 N78-20643

An evaluation of the national energy plan

19 p0396 N78-23566

[END-77-48]

NUCLEAR ELECTRIC PROPULSION

Comment on 'Heat-pipe reactors for space power applications'

19 p0364 A78-40826

Optimize out-of-core thermionic energy conversion for nuclear electric propulsion

18 p0252 N78-17856

[NASA-TN-73892]

NUCLEAR ENERGY

The role of nuclear energy in the more efficient exploitation of fossil fuel resources

19 p0311 A78-34399

NUCLEAR FISSION

Nonconventional alternatives for conversion of nuclear energy

18 p0229 A78-31772

Power deposition in volumetric /U-235/P6-Re fission-pumped nuclear lasers

18 p0235 A78-32436

Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing

19 p0380 A78-42257

NUCLEAR FUEL ELEMENTS

Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential

19 p0412 N78-24920

[AHL-77-70]

NUCLEAR FUEL REPROCESSING

Purity and gas throughput control for THS --- The Next Step tokamaks

19 p0348 A78-39822

NUCLEAR FUELS

Energy yield and fuel dynamics of the fusion breeder

17 p0041 A78-11191

Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation

18 p0195 A78-27700

Tritium systems preliminary design for THS --- Tokamak Next Step with fuel reprocessing

19 p0346 A78-39798

An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 1

17 p0128 N78-12823

[NASA-CR-155319]

An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 2

17 p0128 N78-12824

[NASA-CR-155320]

An analysis of the technical status of high level radioactive waste and spent fuel management systems

18 p0261 N78-18897

[NASA-CR-155313]

Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the p-B-11 reaction

18 p0290 N78-21927

[EPRI-ER-429-SR-PT-A]

Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems

19 p0416 N78-25340

[T/SUB-77-14263/1]

NUCLEAR FUSION

Magnetic fusion energy

18 p0245 N78-16872

[UCRL-79600]

SUBJECT INDEX

NUCLEAR RESEARCH

PACER: Short cut solution to fusion energy production
 [TID-27687] 18 p0270 N78-19674
 Commercial feasibility of fusion power based on the Tokamak concept
 [CONF-771109-55] 19 p0391 N78-22915
 Fusion energy applied to synthetic fuel production: A report to the DOE Division of Magnetic Fusion Energy based on a preliminary study by an ad-hoc advisory group
 [CONF-770593] 19 p0393 N78-23251
 Perspectives on the development of fusion power by magnetic confinement, 1977
 [DOE/ET-0002] 19 p0401 N78-23900
 Thermal hydraulic analyses of two fusion reactor first wall/blanket concepts --- lithium cooled reactor experiment hydraulic equipment
 [CONF-771029-178] 19 p0434 N78-25930
 Fusion applications of fast discharging homopolar machines
 [EPRI-ER-625] 19 p0468 N78-27934
NUCLEAR HEAT
 Storage of off-peak thermal energy in oil
 17 p0029 A78-11078
 Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry
 17 p0101 A78-18850
 Uses of nuclear heat at high temperatures for energy conversion processes
 17 p0101 A78-18852
 The construction of long-distance thermal-energy supply systems in Mannheim within the framework of a demonstration project
 17 p0102 A78-19245
NUCLEAR MAGNETIC RESONANCE
 The evolution of pollutants during the rapid devolatilization of coal
 [PB-278496/5] 19 p0466 N78-27617
NUCLEAR POWER PLANTS
 Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power
 17 p0032 A78-11110
 Principles of nuclear district heating
 17 p0066 A78-13150
 Basis of cheap energy --- economic nuclear-thermal energy distribution systems
 17 p0102 A78-19244
 Tokamak fusion power reactors
 17 p0103 A78-19600
 Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants
 18 p0166 A78-21349
 Waste management considerations for fusion power reactors
 18 p0176 A78-23588
 Nuclear Science Symposium, 4th, and Nuclear Power Systems Symposium, 9th, San Francisco, Calif., October 19-21, 1977, Proceedings
 18 p0184 A78-25301
 Reflections on the energy wars --- solar vs nuclear power
 18 p0221 A78-30297
 Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River
 19 p0313 A78-34905
 Offshore and underground power plants --- Book
 19 p0317 A78-35574
 Power plant performance --- comparison of coal and nuclear, fueled
 19 p0321 A78-35753
 Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/
 19 p0325 A78-36129
 Technoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor
 19 p0326 A78-36130
 Economics of tokamak power systems
 19 p0350 A78-39894
 Institutional aspects of the energy centers concept [ANE-3086-1] 18 p0270 N78-19672

Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California, Volume 2: Radiological health and related standards for nuclear power plants
 [LBI-5285-VOL-2] 18 p0278 N78-20769
 Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems
 [CONF-771070-1] 19 p0411 N78-24695
 Report to congress on abnormal occurrences July - September 1977
 [PB-278534] 19 p0412 N78-24923
 Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems
 [Y/SUB-77-14263/1] 19 p0416 N78-25340
 Helium heaters of the helium turbine unit of the Oberhausen energy supply
 [DOE-TR-35] 19 p0455 N78-27440
NUCLEAR POWER REACTORS
 Survey of atomic energy planning taking into account the production of energy in addition to electricity
 18 p0227 A78-31474
 Heat pipe nuclear reactors for space applications [AIAA 78-454] 19 p0319 A78-35629
 Conceptual design of a heat pipe radiator [LA-6939-MS] 18 p0273 N78-20471
 Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential
 [ANL-77-70] 19 p0412 N78-24920
NUCLEAR PROPELLED AIRCRAFT
 Studies of advanced transport aircraft [NASA-TM-78697] 19 p0413 N78-25047
NUCLEAR PUMPING
 Power deposition in volumetric /D-235/P6-He fission-pumped nuclear lasers
 18 p0235 A78-32436
NUCLEAR RADIATION
 Fusion-neutron-induced nuclear recoil emission probabilities
 17 p0062 A78-11814
NUCLEAR REACTORS
 The use of MHD generators in the nuclear energy field
 17 p0072 A78-14130
 Problem of the vulnerability of materials to radiation in relation to atomic and thermonuclear power engineering
 18 p0180 A78-24748
 Nuclear Science Symposium, 4th, and Nuclear Power Systems Symposium, 9th, San Francisco, Calif., October 19-21, 1977, Proceedings
 18 p0184 A78-25301
 Korea Atomic Energy Research Institute, Collected Reprints, Volume 4 --- Book
 19 p0335 A78-37901
 Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance
 [CONF-770902-5] 18 p0282 N78-21483
 High temperature heat pipe research at NASA Lewis Research Center
 [NASA-TM-78832] 19 p0393 N78-23384
 Reactor technology --- including heat pipe specifications
 [LA-6931-PR] 19 p0400 N78-23899
 Development of the steam-iron process for hydrogen production
 [FE-2435-12] 19 p0416 N78-25254
 Viewpoints on key issues and evaluation criteria for assessing the potential of alternative nuclear energy systems for improving proliferation resistance
 [TID-28078] 19 p0464 N78-27594
NUCLEAR RESEARCH
 An overview of the planning considerations in the United States inertial confinement fusion program
 17 p0004 A78-10606
 A survey of the U.S. magnetic fusion program
 17 p0040 A78-11179
 On the trends in nuclear fusion research
 19 p0338 A78-38417
 An assessment of laser-driven fusion
 19 p0338 A78-38418

- UK experience of planning the nuclear contribution to the UK power programme [IAEA-CN-36/53] 17 p0116 W78-10605
- NUCLEAR WEAPONS**
Viewpoints on key issues and evaluation criteria for assessing the potential of alternative nuclear energy systems for improving proliferation resistance [TID-28078] 19 p0464 W78-27594
- NUCLEATE BOILING**
Heat transfer enhancement for evaporators --- in Ocean Thermal Energy Conversion 19 p0304 A78-33337
- Analysis of the thermal fatigue induced by DNB oscillations in the NEAC Rocketdyne pilot and commercial plant solar receiver designs [SAND-77-8283] 19 p0431 W78-25642
- NUCLEATION**
Potential effects of coal slag condensation on plasma conductivity in MHD generators 18 p0188 A78-26109
- Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253
- NUMERICAL ANALYSIS**
Two-dimensional analysis of a diagonal-type nonequilibrium plasma MHD generator 17 p0073 A78-14274
- A numerical solution to the unsteady, quasi-three-dimensional, turbulent heat transfer problem in an MHD channel [ASME PAPER 77-HT-90] 17 p0091 A78-17506
- A computer analysis of Ga_{1-x}Al_x/As-GaAs solar cells with multilayered window structure 19 p0313 A78-34850
- A simplified physics airflow model for evaluating wind power sites in complex terrain 19 p0340 A78-38791
- Subsonic flow in an MHD channel 19 p0341 A78-38963
- Computer aided two-dimensional analysis of junction type solar cells 19 p0383 A78-42807
- Numerical codes for MHD flows [SAND-77-1658] 19 p0448 W78-26604
- NUMERICAL CONTROL**
The microprocessor controlled and instrumented solar energy project 17 p0091 A78-17556
- Steering a field of mirrors using a shared computer-based controller --- for solar array and heliostat application 19 p0312 A78-34516
- Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36129
- O**
- O RING SEALS**
Seals for geothermal roller drill bits [ASME PAPER 77-PET-53] 17 p0077 A78-15081
- OCEAN BOTTOM**
Submarine seepage of natural gas in Norton Sound, Alaska 17 p0087 A78-17263
- Evaluation of a seafloor nuclear power supply and its potential applications [COO-4123-1] 18 p0277 W78-20643
- OCEAN CURRENTS**
Three ocean sited natural energy systems 17 p0009 A78-10735
- Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach --- for Ocean Thermal Energy Conversion 19 p0303 A78-33327
- Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274
- OCEAN DATA ACQUISITIONS SYSTEMS**
Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322

OCEAN MODELS

- The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319
- Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320

OCEAN SURFACE

- Energy from ocean surface waves 17 p0006 A78-10655

OCEAN THERMAL ENERGY CONVERSION

- Ocean energy resources; Proceedings of the Energy Technology Conference, Houston, Tex., September 18-23, 1977 17 p0006 A78-10651
- Power from the oceans' thermal gradients 17 p0006 A78-10652
- Ship Technology and Research /STAR/ Symposium, 2nd, San Francisco, Calif., May 25-27, 1977, Proceedings 17 p0008 A78-10722
- OTEC - A survey of the state of the art --- Ocean Thermal Energy Conversion 17 p0008 A78-10723
- Conceptual design of OTEC platforms --- Ocean Thermal Energy Conversion 17 p0008 A78-10724
- Three ocean sited natural energy systems 17 p0009 A78-10735
- Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power 17 p0032 A78-11110
- Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans --- Ocean Thermal Energy Conversion 17 p0056 A78-11349
- Application of aerospace engineering to Ocean Thermal Energy Conversion and offshore petroleum production [AIAA PAPER 78-292] 18 p0177 A78-24003
- Ocean thermal energy conversion material requirements for large-scale systems 18 p0183 A78-25057
- The earth as a solar heat engine --- windpower utilization, ocean thermal conversion, tidal power, waterwave power and biomass conversion 18 p0223 A78-30745
- Thermo-hydraulic energy from the sea 18 p0225 A78-31274
- Gulf Stream OTEC resource potential 19 p0291 A78-32535
- Annual Conference on Ocean Thermal Energy Conversion, 4th, University of New Orleans, New Orleans, La., March 22-24, 1977, Proceedings 19 p0300 A78-33301
- An Early Ocean Test Platform Conversion --- for thermal energy conversion 19 p0300 A78-33302
- An Early Ocean Test Platform for testing cycle components --- in Ocean Thermal Energy Conversion 19 p0300 A78-33303
- A comparison of two generic OTEC systems and missions --- Ocean Thermal Energy Conversion 19 p0300 A78-33304
- Cost comparison of selected OTEC power plant designs --- Ocean Thermal Energy Conversion 19 p0301 A78-33305
- Influence of design factors on the economy of sea thermal power plants 19 p0301 A78-33306
- Economic incentives for the commercialization of OTEC --- Ocean Thermal Energy Conversion 19 p0301 A78-33307
- Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/EBDA study 19 p0301 A78-33308
- Potential mariculture yield of sea thermal power plants. II - Food chain efficiency 19 p0301 A78-33309
- Electrical energy transmission for OTEC power plants 19 p0301 A78-33310
- Ocean energy industrial complexes 19 p0301 A78-33311

SUBJECT INDEX

OCEANOGRAPHIC PARAMETERS

Alternative forms of energy transmission from OTEC plants 19 p0301 A78-33312

Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration 19 p0302 A78-33313

OTEC implementation problems for specific missions --- Ocean Thermal Energy Conversion 19 p0302 A78-33315

Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants 19 p0302 A78-33316

An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico 19 p0302 A78-33317

The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319

Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320

Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322

Resource assessment of a high potential OTEC site near Puerto Rico --- Ocean Thermal Energy Conversion 19 p0302 A78-33323

A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters 19 p0303 A78-33324

Some factors affecting the selection of OTEC plant platform/cold water pipe designs 19 p0303 A78-33325

Hydrodynamic loads on the cold water pipe --- for Ocean Thermal Energy Conversion application 19 p0303 A78-33326

Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach --- for Ocean Thermal Energy Conversion 19 p0303 A78-33327

Anchor systems --- for offshore power plants 19 p0303 A78-33328

Screens for the OTEC plants --- protection from biological materials for Ocean Thermal Energy Conversion heat exchangers 19 p0303 A78-33329

Compact heat exchangers for sea thermal power plants 19 p0303 A78-33330

Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory 19 p0303 A78-33331

An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion 19 p0304 A78-33333

The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion 19 p0304 A78-33335

Enhanced performance heat exchangers --- for Ocean Thermal Energy Conversion 19 p0304 A78-33336

Heat transfer enhancement for evaporators --- in Ocean Thermal Energy Conversion 19 p0304 A78-33337

Comments on sea water side enhancement for OTEC heat exchangers 19 p0304 A78-33338

Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships 19 p0304 A78-33339

A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems 19 p0304 A78-33340

Ultra clean heat exchangers - A critical OTEC requirement 19 p0305 A78-33341

Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342

Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant - What are the questions 19 p0305 A78-33343

Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion 19 p0305 A78-33344

Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion 19 p0305 A78-33345

Hydrodynamic control of biofouling in OTEC heat exchangers 19 p0305 A78-33346

Potential of open cycle OTEC - A general survey --- Ocean Thermal Energy Conversion 19 p0305 A78-33347

Sea thermal power cycles 19 p0306 A78-33348

The foam OTEC system - A proposed alternative to the closed cycle OTEC system 19 p0306 A78-33350

Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle --- in Ocean Thermal Energy Conversion plants 19 p0306 A78-33351

The Mist Flow OTEC Plant --- convective lift to achieve hydraulic head in Ocean Thermal Energy Conversion 19 p0306 A78-33352

Nitric acid cycle process for extracting thermal energy from low-level heat sources --- for Ocean Thermal Energy Conversion 19 p0315 A78-35171

Ocean thermal energy - Status and prospects 19 p0323 A78-35876

Marine thermal energy and the combination of solar, radiative and aeolian energies 19 p0328 A78-36623

The potential for geothermal and solar thermal power systems 19 p0361 A78-40368

Air conditioning using ocean thermal gradients 19 p0376 A78-42160

Ocean thermal Energy Conversion (OTEC) test facilities study program, volume 1 [SAN/1156-77/1-VOL-1] 17 p0120 N78-11507

Enhanced single-phase heat transfer for ocean thermal energy conversion systems [ORNL/SUB-77/14216/1] 17 p0153 N78-14657

Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-8] 17 p0153 N78-14658

Outline for optimizing and evaluating proposed OTEC systems [CONP-770331-2] 17 p0153 N78-14660

Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory [CONP-770331-1] 17 p0153 N78-14661

Ocean thermal energy conversion system biofouling and corrosion problems [BNWL-SA-5970] 17 p0154 N78-14662

Nature of primary organic films in the marine environment and their significance for Ocean Thermal Energy Conversion (OTEC) heat exchange surfaces [BNWL-2283] 17 p0154 N78-14663

Solar program assessment: Environmental factors. Ocean thermal energy conversion [ERDA-77-47/8] 17 p0156 N78-14683

Alternative forms of energy transmission from OTEC plants [CONP-770331-5] 18 p0241 N78-16453

Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-12] 18 p0242 N78-16454

Net energy analysis of an Ocean Thermal Energy Conversion (OTEC) system [ORAU/IEA(N)-77-1] 18 p0288 N78-21652

Ocean thermal power plants heat exchangers [ERDA/NSF-43441/76/1] 19 p0410 N78-24681

OCEANOGRAPHIC PARAMETERS

Determination of design and operational criteria for offshore facilities [AIAA 77-1577] 17 p0069 A78-13663

OCEANOGRAPHY

SUBJECT INDEX

- Resource assessment of a high potential OTEC site near Puerto Rico --- Ocean Thermal Energy Conversion 19 p0302 A78-33323
- A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters 19 p0303 A78-33324
- OCEANOGRAPHY**
- The quality of NOAA's ocean research and development program: An evaluation [PB-277095/6] 18 p0290 N78-21980
- Development and coordination of a program of energy-related oceanographic research and the continental shelves of the Gulf of Mexico [ORO-5017-3] 19 p0434 N78-25742
- OCTANE NUMBER**
- Fluid bed process studies on selective conversion of methanol to high octane gasoline [FE-2490-8] 18 p0272 N78-20356
- Development studies on selected conversion of synthesis gas from coal to high octane gasoline [FE-2276-20] 19 p0454 N78-27289
- OFF-ON CONTROL**
- Preliminary comparison of proportional and full on-off control systems for solar energy applications 17 p0047 A78-11261
- OFFSHORE ENERGY SOURCES**
- Ocean energy resources; Proceedings of the Energy Technology Conference, Houston, Tex., September 18-23, 1977 17 p0006 A78-10651
- Ocean energy from salinity gradients 17 p0006 A78-10654
- Ocean geothermal energy 17 p0006 A78-10656
- Three ocean sited natural energy systems 17 p0009 A78-10735
- Evaluation of offshore site for wind energy generation 17 p0029 A78-11080
- The anaerobic digestion of *Macrocyctis pyrifera* under mesophilic conditions --- for synthetic fuel recovery 17 p0035 A78-11135
- Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans --- Ocean Thermal Energy Conversion 17 p0056 A78-11349
- Determination of design and operational criteria for offshore facilities [AIAA 77-1577] 17 p0069 A78-13663
- Applications of Seasat to the offshore oil, gas and mining industries [AIAA 77-1583] 17 p0069 A78-13666
- Future onshore and offshore exploration by remote sensing from space [AIAA 77-1550] 17 p0069 A78-13681
- A computer model for large-scale offshore wind-power systems 17 p0093 A78-18089
- Application of aerospace engineering to Ocean Thermal Energy Conversion and offshore petroleum production [AIAA PAPER 78-292] 18 p0177 A78-24003
- Deep sea oil - Myth, reality of today, or future necessity 18 p0196 A78-27787
- Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources 19 p0297 A78-33123
- Potential mariculture yield of sea thermal power plants. II - Food chain efficiency 19 p0301 A78-33309
- Ocean energy industrial complexes 19 p0301 A78-33311
- Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320
- Resource assessment of a high potential OTEC site near Puerto Rico --- Ocean Thermal Energy Conversion 19 p0302 A78-33323
- Hydrodynamic loads on the cold water pipe --- for Ocean Thermal Energy Conversion application 19 p0303 A78-33326
- Cold water transport, cold water pipe, and deep water mooring line analysis --- A parametric approach --- for Ocean Thermal Energy Conversion 19 p0303 A78-33327
- Anchor systems --- for offshore power plants 19 p0303 A78-33328
- Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory 19 p0303 A78-33331
- Comments on sea water side enhancement for OTEC heat exchangers 19 p0304 A78-33338
- Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships 19 p0304 A78-33339
- Potential of open cycle OTEC - A general survey --- Ocean Thermal Energy Conversion 19 p0305 A78-33347
- The Mist Flow OTEC Plant --- convective lift to achieve hydraulic head in Ocean Thermal Energy Conversion 19 p0306 A78-33352
- Offshore and underground power plants --- Book 19 p0317 A78-35574
- Wind-wave power available to a wave energy converter array 19 p0326 A78-36272
- Multi-organizational strategies: An analytic framework and case illustrations [IIASA-BM-77-4] 17 p0122 N78-11864
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1 --- forecasting offshore structures and requirements based on ECS [CWJ1/C-640003-VOL-1] 17 p0134 N78-13308
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2 --- transmission system analysis [CWJ1/C-640003-VOL-2] 17 p0134 N78-13309
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3 [CWJ1/C-640003-VOL-3] 17 p0134 N78-13310
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4 [CWJ1/C-640003-VOL-4] 17 p0134 N78-13311
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary [CWJ1/C-640003-VOL-5-SUMM] 17 p0134 N78-13312
- A technology assessment of offshore industry. The United States offshore industry. Current status, trends and forecast 1976 - 2000, volume 1 [PB-272983/8] 18 p0246 N78-16947
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000, volume 2 [PB-272984/6] 18 p0246 N78-16948
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000. Executive summary [PB-272985/3] 18 p0246 N78-16949
- Some aspects of offshore operations in the Netherlands 18 p0262 N78-19135
- US oil and natural gas finding costs. Volume 2: Statistical appendix [FEA/G-77/357-VOL-2] 19 p0398 N78-23588
- OCS oil and gas: An assessment of the Department of the Interior Environmental Studies Program [PB-277493] 19 p0419 N78-25526
- Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization [DOE/NSF/19137-77/3] 19 p0435 N78-25982
- OCS analytical model --- offshore energy sources [SDC/ERI-2345-017] 19 p0451 N78-26832
- Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] 19 p0456 N78-27500
- Air quality analysis of the Southern California Bight in relation to potential impact of offshore oil and gas development [PB-279088/9] 19 p0467 N78-27665

- Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791
- Probability distribution of bids on outer continental shelf oil and gas leases
[LA-7190-MS] 19 p0468 N78-27982
- OFFSHORE PLATFORMS**
- Ship Technology and Research /STIR/ Symposium, 2nd, San Francisco, Calif., May 25-27, 1977, Proceedings 17 p0008 A78-10722
- Conceptual design of OTEC platforms --- Ocean Thermal Energy Conversion 17 p0008 A78-10724
- An Early Ocean Test Platform Conversion --- for thermal energy conversion 19 p0300 A78-33302
- An Early Ocean Test Platform for testing cycle components --- in Ocean Thermal Energy Conversion 19 p0300 A78-33303
- Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322
- Some factors affecting the selection of OTEC plant platform/cold water pipe designs 19 p0303 A78-33325
- Screens for the OTEC plants --- protection from biological materials for Ocean Thermal Energy Conversion heat exchangers 19 p0303 A78-33329
- The foam OTEC system - A proposed alternative to the closed cycle OTEC system 19 p0306 A78-33350
- Offshore and underground power plants --- Book 19 p0317 A78-35574
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1 --- forecasting offshore structures and requirements based on ECS [CWJ1/C-640003-VOL-1] 17 p0134 N78-13308
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2 --- transmission system analysis [CWJ1/C-640003-VOL-2] 17 p0134 N78-13309
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3 [CWJ1/C-640003-VOL-3] 17 p0134 N78-13310
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4 [CWJ1/C-640003-VOL-4] 17 p0134 N78-13311
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary [CWJ1/C-640003-VOL-5-SUMM] 17 p0134 N78-13312
- OHMIC DISSIPATION**
- Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media 19 p0327 A78-36321
- The Alcator C magnetic coil systems 19 p0346 A78-39791
- Past ramp superconductor for ohmic heating coils --- of Tokamak Next Step reactor 19 p0356 A78-40009
- PLT OH system operation --- Princeton Large Torus-Ohmic Heating 19 p0357 A78-40064
- OIL EXPLORATION**
- Developing an experimental oil shale mine 17 p0032 A78-11107
- Lipinites and lipid substances in an oil source rock 17 p0061 A78-11458
- Application of aerospace engineering to Ocean Thermal Energy Conversion and offshore petroleum production [AIAA PAPER 78-292] 18 p0177 A78-24003
- Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources 19 p0297 A78-33123
- Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region 19 p0313 A78-34877
- Shale oil retention on crushed unretorted shale 19 p0367 A78-41523
- Tar sand evaluation using geophysical well logs 19 p0368 A78-41819
- Preliminary study of the present and possible future oil and gas development of areas immediately surrounding the Interior Salt Domes Upper Gulf Coast Salt Dome basins of east Texas, north Louisiana, and Mississippi [ORNL/SUB-75/87988] 17 p0110 N78-10545
- Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior [PB-269865/2] 17 p0110 N78-10550
- Multi-organizational strategies: An analytic framework and case illustrations [IATSA-EM-77-4] 17 p0122 N78-11864
- US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 1 [PB-274000/9] 18 p0238 N78-16413
- A technology assessment of offshore industry. The United States offshore industry. Current status, trends and forecast 1976 - 2000, volume 1 [PB-272983/8] 18 p0246 N78-16947
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000, volume 2 [PB-272984/6] 18 p0246 N78-16948
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000. Executive summary [PB-272985/3] 18 p0246 N78-16949
- Applications of remote sensing in resource management in Nebraska [ET8-10099] 18 p0273 N78-20567
- Use of the method of one-dimensional nonlinear transformations to forecast the natural model of an oil stratum 18 p0290 N78-21693
- US oil and natural gas finding costs. Volume 2: Statistical appendix [PEA/G-77/357-VOL-2] 19 p0398 N78-23588
- Petroleum exploration, production, and recovery methods. Citations from the NTIS data base [NTIS/PS-78/0277] 19 p0411 N78-24689
- Probability distribution of bids on outer continental shelf oil and gas leases [LA-7190-MS] 19 p0468 N78-27982
- OIL FIELDS**
- Deep sea oil - Myth, reality of today, or future necessity 18 p0196 A78-27787
- Management plan for enhanced oil recovery. Volume 2: Appendices [ERDA-77-15/2-VOL-2-APP] 17 p0127 N78-12543
- Mapping offshore oil leases --- interactive computer graphics [LA-UR-77-2892] 19 p0456 N78-27500
- OIL POLLUTION**
- Keeping oil out of the marine environment 17 p0073 A78-14170
- Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons 18 p0193 A78-26818
- Offshore oil pollution [STP21-A76054] 17 p0122 N78-11535
- OIL RECOVERY**
- The future of oil --- development of sufficient supplies 17 p0092 A78-17670
- Contribution to the mineralogy of some Arabian oil-shales 18 p0168 A78-22021
- Net energy analysis of in situ oil shale processing 18 p0173 A78-22840
- An evaluation of in-situ recovery of tar sands 18 p0189 A78-26250
- Oil shale - Its time has come 18 p0196 A78-27784
- The Syncrude Project and the future of heavy oil development 18 p0196 A78-27785
- Improving production from petroleum reserves - Enhanced recovery 18 p0196 A78-27786
- Dynamic oil shale fracture experiments [PB-269258/0] 17 p0122 N78-11559

- Management plan for enhanced oil recovery. Volume 2: Appendices
[ERDA-77-15/2-VOL-2-APP] 17 p0127 N78-12543
- In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] 17 p0149 N78-14452
- Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery 18 p0237 N78-16171
- Interfacial effects in the recovery of residual oil by displacement: Studies at Northwestern University
[COO-0039-5] 18 p0244 N78-16494
- Enhanced oil recovery: The impact of policy options
[PB-276763/0] 19 p0388 N78-22451
- Enhanced oil recovery potential in the United States
[PB-276594/9] 19 p0388 N78-22452
- North Stanley polymer demonstration project
[COO-0029-1] 19 p0394 N78-23539
- Petroleum exploration, production, and recovery methods. Citations from the NTIS data base
[NTIS/PS-78/0277] 19 p0411 N78-24689
- Mechanical properties of oil shale of importance to in-situ rubbleization
[SAND-77-0499C] 19 p0411 N78-24731
- El Dorado micellar-polymer demonstration project report --- oil recovery
[BERC/TFP-77/12] 19 p0413 N78-25225
- Bell Creek Field micellar-polymer pilot demonstration
[BERC/TFP-77/13] 19 p0413 N78-25226
- Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233
- Pilot demonstration-enhanced oil recovery by micellar-polymer waterflooding Bell Creek Field
[COO-4207-14] 19 p0418 N78-25510
- Pulse test analysis of vertically fractured wells
[ORO-8036-5] 19 p0418 N78-25511
- Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase F
[SAN/1395-14] 19 p0418 N78-25519
- Energy from in situ processing of antrim oil shale
[FE-2346-16] 19 p0432 N78-25649
- Energy from in situ processing of antrim oil shale
[FE-2346-19] 19 p0432 N78-25652
- Oil shale programs
[SAND-77-1497] 19 p0432 N78-25653
- Geochemical characterization of Devonian gas shale
[HLM-2467(OP)] 19 p0434 N78-25719
- Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase F
[SAN/1395-15] 19 p0455 N78-27498
- Tertiary oil recovery by CO2 injection
[ORO-5302-20] 19 p0455 N78-27499
- OIL SLICKS**
- Oil in the ocean - Circumstances control its impact
17 p0087 A78-17262
- The detection of hydrocarbon sheets on the sea
18 p0209 A78-28395
- Field infrared method to discriminate natural seeps from non-seeps, Santa Barbara, California area
[AD-A042861] 17 p0116 N78-10608
- Chemical and physical properties of refined petroleum products
[PB-277100/4] 18 p0279 N78-21312
- OILS**
- Storage of off-peak thermal energy in oil
17 p0029 A78-11078
- Effect of solvent on molecular composition in coal liquefaction
18 p0173 A78-22823
- Products from two-step coal liquefaction using three different first-step reactor packings
18 p0190 A78-26578
- Coagulation and filtration of solids from liquefied coal of SYNTHOIL process
18 p0191 A78-26587
- High pressure liquid chromatographic studies of coal liquefaction kinetics
18 p0192 A78-26591
- An investigation of coal solubility in anthracene oils
18 p0195 A78-27745
- The use of thermal oils for energy transfer in the primary cycle of solar heating systems and solar power plants
18 p0213 A78-28588
- Assessment in industrial hazardous waste management petroleum re-refining industry
[PB-272267/6] 17 p0157 N78-14951
- ONBOARD EQUIPMENT**
- Transistor inverters for satellite onboard networks of higher power
19 p0365 A78-40865
- ONE DIMENSIONAL FLOW**
- Analysis of a high-temperature coal combustor according to a one-dimensional flow model
[ANL/HRD-77-2] 19 p0422 N78-25568
- OPERATING TEMPERATURE**
- Solar collection at different temperatures by different collector types under various orientation methods
17 p0043 A78-11228
- Temperature operating conditions of the energy storage device of a solar heating system
19 p0319 A78-35646
- OPERATIONAL PROBLEMS**
- Potential of open cycle OTEC - A general survey. --- Ocean Thermal Energy Conversion
19 p0305 A78-33347
- Solar sea power plants - Prospects and problems
19 p0376 A78-42163
- Design and operation of a solar heating and cooling system for a residential size building
[NASA-TN-78169] 19 p0420 N78-25546
- OPERATIONS RESEARCH**
- Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description
[NASA-CR-135333] 18 p0272 N78-20350
- Venture analysis case study of combined gas and steam power systems for the generation of utility electric power
[APAE-2483-5] 19 p0416 N78-25337
- OCS analytical model --- offshore energy sources
[SDC/HRD-2345-017] 19 p0451 N78-26832
- OPTICAL CONNECTION PROCEDURE**
- The linear Fresnel lens - Solar optical analysis of tracking error effects
17 p0059 A78-11375
- OPTICAL EQUIPMENT**
- A paraboloid-toroidal conical concentrator as a secondary concentrator of solar energy
18 p0187 A78-25732
- A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems
18 p0187 A78-25733
- Concentrating collectors --- for solar energy conversion
18 p0200 A78-27859
- Structure of a beam reflected by a heliostat
18 p0214 A78-28888
- OPTICAL FILTERS**
- Efficiency of Brude mirror-type selective transparent filters for solar thermal conversion
17 p0105 A78-19893
- OPTICAL MEASUREMENT**
- Evaluation of portable optical property measurement equipment for solar selective surfaces
[ASHE PAPER 77-WA/SOL-1] 19 p0299 A78-33189
- Preliminary tests using a laser particle-size analyzer on geothermal brine
[UCID-17637] 19 p0430 N78-25634
- Laser ray trace and bi-directional reflectometry measurements of various solar concentrators
[SAND-77-1466C] 19 p0444 N78-26564
- OPTICAL MEASURING INSTRUMENTS**
- Evaluation of portable optical property measurement equipment for solar selective surfaces
[ASHE PAPER 77-WA/SOL-1] 19 p0299 A78-33189
- Modeling solar cells for use as optical detectors - Background illumination effects
19 p0333 A78-37189
- OPTICAL PATHS**
- Determination of shading factor for flat-plate collectors
19 p0375 A78-42155
- OPTICAL PROPERTIES**
- Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu2S
17 p0018 A78-10979

SUBJECT INDEX

OPTIMIZATION

CdS sprayed thin films - Electrical and optical properties 17 p0018 A78-10981

The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232

Optical analysis of the Fixed Mirror/Distributed Focus /FMD/ solar energy collector 17 p0059 A78-11377

Optical properties of cylindrical elliptic concentrators 17 p0060 A78-11382

Structural composition and optical properties of solar blacks - Gold black 17 p0070 A78-13908

Collection properties of generalized light concentrators 17 p0080 A78-16093

Effect of heat treatment on optical properties of collectors for solar energy installations 18 p0215 A78-28896

Thin-film black-white coatings for the receivers of solar energy installations 18 p0215 A78-28897

Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 A78-34513

Optical performance of absorber-reflector combinations for photothermal solar energy conversion 19 p0316 A78-35411

Thermal optical surface properties and high-temperature solar energy conversion [AIAA PAPER 78-903] 19 p0324 A78-36021

Optical design of solar concentrators [AIAA PAPER 78-904] 19 p0324 A78-36022

Project STOP (Spectral Thermal Optimization Program) 17 p0137 A78-13541

Optical analysis of spherical segment solar collectors 18 p0239 A78-16425

Development of surfaces optically suitable for flat solar panels [NASA-CR-150539] 18 p0250 A78-17477

OPTICAL PUMPING

Gas laser with solar excitation 19 p0308 A78-33395

OPTICAL REFLECTION

Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications 17 p0001 A78-10170

Analytical and experimental study of total internal reflection prismatic panels for solar energy concentrators 17 p0060 A78-11389

Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922

Thin silicon film p-i-n photodiodes with internal reflection 18 p0205 A78-28142

Influence of light reflection on the collection efficiency of a solar cell 18 p0229 A78-31767

General principles of calculating multielement concentrating systems --- solar collectors 19 p0326 A78-36136

The sawtooth cover slide 17 p0137 A78-13537

OPTICAL SCANNERS

An optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553

OPTICAL THICKNESS

An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967

OPTIMAL CONTROL

Dynamic modeling and control of magnetohydrodynamic/steam systems 17 p0028 A78-11070

A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity 17 p0047 A78-11262

A microprocessor-based control system for solar heated/cooled residential dwellings 18 p0176 A78-23896

Optimal control of flywheel hybrid transmissions [ASME PAPER 77-WA/AUT-3] 18 p0229 A78-31828

Maximization of operating efficiency of solar cells 19 p0322 A78-35782

OPTIMIZATION

Selecting optimum tilts for solar collectors as a function of cloudiness 17 p0043 A78-11226

Optimized spacing between rows of solar collectors 17 p0043 A78-11229

Optimization of solar heating in residential buildings using a stochastic performance model 17 p0046 A78-11252

Computer optimization of solar collector area based on life-cycle costing 17 p0046 A78-11253

Optimization of an annual storage solar heating system over its life cycle 17 p0050 A78-11296

A cellwise method for the optimization of large central receiver systems --- solar collectors 17 p0053 A78-11330

Optimization of a fixed solar thermal energy collector 17 p0059 A78-11380

Evaluation of an optimized solar thermal collector by a new method 17 p0060 A78-11381

Optimal design methodology for a wind power system 17 p0070 A78-13847

Analysis and optimization of solar hot water systems 17 p0075 A78-14689

Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050

Optimal proportioning of an insulated earth cylinder for storage of solar heat 17 p0084 A78-16836

Optimal sizing of solar heating components by equating marginal costs of suboptimal investment paths 17 p0084 A78-16840

Energy optimization of a cycled Tokamak 17 p0087 A78-17133

Economic load distribution in the hybrid hydrothermal power system 17 p0092 A78-17949

Choice of the optimal parabolocylindrical concentrator with a tubiform receiver 17 p0107 A78-20424

Evaluation of the energy provided for a solar collector 18 p0165 A78-20621

Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786

Optimization of solar cell contacts by system cost-per-watt minimization 18 p0176 A78-23637

Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262

Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757

An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967

Thermal optimization of compact solar water heaters 18 p0206 A78-28172

Possibilities for demand-oriented delivery of wind energy 18 p0211 A78-28565

Maximum wind energy utilization by means of a single-unit wind turbine 18 p0211 A78-28572

An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion 19 p0304 A78-33333

Optimization models for the economic design of wind power systems 19 p0314 A78-34934

A cellwise method for the optimization of large central receiver systems 19 p0314 A78-34937

Optimum design of wideband selective absorbers with provision for specified included layers --- for solar applications 19 p0323 A78-35796

ORBIT CALCULATION

- Determination of optimum arrays of wind energy conversion devices 19 p0364 A78-40821
- Optimization of the current profile in MHD generators 19 p0364 A78-40834
- Optimum solar energy collection 19 p0375 A78-42150
- An algorithm for constrained optimization with semismooth functions [IIASA-BB-77-3] 17 p0121 A78-11511
- Project STOP (Spectral Thermal Optimization Program) 17 p0137 A78-13541
- An improved solar concentrator [NASA-CASE-MFS-23727-1] 17 p0139 A78-13556
- Nonreflecting vertical junction silicon solar cell optimization [AD-A046150] 17 p0151 A78-14636
- Optimization of coatings for flat plate solar collectors, phase 2 [COO-2930-12] 19 p0444 A78-26565
- Advanced fuel cell development [ANL-77-79] 19 p0445 A78-26571
- A dynamic energy optimization model under uncertainty --- natural gas models and decision making 19 p0456 A78-27516

ORBIT CALCULATION

- Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916

ORBIT TRANSFER VEHICLES

- Self-powered electric propulsion of satellite power systems [AIAA PAPER 78-694] 19 p0293 A78-32765

ORBITAL ASSEMBLY

- Learning to build large structures in space 17 p0082 A78-16698
- Materials, processing, and construction --- in space 18 p0203 A78-27928
- Structure assembly demonstration slated --- for large space structures in low orbit 19 p0339 A78-38774
- Views change on power satellite work --- satellite solar power station concepts 19 p0382 A78-42475
- Solar power satellite system definition study. Part 2, volume 5: Space operations (construction and transportation) [NASA-CB-151669] 18 p0271 A78-20159

ORBITAL MANEUVERS

- A scheme of low powered thermal energy conversion for satellite manoeuvres [AIAA PAPER 78-690] 19 p0293 A78-32762

ORBITAL SPACE STATIONS

- The industrialization of space - A myth or tomorrow's reality. I 17 p0106 A78-20148

OREGON

- Remote sensing applications in hydro-geothermal exploration of the northern basin and range province 18 p0238 A78-16405
- An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon [BULL-55] 19 p0396 A78-23568
- Simulating Oregon's future electrical energy demand [PB-276970/1] 19 p0399 A78-23603

ORGANIC CHEMISTRY

- Organic molecular energy storage reactions 18 p0203 A78-27896

ORGANIC COMPOUNDS

- High-efficiency organic solar cells 18 p0223 A78-30646
- Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis 18 p0232 A78-32104
- New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data 19 p0337 A78-38404

SUBJECT INDEX

- Primary lithium organic electrolyte battery BA-5598 ()/0 [AD-A042799] 17 p0112 A78-10568
- Organic compounds in turbine combustor exhaust [AD-A045582] 17 p0129 A78-13065
- Control of volatile organic emissions from storage of petroleum liquids in fixed roof tanks [PB-276749/9] 19 p0391 A78-22500
- ORGANIC MATERIALS
- Dye sensitization of Schottky barrier solar cells 17 p0055 A78-11340
- Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784
- Characterization of nitrogen compounds in tar produced from underground coal gasification 19 p0368 A78-41814
- ORGANIC WASTES (FUEL CONVERSION)
- Clean fuels from biomass and wastes; Proceedings of the Second Symposium, Orlando, Fla., January 25-28, 1977 17 p0033 A78-11120
- Biomass and wastes as energy resources - Update 17 p0033 A78-11121
- Energy and materials from the forest biomass 17 p0034 A78-11126
- Trees as a renewable energy resource 17 p0034 A78-11127
- Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis --- Conversion to glucose 17 p0035 A78-11129
- Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132
- The anaerobic digestion of *Macrocystis pyrifera* under mesophilic conditions --- for synthetic fuel recovery 17 p0035 A78-11135
- Two-phase anaerobic digestion --- for synthane-from-waste conversion 17 p0036 A78-11137
- The economics of SNG production by anaerobic digestion of specially grown plant matter --- synthetic natural gas 17 p0036 A78-11138
- The Garrett pyrolysis process 17 p0036 A78-11141
- The Andco-Torrax process - A slagging pyrolysis solid waste conversion system 17 p0036 A78-11142
- Methane production from waste 17 p0037 A78-11144
- Prospects of materials and energy from refuse in India 17 p0037 A78-11145
- Mobilization and impacts of bio-gas technologies 17 p0067 A78-13345
- Biogasification using NaOH treated pig faeces 18 p0194 A78-27550
- Fuels from waste --- Book 18 p0197 A78-27801
- A wealth of waste - A shortage of energy --- organic wastes for fuel conversion in U.S. 18 p0197 A78-27802
- The nature of pyrolytic oil from municipal solid waste 18 p0197 A78-27806
- The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807
- Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811
- Methanol production from organic waste 18 p0198 A78-27812
- Utilization of energy from organic wastes through fluidized-bed combustion 18 p0198 A78-27813
- The biogas facility at Benediktbeuern 18 p0221 A78-30323
- Energy savings from solid urban waste disposal systems in Italy 18 p0228 A78-31744
- Refuse-derived fuel wins out over oil and coal at new industrial power plant 19 p0315 A78-34974
- Enzymes show promise for biomass conversion 19 p0327 A78-36443

- A study of biochemical fuel cells utilizing animal and kitchen waste as fuel 19 p0374 A78-42137
- Technology evaluation of Army-scale waste-to-energy systems [AD-A042578] 17 p0112 N78-10567
- Pryolysis of industrial wastes for oil and activated carbon recovery [PB-270961/6] 17 p0147 N78-13967
- Heavy metal interactions with natural organics in aquatic environments 18 p0244 N78-16479
- Fuel gas production from animal waste, phase 1 [COO-2991-17] 18 p0280 N78-21321
- Anaerobic fermentation of simulated in-situ oil shale retort water [LBI-6855] 19 p0431 N78-25646
- ORGANIZATIONS**
- The quality of NOAA's ocean research and development program: An evaluation [PB-277095/6] 18 p0290 N78-21980
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year, 1976, volume 1 [ERDA-77-104/1-VOL-1] 19 p0466 N78-27635
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year 1976, volume 2 [ERDA-77-104/2-VOL-2] 19 p0466 N78-27636
- OSCILLATIONS**
- Power oscillation of the Mod-0 wind turbine 18 p0266 N78-19629
- OSMOSIS**
- Ocean energy from salinity gradients 17 p0006 A78-10654
- OUTER SPACE TREATY**
- The geostationary orbit, focal point of space telecommunication law 19 p0326 A78-36301
- OUTGASSING**
- Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- OVENS**
- Testing of five solar cookers Jodhpur 19 p0376 A78-42166
- OXIDATION**
- Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames 17 p0078 A78-15828
- The use of oxygen/water for removal of sulfur from coals 19 p0320 A78-35694
- Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466
- OXIDATION-REDUCTION REACTIONS**
- The Redox Flow System for solar photovoltaic energy storage 17 p0022 A78-11019
- Redox flow cell development and demonstration project, calendar year 1976 [NASA-TM-73873] 18 p0268 N78-19656
- Development of a Ti/Fe redox couple flow battery system 19 p0388 N78-22458
- OXIDE FILMS**
- Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943
- High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 A78-10944
- Interface study of MIS silicon solar cells 17 p0025 A78-11047
- Thin film CrO₂/x selective absorbers stable above 500 C 17 p0045 A78-11239
- Thin-film black-white coatings for the receivers of solar energy installations 18 p0215 A78-28897
- Silicon monoxide antireflection coatings for InP/CdS solar cells 18 p0221 A78-30305
- Anomalous temperature dependence observed on the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures 18 p0222 A78-30644

OXIDIZERS

- Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Blend of total hydrocarbon emissions [PB-273219/6] 18 p0244 N78-16483
- OXYGEN**
- Air vs O₂ - Two activated sludge systems compared 19 p0292 A78-32675
- Design study for high-pressure high-flow oxygen centrifugal compressor, phase 1 [MTI-77TR17] 19 p0417 N78-25439
- OXYGEN PRODUCTION**
- A model for solar radiation conversion to algae in a shallow pond 18 p0205 A78-28167
- Photohydrogen production in green algae - Water serves as the primary substrate for hydrogen and oxygen production 18 p0207 A78-28352
- The molecular mechanisms of photosynthetic hydrogen and oxygen production 18 p0208 A78-28359
- OXYGEN-18**
- Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492
- OZONATES**
- Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- OZONE**
- NOx-O₃ photochemistry in power plant plumes - Comparison of theory with observation 17 p0001 A78-10059
- Oxidant measurements in western power plant plumes. Volume 1: Technical analysis [EPRI-PA-421-VOL-1] 19 p0400 N78-23614

P**P-I-N JUNCTIONS**

- Thin silicon film p-i-n photodiodes with internal reflection 18 p0205 A78-28142

P-N JUNCTIONS

- The influence of the horizontal and vertical structure of the p-n junction in Cu₂S-CdS solar cells 17 p0018 A78-10975
- Recent results on II-VI heterojunctions for photovoltaic solar energy conversion 17 p0018 A78-10983
- Thin film heterojunction and homojunction solar cells utilizing I-III-VI₂ ternary compound semiconductors 17 p0018 A78-10984
- A pn junction silicon sensor for high-intensity solar flux mapping 17 p0023 A78-11023
- An analysis of optimum loading conditions for P-N junction solar cells 17 p0030 A78-11092
- Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745
- Limits on the yield of photochemical solar energy conversion 17 p0079 A78-15847
- An optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553
- The efficiency of grating solar cells 18 p0178 A78-24131
- On the theory of homojunction and heterojunction solar cells 18 p0192 A78-26616
- Spectral responses limitation mechanisms of a shallow junction n⁺/p photodiode 18 p0205 A78-28141
- Diffusion lengths in amphoteric GaAs heteroface solar cells 18 p0216 A78-29195
- The sun on a semiconductor 18 p0223 A78-30783
- Theoretical analysis of a novel MPN gallium arsenide Schottky barrier solar cell 18 p0227 A78-31385

- Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 A78-31731
- Junction potentials of strongly illuminated n/+/-p-p/+/- solar cells 19 p0252 A78-32693
- An integral equation method to calculate the transient behaviour of a photovoltaic solar cell 19 p0292 A78-32695
- The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008
- The influence of tunneling effects on the efficiency of heterojunction solar cells 19 p0309 A78-34048
- Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor /SIS/ heterojunction solar cell 19 p0316 A78-35287
- Modeling solar cells for use as optical detectors - Background illumination effects 19 p0333 A78-37189
- Silicon solar cell designs based on physical behavior in concentrated sunlight 19 p0334 A78-37462
- Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- Polycrystalline silicon p-n junctions --- fabrication of low cost solar cells 19 p0334 A78-37467
- Ion-implanted drift field silicon solar cell 19 p0335 A78-37904
- Deviation in solar cell characteristics from their ideal behaviour 19 p0371 A78-42118
- P-TYPE SEMICONDUCTORS**
- Analysis of epitaxial drift field N on P silicon solar cells 17 p0012 A78-10904
- Characteristics of chalcocite /Cu₂S/ films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977
- Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038
- N-I-S solar cell - Theory and experimental results 17 p0025 A78-11040
- PACIFIC NORTHWEST (US)**
- Economics and projections for geothermal development in the Northwest --- Washington, Oregon and Idaho 17 p0082 A78-16769
- Our energy future: Where is reality [BNWL-SA-6029] 17 p0140 A78-13574
- PACKAGING**
- Double-sided solar cell package [NASA-CASE-WFO-14199-1] 19 p0389 A78-22470
- PACKING DENSITY**
- High efficiency, long life terrestrial solar panel [NASA-CR-157060] 19 p0407 A78-24649
- PAINTS**
- Radiative cooling of TiO₂ white paint 18 p0206 A78-28171
- PANELS**
- Performance characteristics of a solar battery concentrator system using Si and CdS cells 19 p0372 A78-42126
- Selective coating for solar panels --- using black chrome and black nickel [NASA-CASE-LEW-12159-1] 18 p0263 A78-19599
- Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-MPS-23518-3] 19 p0421 A78-25557
- Hexagon solar power panel [NASA-CASE-MPC-12148-1] 19 p0456 A78-27515
- PARABOLIC DIFFERENTIAL EQUATIONS**
- G_{2M}, a two-dimensional diffusion time scale tokamak code 18 p0231 A78-32066
- PARABOLIC REFLECTORS**
- All-dielectric compound parabolic concentrator 17 p0001 A78-10152
- Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system 17 p0058 A78-11372
- Parabolic collector for total energy systems application 17 p0059 A78-11376
- Non-evacuated solar collectors with compound parabolic concentrators 17 p0059 A78-11378
- Use of the gravity field to shape large linear solar concentrators with fixed focal axis 17 p0082 A78-16633
- Thermomigration of silicon wafers in a solar furnace 17 p0084 A78-16837
- Asymmetrical non-imaging cylindrical solar concentrators 17 p0104 A78-19831
- Choice of the optimal parabolocylindrical concentrator with a tubiform receiver 17 p0107 A78-20424
- Influence of system exactness on the concentration factor of cylinder-parabolic solar energy collectors 18 p0176 A78-23920
- A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems 18 p0187 A78-25733
- Concentrating collectors --- for solar energy conversion 18 p0200 A78-27859
- Solar furnaces 18 p0200 A78-27861
- Concentration of the sun's rays using catenary curves 18 p0214 A78-28843
- Truncated 'focones' and 'foclines' --- for solar concentrators 19 p0331 A78-36858
- Natural convection in compound parabolic concentrators - A finite-element solution --- for solar collectors 19 p0337 A78-38269
- Non-tracking solar concentration for solar cell 19 p0371 A78-42111
- A simple technique of fabrication of paraboloidal concentrators 19 p0375 A78-42148
- PARABOLOID MIRRORS**
- Properties of a solar cell array with mirrors and radiators [DGLR PAPER 77-011] 18 p0179 A78-24405
- A paraboloid-toroidal conical concentrator as a secondary concentrator of solar energy 18 p0187 A78-25732
- A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators 19 p0326 A78-36137
- Thermal deformations of solar concentrators 19 p0335 A78-37945
- PARAFFINS**
- Efficiency of paraffin wax as a thermal energy storage system 17 p0049 A78-11295
- GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification [BBHC/RI-77/12] 19 p0402 A78-24324
- PARALLEL PLATES**
- Solar and infrared radiation properties of parallel-plate honeycomb [AIAA PAPER 78-901] 19 p0324 A78-36019
- PARKS**
- Photovoltaic applications in the southwest for the National Park Service [COO-8094-3] 17 p0161 A78-15578
- PARTICLE ACCELERATION**
- The Princeton neutral injection power supply system 19 p0354 A78-39975
- PARTICLE ACCELERATORS**
- A 40-kV, 26-mA neutral-beam power supply for TMI --- Tandem Error Experiment 19 p0353 A78-39964
- Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027

Thermal-mechanical design of a 150-MW,
direct-current, 400-keV accelerator for
production of 14-MeV neutrons 19 p0357 A78-40032

PARTICLE DIFFUSION
Particulate deposition in direct fired MHD air
preheaters [ASME PAPER 77-HT-65] 17 p0050 A78-17497

PARTICLE EMISSION
Neutral particle emission of the pulsator plasma
during high-density discharges --- in tokamaks
19 p0379 A78-42216
Potential for automotive fuel economy improvement
18 p0258 A78-18543
Characterization of methanol/gasoline blends as
automotive fuel: Performance and emissions
characteristics [PB-277135/0] 19 p0393 A78-23261

PARTICLE ENERGY
Measurements of high-energy deuterons in the
plasma-focus device 18 p0235 A78-32439

PARTICLE MOTION
Relative importance of different impurity sources
in tokamak reactors as estimated from particle
balance equations 19 p0379 A78-42221

PARTICLE SIZE DISTRIBUTION
The physical transformation of the mineral matter
in pulverized coal under simulated combustion
conditions 17 p0079 A78-15834
Physical and morphological studies of
size-classified coal fly ash 18 p0222 A78-30555
Aerosol size distributions and aerosol volume
formation for a coal-fired power plant plume
19 p0366 A78-41254
Preliminary tests using a laser particle-size
analyzer on geothermal brine 19 p0430 A78-25634

PARTICLE TRAJECTORIES
Long-time-scale simulation of resonant particle
effects in Langmuir and whistler waves 18 p0231 A78-32068
Intense relativistic electron-beam trajectories
and their effect on beam heating of toroidally
confined plasma 19 p0310 A78-34237

PARTICLES
Particulate control highlights: Research on
electrostatic precipitator technology [PB-276643/4] 19 p0391 A78-22495

PARTICULATE SAMPLING
The microstructure of pulverized coal-air flames.
I - Stabilization on small burners and direct
sampling techniques 17 p0078 A78-15829
Physical and morphological studies of
size-classified coal fly ash 18 p0222 A78-30555
Operation and maintenance of particulate control
devices on coal-fired utility boilers [PB-274104/9] 18 p0251 A78-17505

PASSAGEWAYS
Priority treatment for high occupancy vehicles:
Project status report --- bus and carpool lanes
[PB-270529/1] 17 p0129 A78-12907

PASSENGER AIRCRAFT
Improved energy efficiency for small CTOL
transport aircraft 18 p0226 A78-31305
Fuel efficiency - Where we are heading in the
design of future jet transports 18 p0226 A78-31307

PASSENGERS
Intercity rail energy intensity for passenger
movement 18 p0258 A78-18546
Near-term electric vehicle program, phase 1
[SAE/1295-1] 18 p0273 A78-20448

PAYLOADS
On the relationship between gross vehicle weight,
payload, effective range, and cost of electric
vehicles [SAE PAPER 780220] 19 p0307 A78-33379

PELLETS
Diffraction analysis for multiple-beam pellet
irradiance 19 p0360 A78-40225

PERFORMANCE
Solar energy systems. Survey of materials
performance [PB-273305/3] 18 p0244 A78-16475
Test and evaluation of 23 electric vehicles for
state-of-the-art assessment [NASA-TN-73850] 18 p0252 A78-17937
Design review package for the on-site monitor for
solar heating and cooling systems [NASA-CR-150590] 18 p0275 A78-20611

PERFORMANCE PREDICTION
Potential of GaAs solar cells for Air Force space
power systems 17 p0019 A78-10994
Nominal cost and performance objectives for
photovoltaic panels in nonconcentrating central
station applications 17 p0021 A78-11007
Performance and cost assessment of photovoltaic
system concepts 17 p0021 A78-11011
Theoretical method to determine monthly efficiency
of flat plate solar collectors 17 p0029 A78-11084
A detailed model of flat plate solar collectors
17 p0042 A78-11213
Performance analysis and experience for flat plate
collector with absorber operating in a vacuum
17 p0042 A78-11215
Performance analysis of a black liquid absorbing
collector /BLAC/ 17 p0042 A78-11217
Analysis of a matrix solar collector 17 p0043 A78-11222
An approximate equation for predicting the solar
transmittance of transparent honeycombs --- flat
plate collector efficiency 17 p0044 A78-11231
Optimization of solar heating in residential
buildings using a stochastic performance model 17 p0046 A78-11252
Moderate-level-of-rigor methods for solar heating
system performance prediction 17 p0046 A78-11254
Prediction of the monthly and annual performance
of solar heating systems 17 p0047 A78-11255
Simplified techniques for sizing residential solar
heating systems 17 p0047 A78-11256
Dual phase annual cycle, index of application ---
solar system for heating and cooling of buildings
17 p0050 A78-11299
Non-evacuated solar collectors with compound
parabolic concentrators 17 p0059 A78-11378
Long-term average performance predictions for
compound parabolic concentrator solar collectors
17 p0059 A78-11379
Seasonal solar collector performance with maximum
storage 17 p0078 A78-15410
Prediction of average collector efficiency from
climatic data 17 p0084 A78-16834
A method of testing for rating thermal storage
devices based on thermal performance 17 p0084 A78-16838
A computer model for large-scale offshore
wind-power systems 17 p0093 A78-18089
Solar energy collector orientation and tracking mode
17 p0104 A78-19827
Design and performance of an air collector for
industrial crop dehydration 17 p0104 A78-19828
The effect of off-south orientation on the
performance of flat-plate solar collectors
17 p0104 A78-19830
Effects of phase-change energy storage on the
performance of air-based and liquid-based solar
heating systems 17 p0104 A78-19832

Computer aided aerogenerator analysis and performance 18 p0169 A78-22229

A performance prediction model for the Darrieus turbine --- for wind energy conversion 18 p0170 A78-22237

An aerodynamic performance theory for the Darrieus wind turbine 18 p0171 A78-22250

Experimental and analytical studies of the aerodynamic performance of windmills [AIAA PAPER 78-277] 18 p0172 A78-22612

On the theory of homojunction and heterojunction solar cells 18 p0192 A78-26616

Mode of operation and characteristics of Darrieus rotors 18 p0210 A78-28560

The effect of hub fairings on wind turbine rotor performance 18 p0219 A78-30039

Synchronization of wind turbine generators against an infinite bus under gusting wind conditions [IEEE PAPER P 77 675-2] 18 p0219 A78-30196

Prediction of the monthly and annual performance of solar heating systems 18 p0220 A78-30270

Solar heating design, by the f-chart method --- Book 18 p0224 A78-31071

Some contributions to aerodynamic theory for vertical-axis wind turbines 19 p0291 A78-32534

Junction potentials of strongly illuminated n⁺/p-p⁺ solar cells 19 p0292 A78-32693

Performance characteristics of air-cooled solar collectors as determined by computer simulation 19 p0294 A78-33027

Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction 19 p0295 A78-33036

Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143

The Mist Flow OTEC Plant --- convective lift to achieve hydraulic head in Ocean Thermal Energy Conversion 19 p0306 A78-33352

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [SAE PAPER 780075] 19 p0306 A78-33364

Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388

Performance and economics of advanced energy conversion systems for coal and coal-derived fuels 19 p0309 A78-34078

Thermic diode solar panels for space heating 19 p0314 A78-34936

Performance and NO_x emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines 19 p0333 A78-37299

Silicon solar cell designs based on physical behavior in concentrated sunlight 19 p0334 A78-37462

Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464

Effects of temperature on the performance of silicon solar cells 19 p0371 A78-42117

Deviation in solar cell characteristics from their ideal behaviour 19 p0371 A78-42118

Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems 19 p0375 A78-42149

Solar energy for industrial processes - A simplified design method 19 p0383 A78-42891

Study of the performance of flat plate collectors in the transient regime 19 p0384 A78-42892

The theoretical and experimental performance of a solar heater equipped with flat plate collectors 19 p0384 A78-42893

Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel 19 p0385 A78-43044

Selenide isotope generators [CONF-770302-1] 17 p0114 N78-10581

Performance analysis of a modified internal combustion engine [AD-A045378] 17 p0135 N78-13442

Investigation of methods to improve heat pump performance and reliability in a northern climate. Volume 3: Appendices B, C, D [EPRI-EM-319-VOL-3-APP-B] 17 p0139 N78-13565

Thermal performance of MSPC hot air collectors under natural and simulated conditions [NASA-CR-150506] 18 p0256 N78-18525

Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects [NASA-CR-151672] 18 p0272 N78-20163

Performance potential of combined cycles integrated with low-Btu gasifiers for future electric utility applications [NASA-TM-73775] 19 p0395 N78-23557

Study of test methods for large flexible solar arrays (VELSA) --- dynamic characteristics [ESA-CR(P)-1016] 19 p0411 N78-24688

Solar energy and the heat pump in a northern climate [EPRI-BA-407] 19 p0462 N78-27583

PERFORMANCE TESTS

The role of defects on the performance of epitaxial and diffused solar cells fabricated on EPG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 A78-10905

Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 A78-10936

Comparative testing of high efficiency silicon solar cells 17 p0014 A78-10937

Status of the ERDA/NASA Photovoltaic Tests and Applications Project 17 p0022 A78-11014

The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 A78-11021

Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 A78-11027

The analysis, design and thermal performance testing of a heat pipe flat plate collector 17 p0042 A78-11214

Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216

Performance of Lexan vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219

Testing of flat-plate air heaters according to ASHRAE Standard 93-77 17 p0042 A78-11220

Performance tests of a solar energy collector used to heat air 17 p0043 A78-11224

A performance evaluation of a solar house in Québec 17 p0048 A78-11277

Solar heating and cooling of mobile homes test results 17 p0048 A78-11279

Efficiency of paraffin wax as a thermal energy storage system 17 p0049 A78-11295

Results of experiments with heliostats for central receiver power plants 17 p0053 A78-11326

Subsystem research experiments on a central receiver collector --- for solar thermal power plant 17 p0053 A78-11327

One MWh solar cavity steam generator solar test program 17 p0053 A78-11329

SUBJECT INDEX

PERFORMANCE TESTS CONTD

Economic trade-offs between the performance of collector thermal performance tests on a Solar Simulator as opposed to outdoor testing 17 p0058 A78-11369

Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391

Electric vehicle test and evaluation program of the U.S. Postal Service [EVC PAPER 7747] 17 p0086 A78-16935

Testing of direct contact heat exchangers for geothermal brines [ASME PAPER 77-HT-4] 17 p0089 A78-17479

Performance characteristics of concentrator-augmented Savonius wind rotors 17 p0094 A78-18092

Design parameters affecting the performance of resistance-type, vertical-axis windrotors - An experimental investigation 17 p0094 A78-18093

Gas turbine module performance analysis [SAE PAPER 770992] 18 p0176 A78-23828

Retrofit precipitators meet rigid new standards --- sulfur coal combustion 18 p0189 A78-26475

Use of methanol in diesel engine - An experimental study of engine performance 18 p0199 A78-27827

Investigation of some factors affecting the performance of an alcohol-diesel oil dual fuel engine 18 p0199 A78-27829

The flat solar collector - An approach to its evaluation 18 p0220 A78-30261

Optimum testing period for new thermomechanical equipment 18 p0225 A78-31245

Preliminary performance evaluation of the New Mexico State University solar house 19 p0295 A78-33032

Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190

Low cost test procedure for solar collectors [ASME PAPER 77-WA/SOL-4] 19 p0299 A78-33192

A 'no-flow' method for measuring solar collector performance [ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193

Test and evaluation of 23 electric vehicles for state-of-the-art assessment [SAE PAPER 780290] 19 p0307 A78-33382

Testing of solar collectors 19 p0312 A78-34511

Diffuser augmentation of wind turbines 19 p0312 A78-34512

Heat pipe mirrors for high power lasers [AIAA 78-391] 19 p0317 A78-35586

Augmenting the condenser heat transfer performance of rotating heat pipes [AIAA 78-409] 19 p0318 A78-35597

Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb [AIAA PAPER 78-899] 19 p0324 A78-36018

Investigating the efficiency of gas turbines in off-design operation --- multistage experimental data 19 p0335 A78-37860

Flat-sided rectilinear trough as a solar concentrator - An analytical study 19 p0344 A78-39636

PDI PF power tests --- Princeton Divertor Experiment tokamak Poloidal Field coil system 19 p0351 A78-39909

Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965

TFTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075

Practical interferometry at 1.06 microns --- for testing high energy fusion laser focusing lenses 19 p0360 A78-40223

Engineering tests for energy storage cars at the Transportation Test Center. Volume 2: Performance power consumption and radio frequency interference tests [PB-269401/6] 17 p0110 N78-10484

Performance potential of the energy separator without mechanical energy recovery [PB-269721/7] 17 p0116 N78-10601

Performance tests of a total flow impulse turbine for geothermal applications [UCID-17411] 17 p0127 N78-12546

Solar power satellite 50 kW VKS-7773 cw klystron evaluation [NASA-CR-151577] 17 p0130 N78-13106

Coal feed component testing for CDIF 17 p0133 N78-13262

The Goddard Space Flight Center high efficiency cell development and evaluation program 17 p0136 N78-13529

Water pulsejet research --- for qualitative understanding of McHugh cycle [AD-A046533] 17 p0158 N78-15497

Performance of an experimental solar-driven absorption air conditioner [LBI-5911] 17 p0161 N78-15579

Provisional flat plate solar collector testing procedures [PB-272500/0] 18 p0243 N78-16463

Baseline tests of the C. B. Waterman Renault 5 electric passenger vehicle [NASA-TM-73759] 18 p0245 N78-16928

Performance evaluation of two black nickel and two black chrome solar collectors [NASA-CR-150497] 18 p0249 N78-17470

MSFC hot air collectors. Phase 1: Test Report [NASA-CR-150495] 18 p0249 N78-17471

Thermal performance of honeywell double covered liquid solar collector [NASA-CR-150505] 18 p0249 N78-17472

Thermal performance evaluation of Solar Energy Products Company (SEPCO) 'Solaron' collector tested outdoors [NASA-CR-150509] 18 p0250 N78-17478

Indoor test for thermal performance evaluation of Lenox-Honeywell solar collector --- conducted using Marshall Space Flight Center Solar Simulator [NASA-CR-150510] 18 p0250 N78-17481

Baseline tests of the AM General DJ-5F electric truck electric delivery van [NASA-TM-73758] 18 p0252 N78-17933

Baseline tests of the EVA change-of-pace coupe electric passenger vehicle [NASA-TM-73763] 18 p0253 N78-17938

Baseline tests of the EVA contractor electric passenger vehicle [NASA-TM-73762] 18 p0253 N78-17939

Baseline tests of the batronic Minivan electric delivery van [NASA-TM-73761] 18 p0253 N78-17940

Performance characteristics of automotive engines in the United States. Report no. 8: Mitsubishi Model 6DS7 diesel engine [PB-274374/8] 18 p0254 N78-18437

Performance characteristics of automotive engines in the United States. Report no. 11: Chrysler (1975) 318-CID 2-bbl engine [PB-274377/1] 18 p0254 N78-18440

Analytical testing techniques 18 p0266 N78-19625

Mod-1 wind turbine generator analysis 18 p0266 N78-19631

Design data brochure: SINS prototype system 2 [NASA-CR-150558] 18 p0268 N78-19649

Indoor test for thermal performance evaluation of the Solaron (air) solar collector [NASA-CR-150572] 18 p0268 N78-19652

Performance of conventionally powered vehicles tested to an electric vehicle test procedure [NASA-TM-73768] 18 p0271 N78-20022

Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays [JPL-PUB-78-37] 18 p0276 N78-20620

Baseline tests of the EPC Hummingbird electric passenger vehicle [NASA-TM-73760] 18 p0279 N78-21010

Analysis of data and results for the roundrobin flat-plate collector test program [PB-275576/7] 18 p0289 N78-21655

Indoor thermal performance evaluation of the SEPCO air collector [NASA-CR-150631] 19 p0388 N78-22466

Indoor test for thermal performance evaluation on the Sunworks (air) solar collector [NASA-CR-150666] 19 p0405 N78-24613

PERICLASE

- Outdoor thermal efficiency evaluation of the Ying solar collector [NASA-CR-150675] 19 p0405 W78-24614
- Indoor test for thermal performance evaluation on life sciences engineering (air) solar collector [NASA-CR-150665] 19 p0420 W78-25547
- Development of prototype air/liquid solar collector subsystem [NASA-CR-150703] 19 p0421 W78-25550
- Performance and testing of a stationary concentrating collector [CONF-770953-7] 19 p0429 W78-25627
- CPC thermal collector test plan [CONF-770953-6] 19 p0429 W78-25628
- Free-air performance tests of a 5-metre-diameter Darrieus turbine [SAND-77-1063] 19 p0430 W78-25632
- US Army Engineer Research and Development Laboratories five hundred hour engineering evaluation of the Stirling GPU 2-1 [GMR-2690-SECT-1.112] 19 p0437 W78-26249
- STIR-LEC 2 Stirling engine performance [GMR-2690-SECT-1.207] 19 p0438 W78-26257
- Method of tests and instructions (generator sets, Stirling engine drive) [GMR-2690-SECT-1.208] 19 p0438 W78-26258
- Stirling engine regenerator performance analysis [GMR-2690-SECT-6.003] 19 p0439 W78-26321
- Performance evaluation of a Stirling cycle heat pump [GMR-2690-SECT-7.110] 19 p0441 W78-26336
- Baseline tests of the Kordesh hybrid passenger vehicle [NASA-TN-73769] 19 p0443 W78-26551

PERICLASE

- Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 W78-36566
- Study of the behavior of periclase materials in gas flows containing alkali additions --- for HHD channel linings 19 p0328 W78-36578

PERIODIC VARIATIONS

- Optimum peak-shaving mix for electric utilities 17 p0009 W78-10737

PERMEABILITY

- Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3] 19 p0410 W78-24680

PERTURBATION THEORY

- Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields 18 p0217 W78-29433

PETROGRAPHY

- Liptinites and lipid substances in an oil source rock 17 p0061 W78-11458
- A petrographic classification of solid residues derived from the hydrogenation of bituminous coals 18 p0192 W78-26592

PETROLOGY

- Planning and design of additional East Mesa geothermal test facilities, phase 1B. Volume 3: Appendices [SAN/1140-1/3-VOL-3-APP] 17 p0127 W78-12545

PHASE DIAGRAMS

- Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres [EPRI-PP-539] 19 p0445 W78-26574

PHASE MODULATION

- Closed loop solar array-ion thruster system with power control circuitry [NASA-CASE-LEW-12780-1] 19 p0387 W78-22149

PHASE TRANSFORMATIONS

- Heat transfer from a horizontal plate facing upward to superposed liquid-layers with change of phase [ASME PAPER 76-WA/HT-1] 17 p0076 W78-15057
- Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems 17 p0104 W78-19832
- Performance of the novel solar cell 19 p0372 W78-42120
- Devolatilization and desulfurization of Iowa coal 17 p0125 W78-12525

SUBJECT INDEX

PHENANTHRENE

- Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions --- hydrocarbon fuel from coal liquefaction 18 p0190 W78-26580

PHENOLS

- Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams 19 p0435 W78-26007

PHOSPHORIC ACID

- Fuel cell stacks [AD-A042315] 17 p0112 W78-10566
- Improved cathodes for phosphoric acid fuel cells --- catalysts [EPRI-EM-505] 19 p0423 W78-25578

PHOTOABSORPTION

- Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 W78-34513
- Sodium vapor heat pipe laser cell [AIAA 78-392] 19 p0317 W78-35587
- Selective absorption of solar energy in granular metals - The role of particle shape 19 p0369 W78-41910

PHOTOCHEMICAL REACTIONS

- NOx-O3 photochemistry in power plant plumes - Comparison of theory with observation 17 p0001 W78-10059
- Limits on the yield of photochemical solar energy conversion 17 p0079 W78-15847
- Use of transition metal compounds to sensitize a photochemical energy storage reaction 17 p0083 W78-16830
- Photochemical conversion and storage of solar energy 18 p0202 W78-27890
- Power generation by photoelectrolysis 18 p0202 W78-27892
- Photochemical production of a fuel 18 p0202 W78-27894
- Organic molecular energy storage reactions 18 p0203 W78-27896
- Photochemical storage of solar energy 18 p0206 W78-28170
- Photon energy storage in organic materials - The case of linked anthracenes 18 p0220 W78-30267
- Photoelectrochemical storage cells - The importance of the second and third electrodes 19 p0343 W78-39455
- Photochemical and photoelectrochemical routes and solar energy conversion 19 p0373 W78-42135
- Photochemical conversion and storage of solar energy /An overview/ 19 p0373 W78-42136
- Development of a practical photochemical energy storage system [SRO-893-6] 18 p0285 W78-21626
- Development of a practical photochemical energy storage system [SRO-893-8] 18 p0285 W78-21627
- Development of a practical photochemical energy storage system [SRO-893-9] 18 p0285 W78-21628
- Development of a practical photochemical energy storage system [SRO-893-10] 18 p0285 W78-21629
- Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization [AD-A051336] 19 p0408 W78-24665

PHOTOCONDUCTIVITY

- Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 W78-36134

PHOTODIODES

- Dip-coated sheet silicon solar cells 17 p0014 W78-10926
- Photosensing arrays with improved spatial resolution 18 p0204 W78-28134
- Spectral responses limitation mechanisms of a shallow junction n+/p photodiode 18 p0205 W78-28141
- Thin silicon film p-i-n photodiodes with internal reflection 18 p0205 W78-28142

SUBJECT INDEX

PHOTOSYNTHESIS

n-CdS/n-GaAs voltage-enhanced photoanode
19 p0344 A78-39467

PHOTOELECTRIC CELLS
Photocells employing smooth AlGaAs-GaAs
heterojunctions to extend the spectral response
range
17 p0062 A78-11668
Optimum efficiency of photogalvanic cells for
solar energy conversion
17 p0091 A78-17520
Power generation by photoelectrolysis
18 p0202 A78-27892
Photogalvanic processes --- for solar energy
conversion
18 p0202 A78-27893
Thermophotoelectrochemical cells for solar energy
conversion
18 p0205 A78-28169
Photoelectric radiation-density meter --- for
concentrator focal region measurement
18 p0215 A78-28892
AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum
19 p0300 A78-33271
Spectral characteristics of photoconverters with
nonuniform distribution of defects in the base
19 p0326 A78-36134
Thin film Cds-CuI heterojunction photocells
19 p0333 A78-37260
Photoelectric properties of Cds thin films
obtained by vacuum evaporation from the
heterogeneous Cds-Cr2O3 system
19 p0333 A78-37261
Calculation of photocurrent and limit efficiency
of p-CdTe - n-CdS film-type photocells
19 p0335 A78-37944
Analysis of the characteristics of semiconductor
photocells in the 100-400 K temperature range
19 p0336 A78-37950
Photocells based on AlGaAs heterostructure with a
transition layer
19 p0341 A78-38941

PHOTOELECTRIC EFFECT
The effects of illumination on the
depletion-region recombination currents in
Schottky-barrier solar cells
17 p0026 A78-11052
Photoelectrolysis of water at high current density
- Use of ultraviolet laser excitation
17 p0062 A78-11927

PHOTOELECTRIC EMISSION
Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048
Conversion of solar energy into electricity
18 p0261 A78-27864
Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells
19 p0343 A78-39456
A model for the current-voltage curve of
photoexcited semiconductor electrodes
19 p0343 A78-39457

PHOTOELECTRIC MATERIALS
High-efficiency GaAs shallow-homojunction solar
cells
17 p0062 A78-11933
Terrestrial solar cells - Present and future
18 p0177 A78-23952
A computer analysis of Ga/1-x/Al/x/As-GaAs solar
cells with multilayered window structure
19 p0313 A78-34850
Photoelectric and electric properties of nSiC-nCdS
heterojunctions
19 p0330 A78-36855
Comparative radiation resistance calculation for
graded- and constant-composition n
Al/x/Ga/1-x/As-p Al/z/Ga/1-z/As solar cells
19 p0338 A78-38551
Stabilization of n-type semiconductors to
photoanodic dissolution by competitive electron
transfer processes
19 p0343 A78-39462
Optimal electrode properties and the selection of
stabilizing electrolytes --- for
photoelectrolytic hydrogen production
19 p0344 A78-39470

PHOTOELECTRICITY
A new description of electrochemical kinetics
19 p0343 A78-39459

Competitive oxidation at semiconductor photoanodes
19 p0344 A78-39466
Status of photoelectrochemical production of
hydrogen and electrical energy
19 p0451 A78-26665

PHOTO GEOLOGY
The significance of an arc shaped dark patch on
the Nimbus III /HRIR/ imagery of India
17 p0082 A78-16507

PHOTOINTERPRETATION
The application of LANDSAT-1 imagery for
monitoring strip mines in the new river
watershed in northeast Tennessee, part 2
[E78-10032]
17 p0125 A78-12506

PHOTOLUMINESCENCE
Materials for luminescent greenhouse solar
collectors
17 p0002 A78-10171

PHOTOLYSIS
Potentials of hydrogen production through
biophotolysis
17 p0034 A78-11125
Catalytic and structural properties of the enzyme
hydrogenase and its role in biophotolysis of water
--- for hydrogen fuel production
18 p0207 A78-28354
Use of an enzymic electric cell and immobilized
hydrogenase in the study of the biophotolysis of
water to produce hydrogen
18 p0207 A78-28355
The mechanism of hydrogen photoevolution in
photosynthetic organisms
18 p0207 A78-28356
Mutational analysis of Chlamydomonas reinhardtii -
Application to biological solar energy conversion
18 p0207 A78-28357
Hydrogen photoproduction from water
18 p0207 A78-28358
Improved solar photolysis of water
[NASA-CASE-NPO-14126-1]
17 p0120 A78-11500

PHOTOGRAPHING
Industrial use of geological remote sensing from
space
17 p0075 A78-14787

PHOTONETERS
A low cost, portable instrument for measuring
emittance
17 p0061 A78-11392
A device with a sectioned photodetector and a
laser transmitter for determining the precision
characteristics of solar energy concentrators
19 p0326 A78-36137

PHOTON BEAMS
Photon degradation of electron and proton
irradiated silicon solar cells
17 p0015 A78-10940

PHOTONS
Solar cell collector
[NASA-CASE-LEW-12552-1]
19 p0419 A78-25527
Photon degradation effects in terrestrial solar
cells
[NASA-TN-78924]
19 p0421 A78-25551

PHOTOSYNTHESIS
Potentials of hydrogen production through
biophotolysis
17 p0034 A78-11125
Hydrogen from sunlight: The biological answer -
Development of a low-cost biological solar panel
17 p0056 A78-11350
Photosynthetic and water efficiency of Salicornia
pestifer --- tumbleweeds for biomass energy
production
17 p0056 A78-11352
Hydrocarbons via photosynthesis
17 p0074 A78-14688
The problem of photosynthetic hydrogen
17 p0095 A78-18521
Energy resources offered by natural photosynthesis
18 p0197 A78-27790
Solar production of hydrogen
18 p0201 A78-27868
Will photosynthesis solve the energy problem
18 p0202 A78-27891
Ultrathin barriers and solar energy conversion ---
photosynthetic pigmented bilayer lipid membrane
18 p0203 A78-27895

- Photohydrogen production in green algae - Water serves as the primary substrate for hydrogen and oxygen production 18 p0207 A78-28352
- Hydrogen production by marine photosynthetic organisms as a potential energy resource 18 p0207 A78-28353
- The mechanism of hydrogen photoevolution in photosynthetic organisms 18 p0207 A78-28356
- The molecular mechanisms of photosynthetic hydrogen and oxygen production 18 p0208 A78-28359
- Synthesis of organic compounds from carbon dioxide in land plants --- energy farm design and solar energy conversion efficiency limits 18 p0208 A78-28361
- Solar energy conversion through biology - Could it be a practical energy source 19 p0342 A78-39123
- Progress in the utilization of solar energy in Chile 19 p0370 A78-42105

PHOTOVOLTAGES

- Large open-circuit photovoltaics in silicon minority carrier MIS solar cells 17 p0025 A78-11046
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems 19 p0344 A78-39465
- n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- Photovoltaic village power application: Assessment of the near-term market [NASA-TN-73893] 18 p0267 A78-19643
- Photovoltaic water pumping applications: Assessment of the near-term market [NASA-TN-78847] 18 p0268 A78-19644

PHOTOVOLTAIC CELLS

- Materials for luminescent greenhouse solar collectors 17 p0002 A78-10171
- Silicon for solar photocells 17 p0003 A78-10551
- Structures for photocells - Homojunctions, heterostructures or heterojunctions 17 p0003 A78-10552
- Single crystal silicon photocells for terrestrial use - State of the art and perspectives on the future 17 p0003 A78-10553
- Problems in adapting photocells to terrestrial applications 17 p0003 A78-10555
- Terrestrial applications of the Radiotechnique-Compelec /RTC/ solar modules from 1961 to 1977 17 p0003 A78-10556
- The near-term perspectives for photovoltaic solar energy conversion 17 p0003 A78-10558
- Solar-electric residential system tests 17 p0010 A78-10741
- Variation of short-circuit current spectral response with Cu/2-x/S composition in thin film Cu/2-x/S/CdS photovoltaic cells 17 p0017 A78-10973
- Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
- Cuprous oxide Schottky barrier photovoltaic cells 17 p0025 A78-11042
- The potential for increasing the efficiency of photovoltaic systems by using multiple cell concepts 17 p0026 A78-11058
- The use of silicone gel for potting photovoltaic arrays 17 p0054 A78-11336
- Economical photovoltaic power generation with heat recovery 17 p0091 A78-17552

- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Terrestrial solar cells - Present and future 18 p0177 A78-23952
- Air pollution potential of solar technologies --- emissions from various fabrication processes [APCA PAPER 77-37,1] 18 p0185 A78-25427
- Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu₂S photovoltaic cells 18 p0228 A78-31730
- On the fill factor of solar cells --- volt-ampere characteristics 19 p0292 A78-32691
- An integral equation method to calculate the transient behaviour of a photovoltaic solar cell 19 p0292 A78-32695
- High conductivity ZnSe films --- for solar cells 19 p0310 A78-34256
- An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines 19 p0321 A78-35752
- Photovoltaic electricity - On the way. I - An optimistic view. II - Solar cell arrays too expensive . . . but interesting 19 p0327 A78-36444
- Photo-galvano-voltaic cell - A new approach to the use of solar energy 19 p0333 A78-37174
- Analysis of generation in space charge regions of solar cells 19 p0334 A78-37466
- Photoelectrochemical storage cells - The importance of the second and third electrodes 19 p0343 A78-39455
- Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells 19 p0344 A78-39469
- Progress in the utilization of solar energy in Chile 19 p0370 A78-42105
- Photochemical and photoelectrochemical routes and solar energy conversion 19 p0373 A78-42135
- A study of copper-sulfide/cadmium-sulfide photovoltaic cells based on sulfurization and other processes 17 p0111 A78-10556
- Photovoltaic power in less developed countries [COO-4094-1] 17 p0141 A78-13581
- Evaluation of a photovoltaic central power station [CONP-770403-8] 17 p0141 A78-13582
- Solar program assessment: Environmental factors. Photovoltaics [ERDA-77-47/3] 17 p0142 A78-13593
- Real-time and accelerated outdoor endurance testing of solar cells [NASA-TN-73743] 17 p0150 A78-14628
- US terrestrial solar cell calibration and measurement procedures [NASA-TN-73788] 17 p0150 A78-14629
- Solar energy meter [NASA-TN-73791] 17 p0150 A78-14630
- Photovoltaic solar panels and solar modules [LPS-77-12] 17 p0156 A78-14685
- The ERDA/LeRC photovoltaic systems test facility [NASA-TN-73787] 17 p0157 A78-15059
- Structural effects in chemically sprayed CdS/Cu/sub x/S photovoltaic cells [SAND-76-0737] 17 p0161 A78-15573
- Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 A78-15589
- Silicon photovoltaic cells in thermophotovoltaic conversion [EPRI-PB-478] 18 p0242 A78-16460
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 1 [PB-273969/6] 18 p0243 A78-16469
- DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume [PB-273971/2] 18 p0243 A78-16471
- Method of construction of a multi-cell solar array [NASA-CASE-NPS-23540-1] 18 p0249 A78-17468
- Silicon Schottky photovoltaic diodes for solar energy conversion [PB-274041/3] 18 p0251 A78-17493

SUBJECT INDEX

PHOTOVOLTAIC CONVERSION

Photovoltaic highway applications: Assessment of the near-term market
[NASA-TM-73863] 18 p0252 N78-17935

Double-sided solar cell package
[NASA-CASP-NPO-14199-1] 19 p0389 N78-22470

Energy requirement for the production of silicon solar arrays
[NASA-CR-157071] 19 p0407 N78-24643

Array, automated assembly, phase 2
[NASA-CR-157057] 19 p0407 N78-24650

DOE LeRC photovoltaic systems test facility
[NASA-TM-78923] 19 p0443 N78-26549

Impact of Balance Of System (BOS) costs on photovoltaic power systems
[NASA-TM-78939] 19 p0443 N78-26550

Description and status of NASA-LeRC/DOE photovoltaic applications systems
[NASA-TM-78936] 19 p0444 N78-26554

An inverter/controller subsystem optimized for photovoltaic applications
[NASA-TM-78903] 19 p0452 N78-26995

Solar photovoltaic systems
19 p0457 N78-27523

Silicon photovoltaic cells in TPV conversion
[EPRI-EE-633] 19 p0461 N78-27567

Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices
[TID-27910] 19 p0462 N78-27579

PHOTOVOLTAIC CONVERSION

Cost factors in photovoltaic energy conversion with solar concentration
17 p0004 A78-10619

Photovoltaic Specialists Conference, 12th, Baton Rouge, La., November 15-18, 1976, Conference Record
17 p0012 A78-10902

The tubular silicon solar cell - A new concept for photovoltaic power generation
17 p0014 A78-10927

High efficiency solar cells
17 p0016 A78-10953

Model of the CdS/Cu₂S heterojunction
17 p0017 A78-10974

Recent results on II-VI heterojunctions for photovoltaic solar energy conversion
17 p0018 A78-10983

The current status of the U.S. photovoltaic conversion program
17 p0020 A78-10998

Status of the ERDA photovoltaic material and device studies
17 p0020 A78-10999

The solar energy research programme of the Commission of the European Communities
17 p0020 A78-11000

French activities in the field of photovoltaic power conversion for terrestrial use
17 p0020 A78-11001

Status of the West German terrestrial photovoltaic program
17 p0020 A78-11002

Photovoltaic system in 'Sunshine Project' - R & D underway in Japan
17 p0020 A78-11004

Major terrestrial applications for photovoltaic solar energy conversion in the 1980-2000 period
17 p0020 A78-11006

Nominal cost and performance objectives for photovoltaic panels in nonconcentrating central station applications
17 p0021 A78-11007

Solar photovoltaic conversion electric utility point of view and development role
17 p0021 A78-11008

Status of the ERDA photovoltaic systems definition project
17 p0021 A78-11009

Computer simulation of photovoltaic systems
17 p0021 A78-11010

Performance and cost assessment of photovoltaic system concepts
17 p0021 A78-11011

Technical and economic results of solar photovoltaic power systems analyses
17 p0021 A78-11012

Photovoltaic system design and analysis application to a shopping center
17 p0022 A78-11013

Status of the ERDA/NASA Photovoltaic Tests and Applications Project
17 p0022 A78-11014

The conceptual design and analysis of a photovoltaic powered experimental residence
17 p0022 A78-11015

DOD/ERDA terrestrial photovoltaic systems demonstration program
17 p0022 A78-11016

The Redox Flow System for solar photovoltaic energy storage
17 p0022 A78-11019

Novel versions of the compound parabolic concentrator for photovoltaic power generation
17 p0023 A78-11024

Thermophotovoltaic systems for electrical energy conversion
17 p0023 A78-11031

A tracking, high-concentration electrical and thermal solar energy collection system
17 p0024 A78-11032

Some economic and political aspects of photovoltaic development
17 p0024 A78-11034

Cost of earth power from photovoltaic power satellite
17 p0024 A78-11035

A simple model for solar energy economics in the U.K.
17 p0024 A78-11037

Tandem photovoltaic solar cells and increased solar energy conversion efficiency
17 p0027 A78-11059

Technoeconomic aspects of photovoltaic electric power systems /PEPS/
17 p0031 A78-11098

Solar photovoltaic power stations
17 p0054 A78-11335

Characteristics of solar cells designed for concentrator systems
17 p0054 A78-11337

Residential photovoltaic prototype system definition study
17 p0054 A78-11338

Experimental investigation of a solar cell/inverter system
17 p0054 A78-11339

The application of color response data of silicon cells for improving photovoltaic efficiency
17 p0055 A78-11341

Estimated cost of electricity produced by four types of compound parabolic concentrators
17 p0055 A78-11342

Near term commercial uses for terrestrial photovoltaics
17 p0057 A78-11361

Evaluation of the CdS/CdTe heterojunction solar cell
17 p0062 A78-11815

Solar panels BPX47A for terrestrial applications
17 p0071 A78-13984

Self-supporting active solar energy system
17 p0078 A78-15411

Limits on the yield of photochemical solar energy conversion
17 p0079 A78-15847

Semiconductor materials for photovoltaic conversion
17 p0080 A78-16128

The prospects for photovoltaic conversion
17 p0081 A78-16276

Technoeconomic aspects of central photovoltaic power plants
17 p0084 A78-16835

A Fokker-Planck analysis of photovoltaic systems
18 p0173 A78-22841

Procedure for minimizing the cost per watt of photovoltaic systems
18 p0176 A78-23636

Optimization of solar cell contacts by system cost-per-watt minimization
18 p0176 A78-23637

Optimum shape of the bus bar on solar cells of arbitrary shape
18 p0176 A78-23638

Response of a solar cell partially illuminated by a nonuniform light source
18 p0192 A78-26614

On the theory of homojunction and heterojunction solar cells
18 p0192 A78-26616

- The operation of the semiconductor-insulator-semiconductor /SIS/ solar cell Theory 18 p0192 A78-26717
- Photovoltaic conversion 18 p0201 A78-27862
- Conversion of solar energy into electricity 18 p0201 A78-27864
- Photochemical conversion and storage of solar energy 18 p0202 A78-27890
- The fraction of solar energy available for direct conversion processes 18 p0205 A78-28168
- The sun on a semiconductor 18 p0223 A78-30743
- Utilities put the sun to work 18 p0223 A78-30744
- Two-dimensional analysis for Cu/x/S-CdS solar cells with nonuniform skin region 18 p0228 A78-31726
- Cu/x/S/CdS thin-film solar cells using chemically sprayed CdS films 19 p0309 A78-34009
- Photovoltaic conversion of solar energy for terrestrial use - The present situation and the developmental trends 19 p0309 A78-34021
- The influence of tunneling effects on the efficiency of heterojunction solar cells 19 p0309 A78-34048
- Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions 19 p0315 A78-35282
- A novel square Fresnel lens design for illuminating circular solar cells 19 p0342 A78-39369
- Progress report from Central Electronics Ltd., Delhi --- solar cell research projects 19 p0370 A78-42103
- Semiconducting materials in solar energy conversion 19 p0371 A78-42115
- Photochemical conversion and storage of solar energy /An overview/ 19 p0373 A78-42136
- Summary of the NASA space photovoltaic research and technology program 17 p0136 A78-13528
- Photovoltaic applications in the southwest for the National Park Service [COO-4094-3] 17 p0161 A78-15578
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 2 [PB-273570/4] 18 p0243 A78-16470
- Preliminary analysis of an option for the Federal photovoltaic utilization program [PB-274220/3] 18 p0260 A78-18562
- Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2 [NASA-CR-156185] 19 p0388 A78-22464
- High efficiency solar photovoltaic power module concept [NASA-CR-157002] 19 p0395 A78-23555
- Terrestrial solar cell module automated array assembly, task 4 [NASA-CR-156982] 19 p0396 A78-23565
- Battery storage performance requirements for terrestrial solar photovoltaic power systems [ANL/CEPP-77-3] 19 p0428 A78-25614
- Description and status of NASA-LeRC/DOE photovoltaic applications systems [NASA-TM-78936] 19 p0444 A78-26554
- Perspectives on utility central station photovoltaic applications [EPRI-ER-589-SR] 19 p0447 A78-26592
- Cost of photovoltaic energy systems as determined by balance-of-system costs [NASA-TM-78957] 19 p0458 A78-27539
- PHOTOVOLTAIC EFFECT**
- An optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553
- Anomalous temperature dependence observed on the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures 18 p0222 A78-30644
- Photovoltaic remote instrument applications: Assessment of the near-term market [NASA-TM-73881] 18 p0271 A78-19710
- PVSS: A photovoltaic system simulation program manual [SAND-77-0814] 19 p0398 A78-23593
- PHTHALOCYANIN**
- Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes 19 p0363 A78-40618
- PHYSICAL CHEMISTRY**
- Physicochemical characterization of Devonian gas shale [HLN-2466 (OP)] 19 p0434 A78-25720
- PHYSICAL PROPERTIES**
- Research on the physical properties of geothermal reservoir rocks. Summary report on collection of samples of volcanic rocks for petrophysical studies [COO-2908-1] 17 p0141 A78-13584
- PHYSICAL WORK**
- Reversible thermodynamics of the airlift pump 18 p0235 A78-32503
- PHYSIOLOGY**
- Physiological studies of nitrogen fixation by blue-green algae 17 p0128 A78-12647
- PHYTOTOXINS**
- Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- PICOSECOND PULSES**
- Limitation of 3547 to 1182 Å conversion efficiency in Xe 18 p0215 A78-28924
- PILOT PLANTS**
- Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734
- Coal-based options for generation of electricity 17 p0028 A78-11071
- Chicago's new refuse disposal installation 17 p0035 A78-11133
- Dual-medium thermal storage system for solar thermal power plants 17 p0051 A78-11310
- Solar tower - Thermal collection energy component: 10 MWe pilot plant 17 p0052 A78-11322
- Subsystem research experiments on a central receiver collector --- for solar thermal power plant 17 p0053 A78-11327
- The sunny side of energy --- solar energy conversion 17 p0070 A78-13800
- Current progress in materials development for coal conversion 17 p0073 A78-14399
- Analysis and scale-up consideration of bituminous coal liquefaction rate processes 18 p0184 A78-25322
- Comparing the Ames and St. Louis resource recovery projects 18 p0186 A78-25700
- The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807
- Pilot plant study of conversion of coal to low sulfur fuel [PB-274113/0] 18 p0260 A78-18565
- Prototype pilot plant operation: Synthane process [COO-0003-8] 18 p0280 A78-21316
- Prototype pilot plant operation, synthane process [COO-0003-10] 18 p0280 A78-21317
- Central receiver solar thermal power system. Phase 1, CRDL Item 2: Pilot plant preliminary design report. Volume 3, book 2: Collector subsystem [SAND/1108-8/3] 19 p0398 A78-23587
- Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B [SAND/1395-14] 19 p0418 A78-25519
- Central receiver solar thermal power system pilot plant preliminary design report. Volume 3: Collector subsystem [SAND/1111-8/2] 19 p0422 A78-25565
- Solar pilot plant, phase 1, preliminary design report. Volume 2, book 2: Central receiver optical model users manual, CRDL item 2 [SAND/1109-8/3-VOL-2-BK-2] 19 p0424 A78-25583

- Solar pilot plant, phase 1, preliminary design report. Volume 2, book 3: Dynamic simulation model and computer program descriptions, CDRL item 2
[SAN/1109-8/4-VOL-2-PK-3] 19 p0424 N78-25584
- Solar pilot plant, phase 1, preliminary design report. Volume 3: Collector subsystem, CDRL item 2
[SAN/1109-8/5-VOL-3] 19 p0424 N78-25585
- Solar pilot plant, phase 1, preliminary design report. Volume 6: Electrical power generation; master control subsystems; balance of plant CDRL item 2
[SAN/1109-8/8-VOL-6] 19 p0424 N78-25586
- Instrumentation and process control for fossil demonstration plants
[ANL/FB-49622-9] 19 p0430 N78-25640
- PIPE FLOW**
Gravity flow rate of solids through orifices and pipes
17 p0133 N78-13260
- PIPELINES**
Hydraulic container pipelining - A future transportation system to conserve energy
17 p0030 A78-11091
- The hydrogen pipeline network in the Rhine-Ruhr area
17 p0099 A78-18837
- Pipeline gas from solid wastes by the Syngas recycling process
18 p0197 A78-27805
- Use of gas turbines in natural gas transport systems /pipelines/
19 p0327 A78-36372
- Piping design considerations in a solar-Rankine power plant --- pipe size
17 p0158 N78-15085
- Energy and economic impacts of projected freight transportation improvements
18 p0257 N78-18537
- Alaskan oil transportation issues
[PB-276449/6] 18 p0289 N78-21661
- Offshore pipelines. A bibliography with abstracts
[NTIS/PS-78/0179/8] 19 p0393 N78-23263
- Feasibility study of mining Alaska coal and transportation by slurry to the west coast
[PB-278755/4] 19 p0458 N78-27545
- Transmission of energy by open-loop chemical energy pipeline
[CONF-770955-4] 19 p0461 N78-27576
- Task reports: Slurry coal pipelines, volume 2, part 1 --- environmental impact
[PB-278676/2] 19 p0465 N78-27603
- Task reports: Slurry coal pipelines, volume 2, part 2 --- environmental impact
[PB-278677/0] 19 p0465 N78-27604
- PIPES (TUBES)**
The tubular silicon solar cell - A new concept for photovoltaic power generation
17 p0014 A78-10927
- Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam
18 p0222 A78-30571
- Some factors affecting the selection of OTEC plant platform/cold water pipe designs
19 p0303 A78-33325
- Hydrodynamic loads on the cold water pipe --- for Ocean Thermal Energy Conversion application
19 p0303 A78-33326
- Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach --- for Ocean Thermal Energy Conversion
19 p0303 A78-33327
- Heat pipe central solar receiver
[COO-2839-1] 17 p0114 N78-10579
- Coso geothermal corrosion studies
[AD-A045511] 17 p0147 N78-13681
- Piping design considerations in a solar-Rankine power plant --- pipe size
17 p0158 N78-15085
- Development of a freeze-tolerant solar water heater using crosslinked polyethylene as a material of construction
[COO-2956-5] 17 p0162 N78-15584
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes
[ORNL-5356] 19 p0429 N78-25623
- PISTON ENGINES**
Some results of an experimental study of the Stirling engine --- in solar energy systems
17 p0064 A78-12391
- Some results of an experimental investigation of a Stirling engine --- in solar energy systems
19 p0331 A78-36868
- Dynamics of a pistonless engine capable of utilizing solar energy
19 p0339 A78-38554
- PISTONS**
High pressure rotary piston coal feeder
[NERC/SP-77/6] 19 p0417 N78-25443
- PITCHING MOMENTS**
Fixed pitch wind turbines
18 p0267 N78-19638
- PLANKTON**
Potential mariculture yield of sea thermal power plants. II - Food chain efficiency
19 p0301 A78-33309
- PLANNING**
Scenarios for chemical technology --- forecasts for the year 2000
[NERC/SP-T-77-01] 17 p0123 N78-11897
- PLANTS (BOTANY)**
Waterhyacinth biomass yield potentials
17 p0034 A78-11123
- The economics of SNG production by anaerobic digestion of specially grown plant matter --- synthetic natural gas
17 p0036 A78-11138
- Photosynthetic and water efficiency of *Salsola pestifer* --- tumbleweeds for biomass energy production
17 p0056 A78-11352
- Solar energy conversion through biology - Could it be a practical energy source
19 p0342 A78-39123
- PLASMA ACCELERATORS**
Acceleration nozzles of MHD generators with deformation of supersonic flow
17 p0002 A78-10244
- Pulsed acceleration of exhaust plasma in a fusion-MHD power plant
19 p0356 A78-40014
- Investigation of plasma-wall interaction by the aid of a plasma accelerator
19 p0379 A78-42218
- PLASMA COMPOSITION**
Impurity and gas throughput control for TNS --- The Next Step tokamaks
19 p0348 A78-39822
- Two-component, multiple-mirror reactor with depressed ion temperature
19 p0380 A78-42263
- PLASMA CONDUCTIVITY**
Limiting values of the energy generated by pulsed MHD converters
17 p0103 A78-19268
- Energy characteristics of an MHD generator cycle with internal cooling of the channel
18 p0172 A78-22531
- Potential effects of coal slag condensation on plasma conductivity in MHD generators
18 p0188 A78-26109
- Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators
18 p0194 A78-27136
- Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel --- in MHD generators
18 p0204 A78-28120
- Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions
19 p0341 A78-38965
- PLASMA CONTROL**
Fusion research in the European Community
17 p0001 A78-10102
- Doublet IIA experiments --- plasma cross sections in Tokamak fusion reactor
17 p0011 A78-10776
- Shaping and compression experiments in a Tokamak
17 p0011 A78-10778
- Development of fast neutral beam injectors at Fontenay-aux-Roses
17 p0012 A78-10879

- Formation of a high-current relativistic-electron-beam ring for plasma confinement
17 p0012 A78-10887
- The transformer design for a proposed technical feasibility Tokamak reactor
17 p0039 A78-11171
- The poloidal field circuit in the Joint European Torus /JET/
17 p0039 A78-11177
- Poloidal field equilibrium calculations for JET --- Joint European Torus
17 p0040 A78-11178
- Plan and design of FTL TPE-2 experiment --- toroidal screw pinch technique
17 p0040 A78-11180
- The practical feasibility of a bundle divertor for a Tokamak power reactor
17 p0041 A78-11188
- Technical limitations on conceptual Tokamak reactors. II
17 p0041 A78-11194
- Energy optimization of a cycled Tokamak
17 p0087 A78-17133
- The contemporary state of studies on controlled thermonuclear fusion --- Soviet plasma research
18 p0166 A78-21350
- An expression for beta in linked Min-B configurations --- fusion reactor economic feasibility parameter
18 p0173 A78-22836
- Status and prospects for continued progress in magnetic fusion energy research and development
18 p0181 A78-24756
- Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624
- Damping of radial oscillation of a toroidal pinch plasma
18 p0192 A78-26708
- Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields
18 p0217 A78-29433
- Laser-fusion experiments utilizing a $4/\pi$ illumination system
18 p0235 A78-32434
- Fusion energy --- controlled fusion fundamentals [ASME PAPER 77-WA/NE-1]
19 p0299 A78-33185
- Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma
19 p0310 A78-34237
- A small tokamak 'Nova II'
19 p0327 A78-36319
- The technology of mirror machines - LLL facilities for magnetic mirror fusion experiments
19 p0345 A78-39784
- Impact of confinement physics on reactor design and economics
19 p0346 A78-39794
- An approach to decision modeling for an ignition test reactor --- The Next Step Tokamak design
19 p0346 A78-39797
- Control system of plasma position and cross-sectional shape in large tokamak device
19 p0346 A78-39800
- Engineering features of ISX-B --- Tokamak reactor design
19 p0347 A78-39802
- Design of an electrostatic end-plugged plasma-confinement device
19 p0347 A78-39806
- Hybrid equilibrium field coils for the CNRL TMS
19 p0347 A78-39812
- Direct energy conversion of exhaust fusion plasma by magnetic deflection
19 p0348 A78-39815
- Acceleration of one ampere negative ion beams to energies up to 120 keV
19 p0348 A78-39832
- Magnet conceptual design for a high field tokamak reactor
19 p0349 A78-39884
- System design for the new TMI machine --- Tandem Mirror Experiment
19 p0349 A78-39888
- Economic analysis of EBT reactor --- Elmo Bumpy Torus
19 p0350 A78-39895
- Constructing the vacuum vessel for J.E.T. /Joint European Torus/
19 p0352 A78-39947
- Parametric study of plasma startup systems for tokamaks
19 p0354 A78-39971
- CODAS - The proposed control and data acquisition system for JET --- Joint European Torus
19 p0355 A78-39586
- PLT OH system operation --- Princeton Large Torus-Ohmic Heating
19 p0357 A78-40064
- Plasma engineering problems associated with superthermal fusion products
19 p0358 A78-40081
- Focusing systems for high energy glass lasers
19 p0360 A78-40224
- Effect of Faraday rotation on stimulated Brillouin backscattering --- in laser heated nuclear fusion reactor
19 p0369 A78-41909
- Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- Shear stabilization of collisional drift instability
19 p0369 A78-42022
- International Symposium on Plasma Wall Interaction, Juelich, West Germany, October 18-22, 1976, Proceedings
19 p0377 A78-42201
- Recent results on plasma-wall interaction in the T. F. R. tokamak
19 p0377 A78-42202
- Divertors for impurity control and review of impurity effects in PPL tokamaks
19 p0377 A78-42203
- A review of work on plasma-wall interactions and divertor experiments on DITE
19 p0377 A78-42204
- Wall analysis in TFR performed by QMASS --- Quantitative Wall Analysis by Auger and Secondary ion mass Spectroscopy
19 p0377 A78-42206
- Plasma-wall charge-exchange interactions in the XIIIB magnetic mirror experiment
19 p0377 A78-42207
- Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI
19 p0378 A78-42209
- Surface and impurity studies in ORMAK and ISX --- tokamaks
19 p0378 A78-42210
- Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- Kinetic theory of plasma in the limiter-shadow region
19 p0378 A78-42212
- Protection of walls from hard disruptions in large tokamaks
19 p0379 A78-42214
- The effect of electric field in the divertor scrape-off layer
19 p0379 A78-42215
- Investigation of plasma-wall interaction by the aid of a plasma accelerator
19 p0379 A78-42218
- On toroidal divertors for tokamaks
19 p0379 A78-42242
- First wall surface treating in the Frascati Tokamak FT
19 p0380 A78-42245
- Transport calculations for a wall-confined liner-compressed plasma
19 p0380 A78-42258
- The ambipolarity paradox in toroidal diffusion, revisited
19 p0380 A78-42259
- Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions
19 p0380 A78-42260
- Tearing-mode-stable diffuse-pinch configurations --- of plasmas
19 p0380 A78-42261
- Cyclotron oscillations of a large-Larmor-radius plasma
19 p0380 A78-42262

- Two-component, multiple-mirror reactor with depressed ion temperature 19 p0380 A78-42263
- Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- Reversed-field pinch-burn dynamics --- of contained plasmas 19 p0381 A78-42266
- Experimental transfer function analysis of a dissipative and a reactive mode --- instability in magnetic mirror plasma 19 p0381 A78-42267
- Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- Finite Larmor radius equations in an arbitrary near-theta pinch geometry 19 p0382 A78-42491
- Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- PLASMA DIAGNOSTICS**
- Two-dimensional analysis of a diagonal-type nonequilibrium plasma MHD generator 17 p0073 A78-14274
- Collection of ions by electric probes in combustion MHD plasmas - An overview 18 p0188 A78-26111
- Measurement of a theta-pinch plasma by holographic interferometry 18 p0192 A78-26624
- Laser-fusion experiments utilizing a q/π illumination system 18 p0235 A78-32434
- Applications of submillimeter waves in plasma physics and controlled fusion research 19 p0360 A78-40241
- A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
- Energy flux and surface temperature measurements at surfaces in the DITE tokamak 19 p0377 A78-42205
- Wall analysis in TFR performed by QWAASS --- Quantitative Wall Analysis by Auger and Secondary ion mass Spectroscopy 19 p0377 A78-42206
- PLASMA DIFFUSION**
- G2M, a two-dimensional diffusion time scale tokamak code 18 p0231 A78-32066
- The effect of electric field in the divertor scrape-off layer 19 p0379 A78-42215
- The ambipolarity paradox in toroidal diffusion, revisited 19 p0380 A78-42259
- Tearing-mode-stable diffuse-pinch configurations --- of plasmas 19 p0380 A78-42261
- Classical diffusion in large-aspect toroidal plasmas 19 p0382 A78-42482
- PLASMA DYNAMICS**
- Reversed-field pinch-burn dynamics --- of contained plasmas 19 p0381 A78-42266
- Plasma driving system requirements for commercial Tokamak fusion reactors [CONF-771029-191] 19 p0434 A78-25923
- PLASMA ELECTRODES**
- Analysis of the seeded combustion gas boundary layer near a cold electrode 17 p0083 A78-16814
- Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma 18 p0192 A78-26622
- Conditions for the constricted discharge at electrodes in a combustion product plasma --- in MHD generator 18 p0193 A78-27127
- The formation of electrode arcs and the electric fluctuations in an MHD channel 18 p0194 A78-27137
- Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556
- Optimization of the current profile in MHD generators 19 p0364 A78-40834
- PLASMA GENERATORS**
- Limiting values of the energy generated by pulsed MHD converters 17 p0103 A78-19268
- Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
- MHD's target - Payoff by 2000 19 p0316 A78-35444
- Analysis of generation in space charge regions of solar cells 19 p0334 A78-37466
- Impurity and gas throughput control for TNS --- The Next Step tokamaks 19 p0348 A78-39822
- PLASMA HEATING**
- Parameter study of a screw-pinch reactor 17 p0041 A78-11187
- Nuclear fusion by means of a laser 17 p0068 A78-13464
- Computer simulation of ion extraction 18 p0188 A78-25947
- Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation 18 p0195 A78-27700
- Fusion energy --- controlled fusion fundamentals [ASME PAPER 77-WA/NE-1] 19 p0299 A78-33185
- Production of fusion energy by vortex structure compression 19 p0338 A78-38419
- Plasma edge cooling during RF heating 19 p0342 A78-39389
- TTFP heating studies on Petula Tokamak --- Transit Time Magnetic Pumping 19 p0354 A78-39969
- A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972
- A computer program for parameter studies of a neutral injection beam line 19 p0357 A78-40052
- A comparison between an air core and an iron core Ohmic Heating system for The Next Step --- tokamak 19 p0358 A78-40065
- Plasma engineering problems associated with superthermal fusion products 19 p0358 A78-40081
- Computer simulation on laser plasma compression 19 p0362 A78-40386
- Effect of neutral injection heating on the impurity level in the W VII A Stellarator 19 p0378 A78-42208
- Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- PLASMA INTERACTIONS**
- International Symposium on Plasma Wall Interaction, Juelich, West Germany, October 18-22, 1976, Proceedings 19 p0377 A78-42201
- Recent results on plasma-wall interaction in the T. F. B. tokamak 19 p0377 A78-42202
- A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
- Plasma-wall charge-exchange interactions in the 2XIB magnetic mirror experiment 19 p0377 A78-42207
- Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI 19 p0378 A78-42209
- Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- Investigation of plasma-wall interaction by the aid of a plasma accelerator 19 p0379 A78-42218
- Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations 19 p0379 A78-42221
- First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245

PLASMA JETS

- Hall effect on an rf induction discharge
17 p0070 A78-13857
- Conditions for the constricted discharge at
electrodes in a combustion product plasma --- in
MHD generator
18 p0193 A78-27127
- Pulsed acceleration of exhaust plasma in a
fusion-MHD power plant
19 p0356 A78-40014

PLASMA OSCILLATIONS

- Damping of radial oscillation of a toroidal pinch
plasma
18 p0192 A78-26708
- Mechanism for the omega/pe/ radiation in Tokamaks
18 p0225 A78-31215
- Cyclotron oscillations of a large-Larmor-radius
plasma
19 p0380 A78-42262

PLASMA PHYSICS

- A survey of the U.S. magnetic fusion program
17 p0040 A78-11179
- Simplest physical model of a magnetohydrodynamic
generator
19 p0339 A78-38634
- Application of homopolar generators for high
voltage plasma experiments
19 p0348 A78-39848
- Magnetic fusion energy
[UCRL-79600]
18 p0245 A78-16872
- ERDA/NASA advanced thermionic technology program
[NASA-CR-157117]
19 p0409 A78-24674

PLASMA PINCH

- Analysis of various field programming to produce
the RFP configuration --- Reversed Field Pinch
17 p0039 A78-11174
- Conceptual design problems in future reversed
field pinch experiments
17 p0040 A78-11181
- Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- Damping of radial oscillation of a toroidal pinch
plasma
18 p0192 A78-26708
- Measurements of high-energy deuterons in the
plasma-focus device
18 p0235 A78-32439
- Design of the ZT-40 power crowbar system --- for
toroidal Z pinch current maintenance
19 p0353 A78-39957
- Initial numerical studies of the behaviour of
Z-pinch plasma under liner implosion conditions
19 p0380 A78-42260
- Tearing-mode-stable diffuse-pinch configurations
--- of plasmas
19 p0380 A78-42261
- Reversed-field pinch-burn dynamics --- cf
contained plasmas
19 p0381 A78-42266

PLASMA POTENTIALS

- Two-dimensional electrical effects in a frame-type
MHD channel
17 p0103 A78-19269
- Optimization of the parameters of a Knudsen
thermionic converter with Cs-Ba filler
19 p0340 A78-38933

PLASMA POWER SOURCES

- Effects of slagging in MHD generator ducts
[ASME PAPER 77-HT-59]
17 p0089 A78-17491
- Specifics of heat exchanger design for a 2000-MWt
dual cycle, MHD Topping-Steam Bottoming power
plant
[ASME PAPER 77-HT-61]
17 p0090 A78-17493

PLASMA PROBES

- Probe-tube microphone for pressure-fluctuation
measurements in harsh environments
17 p0077 A78-15155
- Temperature sheaths on probes or electrodes in MHD
plasmas
19 p0336 A78-38108
- Energy flux and surface temperature measurements
at surfaces in the DITE tokamak
19 p0377 A78-42205

PLASMA RADIATION

- Mechanism for the omega/pe/ radiation in Tokamaks
18 p0225 A78-31215

PLASMA RESONANCE

- Long-time-scale simulation of resonant particle
effects in Langmuir and whistler waves
18 p0231 A78-32068
- Therac-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385

PLASMA SLABS

- Shear stabilization of collisional drift instability
19 p0369 A78-42022

PLASMA SPECTRA

- Finite hybrid elements to compute the ideal
magnetohydrodynamic spectrum of an axisymmetric
plasma
18 p0231 A78-32067
- Surface and impurity studies in ORMAK and ISX ---
tokamaks
19 p0378 A78-42210

PLASMA SPUTTERING

- Analytical investigation of thermal barrier
coatings for advanced power generation
combustion turbines
[ASME PAPER 77-WA/ENER-13]
19 p0298 A78-33151
- Friction and wear of several compressor gas-path
seal movements
[NASA-TP-1128]
17 p0158 A78-15229

PLASMA TEMPERATURE

- Temperature sheaths on probes or electrodes in MHD
plasmas
19 p0336 A78-38108
- Plasma edge cooling during RF heating
19 p0342 A78-39389

PLASMA TURBULENCE

- Turbulence theory for the dissipative trapped
electron instability --- in tokamak toroidal
devices
19 p0382 A78-42487

PLASMA WAVES

- Collapse of Alfvén waves
18 p0224 A78-31008

PLASMA-ELECTROMAGNETIC INTERACTION

- Integral characteristics of an induction MHD
device at large parameters of electromagnetic
interaction
18 p0204 A78-28087
- Intensity dependence of inverse bremsstrahlung
absorption in an inhomogeneous standing wave
19 p0332 A78-37139

PLASMA-PARTICLE INTERACTIONS

- Long-time-scale simulation of resonant particle
effects in Langmuir and whistler waves
18 p0231 A78-32068
- Measurements of high-energy deuterons in the
plasma-focus device
18 p0235 A78-32439
- Intense relativistic electron-beam trajectories
and their effect on beam heating of toroidally
confined plasma
19 p0310 A78-34237
- Microchannel plate response to hard X-rays --- for
imaging recompression beam fuel pellet implosion
19 p0360 A78-40267

PLASMAS (PHYSICS)

- Major features of D-T Tokamak fusion reactor systems
[EPRI-472-1]
17 p0147 A78-13903
- High magnetic field MHD generator program
[FE-2341-1]
18 p0245 A78-16874

PLASMATRONS

- Development of fast neutral beam injectors at
Fontenay-aux-Roses
17 p0012 A78-10879

PLASTIC COATINGS

- Technique of testing silazane coatings --- for
solar concentrators
19 p0331 A78-36859

PLASTICIZERS

- Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1]
19 p0419 A78-25530

PLASTICS

- Radiation heat losses in solar collectors with
plastic covers
19 p0316 A78-35362

PLATINUM

- Optimization of PtDoped Kocite: Electrodes in
H3PO4 fuel cells
[AD-A053300]
19 p0422 A78-25562

PLUMES

- NOx-O3 photochemistry in power plant plumes -
Comparison of theory with observation
17 p0001 A78-10059

SUBJECT INDEX

POLLUTION CONTROL

Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain 18 p0167 A78-21821

Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412

A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251

Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253

Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume 19 p0366 A78-41254

Sulfur budget of a power plant plume 19 p0366 A78-41275

Oxidant measurements in western power plant plumes. Volume 1: Technical analysis [EPRI-EA-421-VOL-1] 19 p0400 A78-23614

PLUTONIUM OXIDES

General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program --- plutonium oxide radioisotopic power systems [LA-7184-PR] 19 p0467 A78-27898

PLUTONIUM 238

General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program --- plutonium oxide radioisotopic power systems [LA-7184-PR] 19 p0467 A78-27898

PNEUMATIC CONTROL

The Petrocarb pneumatic feeding system: A proven method for feeding particulate solids at controlled rates --- for coal gasification systems 17 p0131 A78-13243

POINTING CONTROL SYSTEMS

Parabolic collector for total energy systems application 17 p0059 A78-11376

Solar energy collector orientation and tracking mode 17 p0104 A78-19827

Steering a field of mirrors using a shared computer-based controller --- for solar array and heliostat application 19 p0312 A78-34516

An automatic alignment system for a multibeam laser system --- for use in fusion reactors 19 p0359 A78-40222

Diffraction analysis for multiple-beam pellet irradiance 19 p0360 A78-40225

POLARONS

A new description of electrochemical kinetics 19 p0343 A78-39459

POLICIES

Domestic energy resource and reserve estimates: Uses, limitations, and needed data [PB-268966/9] 17 p0115 A78-10590

POLITICS

Some economic and political aspects of photovoltaic development 17 p0024 A78-11034

Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study 19 p0301 A78-33308

Political and economic justification for immediate realization of a syn fuels industry 19 p0310 A78-34225

Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements [NASA-CR-155948] 18 p0264 A78-19612

Political and legal implications of developing and operating a satellite power system [NASA-CR-157077] 19 p0412 A78-25003

POLLUTION CONTROL

A history of flue gas desulfurization systems since 1850 - Research, development and demonstration 17 p0003 A78-10502

Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants 17 p0065 A78-12936

Air pollution control and clean energy --- Book 17 p0066 A78-12999

Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169

Electric utility applications of fabric filters --- for pollution control 17 p0073 A78-14155

Pollution abatement energy usage of gas treating and processing plants 17 p0073 A78-14161

Keeping oil out of the marine environment 17 p0073 A78-14170

Critical paths to coal utilization 17 p0075 A78-14690

French policy in the area of the campaign against atmospheric pollution 17 p0082 A78-16473

Combustion treatment of smoke and odors of industrial origin - Energy recovery 17 p0082 A78-16475

Synthetic fuels and combustion 17 p0082 A78-16637

An electrifying experience - Electric vehicles in the Postal Service [EVC PAPER 7750] 17 p0085 A78-16927

A study of the formation of unspammable residues of crude oil on tankers for the purpose of preventing marine pollution 17 p0093 A78-18050

Aspects relative to security and environment in the production and use of hydrogen in the new Esso refinery at Antwerp 17 p0101 A78-18854

Sulfur control for coal combustion 18 p0182 A78-24762

An evaluation of control strategies for SO₂ emissions from petroleum refineries [APCA PAPER 77-43,1] 18 p0184 A78-25380

Improving the emission performance of vehicles in the field [APCA PAPER 77-3,4] 18 p0184 A78-25386

Control of fine particulate from coal-fired utility boilers [APCA PAPER 77-14,1] 18 p0185 A78-25410

Coal dryer emission control with the energy saving centripetal vortex wet scrubber [APCA PAPER 77-17,5] 18 p0185 A78-25424

Economic comparison of selected scenarios for electrostatic precipitators and fabric filters [APCA PAPER 77-14,2] 18 p0186 A78-25445

Studies to define the role of coal cleaning in an SO₂ control strategy for TVA [APCA PAPER 77-14,4] 18 p0186 A78-25446

Technical and economic impacts of the application of environmental control technology options [APCA PAPER 77-56,4] 18 p0186 A78-25447

Retrofit precipitators meet rigid new standards --- sulfur coal combustion 18 p0189 A78-26475

Bergbau-Forschung process for the desulfurization of flue gas 18 p0223 A78-30708

The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968

Environmental technology '77: Proceedings of the Twenty-third Annual Technical Meeting, Los Angeles, Calif., April 25-27, 1977 18 p0231 A78-32101

Startup and operation of the Research-Cottrell/Bahco scrubber for removal of SO₂ and particulates from flue gas at Rickenbacker Air Force Base, Columbus, Ohio 18 p0232 A78-32108

The utilization of LaNi₅ as a hydrogen-storage medium for heat engines 18 p0233 A78-32193

The electric way ahead for road transport 19 p0292 A78-32652

Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASHE PAPER 77-WA/APC-1] 19 p0297 A78-33126

Fume formation in ammonia scrubbers [ASHE PAPER 77-WA/APC-2] 19 p0297 A78-33127

Factors detrimental to electrostatic precipitator performance
[ASME PAPER 77-WA/APC-7] 19 p0297 A78-33130

SO₂ control technologies - Commercial availabilities and economics 19 p0310 A78-34224

Thermal refuse treatment --- waste incineration 19 p0315 A78-34973

Dispersion and control of atmospheric emissions: New-energy-source pollution potential --- From AIChE meetings 19 p0320 A78-35676

Methods and costs of controlling sulfur emissions from a petroleum refinery 19 p0320 A78-35698

A systematic approach to the problem of characterizing the emission potential of energy conversion processes --- coal gasification pollution potentials 19 p0320 A78-35699

Prediction of air quality impacts for a commercial shale oil complex 19 p0320 A78-35700

Methanol - A boiler fuel alternative 19 p0321 A78-35704

Evaluation of NO_x/ emission characteristics of alcohol fuels for use in stationary combustion systems 19 p0321 A78-35705

Hydrogen sulfide as an air pollutant 19 p0337 A78-38245

Efficiency and reliability of sulfur dioxide scrubbers 19 p0384 A78-42906

Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 A78-10636

Aircraft engine emissions --- conference [NASA-CP-2021] 17 p0118 A78-11063

The status of flue gas desulfurization - applications in the United States: A technological assessment, highlights [PB-271361/8] 17 p0128 A78-12560

The status of flue gas desulfurization - applications in the United States: A technological assessment, report in full [PB-271362/6] 17 p0128 A78-12561

Performance analysis of a modified internal combustion engine [AD-A045378] 17 p0135 A78-13442

Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 A78-13650

Burner design criteria for NO_x control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 A78-15607

Energy consumption of environmental controls: Fossil fuel, steam electric generating industry [PB-273019/0] 18 p0244 A78-16476

Operation and maintenance of particulate control devices on coal-fired utility boilers [PB-274104/9] 18 p0251 A78-17505

Advanced fossil fuel and the environment: An executive report [PB-274541/2] 18 p0261 A78-18587

Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 A78-18590

Environmental assessment of low/medium Btu gasification [PB-276580/8] 18 p0281 A78-21325

Particulate control highlights: Research on electrostatic precipitator technology [PB-276643/4] 19 p0391 A78-22495

Development of a high-temperature/high-pressure electrostatic precipitator [PB-276626/9] 19 p0391 A78-22497

Supportive studies in fluidized-bed combustion [PB-276974/3] 19 p0399 A78-23604

Environmental, health, and control aspects of coal conversion: An information overview, volume 2 [ORNL/EIS-95-VOL-2] 19 p0411 A78-24697

Effective control of secondary water pollution from flue gas desulfurization systems [PB-278373/6] 19 p0450 A78-26645

A national environmental/energy workforce assessment, business and industry, phase 1 [PB-277904/9] 19 p0452 A78-26968

A national environmental/energy workforce assessment, national legislation, phase 1 [PB-277905/6] 19 p0452 A78-26969

A national environmental/energy workforce assessment, national abstract [PB-277906/4] 19 p0452 A78-26970

Supercritical fuel injection system [NASA-CASE-LEW-12990-1] 19 p0453 A78-27122

First order estimates of energy requirements for pollution control [PB-278274/6] 19 p0465 A78-27608

EPA utility PGD (Flue Gas Desulfurization) survey: December 1977 - January 1978 [PB-279011/1] 19 p0466 A78-27622

Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report [PB-279417/0] 19 p0467 A78-27659

Effects of alternative new source performance standards on flue gas desulfurization system supply and demand [PB-279080/6] 19 p0467 A78-27661

POLLUTION MONITORING

Instrumental sensing of stationary source emissions --- sulphur dioxide remote sensing for coal-burning power plants 17 p0001 A78-10056

NO_x-O₃ photochemistry in power plant plumes - Comparison of theory with observation 17 p0001 A78-10059

Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant 17 p0001 A78-10062

Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants 17 p0065 A78-12936

Pollutant measurements in a methanol furnace [WSS/CI PAPER 77-8] 17 p0081 A78-16339

Pollutant measurements in laboratory pulverized coal combustor and gasifier 17 p0081 A78-16348

Oil in the ocean - Circumstances control its impact 17 p0087 A78-17262

Estimates of smoke and sulphur dioxide pollution from fuel combustion in the United Kingdom for 1975 and 1976 17 p0097 A78-18819

Energy resource development - The monitoring components 17 p0104 A78-19616

A continuous monitoring system for sulfur dioxide mass emissions from stationary sources [APCA PAPER 77-27,5] 18 p0185 A78-25400

Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555

Remote monitoring of the Gravelly Run thermal plume at Hopeville and the thermal plume at the Surry nuclear power plant on the James River 19 p0313 A78-34905

Electricity generation by utilities - 1974 nationwide emissions estimates 19 p0320 A78-35701

Hydrogen sulfide as an air pollutant 19 p0337 A78-38245

Sulphur emissions in Europe 19 p0366 A78-41267

Energy requirements for municipal pollution control facilities [PB-276989/1] 19 p0401 A78-24003

Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] 19 p0455 A78-27482

POLYAMIDE RESINS

El Dorado micellar-polymer demonstration project report --- oil recovery [BREC/TPR-77/12] 19 p0413 A78-25225

POLYCRYSTALS

Low cost solar cells based on large area unconventional silicon 17 p0013 A78-10918

Efficiency calculations for thin film polycrystalline semiconductor Schottky barrier solar cells 17 p0013 A78-10920

Vacuum deposited polycrystalline silicon solar cells 17 p0013 A78-10921

SUBJECT INDEX

POWER EFFICIENCY

- Single crystal and polycrystalline GaAs solar cells using AMOS technology 17 p0025 A78-11044
- The structure and Schottky barrier diode properties of polycrystalline GaAs films grown by the close spaced vapour transport technique on Mo substrates 17 p0027 A78-11060
- Polycrystalline thin film Cds/CdTe solar cells 18 p0225 A78-31210
- Polycrystalline silicon p-n junctions --- fabrication of low cost solar cells 19 p0334 A78-37467
- Process for utilizing low-cost graphite substrates for polycrystalline solar cells [NASA-CASE-GSC-12022-2] 19 p0405 N78-24609
- POLYETHYLENES**
- Development of a freeze-tolerant solar water heater using crosslinked polyethylene as a material of construction [COO-2956-5] 17 p0162 N78-15584
- POLYMER PHYSICS**
- Dielectric relaxation in polymers at low temperatures 17 p0148 N78-14170
- POLYMERIC FILMS**
- Material and design considerations of encapsulants for photovoltaic arrays in terrestrial applications 17 p0016 A78-10951
- Teflon PEP fluorocarbon film for flat plate solar collectors 17 p0042 A78-11218
- Conceptual design of large scale water electrolysis plant using solid polymer electrolyte technology 18 p0174 A78-22869
- Study of physicochemical processes in fabrication of reflectors from polymer materials --- coat bond in foam-film solar concentrator 18 p0215 A78-28895
- POLYMERS**
- Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery 18 p0237 N78-16171
- North Stanley polymer demonstration project [COO-0029-1] 19 p0394 N78-23539
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding [FE-2600-1] 19 p0402 N78-24325
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding [FE-2600-2] 19 p0402 N78-24326
- Bell Creek Field micellar-polymer pilot demonstration [BERC/TFR-77/13] 19 p0413 N78-25226
- Pilot demonstration-enhanced oil recovery by micellar-polymer waterflooding Bell Creek Field [COO-4207-14] 19 p0418 N78-25510
- Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B [SAN/1395-15] 19 p0455 N78-27498
- POLYSTYRENE**
- Solar energy reflector using metallised polystyrene 19 p0371 A78-42110
- POLYURETHANE FOAM**
- The stability of polyurethane foam solar energy collectors to climatic effects 18 p0187 A78-25738
- PONDS**
- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506
- POPULATIONS**
- Conference proceedings: A critical economic balance: Water, land, energy, people [PB-274089/2] 18 p0253 N78-17944
- POROUS MATERIALS**
- Lift on a rotating porous cylinder --- with application to wind power generation 18 p0167 A78-21633
- Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537
- Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods 19 p0313 A78-34603
- Calculation of porous-particle combustion --- coal for MHD generators 19 p0315 A78-35052
- Geothermal energy-related problems of natural convection in porous media 19 p0393 N78-23378
- PORTABLE EQUIPMENT**
- Evaluation of portable optical property measurement equipment for solar selective surfaces [ASME PAPER 77-WA/SOL-1] 19 p0299 A78-33189
- Study of high power, high performance portable MHD generator power supply systems [AD-A040381] 17 p0111 N78-10560
- POSITION (LOCATION)**
- Effects of rotor location, coning, and tilt on critical loads in large wind turbines 18 p0267 N78-19636
- POTABLE WATER**
- Energy and water --- energy resources correlation with fresh water availability 18 p0175 A78-23562
- Prototype solar heating and cooling systems, including potable hot water [NASA-CR-150576] 18 p0263 N78-19601
- POTENTIAL ENERGY**
- Storage of solar energy 18 p0201 A78-27865
- Salt domes - Is there more energy available from their salt than from their oil --- salinity gradient energy due to osmotic pressure difference 18 p0217 A78-29623
- POTENTIAL FLOW**
- Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786
- POTENTIAL GRADIENTS**
- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- POWDER (PARTICLES)**
- Investigation of the dynamics of melting processes in a solar furnace 19 p0336 A78-37949
- POWER AMPLIFIERS**
- The development and prospects of power transistors used for the conversion of energy 17 p0081 A78-16353
- Design of the power amplifier for the HELPL at LASL --- High Energy Gas Laser Facility 19 p0349 A78-39861
- POWER CONDITIONING**
- International Pulsed Power Conference, Texas Tech University, Lubbock, Tex., November 9-11, 1976, Proceedings 17 p0007 A78-10676
- Terawatt pulse power systems utilizing inductive storage 17 p0008 A78-10701
- The evolution of pulsed power --- voltage generator fusion reactor applications 17 p0008 A78-10709
- Betz type limitation of vortex wind machines 17 p0093 A78-18090
- Power conditioning systems for high-power, airborne, pulsed applications 18 p0174 A78-23412
- The beamed power microwave transmitting antenna 19 p0340 A78-38841
- A 25 megajoule energy storage and delivery system for the Shiva laser 19 p0351 A78-39920
- Photovoltaic village power application: Assessment of the near-term market [NASA-TN-73893] 18 p0267 N78-19643
- POWER EFFICIENCY**
- Albedo contribution to satellite solar array performance 17 p0019 A78-10990
- Improved Helios cell output --- solar generator power efficiency 17 p0019 A78-10995

POWER GAIN

SUBJECT INDEX

- An analysis of optimum loading conditions for P-N junction solar cells 17 p0030 A78-11092
- The technical evaluation of transport drive systems 17 p0067 A78-13422
- The potential for power production by large dispersed arrays of wind turbines 18 p0168 A78-22227
- Some results of applying the MHD method in power engineering 18 p0204 A78-28086
- Superconducting machines --- homopolar d.c. machines and a.c. generators 18 p0225 A78-31154
- Power increase from solar cells under pyramidal-horn type concentrator 19 p0372 A78-42125
- The influence of blade thickness on the output of vertical axis wind turbines 19 p0381 A78-42417
- Calculation of the geometry and performance of a high-speed wind rotor 19 p0382 A78-42419
- Baseload reliability in a combustion turbine 19 p0385 A78-43101
- Study of the manufacturing costs of lead-acid batteries for peaking power [CONS/2114-2] 17 p0114 A78-10583
- The Goddard Space Flight Center high efficiency cell development and evaluation program 17 p0136 A78-13529
- Evaluation of a photovoltaic central power station [CONF-770403-8] 17 p0141 A78-13582
- Energetic evaluation of the hybrid tunnel principle and possibilities of efficiency improvement --- wind/tow tunnel combination 18 p0246 A78-17011
- POWER GAIN**
- The use of built form to enhance the output of wind collectors 17 p0107 A78-20478
- POWER LINES**
- Electrical energy transmission for OTEC power plants 19 p0301 A78-33310
- POWER PLANTS**
- Heat optimization for solar power plants - Concentration of radiation and the temperature of the working medium 17 p0064 A78-12392
- Comparative analysis of the geometrical characteristics of solar power plant boilers 17 p0064 A78-12393
- Specifics of heat exchanger design for a 2000-MW dual cycle, MHD Topping-Steam Bottoming power plant [ASME PAPER 77-HT-61] 17 p0090 A78-17493
- Solar power stations 17 p0092 A78-17673
- Economic energy utilization by means of remote heating 17 p0093 A78-18025
- The tokamak - Model T fusion reactor 18 p0217 A78-29620
- Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant - What are the questions 19 p0305 A78-33343
- Potential of open cycle OTEC - A general survey --- Ocean Thermal Energy Conversion 19 p0305 A78-33347
- High temperature thermal energy storage, including a discussion of TES integrated into power plants --- Book 19 p0311 A78-34468
- Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature 19 p0332 A78-36869
- Comparative analysis of geometric characteristics of solar power plant boilers 19 p0332 A78-36870
- Experimental study of the joint operation of wind- and solar-plants 19 p0336 A78-37948
- Study of practical cycles for geothermal power plants [COO-2619-1] 18 p0288 A78-21651
- Corrosion of iron-base alloys versus alternate materials in geothermal brines [PNL-2456] 19 p0454 A78-27264
- POWER SPECTRA**
- Modal analysis of the first production design heliostat used at the Solar Thermal Test Facility (STTF) [SAND-77-1393] 19 p0410 A78-24686
- POWER SUPPLIES**
- Inductor network development for aircraft high power supplies [AD-A052750] 19 p0413 A78-25096
- Prediction of thermoelectric battery power and voltage for a 15 year lifetime MB-75 MW (B) battery [GA-A-14718] 19 p0446 A78-26576
- POWER SUPPLY CIRCUITS**
- The poloidal field circuit in the Joint European Torus /JET/ 17 p0039 A78-11177
- Large Tokamak power supplies - A survey of problems and solutions 17 p0041 A78-11205
- Superconducting magnetic energy storage 17 p0074 A78-14649
- Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads 18 p0189 A78-26265
- Closed loop solar array-ion thruster system with power control circuitry [NASA-CASE-LBN-12780-1] 19 p0387 A78-22149
- POWER TRANSMISSION**
- Dynamics of drive systems for wind energy conversion 18 p0266 A78-19633
- POWERED LIFT AIRCRAFT**
- Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304
- PRECIPITATION (METEOROLOGY)**
- A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains 19 p0386 A78-43291
- Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 4, appendices D-S: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-4] 19 p0391 A78-22490
- PREDICTION ANALYSIS TECHNIQUES**
- Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- Solar energy availability prediction from climatological data 18 p0199 A78-27854
- Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide [PB-268850/5] 17 p0116 A78-10599
- Impurity gradients and high efficiency solar cells 17 p0136 A78-13531
- Flutter of Darrieus wind turbine blades 18 p0265 A78-19624
- Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems [CONF-771070-1] 19 p0411 A78-24695
- Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation [NASA-CR-135335] 19 p0414 A78-25235
- Prediction of thermoelectric battery power and voltage for a 15 year lifetime MB-75 MW (B) battery [GA-A-14718] 19 p0446 A78-26576
- Impact of selected energy conservation technologies on baseline demands [BRL-50745] 19 p0463 A78-27591
- PREDICTIONS**
- Power conversion system of the 21st century [CONF-770448-1] 17 p0155 A78-14672
- PREHEATED FLAMES**
- The microstructure of pulverized coal-air flames. I - Stabilization on small burners and direct sampling techniques 17 p0078 A78-15829
- Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715

PRESSURE DISTRIBUTION

Acceleration nozzles of MHD generators with deformation of supersonic flow 17 p0002 A78-10244

On pressure and heat flux distribution along magnetohydrodynamic generator channel-diffuser systems 17 p0128 A78-12837

Evaluation of stresses in tubes with external heat flux and internal pressurization [GHR-2690-SECT-3.204] 19 p0439 A78-26294

PRESSURE GRADIENTS

Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients [PB-268603/8] 17 p0110 A78-10546

PRESSURE OSCILLATIONS

Probe-tube microphone for pressure-fluctuation measurements in harsh environments 17 p0077 A78-15155

PRESSURE PULSES

Some results of investigation of pressure fluctuations in a condensing injector --- for liquid metal MHD generator 17 p0066 A78-13154

Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant --- energy converter for MHD generator 17 p0066 A78-13156

Pulse test analysis of vertically fractured wells [ORO-8036-5] 19 p0418 A78-25511

PRESSURE REDUCTION

Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies [GHR-2690-SECT-7.104] 19 p0440 A78-26330

PRESSURE REGULATORS

EBV ball-valve stem failure: Synthane coal-gasification pilot plant, failure analysis report [ANL/MSD/FE-77-4] 19 p0404 A78-24559

PRESSURE SENSORS

Probe-tube microphone for pressure-fluctuation measurements in harsh environments 17 p0077 A78-15155

PRESSURE VESSEL DESIGN

A design and producibility study of heat exchangers for Ocean Thermal Energy Conversion systems 19 p0304 A78-33340

PRESSURE VESSELS

A pressurized-liquid concept for solar-thermal energy storage 19 p0364 A78-40819

PRIMARY BATTERIES

Current efficiency in the lithium-water battery 17 p0095 A78-18410

Primary lithium organic electrolyte battery BA - 5598 ()/U [AD-A042799] 17 p0112 A78-10568

PRINTED CIRCUITS

Fired through printed contacts on antireflection coated silicon terrestrial solar cells 17 p0016 A78-10956

PRIORITIES

Priority treatment for high occupancy vehicles: Project status report --- bus and carpool lanes [PB-270529/1] 17 p0129 A78-12907

PRISMS

Analytical and experimental study of total internal reflection prismatic panels for solar energy concentrators 17 p0060 A78-11389

PROBABILITY DENSITY FUNCTIONS

A Fokker-Planck analysis of photovoltaic systems 18 p0173 A78-22841

PROBABILITY DISTRIBUTION FUNCTIONS

Probability distribution of bids on outer continental shelf oil and gas leases [LA-7190-NS] 19 p0468 A78-27982

PROBABILITY THEORY

Fusion-neutron-induced nuclear recoil emission probabilities 17 p0062 A78-11814

PROBLEM SOLVING

The role of scientific and technical information in critical period management, volume 1 [PB-272178/5] 17 p0157 A78-14939

The role of scientific and technical information in critical period management, volume 2 [PB-272179/3] 17 p0157 A78-14940

Hardware problems encountered in solar heating and cooling systems [NASA-TN-78172] 19 p0420 A78-25539

PROCEEDINGS

Proceedings of the 2d Stationary Source Combustion Symposium, Volume 5: Addendum [PB-274897/8] 18 p0261 A78-18590

A Forum on Solar Access 18 p0264 A78-19607

PROCESS CONTROL (INDUSTRY)

Instrumentation for in situ coal gasification. I - Background and overview 19 p0367 A78-41522

Highlights of the LLL Hoe Creek No. 2 underground coal gasification experiment 19 p0367 A78-41524

PRODUCT DEVELOPMENT

An update of the development on the new Audi NSU rotary engine generation [SAE PAPER 780418] 19 p0308 A78-33390

A road map to space products --- extraterrestrial manufactured products for Earth use [AAS 77-239] 19 p0329 A78-36716

Research and Product Development programme in the area of solar thermal energy 19 p0370 A78-42108

Laser-zone growth in a Ribbon-To-Ribbon, RTE, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 A78-16437

HSFC hot air collectors. Phase 1: Test report [NASA-CR-150495] 18 p0249 A78-17471

Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 A78-24627

Automated array assembly, phase 2 [NASA-CR-157134] 19 p0407 A78-24653

Small refiner bias analysis [HCP/B70258-01] 19 p0416 A78-25253

Solar heating and cooling system design and development [NASA-CR-150705] 19 p0444 A78-26556

Development and fabrication of a concentrating solar collector subsystem [NASA-CR-150712] 19 p0444 A78-26557

PRODUCTION ENGINEERING

Production of solar-grade silicon from purified metallurgical silicon 17 p0013 A78-10925

Underground gasification - An alternate way to exploit coal 17 p0087 A78-17261

Procedure for minimizing the cost per watt of photovoltaic systems 18 p0176 A78-23636

Natural gas technology --- emphasizing production from unconventional sources in U.S.A. 18 p0180 A78-24752

Advanced high efficiency wraparound contact solar cell [AIAA-PAP88-77-521] 17 p0137 A78-13536

Photovoltaic solar panels and solar modules [LPS-77-12] 17 p0156 A78-14685

Phase 1 of the automated array assembly task of the low cost silicon solar array project [NASA-CR-155935] 18 p0255 A78-18516

Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 A78-18519

Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description 18 p0272 A78-20350

Process feasibility study in support of silicon material task 1 [NASA-CR-157030] 19 p0396 A78-23561

Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 A78-23563

Low cost silicon solar array project silicon materials task [NASA-CR-157092] 19 p0407 A78-24640

PRODUCTION PLANNING

SUBJECT INDEX

Energy requirement for the production of silicon solar arrays
[NASA-CR-157074] 19 p0407 N78-24642

Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233

Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150686] 19 p0420 N78-25537

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150687] 19 p0420 N78-25538

Agglomerating burner gasification process: design, installation, and operation of a 25-ton-a-day process development unit.
[FE-1513-69] 19 p0426 N78-25600

Nondestructive evaluation needs for coal liquefaction
[ANL-77-61] 19 p0426 N78-25606

Oil shale programs
[SAND-77-1497] 19 p0432 N78-25653

EDS coal liquefaction process development, phase 3 B
[FE-2893-6] 19 p0459 N78-27549

PRODUCTION PLANNING

Improving production from petroleum reserves - Enhanced recovery 18 p0196 A78-27786

Energy System Analysis Procedure (ESAP)
[AD-A044131] 17 p0126 N78-12532

Oil and gas replacement cost: Development and production. Volume 2: Exhibits
[TID-28043/2] 19 p0418 N78-25515

PROJECT MANAGEMENT

An overview of the planning considerations in the United States inertial confinement fusion program
17 p0004 A78-10606

Baseline gas turbine development program
[COO-2749-16] 17 p0120 N78-11405

Ocean thermal Energy Conversion (OTEC) test facilities study program, volume 1
[SAN/1156-77/1-VOL-1] 17 p0120 N78-11507

Multi-organizational strategies: An analytic framework and case illustrations
[IIASA-RN-77-4] 17 p0122 N78-11864

CCMS solar energy pilot study: Report of the annual meeting
[PB-271797/3] 17 p0145 N78-13623

NASA authorization, 1979, program review, volume 2, part 1
[GPO-98-932] 18 p0252 N78-17932

Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities
[BNWL-RAP-16] 19 p0468 N78-27975

PROJECT PLANNING

Ocean thermal energy - Status and prospects
19 p0323 A78-35876

UK experience of planning the nuclear contribution to the UK power programme
[IAEA-CN-36/53] 17 p0116 N78-10605

CCMS solar energy pilot study: Report of the annual meeting
[PB-271797/3] 17 p0145 N78-13623

Modeling and analysis of industrial energy usage
[NTR-7329] 17 p0151 N78-14641

The next 25 years: Industrialization of space: Rationale for planning
[NASA-TN-79360] 18 p0253 N78-18091

Outline of the energy-related projects sponsored by the Federal Railroad Administration, DOT
18 p0258 N78-18544

Electric car technology for demonstration and development
18 p0259 N78-18551

Plans for wind energy system simulation
18 p0267 N78-19640

The goldstone energy project
[NASA-CN-156133] 18 p0275 N78-20618

The modular solar energy satellite. Project proposal and development strategy
19 p0399 N78-23598

Stirling thermal engine regenerator cost reduction program outline
[GMR-2690-SECT-6.001] 19 p0439 N78-26319

PROPANE

Formation and growth of thermal NOx in hydrocarbon combustion
18 p0227 A78-31498

Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels
[NASA-TN-73786] 17 p0148 N78-14177

PROPELLANT COMBUSTION

The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture
19 p0335 A78-37861

PROPELLER FANS

Fuel saving potential of Mach 0.8 twin engine prop-fan transports
18 p0226 A78-31306

PROPORTIONAL CONTROL

Preliminary comparison of proportional and full on-off control systems for solar energy applications
17 p0047 A78-11261

PROPULSION SYSTEM CONFIGURATIONS

The gas turbine as an advantageous propulsion unit for high-performance rail traffic
17 p0096 A78-18713

Research needs for U.S. Army aircraft propulsion
[AIAA PAPER 78-45] 18 p0172 A78-22558

Propulsion options for orbital transfers in cis-lunar space
18 p0204 A78-27931

Advanced launch vehicle systems and technology
18 p0225 A78-31175

PROPULSION SYSTEM PERFORMANCE

Fiat electric city car prototype
[EVC PAPER 7755] 17 p0085 A78-16926

Speed polar of a wind turbine powered cargo boat
17 p0094 A78-18094

Evolution of the aircraft gas turbine engine
18 p0220 A78-30257

Canadian Symposium on Energy Conserving Transport Aircraft, Ottawa, Canada, October 3, 4, 1977, Proceedings
18 p0226 A78-31301

Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/
19 p0326 A78-36279

Engineering tests for energy storage cars at the Transportation Test Center. Volume 3: Noise tests
[PB-269402/4] 17 p0110 N78-10485

Baseline tests of the power-train electric delivery van
[NASA-TN-73765] 18 p0252 N78-17936

State-of-the-art assessment of electric vehicles and hybrid vehicles
[NASA-TN-73756] 18 p0262 N78-18988

Impact of future fuel properties on aircraft engines and fuel systems
[NASA-TN-78866] 19 p0402 N78-24369

PROPULSIVE EFFICIENCY

Gas turbine module performance analysis
[SAE PAPER 770992] 18 p0176 A78-23828

Evolution of the aircraft gas turbine engine
18 p0220 A78-30257

Energy conserving aircraft from the engine viewpoint
18 p0226 A78-31310

Aero engines climb towards better fuel efficiency
19 p0332 A78-37114

ACEE propulsion overview
19 p0453 N78-27048

PROTECTIVE COATINGS

The use of silicone gel for potting photovoltaic arrays
17 p0054 A78-11336

High temperature heat pipes for terrestrial applications
[AIAA 78-435] 19 p0318 A78-35615

Technique of testing silazane coatings --- for solar concentrators
19 p0331 A78-36859

PROTEINS

Energy and protein production from pulp mill wastes
[COO-2983-3] 17 p0157 N78-14952

Energy and protein production from pulp mill wastes
[COO-2983-6] 19 p0428 N78-25617

PROTON IMPACT

Spectral characteristics of photoconverters with nonuniform distribution of defects in the base
19 p0326 A78-36134

PROTON IRRADIATION

Electron and proton degradation of commercially available solar cell/ccverslide components
17 p0015 A78-10938

Photon degradation of electron and proton irradiated silicon solar cells
17 p0015 A78-10940

Radiation tests of SEP solar cells
17 p0138 N78-13548

PROTOTYPES

The Copper Electric Town Car - Recent developments [EVC PAPER 7756]
17 p0086 A78-16934

Program for wind energy utilization in the framework of nonnuclear energy research
18 p0210 A78-28556

Facility for the testing of the TFTR prototype neutral beam injector --- Tokamak Fusion Test Reactor
19 p0357 A78-40049

Prototype solar heating and hot water systems [NASA-CR-150525]
18 p0250 N78-17482

Prototype solar heating and cooling systems, including potable hot water
18 p0263 N78-19601

Prototype solar domestic hot water systems [NASA-CR-150545]
18 p0264 N78-19606

Design data brochure: SIMS prototype system 2 [NASA-CR-150558]
18 p0268 N78-19649

Prototype solar heating and cooling systems [NASA-CR-150570]
18 p0268 N78-19655

Prototype pilot plant operation: Synthane process [COO-0003-8]
18 p0280 N78-21316

Prototype pilot plant operation, synthane process [COO-0003-10]
18 p0280 N78-21317

Development of prototype air/liquid solar collector subsystem
18 p0283 N78-21604

Preliminary design package for prototype solar heating system
19 p0405 N78-24610

PSYCHOLOGICAL FACTORS

Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system [HCP/H2534]
19 p0463 N78-27584

PUBLIC HEALTH

Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants
18 p0166 A78-21349

Health and environmental aspects of energy development [ISS-P-77/2]
19 p0399 N78-23599

Environmental, health, and control aspects of coal conversion, an information overview, volume 1 [ORNL/EIS-94-VOL-1]
19 p0411 N78-24696

Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program [PB-277917]
19 p0433 N78-25678

PUBLIC LAW

Introduction to the ERDA electric and hybrid demonstration project --- provisions of the legislative Act [ERHQ-0008]
18 p0279 N78-21016

PUERTO RICO

Resource assessment of a high potential OTEC site near Puerto Rico --- Ocean Thermal Energy Conversion
19 p0302 A78-33323

PULSE GENERATORS

International Pulsed Power Conference, Texas Tech University, Lubbock, Tex., November 9-11, 1976, Proceedings
17 p0007 A78-10676

Controllable homopolar motor-generator energy storage for application in a fusion power reactor
17 p0007 A78-10680

Development of inductive storage for generation of high voltage pulses
17 p0007 A78-10699

The evolution of pulsed power --- voltage generator fusion reactor applications
17 p0008 A78-10709

Direct conversion of CO2 laser energy to high-voltage electrical energy using a laser-produced plasma
17 p0078 A78-15788

System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak
19 p0351 A78-39921

Pulsed power conversion with inductive storage --- compression for superconducting coil fields
19 p0353 A78-39954

PULSED JET ENGINES

Solar-powered global aerospace transportation [AIAA PAPER 78-689]
19 p0293 A78-32761

PULSED LASERS

Pulsed power systems for the LASL high energy gas laser facility
17 p0007 A78-10691

Stimulated electronic Raman scattering in Cs vapour - A simple tunable laser system for the 2.7 to 3.5 micron region
17 p0064 A78-12440

Design of the power amplifier for the REGEL at LASL --- High Energy Gas Laser Facility
19 p0349 A78-39861

PULSEJET ENGINES

Water pulsejet research --- for quantitative understanding of McHugh cycle [AD-A046533]
17 p0158 N78-15497

PUMPING

Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281]
18 p0166 A78-20788

Rocketdyne's advanced coal slurry pumping program
17 p0133 N78-13266

PUMPS

Implanted energy conversion system [PB-272609/9]
18 p0243 N78-16464

Pump/control system minimum operating cost testing [NASA-CR-150604]
18 p0275 N78-20617

PURIFICATION

Purification and characterization of metallurgical silicon
18 p0219 A78-30191

Solar silicon via the Dow Corning process [NASA-CR-157065]
19 p0406 N78-24637

PURITY

High-purity silicon for solar cell applications
19 p0344 A78-39567

PYRANOMETERS

Solar energy measuring equipment
18 p0201 A78-27869

PYROHELIONMETERS

Solar energy measuring equipment
18 p0201 A78-27869

PYROLYSIS

Pyrolysis of solid wastes for production of gaseous fuels and chemical feedstocks
17 p0035 A78-11131

The Garrett pyrolysis process
17 p0036 A78-11141

The Andco-Torrax process - A slagging pyrolysis solid waste conversion system
17 p0036 A78-11142

Partial oxidation of refuse using the Purox system
17 p0036 A78-11143

Energy recovery from municipal and industrial waste
17 p0037 A78-11146

Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C
17 p0079 A78-15831

Coal pyrolysis at fire-level heat flux
17 p0079 A78-15835

A fluidized bed solar reactor - A thermochemical application
18 p0165 A78-20623

Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis
18 p0173 A78-22822

Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process
18 p0174 A78-22867

Energy from municipal refuse
18 p0182 A78-24763

Energy from wastes - An overview of present technologies and programs
18 p0197 A78-27803

QUALITATIVE ANALYSIS

The nature of pyrolytic oil from municipal solid waste 18 p0157 A78-27806

Fuels from wood waste 18 p0198 A78-27810

Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811

Pyrolysis of subbituminous coal in relation to in-situ coal gasification 18 p0229 A78-31750

Waste pyrolysis - Alternative fuel source 19 p0333 A78-37172

Pyrolysis of 1,2-diphenylethane in the presence of tetralin 19 p0342 A78-39124

Engineering development of a short residence time, coal hydrolysis process 19 p0362 A78-40592

Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal 19 p0363 A78-40593

Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000

Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation 19 p0367 A78-41521

Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography 17 p0119 N78-11207

Pyrolysis of industrial wastes for oil and activated carbon recovery [PB-270961/6] 17 p0147 N78-13967

Hydrogasifier development for the Hydrane process [FE-2518-4] 19 p0415 N78-25244

Optimization of pyrolytic conversion of coal to clean fuel --- computer programs [FE-2253-5] 19 p0427 N78-25609

Solid waste utilization: Pyrolysis [ANL/CES/TE-77-15] 19 p0435 N78-26038

Q

QUALITATIVE ANALYSIS
Evaluation of in situ coal gasification processes on a regional basis [ORNL-5279] 19 p0431 N78-25647

QUALITY
Metering low-quality steam-water flows [UCRL-52271] 18 p0263 N78-19455

QUALITY CONTROL
Engineering estimate of the quality of facets obtained by a deformation method of form giving --- mirrors for solar collectors 18 p0214 A78-28890

Optimum testing period for new thermomechanical equipment 18 p0225 A78-31245

QUARTZ CRYSTALS
Tectonic atlas of uranium potential in crystalline rocks of the eastern US [GJBX-69(77)] 19 p0400 N78-23666

QUENCHING (COOLING)
Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338

R

RADIAL DISTRIBUTION
Ball to separator contact forces in angular contact ball bearings under thrust and radial loads [NASA-CR-2976] 18 p0281 N78-21469

RADIANT COOLING
Radiative cooling of TiO2 white paint 18 p0206 A78-28171

Ionization equilibrium and radiative cooling of a high temperature plasma 18 p0227 A78-31423

RADIANT FLUX DENSITY
An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328

SUBJECT INDEX

Photoelectric radiation-density meter --- for concentrator focal region measurement 18 p0215 A78-28892

RADIANT HEATING
Equalizing an irradiance field on the surface of a receiver 18 p0187 A78-25734

Portable linear-focused solar thermal energy collecting system [NASA-CASE-WFO-13734-1] 17 p0111 N78-10554

RADIATION DAMAGE
New developments in vertical-junction solar cells --- groove structure to promote radiation resistance 17 p0012 A78-10907

Comparative testing of high efficiency silicon solar cells 17 p0014 A78-10937

Electron and proton degradation of commercially available solar cell/coverslide components 17 p0015 A78-10938

Photon degradation of electron and proton irradiated silicon solar cells 17 p0015 A78-10940

Problem of the vulnerability of materials to radiation in relation to atomic and thermonuclear power engineering 18 p0180 A78-24748

Annealing of GaAs solar cells damaged by electron irradiation 18 p0219 A78-30192

Solar Cell High Efficiency and Radiation Damage [NASA-CP-2020] 17 p0136 N78-13527

Ultraviolet damage in solar cell assemblies with various UV filters 17 p0138 N78-13551

RADIATION DISTRIBUTION
A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems 18 p0187 A78-25733

Diffraction analysis for multiple-beam pellet irradiance 19 p0360 A78-40225

Solar energy for use as a source of power 19 p0370 A78-42104

RADIATION DOSAGE
Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California. Volume 2: Radiological health and related standards for nuclear power plants [LBL-5285-VOL-2] 18 p0278 N78-20769

RADIATION EFFECTS
Junction potentials of strongly illuminated n+/p-p+/p+ solar cells 19 p0292 A78-32693

Microchannel plate response to hard X-rays --- for imaging recompression beam fuel pellet implosion 19 p0360 A78-40267

RADIATION HAZARDS
Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349

RADIATION MEASUREMENT
Spectral distribution of global solar radiation at Poona 19 p0370 A78-42106

Radiation measurements for solar energy utilization 19 p0370 A78-42109

RADIATION MEASURING INSTRUMENTS
Solar radiation and energy measurements --- solar cell meter for meteorological monitoring 17 p0009 A78-10732

Solar energy measuring equipment 18 p0201 A78-27869

Photoelectric radiation-density meter --- for concentrator focal region measurement 18 p0215 A78-28892

A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators 19 p0326 A78-36137

RADIATION PRESSURE
Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916

Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 N78-15148

RADIATION SHIELDING

- The use and performance of graphite and metal ISSFCs in tokamak fusion reactors --- Internal Spectral Shifter and Energy Converter shield 18 p0195 A78-27579
- High temperature blankets for the production of synthetic fuels 19 p0359 A78-40093
- Mechanical design and analysis for a EPR first wall/blanket/shield system --- for tokamak Experimental Power Reactor 19 p0359 A78-40095

RADIATION TOLERANCE

- Comparative radiation resistance calculation for graded- and constant-composition n Al/x/Ga/1-x/As-p Al/z/Ga/1-z/As solar cells 19 p0338 A78-38551
- Radiation tests of SEP solar cells 17 p0138 A78-13548

RADIATIVE HEAT TRANSFER

- The emission characteristics of liquid-fuel flames 18 p0222 A78-30496
- Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor 19 p0296 A78-33114
- Radiation heat losses in solar collectors with plastic covers 19 p0316 A78-35362
- Marine thermic energy and the combination of solar, radiative and aeolian energies 19 p0328 A78-36623
- Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations 19 p0331 A78-36860
- Selective paints for solar absorbers 18 p0237 A78-16177
- Conceptual design of a heat pipe radiator [LA-6939-MS] 18 p0273 A78-20471

RADIATIVE TRANSFER

- Surface ignition of coal and other fuel particles in radiative and diffusive environment --- in MHD combustor 18 p0222 A78-30511
- Radiation transfer through specular passages - a simple approximation 19 p0369 A78-42030

RADIATORS

- Properties of a solar cell array with mirrors and radiators [DGLE PAPER 77-011] 18 p0179 A78-24405

RADIO FREQUENCIES

- Coal thickness gauge using BRAS techniques, part 1 --- radiofrequency resonance absorption [NASA-CR-150625] 18 p0273 A78-20573

RADIO FREQUENCY HEATING

- Plasma edge cooling during RF heating 19 p0342 A78-39389
- A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972

RADIO FREQUENCY INTERFERENCE

- Engineering tests for energy storage cars at the Transportation Test Center. Volume 2: Performance power consumption and radio frequency interference tests [PB-269401/6] 17 p0110 A78-10484

RADIO OBSERVATION

- Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016

RADIOACTIVE CONTAMINANTS

- Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349

RADIOACTIVE ISOTOPES

- Heat source component development program [BNM-X-679] 17 p0141 A78-13580
- Prediction of thermoelectric battery power and voltage for a 15 year lifetime NB-75 w (B) battery [GA-A-14718] 19 p0446 A78-26576

RADIOACTIVE WASTES

- Waste management considerations for fusion power reactors 18 p0176 A78-23588
- Tritium systems preliminary design for TMS --- Tokamak Next Step with fuel reprocessing 19 p0346 A78-39798

- An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 1 [NASA-CR-155319] 17 p0128 A78-12823
- An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 2 [NASA-CR-155320] 17 p0128 A78-12824
- An analysis of the technical status of high level radioactive waste and spent fuel management systems [NASA-CR-155313] 18 p0261 A78-18897

RADIOACTIVITY

- Fusion-neutron-induced nuclear recoil emission probabilities 17 p0062 A78-11814

RADIOLYSIS

- Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858

RADIOMETERS

- Solar energy measuring equipment 18 p0201 A78-27869
- Calibration standards and field instruments for the precision measurement of insolation 19 p0312 A78-34517

RAIL TRANSPORTATION

- Means of transport and the energy consumed by them 17 p0067 A78-13421
- The technical evaluation of transport drive systems 17 p0067 A78-13422
- Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131
- Electrifying the Burlington Northern Railroad [EVC PAPER 7780] 17 p0086 A78-16930
- The electric locomotive opportunity in the United States [EVC PAPER 7781] 17 p0086 A78-16933
- The gas turbine as an advantageous propulsion unit for high-performance rail traffic 17 p0096 A78-18713
- Prototype testing of a rotary current train in the Berlin transit system 18 p0194 A78-27171
- Technical alternatives for a maglev system 19 p0292 A78-32653
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 1: Program description and test summary [PB-269400/8] 17 p0109 A78-10483
- Engineering tests for energy storage cars at the Transportation Tests Center. Volume 4: Ride Roughness tests [PB-269403/2] 17 p0110 A78-10486
- Energy use in intercity freight transport and policy implications 18 p0257 A78-18536
- Energy and economic impacts of projected freight transportation improvements 18 p0257 A78-18537
- Outline of the energy-related projects sponsored by the Federal Railroad Administration, DOT 18 p0258 A78-18544
- Measurement and simulation of fuel consumption in rail freight service 18 p0258 A78-18545
- Electrification of railroads problems-potentials-economic impacts 18 p0259 A78-18550

RAMAN SPECTRA

- Stimulated electronic Raman scattering in Cs vapour - a simple tunable laser system for the 2.7 to 3.5 micron region 17 p0064 A78-12440

RANGES (FACILITIES)

- On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles [SAE PAPER 780220] 19 p0307 A78-33379

RANKINE CYCLE

- Current costs of solar powered organic Rankine cycle engines 17 p0104 A78-19826
- Solar cooling --- Book 18 p0167 A78-21699

- Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction 19 p0295 A78-33036
- Steam bottoming plants for combined cycles 19 p0296 A78-33102
- Optimum operating conditions for a cylindrical parabolic focusing collector/Rankine power generation cycle system [SAND-75-6132] 17 p0151 A78-14634
- Piping design considerations in a solar-Rankine power plant --- pipe size 17 p0158 A78-15085
- Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications 18 p0282 A78-21587
- Ocean thermal power plants heat exchangers [ERDA/NSF-A3441/76/1] 19 p0410 A78-24681
- RAPID TRANSIT SYSTEMS**
- Electric levitated inter-city vehicles [EVC PAPER 7782] 17 p0085 A78-16928
- Prototype testing of a rotary current train in the Berlin transit system 18 p0194 A78-27171
- Technical alternatives for a maglev system 19 p0292 A78-32653
- Large buses and the Townobile electric city transit system [SAE PAPER 780293] 19 p0308 A78-33385
- The role of advanced transit in the implementation of the polycentric city concept 19 p0329 A78-36697
- The German research and technology program concerning advanced tracked ground-transportation systems 19 p0329 A78-36700
- Investigations concerning direct-current operated local-traffic vehicles with low reactive effects 19 p0365 A78-40866
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 1: Program description and test summary [PB-269400/8] 17 p0109 A78-10483
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 2: Performance power consumption and radio frequency interference tests [PB-269401/6] 17 p0110 A78-10484
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 3: Noise tests [PB-269402/4] 17 p0110 A78-10485
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 4: Ride Roughness tests [PB-269403/2] 17 p0110 A78-10486
- Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7] 17 p0123 A78-11894
- Investigation of the feasibility of a dual model electric transportation system [LBL-6301] 17 p0157 A78-14954
- Intercity rail energy intensity for passenger movement 18 p0258 A78-18546
- RARE GASES**
- Noble-gas closed-cycle system of magnetohydrodynamic power generation [E-2128-ERDA] 19 p0422 A78-25570
- RATES (PER TIME)**
- Effect of buoyancy on heat transfer rates in a solar collector 19 p0375 A78-42153
- RAY TRACING**
- Optical properties of cylindrical elliptic concentrators 17 p0060 A78-11382
- Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape 17 p0104 A78-19829
- Concentration of the sun's rays using catenary curves 18 p0214 A78-28843
- Design of a non-tracking solar heat concentrator/collector system 19 p0371 A78-42113
- Laser ray trace and bi-directional reflectometry measurements of various solar concentrators [SAND-77-1466C] 19 p0444 A78-26564

REACTION KINETICS

- Biomass as an energy mechanism 17 p0033 A78-11116
- Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C 17 p0079 A78-15831
- Use of solar energy for direct and two-step water decomposition cycles 17 p0080 A78-16048
- Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. 1 - Overview and continuum wave descriptions [WSS/CI PAPER 77-3] 17 p0081 A78-16337
- Method for taking account of the effect of chemical kinetics on the thermodynamic properties of the working fluid in a supersonic MHD generator 18 p0168 A78-22137
- Effect of coal minerals on reaction rates during coal liquefaction 18 p0190 A78-26579
- Kinetics of coal hydrosulfurization in a batch reactor 18 p0191 A78-26584
- Kinetics and solubility of hydrogen in coal liquefaction reactions 18 p0191 A78-26585
- Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons 18 p0193 A78-26818
- Methanol production from organic waste 18 p0198 A78-27812
- Formation and growth of thermal NOx in hydrocarbon combustion 18 p0227 A78-31498
- Chemistry, thermodynamics and kinetics of reactions of sulphur in coal-gas reactions - A review 18 p0229 A78-31749
- Combustion and incineration processes --- Book 19 p0300 A78-33212
- The use of oxygen/water for removal of sulfur from coals 19 p0320 A78-35694
- Hydroconversion of a bituminous coal with CO-H₂O 19 p0342 A78-39125
- A new description of electrochemical kinetics 19 p0343 A78-39459
- Engineering development of a short residence time, coal hydropyrolysis process 19 p0362 A78-40592
- Kinetics of thermal liquefaction of Belle Ayr subbituminous coal 19 p0365 A78-41221
- Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor 19 p0365 A78-41222
- Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223
- Thermochemistry of the reactions of the metals Bb, V, and Mo with the residual gases of a vacuum 19 p0379 A78-42227
- Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen 18 p0247 A78-17166
- Laboratory support for in situ gasification reaction kinetics [ABL/CEM/FE-77-2] 19 p0423 A78-25575
- Mass spectrometric analytical services and research activities to support coal-liquid characterization research [COO-0020-8] 19 p0427 A78-25607
- REACTION TIME**
- Residence time measurements in a coal hydrogenation process 19 p0337 A78-38405
- REACTION WHEELS**
- Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results [AIAA 78-571] 19 p0294 A78-32912
- REACTOR CORES**
- Advantages of iron core in a tokamak 19 p0347 A78-39814

SUBJECT INDEX

REACTOR DESIGN

- A comparison between an air core and an iron core Ohmic Heating system for The Next Step --- tokamak 19 p0358 A78-40065
- Gas core reactors for coal gasification 19 p0451 A78-26669
- REACTOR DESIGN
- Processing the results of experiments on the U-25 unit by means of an informatic measuring system --- MHD generator 17 p0002 A78-10246
- Reactor costs and maintenance, with reference to the Culham Mark II conceptual Tokamak reactor design 17 p0011 A78-10872
- Mirror reactor studies --- fusion and fusion-fission reactors 17 p0011 A78-10874
- Conceptual design problems in future reversed field pinch experiments 17 p0040 A78-11181
- Parameter study of a screw-pinch reactor 17 p0041 A78-11187
- Large Tokamak power supplies - A survey of problems and solutions 17 p0041 A78-11205
- Energy optimization of a cycled Tokamak 17 p0067 A78-17133
- Computer simulation of the periodic electrostatic focusing converter --- controlled fusion reactor design 17 p0095 A78-18392
- Tokamak fusion power reactors 17 p0103 A78-19600
- An expression for beta in linked Min-B configurations --- fusion reactor economic feasibility parameter 18 p0173 A78-22836
- Materials engineering and development for coal fired MHD power generators 18 p0182 A78-25052
- Nuclear Science Symposium, 4th, and Nuclear Power Systems Symposium, 9th, San Francisco, Calif., October 19-21, 1977, Proceedings 18 p0184 A78-25301
- Computer simulation of ion extraction 18 p0188 A78-25947
- Heliotron as a D-D fusion reactor - Preliminary analysis 18 p0220 A78-30226
- Structural and mechanical design of tokamaks [ASME PAPER 77-WA/NE-2] 19 p0299 A78-33186
- TFTR vacuum system --- Tokamak Fusion Test Reactor 19 p0325 A78-36046
- A small tokamak 'Nova II' 19 p0327 A78-36319
- Wall stabilization of axisymmetric modes in noncircular tokamak plasmas 19 p0332 A78-37143
- Aerospace aids fusion power concept 19 p0339 A78-38775
- Advanced lasers for fusion applications 19 p0342 A78-39367
- Design of the TEXT toroidal and poloidal field coils --- Texas fusion plasma research tokamak 19 p0345 A78-39790
- Stress and deflection analysis of the PLT-coil using ANSYS computer code 19 p0346 A78-39792
- Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793
- Impact of confinement physics on reactor design and economics 19 p0346 A78-39794
- An approach to decision modeling for an ignition test reactor --- The Next Step Tokamak design 19 p0346 A78-39797
- Tritium systems preliminary design for TNS --- Tokamak Next Step with fuel reprocessing 19 p0346 A78-39798
- Control system of plasma position and cross-sectional shape in large tokamak device 19 p0346 A78-39800
- Engineering features of ISI-B --- Tokamak reactor design 19 p0347 A78-39802
- TMX - A new facility --- Tandem Mirror Experiment fusion reactor design 19 p0347 A78-39805
- Design of an electrostatic end-plugged plasma-confinement device 19 p0347 A78-39806
- Toroidal field ripple effects in TNS design --- computer simulation model for Tokamak 19 p0347 A78-39810
- Hybrid equilibrium field coils for the ORNL TNS 19 p0347 A78-39812
- Advantages of iron core in a tokamak 19 p0347 A78-39814
- Design related R&D assessment for TNS --- tokamak technology 19 p0349 A78-39877
- Engineering features of an upgradable ignition test reactor 19 p0349 A78-39878
- Magnet conceptual design for a high field tokamak reactor 19 p0349 A78-39884
- The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects --- Joint European Torus reactor design 19 p0349 A78-39887
- System design for the new TMX machine --- Tandem Mirror Experiment 19 p0349 A78-39888
- Design for the magnetic field requirements of the tandem mirror experiment 19 p0349 A78-39889
- Economic analysis of EBT reactor --- Elmo Pumpy Torus 19 p0350 A78-39895
- Computational model for superconducting toroidal-field magnets for a tokamak reactor 19 p0350 A78-39905
- Electrical design of TNS --- Next Step tokamak 19 p0351 A78-39918
- Cryopumping system for TFTR neutral beam injectors 19 p0352 A78-39952
- Design of the ZT-40 power crowbar system --- for toroidal Z pinch current maintenance 19 p0353 A78-39957
- A 40-kV, 26-ms neutral-beam power supply for TMX --- Tandem Mirror Experiment 19 p0353 A78-39964
- TMX heating studies on Petula Tokamak --- Transit Time Magnetic Pumping 19 p0354 A78-39969
- A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972
- The Princeton neutral injection power supply system 19 p0354 A78-39975
- The TFTR neutral beam power system --- Tokamak Fusion Test Reactor 19 p0354 A78-39976
- Poloidal field coil design for a fusion-fission breeder reactor 19 p0354 A78-39977
- A tokamak hybrid blanket design 19 p0355 A78-39982
- Tritium handling trade studies and design options for the GA/ANL TNS --- The Next Step tokamak 19 p0355 A78-39983
- Bundle divertor designs for the ILB advanced fuel tokamaks 19 p0355 A78-39985
- Some design aspects of computer based control systems for pulsed fusion experiments 19 p0355 A78-39991
- Losses in a coil where the multifilamentary composite is subjected to simultaneous orthogonal and parallel induction variations --- superconducting toroidal field magnet in Tokamak 19 p0356 A78-40008
- Fast ramp superconductor for ohmic heating coils --- of Tokamak Next Step reactor 19 p0356 A78-40009
- Superconducting energy storage coils 19 p0356 A78-40010
- Magnetics design for ripple-assisted beam injection into the ISI-B and TFTR tokamaks 19 p0356 A78-40013

Magnetic field computations for ISX using GFUN-3D
--- Impurity Study experiment iron core tokamak
computerized design 19 p0356 A78-40019

Performance of a developmental 120-keV, 10-A
deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027

Thermal-mechanical design of a 150-MW,
direct-current, 400-keV accelerator for
production of 14-MeV neutrons 19 p0357 A78-40032

Mechanical and thermal design of a gas-cooled
fusion blanket module 19 p0357 A78-40040

Blanket structure design for JAFBI Experimental
Fusion Reactor 19 p0357 A78-40041

A computer program for parameter studies of a
neutral injection beam line 19 p0357 A78-40052

PLT OH system operation --- Princeton Large
Torus-Ohmic Heating 19 p0357 A78-40064

A comparison between an air core and an iron core
Ohmic Heating system for The Next Step --- tokamak 19 p0358 A78-40065

Structural analysis of a two-component torus /TCT/
hybrid reactor first wall 19 p0358 A78-40072

TFTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075

Mechanical design and analysis for a EPP first
wall/blanket/shield system --- for tokamak
Experimental Power Reactor 19 p0359 A78-40095

The OMEGA fusion laser system 19 p0359 A78-40221

An automatic alignment system for a multibeam
laser system --- for use in fusion reactors 19 p0359 A78-40222

The Shiva laser - nearing completion 19 p0360 A78-40226

Thermo-nuclear fusion study by glass laser 'Gekko
II' 19 p0362 A78-40384

Comment on 'Heat-pipe reactors for space power
applications' 19 p0364 A78-40826

Divertors for impurity control and review of
impurity effects in PFI tokamaks 19 p0377 A78-42203

Protection of walls from hard disruptions in large
tokamaks 19 p0379 A78-42214

On toroidal divertors for tokamaks 19 p0379 A78-42242

Symbiotic system of a fusion and a fission reactor
with very simple fuel reprocessing 19 p0380 A78-42257

Two-component, multiple-mirror reactor with
depressed ion temperature 19 p0380 A78-42263

Fusion reactor design. II - Report on the Second
IAEA Technical Committee Meeting and Workshop,
Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269

Large closed-cycle gas turbine plant
[GA-14311] 17 p0152 A78-14652

Thermal hydraulic analyses of two fusion reactor
first wall/blanket concepts --- lithium cooled
reactor experiment hydraulic equipment
[CONF-771029-178] 19 p0434 A78-25930

REACTOR MATERIALS

Problem of the vulnerability of materials to
radiation in relation to atomic and
thermonuclear power engineering 18 p0180 A78-24748

Materials requirements for fusion reactors 18 p0182 A78-25051

Materials problems in coal gasification and
liquefaction 18 p0183 A78-25053

The use and performance of graphite and metal
ISSECS in tokamak fusion reactors --- Internal
Spectral Shifter and Energy Converter shield 18 p0195 A78-27579

REACTOR PHYSICS

Shaping and compression experiments in a Tokamak 17 p0011 A78-10778

REACTOR SAFETY

Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors 17 p0038 A78-11167

Loose-parts monitoring: Present status of the
technology, its implementation in US reactors,
and some recommendations for achieving improved
performance [CONF-770902-5] 18 p0282 A78-21483

Report to congress on abnormal occurrences July -
September 1977 [PB-278534] 19 p0412 A78-24923

General-purpose heat source project, space nuclear
safety program, and radioisotopic terrestrial
safety program --- plutonium oxide radioisotopic
power systems [LA-7184-PR] 19 p0467 A78-27898

REACTOR TECHNOLOGY

Pulsed power for fusion 17 p0007 A78-10696

Doublet IIA experiments --- plasma cross sections
in Tokamak fusion reactor 17 p0011 A78-10776

Formation of a high-current
relativistic-electron-beam ring for plasma
confinement 17 p0012 A78-10887

The present status of fusion power 17 p0028 A78-11075

Symposium on Fusion Technology, 9th,
Garmisch-Partenkirchen, West Germany, June
14-18, 1976, Proceedings 17 p0038 A78-11161

The progress and the development program of fusion
technology in Japan 17 p0038 A78-11162

Vacuum pumping for controlled thermonuclear reactors 17 p0038 A78-11163

The UWBK-II study and magnet design 17 p0038 A78-11169

Poloidal field for a 1.7 MA Tokamak - Comparison
between an iron core and an air core transformer 17 p0039 A78-11170

The transformer design for a proposed technical
feasibility Tokamak reactor 17 p0039 A78-11171

Eddy current losses and transient magnetic forces
in pulsed fusion reactors 17 p0039 A78-11172

Analysis of various field programming to produce
the RFP configuration --- Reversed Field Pinch 17 p0039 A78-11174

Studies on design and tests of superconductors for
Tokamaks 17 p0039 A78-11176

A survey of the U.S. magnetic fusion program 17 p0040 A78-11179

Plan and design of ETL TFE-2 experiment ---
toroidal screw pinch technique 17 p0040 A78-11180

The mechanical structure of the Joint European Torus 17 p0040 A78-11182

Design aspects of a large toroidal stabilizing
shell and vacuum liner assembly 17 p0040 A78-11184

The practical feasibility of a bundle divertor for
a Tokamak power reactor 17 p0041 A78-11188

Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191

Plasma stabilization requirements of the Reference
Theta-Pinch Reactor /RTPR/ 17 p0041 A78-11193

Technical limitations on conceptual Tokamak
reactors. II 17 p0041 A78-11194

Time and space resolved temperature measurements
of a limiter in a Tokamak discharge using an
infra red camera 17 p0041 A78-11200

The use of MHD generators in the nuclear energy
field 17 p0072 A78-14130

Status report on controlled thermonuclear fusion 17 p0106 A78-20360

The contemporary state of studies on controlled
thermonuclear fusion --- Soviet plasma research 18 p0166 A78-21350

- Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation
18 p0195 A78-27700
- Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474
- Tokamak reactors --- review
[ASME PAPER 77-WA/NE-3]
19 p0299 A78-33187
- On the trends in nuclear fusion research
18 p0338 A78-38417
- Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volumes 1 & 2
19 p0345 A78-39783
- Purity and gas throughput control for TNS --- The Next Step tokamaks
19 p0348 A78-39822
- Energy storage and transfer system for Experimental Power Reactor
19 p0348 A78-39855
- Design related R&D assessment for TNS --- tokamak technology
19 p0349 A78-39877
- Fusion reactor development scenarios for the laser solenoid concept
19 p0349 A78-39881
- Economics of tokamak power systems
19 p0350 A78-39894
- Design and performance of large cryopumps for high power neutral injectors
19 p0359 A78-40108
- Development of the steam-iron process for hydrogen production
[FE-2435-12]
19 p0416 A78-25254
- Fusion applications of fast discharging homopolar machines
[EPRI-ER-625]
19 p0468 A78-27934
- RECEIVERS**
Tower design considerations for the solar thermal central receiver systems
[SAND-77-8243]
18 p0242 A78-16459
- Central receiver solar thermal power system pilot plant preliminary design report. Volume 3: Collector subsystem
[SAND-1111-8/2]
19 p0422 A78-25565
- RECIRCULATIVE FLUID FLOW**
Solar energy utilization - Liquid flat plate collectors
18 p0200 A78-27856
- RECLAMATION**
Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-1]
19 p0402 A78-24325
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-2]
19 p0402 A78-24326
- Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0]
19 p0451 A78-26657
- Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152]
19 p0455 A78-27482
- RECOMBINATION COEFFICIENT**
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base
19 p0326 A78-36134
- Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas
19 p0369 A78-42015
- RECOMBINATION REACTIONS**
The effects of illumination on the depletion-region recombination currents in Schottky-barrier solar cells
17 p0026 A78-11052
- RECORDING INSTRUMENTS**
Solar radiation and energy measurements --- solar cell meter for meteorological monitoring
17 p0009 A78-10732
- RECOVERABLE LAUNCH VEHICLES**
Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects
[NASA-CR-151672]
18 p0272 A78-20163
- RECREATION**
Solar heating system for recreation building at Scattergood School
[NASA-CR-150553]
18 p0274 A78-20605
- RECTIFICATION**
Candidate locations for SPS rectifying antennas
[NASA-TN-78146]
17 p0138 A78-13553
- RECYCLING**
Comparison of two government reports as to their approaches to recycling
17 p0106 A78-20248
- Energy from municipal refuse
18 p0182 A78-24763
- Pipeline gas from solid wastes by the Syngas recycling process
18 p0197 A78-27805
- European developments in the recovery of energy and materials from municipal solid waste
[PB-270219/9]
17 p0122 A78-11892
- REDUCTION (CHEMISTRY)**
Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations
19 p0335 A78-37862
- Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes
19 p0363 A78-40618
- Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes
19 p0363 A78-40619
- Solar silicon via the Dow Corning process
[NASA-CR-157065]
19 p0406 A78-24637
- REFINING**
Coal-based options for generation of electricity
17 p0028 A78-11071
- Aspects relative to security and environment in the production and use of hydrogen in the new Esso refinery at Antwerp
17 p0101 A78-18854
- An evaluation of control strategies for SO₂ emissions from petroleum refineries
[APCA PAPER 77-43,1]
18 p0184 A78-25380
- The role of solvent in the solvent refined coal process
18 p0190 A78-26577
- A dispersion model for the Solvent Refined Coal process
18 p0230 A78-31871
- Methods and costs of controlling sulfur emissions from a petroleum refinery
19 p0320 A78-35698
- Future refinery capacity needs, construction incentives, and processing configurations
[PB-271099/4]
17 p0124 A78-12244
- Computer model for refinery operations with emphasis on jet fuel production. Volume 2: Data and technical bases
[NASA-CR-135334]
18 p0262 A78-19326
- Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description
[NASA-CR-135333]
18 p0272 A78-20350
- Solvent Refined Coal (SRC) process
[FE-496-138]
19 p0410 A78-24679
- Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation
[NASA-CR-135335]
19 p0414 A78-25235
- Small refiner bias analysis
[HCP/B70258-01]
19 p0416 A78-25253
- Characteristics of solvent refined coal: Dual register burner tests
[EPRI-FP-628]
19 p0437 A78-26232
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for petroleum refinery sulfur recovery plants
[PB-278163/1]
19 p0450 A78-26648
- REFLECTANCE**
Mirrors for solar energy application
17 p0045 A78-11242

- Estimating the deformation process in the formation of the reflecting surface of solar concentrators 18 p0187 A78-25735
- Development of selective solar surfaces 19 p0375 A78-42152
- REFLECTED WAVES**
- Structure of a beam reflected by a heliostat 18 p0214 A78-28888
- REFLECTORS**
- Finite size corrections for a reflector-collector system 17 p0043 A78-11227
- Fixed mirror/distributed focus solar thermal electric power systems development 17 p0053 A78-11331
- On the design of flat reflector - collector combinations 17 p0060 A78-11385
- Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape 17 p0104 A78-42129
- The circular cylindrical reflector - Application to a shallow solar pond electricity generating system 17 p0105 A78-19833
- Solar energy reflector using metallised polystyrene 19 p0371 A78-42110
- Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface 19 p0371 A78-42114
- REFRACTIVITY**
- All-dielectric compound parabolic concentrator 17 p0001 A78-10152
- Improvements in the design of solar selective thin film absorbers 18 p0168 A78-22018
- REFRACTORIES**
- Impact of alternate fuels on refractories and refractory insulations [ORNL-TM-5895-ADD] 19 p0436 N78-26226
- REFRACTORY MATERIALS**
- MHD electrode-insulator micro- and macro-structure 17 p0088 A78-17464
- High-temperature ceramics for automobile gas turbines [DGLR PAPER 77-073] 17 p0096 A78-18708
- The use and performance of graphite and metal ISSPCs in tokamak fusion reactors --- Internal Spectral Shifter and Energy Converter shield 18 p0195 A78-27579
- High-temperature materials for MHD generators --- Russian book 19 p0328 A78-36551
- Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563
- Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 A78-36566
- Study of the behavior of periclase materials in gas flows containing alkali additions --- for MHD channel linings 19 p0328 A78-36578
- High temperature blankets for the production of synthetic fuels 19 p0359 A78-40093
- A survey of the use of ceramics in battery and fuel cell applications [AD-A044888] 17 p0126 N78-12534
- Materials technology assessment for stirling engines [NASA-TM-73789] 18 p0247 N78-17187
- Compatibility studies of various refractory materials in contact with molten silicon [NASA-CR-156181] 19 p0387 N78-22184
- Study of heat transfer through refractory lined gasifier vessel walls [FE-2210-20] 19 p0417 N78-25376
- REFRACTORY METALS**
- High temperature materials for space power systems 18 p0218 A78-29954
- Thermochemistry of the reactions of the metals Nb, V, and Mo with the residual gases of a vacuum 19 p0379 A78-42227
- Economic impact of using refractory metals for fusion reactors, phase 1 [COO-4247-1] 19 p0435 N78-25939
- REFRIGERATING**
- Key-note address - Solar energy research and development 19 p0370 A78-42102
- REFRIGERATING MACHINERY**
- Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution 17 p0064 A78-12394
- Solar powered vapor-compressive refrigeration system using ejector as the thermal compressors 17 p0096 A78-18681
- Solar cooling --- Book 18 p0167 A78-21699
- Experience in operating a solar absorption cooling plant with open solution regenerator 19 p0332 A78-36871
- The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils 19 p0352 A78-39936
- REFRIGERATORS**
- An absorption solar refrigerator having periodic operation 18 p0187 A78-25739
- Refrigeration and air conditioning --- by solar energy 18 p0201 A78-27866
- A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 N78-11154
- REGENERATION (ENGINEERING)**
- The efficiency improvement of electric vehicles by regenerative braking [SAE PAPER 780291] 19 p0307 A78-33383
- Regenerative process for desulfurization of high temperature combustion and fuel gases [BNL-50706] 19 p0427 N78-25610
- REGENERATIVE COOLING**
- Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 N78-13555
- REGENERATIVE FUEL CELLS**
- An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412
- Conversion of solar energy into electricity 18 p0201 A78-27864
- Summary of the metal-air fuel cell research program [UCID-17591] 19 p0446 N78-26580
- REGENERATORS**
- Gas turbines. Part 2 - Aerodynamic processes, regenerators, combustion chambers, and construction /2nd revised and enlarged edition/ --- Russian book 18 p0219 A78-30200
- Vehicular gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486
- Examination of Stirling engine regenerator screens [GHR-2690-SECT-3.105] 19 p0439 N78-26289
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 6: Regenerators [GHR-2690-PT-6] 19 p0439 N78-26318
- Stirling thermal engine regenerator cost reduction program outline [GHR-2690-SECT-6.001] 19 p0439 N78-26319
- Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GHR-2690-SECT-6.002] 19 p0439 N78-26320
- Stirling engine regenerator performance analysis [GHR-2690-SECT-6.003] 19 p0439 N78-26321
- Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status [GHR-2690-SECT-6.004] 19 p0439 N78-26322
- Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C stirling engine regenerators [GHR-2690-SECT-6.005] 19 p0439 N78-26323
- Stirling thermal engine regenerator cost reduction program. Report 4: MET NET fluid friction heat transfer test results, engine test for four regeneration materials [GHR-2690-SECT-6.006] 19 p0440 N78-26324

REGIONAL PLANNING

Energy-politics alternatives for the urban region of Munich until 1985

17 p0093 A78-17950

The role of advanced transit in the implementation of the polycentric city concept

19 p0329 A78-36697

Conference proceedings: A critical economic balance: Water, land, energy, people

[PB-274089/2] 18 p0253 N78-17944

Energy conservation policy - opportunities and associated impacts. Study module 1-A. Volume 1, summary report

[PB-274337/5] 18 p0269 N78-19661

Energy contingency planning

[PB-275371/3] 18 p0276 N78-20626

Energy supply and environmental impacts:

Conventional energy sources 18 p0289 N78-21669

Colorado energy impact assistance plan

[PB-276587/3] 19 p0390 N78-22483

Geothermal potential of the west Boise area

[TRFE-1162] 19 p0455 N78-27497

Effects of environmental protection regulation on regional economic development

[PB-278918/8] 19 p0468 N78-28015

REGIONS

Evaluation of in situ coal gasification processes on a regional basis

[ORNL-5279] 19 p0431 N78-25647

REGULATIONS

Guidelines for forecasting energy demand

[IA-1327] 17 p0114 N78-10582

Federal energy conservation programs, a state perspective

[PB-271283/4] 17 p0144 N78-13614

Enhanced oil recovery: The impact of policy options

[PB-276763/0] 19 p0388 N78-22451

Effects of environmental protection regulation on regional economic development

[PB-278918/8] 19 p0468 N78-28015

REGULATORS

The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts

18 p0171 A78-22248

REINFORCED PLASTICS

Fiber-composite systems for energy-storage flywheels

17 p0085 A78-16901

REINFORCING FIBERS

Fiber-composite systems for energy-storage flywheels

17 p0085 A78-16901

RELATIVISTIC PARTICLES

Formation of a high-current relativistic-electron-beam ring for plasma confinement

17 p0012 A78-10887

RELATIVISTIC PLASMAS

Application of homopolar generators for high voltage plasma experiments

19 p0348 A78-39848

Reversed-field configuration generated by a rotating relativistic electron beam

19 p0382 A78-42492

RELIABILITY ANALYSIS

Aspects of safety and reliability of superconducting magnet systems for fusion power reactors

17 p0038 A78-11167

Annual Canadian Symposium on Reliability Engineering, 4th, Ottawa, Canada, October 13, 14, 1977, Proceedings

18 p0217 A78-29476

Structural and mechanical design of tokamaks

[ASME PAPER 77-WA/NE-2] 19 p0259 A78-33186

Power plant performance --- comparison of coal and nuclear fueled

19 p0321 A78-35753

High energy density, long life energy storage capacitor dielectric system

19 p0359 A78-40099

Baseload reliability in a combustion turbine

19 p0385 A78-43101

Investigation of methods to improve heat pump performance and reliability in a northern climate. Volume 3: Appendices B, C, D

[EPRI-EH-319-VOL-3-APP-B] 17 p0139 N78-13565

RELIABILITY ENGINEERING

Annual Canadian Symposium on Reliability Engineering, 4th, Ottawa, Canada, October 13, 14, 1977, Proceedings

18 p0217 A78-29476

Modular approach for emergency and stand-by electric power in Northern Canada

19 p0337 A78-38402

Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system

19 p0350 A78-39897

Potential damage to dc superconducting magnets due to high frequency electromagnetic waves

19 p0350 A78-39902

PII OH system operation --- Princeton Large Torus-Omic Heating

19 p0357 A78-40064

REMOTE HANDLING

Some opportunities in teleoperated mining

18 p0222 A78-30507

REMOTE REGIONS

Insolation and wind - A natural combination for self-sufficient power systems

17 p0022 A78-11017

REMOTE SENSORS

Instrumental sensing of stationary source emissions --- sulphur dioxide remote sensing for coal-burning power plants

17 p0001 A78-10056

Remote sensing - A burgeoning science --- Canadian programs

17 p0063 A78-12214

Applications of Seasat to the offshore oil, gas and mining industries

[AIAA 77-1583] 17 p0069 A78-13666

Future onshore and offshore exploration by remote sensing from space

[AIAA 77-1550] 17 p0069 A78-13681

Industrial use of geological remote sensing from space

17 p0075 A78-14787

Energy and remote sensing --- satellite exploration, monitoring, siting

17 p0075 A78-14805

Remote sensing of earth resources. Volume 5 - Annual Remote Sensing of Earth Resources

Conference, 5th, Tallahassee, Tenn., March 29-31, 1976, Technical Papers

18 p0198 A78-27823

Remote-sensing methods for monitoring surface coal mining in the northern Great Plains

18 p0206 A78-28247

The detection of hydrocarbon sheets on the sea

18 p0209 A78-28395

Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River

19 p0313 A78-34905

Remote leak detection for the TFTR --- Tokamak Fusion Test Reactor

19 p0352 A78-39939

Instrumentation for in situ coal gasification. I - Background and overview

19 p0367 A78-41522

Highlights of the LLL Hoe Creek No. 2 underground coal gasification experiment

19 p0367 A78-41524

Energy and remote sensing

17 p0149 N78-14497

Application of remote sensing to geothermal anomaly mapping in the Caldas Novas County, Goias

[INPE-1129-TPT/070] 17 p0149 N78-14610

Remote sensing applications in hydro-geothermal exploration of the northern basin and range province

18 p0238 N78-16405

Photovoltaic remote instrument applications:

Assessment of the near-term market

[NASA-TN-73881] 18 p0271 N78-19710

Subsystem design package for Mod 2 site data acquisition system: Solar heating and cooling

[NASA-CR-150588] 18 p0274 N78-20609

REPLACING

Oil and gas replacement cost: Development and production. Volume 2: Exhibits

[TID-28043/2] 19 p0418 N78-25515

REPORTS

Bibliography of earth science reports for 1976

[UCID-17476-76] 17 p0149 N78-14451

RESEARCH

SUBJECT INDEX

- Solar irrigation program
[SAND-77-0380] 17 p0161 N78-15582
- Central receiver solar thermal power system, phase 1
[SAND-1110-76/3] 17 p0161 N78-15583
- Gas generator research and development: Bi-gas
process
[FE-1207-29] 18 p0241 N78-16447
- Preliminary system analysis of a fixed mirror
solar power central station
[EPRI-EE-434(6-77)] 18 p0241 N78-16452
- Industrial applications of solar energy
[SAND-1132-1] 18 p0242 N78-16457
- Silicon photovoltaic cells in thermophotovoltaic
conversion
[EPRI-EE-478] 18 p0242 N78-16460
- Engineering analysis and testing of water-trickle
solar collectors
[ORO-4927-77/1] 18 p0242 N78-16461
- Prototype solar heating and hot water systems
[NASA-CR-150525] 18 p0250 N78-17482
- RESEARCH**
RANN: Research Applied to National Needs. Wind
Energy Conversion Research
[PB-271942/5] 18 p0270 N78-19677
- RESEARCH AND DEVELOPMENT**
Fusion research in the European Community
17 p0001 A78-10102
- Power from the oceans' thermal gradients
17 p0006 A78-10652
- National program for MHD power generation
17 p0010 A78-10745
- Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
- The current status of the U.S. photovoltaic
conversion program
17 p0020 A78-10998
- Status of the ERDA photovoltaic material and
device studies
17 p0020 A78-10999
- Terrestrial solar cell R & D in the UK
17 p0020 A78-11003
- DOD/ERDA terrestrial photovoltaic systems
demonstration program
17 p0022 A78-11016
- Energy development III
17 p0028 A78-11069
- Corporate research and development in alternate
energy
17 p0028 A78-11072
- The present status of fusion power
17 p0028 A78-11075
- The progress and the development program of fusion
technology in Japan
17 p0038 A78-11162
- Review of overseas solar technologies relative to
international cooperation
17 p0058 A78-11367
- U.S. energy conversion research needs
17 p0069 A78-13624
- Investigation of wind energy --- technical
concepts and research problems
17 p0072 A78-14102
- ERDA's Solar Energy Research and Development Program
18 p0180 A78-24753
- Status and prospects for continued progress in
magnetic fusion energy research and development
18 p0181 A78-24756
- Design of superconducting magnets for full scale
MHD generators
18 p0183 A78-25108
- Oil shale - Its time has come
18 p0196 A78-27784
- The Syncrude Project and the future of heavy oil
development
18 p0196 A78-27785
- Directions for research --- for space
manufacturing colonization and scientific research
18 p0203 A78-27930
- Solar progress Down Under --- solar energy
research in Australia
18 p0206 A78-28199
- Solar energy research in the European Economic
Community
18 p0212 A78-28578
- Harnessing the wind --- review of wind turbine
machines
18 p0216 A78-29222
- Industrialization of space - Myth or the reality
of tomorrow
18 p0218 A78-29660
- A view of the government's role in energy research
and development for the civilian sector
18 p0220 A78-30275
- Energy and environment /64th Thomas Hawksley
Lecture/ --- overall optimization concept of
energy sources diversification
[ONERA, TP NO. 1978-20] 18 p0224 A78-31123
- Political and economic justification for immediate
realization of a syn fuels industry
19 p0310 A78-34225
- The German research and technology program
concerning advanced tracked
ground-transportation systems
19 p0329 A78-36700
- Design related RD&D assessment for TBS --- tokamak
technology
19 p0349 A78-39877
- Experimental work on oil shale at Lawrence
Livermore Laboratory and predictions of
retorting characteristics of oil shales
19 p0367 A78-41518
- Key-note address - Solar energy research and
development
19 p0370 A78-42102
- Unrealities in the energy R & D program
19 p0385 A78-43276
- Integrated environmental analysis and the
development of new energy technologies
[BNL-22676] 17 p0117 N78-10614
- Baseline gas turbine development program
[COO-2749-16] 17 p0120 N78-11405
- Scenarios for chemical technology --- forecasts
for the year 2000
[BHFT-PB-T-77-01] 17 p0123 N78-11897
- Translations on eastern Europe: Scientific
affairs, no. 566
[JPRS-70283] 17 p0147 N78-13849
- Survey of research and development activities in
the Netherlands on heat pumps for residential
heating
[CRI-76-09497] 17 p0156 N78-14684
- Western energy resources and the environment:
Geothermal energy
[PB-271561/3] 17 p0156 N78-14687
- Heat pipe development
[NASA-CR-156669] 18 p0238 N78-16327
- Gas generator research and development: Bi-gas
process
[FE-1207-29] 18 p0241 N78-16447
- Bibliography of Lewis Research Center technical
contributions announced in 1976
[NASA-TN-73860] 18 p0252 N78-17921
- The quality of NOAA's ocean research and
development program: An evaluation
[PB-277095/6] 18 p0290 N78-21980
- Characterization of substances in products,
effluents and wastes from synthetic fuel
development processes
[BNWL-2224] 19 p0410 N78-24683
- Superconducting power transmission line materials
research and conductor development
[SAND-0326-1] 19 p0416 N78-25342
- Development and coordination of a program of
energy-related oceanographic research and the
continental shelves of the Gulf of Mexico
[ORO-5017-3] 19 p0434 N78-25742
- A collection of Stirling engine reports from
General Motors' research, 1958 to 1970. Part 6:
Regenerators
[GMR-2690-PT-6] 19 p0439 N78-26318
- Tribology: Research and development needs in
advanced energy technology
[BEDL-SA-1191-BEV] 19 p0442 N78-26450
- Advanced fuel cell development
[ANL-77-79] 19 p0445 N78-26571
- Applied science and research applications, recent
research reports, February 1978
[PB-278530/1] 19 p0452 N78-26986
- RESEARCH FACILITIES**
Master control and data system for the SNV solar
thermal test facility
[SAND-78-0205C] 19 p0460 N78-27562
- Environmental monitoring at major US Energy
Research and Development Administration
contractor sites: Calendar year, 1976, volume 1
[ERDA-77-104/1-VOL-1] 19 p0466 N78-27635

SUBJECT INDEX

RESOURCE ALLOCATION

Environmental monitoring at major US Energy
Research and Development Administration
contractor sites: Calendar year 1976, volume 2
[ERDA-77-104/2-VOL-2] 19 p0466 N78-27636
Facilitating data interchange with ERDA
[BNL-22595] 19 p0468 N78-27988

RESEARCH MANAGEMENT
Unrealities in the energy R & D program
19 p0385 A78-43276
Energy management as a scientific discipline
17 p0111 N78-10558
Preliminary assessment for designing experiments
using federal innovation processes
[PB-270089/6] 17 p0122 N78-11863
Energy conservation R and D objectives workshop.
Volume 1: Working papers
[CONR-770305-PI-1] 17 p0139 N78-13568
Solar irrigation program plan, revision
[SAND-77-0730-REV] 17 p0151 N78-14642
The quality of NOAA's ocean research and
development program: An evaluation
[PB-277095/6] 18 p0290 N78-21980
Petroleum industry involvement in alternative
sources of energy
[GPO-93-800] 19 p0408 N78-24661
Alternative fuels utilization program
[UCID-17645] 19 p0414 N78-25241
Report on ERDA workshop with southeastern states
and cities on improving coordination in energy
R&D and D especially for solar programs
[TID-27778] 19 p0423 N78-25571
An agenda for technology assessment in the
materials field. Volume 1: Principal findings
--- energy technology requirements and impact
[PB-278639/0] 19 p0453 N78-27009
An agenda for technology assessment in the
materials field. Volume 2: Appendices ---
energy technology requirements and impact
[PB-278640/8] 19 p0453 N78-27010

RESEARCH PROJECTS
The microprocessor controlled and instrumented
solar energy project
17 p0091 A78-17556
Chemistry of thermochemical cycles from United
States hydrogen programme - Thermochemical
hydrogen production: Chemistry and
thermochemical efficiency --- for hydrogen
production
17 p0100 A78-18849
The Netherlands National Research Programme on
Wind Energy
18 p0209 A78-28553
Utilities put the sun to work
18 p0223 A78-30744
The JET Project - Technical developments, status
of the manufacturing work in industry,
administrative and managerial aspects --- Joint
European torus reactor design
19 p0349 A78-39887
Progress report from Central Electronics Ltd., Delhi
--- solar cell research projects
19 p0370 A78-42103
Progress in the utilization of solar energy in Chile
19 p0370 A78-42105
Research and Product Development programme in the
area of solar thermal energy
19 p0370 A78-42108
Program Research and Development Announcement
(PRDA). Solar collector materials and fluids
for solar heating and cooling applications
[PRDA-EG-77-D-29-0003] 17 p0151 N78-14643
ERDA funding in transportation energy conservation
area and research plans
18 p0259 N78-18553
ERDA/NASA advanced thermionic technology program
[NASA-CR-157117] 19 p0409 N78-24674
Studies of advanced transport aircraft
[NASA-TN-78697] 19 p0413 N78-25047
Federally sponsored energy research in the
northern Great Plains, North Dakota, fiscal year
1976
[PB-278132/6] 19 p0465 N78-27607

RESERVES
Net energy effects and resource depletion: An
all-oil economy
[COO-2865-6] 17 p0142 N78-13592
Other storage reserve report
[PB-273474/7] 18 p0260 N78-18564

RESERVOIRS
The effect of dike intrusion on free convection in
conduction-dominated geothermal reservoirs
19 p0369 A78-42080
Research on the physical properties of geothermal
reservoir rocks. Summary report on collection
of samples of volcanic rocks for petrophysical
studies
[COO-2908-1] 17 p0141 N78-13584
Results of reservoir evaluation tests, 1976 East
Mesa Geothermal Field, California
[LBL-6369] 18 p0286 N78-21631

RESIDENTIAL AREAS
Solar-electric residential system tests
17 p0010 A78-10741
A solar panel for residential use
17 p0043 A78-11223
A microprocessor-based control system for solar
heated/cooled residential dwellings
18 p0176 A78-23896
Application of solar energy to schools and
residences
18 p0181 A78-24759
Solar design and installation experience ---
pyramidal optics for use in residential buildings
18 p0181 A78-24761
Building rights, apartment- and
residence-designing in the light of solar energy
utilization
18 p0214 A78-28594
Residential energy demand analysis: Data and
methodology
[BNL-21920] 17 p0140 N78-13573
Environmental issues associated with solar heating
and cooling of residential dwellings
[SAND-77-0172] 17 p0161 N78-15581
Land use configurations and the utilization of
distributed energy technology
[UCRL-13773] 19 p0418 N78-25512
Interaction of land-use patterns and residential
energy conservation
[TID-28058] 19 p0418 N78-25513
Application analysis of solar total energy to the
residential sector
[TID-28103] 19 p0429 N78-25624
Dynamic models of house heating based on
equivalent thermal parameters
19 p0456 N78-27517
Stirling total energy systems study
[HCP/T2947-1] 19 p0461 N78-27570
Potential energy savings in commercial/residential
communities based on integrated systems design
[CONR-771120-21] 19 p0464 N78-27592

RESIDUAL GAS
Thermochemistry of the reactions of the metals Nb,
V, and Mo with the residual gases of a vacuum
19 p0379 A78-42227

RESIDUES
A study of the formation of unpumpable residues of
crude oil on tankers for the purpose of
preventing marine pollution
17 p0093 A78-18050
A petrographic classification of solid residues
derived from the hydrogenation of bituminous coals
18 p0192 A78-26592

RESISTANCE HEATING
A comparison between an air core and an iron core
Ohmic heating system for The Next Step --- tokamak
19 p0358 A78-40065

RESONANT FREQUENCIES
Proposed high-power microwave source using a
superconducting cavity as an energy storage
[IPFS-T-30] 18 p0240 N78-16436

RESONANT VIBRATION
Aeroelasticity problems in wind energy converters
18 p0210 A78-28562

RESOURCE ALLOCATION
Economic load distribution in the hybrid
hydrothermal power system
17 p0092 A78-17949
Regimes for the ocean, outer space, and weather
--- Book
18 p0189 A78-26399
Allocation of petroleum feedstocks to synthetic
natural gas plants
[PB-273098/4] 18 p0251 N78-17490

RESOURCES

The energy question: A case study in major public policy development in a quasi-free enterprise society

18 p0274 N78-20599

Data bank for the geographical allocation of future US energy supply facilities by county [BRL-50754]

19 p0463 N78-27590

RESOURCES

Rocky Mountain energy resource development:

Status, potential, and socioeconomic issues

[PB-269969/2] 17 p0126 N78-12533

Consensus forecast of US energy supply and demand

to the year 2000

[ORNL/TM-5369]

17 p0140 N78-13576

Heat transfer effects in forced geohat recovery systems

19 p0395 N78-23554

RESOURCES MANAGEMENT

Energy crisis: An evaluation of our resource

potential; Proceedings of the Third Annual

UMR-NEC Conference on Energy, University of

Missouri-Rolla, Rolla, Mo., October 12-14, 1976

17 p0030 A78-11089

Devonian - Ohio Shale productive potential

17 p0030 A78-11090

Solar shade control --- legislation to assure direct solar radiation availability

17 p0057 A78-11358

Energy and remote sensing --- satellite

exploration, monitoring, siting

17 p0075 A78-14805

Fuels and energy from renewable resources;

Proceedings of the Symposium, Chicago, Ill.,

August 29-September 2, 1977

17 p0107 A78-20524

Regimes for the ocean, outer space, and weather

--- Book

18 p0189 A78-26399

Remote sensing of earth resources. Volume 5 -

Annual Remote Sensing of Earth Resources

Conference, 5th, Tallahoma, Tenn., March 29-31,

1976, Technical Papers

18 p0198 A78-27823

The role of nuclear energy in the more efficient

exploitation of fossil fuel resources

19 p0311 A78-34399

Development of a solar-power cadaster

19 p0331 A78-36862

World sources of energy and new energy resource

development in Iran

17 p0111 N78-10553

Use of brackish ground water resources for

regional energy center development, Tularosa

Basin, New Mexico: Preliminary evaluation

[PB-269898/3] 17 p0116 N78-10602

Hot dry rock geothermal energy: Status of

exploration and assessment. Report no. 1: Of

the hot dry rock assessment panel

[ERDA-77-74]

18 p0270 N78-19671

Applications of remote sensing in resource

management in Nebraska

[E78-10099] 18 p0273 N78-20567

Coal energy and the environment: Analysis of

economic and energy efficiency implications of

environmental and resource constraints on the

utilization of coal to produce electricity

18 p0274 N78-20600

Distributed technologies in California's energy

future, volume 1

[LBL-6831-VOL-1] 18 p0285 N78-21623

Alaska natural resource issues

[GPO-95-110] 19 p0404 N78-24601

Hydrogeochemical and stream-sediment survey of the

National Resource Evaluation (NRE) program:

Western United States

[UCID-16911-77-2] 19 p0434 N78-25722

Energy and Resource Planning Group

[UCRL-50029-77] 19 p0448 N78-26611

RETROFITTING

Retrofit precipitators meet rigid new standards

--- sulfur coal combustion

18 p0189 A78-26475

Commercial space: Policy analysis of

profitability of retrofit for energy conservation

[PB-269189/7] 17 p0115 N78-10591

Evaluation of the plan to conserve energy in

federal buildings through retrofit programs

[PB-275311/9] 18 p0276 N78-20627

SUBJECT INDEX

REUSABLE LAUNCH VEHICLES

Advanced launch vehicle systems and technology

18 p0225 A78-31175

REVIEWING

Review of air quality modeling techniques. Volume

8: health and safety impacts of nuclear,

geothermal, and fossil-fuel electric generation

in California

[LBL-5998] 17 p0117 N78-10615

RHEOLOGY

Investigations of the effects of shear degradation

on the rheological behavior of ultra-high

molecular weight water soluble polymers as

applied to enhance oil recovery

18 p0237 N78-16171

RIBBONS

Laser-zone growth in a Ribbon-To-Ribbon, RTR,

process silicon sheet growth development for the

large area silicon sheet task of the low cost

silicon solar array project

[NASA-CR-155586] 18 p0240 N78-16437

RIDING QUALITY

Engineering tests for energy storage cars at the

Transportation Test Center. Volume 1: Program

description and test summary

[PB-269400/8] 17 p0109 N78-10483

Engineering tests for energy storage cars at the

Transportation Tests Center. Volume 4: Ride

Roughness tests

[PB-269403/2] 17 p0110 N78-10486

RING CURRENTS

Formation of a high-current

relativistic-electron-beam ring for plasma

confinement

17 p0012 A78-10887

RINGS

Thermal surveillance of active volcanoes using the

LANDSAT-1 data collection system. Part 4:

Lassen volcanic region

[E78-10123] 19 p0394 N78-23499

RIVERS

The application of LANDSAT-1 imagery for

monitoring strip mines in the new river

watershed in northeast Tennessee, part 2

[E78-10032] 17 p0125 N78-12506

ROCKET ENGINES

Extended performance solar electric propulsion

thrust system study. Volume 4: Thruster

technology evaluation

[NASA-CR-135281-VOL-4] 18 p0237 N78-16090

ROCKS

A numerical simulation of heat transfer in rock beds

17 p0050 A78-11305

Rock properties for thermal energy storage systems

in the 0 to 500 C range

17 p0051 A78-11308

Inexpensive solar collectors for agricultural

requirements

17 p0105 A78-19837

Parametric study of rock pile thermal storage for

solar heating and cooling phase 1

[NASA-CR-155336] 17 p0138 N78-13552

Heat extraction from hot, dry rock masses

[PB-271411/1] 17 p0139 N78-13560

Geological and geothermal data use investigations

for application explorer mission-A: Heat

capacity mapping mission

[E78-10092] 18 p0263 N78-19570

LL gas stimulation program

[UCRL-50036-77-3] 19 p0445 N78-26575

ROCKY MOUNTAINS (NORTH AMERICA)

Rocky Mountain energy resource development:

Status, potential, and socioeconomic issues

[PB-269969/2] 17 p0126 N78-12533

ROLL FORMING

Experiments to evaluate high-temperature rolling

as a low-cost process for silicon solar cells

17 p0014 A78-10928

ROOM TEMPERATURE

A procedure for comparing the economy of different

electrical space heating systems

17 p0068 A78-13451

Lightweight thermal storage for solar heated

buildings

17 p0083 A78-16832

ROTATING BODIES

Augmenting the condenser heat transfer performance

of rotating heat pipes

[AIAA 78-409] 19 p0318 A78-35597

SUBJECT INDEX

SAFETY MANAGEMENT

High pressure rotary piston coal feeder
17 p0133 A78-13261

High pressure rotary piston coal feeder
[MERC/SP-77/6] 19 p0417 A78-25443

ROTATING CYLINDERS

Lift on a rotating porous cylinder --- with
application to wind power generation 18 p0167 A78-21633

Madaras Rotor Power Plant --- windpowered generator
19 p0361 A78-40367

ROTATING ELECTRICAL MACHINES

S.C. magnet design for 10 MJ homopolar machine ---
as energy storage device for fusion experiments 19 p0348 A78-39840

ROTATING GENERATORS

Evaluation of the feedback in MHD conduction
machines 18 p0167 A78-21397

Kine-Pak: A self-contained, electrical power
generator system --- using a helical spring to
rotate a rotor and generate electric current
[NASA-CASE-LAR-11551-1] 19 p0389 A78-22468

Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] 19 p0389 A78-22469

ROTATING PLASMAS

Study of a collisional plasma rotating between two
cylinders 19 p0293 A78-32718

Production of fusion energy by vortex structure
compression 19 p0338 A78-38419

Reversed-field configuration generated by a
rotating relativistic electron beam 19 p0382 A78-42492

ROTOR AERODYNAMICS

A low cost windmill rotor 18 p0170 A78-22242

Performance of counter- and corotating arrays of
Savonius turbines --- windpowered machines 18 p0188 A78-26113

Mode of operation and characteristics of Darrieus
rotors 18 p0210 A78-28560

Measurement program of the Dutch experimental
vertical-axis wind turbine 18 p0210 A78-28561

Aeroelasticity problems in wind energy converters
18 p0210 A78-28562

Novel wind turbine: Invention of a Viennese
engineer - 'Fan principle' yields severalfold
the current effective power 18 p0211 A78-28566

Giant wind turbines 19 p0340 A78-38814

Aerodynamic augmentation of wind turbines
19 p0361 A78-40366

Calculation of the geometry and performance of a
high-speed wind rotor 19 p0382 A78-42419

Secondary parameters affecting the performance of
resistance-type vertical-axis wind rotors 19 p0382 A78-42420

ROTOR BLADES

Design parameters affecting the performance of
resistance-type, vertical-axis windrotors - An
experimental investigation 17 p0054 A78-18093

Criteria for the manufacture and operation of wind
power installations with power up to 10 kW 18 p0212 A78-28573

Cost-effective concept for utilization of wind
energy - Results based on experience with the
Sylt double rotor 18 p0212 A78-28574

ROTOR BLADES (TURBOMACHINERY)

Mode of operation and characteristics of Darrieus
rotors 18 p0210 A78-28560

Measurement program of the Dutch experimental
vertical-axis wind turbine 18 p0210 A78-28561

Recent developments in wind turbines 18 p0210 A78-28563

Twind wind mill --- blade and tower design 18 p0211 A78-28570

Blade twist, droop snoot, and forward spars --- in
windmill blades 18 p0234 A78-32421

Calculation of the geometry and performance of a
high-speed wind rotor 19 p0382 A78-42419

Secondary parameters affecting the performance of
resistance-type vertical-axis wind rotors 19 p0382 A78-42420

Wind turbine generator rotor blade concepts with
low cost potential 18 p0249 A78-17466

[NASA-TN-73835] 18 p0267 A78-19635

Fatigue load spectra for upwind and downwind rotors
Effects of rotor location, coning, and tilt on
critical loads in large wind turbines 18 p0267 A78-19636

Comparison of blade loads of fixed and free yawing
wind turbine 18 p0267 A78-19637

Fixed pitch wind turbines 18 p0267 A78-19638

Research of low cost wind generator rotors
18 p0267 A78-19639

ROTOR SPEED

Possibilities for demand-oriented delivery of wind
energy 18 p0211 A78-28565

ROTOES

Toroidal accelerator rotor platforms for wind
energy conversion 18 p0235 A78-32505

Madaras Rotor Power Plant --- windpowered generator
19 p0361 A78-40367

Wind tunnel performance data for two- and
three-bucket Savonius rotors 19 p0364 A78-40822

ROMANIA

Translations on eastern Europe: Scientific
affairs, no. 566 17 p0147 A78-13849

[JPRS-70283]

RURAL AREAS

Technical and socio-economic aspects of solar
energy and rural development in developing
countries 17 p0083 A78-16829

Solar energy for village development 18 p0176 A78-23564

Simple solar technology for applications in rural
areas 18 p0221 A78-30321

Meteorological aspects of local and urban air
pollution with special consideration of energy
production and consumption 19 p0418 A78-25484

RURAL LAND USE

Energy policy and strategy for rural development,
part 1 19 p0397 A78-23569

[GPO-94-275]

Energy policy and strategy for rural development,
part 2 19 p0397 A78-23570

[GPO-97-394]

S

SAFETY FACTORS

Environmental and safety implications of solar
technologies 17 p0057 A78-11360

Environmental and energy considerations for
electric vehicles in urban use 17 p0086 A78-16941

[EVC PAPER 7753]

Safety in hydrogen transport and storage
installations 17 p0101 A78-18856

Safety problems in the use of liquid hydrogen
17 p0102 A78-18858

Technical safety questions concerning solar energy
installations 18 p0214 A78-28593

General safety considerations of the Ohio DOT
electric vehicle 19 p0307 A78-33376

[SAB PAPER 780160]

Is solar power more dangerous than nuclear
19 p0341 A78-38998

SAFETY MANAGEMENT

Aspects relative to security and environment in
the production and use of hydrogen in the new
Esso refinery at Antwerp 17 p0101 A78-18854

SALINITY

SUBJECT INDEX

- Safety aspects of a widespread hydrogen energy economy 17 p0101 A78-18857
- Coal technology - Users' viewpoint 18 p0181 A78-24755
- SALINITY**
- Ocean energy from salinity gradients 17 p0006 A78-10654
- Salt domes - Is there more energy available from their salt than from their oil --- salinity gradient energy due to osmotic pressure difference 18 p0217 A78-29623
- SALTON SEA (CA)**
- Subsurface structure of the southern portion of the Salton Sea geothermal field [UCRL-52354] 19 p0467 A78-27695
- SALTS**
- Demand sensitive energy storage in molten salts 18 p0220 A78-30264
- Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
- Fume formation in ammonia scrubbers [ASME PAPER 77-WA/APC-2] 19 p0297 A78-33127
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135244] 17 p0150 A78-14632
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135245] 17 p0150 A78-14633
- SAMPLING**
- Time- and space-resolved species determination in diesel combustion using continuous flow gas sampling 18 p0279 A78-21227
- SANDS**
- LIL gas stimulation program [UCRL-50036-77-3] 19 p0445 A78-26575
- SATELLITE ATTITUDE CONTROL**
- Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results [AIAA 78-571] 19 p0294 A78-32912
- SATELLITE DESIGN**
- Development of a large-area roll-out solar generator for the multi-kW range [DGLF PAPER 77-012] 18 p0180 A78-24406
- Application of solar energy in space 18 p0201 A78-27863
- HTS-2 nickel hydrogen battery performance --- Navigation Technology Satellite [AIAA 78-536] 19 p0294 A78-32885
- Freedom and constraints in solar power satellite design [AAS 77-200] 19 p0329 A78-36702
- Solar power satellite construction concepts [AAS 77-203] 19 p0329 A78-36705
- Platform designed for numerous uses --- in geostationary orbit 19 p0382 A78-42509
- Solar power satellite concept evaluation. Volume 1: Summary [NASA-TM-74820] 17 p0111 A78-10559
- Solar power satellite system definition study. Part 1 and part 2, volume 2: Technical summary [NASA-CR-151666] 18 p0271 A78-20156
- Solar power satellite, system definition study. Part 2, volume 3: SPS satellite systems [NASA-CR-151667] 18 p0271 A78-20157
- Solar power satellite system definition study, volume 7 [NASA-CR-151671] 18 p0271 A78-20161
- SATELLITE NAVIGATION SYSTEMS**
- Positioning and navigation by satellite --- for marine operations [AIAA 77-1553] 17 p0069 A78-13684
- SATELLITE OBSERVATION**
- Applications of Seasat to the offshore oil, gas and mining industries [AIAA 77-1583] 17 p0069 A78-13666
- Future onshore and offshore exploration by remote sensing from space [AIAA 77-1550] 17 p0069 A78-13681
- Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region 19 p0313 A78-34877
- SATELLITE ORBITS**
- The geostationary orbit, focal point of space telecommunication law 19 p0326 A78-36301
- SATELLITE PERTURBATION**
- Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916
- SATELLITE POWER TRANSMISSION (TO EARTH)**
- The potential of satellite solar power 17 p0002 A78-10411
- GSSPS - Taking a new approach to the space solar power station --- Gravity-gradient-stabilized Satellite Solar Power Station 17 p0066 A78-13072
- Solar power satellite status report 17 p0097 A78-18750
- Modular solar energy satellite - Project proposal and development strategy 18 p0180 A78-24452
- Space solar power stations 18 p0194 A78-27442
- Satellite mirror systems for providing terrestrial power - System concept [AAS 77-240] 19 p0330 A78-36717
- In orbit manufacture of solar reflector satellites [AAS 77-241] 19 p0330 A78-36718
- Views change on power satellite work --- satellite solar power station concepts 19 p0382 A78-42475
- Candidate locations for SPS rectifying antennas [NASA-TM-78146] 17 p0138 A78-13553
- Solar power satellite system definition study. Part 2, volume 4: Microwave power transmission systems [NASA-CR-151668] 18 p0271 A78-20158
- The modular solar energy satellite. Project proposal and development strategy 19 p0399 A78-23598
- Impacts and benefits of a satellite power system on the electric utility industry [NASA-CR-157157] 19 p0402 A78-24255
- Estimates of satellite-to-earth microwave attenuation by cloud, rain, oxygen, and water vapor [AD-A052581] 19 p0404 A78-24431
- Political and legal implications of developing and operating a satellite power system [NASA-CR-157077] 19 p0412 A78-25003
- SATELLITE SOLAR ENERGY CONVERSION**
- ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932
- Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 A78-10936
- Development of a multi-kW roll-out solar generator 17 p0017 A78-10965
- Comparison of foldout and rollout solargenerators in the multi-kW-range 17 p0017 A78-10966
- Development status of the ultralightweight solar array ULP --- Ultra Lightweight Panel 17 p0017 A78-10967
- Concentrator solar arrays for space power 17 p0017 A78-10970
- Albedo contribution to satellite solar array performance 17 p0019 A78-10990
- Cost of earth power from photovoltaic power satellite 17 p0024 A78-11035
- Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISEE-B 17 p0085 A78-16852
- Solar power satellite status report 17 p0097 A78-18750
- Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262
- Properties of a solar cell array with mirrors and radiators [DGLF PAPER 77-011] 18 p0179 A78-24405
- Orbital power generation 18 p0193 A78-26826
- Space solar power stations 18 p0194 A78-27442

- The geostationary orbit, focal point of space telecommunication law 19 p0326 A78-36301
- Satellite mirror systems for providing terrestrial power - System concept [AAS 77-240] 19 p0330 A78-36717
- In orbit manufacture of solar reflector satellites [AAS 77-241] 19 p0330 A78-36718
- Solar power satellite. System definition study. Part 1, volume 2: System requirements and energy conversion options [NASA-CR-151555] 17 p0129 N78-13100
- Solar power satellite. System definition study. Part 1, volume 4: SPS transportation system requirements --- spacecraft propulsion [NASA-CR-151557] 17 p0130 N78-13102
- Solar power satellite system definition study. Part 1 and part 2, volume 2: Technical summary [NASA-CR-151666] 18 p0271 N78-20156
- Solar power satellite, system definition study. Part 2, volume 3: SPS satellite systems [NASA-CR-151667] 18 p0271 N78-20157
- Solar power satellite system definition study. Part 2, volume 4: Microwave power transmission systems [NASA-CR-151668] 18 p0271 N78-20158
- Solar power satellite system definition study. Part 2, volume 5: Space operations (construction and transportation) [NASA-CR-151669] 18 p0271 N78-20159
- Solar power satellite system definition study. Part 2, volume 6: Evaluation data book [NASA-CR-151670] 18 p0271 N78-20160
- Solar power satellite system definition study, volume 7 [NASA-CR-151671] 18 p0271 N78-20161
- Solar power satellite system definition study. Part 1 and part 2, volume 1: Executive summary [NASA-CR-151665] 18 p0272 N78-20162
- Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects [NASA-CR-151672] 18 p0272 N78-20163
- Solar power satellite system definition study, Part 3 [NASA-CR-151673] 18 p0272 N78-20164
- Solar power satellites [NASA-TM-79434] 18 p0284 N78-21612
- Evaluation of solar cells and arrays for potential solar power satellite applications [NASA-CR-151740] 19 p0458 N78-27538
- TELETYPE SOLAR POWER STATIONS**
- The potential of satellite solar power 17 p0002 A78-10411
- GSSPS - Taking a new approach to the space solar power station --- Gravity-gradient-stabilized Satellite Solar Power Station 17 p0066 A78-13072
- Film reflectors in space --- Russian book on orbiting solar power stations and solar sails 17 p0078 A78-15423
- Establishment of a space manufacturing facility 17 p0087 A78-17190
- Solar power satellite status report 17 p0097 A78-18750
- Power Soletta: An industrial sun for Europe - Possibilities for an economically feasible supply with solar energy 18 p0172 A78-22741
- Integrating space developments - 1980-95 --- for scientific research and energy production 18 p0175 A78-23422
- Economic and environmental costs of satellite solar power 18 p0179 A78-24377
- Development of a large-area roll-out solar generator for the multi-kW range [DGLB PAPER 77-012] 18 p0180 A78-24406
- Modular solar energy satellite - Project proposal and development strategy 18 p0180 A78-24452
- Orbital power generation 18 p0193 A78-26826
- Space solar power stations 18 p0194 A78-27442
- Propulsion options for orbital transfers in cis-lunar space 18 p0204 A78-27931
- Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916
- Self-powered electric propulsion of satellite power systems [ATAA PAPER 78-694] 19 p0293 A78-32765
- Freedoms and constraints in solar power satellite design [AAS 77-200] 19 p0329 A78-36702
- Solar power satellite construction concepts [AAS 77-203] 19 p0329 A78-36705
- Views change on power satellite work --- satellite solar power station concepts 19 p0382 A78-42475
- Solar power satellite 50 kW VKS-7773 cw klystron evaluation [NASA-CR-151577] 17 p0130 N78-13106
- ATAA/NSFC Symposium on Space Industrialization: Proceedings [NASA-CP-2026] 18 p0253 N78-18088
- Solar power satellite system definition study. Part 1 and part 2, volume 2: Technical summary [NASA-CR-151666] 18 p0271 N78-20156
- Solar power satellite, system definition study. Part 2, volume 3: SPS satellite systems [NASA-CR-151667] 18 p0271 N78-20157
- Solar power satellite system definition study. Part 2, volume 4: Microwave power transmission systems [NASA-CR-151668] 18 p0271 N78-20158
- Solar power satellite system definition study. Part 2, volume 5: Space operations (construction and transportation) [NASA-CR-151669] 18 p0271 N78-20159
- Solar power satellite system definition study. Part 2, volume 6: Evaluation data book [NASA-CR-151670] 18 p0271 N78-20160
- Solar power satellite system definition study, volume 7 [NASA-CR-151671] 18 p0271 N78-20161
- Solar power satellite system definition study. Part 1 and part 2, volume 1: Executive summary [NASA-CR-151665] 18 p0272 N78-20162
- Construction in space: A proposed experiment in support of the space solar power concept and other large space systems [NASA-TM-79435] 18 p0279 N78-21179
- Solar power satellites [NASA-TM-79434] 18 p0284 N78-21612
- Impacts and benefits of a satellite power system on the electric utility industry [NASA-CR-157157] 19 p0402 N78-24255
- Prospects for power generation from space 19 p0468 N78-28039
- SATELLITE TEMPERATURE**
- Heat pipes in space and on earth [ATAA 78-439] 19 p0318 A78-35619
- SATELLITE-BORNE PHOTOGRAPHY**
- Industrial use of geological remote sensing from space 17 p0075 A78-14787
- Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico 17 p0075 A78-14815
- The significance of an arc shaped dark patch on the Nimbus III /HIRV/ imagery of India 17 p0082 A78-16507
- SAWS**
- Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays [JPL-PUB-78-37] 18 p0276 N78-20620
- SAWTOOTH WAVEFORMS**
- The sawtooth cover slide 17 p0137 N78-13537
- SCHEDULES**
- Fuel and energy price forecasts. Volume 2: Schedules [EPRI-BA-411-VOL-2] 17 p0142 N78-13590
- SCHEDULING**
- Measuring the impact on scheduled air lines operations of restrictions in fuel availability 18 p0259 N78-18549
- SCHOOLS**
- Application of solar energy to schools and residences 18 p0181 A78-24759
- Research design construction and evaluation of a low energy utilization school, phase 2 [PB-269407/3] 17 p0112 N78-10569

- State-of-the-art of functional use data measuring energy consumption in the commercial sector [PB-269906/4] 17 p0115 N78-10592
- SCHOTTKY DIODES**
- Efficiency calculations for thin film polycrystalline semiconductor Schottky barrier solar cells 17 p0013 A78-10920
- A contribution to Schottky barrier solar cell theory 17 p0025 A78-11041
- Cuprous oxide Schottky barrier photovoltaic cells 17 p0025 A78-11042
- Controlling open circuit voltage in silicon Schottky /MIS/ solar cells 17 p0025 A78-11043
- Solar cells using Schottky barriers on amorphous silicon 17 p0025 A78-11045
- Diffusion length measurement by a simple photoresponse technique --- for MIS and Schottky barrier solar cells 17 p0026 A78-11050
- Improvement of efficiency in Si Schottky barrier solar cells 17 p0026 A78-11051
- The effects of illumination on the depletion-region recombination currents in Schottky-barrier solar cells 17 p0026 A78-11052
- The structure and Schottky barrier diode properties of polycrystalline GaAs films grown by the close spaced vapour transport technique on Mo substrates 17 p0027 A78-11060
- Dye sensitization of Schottky barrier solar cells 17 p0055 A78-11340
- Enhancement of MIS solar-cell 'efficiency' by peripheral collection 17 p0070 A78-13797
- Thin Pt and Pd silicide Schottky barriers for silicon solar cells 18 p0171 A78-22267
- An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967
- Theoretical analysis of a novel MPN gallium arsenide Schottky barrier solar cell 18 p0227 A78-31385
- SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device 19 p0338 A78-38550
- Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer 19 p0373 A78-42128
- Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell 19 p0373 A78-42129
- Back-wall Schottky barrier solar cells - with and without an interfacial layer 19 p0373 A78-42130
- High voltage, high current Schottky barrier solar cell [NASA-CASE-NPO-13482-1] 17 p0135 N78-13526
- Silicon Schottky photovoltaic diodes for solar energy conversion [PB-274041/3] 18 p0251 N78-17493
- SCIENTIFIC SATELLITES**
- International Scientific-Technological Conference on Space, 17th, Rome, Italy, March 25, 26, 1977, Proceedings --- and scientific satellites for earth resources monitoring; solar and alternate energy sources 17 p0065 A78-12876
- SCREENING**
- Screening property of the limiter shadow region for heavy wall impurities --- in tokamak 19 p0378 A78-42213
- SCREWS**
- Injection of coal by screw feed 17 p0133 N78-13264
- The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 N78-13269
- SCRUBBERS**
- Scrubbers win the energy-SO₂ controversy 17 p0002 A78-10300
- Control of fine particulate from coal-fired utility boilers [APCA PAPER 77-14,1] 18 p0185 A78-25410
- Coal dryer emission control with the energy saving centripetal vortex wet scrubber [APCA PAPER 77-17,5] 18 p0185 A78-25424
- Startup and operation of the Research-Cottrell/Bahco scrubber for removal of SO₂ and particulates from flue gas at Rickenbacker Air Force Base, Columbus, Ohio 18 p0232 A78-32108
- Fume formation in ammonia scrubbers [ASME PAPER 77-WA/APC-2] 19 p0297 A78-33127
- SEA STATES**
- Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322
- SEA WATER**
- Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons 18 p0193 A78-26818
- The detection of hydrocarbon sheets on the sea 18 p0209 A78-28395
- Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342
- Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion 19 p0305 A78-33344
- Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion 19 p0305 A78-33345
- Potential of open cycle OTEC - A general survey --- Ocean Thermal Energy Conversion 19 p0305 A78-33347
- Sea thermal power cycles 19 p0306 A78-33348
- Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle --- in Ocean Thermal Energy Conversion plants 19 p0306 A78-33351
- Nitric acid cycle process for extracting thermal energy from low-level heat sources --- for Ocean Thermal Energy Conversion 19 p0315 A78-35171
- Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- SEALING**
- Seals for geothermal roller drill bits [ASME PAPER 77-PET-53] 17 p0077 A78-15081
- SEALS (STOPPERS)**
- Friction and wear of several compressor gas-path seal movements [NASA-TP-1128] 17 p0158 N78-15229
- SEAMS (JOINTS)**
- Advanced interconnect for use with ultrasonic seam welding on solar cells 17 p0016 A78-10958
- SEASAT-A SATELLITE**
- Applications of Seasat to the offshore oil, gas and mining industries [AIAA 77-1583] 17 p0069 A78-13666
- SEAWEEDES**
- The U.S. Navy's Ocean Food and Energy Farm Project 17 p0007 A78-10657
- The anaerobic digestion of *Macrocyctis pyrifera* under mesophilic conditions --- for synthetic fuel recovery 17 p0035 A78-11135
- Possibilities of biomass from the ocean - The Marine Farm Project 18 p0208 A78-28362
- Biological constraints on seaweed culture --- for biomass conversion systems 18 p0208 A78-28368
- SECONDARY INJECTION**
- Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338
- SECURITY**
- Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems [Y/SUB-77-14263/1] 19 p0416 N78-25340

SEDIMENTS

Thermal alteration experiments on organic matter
in recent marine sediments as a model for
petroleum genesis

17 p0097 A78-18784

Onsite control of sedimentation utilizing the
modified block-cut method of surface mining
[PB-272244/5]

17 p0159 A78-15552

Hydrogeochemical and stream-sediment survey of the
National Resource Evaluation (NURE) program:
Western United States
[UCID-16911-77-2]

19 p0434 A78-25722

SEISMOLOGY

Instrumentation for in situ coal gasification. I -
Background and overview

19 p0367 A78-41522

SELECTION

Site selection for NSPC operational tests of solar
heating and cooling systems
[NASA-CR-150537]

18 p0263 A78-19602

SELECTIVE DISSEMINATION OF INFORMATION
What does it concern --- technological information
dissemination and social response

18 p0218 A78-29873

The role of scientific and technical information
in critical period management, volume 1
[PB-272178/5]

17 p0157 A78-14939

SELENIDES

Selenide isotope generators
[CONF-770302-1]

17 p0114 A78-10581

SELF ALIGNMENT

An automatic alignment system for a multibeam
laser system --- for use in fusion reactors

19 p0359 A78-40222

SEMICONDUCTING FILMS

Solar cells by ionized-cluster beam deposition and
epitaxial techniques

17 p0013 A78-10912

The structure and Schottky barrier diode
properties of polycrystalline GaAs films grown
by the close spaced vapour transport technique
on Mo substrates

17 p0027 A78-11060

Rheotaxy for large grain thin film solar cell
fabrication

17 p0027 A78-11067

Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells

17 p0054 A78-11334

Evaluation of the CdS/CdTe heterojunction solar cell

17 p0062 A78-11815

Silicon films as selective absorbers for solar
energy conversion

17 p0070 A78-13905

Molecular-beam epitaxy in space

17 p0103 A78-19472

Thin silicon film p-i-n photodiodes with internal
reflection

18 p0205 A78-28142

Observations of anisotropic diffused layer sheet
resistance in EFG silicon ribbon solar cells ---
Edge-defined Film-fed Growth

18 p0223 A78-30648

High conductivity ZnSe films --- for solar cells

19 p0310 A78-34256

American Vacuum Society, National Symposium, 28th,
and Conference on Microbalance Techniques, 15th,
Boston, Mass., November 8-11, 1977, Proceedings

19 p0324 A78-36030

Thickness dependence of structural and electrical
properties of CdS films for solar cells

19 p0325 A78-36035

Structure and morphology of chemical-sprayed CdS
films

19 p0325 A78-36036

Photoelectric properties of CdS thin films
obtained by vacuum evaporation from the
heterogeneous CdS-Cr₂O₃ system

19 p0333 A78-37261

Calculation of photocurrent and limit efficiency
of p-CdTe - n-CdS film-type photocells

19 p0335 A78-37944

Low-resistivity ZnCdS films for use as windows in
heterojunction solar cells

19 p0369 A78-41913

Evaporated CdS film based heterojunction solar cells

19 p0372 A78-42122

Technology of Cu₂S-CdS solar cells - German
state-of-the-art

19 p0373 A78-42127

SEMICONDUCTOR DEVICES

High efficiency and large area /GaAl/As-GaAs solar
cells

17 p0026 A78-11054

The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell Theory

18 p0192 A78-26717

Direct heat pipe cooling of semiconductor devices
[AIAA 78-450]

19 p0319 A78-35626

Analysis of the characteristics of semiconductor
photocells in the 100-400 K temperature range

19 p0336 A78-37950

A model for the current-voltage curve of
photoexcited semiconductor electrodes

19 p0343 A78-39457

Competitive oxidation at semiconductor photocathodes

19 p0344 A78-39466

Advanced semiconductor technology for alternate
energy sources: dc to ac inverters

18 p0269 A78-19662

SEMICONDUCTOR DIODES

Nonreflecting vertical junction silicon solar cell
optimization

17 p0151 A78-14636

SEMICONDUCTOR JUNCTIONS

Structures for photocells - Homostructures,
heterostructures or heterojunctions

17 p0003 A78-10552

Model of the CdS/Cu₂S heterojunction

17 p0017 A78-10974

A contribution to Schottky barrier solar cell theory

17 p0025 A78-11041

Vapor-phase-epitaxial growth, processing and
performance of AlAs-GaAs heterojunction solar
cells

17 p0026 A78-11055

Computer analysis of heterojunction and graded
bandgap solar cells

17 p0026 A78-11056

Improved GaAs solar cells with very thin junctions

17 p0026 A78-11057

Photocells employing smooth AlGaAs-GaAs
heterojunctions to extend the spectral response
range

17 p0062 A78-11668

Photocells with intermediate conversion of
radiation and which operate at an increased
concentration /2500-fold/ of solar radiation

18 p0172 A78-22795

Simplified fabrication of GaAs homojunction solar
cells with increased conversion efficiencies

18 p0216 A78-29199

AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum

19 p0300 A78-33271

CuInS₂ liquid junction solar cells

19 p0310 A78-34274

Electrical and photovoltaic characteristics of
indium-tin oxide/silicon heterojunctions

19 p0315 A78-35282

Analysis of generation in space charge regions of
solar cells

19 p0334 A78-37466

A simple theory of back surface field /BSF/ solar
cells

19 p0338 A78-38552

Semiconductor liquid-junction solar cells;
Proceedings of the Conference on the
Electrochemistry and Physics of Semiconductor
Liquid Interfaces under illumination, Airline,
Va., May 3-5, 1977

19 p0342 A78-39453

State of the art homojunction cells

19 p0343 A78-39454

Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells

19 p0343 A78-39456

Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency

19 p0343 A78-39461

Stability and voltammetry of illuminated
semiconductor-liquid interfaces

19 p0343 A78-39464

- Photocells with intermediate radiation conversion and enhanced concentration of solar radiation /K=2500/ 19 p0381 A78-42415
- Computer aided two-dimensional analysis of junction type solar cells 19 p0383 A78-42807
- Solar Cell High Efficiency and Radiation Damage [NASA-CP-2020] 17 p0136 A78-13527
- GaAs solar cell development 17 p0138 A78-13544
- Status of wraparound contact solar cells and arrays [NASA-TN-78911] 19 p0443 A78-26543
- SEMICONDUCTORS (MATERIALS)**
- Fabrication of OSOS cells by neutral ion beam sputtering --- Oxide Semiconductor On Silicon solar cells 17 p0027 A78-11062
- Semiconductor materials for photovoltaic conversion 17 p0080 A78-16128
- The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries 18 p0187 A78-25736
- Photovoltaic conversion 18 p0201 A78-27862
- Power generation by photoelectrolysis 18 p0202 A78-27892
- Infrared focal planes in intrinsic semiconductors --- technology review 18 p0204 A78-28139
- The sun on a semiconductor 18 p0223 A78-30743
- Progress report from Central Electronics Ltd., Delhi --- solar cell research projects 19 p0370 A78-42103
- Semiconducting materials in solar energy conversion 19 p0371 A78-42115
- Solar cell design study [AD-A048042] 18 p0251 A78-17489
- SEPARATORS**
- Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation 18 p0230 A78-31872
- Ball to separator contact forces in angular contact ball bearings under thrust and radial loads [NASA-CR-2976] 18 p0281 A78-21469
- Energy oriented study of industrial cyclone separators [TREC-1174] 18 p0287 A78-21642
- Inorganic-organic separators for alkaline batteries [NASA-CASE-LEW-12649-1] 19 p0419 A78-25530
- SERVICE LIFE**
- Computer optimization of solar collector area based on life-cycle costing 17 p0046 A78-11253
- Optimization of an annual storage solar heating system over its life cycle 17 p0050 A78-11296
- Seals for geothermal roller drill bits [ASME PAPER 77-PBT-53] 17 p0077 A78-15081
- The stability of polyurethane foam solar energy collectors to climatic effects 18 p0187 A78-25738
- Output power and lifetime of high-voltage, low-temperature thermoelectric batteries 19 p0330 A78-36854
- High energy density, long life energy storage capacitor dielectric system 19 p0359 A78-40099
- A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters 19 p0373 A78-42134
- Lifetests of the telecommunications satellite heat pipes [ESA-CR(P)-997] 17 p0135 A78-13398
- SERVICES**
- Magic Carpet evaluation study [PB-271214/9] 17 p0148 A78-13975
- SERVOCONTROL**
- Automating the control of the optical system of a tower-type solar power station --- heliostat servocontrol 18 p0215 A78-28891
- SEWAGE**
- Operating experience with large scale digestion of urban refuse with sewage sludge 17 p0036 A78-11136
- SEWAGE TREATMENT**
- Solar energy conversion with microalgal sewage treatment ponds 17 p0056 A78-11351
- The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807
- Air vs O₂ - Two activated sludge systems compared 19 p0292 A78-32675
- Thermal refuse treatment --- waste incineration 19 p0315 A78-34973
- Refuse without imperfection - Refuse combustion with combined sediment processing 19 p0316 A78-35297
- Energy consumption of advanced wastewater treatment at Ely, Minnesota [PB-278270/4] 19 p0452 A78-26998
- SHADES**
- Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- SHADOWS**
- Shadows' effect in a large scale solar power plant 17 p0084 A78-16843
- Determination of shading factor for flat-plate collectors 19 p0375 A78-42155
- Condition for no shadow, and effective shadow due to plane reflectors 19 p0375 A78-42156
- SHALE OIL**
- Devonian - Ohio Shale productive potential 17 p0030 A78-11090
- Developing an experimental oil shale mine 17 p0032 A78-11107
- Liptinites and lipid substances in an oil source rock 17 p0061 A78-11458
- Energy - Fluid fuels from solids 17 p0069 A78-13625
- Contribution to the mineralogy of some Arabian oil-shales 18 p0168 A78-22021
- Net energy analysis of in situ oil shale processing 18 p0173 A78-22840
- Oil Shale Symposium, 10th, Colorado School of Mines, Golden, Colo., April 21, 22, 1977, Proceedings 18 p0183 A78-25225
- Oil shale - Its time has come 18 p0196 A78-27784
- Prediction of air quality impacts for a commercial shale oil complex 19 p0320 A78-35700
- Experimental work on oil shale at Lawrence Livermore Laboratory and predictions of retorting characteristics of oil shales 19 p0367 A78-41518
- Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation 19 p0367 A78-41521
- Shale oil retention on crushed unretorted shale 19 p0367 A78-41523
- In-situ laser retorting of oil shale [NASA-CASE-LEW-12217-1] 17 p0149 A78-14452
- Oil shale, FY 1977 [EDP/P-01(77)] 19 p0411 A78-24694
- Catalytic hydroprocessing of shale oil to produce distillate fuels [CONF-770814-9] 19 p0423 A78-25579
- Anaerobic fermentation of simulated in-situ oil shale retort water [LRL-6855] 19 p0431 A78-25646
- Energy from in situ processing of antrim oil shale [PB-2346-16] 19 p0432 A78-25649
- Energy from in situ processing of antrim oil shale [PB-2346-19] 19 p0432 A78-25652
- Oil shale programs [SAND-77-1497] 19 p0432 A78-25653
- Oil shale research overview [PB-278159/9] 19 p0442 A78-26529
- SHALES**
- Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000

SUBJECT INDEX

SILICON

Dynamic oil shale fracture experiments
[PB-269258/0] 17 p0122 N78-11559

Borehole gravity survey to determine density
variations in the Devonian shale sequence of
Lincoln County
[NERC-CR-77/7] 17 p0157 N78-14729

Interactive data management and analysis system
for the Eastern Gas Shale Program
[MLM-2469(OP)] 19 p0401 N78-23988

Mechanical properties of oil shale of importance
to in-situ rubblelization
[SAND-77-0499C] 19 p0411 N78-24731

Carbonaceous shales of Indiana as sources of
energy, petrochemicals, and ceramic materials
[TID-28179] 19 p0418 N78-25518

Geochemical characterization of Devonian gas shale
[MLM-2467(OP)] 19 p0434 N78-25719

Physicochemical characterization of Devonian gas
shale
[MLM-2466(OP)] 19 p0434 N78-25720

SHEAR FLOW
Simplest physical model of a magnetohydrodynamic
generator 19 p0339 A78-38634

SHEAR STRESS
Investigations of the effects of shear degradation
on the rheological behavior of ultra-high
molecular weight water soluble polymers as
applied to enhance oil recovery 18 p0237 N78-16171

Two-phase Hartmann flows in the MHD generator
configuration
[AD-A051450] 19 p0401 N78-23927

SHELTERS
Evaluation of computerized energy programs for the
calculation of energy use in new and existing
buildings
[PB-272337/7] 18 p0243 N78-16466

SHIPS
Forecast markets, economics and shipbuilding
program for OTEC/industrial plant-ships in
tropical oceans --- Ocean Thermal Energy
Conversion 17 p0056 A78-11349

Energy - Implications for transport 18 p0218 A78-29904

Energy and economic impacts of projected freight
transportation improvements 18 p0257 N78-18537

SHOCK TUBES
A shock tube study of the ignition delay of
methane at elevated temperatures 18 p0199 A78-27831

Shock-tube combustion of high density hydrocarbon
fuels 18 p0222 A78-30512

SHORT CIRCUITS
Variation of short-circuit current spectral
response with Cu/2-x/S composition in thin film
Cu/2-x/S/CdS photovoltaic cells 17 p0017 A78-10973

Enhancement of MIS solar-cell 'efficiency' by
peripheral collection 17 p0070 A78-13797

Annealing of GaAs solar cells damaged by electron
irradiation 18 p0219 A78-30192

SHORT HAUL AIRCRAFT
Improved energy efficiency for small CTOI
transport aircraft 18 p0226 A78-31305

SHORT TAKEOFF AIRCRAFT
Some aspects of powerplant airframe integration
affecting fuel conservation 18 p0226 A78-31304

SHROUDED TURBINES
The shrouded aerogenerator --- wind turbines
17 p0067 A78-13344

The Leboast Wind Turbine - Laboratory tests and
data analysis 19 p0364 A78-40824

SIBERIA
The energy problem of the North --- power
requirements, resources, and technological
evolution 17 p0071 A78-13989

SIDELobe REDUCTION
Solar power satellite system definition study,
Part 3
[NASA-CR-151673] 18 p0272 N78-20164

SILANES
Process feasibility study in support of silicon
material task 1
[NASA-CR-157030] 19 p0396 N78-23561

SILICIDES
Thin Pt and Pd silicide Schottky barriers for
silicon solar cells 18 p0171 A78-22267

Sputtered metal silicide solar selective absorbing
surfaces 18 p0221 A78-30303

SnO₂/Si solar cells - Heterostructure of
Schottky-barrier or MIS-type device 19 p0338 A78-38550

SILICON
Silicon for solar photocells 17 p0003 A78-10551

Single crystal silicon photocells for terrestrial
use - State of the art and perspectives on the
future 17 p0003 A78-10553

Fabrication and characterization of solar cells
using dendritic silicon thin films grown on
alumina ceramic 17 p0013 A78-10916

Low cost solar cells based on large area
unconventional silicon 17 p0013 A78-10918

Production of solar-grade silicon from purified
metallurgical silicon 17 p0013 A78-10925

Dip-coated sheet silicon solar cells 17 p0014 A78-10926

The application of color response data of silicon
cells for improving photovoltaic efficiency 17 p0055 A78-11341

Silicon films as selective absorbers for solar
energy conversion 17 p0070 A78-13905

Solar cells for terrestrial applications 17 p0083 A78-16826

Thermomigration of silicon wafers in a solar furnace 17 p0084 A78-16837

Development of low-cost silicon crystal growth
techniques for terrestrial photovoltaic solar
energy conversion 18 p0220 A78-30268

State of the art homojunction cells 19 p0343 A78-39454

High-purity silicon for solar cell applications 19 p0344 A78-39567

High efficiency solar panel (HESP)
[AD-A043382] 17 p0112 N78-10572

A Review of Air Force space photovoltaic
development efforts 17 p0136 N78-13530

Impurity concentrations and surface charge
densities on the heavily doped face of a silicon
solar cell 17 p0136 N78-13534

Investigation of the topographical features of
surface carrier concentrations in silicon solar
cell material using electrolyte electroreflectance 17 p0136 N78-13535

Advanced high efficiency wraparound contact solar
cell
[AIAA-PAPER-77-521] 17 p0137 N78-13536

Transmutation doping of silicon solar cells 17 p0137 N78-13539

Nonreflecting vertical junction silicon solar cell
optimization [AD-A046150] 17 p0151 N78-14636

Silicon photovoltaic cells in thermophotovoltaic
conversion [EPRI-ER-478] 18 p0242 N78-16460

Silicon on ceramic process. Silicon sheet growth
development for the large-area silicon sheet
task of the low-cost silicon solar array project
[NASA-CR-155613] 18 p0248 N78-17464

Phase 1 of the automated array assembly task of
the low cost silicon solar array project
[NASA-CR-155935] 18 p0255 N78-18516

- Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 N78-18519
- LSSA (low-cost Silicon Solar Array) project [NASA-CR-155944] 18 p0264 N78-19614
- Compatibility studies of various refractory materials in contact with molten silicon [NASA-CR-156181] 19 p0387 N78-22184
- Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 N78-23563
- Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 N78-24622
- Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 N78-24630
- Solar silicon via the Dow Corning process [NASA-CR-157065] 19 p0406 N78-24637
- Silicon solar cells with a total power capacity of 30 kilowatts [NASA-CR-157066] 19 p0407 N78-24639
- Low cost silicon solar array project silicon materials task [NASA-CR-157092] 19 p0407 N78-24640
- Energy requirement for the production of silicon solar arrays [NASA-CR-157074] 19 p0407 N78-24642
- Array automated assembly, phase 2 [NASA-CR-157057] 19 p0407 N78-24650
- Development of an improved high efficiency thin silicon solar cell [NASA-CR-157058] 19 p0408 N78-24654
- LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth [NASA-CR-157135] 19 p0408 N78-24656
- Photon degradation effects in terrestrial solar cells [NASA-TN-78924] 19 p0421 N78-25551
- Silicon photovoltaic cells in TPV conversion [EPRI-EP-633] 19 p0461 N78-27567
- Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices [TID-27910] 19 p0462 N78-27579
- SILICON CARBIDES**
- Photoelectric and electric properties of nSiC-nCds heterojunctions 19 p0330 N78-36855
- SILICON COMPOUNDS**
- Novel silicon crystals and method for their preparation [NASA-TN-75195] 18 p0250 N78-21957
- SILICON DIOXIDE**
- New TiO₂-HIS and SiO₂-HIS silicon solar cells 19 p0313 N78-34847
- Ultraviolet damage in solar cell assemblies with various UV filters 17 p0138 N78-13551
- Removal of silica from spent geothermal brine [UCID-17702] 19 p0430 N78-25636
- SILICON FILMS**
- Solar cell processing with spin-on diffusion sources 17 p0015 N78-10943
- High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 N78-10944
- High temperature, stable, spectrally selective solar absorbers for thermochemical hydrogen production 17 p0080 N78-16049
- Laser-zone growth in a Ribbon-To-Ribbon, RTR, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 N78-16437
- Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-157080] 19 p0406 N78-24629
- SILICON JUNCTIONS**
- Si/Cds heterojunction solar cells 17 p0002 N78-10485
- Structures for photocells - Homojunctions, heterostructures or heterojunctions 17 p0003 N78-10552
- Analysis of epitaxial drift field N on P silicon solar cells 17 p0012 N78-10904
- The role of defects on the performance of epitaxial and diffused solar cells fabricated on EPG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 N78-10905
- A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 N78-10906
- New developments in vertical-junction solar cells --- groove structure to promote radiation resistance 17 p0012 N78-10907
- Temperature dependence of the photovoltaic performance of Si cells under blue, white and near-bandgap irradiation 17 p0012 N78-10909
- Silicon solar cells on metallurgical silicon substrates 17 p0013 N78-10915
- Vacuum deposited polycrystalline silicon solar cells 17 p0013 N78-10921
- Silicon solar cells from transition metal doped Czochralski and web crystals 17 p0013 N78-10922
- Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells 17 p0015 N78-10945
- Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 N78-10946
- Processing ramifications of textured surfaces --- of silicon wafers for solar cells 17 p0016 N78-10949
- Total energy use in the production of silicon solar cells from raw materials to finished product 17 p0016 N78-10954
- Fired through printed contacts on antireflection coated silicon terrestrial solar cells 17 p0016 N78-10956
- Concentrator solar arrays for space power 17 p0017 N78-10970
- Textured surface cell performance characteristics 17 p0019 N78-10996
- Black and thin silicon solar cells 17 p0019 N78-10997
- Silicon solar cell development for concentrated-sunlight, high-temperature applications 17 p0022 N78-11020
- The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 N78-11021
- Design criteria for high efficiency silicon solar cells with concentration 17 p0023 N78-11022
- A pn junction silicon sensor for high-intensity solar flux mapping 17 p0023 N78-11023
- Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory 17 p0023 N78-11026
- Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 N78-11027
- Improved performance of solar cells for high intensity applications 17 p0024 N78-11033
- Large open-circuit photovoltages in silicon minority carrier HIS solar cells 17 p0025 N78-11046
- Interface study of HIS silicon solar cells 17 p0025 N78-11047

Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048

Inversion layer silicon solar cells with MIS
contact grids
17 p0026 A78-11049

Improvement of efficiency in Si Schottky barrier
solar cells
17 p0026 A78-11051

Degradation of SnO₂/Si heterojunction solar cells
17 p0027 A78-11063

Inversion layer silicon solar cells with 10-12%
AM1 efficiencies
17 p0027 A78-11066

An optical scanning technique for evaluating
silicon solar cells
17 p0091 A78-17553

Thin Pt and Pd silicide Schottky barriers for
silicon solar cells
18 p0171 A78-22267

On the theory of homojunction and heterojunction
solar cells
18 p0192 A78-26616

Spectral responses limitation mechanisms of a
shallow junction n⁺/p photodiode
18 p0205 A78-28141

Thin silicon film p-i-n photodiodes with internal
reflection
18 p0205 A78-28142

Diffusion lengths in amphoteric GaAs heteroface
solar cells
18 p0216 A78-29195

Solar cells from zone-refined metallurgical silicon
18 p0219 A78-30190

Purification and characterization of metallurgical
silicon
18 p0219 A78-30191

Epitaxial silicon solar cells with uniformly doped
layer
18 p0228 A78-31732

On the fill factor of solar cells --- v_{olt}-ampere
characteristics
19 p0292 A78-32691

Electrical and photovoltaic characteristics of
indium-tin oxide/silicon heterojunctions
19 p0315 A78-35282

Silicon solar cell designs based on physical
behavior in concentrated sunlight
19 p0334 A78-37462

Influence of bandgap narrowing on the performance
of silicon n-p solar cells
19 p0334 A78-37464

Polycrystalline silicon p-n junctions ---
fabrication of low cost solar cells
19 p0334 A78-37467

Minority carrier lifetime measurement of silicon
solar cell
19 p0335 A78-37903

Ion-implanted drift field silicon solar cell
19 p0335 A78-37904

Energy budget of single crystal silicon solar
cells with the present state-of-art
19 p0371 A78-42116

Effects of temperature on the performance of
silicon solar cells
19 p0371 A78-42117

A note on the performance of a Si solar cell under
partial illumination
19 p0371 A78-42119

Measurement of material parameters that limit the
open-circuit voltage in P-N-junction silicon
solar cells
17 p0126 N78-13532

Applications of ion implantation for high
efficiency silicon solar cells
17 p0127 N78-13538

Developments in vertical-junction silicon solar
cells
17 p0137 N78-13540

Physics underlying improved efficiency of
high-low-junction emitter silicon solar cells
[SAND-77-1610C]
19 p0410 N78-24685

SILICON OXIDES
Silicon monoxide antireflection coatings for
InP/CdS solar cells
18 p0221 A78-30305

SILICON TETRACHLORIDE
Process feasibility study in support of silicon
material task 1
[NASA-CR-157030]
19 p0396 N78-23561

SILICON TRANSISTORS

The development and prospects of power transistors
used for the conversion of energy
17 p0081 A78-16353

SILICONES

The use of silicone gel for potting photovoltaic
arrays
17 p0054 A78-11336

SILVER

Doped silver catalysts for H₂/air fuel cells
17 p0095 A78-18644

SINGAPORE

A study on the use of windmills in Singapore
18 p0169 A78-22230

SINGLE CRYSTALS

Single crystal silicon photocells for terrestrial
use - State of the art and perspectives on the
future
17 p0003 A78-10553

Ribbon-to-ribbon crystal growth --- for solar cell
fabrication
17 p0014 A78-10929

Single crystal and polycrystalline GaAs solar
cells using AMOS technology
17 p0025 A78-11044

Purification and characterization of metallurgical
silicon
18 p0219 A78-30191

Development of low-cost silicon crystal growth
techniques for terrestrial photovoltaic solar
energy conversion
18 p0220 A78-30268

Epitaxial silicon solar cells with uniformly doped
layer
18 p0228 A78-31732

Energy budget of single crystal silicon solar
cells with the present state-of-art
19 p0371 A78-42116

Novel silicon crystals and method for their
preparation
[NASA-TM-75195]
18 p0290 N78-21957

Heterostructure single crystal silicon
photovoltaic cell. Type A: Semiconductor
heterojunction silicon devices
[TID-27910]
19 p0462 N78-27579

SINTERING

Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells
19 p0344 A78-39469

SITES

Evaluation of offshore site for wind energy
generation
17 p0029 A78-11080

Candidate locations for SPS rectifying antennas
[NASA-TM-78146]
17 p0138 N78-13553

Site dependent factors affecting the economic
feasibility of solar powered absorption cooling
[NASA-CR-150533]
18 p0255 N78-18524

Site selection for MSFC operational tests of solar
heating and cooling systems
[NASA-CR-150537]
18 p0263 N78-19602

Site selection feasibility for a solar energy
system on the Fairbanks Federal Building
[NASA-CR-150559]
18 p0268 N78-19645

SIZE (DIMENSIONS)

Piping design considerations in a solar-Rankine
power plant --- pipe size
17 p0158 N78-15085

SIZE DETERMINATION

Optimal sizing of solar heating components by
equating marginal costs of suboptimal investment
paths
17 p0084 A78-16840

SIZING SCREENS

Screens for the OTEC plants --- protection from
biological materials for Ocean Thermal Energy
Conversion heat exchangers
19 p0303 A78-33329

SLAGS

Effects of slagging in MHD generator ducts
[ASME PAPER 77-HT-59]
17 p0089 A78-17491

Characterization of open-cycle coal-fired MHD
generators, revision A
[PE-2478-4-REV-A]
19 p0422 N78-25566

SLICING

Multi-wire slurry wafering demonstrations ---
slicing silicon ingots for solar arrays
[JPL-PUB-78-37]
18 p0276 N78-20620

SLIDING FRICTION

SLIDING FRICTION

Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas
[NASA-TP-1150] 18 p0273 N78-20512

SLUDGE

Operating experience with large scale digestion of urban refuse with sewage sludge 17 p0036 A78-11136
Combined refuse and sludge incineration 17 p0037 A78-11151
Improving sludge incineration and vacuum filtration with pulverized coal 17 p0095 A78-18498
Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0] 19 p0451 N78-26657

SLURRIES

The role of solvent in the solvent refined coal process 18 p0190 A78-26577
Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578
Rocketdyne's advanced coal slurry pumping program 17 p0133 N78-13266
Surfactant-assisted liquefaction of particulate carbonaceous substances --- coal liquefaction
[NASA-CASE-RPO-13904-1] 19 p0414 N78-25237
Status of steam-iron pilot plant operations
[CONF-771092-5] 19 p0415 N78-25250
Appendix: Cook inlet coal: Economics of mining and marine slurry transport
[PB-278756/2] 19 p0455 N78-27493
Feasibility study of mining Alaska coal and transportation by slurry to the west coast
[PB-278755/4] 19 p0458 N78-27545
Task reports: Slurry coal pipelines, volume 2, part 1 --- environmental impact
[PB-278676/2] 19 p0465 N78-27603
Task reports: Slurry coal pipelines, volume 2, part 2 --- environmental impact
[PB-278677/0] 19 p0465 N78-27604

SLURRY PROPELLANTS

The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861

SHELTING

High-purity silicon for solar cell applications 19 p0344 A78-39567

SOCIAL FACTORS

A detailed analysis of the environmental effects of energy utilization in the U.S. economy 17 p0031 A78-11102
Technical and socio-economic aspects of solar energy and rural development in developing countries 17 p0083 A78-16829
Technological innovation and social exploration in economic growth and energy development 18 p0204 A78-27935
What does it concern --- technological information dissemination and social response 18 p0218 A78-29873
Transportation in America's future: Potentials for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
Energy conservation in the home: An energy education/conservation curriculum guide for home economics teachers
[EDM-1028] 18 p0284 N78-21607
Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities
[BNWL-RAP-16] 19 p0468 N78-27975

SODIUM

Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment
[AD-A042389] 17 p0112 N78-10563
Ford/ERDA sodium-sulfur battery development, phase 2
[COO-2566-30] 19 p0463 N78-27585

SODIUM COOLING

A liquid sodium cooled solar tower system 17 p0053 A78-11325

SUBJECT INDEX

SODIUM HYDROXIDES

Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309
Biogasification using NaOH treated pig faeces 18 p0194 A78-27550

SODIUM NITRATES

Boiling heat transfer in a bench-scale molten-salt thermal energy storage device
[CERL/TH-5689] 17 p0114 N78-10586

SODIUM VAPOR

Sodium vapor heat pipe laser cell
[AIAA 78-392] 19 p0317 A78-35587

SOIL MECHANICS

Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0] 19 p0451 N78-26657

SOILS

Ground as a heat source --- for house heating 17 p0097 A78-18816
Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission
[E78-10092] 18 p0263 N78-19570
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10111] 18 p0282 N78-21516

SOLAR ARRAYS

Solar-electrical systems - Theory and applications 17 p0009 A78-10731
Solar-electric residential system tests 17 p0010 A78-10741
Integral glass sheet encapsulation for terrestrial panel applications --- solar cell modules 17 p0016 A78-10948
Material and design considerations of encapsulants for photovoltaic arrays in terrestrial applications 17 p0016 A78-10951
SAMIS - A simulation of the solar array manufacturing industry 17 p0016 A78-10955
Improved mesh interconnector technology for the Meteosat solar array 17 p0016 A78-10957
Development status of the ultralightweight solar array ULP --- Ultra Lightweight Panel 17 p0017 A78-10967
An automatable integrated thin film solar cell array 17 p0017 A78-10972
Albedo contribution to satellite solar array performance 17 p0019 A78-10990
German activities in the field of terrestrial application of solar cell arrays 17 p0020 A78-11005
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
Some problems concerning solar cell arrays in the design of solar-electrical systems 17 p0030 A78-11086
Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216
A solar panel for residential use 17 p0043 A78-11223
Solar photovoltaic power stations 17 p0054 A78-11335
The use of silicone gel for potting photovoltaic arrays 17 p0054 A78-11336
Solar panels BPX47A for terrestrial applications 17 p0071 A78-13984
Solar energy and economic considerations 17 p0078 A78-15407
Economic photovoltaic power generation with heat recovery 17 p0091 A78-17552
Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262
Application of solar energy in space 18 p0201 A78-27863

- Solar thermal test facility 18 p0216 A78-29227
- Advanced lightweight solar array technology ---
for communication satellites [AIAA 78-533] 19 p0294 A78-32883
- Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- Steering a field of mirrors using a shared computer-based controller --- for solar array and heliostat application 19 p0312 A78-34516
- Solar and infrared radiation properties of parallel-plate honeycomb [AIAA PAPER 78-901] 19 p0324 A78-36019
- A note on the performance of a Si solar cell under partial illumination 19 p0371 A78-42119
- Views change on power satellite work --- satellite solar power station concepts 19 p0382 A78-42475
- Summary of the NASA space photovoltaic research and technology program 17 p0136 N78-13528
- Evaluation of a photovoltaic central power station [CONF-770403-8] 17 p0141 N78-13582
- The ERDA/LeRC photovoltaic systems test facility [NASA-TN-73787] 17 p0157 N78-15059
- Laser-zone growth in a Ribbon-To-Ribbon, RTR, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 N78-16437
- Solar array conceptual design for the Bailey's Comet ion drive mission, phase 2 [NASA-CR-155594] 18 p0240 N78-16438
- Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464
- Conceptual approach study of a 200 watt per kilogram solar array, phase 1 [NASA-CR-155614] 18 p0248 N78-17465
- Method of construction of a multi-cell solar array [NASA-CASE-MPS-23540-1] 18 p0249 N78-17468
- Phase 1 of the automated array assembly task of the low cost silicon solar array project [NASA-CR-155935] 18 p0255 N78-18516
- Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 N78-18519
- LSSA (Low-cost Silicon Solar Array) project [NASA-CR-155944] 18 p0264 N78-19614
- Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays [JPL-PUB-78-37] 18 p0276 N78-20620
- Construction in space: A proposed experiment in support of the space solar power concept and other large space systems [NASA-TN-79435] 18 p0279 N78-21179
- Closed loop solar array-ion thruster system with power control circuitry [NASA-CASE-LEW-12780-1] 19 p0387 N78-22149
- Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2 [NASA-CR-156185] 19 p0388 N78-22464
- Double-sided solar cell package [NASA-CASE-NPO-14199-1] 19 p0389 N78-22470
- Automated array assembly task, phase 1 [NASA-CR-156985] 19 p0396 N78-23562
- Terrestrial solar cell module automated array assembly, task 4 [NASA-CR-156982] 19 p0396 N78-23565
- Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-157080] 19 p0406 N78-24629
- Low cost silicon solar array project silicon materials task [NASA-CR-157092] 19 p0407 N78-24640
- Energy requirement for the production of silicon solar arrays [NASA-CR-157074] 19 p0407 N78-24642
- Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
- Array automated assembly, phase 2 [NASA-CR-157057] 19 p0407 N78-24650
- Study of test methods for large flexible solar arrays (VELSA) --- dynamic characteristics [ESA-CR(P)-1016] 19 p0411 N78-24688
- A solar array strip and a method for forming the same [NASA-CASE-NPO-13652-3] 19 p0421 N78-25560
- Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors [NASA-CR-157225] 19 p0442 N78-26541
- Development and fabrication of a concentrating solar collector subsystem [NASA-CR-150713] 19 p0444 N78-26558
- Hexagon solar power panel [NASA-CASE-NPO-12148-1] 19 p0456 N78-27515
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1 [NASA-CR-157264] 19 p0457 N78-27530
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2 [NASA-CR-157265] 19 p0457 N78-27531
- Evaluation of solar cells and arrays for potential solar power satellite applications [NASA-CR-151740] 19 p0458 N78-27538
- SOLAR CELLS**
- Si/CdS heterojunction solar cells 17 p0002 A78-10485
- Silicon for solar photocells 17 p0003 A78-10551
- Structures for photocells - Homojunctions, heterostructures or heterojunctions 17 p0003 A78-10552
- Single crystal silicon photocells for terrestrial use - State of the art and perspectives on the future 17 p0003 A78-10553
- Problems in adapting photocells to terrestrial applications 17 p0003 A78-10555
- Terrestrial applications of the Radiotechnique-Compelec /RTC/ solar modules from 1961 to 1977 17 p0003 A78-10556
- The near-term prospectives for photovoltaic solar energy conversion 17 p0003 A78-10558
- Cost factors in photovoltaic energy conversion with solar concentration 17 p0004 A78-10619
- Solar radiation and energy measurements --- solar cell meter for meteorological monitoring 17 p0009 A78-10732
- Photovoltaic Specialists Conference, 12th, Baton Rouge, La., November 15-18, 1976, Conference Record 17 p0012 A78-10902
- Analysis of epitaxial drift field N on P silicon solar cells 17 p0012 A78-10904
- The role of defects on the performance of epitaxial and diffused solar cells fabricated on EFG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 A78-10905
- A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906
- New developments in vertical-junction solar cells --- groove structure to promote radiation resistance 17 p0012 A78-10907
- Temperature dependence of the photovoltaic performance of Si cells under blue, white and near-bandgap irradiation 17 p0012 A78-10909
- Solar cells by ionized-cluster beam deposition and epitaxial techniques 17 p0013 A78-10912
- On the series resistance of solar cells 17 p0013 A78-10914

Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915

Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916

Low cost solar cells based on large area unconventional silicon 17 p0013 A78-10918

Efficiency calculations for thin film polycrystalline semiconductor Schottky barrier solar cells 17 p0013 A78-10920

Vacuum deposited polycrystalline silicon solar cells 17 p0013 A78-10921

Silicon solar cells from transition metal doped Czochralski and web crystals 17 p0013 A78-10922

Production of solar-grade silicon from purified metallurgical silicon 17 p0013 A78-10925

Dip-coated sheet silicon solar cells 17 p0014 A78-10926

The tubular silicon solar cell - A new concept for photovoltaic power generation 17 p0014 A78-10927

Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells 17 p0014 A78-10928

Ribbon-to-ribbon crystal growth --- for solar cell fabrication 17 p0014 A78-10929

An analysis of factors influencing the efficiency of FPG silicon ribbon solar cells 17 p0014 A78-10930

ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932

Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 A78-10936

Comparative testing of high efficiency silicon solar cells 17 p0014 A78-10937

Electron and proton degradation of commercially available solar cell/coverglass components 17 p0015 A78-10938

Photon degradation of electron and proton irradiated silicon solar cells 17 p0015 A78-10940

Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943

High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 A78-10944

Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells 17 p0015 A78-10945

Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946

Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947

Integral glass sheet encapsulation for terrestrial panel applications --- solar cell modules 17 p0016 A78-10948

Processing ramifications of textured surfaces --- of silicon wafers for solar cells 17 p0016 A78-10949

High efficiency solar cells 17 p0016 A78-10953

Total energy use in the production of silicon solar cells from raw materials to finished product 17 p0016 A78-10954

Fired through printed contacts on antireflection coated silicon terrestrial solar cells 17 p0016 A78-10956

Advanced interconnect for use with ultrasonic seam welding on solar cells 17 p0016 A78-10958

A novel solar cell interconnection design 17 p0017 A78-10959

Concentrator solar arrays for space power 17 p0017 A78-10970

The relationships between preparation parameters, operating characteristics and physical processes in Cu₂S-CdS thin film solar cells 17 p0017 A78-10971

An automatable integrated thin film solar cell array 17 p0017 A78-10972

Variation of short-circuit current spectral response with Cu/2-x/S composition in thin film Cu/2-x/S/CdS photovoltaic cells 17 p0017 A78-10973

Model of the CdS/Cu₂S heterojunction 17 p0017 A78-10974

The influence of the horizontal and vertical structure of the p-n junction in Cu₂S-CdS solar cells 17 p0018 A78-10975

Characteristics of chalcocite /Cu/x/S/ films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977

Post-fabrication treatments, surface properties, and front contact of Cu/x/S-CdS solar cells 17 p0018 A78-10978

The formation of Cu₂S thin films for CdS solar cells by sulfurization of copper with thiourea 17 p0018 A78-10980

CdS sprayed thin films - Electrical and optical properties 17 p0018 A78-10981

Studies related to Zn/x/Cd/1-x/S-Cu₂S solar cells 17 p0018 A78-10982

Recent results on II-VI heterojunctions for photovoltaic solar energy conversion 17 p0018 A78-10983

Thin film heterojunction and homojunction solar cells utilizing I-III-VI₂ ternary compound semiconductors 17 p0018 A78-10984

InP/CdS solar cells 17 p0018 A78-10985

CdS - sputtered Cu₂S solar cells 17 p0019 A78-10986

Indium phosphide films deposited by cylindrical magnetron reactive sputtering 17 p0019 A78-10987

What is simulated AMO - A comparison of CNR and violet cell measurements across USA and Europe 17 p0019 A78-10988

Potential of GaAs solar cells for Air Force space power systems 17 p0019 A78-10994

Improved Helios cell output --- solar generator power efficiency 17 p0019 A78-10995

Textured surface cell performance characteristics 17 p0019 A78-10996

Black and thin silicon solar cells 17 p0019 A78-10997

The current status of the U.S. photovoltaic conversion program 17 p0020 A78-10998

Status of the ERDA photovoltaic material and device studies 17 p0020 A78-10999

French activities in the field of photovoltaic power conversion for terrestrial use 17 p0020 A78-11001

Status of the West German terrestrial photovoltaic program 17 p0020 A78-11002

Terrestrial solar cell R & D in the UK 17 p0020 A78-11003

Photovoltaic system in 'Sunshine Project' - R & D underway in Japan 17 p0020 A78-11004

German activities in the field of terrestrial application of solar cell arrays 17 p0020 A78-11005

Major terrestrial applications for photovoltaic solar energy conversion in the 1980-2000 period 17 p0020 A78-11006

Nominal cost and performance objectives for photovoltaic panels in nonconcentrating central station applications 17 p0021 A78-11007

Solar photovoltaic conversion electric utility point of view and development role 17 p0021 A78-11008

SUBJECT INDEX

SOLAR CELLS CONTD

Status of the EPDA photovoltaic systems definition project 17 p0021 A78-11009

Computer simulation of photovoltaic systems 17 p0021 A78-11010

Military applications of solar cell power 17 p0022 A78-11018

Silicon solar cell development for concentrated-sunlight, high-temperature applications 17 p0022 A78-11020

The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 A78-11021

Design criteria for high efficiency silicon solar cells with concentration 17 p0023 A78-11022

A pn junction silicon sensor for high-intensity solar flux mapping 17 p0023 A78-11023

Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025

Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory 17 p0023 A78-11026

Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 A78-11027

High intensity solar cell 17 p0023 A78-11028

A data acquisition system for in situ measurements of terrestrial photovoltaic array performance 17 p0023 A78-11029

Interface design considerations for terrestrial solar cell modules 17 p0023 A78-11030

Thermophotovoltaic systems for electrical energy conversion 17 p0023 A78-11031

Improved performance of solar cells for high intensity applications 17 p0024 A78-11033

Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036

Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038

MIS solar cell calculations 17 p0024 A78-11039

M-I-S solar cell - Theory and experimental results 17 p0025 A78-11040

A contribution to Schottky barrier solar cell theory 17 p0025 A78-11041

Cuprous oxide Schottky barrier photovoltaic cells 17 p0025 A78-11042

Controlling open circuit voltage in silicon Schottky /MIS/ solar cells 17 p0025 A78-11043

Single crystal and polycrystalline GaAs solar cells using AMOS technology 17 p0025 A78-11044

Solar cells using Schottky barriers on amorphous silicon 17 p0025 A78-11045

Large open-circuit photovoltages in silicon minority carrier MIS solar cells 17 p0025 A78-11046

Interface study of MIS silicon solar cells 17 p0025 A78-11047

Photocurrent analysis in MIS silicon solar cells 17 p0025 A78-11048

Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049

Diffusion length measurement by a simple photoresponse technique --- for MIS and Schottky barrier solar cells 17 p0026 A78-11050

Improvement of efficiency in Si Schottky barrier solar cells 17 p0026 A78-11051

The effects of illumination on the depletion-region recombination currents in Schottky-barrier solar cells 17 p0026 A78-11052

Experimental study of the interface properties of MOS tunnel devices 17 p0026 A78-11053

High efficiency and large area /GaAl/As-GaAs solar cells 17 p0026 A78-11054

Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells 17 p0026 A78-11055

Computer analysis of heterojunction and graded bandgap solar cells 17 p0026 A78-11056

Improved GaAs solar cells with very thin junctions 17 p0026 A78-11057

The potential for increasing the efficiency of photovoltaic systems by using multiple cell concepts 17 p0026 A78-11058

Tandem photovoltaic solar cells and increased solar energy conversion efficiency 17 p0027 A78-11059

The structure and Schottky barrier diode properties of polycrystalline GaAs films grown by the close spaced vapour transport technique on Mo substrates 17 p0027 A78-11060

Fabrication of OSOS cells by neutral ion beam sputtering --- Oxide Semiconductor On Silicon solar cells 17 p0027 A78-11062

Degradation of SnO₂/Si heterojunction solar cells 17 p0027 A78-11063

Design factors for transparent conducting layers in solar cells 17 p0027 A78-11064

High efficiency thin window Ga/1-x/Al/x/As/GaAs solar cells 17 p0027 A78-11065

Inversion layer silicon solar cells with 10-12% AM1 efficiencies 17 p0027 A78-11066

Rheotaxy for large grain thin film solar cell fabrication 17 p0027 A78-11067

LaF₃ solar cell 17 p0027 A78-11068

Some problems concerning solar cell arrays in the design of solar-electrical systems 17 p0030 A78-11086

An analysis of optimum loading conditions for P-N junction solar cells 17 p0030 A78-11092

Low cost, high efficiency solar cells using indium-tin oxide on semiconductor /OSOS/ solar cells 17 p0054 A78-11334

Characteristics of solar cells designed for concentrator systems 17 p0054 A78-11337

Experimental investigation of a solar cell/inverter system 17 p0054 A78-11339

Dye sensitization of Schottky barrier solar cells 17 p0055 A78-11340

The application of color response data of silicon cells for improving photovoltaic efficiency 17 p0055 A78-11341

Evaluation of the CdS/CdTe heterojunction solar cell 17 p0062 A78-11815

High-efficiency GaAs shallow-homojunction solar cells 17 p0062 A78-11933

Enhancement of MIS solar-cell 'efficiency' by peripheral collection 17 p0070 A78-13797

Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745

A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850

Semiconductor materials for photovoltaic conversion 17 p0080 A78-16128

The prospects for photovoltaic conversion 17 p0081 A78-16276

Solar cells for terrestrial applications 17 p0083 A78-16826

- Optimum efficiency of photogalvanic cells for solar energy conversion 17 p0091 A78-17520
- An optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553
- A monolithic series-array solar-cell system 17 p0103 A78-19374
- Thin Pt and Pd silicide Schottky barriers for silicon solar cells 18 p0171 A78-22267
- Photocells with intermediate conversion of radiation and which operate at an increased concentration /2500-fold/ of solar radiation 18 p0172 A78-22795
- A Fokker-Planck analysis of photovoltaic systems 18 p0173 A78-22841
- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Procedure for minimizing the cost per watt of photovoltaic systems 18 p0176 A78-23636
- Optimization of solar cell contacts by system cost-per-watt minimization 18 p0176 A78-23637
- Optimum shape of the bus bar on solar cells of arbitrary shape 18 p0176 A78-23638
- Terrestrial solar cells - Present and future 18 p0177 A78-23952
- The efficiency of grating solar cells 18 p0178 A78-24131
- Properties of a solar cell array with mirrors and radiators [DGLR PAPER 77-011] 18 p0179 A78-24405
- An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967
- Air pollution potential of solar technologies --- emissions from various fabrication processes [APCA PAPER 77-37,1] 18 p0185 A78-25427
- Estimating the deformation process in the formation of the reflecting surface of solar concentrators 18 p0187 A78-25735
- Solar energy - Its nature and possibilities as a source of power for terrestrial use 18 p0188 A78-26144
- Response of a solar cell partially illuminated by a nonuniform light source 18 p0192 A78-26614
- On the theory of homojunction and heterojunction solar cells 18 p0192 A78-26616
- The operation of the semiconductor-insulator-semiconductor /SIS/ solar cell theory 18 p0192 A78-26717
- Photovoltaic conversion 18 p0201 A78-27862
- Application of solar energy in space 18 p0201 A78-27863
- Thermophotovoltaic cells for solar energy conversion 18 p0205 A78-28169
- Diffusion lengths in amphoteric GaAs heteroface solar cells 18 p0216 A78-29195
- Simplified fabrication of GaAs homojunction solar cells with increased conversion efficiencies 18 p0216 A78-29199
- Solar cells from zone-refined metallurgical silicon 18 p0219 A78-30190
- Purification and characterization of metallurgical silicon 18 p0219 A78-30191
- Annealing of GaAs solar cells damaged by electron irradiation 18 p0219 A78-30192
- Development of low-cost silicon crystal growth techniques for terrestrial photovoltaic solar energy conversion 18 p0220 A78-30268
- Silicon monoxide antireflection coatings for InP/CdS solar cells 18 p0221 A78-30305
- High-efficiency organic solar cells 18 p0223 A78-30646
- Observations of anisotropic diffused layer sheet resistance in EFG silicon ribbon solar cells --- Edge-defined Film-fed Growth 18 p0223 A78-30648
- The sun on a semiconductor 18 p0223 A78-30743
- Polycrystalline thin film CdS/CdTe solar cells 18 p0225 A78-31210
- Theoretical analysis of a novel NPB gallium arsenide Schottky barrier solar cell 18 p0227 A78-31385
- Two-dimensional analysis for Cu/x/S-CdS solar cells with nonuniform skin region 18 p0228 A78-31726
- Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu2S photovoltaic cells 18 p0228 A78-31730
- Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 A78-31731
- Epitaxial silicon solar cells with uniformly doped layer 18 p0228 A78-31732
- Influence of light reflection on the collection efficiency of a solar cell 18 p0229 A78-31767
- Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233
- On the fill factor of solar cells --- volt-ampere characteristics 19 p0292 A78-32691
- Junction potentials of strongly illuminated n/+/-p-p/+/- solar cells 19 p0292 A78-32693
- An integral equation method to calculate the transient behaviour of a photovoltaic solar cell 19 p0292 A78-32695
- The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008
- Cu/x/S/CdS thin-film solar cells using chemically sprayed CdS films 19 p0309 A78-34009
- Photovoltaic conversion of solar energy for terrestrial use - The present situation and the developmental trends 19 p0309 A78-34021
- The influence of tunneling effects on the efficiency of heterojunction solar cells 19 p0309 A78-34048
- High conductivity ZnSe films --- for solar cells 19 p0310 A78-34256
- CuInS2 liquid junction solar cells 19 p0310 A78-34274
- New TiOx-HIS and SiO2-HIS silicon solar cells 19 p0313 A78-34847
- A computer analysis of Ga/1-x/Al/x/As-GaAs solar cells with multilayered window structure 19 p0313 A78-34850
- Sunstations --- calibrated silicon solar cell for insolation measurement 19 p0314 A78-34933
- Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions 19 p0315 A78-35282
- Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor /SIS/ heterojunction solar cell 19 p0316 A78-35287
- Maximisation of operating efficiency of solar cells 19 p0322 A78-35782
- Thickness dependence of structural and electrical properties of CdS films for solar cells 19 p0325 A78-36035
- Structure and morphology of chemical-sprayed CdS films 19 p0325 A78-36036
- Photovoltaic electricity - On the way. I - An optimistic view. II - Solar cell arrays too expensive . . . but interesting 19 p0327 A78-36444
- Photo-galvano-voltaic cell - A new approach to the use of solar energy 19 p0333 A78-37174

- Modeling solar cells for use as optical detectors
- Background illumination effects 19 p0333 A78-37189
- Silicon solar cell designs based on physical behavior in concentrated sunlight 19 p0334 A78-37462
- Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- Analysis of generation in space charge regions of solar cells 19 p0334 A78-37466
- Polycrystalline silicon p-n junctions --- fabrication of low cost solar cells 19 p0334 A78-37467
- Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure 19 p0334 A78-37469
- Korea Atomic Energy Research Institute, Collected Reprints. Volume 4 --- Book 19 p0335 A78-37901
- Minority carrier lifetime measurement of silicon solar cell 19 p0335 A78-37903
- Ion-implanted drift field silicon solar cell 19 p0335 A78-37904
- Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells 19 p0335 A78-37944
- Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range 19 p0336 A78-37950
- SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device 19 p0338 A78-38550
- Comparative radiation resistance calculation for graded- and constant-composition n Al_x/Ga_{1-x}/As-p Al_z/Ga_{1-z}/As solar cells 19 p0338 A78-38551
- A simple theory of back surface field /BSF/ solar cells 19 p0338 A78-38552
- Photocells based on AlGaAs heterostructure with a transition layer 19 p0341 A78-38941
- A novel square Fresnel lens design for illuminating circular solar cells 19 p0342 A78-39369
- Semiconductor liquid-junction solar cells; Proceedings of the Conference on the Electrochemistry and Physics of Semiconductor Liquid Interfaces under Illumination, Airlie, Va., May 3-5, 1977 19 p0342 A78-39453
- State of the art homojunction cells 19 p0343 A78-39454
- Photocurrent spectroscopy of semiconductor electrodes in liquid junction solar cells 19 p0343 A78-39456
- Stable semiconductor liquid junction cell with 9% solar to electrical conversion efficiency 19 p0343 A78-39461
- Stability and voltammetry of illuminated semiconductor-liquid interfaces 19 p0343 A78-39464
- n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- High-purity silicon for solar cell applications 19 p0344 A78-39567
- Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells 19 p0362 A78-40531
- Microprocessor-based solar cell measurement system 19 p0365 A78-40919
- Low-resistivity ZnCdS films for use as windows in heterojunction solar cells 19 p0369 A78-41913
- Progress report from Central Electronics Ltd., Delhi --- solar cell research projects 19 p0370 A78-42103
- Non-tracking solar concentration for solar cell 19 p0371 A78-42111
- Semiconducting materials in solar energy conversion 19 p0371 A78-42115
- Energy budget of single crystal silicon solar cells with the present state-of-art 19 p0371 A78-42116
- Effects of temperature on the performance of silicon solar cells 19 p0371 A78-42117
- Deviation in solar cell characteristics from their ideal behaviour 19 p0371 A78-42118
- A note on the performance of a Si solar cell under partial illumination 19 p0371 A78-42119
- Performance of the novel solar cell 19 p0372 A78-42120
- Investigation on the non-uniform thickness of the skin region of a CdS solar cell 19 p0372 A78-42121
- Evaporated CdS film based heterojunction solar cells 19 p0372 A78-42122
- Sprayed CdS thin film solar cells 19 p0372 A78-42123
- Failure analysis of cadmium sulphide solar cells --- for spacecraft power supplies 19 p0372 A78-42124
- Power increase from solar cells under pyramidal-horn type concentrator 19 p0372 A78-42125
- Performance characteristics of a solar battery concentrator system using Si and CdS cells 19 p0372 A78-42126
- Technology of Cu₂S-CdS solar cells - German state-of-the-art 19 p0373 A78-42127
- Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer 19 p0373 A78-42128
- Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell 19 p0373 A78-42129
- Back-wall Schottky barrier solar cells - with and without an interfacial layer 19 p0373 A78-42130
- Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- Photocells with intermediate radiation conversion and enhanced concentration of solar radiation /K=2500/ 19 p0381 A78-42415
- Computer aided two-dimensional analysis of junction type solar cells 19 p0383 A78-42807
- High efficiency solar panel (HESP) [AD-A043382] 17 p0112 A78-10572
- Heat pipe central solar receiver [COO-2839-1] 17 p0114 A78-10579
- Ternary compound thin film solar cells-2 [PB-270029/2] 17 p0121 A78-11515
- High voltage, high current Schottky barrier solar cell [NASA-CASE-NPO-13482-1] 17 p0135 A78-13526
- Solar Cell High Efficiency and Radiation Damage [NASA-CP-2020] 17 p0136 A78-13527
- Summary of the NASA space photovoltaic research and technology program 17 p0136 A78-13528
- The Goddard Space Flight Center high efficiency cell development and evaluation program 17 p0136 A78-13529
- A Review of Air Force space photovoltaic development efforts 17 p0136 A78-13530
- Impurity gradients and high efficiency solar cells 17 p0136 A78-13531
- Measurement of material parameters that limit the open-circuit voltage in P-N-junction silicon solar cells 17 p0136 A78-13532
- Impurity concentrations and surface charge densities on the heavily doped face of a silicon solar cell 17 p0136 A78-13534
- Investigation of the topographical features of surface carrier concentrations in silicon solar cell material using electrolyte electroreflectance 17 p0136 A78-13535
- Advanced high efficiency wraparound contact solar cell [AIAA-PAPER-77-521] 17 p0137 A78-13536
- The sawtooth cover slide 17 p0137 A78-13537

- Applications of ion implantation for high efficiency silicon solar cells 17 p0137 N78-13538
- Transmutation doping of silicon solar cells 17 p0137 N78-13539
- Developments in vertical-junction silicon solar cells 17 p0137 N78-13540
- Project STOF (Spectral Thermal Optimization Program) 17 p0137 N78-13541
- High efficiency GaAs solar cells 17 p0137 N78-13542
- Theoretical studies of a new double graded band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub 1-y As 17 p0138 N78-13543
- GaAs solar cell development 17 p0138 N78-13544
- Radiation tests of SEP solar cells 17 p0138 N78-13548
- Ultraviolet damage in solar cell assemblies with various UV filters 17 p0138 N78-13551
- An improved solar concentrator [NASA-CASE-HPS-23727-1] 17 p0139 N78-13556
- Real-time and accelerated outdoor endurance testing of solar cells [NASA-TM-73743] 17 p0150 N78-14628
- US terrestrial solar cell calibration and measurement procedures [NASA-TM-73788] 17 p0150 N78-14629
- Nonreflecting vertical junction silicon solar cell optimization [AD-A046150] 17 p0151 N78-14636
- Photovoltaic solar panels and solar modules [LPS-77-12] 17 p0156 N78-14685
- Solar cell radiation handbook [NASA-CR-155554] 17 p0160 N78-15566
- Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 N78-15589
- A hypothetical 1000 MW(e) photovoltaic solar-electric plant [PB-273108/1] 18 p0243 N78-16468
- Shunt regulation electric power system [NASA-CASE-GSC-10135] 18 p0247 N78-17296
- Solar cell design study [AD-A048042] 18 p0251 N78-17489
- Silicon Schottky photovoltaic diodes for solar energy conversion [PB-274041/3] 18 p0251 N78-17493
- A computer analysis of heterojunction and graded bandgap solar cells 18 p0254 N78-18512
- Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document [AD-A047925] 18 p0260 N78-18558
- Photovoltaic remote instrument applications: Assessment of the near-term market [NASA-TM-73881] 18 p0271 N78-19710
- Characterization of solar cells for space applications. Volume 1: Electrical characteristics of OCII violet solar cells as a function of intensity and temperature [NASA-CR-156162] 18 p0283 N78-21601
- Space solar power. Description of concept, results of preliminary studies, requirements for evaluation [NASA-TM-79436] 18 p0284 N78-21611
- Double-sided solar cell package [NASA-CASE-WPO-14199-1] 19 p0369 N78-22470
- High efficiency solar photovoltaic power module concept [NASA-CR-157002] 19 p0395 N78-23555
- Automated array assembly task, phase 1 [NASA-CR-156985] 19 p0396 N78-23562
- Low cost silicon solar array project large area silicon sheet task: Silicon wet process development [NASA-CR-156984] 19 p0396 N78-23563
- Terrestrial solar cell module automated array assembly, task 4 [NASA-CR-156982] 19 p0396 N78-23565
- Process for utilizing low-cost graphite substrates for polycrystalline solar cells [NASA-CASE-GSC-12022-2] 19 p0405 N78-24609
- Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 N78-24622
- Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 N78-24630
- Solar silicon via the Dow Corning process [NASA-CR-157065] 19 p0406 N78-24637
- Silicon solar cells with a total power capacity of 30 kilowatts [NASA-CR-157066] 19 p0407 N78-24639
- Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
- High efficiency, long life terrestrial solar panel [NASA-CR-157060] 19 p0407 N78-24649
- Automated array assembly, phase 2 [NASA-CR-157134] 19 p0407 N78-24653
- Development of an improved high efficiency thin silicon solar cell [NASA-CR-157058] 19 p0408 N78-24654
- Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual [AD-A047356] 19 p0409 N78-24667
- Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C] 19 p0410 N78-24685
- SANICS support study. Volume 1: Cost account catalog [NASA-CR-157131] 19 p0412 N78-24974
- Method for producing solar energy panels by automation [NASA-CASE-LBW-12541-1] 19 p0419 N78-25529
- Photon degradation effects in terrestrial solar cells [NASA-TM-78924] 19 p0421 N78-25551
- Solar cell system having alternating current output [NASA-CASE-LBW-12806-1] 19 p0421 N78-25553
- A solar array strip and a method for forming the same [NASA-CASE-WPO-13652-3] 19 p0421 N78-25560
- Battery storage performance requirements for terrestrial solar photovoltaic power systems [ANL/OEPP-77-3] 19 p0428 N78-25614
- Status of wraparound contact solar cells and arrays [NASA-TM-78911] 19 p0443 N78-26543
- Variation of solar cell sensitivity and solar radiation on tilted surfaces [NASA-TM-78921] 19 p0443 N78-26547
- Hexagon solar power panel [NASA-CASE-WPO-12148-1] 19 p0456 N78-27515
- Self-reconfiguring solar cell system [NASA-CASE-LBW-12586-1] 19 p0456 N78-27520
- Solar photovoltaic systems 19 p0457 N78-27523
- Evaluation of solar cells and arrays for potential solar power satellite applications [NASA-CR-151740] 19 p0458 N78-27538
- Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices [TID-27910] 19 p0462 N78-27579
- Indium phosphide/cadmium sulfide thinfilm terrestrial solar cells [ALO/3717-1] 19 p0462 N78-27581
- SOLAR COLLECTORS:**
- All-dielectric compound parabolic concentrator 17 p0001 A78-10152
- Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications 17 p0001 A78-10170
- Materials for luminescent greenhouse solar collectors 17 p0002 A78-10171
- Cost factors in photovoltaic energy conversion with solar concentration 17 p0004 A78-10619
- Potential role of solar thermal electric power in the U.S. 17 p0010 A78-10743

- A tracking, high-concentration electrical and thermal solar energy collection system 17 p0024 A78-11032
- Theoretical method to determine monthly efficiency of flat plate solar collectors 17 p0029 A78-11084
- International Solar Energy Society, Annual Meeting, Orlando, Fla., June 6-10, 1977, Proceedings. Sections 1-13, 14-25 & 26-38 17 p0042 A78-11212
- A detailed model of flat plate solar collectors 17 p0042 A78-11213
- The analysis, design and thermal performance testing of a heat pipe flat plate collector 17 p0042 A78-11214
- Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215
- Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216
- Performance analysis of a black liquid absorbing collector /BLAC/ 17 p0042 A78-11217
- Teflon FEF fluorocarbon film for flat plate solar collectors 17 p0042 A78-11218
- Performance of Lexan vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219
- Testing of flat-plate air heaters according to ASHRAE Standard 93-77 17 p0042 A78-11220
- Flat plate air-heater improvements 17 p0043 A78-11221
- Analysis of a matrix solar collector 17 p0043 A78-11222
- A solar panel for residential use 17 p0043 A78-11223
- Performance tests of a solar energy collector used to heat air 17 p0043 A78-11224
- Re-evaluation of flat plate solar panels in use for twenty years 17 p0043 A78-11225
- Selecting optimum tilts for solar collectors as a function of cloudiness 17 p0043 A78-11226
- Finite size corrections for a reflector-collector system 17 p0043 A78-11227
- Solar collection at different temperatures by different collector types under various orientation methods 17 p0043 A78-11228
- Optimized spacing between rows of solar collectors 17 p0043 A78-11229
- The estimation of daily, clear-sky solar radiation intercepted by a tilted surface 17 p0044 A78-11230
- An approximate equation for predicting the solar transmittance of transparent honeycombs --- flat plate collector efficiency 17 p0044 A78-11231
- The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232
- Optimization of particulate type selective solar absorber 17 p0044 A78-11233
- Natural convection characteristics of flat plate collectors 17 p0044 A78-11235
- Analytical and experimental study of thermosyphon solar water heaters 17 p0045 A78-11237
- The application of stainless steel to solar collectors 17 p0045 A78-11238
- Computer optimization of solar collector area based on life-cycle costing 17 p0046 A78-11253
- Simplified techniques for sizing residential solar heating systems 17 p0047 A78-11256
- Fluid flow control strategies in flat-plate and evacuated tube collectors --- solar collectors 17 p0047 A78-11260
- Preliminary comparison of proportional and full on-off control systems for solar energy applications 17 p0047 A78-11261
- Maintenance costs of solar air heating systems 17 p0047 A78-11264
- Design considerations for residential solar heating and cooling systems utilizing evacuated tube solar collectors 17 p0047 A78-11265
- The computer-aided design of windows as passive solar collectors 17 p0048 A78-11272
- A study of the differential spectral absorption flat-plate solar collectors 17 p0048 A78-11275
- Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- Shenandoah Solar Recreational Center - An overview 17 p0049 A78-11281
- An accurate, economical, solar insolation computer model for the United States 17 p0049 A78-11284
- Solar tower - Thermal collection energy component: 10 Mw pilot plant 17 p0052 A78-11322
- Results of experiments with heliostats for central receiver power plants 17 p0053 A78-11326
- Subsystem research experiments on a central receiver collector --- for solar thermal power plant 17 p0053 A78-11327
- A cellwise method for the optimization of large central receiver systems --- solar collectors 17 p0053 A78-11330
- Fixed mirror/distributed focus solar thermal electric power systems development 17 p0053 A78-11331
- Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- Economic trade-offs between the performance of collector thermal performance tests on a Solar Simulator as opposed to outdoor testing 17 p0058 A78-11369
- A solar collector for industrial and commercial applications 17 p0058 A78-11371
- Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system 17 p0058 A78-11372
- An analytical and experimental investigation of a 1.8 by 3.7 meter Fresnel lens solar concentrator 17 p0059 A78-11373
- Design, construction and test of a collector system using a linear asymmetric Fresnel reflector 17 p0059 A78-11374
- The linear Fresnel lens - Solar optical analysis of tracking error effects 17 p0059 A78-11375
- Parabolic collector for total energy systems application 17 p0059 A78-11376
- Optical analysis of the Fixed Mirror/Distributed Focus /FMDF/ solar energy collector 17 p0059 A78-11377
- Non-evacuated solar collectors with compound parabolic concentrators 17 p0059 A78-11378
- Long-term average performance predictions for compound parabolic concentrator solar collectors 17 p0059 A78-11379
- Optimization of a fixed solar thermal energy collector 17 p0059 A78-11380
- Evaluation of an optimized solar thermal collector by a new method 17 p0060 A78-11381
- Optical properties of cylindrical elliptic concentrators 17 p0060 A78-11382
- The compound trapezoidal collector /an optimized stationary concentrator/ 17 p0060 A78-11383

- An internal cusp reflector for an evacuated tubular heat pipe solar thermal collector 17 p0060 A78-11384
- On the design of flat reflector - collector combinations 17 p0060 A78-11385
- Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results 17 p0060 A78-11386
- Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- Enhancement of flat plate solar collector performance through the use of planar reflectors 17 p0060 A78-11388
- Analytical and experimental study of total internal reflection prismatic panels for solar energy concentrators 17 p0060 A78-11389
- Solar collector cost reduction with reflector enhancement 17 p0061 A78-11390
- Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391
- A low cost, portable instrument for measuring emittance 17 p0061 A78-11392
- Analysis and classification of methods for calculating concentrating systems --- for solar energy collection 17 p0064 A78-12386
- Concentration by conical and cylindrical concentrators of radiation scattered by near-solar regions of the sky 17 p0064 A78-12387
- Prospects for using Fresnel lenses for concentrating systems of solar energy equipment 17 p0064 A78-12388
- Heat optimization for solar power plants - Concentration of radiation and the temperature of the working medium 17 p0064 A78-12392
- The BEC solar house - Design and operating experience 17 p0068 A78-13454
- Estimating the potential of a solar-to-thermal collector industry 17 p0070 A78-13851
- Interaction between collector and consumer --- storage and use of solar energy 17 p0071 A78-14095
- The first 'solar hotel' in Germany 17 p0072 A78-14096
- The Trithem House of Bosch-Junkers in Wernau --- solar heating for private homes 17 p0072 A78-14097
- The sun satisfies two thirds of the heat requirements 17 p0072 A78-14098
- A prefabricated-house series with solar technology 17 p0072 A78-14099
- Basic physical factors in the calculation of flat-plate collectors. VI 17 p0072 A78-14104
- Short communication on the optimum orientation of solar collectors - An alternative approach 17 p0075 A78-14692
- Forced convection heat transfer at an inclined and yaved square plate - Application to solar collectors 17 p0076 A78-15053
- Seasonal solar collector performance with maximum storage 17 p0078 A78-15410
- Self-supporting active solar energy system 17 p0078 A78-15411
- Collection properties of generalized light concentrators 17 p0080 A78-16093
- Solar energy: Fundamentals in building design --- Book 17 p0081 A78-16275
- Use of the gravity field to shape large linear solar concentrators with fixed focal axis 17 p0082 A78-16633
- Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16831
- Prediction of average collector efficiency from climatic data 17 p0084 A78-16834
- Shadows' effect in a large scale solar power plant 17 p0084 A78-16843
- All-glass collectors in solar energy utilization 17 p0097 A78-18785
- A cylindrical dioptrics, nonfocalising solar collector 17 p0102 A78-19225
- Current costs of solar powered organic Rankine cycle engines 17 p0104 A78-19826
- Solar energy collector orientation and tracking mode 17 p0104 A78-19827
- Design and performance of an air collector for industrial crop dehydration 17 p0104 A78-19828
- Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape 17 p0104 A78-19829
- The effect of off-south orientation on the performance of flat-plate solar collectors 17 p0104 A78-19830
- Asymmetrical non-imaging cylindrical solar concentrators 17 p0104 A78-19831
- Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems 17 p0104 A78-19832
- The circular cylindrical reflector - Application to a shallow solar pond electricity generating system 17 p0105 A78-19833
- Advances in solar water heating for domestic use in Australia 17 p0105 A78-19834
- Geometric factors for plane specular reflectors 17 p0105 A78-19835
- On the right to sunshine --- homeowner access to solar energy 17 p0105 A78-19836
- Inexpensive solar collectors for agricultural requirements 17 p0105 A78-19837
- Transmission of sunlight through a uniform water-drop atmosphere --- computer-aided design for solar collectors 17 p0105 A78-19838
- Estimation of the monthly average of the diffuse component of total insolation on a horizontal surface 17 p0105 A78-19840
- Efficiency of Brude mirror-type selective transparent filters for solar thermal conversion 17 p0105 A78-19893
- Choice of the optimal parabolocylindrical concentrator with a tubiform receiver 17 p0107 A78-20424
- Calculation of the energy delivered by a collector with the method of average direct optical output 18 p0165 A78-20620
- Evaluation of the energy provided for a solar collector 18 p0165 A78-20621
- Theoretical performance of a passive solar energy collection system for house heating 18 p0165 A78-20622
- Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- Solar and wind induced external coefficients - Solar collectors 18 p0165 A78-20625
- Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling 18 p0166 A78-21030
- Solar collector design --- Book 18 p0167 A78-21698
- Influence of system exactness on the concentration factor of cylinder-parabolic solar energy collectors 18 p0176 A78-25920

SUBJECT INDEX

SOLAR COLLECTORS CONTD

- Heat balance of a solar house: Rapid calculation method --- French book 18 p0177 A78-23975
- Two phase working fluids in solar collectors [AIAA PAPER 78-354] 18 p0178 A78-24030
- Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757
- Solar energy in office and industrial buildings 18 p0181 A78-24760
- The development and use of the moire method in solar engineering problems 18 p0187 A78-25731
- A parabolic-toroidal conical concentrator as a secondary concentrator of solar energy 18 p0187 A78-25732
- Equalizing an irradiance field on the surface of a receiver 18 p0187 A78-25734
- Estimating the deformation process in the formation of the reflecting surface of solar concentrators 18 p0187 A78-25735
- The stability of polyurethane foam solar energy collectors to climatic effects 18 p0187 A78-25738
- Solar energy - Its nature and possibilities as a source of power for terrestrial use 18 p0188 A78-26144
- School and factory installations demonstrate solar energy in US northeast 18 p0193 A78-26950
- Solar energy engineering --- Book 18 p0199 A78-27852
- Solar energy utilization - Liquid flat plate collectors 18 p0200 A78-27856
- Convective heat transfer effects within honeycomb structures for flat plate solar collectors 18 p0200 A78-27857
- Solar air heaters and their applications 18 p0200 A78-27858
- Concentrating collectors --- for solar energy conversion 18 p0200 A78-27859
- Refrigeration and air conditioning --- by solar energy 18 p0201 A78-27866
- Solar heating and cooling of homes 18 p0201 A78-27867
- The economics of solar energy 18 p0202 A78-27870
- Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922
- Building rights, apartment- and residence-designing in the light of solar energy utilization 18 p0214 A78-28594
- Concentration of the sun's rays using catenary curves 18 p0214 A78-28843
- Engineering estimate of the quality of facets obtained by a deformation method of foam giving --- mirrors for solar collectors 18 p0214 A78-28890
- Automating the control of the optical system of a tower-type solar power station --- heliostat servocontrol 18 p0215 A78-28891
- Photoelectric radiation-density meter --- for concentrator focal region measurement 18 p0215 A78-28892
- Calculation of the drag of a cylindrical pebble-type heat retainer --- for solar energy accumulation 18 p0215 A78-28899
- The flat solar collector - An approach to its evaluation 18 p0220 A78-30261
- Simple solar technology for applications in rural areas 18 p0221 A78-30321
- Europe's largest solar facility dries animal feed 18 p0221 A78-30322
- Spinning a turbine with sunlight 18 p0223 A78-30742
- Utilities put the sun to work 18 p0223 A78-30744
- Efficiency of Fresnel lens solar collector 18 p0232 A78-32113
- Performance characteristics of air-cooled solar collectors as determined by computer simulation 19 p0294 A78-33027
- Natural convection characteristics of flat plate collectors 19 p0294 A78-33028
- Techniques for reducing thermal conduction and natural convection heat losses in annular receiver geometries --- for solar collectors 19 p0294 A78-33029
- Experimental evaluation of a fixed collector employing vee-trough concentrator and vacuum tube receivers 19 p0295 A78-33030
- Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage 19 p0295 A78-33037
- Heat transfer analysis of a system for annual collection and storage of solar energy 19 p0296 A78-33038
- Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190
- Low cost test procedure for solar collectors [ASME PAPER 77-WA/SOL-4] 19 p0299 A78-33192
- A 'no-flow' method for measuring solar collector performance [ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193
- Solar heating - Solar collectors for heating purposes --- French book 19 p0308 A78-33801
- Testing of solar collectors 19 p0312 A78-34511
- The effects of air leaks on solar air collector behaviour 19 p0313 A78-34932
- Thermic diode solar panels for space heating 19 p0314 A78-34936
- Radiation heat losses in solar collectors with plastic covers 19 p0316 A78-35362
- Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures 19 p0317 A78-35560
- A non-tracking moderately focusing heat pipe solar collector [AIAA 78-402] 19 p0318 A78-35592
- Heat pipes for sun energy conversion [AIAA 78-457] 19 p0319 A78-35632
- Experimental evaluation of natural convection solar air heaters 19 p0323 A78-35795
- Collection times for trough-type concentrators having arbitrary orientation 19 p0323 A78-35797
- The efficiency of solar flat-plate collectors 19 p0323 A78-35798
- Time integrated calculation of the insolation collected by a reflector-collector system 19 p0323 A78-35799
- A simulated comparison of the useful energy gain in a fixed and a fully tracking flat plate collector 19 p0323 A78-35800
- Natural convection in groove-like geometries - The overall heat transfer coefficient --- in solar collectors [AIAA PAPER 78-896] 19 p0323 A78-36016
- Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb [AIAA PAPER 78-899] 19 p0324 A78-36018
- A simple test for determining a best flow rate through solar collectors [AIAA PAPER 78-900] 19 p0324 A78-36020
- Optical design of solar concentrators [AIAA PAPER 78-904] 19 p0324 A78-36022
- General principles of calculating multielement concentrating systems --- solar collectors 19 p0326 A78-36136

- A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators
19 p0326 A78-36137
- Selection of a method for calculating parameters of storage devices used at wind and solar installations
19 p0326 A78-36138
- Truncated 'focones' and 'foclines' --- for solar concentrators
19 p0331 A78-36858
- Technique of testing silazane coatings --- for solar concentrators
19 p0331 A78-36859
- Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations
19 p0331 A78-36860
- Analysis and classification of concentrating-system design methods --- for solar energy collection
19 p0331 A78-36863
- Focone and focline concentration of radiation scattered by circumsolar parts of the sky
19 p0331 A78-36864
- Prospect for using Fresnel lenses for the concentrating systems of solar installations
19 p0331 A78-36865
- Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature
19 p0332 A78-36869
- Ideal flux concentrators with reflector gaps --- solar collectors
19 p0333 A78-37177
- Thermal deformations of solar concentrators
19 p0335 A78-37945
- Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings
19 p0335 A78-37946
- Natural convection in compound parabolic concentrators - A finite-element solution --- for solar collectors
19 p0337 A78-38269
- Use of heat pumps with solar collectors for domestic space heating in the United Kingdom
19 p0341 A78-38971
- Experiments on flat-plate solar energy collectors
19 p0342 A78-39179
- Flat-sided rectilinear trough as a solar concentrator - An analytical study
19 p0344 A78-39636
- Effect of substrate on graphite and other solar selective surfaces
19 p0345 A78-39637
- Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7]
19 p0345 A78-39776
- Capturing sunlight - A revolution in collector design
19 p0365 A78-41217
- Radiation transfer through specular passages - A simple approximation
19 p0369 A78-42030
- The natural circulation solar heater-models with linear and nonlinear temperature distributions
19 p0369 A78-42064
- Research and Product Development programs in the area of solar thermal energy
19 p0370 A78-42108
- Solar energy reflector using metallized polystyrene
19 p0371 A78-42110
- A non-tracking heat concentrator capable of giving concentration factor of the order of 20
19 p0371 A78-42112
- Design of a non-tracking solar heat concentrator/collector system
19 p0371 A78-42113
- Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface
19 p0371 A78-42114
- Performance characteristics of a solar battery concentrator system using Si and CdS cells
19 p0372 A78-42126
- Utilisation of solar energy by thermoelectric generators
19 p0373 A78-42133
- Some aspects of radiation climatology in relation to applied solar energy
19 p0374 A78-42143
- A simple technique of fabrication of paraboloidal concentrators
19 p0375 A78-42148
- Optimum solar energy collection
19 p0375 A78-42150
- Experimental studies of selective coatings for solar energy collectors
19 p0375 A78-42151
- Development of selective solar surfaces
19 p0375 A78-42152
- Effect of buoyancy on heat transfer rates in a solar collector
19 p0375 A78-42153
- Experimental investigation of circular cylindrical solar heat collector of stationary type
19 p0375 A78-42154
- Determination of shading factor for flat-plate collectors
19 p0375 A78-42155
- Condition for no shadow, and effective shadow due to plane reflectors
19 p0375 A78-42156
- Flat-plate solar collector design for industrial air heating using design data hand book
19 p0375 A78-42157
- Solar energy - Architectural imperative and problems of collectors
19 p0375 A78-42158
- Solar energy for tractors
19 p0376 A78-42168
- Daily input modelling for solar collectors and systems
19 p0383 A78-42890
- Study of the performance of flat plate collectors in the transient regime
19 p0384 A78-42892
- The theoretical and experimental performance of a solar heater equipped with flat plate collectors
19 p0384 A78-42893
- Portable linear-focused solar thermal energy collecting system [NASA-CASE-NPO-13734-1]
17 p0111 N78-10554
- Solar energy commercialization at the state level: The Florida solar energy water heater program [PB-270158/9]
17 p0128 N78-12551
- Solar collector field subsystem program on the fixed mirror solar concentrator [GA-A-14209-REV]
17 p0141 N78-13583
- Solar energy dehumidification experiment on the Citicorp Center building [PB-271174/5]
17 p0144 N78-13615
- Optimum operating conditions for a cylindrical parabolic focusing collector/Rankine power generation cycle system [SAND-75-6132]
17 p0151 N78-14634
- Program Research and Development Announcement (PRDA). Solar collector materials and fluids for solar heating and cooling applications [PRDA-EG-77-D-29-0003]
17 p0151 N78-14643
- Optimization of coatings for flat plate solar collectors, phase 2 [COO-2930-4]
17 p0152 N78-14648
- Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1]
17 p0152 N78-14649
- Parameter study for a central-receiver power station [SAND-77-0667C]
17 p0154 N78-14664
- HELICS: A computational model for solar concentrators [SAND-77-0642C]
17 p0154 N78-14665
- Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [DLB-FE-77-23]
17 p0156 N78-14686
- Solar heating system [NASA-CASE-LAB-12009-1]
17 p0159 N78-15560
- A fixed tilt solar collector employing reversible vee-trough reflectors and vacuum tube receivers for solar heating and cooling systems [NASA-CR-155426]
17 p0160 N78-15567
- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427]
17 p0160 N78-15568

SUBJECT INDEX

SOLAR COLLECTORS CONTD

- Non-imaging concentrators for wide angle collection of solar energy, 2
[COO-2446-8] 17 p0160 N78-15570
- Central receiver solar thermal power system, phase 1
[SAM/1110-76/3] 17 p0161 N78-15583
- Selective paints for solar absorbers 18 p0237 N78-16177
- Optical analysis of spherical segment solar collectors 18 p0239 N78-16425
- Test and analysis of a Northrup collector controller [NASA-TN-78153] 18 p0240 N78-16432
- Solar array conceptual design for the Halley's Comet ion drive mission, phase 2 [NASA-CR-155594] 18 p0240 N78-16438
- Preliminary system analysis of a fixed mirror solar power central station [EPRI-EP-434 (6-77)] 18 p0241 N78-16452
- Tower design considerations for the solar thermal central receiver systems [SAND-77-8243] 18 p0242 N78-16459
- Engineering analysis and testing of water-trickle solar collectors [ORC-4927-77/1] 18 p0242 N78-16461
- Provisional flat plate solar collector testing procedures [PB-272500/0] 18 p0243 N78-16463
- Solar energy systems. Survey of materials performance [PB-273305/3] 18 p0244 N78-16475
- Low cost solar energy collection system [NASA-CASE-WFO-13579-1] 18 p0246 N78-17460
- Performance evaluation of two black nickel and two black chrome solar collectors [NASA-CR-150497] 18 p0249 N78-17470
- NSPC hot air collectors. Phase 1: Test report [NASA-CR-150495] 18 p0249 N78-17471
- Thermal performance of honeywell double covered liquid solar collector [NASA-CR-150505] 18 p0249 N78-17472
- Indoor test for thermal performance evaluation of Libbey-Owens-Ford solar collector --- using a solar simulator [NASA-CR-150508] 18 p0249 N78-17474
- Development of surfaces optically suitable for flat solar panels [NASA-CR-150539] 18 p0250 N78-17477
- Thermal performance evaluation of Solar Energy Products Company (SEPCO) 'Soloren' collector tested outdoors [NASA-CR-150509] 18 p0250 N78-17478
- Collection of quarterly reports on air flat plate collectors [NASA-CR-150514] 18 p0250 N78-17479
- Comparison of solar system measured data for various sample rates --- conducted using Marshall Space Flight Center Solar House [NASA-CR-150496] 18 p0250 N78-17480
- Indoor test for thermal performance evaluation of lenox-honeywell solar collector --- conducted using Marshall Space Flight Center Solar Simulator [NASA-CR-150510] 18 p0250 N78-17481
- Indoor thermal performance evaluation of Daystar solar collector [NASA-CR-150511] 18 p0255 N78-18521
- Thermal performance of NSFC hot air collectors under natural and simulated conditions [NASA-CR-150506] 18 p0256 N78-18525
- Solarform solar system design brochure [NASA-CR-150515] 18 p0256 N78-18526
- Focusing solar collector development [PB-275042/0] 18 p0260 N78-18561
- A low cost high temperature sun tracking solar energy collector 18 p0262 N78-19041
- Selective coating for solar panels --- using black chrome and black nickel [NASA-CASE-LEW-12159-1] 18 p0263 N78-19599
- Installation package for air flat plate collector [NASA-CR-150536] 18 p0263 N78-19605
- The UBass wind furnace blade design 18 p0267 N78-19641
- Indoor test for thermal performance evaluation of Sunworks (liquid) solar collector [NASA-CR-150573] 18 p0268 N78-19650
- Indoor test for thermal performance evaluation of the Solaron (air) solar collector [NASA-CR-150572] 18 p0268 N78-19652
- Prototype solar heating and hot water system [NASA-CR-150575] 18 p0268 N78-19653
- Solar electric generating system resource requirements and the feasibility of orbiting solar reflectors [AD-A048908] 18 p0269 N78-19663
- Solar heat transport fluids for solar energy collection systems: A collection of quarterly reports [NASA-CR-150560] 18 p0274 N78-20606
- Liquid flat plate collector and pump for solar heating and cooling systems: A collection of quarterly reports [NASA-CR-150599] 18 p0275 N78-20614
- Design data brochure for CSI series V solar heating system [NASA-CR-150600] 18 p0275 N78-20615
- Preliminary design review package on air flat plate collector for solar heating and cooling system [NASA-CR-150601] 18 p0275 N78-20616
- Pump/control system minimum operating cost testing [NASA-CR-150604] 18 p0275 N78-20617
- High-temperature linear radiation-cavity solar collector with a Fresnel concentrator [AD-A04982] 18 p0276 N78-20628
- Owens-Illinois liquid solar collector materials assessment [NASA-TN-78163] 18 p0283 N78-21597
- Subsystem design package for Solar II collector [NASA-CR-150611] 18 p0283 N78-21602
- Development of prototype air/liquid solar collector subsystem [NASA-CR-150627] 18 p0283 N78-21604
- Use of the Marshall Space Flight Center solar simulator in collector performance evaluation [NASA-TN-78165] 18 p0284 N78-21605
- Studies on methods of reducing heat losses from flat plate solar collectors, phase 2 [COC-2597] 18 p0285 N78-21624
- Solar space heating systems using annual heat storage [COC-2939] 18 p0287 N78-21645
- Analysis of data and results for the roundrobin flat-plate collector test program [PB-275576/7] 18 p0289 N78-21655
- Indoor thermal performance evaluation of the SEPCO air collector [NASA-CR-150631] 19 p0388 N78-22466
- Preliminary design package for solar collector and solar pump [NASA-CR-150630] 19 p0389 N78-22472
- Air-liquid solar collector for solar heating, combined heating and cooling, and hot water subsystems [NASA-CR-150569] 19 p0389 N78-22475
- Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [BSA-TT-432] 19 p0390 N78-22482
- Combined solar collector and energy storage system [NASA-CASE-LAB-12205-1] 19 p0396 N78-23567
- Central receiver solar thermal power system. Phase 1, CRDL Item 2: Pilot plant preliminary design report. Volume 3, book 2: Collector subsystem [SAM/1108-8/3] 19 p0398 N78-23587
- The modular solar energy satellite. Project proposal and development strategy 19 p0399 N78-23598
- Development of a unified criterion for solar collector selection --- for decision making 19 p0402 N78-24237
- Indoor test for thermal performance evaluation on the Sunworks (air) solar collector [NASA-CR-150666] 19 p0405 N78-24613
- Outdoor thermal efficiency evaluation of the Ying solar collector [NASA-CR-150675] 19 p0405 N78-24614
- Investigation of test methods, material properties, and processes for solar cell encapsulants. Encapsulation task of the low-cost silicon solar array project [NASA-CR-157149] 19 p0406 N78-24636
- SAHICS support study. Volume 1: Cost account catalog [NASA-CR-157131] 19 p0412 N78-24974
- Solar cell collector [NASA-CASE-LEW-12552-1] 19 p0419 N78-25527

SOLAR COOLING

SUBJECT INDEX

Indoor test for thermal performance evaluation on life sciences engineering (air) solar collector [NASA-CR-150665] 19 p0420 N78-25547

Development of prototype air/liquid solar collector subsystem [NASA-CR-150703] 19 p0421 N78-25550

Low cost solar energy collection system [NASA-CASE-NRO-13579-4] 19 p0421 N78-25559

Central receiver solar thermal power system pilot plant preliminary design report. Volume 3: Collector subsystem [SAN/1111-8/2] 19 p0422 N78-25565

Solar pilot plant, phase 1, preliminary design report. Volume 3: Collector subsystem, CDRL item 2 [SAN/1109-8/5-VOL-3] 19 p0424 N78-25585

Performance and testing of a stationary concentrating collector [CONF-770953-7] 19 p0429 N78-25627

CPC thermal collector test plan [CONF-770953-6] 19 p0429 N78-25628

Conceptual design of a 5x CPC for solar total energy systems [CONF-770953-5] 19 p0429 N78-25629

Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors [NASA-CR-157225] 19 p0442 N78-26541

Development and fabrication of a concentrating solar collector subsystem [NASA-CR-150712] 19 p0444 N78-26557

Development and fabrication of a concentrating solar collector subsystem [NASA-CR-150713] 19 p0444 N78-26558

Concentrating solar collector subsystem: Preliminary design package [NASA-CR-150714] 19 p0444 N78-26559

Laser ray trace and bi-directional reflectometry measurements of various solar concentrators [SAND-77-1466C] 19 p0444 N78-26564

Optimization of coatings for flat plate solar collectors, phase 2 [COO-2930-12] 19 p0444 N78-26565

Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design [ORO-5178-78/1] 19 p0447 N78-26594

Central receiver solar thermal power system: Collector subsystem [SAN/1111-76-7] 19 p0448 N78-26609

SOLAR COOLING

Projected market penetration of solar heating and cooling in the United States 17 p0005 A78-10622

International Solar Energy Society, Annual Meeting, Orlando, Fla., June 6-10, 1977. Proceedings. Sections 1-13, 14-25 & 26-38 17 p0042 A78-11212

Non-corrosive, non-freezing, and non-toxic heat transfer fluids for solar heating and cooling 17 p0045 A78-11240

A solar powered desiccant air conditioning system 17 p0046 A78-11245

Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system 17 p0046 A78-11246

Site-dependent factors affecting the economic feasibility of solar powered absorption cooling 17 p0046 A78-11247

Theoretical modeling of an ammonia/water absorption cycle with solar energy storage 17 p0046 A78-11250

Design considerations for residential solar heating and cooling systems utilizing evacuated tube solar collectors 17 p0047 A78-11265

Solar heating and cooling of mobile homes test results 17 p0048 A78-11279

Economic evaluation of solar cooling and heating of buildings 17 p0057 A78-11355

Assessment of incentives to accelerate market penetration of solar heating and cooling systems 17 p0057 A78-11363

Marshall Space Flight Center development program for solar heating and cooling systems 17 p0058 A78-11368

Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution 17 p0064 A78-12394

Some recent domestic solar energy systems in Europe 17 p0065 A78-12909

Assessing near-term technologies for solar heating and air-conditioning systems 17 p0074 A78-14540

Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning 17 p0078 A78-15408

Solar absorption system for space cooling and heating 17 p0078 A78-15409

Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16831

The University of Louisville Dual Solar Energy Research Center 17 p0091 A78-17551

Solar powered vapor-compressive refrigeration system using ejector as the thermal compressors 17 p0096 A78-18681

Solar cooling --- Book 18 p0167 A78-21699

Passive solar heating and cooling systems 18 p0175 A78-23425

A microprocessor-based control system for solar heated/cooled residential dwellings 18 p0176 A78-23896

Solar industry - Status report and forecast 18 p0181 A78-24754

Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757

Application of solar energy to schools and residences 18 p0181 A78-24759

Solar energy in office and industrial buildings 18 p0181 A78-24760

An absorption solar refrigerator having periodic operation 18 p0187 A78-25739

Refrigeration and air conditioning --- by solar energy 18 p0201 A78-27866

Solar heating and cooling of homes 18 p0201 A78-27867

Radiative cooling of TiO2 white paint 18 p0206 A78-28171

Economics of solar heating and cooling systems 18 p0228 A78-31550

A solar energy system for space heating and space cooling 19 p0295 A78-33033

Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction 19 p0295 A78-33036

Experience in operating a solar absorption cooling plant with open solution regenerator 19 p0332 A78-36871

Solar heating and air conditioning for the southwestern United States 19 p0361 A78-40370

Key-note address - Solar energy research and development 19 p0370 A78-42102

Research and Product Development programme in the area of solar thermal energy 19 p0370 A78-42108

Analysis of solar space cooling systems suitable for tropical climates 19 p0375 A78-42159

Investigation of an ejector heat pump 17 p0124 N78-12361

Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1 [NASA-CR-155326] 17 p0125 N78-12528

Parametric study of rock pile thermal storage for solar heating and cooling phase 1 [NASA-CR-155336] 17 p0138 N78-13552

Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 N78-13555

- Solar driven air conditioning system
[COO-2938-77/1] 17 p0153 W78-14654
- Consumer demand analysis: Solar heating and cooling of buildings
[COO-2598-1] 17 p0153 W78-14655
- Solar program assessment: Environmental factors. Solar heating and cooling of buildings
[ERDA-77-47/1] 17 p0155 W78-14680
- A fixed tilt solar collector employing reversible vee-trough reflectors and vacuum tube receivers for solar heating and cooling systems
[NASA-CR-155426] 17 p0160 W78-15567
- Performance of an experimental solar-driven absorption air conditioner
[LBI-5911] 17 p0161 W78-15579
- Environmental issues associated with solar heating and cooling of residential dwellings
[SAND-77-0172] 17 p0161 W78-15581
- Systems approach to solar heating and cooling systems
[CONF-770359-1] 18 p0242 W78-16455
- Inhibitor analysis for a solar heating and cooling system
[NASA-CR-150513] 18 p0249 W78-17475
- Application of solar energy to air conditioning systems
[NASA-CR-150532] 18 p0250 W78-17483
- Prototype solar heating and cooling systems, including potable hot water
[NASA-CR-150576] 18 p0263 W78-19601
- Site selection for MSFC operational tests of solar heating and cooling systems
[NASA-CR-150537] 18 p0263 W78-19602
- Prototype solar heating and cooling systems
[NASA-CR-150570] 18 p0268 W78-19655
- Assessment of solar heating and cooling technology
[LA-6379-MS] 18 p0269 W78-19667
- A solar adsorption cooling system: An analytical and experimental study
18 p0272 W78-20269
- Preliminary design review package for the solar heating and cooling central data processing system
[NASA-CR-150594] 18 p0274 W78-20604
- Liquid flat plate collector and pump for solar heating and cooling systems: A collection of quarterly reports
[NASA-CR-150599] 18 p0275 W78-20614
- Preliminary design review package on air flat plate collector for solar heating and cooling system
[NASA-CR-150601] 18 p0275 W78-20616
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150686] 19 p0420 W78-25537
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150687] 19 p0420 W78-25538
- Hardware problems encountered in solar heating and cooling systems
[NASA-TN-78172] 19 p0420 W78-25539
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150691] 19 p0420 W78-25540
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150692] 19 p0420 W78-25541
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150693] 19 p0420 W78-25542
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150694] 19 p0420 W78-25543
- Preliminary design package for noncorrosive fluid subsystem, solar heating and cooling
[NASA-CR-150698] 19 p0421 W78-25549
- Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 W78-25615
- Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 W78-26568
- DOE facilities solar design handbook
[DOE/AD-0006/1] 19 p0463 W78-27586
- SOLAR ELECTRIC PROPULSION**
- A scheme of low powered thermal energy conversion for satellite manoeuvres
[AIAA PAPER 78-690] 19 p0293 A78-32762
- Self-powered electric propulsion of satellite power systems
[AIAA PAPER 78-694] 19 p0293 A78-32765
- Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation
[NASA-CR-135281-VOL-4] 18 p0237 W78-16090
- Closed loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] 19 p0387 W78-22149
- Solar sail-solar electric technology readiness and transfer assessment
[NASA-CR-157239] 19 p0436 W78-26154
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1
[NASA-CR-157264] 19 p0457 W78-27530
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2
[NASA-CR-157265] 19 p0457 W78-27531
- SOLAR ENERGY**
- Solar hybrid repowering
17 p0055 A78-11343
- Constraints in solar life cycle cost modeling
17 p0056 A78-11353
- Solar shade control --- legislation to assure direct solar radiation availability
17 p0057 A78-11358
- Computer aided preliminary energy analysis and energy use options for architectural students
17 p0057 A78-11359
- Environmental and safety implications of solar technologies
17 p0057 A78-11360
- Near term commercial uses for terrestrial photovoltaics
17 p0057 A78-11361
- Solar electric-energy market penetration
17 p0057 A78-11362
- Engineering cost estimates for solar technologies
17 p0058 A78-11365
- Review of overseas solar technologies relative to international cooperation
17 p0058 A78-11367
- International Scientific-Technological Conference on Space, 17th, Rome, Italy, March 25, 26, 1977, Proceedings --- and scientific satellites for earth resources monitoring; solar and alternate energy sources
17 p0065 A78-12876
- GSSPS - Taking a new approach to the space solar power station --- Gravity-gradient-stabilized Satellite Solar Power Station
17 p0066 A78-13072
- Solar energy installations in Germany
17 p0068 A78-13455
- Construction physics for solar houses
17 p0071 A78-14094
- Interaction between collector and consumer --- storage and use of solar energy
17 p0071 A78-14095
- The Trithem House of Bosch-Junkers in Wernau --- solar heating for private homes
17 p0072 A78-14097
- The sun satisfies two thirds of the heat requirements
17 p0072 A78-14098
- Solar energy and Congress --- program budget appropriations
17 p0083 A78-16828
- Technical and socio-economic aspects of solar energy and rural development in developing countries
17 p0083 A78-16829
- Overview of the Federal solar energy program
[AIAA PAPER 78-290] 18 p0177 A78-24001
- Energy resources of the developing countries and some priority markets for the use of solar energy
18 p0179 A78-24400
- The achievements and perspectives for the development of solar power engineering in the USSR
18 p0186 A78-25730
- Solar biomass energy - An overview of U.S. potential
18 p0193 A78-26967
- Solar energy engineering --- Book
18 p0199 A78-27852

- Solar energy availability prediction from climatological data 18 p0199 A78-27854
- Storage of solar energy 18 p0201 A78-27865
- Solar energy measuring equipment 18 p0201 A78-27869
- Measurements of the behaviour of adsorbent energy storage beds 18 p0205 A78-28166
- The coupling of solar energy utilization and wind energy utilization 18 p0211 A78-28568
- Solar energy utilization in 1977 - Status, results, prospects 18 p0212 A78-28577
- Solar energy research in the European Economic Community 18 p0212 A78-28578
- Solar-array installations operating in Germany 18 p0212 A78-28579
- Buildings design with reference to the natural utilization of solar energy 18 p0212 A78-28580
- Direct utilization of solar energy with the aid of low-temperature heating 18 p0213 A78-28591
- Legal problems of solar energy utilization 18 p0214 A78-28595
- Reflections on the energy wars --- solar vs nuclear power 18 p0221 A78-30297
- Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems 18 p0232 A78-32112
- Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977. 19 p0294 A78-33026
- Transient conduction in the space surrounding a ring of holes --- solar energy earth storage [ASME PAPER 77-WA/HT-12] 19 p0299 A78-33175
- Sunstations. --- calibrated silicon solar cell for insulation measurement 19 p0314 A78-34933
- A road map to space products --- extraterrestrial manufactured products for Earth use [AAS 77-239] 19 p0329 A78-36716
- Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations 19 p0331 A78-36860
- Development of a solar-power cadaster 19 p0331 A78-36862
- Application of solar energy to a solvent reclamation system 19 p0338 A78-38426
- Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- Solar and wind home heating and domestic hot water systems: Energy and economics study 17 p0111 A78-10555
- Solar power satellite concept evaluation. Volume 1: Summary [NASA-TN-74820] 17 p0111 A78-10559
- Solar energy in America's future: A preliminary assessment [DSE/115-1] 17 p0113 A78-10576
- Solar program assessment: Environmental factors [ERDA-77-47/5] 17 p0113 A78-10577
- Solar program assessment: Environmental factors. Fuel from biomass --- environmental impact [ERDA-77-47/7] 17 p0120 A78-11506
- Solar power satellite: Concept evaluation. Activities report. Volume 1: Summary. Volume 2: Detailed report [NASA-TN-74944] 17 p0123 A78-12116
- Investigation of an ejector heat pump 17 p0124 A78-12361
- Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1 [NASA-CR-155326] 17 p0125 A78-12528
- Solar energy commercialization at the state level: The Florida solar energy water heater program [PB-270158/9] 17 p0128 A78-12551
- Solar power satellite: System definition study. Part 1, volume 1: Executive summary [NASA-CR-151554] 17 p0129 A78-13099
- Solar power satellite. System definition study. Part 1, volume 5: SPS transportation. Representative system descriptions [NASA-CR-151558] 17 p0130 A78-13103
- Solar energy bibliography [NASA-TN-X-73398] 17 p0138 A78-13554
- Solar energy dehumidification experiment on the Citicorp Center building [PB-271174/5] 17 p0144 A78-13615
- CCMS solar energy pilot study: Report of the annual meeting [PB-271797/3] 17 p0145 A78-13623
- Unconventional energy sources. A select bibliography [NCWTD-CNDST-HIB-6] 17 p0150 A78-14626
- US terrestrial solar cell calibration and measurement procedures [NASA-TN-73788] 17 p0150 A78-14629
- Solar energy meter [NASA-TN-73791] 17 p0150 A78-14630
- Solar irrigation program plan, revision [SAND-77-0730-REV] 17 p0151 A78-14642
- Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1] 17 p0152 A78-14649
- Solar driven air conditioning system [COO-2938-77/1] 17 p0153 A78-14654
- Survey of the applications of solar thermal energy systems to industrial process heat. Volume 1: Summary [TID-27348/1-VOL-1] 17 p0153 A78-14656
- Integration of solar thermal power plants into electric utility systems [TID-27627/1] 17 p0154 A78-14666
- Integration of solar thermal power plants into electric utility systems [TID-27627/2] 17 p0154 A78-14667
- Solar program assessment: Environmental factors [ERDA-77-47/4] 17 p0156 A78-14681
- Solar program assessment: Environmental factors. Wind energy conversion [ERDA-77-47/6] 17 p0156 A78-14682
- Solar program assessment: Environmental factors. Ocean thermal energy conversion [ERDA-77-47/8] 17 p0156 A78-14683
- Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 A78-15148
- Solar heating system [NASA-CASR-LAB-12009-1] 17 p0159 A78-15560
- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427] 17 p0160 A78-15568
- Photovoltaic applications in the southwest for the National Park Service [COO-4094-3] 17 p0161 A78-15578
- Solar irrigation program [SAND-77-0380] 17 p0161 A78-15582
- Central receiver solar thermal power system, phase 1 [SAB/1110-76/3] 17 p0161 A78-15583
- Test and analysis of a Northrup collector controller [NASA-TN-78153] 18 p0240 A78-16432
- Preliminary system analysis of a fixed mirror solar power central station [EPRI-ER-434(6-77)] 18 p0241 A78-16452
- Industrial applications of solar energy [SAB/1132-1] 18 p0242 A78-16457
- Tower design considerations for the solar thermal central receiver systems [SAND-77-8243] 18 p0242 A78-16459
- Engineering analysis and testing of water-trickle solar collectors [ORO-4927-77/1] 18 p0242 A78-16461
- Thermal performance evaluation of Solar Energy Products Company (SEPCO) 'Soloron' collector tested outdoors [NASA-CR-150509] 18 p0250 A78-17478
- Application of solar energy to air conditioning systems [NASA-CR-150532] 18 p0250 A78-17483
- Technical and economic feasibility study of solar/fossil hybrid power systems [NASA-TN-73820] 18 p0250 A78-17486
- Solar energy storage subsystem utilizing latent heat of phase change 18 p0255 A78-18513

SUBJECT INDEX

SOLAR ENERGY CONTD

- Energy requirement for the production of silicon solar arrays
[NASA-CR-155932] 18 p0255 N78-18519
- Focusing solar collector development
[PB-275042/0] 18 p0260 N78-18561
- State solar energy legislation of 1976: A review of statutes relating to buildings
[PB-273899/5] 18 p0261 N78-18567
- Prototype solar domestic hot water systems
[NASA-CR-150545] 18 p0264 N78-19606
- A Forum on Solar Access 18 p0264 N78-19607
- The diffusion of the use of new energy technology as a context for an overview of solar energy technologies
[NASA-CR-155942] 18 p0264 N78-19611
- Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements
[NASA-CR-155948] 18 p0264 N78-19612
- Public policy issues. A Southern California Gas Company project SAGE report
[NASA-CR-155945] 18 p0264 N78-19613
- Proceedings of Small Power Systems Solar Electric Workshop. Volume 2: Invited papers
[NASA-CR-155940] 18 p0264 N78-19615
- Site selection feasibility for a solar energy system on the Fairbanks Federal Building
[NASA-CR-150559] 18 p0268 N78-19645
- Design data brochure: SIMS prototype system 2
[NASA-CR-150558] 18 p0268 N78-19649
- Solar electric generating system resource requirements and the feasibility of orbiting solar reflectors
[AD-A048908] 18 p0269 N78-19663
- Lightweight building materials for the storage of solar energy
[PB-275684/9] 18 p0273 N78-20380
- Solar energy for process heat: Design/cost studies of four industrial retrofit applications
[NASA-CR-156139] 18 p0276 N78-20619
- A survey of considerations for solar energy facility applications
[AD-A049490] 18 p0277 N78-20630
- Methodology for site selection of a solar total energy large scale experiment
[SAND-77-0248] 18 p0277 N78-20644
- The Illinois program for comprehensive solar energy legislation
[PB-275565/0] 18 p0277 N78-20648
- Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications
18 p0282 N78-21587
- Combined heat and power: A discussion of Energy Paper 20
[ERG-018] 18 p0284 N78-21608
- Solar energy for the Naval Shore Establishment
[AD-A050026] 18 p0284 N78-21616
- Distributed technologies in California's energy future, volume 1
[LBL-6837-VOL-1] 18 p0285 N78-21623
- Development of a practical photochemical energy storage system
[SRO-893-9] 18 p0285 N78-21628
- Development of a practical photochemical energy storage system
[SRO-893-10] 18 p0285 N78-21629
- Energy conservation via solar energy applications to multi-family and commercial structures. Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures
[PB-276131/0] 18 p0289 N78-21657
- Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2
[NASA-CR-156185] 19 p0388 N78-22464
- System design package for SIMS prototype system 2, solar hot water
[NASA-CR-150521] 19 p0388 N78-22465
- Indoor thermal performance evaluation of the SERCO air collector
[NASA-CR-150631] 19 p0388 N78-22466
- Solar heating and cooling system design and development
[NASA-CR-150640] 19 p0388 N78-22467
- Davis energy conservation report, practical use of the sun
[PB-276616/0] 19 p0390 N78-22478
- The magnitude of the Federal solar energy program and the effects of different levels of funding
[PB-277018/8] 19 p0400 N78-23605
- Outdoor thermal efficiency evaluation of the Ying solar collector
[NASA-CR-150675] 19 p0405 N78-24614
- Solar energy
[GPO-94-910] 19 p0408 N78-24662
- Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] 19 p0419 N78-25529
- Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 N78-25535
- Low cost solar energy collection system
[NASA-CASE-WFO-13579-4] 19 p0421 N78-25559
- Application of solar energy to the supply of industrial process hot water: Preliminary design and performance report. Volume 1: Technical report
[SAN/1218-3-VOL-1] 19 p0422 N78-25569
- Report on ERDA workshop with southeastern states and cities on improving coordination in energy RD and D especially for solar programs
[TID-27778] 19 p0423 N78-25571
- Systems aspects of large-scale solar energy conversion
[IASA-RM-77-23] 19 p0423 N78-25581
- Industrial applications of solar total energy. Volume 1: Summary
[SAN/1132-2/1-VOL-1] 19 p0424 N78-25587
- Industrial applications of solar total energy. Volume 2: Technical
[SAN/1132-2/2-VOL-2] 19 p0424 N78-25588
- Industrial applications of solar total energy. Volume 3: Market penetration
[SAN/1132-2/3-VOL-3] 19 p0424 N78-25589
- Industrial applications of solar total energy. Volume 5: Catalog of conceptual designs
[SAN/1132-2/5-VOL-5] 19 p0425 N78-25590
- Solar energy conversion: An analysis of impacts on desert ecosystems
[COO-A339-1] 19 p0427 N78-25612
- Solar total energy: large scale experiment. No. 2, phase 2: Conceptual design
[TID-27995] 19 p0428 N78-25618
- Institutional applications of solar total energy systems
[ALO/3786-1] 19 p0428 N78-25619
- Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations
[SAND-77-1403] 19 p0428 N78-25620
- Application analysis of solar total energy to the residential sector
[TID-28103] 19 p0429 N78-25624
- Institutional applications of solar total energy systems
[TID-22782] 19 p0429 N78-25625
- Conceptual design of a 5x CPC for solar total energy systems
[CONF-770953-5] 19 p0429 N78-25629
- Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas
[TID-18040] 19 p0429 N78-25630
- Solar energy in high-rise buildings
[DSE/1963-1] 19 p0431 N78-25641
- Application analysis of solar total energy to the residential sector
[TID-28104] 19 p0431 N78-25643
- Impacts of the national energy programme on solar economics
[LA-OR-78-131] 19 p0444 N78-26567
- Community leaders workshop on solar energy assessment
[RLO/2230/T5-1] 19 p0446 N78-26586
- STEEC: Solar Thermal Electric Annual Energy Calculator documentation
[SAND-77-8278] 19 p0447 N78-26588
- Prospects for solar energy: The impact of the National Energy Plan
[LA-7064-MS] 19 p0447 N78-26595
- Mixed strategies for energy conservation and alternative energy utilization (solar) in buildings, volume 1. Executive summary
[SAN/1234-1/1] 19 p0448 N78-26598

- Solar Heating and Cooling Demonstration Program Contractor's Review. Summary and analysis of workshop and panel sessions
[CONF-771229-SUMS] 19 p0448 N78-26608
- Proceedings of the Alternate Energy Systems Seminar [NASA-CR-157255] 19 p0457 N78-27522
- Solar thermal systems 19 p0457 N78-27526
- Factors affecting market initiation of solar total energy
[SAND-78-0148C] 19 p0460 N78-27561
- Master control and data system for the SNW solar thermal test facility
[SAND-78-0205C] 19 p0460 N78-27562
- Solar energy and the heat pump in a northern climate [EPRI-EA-407] 19 p0462 N78-27583
- Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system [BCP/H2534] 19 p0463 N78-27584
- SOLAR ENERGY ABSORBERS**
- Optimization of particulate type selective solar absorber 17 p0044 A78-11233
- Heat losses from solar energy absorbers enclosed in glass tubes 17 p0044 A78-11234
- Thin film CrO_x/ selective absorbers stable above 500 C 17 p0045 A78-11239
- Optically thin diffusion barriers enhance the life of metal/metal oxide selective surfaces 17 p0045 A78-11241
- Solar energy applications for heat-absorbing glass 17 p0048 A78-11273
- Mass and energy transfer in a hot liquid energy storage system 17 p0050 A78-11302
- Fundamental studies of direct contact latent heat energy storage 17 p0051 A78-11306
- Selective absorption of solar energy in ultrafine chromium particles 17 p0070 A78-13785
- Structural composition and optical properties of solar blacks - Gold black 17 p0070 A78-13908
- The sun satisfies two thirds of the heat requirements 17 p0072 A78-14098
- Solar absorption system for space cooling and heating 17 p0078 A78-15409
- Efficiency of Brude mirror-type selective transparent filters for solar thermal conversion 17 p0105 A78-19893
- Coatings of ultrafine chromium particles - Efficient selective absorbers of solar energy 17 p0106 A78-20117
- Improvements in the design of solar selective thin film absorbers 18 p0168 A78-22018
- A sheet-metal roof as a solar absorber 18 p0179 A78-24344
- Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni /CO/4 18 p0221 A78-30302
- Sputtered metal silicide solar selective absorbing surfaces 18 p0221 A78-30303
- Evaluation of portable optical property measurement equipment for solar selective surfaces [ASME PAPER 77-WA/SOL-1] 19 p0299 A78-33189
- Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 A78-34513
- Optical performance of absorber-reflector combinations for photothermal solar energy conversion 19 p0316 A78-35411
- A non-tracking moderately focusing heat pipe solar collector [AIAA 78-402] 19 p0318 A78-35592
- Optimum design of wideband selective absorbers with provision for specified included layers --- for solar applications 19 p0323 A78-35796
- Optical properties of selectively absorbing metal/insulator composite films 19 p0324 A78-36032
- Ideal flux concentrators with reflector gaps --- solar collectors 19 p0333 A78-37177
- Selective absorption of solar energy in granular metals - The role of particle shape 19 p0369 A78-41910
- A non-tracking heat concentrator capable of giving concentration factor of the order of 20 19 p0371 A78-42112
- Cheap packed-bed solar air heaters 19 p0374 A78-42144
- Experimental determination of optimal operating conditions for circular-profile solar concentrators 19 p0384 A78-42895
- HELIOS: A computational model for solar concentrators [SAND-77-0642C] 17 p0154 N78-14665
- Black chrome on commercially electroplated tin as a solar selecting coating [NASA-TN-73799] 17 p0159 N78-15562
- Selective paints for solar absorbers 18 p0237 N78-16177
- Solar energy systems. Survey of materials performance [PB-273305/3] 18 p0244 N78-16475
- Low cost solar energy collection system [NASA-CASE-MPO-13579-1] 18 p0248 N78-17460
- Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-MPS-23518-3] 19 p0421 N78-25557
- Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers [SAND-77-8300] 19 p0444 N78-26563
- SOLAR ENERGY CONVERSION**
- The near-term prospectives for photovoltaic solar energy conversion 17 p0003 A78-10558
- Economic and commercial assessment of solar energy conversion; Proceedings of the Conference, London, England, July 5, 1977 17 p0004 A78-10614
- The economic evaluation of solar energy schemes 17 p0004 A78-10615
- How much investment in conversion devices --- for terrestrial solar energy utilization 17 p0004 A78-10617
- The heat pump in relation to solar energy 17 p0004 A78-10618
- Cost factors in photovoltaic energy conversion with solar concentration 17 p0004 A78-10619
- Conference on Capturing the Sun Through Bioconversion, Washington, D.C., March 10-12, 1976, Proceedings 17 p0005 A78-10623
- European Seminar on Biological Solar Energy Conversion Systems, Grenoble, France, May 9-12, 1977, Proceedings 17 p0005 A78-10624
- Energy development II --- Book 17 p0009 A78-10729
- Solar-electrical systems - Theory and applications 17 p0009 A78-10731
- Solar energy systems for electricity production 17 p0010 A78-10738
- Solar-electric residential system tests 17 p0010 A78-10741
- Potential role of solar thermal electric power in the U.S. 17 p0010 A78-10743
- The solar energy research programme of the Commission of the European Communities 17 p0020 A78-11000
- Performance and cost assessment of photovoltaic system concepts 17 p0021 A78-11011
- Technical and economic results of solar photovoltaic power systems analyses 17 p0021 A78-11012
- Photovoltaic system design and analysis application to a shopping center 17 p0022 A78-11013

SUBJECT INDEX

SOLAR ENERGY CONVERSION CONTD

- Status of the ERDA/NASA Photovoltaic Tests and Applications Project 17 p0022 A78-11014
- The conceptual design and analysis of a photovoltaic powered experimental residence 17 p0022 A78-11015
- DOD/ERDA terrestrial photovoltaic systems demonstration program 17 p0022 A78-11016
- The Redox Flow System for solar photovoltaic energy storage 17 p0022 A78-11019
- Some economic and political aspects of photovoltaic development 17 p0024 A78-11034
- A simple model for solar energy economics in the U.K. 17 p0024 A78-11037
- Computer aided design of a continuous duty energy system --- using both solar and wind energy 17 p0030 A78-11093
- Technoeconomic aspects of photovoltaic electric power systems /PEPS/ 17 p0031 A78-11098
- A solar panel for residential use 17 p0043 A78-11223
- A general design method for closed-loop solar energy systems 17 p0046 A78-11251
- Characterization of terrestrial service environments - The simultaneous occurrence of combined conditions of solar insolation and climatic variables 17 p0049 A78-11283
- An accurate, economical, solar insolation computer model for the United States 17 p0049 A78-11284
- Estimation of availability of solar energy 17 p0049 A78-11285
- Modeling underground storage in aquifers of hot water from solar power systems 17 p0050 A78-11298
- An ionic model for the systematic selection of chemical decomposition reactions for energy storage 17 p0051 A78-11307
- On the correlation between daily amounts of solar and wind energy and monthly trends of the two energy sources 17 p0052 A78-11318
- Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
- One MWth solar cavity steam generator solar test program 17 p0053 A78-11329
- Baseline design of commercial central receiver solar power plant 17 p0054 A78-11332
- Design options in solar total energy systems 17 p0055 A78-11346
- Hydrogen from sunlight: The biological answer - Development of a low-cost biological solar panel 17 p0056 A78-11350
- Solar energy conversion with microalgal sewage treatment ponds 17 p0056 A78-11351
- A solar collector for industrial and commercial applications 17 p0058 A78-11371
- Status report on the alternative energy sources 17 p0061 A78-11489
- Photocells employing smooth AlGaAs-GaAs heterojunctions to extend the spectral response range 17 p0062 A78-11668
- Some results of an experimental study of the Stirling engine --- in solar energy systems 17 p0064 A78-12391
- Heat optimization for solar power plants - Concentration of radiation and the temperature of the working medium 17 p0064 A78-12392
- Comparative analysis of the geometrical characteristics of solar power plant boilers 17 p0064 A78-12393
- Bioconversion of solar energy to methane 17 p0067 A78-13342
- The sunny side of energy --- solar energy conversion 17 p0070 A78-13800
- Estimating the potential of a solar-to-thermal collector industry 17 p0070 A78-13851
- Silicon films as selective absorbers for solar energy conversion 17 p0070 A78-13905
- Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures 17 p0070 A78-13907
- Materials and energy from the sun 17 p0071 A78-14025
- Electromechanics in space --- Russian book on spacecraft control, navigation and energy conversion systems 17 p0073 A78-14175
- Solar energy and economic considerations 17 p0078 A78-15407
- Self-supporting active solar energy system 17 p0078 A78-15411
- Limits on the yield of photochemical solar energy conversion 17 p0079 A78-15847
- Semiconductor materials for photovoltaic conversion 17 p0080 A78-16128
- Solar energy: Fundamentals in building design --- Book 17 p0081 A78-16275
- Underground longterm storage of solar energy - An overview 17 p0083 A78-16827
- Use of transition metal compounds to sensitize a photochemical energy storage reaction 17 p0083 A78-16830
- Optimal proportioning of an insulated earth cylinder for storage of solar heat 17 p0084 A78-16836
- A method of testing for rating thermal storage devices based on thermal performance 17 p0084 A78-16838
- Heat transfer in solar energy storage --- using unprepared earth as storage medium [ASME PAPER 77-HT-38] 17 p0089 A78-17487
- Economical photovoltaic power generation with heat recovery 17 p0091 A78-17552
- The microprocessor controlled and instrumented solar energy project 17 p0091 A78-17556
- Solar power stations 17 p0092 A78-17673
- A correction procedure for separating direct and diffuse insolation on a horizontal surface 17 p0105 A78-19839
- Calculation of the energy delivered by a collector with the method of average direct optical output 18 p0165 A78-20620
- A fluidized bed solar reactor - A thermochemical application 18 p0165 A78-20623
- High-efficiency solar energy conversion through flux concentration and spectrum splitting 18 p0168 A78-22064
- Development of solar tower program in the United States 18 p0173 A78-22819
- Solar electricity - An economic approach to solar energy --- Book 18 p0174 A78-22942
- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977 18 p0180 A78-24751
- ERDA's Solar Energy Research and Development Program 18 p0180 A78-24753
- Solar industry - Status report and forecast 18 p0181 A78-24754
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- Some aspects of the solar case study in Austria illustrated by the example of hybrid power plants 18 p0183 A78-25256

- Air pollution potential of solar technologies ---
emissions from various fabrication processes
[APCA PAPER 77-37,1] 18 p0195 A78-25427
- Solar energy - Its nature and possibilities as a
source of power for terrestrial use 18 p0188 A78-26144
- School and factory installations demonstrate solar
energy in US northeast 18 p0193 A78-26950
- Solar energy engineering --- Book 18 p0199 A78-27852
- Solar irradiance, total and spectral --- data for
cost-effective solar energy conversion 18 p0199 A78-27853
- Heat transfer for solar energy utilization 18 p0200 A78-27855
- Concentrating collectors --- for solar energy
conversion 18 p0200 A78-27859
- Conversion of solar energy into electricity 18 p0201 A78-27864
- Refrigeration and air conditioning --- by solar
energy 18 p0201 A78-27866
- Solar production of hydrogen 18 p0201 A78-27868
- The economics of solar energy 18 p0202 A78-27870
- Solar power and fuels; Proceedings of the First
International Conference on the Photochemical
Conversion and Storage of Solar Energy,
University of Western Ontario, London, Canada,
August 24-28, 1976 18 p0202 A78-27889
- Photochemical conversion and storage of solar energy 18 p0202 A78-27890
- Photogalvanic processes --- for solar energy
conversion 18 p0202 A78-27893
- Photochemical production of a fuel 18 p0202 A78-27894
- Ultrathin barriers and solar energy conversion ---
photosynthetic pigmented bilayer lipid membrane 18 p0203 A78-27895
- Organic molecular energy storage reactions 18 p0203 A78-27896
- Comparisons of deep well and insulated shallow
earth storage of solar heat 18 p0205 A78-28164
- A model for solar radiation conversion to algae in
a shallow pond 18 p0205 A78-28167
- The fraction of solar energy available for direct
conversion processes 18 p0205 A78-28168
- Thermophotovoltaic cells for solar energy
conversion 18 p0205 A78-28169
- Photochemical storage of solar energy 18 p0206 A78-28170
- Solar progress Down Under --- solar energy
research in Australia 18 p0206 A78-28199
- Biological solar energy conversion; Proceedings of
the Conference, University of Miami, Miami,
Fla., November 15-18, 1976 18 p0207 A78-28351
- Hydrogen production by marine photosynthetic
organisms as a potential energy resource 18 p0207 A78-28353
- Mutational analysis of *Chlamydomonas reinhardtii* -
Application to biological solar energy conversion 18 p0207 A78-28357
- Biological conversion of light energy into
electrochemical potential 18 p0208 A78-28360
- Synthesis of organic compounds from carbon dioxide
in land plants --- energy farm design and solar
energy conversion efficiency limits 18 p0208 A78-28361
- Using sugar crops to capture solar energy ---
biomass conversion techniques 18 p0208 A78-28365
- Application of solar energy bioconversion in
developing countries 18 p0208 A78-28367
- Monitoring solar space heat 18 p0214 A78-28800
- Solar thermal test facility 18 p0216 A78-29227
- Development of small-scale benign sources of
energy in France 18 p0216 A78-29291
- The flat solar collector - An approach to its
evaluation 18 p0220 A78-30261
- Application of chemical engineering to large scale
solar energy 18 p0220 A78-30265
- Payback of solar systems 18 p0220 A78-30266
- Photon energy storage in organic materials - The
case of linked anthracenes 18 p0220 A78-30267
- The earth as a solar heat engine --- windpower
utilization, ocean thermal conversion, tidal
power, waterwave power and biomass conversion 18 p0223 A78-30745
- Uses and prospects of solar energy /2nd revised
and enlarged edition/ --- French book 18 p0224 A78-31068
- Solar heating design, by the f-chart method --- Book 18 p0224 A78-31071
- Influence of light reflection on the collection
efficiency of a solar cell 18 p0229 A78-31767
- The technology of closed-cycle gas turbines 19 p0291 A78-32650
- The effect of certain major parameters on the
annual effectiveness of solar systems for
residential dwellings 19 p0299 A78-33191
- [ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- A 'no-flow' method for measuring solar collector
performance [ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193
- AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum 19 p0300 A78-33271
- Gas laser with solar excitation 19 p0308 A78-33395
- Testing of solar collectors 19 p0312 A78-34511
- The effects of air leaks on solar air collector
behaviour 19 p0313 A78-34932
- Thermic diode solar panels for space heating 19 p0314 A78-34936
- A cellwise method for the optimization of large
central receiver systems 19 p0314 A78-34937
- Solar Sweden --- future renewable energy resources
utilization 19 p0315 A78-35281
- Optical performance of absorber-reflector
combinations for photothermal solar energy
conversion 19 p0316 A78-35411
- Heat pipes for sun energy conversion [AIAA 78-457] 19 p0319 A78-35632
- The solar transition --- solar energy market 19 p0321 A78-35751
- Experimental evaluation of natural convection
solar air heaters 19 p0323 A78-35795
- Optimum design of wideband selective absorbers
with provision for specified included layers ---
for solar applications 19 p0323 A78-35796
- The efficiency of solar flat-plate collectors 19 p0323 A78-35798
- Thermal optical surface properties and
high-temperature solar energy conversion [AIAA PAPER 78-903] 19 p0324 A78-36021
- Study of diffusion processes in low-temperature
thermal elements --- for solar energy conversion 19 p0326 A78-36135
- Freedom and constraints in solar power satellite
design [AAS 77-200] 19 p0329 A78-36702
- Solar power satellite construction concepts [AAS 77-203] 19 p0329 A78-36705
- Output power and lifetime of high-voltage,
low-temperature thermoelectric batteries 19 p0330 A78-36854
- Photoelectric and electric properties of nSiC-nCdS
heterojunctions 19 p0330 A78-36855

- Determination of the thermodynamic parameters of a thermal compressor --- for solar energy conversion
19 p0331 A78-36856
- Some results of an experimental investigation of a Stirling engine --- in solar energy systems
19 p0331 A78-36868
- Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature
19 p0332 A78-36869
- Comparative analysis of geometric characteristics of solar power plant boilers
19 p0332 A78-36870
- Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings
19 p0335 A78-37946
- Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range
19 p0336 A78-37950
- Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977
19 p0336 A78-38051
- Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production --- French thesis
19 p0336 A78-38068
- Ultrafine chromium particles for photothermal conversion of solar energy
19 p0339 A78-38553
- Dynamics of a pistonless engine capable of utilizing solar energy
19 p0339 A78-38554
- Solar energy conversion through biology - Could it be a practical energy source
19 p0342 A78-39123
- Experiments on flat-plate solar energy collectors
19 p0342 A78-39179
- Stable semiconductor liquid junction cell with 9% solar to electrical conversion efficiency
19 p0343 A78-39461
- Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells
19 p0344 A78-39469
- Optimal electrode properties and the selection of stabilizing electrolytes. --- for photoelectrolytic hydrogen production
19 p0344 A78-39470
- Flat-sided rectilinear trough as a solar concentrator - An analytical study
19 p0344 A78-39636
- Effect of substrate on graphite and other solar selective surfaces
19 p0345 A78-39637
- A pressurized-liquid concept for solar-thermal energy storage
19 p0364 A78-40819
- Hydroelectric solar energy conversion
19 p0368 A78-41813
- Selective absorption of solar energy in granular metals - The role of particle shape
19 p0369 A78-41910
- National Solar Energy Convention, Jadavpur University, Calcutta, India, November 29-December 1, 1976, Proceedings
19 p0369 A78-42101
- Key-note address - Solar energy research and development
19 p0370 A78-42102
- Solar energy for use as a source of power
19 p0370 A78-42104
- Progress in the utilization of solar energy in Chile
19 p0370 A78-42105
- Spectral distribution of global solar radiation at Poona
19 p0370 A78-42106
- Some data collected by experiments to be utilised for solar energy application
19 p0370 A78-42107
- Radiation measurements for solar energy utilization
19 p0370 A78-42109
- Semiconducting materials in solar energy conversion
19 p0371 A78-42115
- A note on the performance of a Si solar cell under partial illumination
19 p0371 A78-42119
- Performance of the novel solar cell
19 p0372 A78-42120
- Power increase from solar cells under pyramidal-horn type concentrator
19 p0372 A78-42125
- Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer
19 p0373 A78-42128
- Utilisation of solar energy by thermoelectric generators
19 p0373 A78-42133
- A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters
19 p0373 A78-42134
- Photochemical and photoelectrochemical routes and solar energy conversion
19 p0373 A78-42135
- Photochemical conversion and storage of solar energy /An overview/
19 p0373 A78-42136
- Solar energy and storage batteries /Invited Lecture/
19 p0374 A78-42138
- Flow-measurement using solar radiations
19 p0374 A78-42141
- Some aspects of radiation climatology in relation to applied solar energy
19 p0374 A78-42143
- Design and evaluation of an inexpensive heat pipe
19 p0374 A78-42145
- A suggestion for improving the heat transfer from solar heaters
19 p0374 A78-42146
- Optimum solar energy collection
19 p0375 A78-42150
- Determination of shading factor for flat-plate collectors
19 p0375 A78-42155
- Solar energy - Architectural imperative and problem of collectors
19 p0375 A78-42158
- A new design of organic vapour engine for solar systems
19 p0376 A78-42161
- Solar energy operated oscillating heat engine
19 p0376 A78-42162
- Solar ponds for power production
19 p0376 A78-42164
- A domestic multi-purpose solar energy unit
19 p0376 A78-42165
- Testing of five solar cookers Jodhpur
19 p0376 A78-42166
- Solar energy for tractors
19 p0376 A78-42168
- Solar energy for industrial processes - A simplified design method
19 p0383 A78-42891
- A 400 kW high temperature solar test facility
19 p0384 A78-42894
- Experimental determination of optimal operating conditions for circular-profile solar concentrators
19 p0384 A78-42895
- Algae cultures and methanization - The role of these techniques in the bioconversion of solar energy
19 p0384 A78-42896
- Fluids serving as heat transfer agents in solar energy conversion
19 p0384 A78-42897
- High efficiency solar panel (HESP) [AD-A043382]
17 p0112 N78-10572
- Solar air-conditioning study. [AD-A043951]
17 p0113 N78-10575
- Dynamic modeling and sensitivity analysis of solar thermal energy conversion systems
17 p0118 N78-11156
- Improved solar photolysis of water [NASA-CASE-WFO-14126-1]
17 p0120 N78-11500
- Solar power satellite: Concept evaluation. Activities report. Volume 1: Summary. Volume 2: Detailed report [NASA-TM-74944]
17 p0123 N78-12116
- Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration [NASA-CR-155325]
17 p0125 N78-12527
- Solar power satellite: System definition study. Part 1, volume 1: Executive summary [NASA-CR-151554]
17 p0129 N78-13099

SOLAR FLUX

SUBJECT INDEX

- High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] 17 p0135 N78-13526
- Solar energy bibliography
[NASA-TN-X-73398] 17 p0138 N78-13554
- An improved solar concentrator
[NASA-CASE-NPS-23727-1] 17 p0139 N78-13556
- Interim policy options for commercialization of solar heating and cooling systems
[ERDA-77-62] 17 p0142 N78-13585
- Solar program assessment: Environmental factors. Photovoltaics
[ERDA-77-47/3] 17 p0142 N78-13593
- Intertechnology Corporation report of solar energy systems installation costs for selected commercial buildings
[COO-2688-76-13] 17 p0143 N78-13606
- US terrestrial solar cell calibration and measurement procedures
[NASA-TN-73788] 17 p0150 N78-14629
- Optimum operating conditions for a cylindrical parabolic focusing collector/Rankine power generation cycle system
[SAND-75-6132] 17 p0151 N78-14634
- Integration of solar thermal power plants into electric utility systems
[TID-27627/1] 17 p0154 N78-14666
- Integration of solar thermal power plants into electric utility systems
[TID-27627/2] 17 p0154 N78-14667
- Photovoltaic solar panels and solar modules
[LPS-77-12] 17 p0156 N78-14685
- Solar cell radiation handbook
[NASA-CR-155554] 17 p0160 N78-15566
- Silicon photovoltaic cells in thermophotovoltaic conversion
[EPRI-ER-478] 18 p0242 N78-16460
- Preliminary environmental assessment of solar energy systems
[PB-272352/6] 18 p0243 N78-16465
- Method of construction of a multi-cell solar array
[NASA-CASE-NPS-23540-1] 18 p0249 N78-17468
- Thermal performance of Honeywell double covered liquid solar collector
[NASA-CR-150505] 18 p0249 N78-17472
- Comparison of solar system measured data for various sample rates --- conducted using Marshall Space Flight Center Solar House
[NASA-CR-150496] 18 p0250 N78-17480
- Indoor test for thermal performance evaluation of Lenox-Honeywell solar collector --- conducted using Marshall Space Flight Center Solar Simulator
[NASA-CR-150510] 18 p0250 N78-17481
- Solar cell design study
[AD-A048042] 18 p0251 N78-17489
- Silicon Schottky photovoltaic diodes for solar energy conversion
[PB-274041/3] 18 p0251 N78-17493
- A computer analysis of heterojunction and graded bandgap solar cells
18 p0254 N78-18512
- Indoor thermal performance evaluation of Daystar solar collector
[NASA-CR-150511] 18 p0255 N78-18521
- Solafern solar system design brochure
[NASA-CR-150515] 18 p0256 N78-18526
- Preliminary analysis of an option for the Federal photovoltaic utilization program
[PB-274220/3] 18 p0260 N78-18562
- Ocean thermal energy conversion: Legal, political, and institutional aspects
[PB-274123/9] 18 p0261 N78-18568
- Solar heating and cooling systems design and development
[NASA-CR-150542] 18 p0263 N78-19603
- Sims Prototype System 2 test results: Engineering analysis
[NASA-CR-150544] 18 p0263 N78-19604
- Space solar power. Description of concept, results of preliminary studies, requirements for evaluation
[NASA-TN-79436] 18 p0284 N78-21611
- High efficiency solar photovoltaic power module concept
[NASA-CR-157002] 19 p0395 N78-23555
- Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] 19 p0405 N78-24609
- Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design
[ALO/3987-1/2-VOL-2] 19 p0409 N78-24672
- Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3
[ALO/3987-1/3-VOL-3] 19 p0409 N78-24673
- Design and operation of a solar heating and cooling system for a residential size building
[NASA-TN-78169] 19 p0420 N78-25546
- Development of prototype air/liquid solar collector subsystem
[NASA-CR-150703] 19 p0421 N78-25550
- Solar pilot plant, phase 1, preliminary design report. Volume 2, book 2: Central receiver optical model users manual, CDEI item 2
[SAN/1109-8/3-VOL-2] 19 p0424 N78-25583
- Solar pilot plant, phase 1, preliminary design report. Volume 2, book 3: Dynamic simulation model and computer program descriptions, CDEI item 2
[SAN/1109-8/4-VOL-2-BK-3] 19 p0424 N78-25584
- Solar pilot plant, phase 1, preliminary design report. Volume 3: Collector subsystem, CDEI item 2
[SAN/1109-8/5-VOL-3] 19 p0424 N78-25585
- Solar pilot plant, phase 1, preliminary design report. Volume 6: Electrical power generation; master control subsystems; balance of plant CDEI item 2
[SAN/1109-8/8-VOL-6] 19 p0424 N78-25586
- Battery storage performance requirements for terrestrial solar photovoltaic power systems
[ANL/OEPH-77-3] 19 p0428 N78-25614
- Solar total energy; large scale experiment. No. 2, phase 2: Conceptual design
[TID-27995] 19 p0428 N78-25618
- Solar total energy system: Large scale experiment, Shenandoah, Georgia. Volume 1. Section 1: Conclusions and recommendations. Section 2: Systems requirements
[ALO/3987-1/1-VOL-1] 19 p0431 N78-25644
- Central receiver solar thermal power system: Collector subsystem
[SAN/1111-76-7] 19 p0448 N78-26609
- Solar energy conversion with hydrogen producing algae
[SAN/0034-77/1] 19 p0460 N78-27565
- Silicon photovoltaic cells in TPV conversion
[EPRI-ER-633] 19 p0461 N78-27567
- Prospects for power generation from space
19 p0468 N78-28039
- SOLAR FLUX**
- A pn junction silicon sensor for high-intensity solar flux mapping
17 p0023 A78-11023
- A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-3] 19 p0421 N78-25560
- SOLAR FLUX DENSITY**
- High-efficiency solar energy conversion through flux concentration and spectrum splitting
18 p0168 A78-22064
- Structure of a beam reflected by a heliostat
18 p0214 A78-28888
- On the relation between insolation and climatological variables. III - The relation between normal incidence solar intensity, total insolation, and weather at Fort Hood, Texas. IV - Construction of a model year of solar intensity and climate
19 p0322 A78-35781
- A note on the performance of a Si solar cell under partial illumination
19 p0371 A78-42119
- SOLAR FURNACES**
- Use of solar energy for direct and two-step water decomposition cycles
17 p0080 A78-16048
- High temperature, stable, spectrally selective solar absorbers for thermochemical hydrogen production
17 p0080 A78-16049
- Thermomigration of silicon wafers in a solar furnace
17 p0084 A78-16837
- A fluidized bed solar reactor - A thermochemical application
18 p0165 A78-20623

SUBJECT INDEX

SOLAR GENERATORS

- A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems. 18 p0187 A78-25733
- Solar furnaces 18 p0200 A78-27861
- Investigation of the dynamics of melting processes in a solar furnace 19 p0336 A78-37949
- Prototype solar heating and hot water systems [NASA-CR-150592] 18 p0275 A78-20612
- SOLAR GENERATORS**
- Relative cost-performance of various solar based power supply packages 17 p0003 A78-10557
- Solar central electric power generation - A baseline design 17 p0010 A78-10742
- Development of a multi-kW roll-out solar generator 17 p0017 A78-10965
- Comparison of foldout and rollout solar generators in the multi-kW-range 17 p0017 A78-10966
- A tracking, high-concentration electrical and thermal solar energy collection system 17 p0024 A78-11032
- The impact of solar central electric technology on the regulated utility 17 p0033 A78-11119
- Dual-medium thermal storage system for solar thermal power plants 17 p0051 A78-11310
- A feasibility study of a combined wind-solar system for space and domestic hot water heating 17 p0052 A78-11319
- A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323
- Analysis of closed cycle Brayton systems for solar electric power generation 17 p0053 A78-11324
- A liquid sodium cooled solar tower system 17 p0053 A78-11325
- One MWth solar cavity steam generator solar test program 17 p0053 A78-11329
- The sunny side of energy --- solar energy conversion 17 p0070 A78-13800
- Technoeconomic aspects of central photovoltaic power plants 17 p0084 A78-16835
- Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISER-B 17 p0085 A78-16852
- The evening out of hot junction temperatures in solar thermoelectric generators by a disk method 17 p0106 A78-20423
- Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- Power Soletta: An industrial sun for Europe - Possibilities for an economically feasible supply with solar energy 18 p0172 A78-22741
- Development of solar tower program in the United States 18 p0173 A78-22819
- Solar electricity - An economic approach to solar energy --- Book 18 p0174 A78-22942
- Photovoltaic power systems - A tour through the alternatives 18 p0175 A78-23563
- Solar energy for village development 18 p0176 A78-23564
- Properties of a solar cell array with mirrors and radiators [DGLB PAPER 77-011] 18 p0179 A78-24405
- Development of a large-area roll-out solar generator for the multi-kW range [DGLB PAPER 77-012] 18 p0180 A78-24406
- The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries 18 p0187 A78-25736
- Classification of methods for controlling the productivity of wind and solar power stations 18 p0187 A78-25737
- Conversion of solar energy into electricity 18 p0201 A78-27864
- The economics of solar energy 18 p0202 A78-27870
- Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922
- The use of thermal oils for energy transfer in the primary cycle of solar heating systems and solar power plants 18 p0213 A78-28588
- Automating the control of the optical system of a tower-type solar power station --- heliostat servocontrol 18 p0215 A78-28891
- Thermochemical energy transport costs for a distributed solar power plant 19 p0312 A78-38515
- Freedom and constraints in solar power satellite design [AAS 77-200] 19 p0329 A78-36702
- Solar power satellite construction concepts [AAS 77-203] 19 p0329 A78-36705
- Characteristics of the utilization of H2O4 in solar gas-turbine power plants 19 p0335 A78-37947
- Experimental study of the joint operation of wind- and solar-plants 19 p0336 A78-37948
- Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production --- French thesis 19 p0336 A78-38068
- A new design of organic vapour engine for solar systems 19 p0376 A78-42161
- Space station systems analysis study. Part 3: Documentation. Volume 7: SCB alternate EPS evaluation, task 10 [NASA-CR-151535] 17 p0109 A78-10185
- A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 A78-11154
- Solar power satellite. System definition study. Part 1, volume 4: SPS transportation system requirements --- spacecraft propulsion [NASA-CR-151557] 17 p0130 A78-13102
- Piping design considerations in a solar-Rankine power plant --- pipe size 17 p0158 A78-15085
- Technical and economic assessment of phase change and thermochemical advanced thermal energy storage (TES) systems. Volume 4: Solar Power Plant Operation, analysis computer program [EPRI-RM-256-VOL-4] 18 p0242 A78-16462
- Preliminary environmental assessment of solar energy systems [PB-272352/6] 18 p0243 A78-16465
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling [NASA-CR-150533] 18 p0255 A78-18524
- Microwave power converter [NASA-CASE-WFO-14068-1] 18 p0264 A78-19609
- Photovoltaic remote instrument applications: Assessment of the near-term market [NASA-TN-73881] 18 p0271 A78-19710
- Solar power satellite system definition study. Part 1 and part 2, volume 1: Executive summary [NASA-CR-151665] 18 p0272 A78-20162
- Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects [NASA-CR-151672] 18 p0272 A78-20163
- Solar power satellite system definition study, Part 3 [NASA-CR-151673] 18 p0272 A78-20164
- Small Power Systems Solar Electric Workshop Proceedings. Volume 1: Executive report. Volume 2: Invited papers [NASA-CR-156165] 18 p0283 A78-21599
- Space solar power. Description of concept, results of preliminary studies, requirements for evaluation [NASA-TN-79436] 18 p0284 A78-21611

- Central receiver solar thermal power system.
Phase 1, CBDL Item 2: Pilot plant preliminary
design report. Volume 3, book 2: Collector
subsystem [SAN-1108-8/3] 19 p0398 N78-23587
- The magnitude of the Federal solar energy program
and the effects of different levels of funding
[PB-277018/8] 19 p0400 N78-23605
- Solar thermoelectric generators [NASA-CN-157097] 19 p0407 N78-24645
- Commercial applications of solar total energy
systems [AI-ERDA-13203] 19 p0427 N78-25613
- Analysis of the thermal fatigue induced by DNB
oscillations in the HDAC Rocketdyne pilot and
commercial plant solar receiver designs
[SAND-77-8283] 19 p0431 N78-25642
- Impact of Balance Of System (BOS) costs on
photovoltaic power systems [NASA-TN-78939] 19 p0443 N78-26550
- Master control and data system for the 5MW solar
thermal test facility [SAND-78-0205C] 19 p0460 N78-27562
- BUCKS: Economic analysis model of solar electric
power plants [SAND-77-8279] 19 p0460 N78-27564
- SOLAR HEATING**
- The economic evaluation of solar energy schemes 17 p0004 A78-10615
- The value of solar heating 17 p0004 A78-10616
- The heat pump in relation to solar energy 17 p0004 A78-10618
- Solar water heating - Some economic and commercial
aspects 17 p0005 A78-10620
- Economic considerations in the energy supply of
Austriac dwellings 17 p0005 A78-10621
- Projected market penetration of solar heating and
cooling in the United States 17 p0005 A78-10622
- A tracking, high-concentration electrical and
thermal solar energy collection system 17 p0024 A78-11032
- Solar energy and domestic heating needs 17 p0029 A78-11085
- The design of passive solar heating systems 17 p0030 A78-11094
- Solar energy utilization and resource recovery
application in space heating 17 p0031 A78-11104
- Design of a large solar heating system for a
campus complex of buildings 17 p0032 A78-11105
- A solar energy system for domestic hot water 17 p0032 A78-11106
- International Solar Energy Society, Annual
Meeting, Orlando, Fla., June 6-10, 1977,
Proceedings. Sections 1-13, 14-25 & 26-38 17 p0042 A78-11212
- Optimized spacing between rows of solar collectors 17 p0043 A78-11229
- Experimental investigation and computer modeling
of a solar natural circulation system 17 p0044 A78-11236
- Analytical and experimental study of thermosyphon
solar water heaters 17 p0045 A78-11237
- Non-corrosive, non-freezing, and non-toxic heat
transfer fluids for solar heating and cooling 17 p0045 A78-11240
- Solar building energy use analysis 17 p0045 A78-11243
- A solar powered desiccant air conditioning system 17 p0046 A78-11245
- A general design method for closed-loop solar
energy systems 17 p0046 A78-11251
- Optimization of solar heating in residential
buildings using a stochastic performance model 17 p0046 A78-11252
- Computer optimization of solar collector area
based on life-cycle costing 17 p0046 A78-11253
- Moderate-level-of-rigor methods for solar heating
system performance prediction 17 p0046 A78-11254
- Prediction of the monthly and annual performance
of solar heating systems 17 p0047 A78-11255
- Simplified techniques for sizing residential solar
heating systems 17 p0047 A78-11256
- Solar system cost/performance analysis 17 p0047 A78-11257
- Preliminary comparison of proportional and full-
on-off control systems for solar energy
applications 17 p0047 A78-11261
- A suboptimal controller for a domestic solar
heating system utilizing a time varying price
for electricity 17 p0047 A78-11262
- Maintenance costs of solar air heating systems 17 p0047 A78-11264
- Design considerations for residential solar
heating and cooling systems utilizing evacuated
tube solar collectors 17 p0047 A78-11265
- A hybrid passive/active solar house 17 p0047 A78-11269
- The computer-aided design of windows as passive
solar collectors 17 p0048 A78-11272
- Thermal mass and beadwalls in two new buildings
--- for solar energy storage 17 p0048 A78-11276
- Solar heating and cooling of mobile homes test
results 17 p0048 A78-11279
- Shenandoah Solar Recreational Center - An overview 17 p0049 A78-11281
- Monitoring and evaluation of solar heating in
northern New England 17 p0049 A78-11282
- Optimization of an annual storage solar heating
system over its life cycle 17 p0050 A78-11296
- Dual phase annual cycle, index of application ---
solar system for heating and cooling of buildings 17 p0050 A78-11299
- ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- The application of solar energy to boiler
feedwater heating in steam-electric power plants 17 p0052 A78-11320
- Subsystem research experiments on a central
receiver collector --- for solar thermal power
plant 17 p0053 A78-11327
- Baseline design of commercial central receiver
solar power plant 17 p0054 A78-11332
- Impact of domestic solar heating systems utilizing
off peak storage on electric utilities 17 p0055 A78-11344
- Design options in solar total energy systems 17 p0055 A78-11346
- Analytical performance and economic evaluation of
residential wind or wind and solar heating systems 17 p0055 A78-11347
- Economic evaluation of solar cooling and heating
of buildings 17 p0057 A78-11355
- Assessment of incentives to accelerate market
penetration of solar heating and cooling systems 17 p0057 A78-11363
- The economic viability of solar assisted
industrial process heat systems - The need for
government economic incentives 17 p0057 A78-11364
- Effects of solar data accuracy on the performance
and economics of solar energy systems 17 p0058 A78-11366
- Marshall Space Flight Center development program
for solar heating and cooling systems 17 p0058 A78-11368
- Survey of the applications of solar thermal energy
systems to industrial process heat 17 p0058 A78-11370
- Evaluation of initial collector field performance
at the Langley Solar Building Test Facility 17 p0061 A78-11391
- The use of natural resources - Solar energy
applied to the construction of human habitats 17 p0065 A78-12908

- Some recent domestic solar energy systems in Europe 17 p0065 A78-12909
- Solar energy installations in Germany 17 p0068 A78-13455
- Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures 17 p0070 A78-13907
- Standard and solar energy exchange-heat water installation 17 p0071 A78-14092
- Solar heating for 10,000 Deutsche Marks --- solar house economics 17 p0071 A78-14093
- Interaction between collector and consumer --- storage and use of solar energy 17 p0071 A78-14095
- The first 'solar hotel' in Germany 17 p0072 A78-14096
- The Tritherm House of Bosch-Junkers in Wernau --- solar heating for private homes 17 p0072 A78-14097
- The sun satisfies two thirds of the heat requirements 17 p0072 A78-14098
- A heating oil tank as a solar energy reservoir 17 p0072 A78-14105
- Tritherm heating --- synthesis of solar, heat pump and fossil fuel heating 17 p0074 A78-14421
- Assessing near-term technologies for solar heating and air-conditioning systems 17 p0074 A78-14540
- Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning 17 p0078 A78-15408
- Solar absorption system for space cooling and heating 17 p0078 A78-15409
- Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16831
- Lightweight thermal storage for solar heated buildings 17 p0083 A78-16832
- Proposal for the production and seasonal storage of hot water to heat a city 17 p0083 A78-16833
- Optimal sizing of solar heating components by equating marginal costs of suboptimal investment paths 17 p0084 A78-16840
- The University of Louisville Dual Solar Energy Research Center 17 p0091 A78-17551
- Solar and wind power - Some meteorological aspects 17 p0094 A78-18325
- Design and performance of an air collector for industrial crop dehydration 17 p0104 A78-19828
- Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems 17 p0104 A78-19832
- Advances in solar water heating for domestic use in Australia 17 p0105 A78-19834
- Efficiency of Brude mirror-type selective transparent filters for solar thermal conversion 17 p0105 A78-19893
- Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems 17 p0106 A78-20244
- Energy performance of solar walls - A computer analysis 17 p0107 A78-20496
- Theoretical performance of a passive solar energy collection system for house heating 18 p0165 A78-20622
- Passive solar heating and cooling systems 18 p0175 A78-23425
- A microprocessor-based control system for solar heated/cooled residential dwellings 18 p0176 A78-23896
- A sheet-metal roof as a solar absorber 18 p0179 A78-24344
- Solar house Hoehenkirchen --- heating and hot water system 18 p0179 A78-24345
- Solar industry - Status report and forecast 18 p0181 A78-24754
- Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- Application of solar energy to schools and residences 18 p0181 A78-24759
- Solar energy in office and industrial buildings 18 p0181 A78-24760
- Solar design and installation experience --- pyramidal optics for use in residential buildings 18 p0181 A78-24761
- Solar economics comes home 18 p0186 A78-25718
- School and factory installations demonstrate solar energy in US northeast 18 p0193 A78-26950
- Solar air heaters and their applications 18 p0200 A78-27858
- Solar heating and cooling of homes 18 p0201 A78-27867
- Comparisons of deep well and insulated shallow earth storage of solar heat 18 p0205 A78-28164
- Thermal optimization of compact solar water heaters 18 p0206 A78-28172
- Heating with the sun II - Principles of solar technology; Meeting, 3rd, Munich, West Germany, March 3, 4, 1977, Report. Volume 2 - Practical technology for residences 18 p0212 A78-28576
- Solar-array installations operating in Germany 18 p0212 A78-28579
- Proposals for the design and construction of solar houses 18 p0212 A78-28581
- Prospects for the development of solar houses 18 p0212 A78-28582
- Integration of solar-energy designs with existing heating systems 18 p0213 A78-28586
- The use of thermal oils for energy transfer in the primary cycle of solar heating systems and solar power plants 18 p0213 A78-28588
- Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590
- Direct utilization of solar energy with the aid of low-temperature heating 18 p0213 A78-28591
- Integration of heat pumps into solar-heating systems 18 p0213 A78-28592
- Technical safety questions concerning solar energy installations 18 p0214 A78-28593
- Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596
- Monitoring solar space heat 18 p0214 A78-28800
- Prediction of the monthly and annual performance of solar heating systems 18 p0220 A78-30270
- Simple solar technology for applications in rural areas 18 p0221 A78-30321
- Europe's largest solar facility dries animal feed 18 p0221 A78-30322
- Spinning a turbine with sunlight 18 p0223 A78-30742
- Solar heating design, by the f-chart method --- Book 18 p0224 A78-31071
- Economics of solar heating and cooling systems 18 p0228 A78-31550
- A solar energy system for space heating and space cooling 19 p0295 A78-33033

- A study of solar water heating for existing homes in Southern New England 19 p0295 A78-33034
- Economic feasibility of solar heating systems in the northeastern United States 19 p0295 A78-33035
- Solar heating - Solar collectors for heating purposes --- French book 19 p0308 A78-33801
- Thermic diode solar panels for space heating 19 p0314 A78-34936
- A comparison of some alternative domestic energy systems --- solar, heat pump and conventional space and water heating 19 p0316 A78-35361
- A non-tracking moderately focusing heat pipe solar collector [AIAA 78-402] 19 p0318 A78-35592
- Temperature operating conditions of the energy storage device of a solar heating system 19 p0319 A78-35646
- Experimental evaluation of natural convection solar air heaters 19 p0323 A78-35795
- Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ --- German book 19 p0328 A78-36650
- Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977 19 p0336 A78-38051
- Hierarchical modeling of solar heating and air conditioning systems 19 p0340 A78-38790
- Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7] 19 p0345 A78-39776
- The potential for geothermal and solar thermal power systems 19 p0361 A78-40368
- Solar heating and air conditioning for the southwestern United States 19 p0361 A78-40370
- A pressurized-liquid concept for solar-thermal energy storage 19 p0364 A78-40819
- The natural circulation solar heater-models with linear and nonlinear temperature distributions 19 p0369 A78-42064
- Key-note address - Solar energy research and development 19 p0370 A78-42102
- Progress in the utilization of solar energy in Chile 19 p0370 A78-42105
- Some data collected by experiments to be utilised for solar energy application 19 p0370 A78-42107
- Research and Product Development programme in the area of solar thermal energy 19 p0370 A78-42108
- Cheap packed-bed solar air heaters 19 p0374 A78-42144
- A suggestion for improving the heat transfer from solar heaters 19 p0374 A78-42146
- Performance study of spray-type solar water heater 19 p0374 A78-42147
- Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems 19 p0375 A78-42149
- Solar energy for industrial processes - A simplified design method 19 p0383 A78-42891
- The theoretical and experimental performance of a solar heater equipped with flat plate collectors 19 p0384 A78-42893
- Portable linear-focused solar thermal energy collecting system [NASA-CASE-NPO-13734-1] 17 p0111 A78-10554
- Investigation of an ejector heat pump 17 p0124 A78-12361
- Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1 [NASA-CR-155326] 17 p0125 A78-12528
- An attitudinal study of the home market for solar devices [AD-A045082] 17 p0126 A78-12535
- Parametric study of rock pile thermal storage for solar heating and cooling phase 1 [NASA-CR-155336] 17 p0138 A78-13552
- Intermediate standards for solar domestic hot water systems/HUD initiative [PB-271758/5] 17 p0139 A78-13563
- Interim policy options for commercialization of solar heating and cooling systems [ERDA-77-62] 17 p0142 A78-13585
- Impact of solar heating and cooling on electric utilities [PB-271415/2] 17 p0145 A78-13621
- Program Research and Development Announcement (PRDA). Solar collector materials and fluids for solar heating and cooling applications [PRDA-EG-77-D-29-0003] 17 p0151 A78-14643
- Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1] 17 p0152 A78-14649
- Consumer demand analysis: Solar heating and cooling of buildings [COO-2598-1] 17 p0153 A78-14655
- Solar program assessment: Environmental factors. Solar heating and cooling of buildings [ERDA-77-47/1] 17 p0155 A78-14680
- Solar heating system [NASA-CASE-LAR-12009-1] 17 p0159 A78-15560
- A fixed tilt solar collector employing reversible vee-trough reflectors and vacuum tube receivers for solar heating and cooling systems [NASA-CR-155426] 17 p0160 A78-15567
- Environmental issues associated with solar heating and cooling of residential dwellings [SAND-77-0172] 17 p0161 A78-15581
- Development of a freeze-tolerant solar water heater using crosslinked polyethylene as a material of construction [COO-2956-5] 17 p0162 A78-15584
- The solar heating and cooling commercial demonstration program: Some early problems and results [NASA-TN-78152] 18 p0240 A78-16433
- Systems approach to solar heating and cooling systems [CONF-770359-1] 18 p0242 A78-16455
- Inhibitor analysis for a solar heating and cooling system [NASA-CR-150513] 18 p0249 A78-17475
- Prototype solar heating and hot water systems [NASA-CR-150525] 18 p0250 A78-17482
- SIMS prototype system 1: Design data brochure --- solar heating system [NASA-CR-150534] 18 p0250 A78-17484
- Net energy analysis model for the evaluation of a solar heating, ventilation and air conditioning system [AD-A047433] 18 p0251 A78-17487
- Solafern solar system design brochure [NASA-CR-150515] 18 p0256 A78-18526
- SIMS prototype system 1 test results: Engineering analysis [NASA-CR-150522] 18 p0256 A78-18527
- Prototype solar heating and cooling systems, including potable hot water [NASA-CR-150576] 18 p0263 A78-19601
- Site selection for MSFC operational tests of solar heating and cooling systems [NASA-CR-150537] 18 p0263 A78-19602
- Solar heating and cooling systems design and development [NASA-CR-150542] 18 p0263 A78-19603
- Sims Prototype System 2 test results: Engineering analysis [NASA-CR-150544] 18 p0263 A78-19604
- Site selection feasibility for a solar energy system on the Fairbanks Federal Building [NASA-CR-150559] 18 p0268 A78-19645
- Prototype solar heating and hot water system [NASA-CR-150575] 18 p0268 A78-19653
- Prototype solar heating and cooling systems [NASA-CR-150570] 18 p0268 A78-19655
- Assessment of solar heating and cooling technology [LA-6379-MS] 18 p0269 A78-19667
- Installation package maxi-therm S-101 heating module [NASA-CR-150512] 18 p0274 A78-20602
- Preliminary design review package for the solar heating and cooling central data processing system [NASA-CR-150594] 18 p0274 A78-20604

SUBJECT INDEX

SOLAR HOUSES

Solar heating system for recreation building at Scattergood School
[NASA-CR-150553] 18 p0274 N78-20605

Solar heat transport fluids for solar energy collection systems: A collection of quarterly reports
[NASA-CR-150560] 18 p0274 N78-20606

Subsystem design package for Mod 2 site data acquisition system: Solar heating and cooling
[NASA-CR-150588] 18 p0274 N78-20609

Quarterly and monthly reports for solar heating and cooling systems
[NASA-CR-150589] 18 p0275 N78-20610

Design review package for the on-site monitor for solar heating and cooling systems
[NASA-CR-150590] 18 p0275 N78-20611

Prototype solar heating and hot water systems
[NASA-CR-150592] 18 p0275 N78-20612

Modular control subsystems for use in solar heating systems for multi-family dwellings
[NASA-CR-150593] 18 p0275 N78-20613

Liquid flat plate collector and pump for solar heating and cooling systems: A collection of quarterly reports
[NASA-CR-150599] 18 p0275 N78-20614

Design data brochure for CSI series V solar heating system
[NASA-CR-150600] 18 p0275 N78-20615

Preliminary design review package on air flat plate collector for solar heating and cooling system
[NASA-CR-150601] 18 p0275 N78-20616

A survey of considerations for solar energy facility applications
[AD-A049490] 18 p0277 N78-20630

Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639

System design package for IBM system one: solar heating and domestic hot water
[NASA-CR-150614] 18 p0282 N78-21589

Prototype solar heated hot water systems and double-walled heat exchangers: A collection of quarterly reports
[NASA-CR-150591] 18 p0282 N78-21591

Solar heat transport fluid
[NASA-CR-150612] 18 p0283 N78-21592

Central Data Processing System (CDPS) user's manual: Solar heating and cooling program
[NASA-CR-150580] 18 p0283 N78-21595

Subsystem design package for Solar II collector
[NASA-CR-150611] 18 p0283 N78-21602

Preliminary design package for solar hot water system
[NASA-CR-150617] 18 p0283 N78-21603

Development of a practical photochemical energy storage system
[SRO-893-6] 18 p0285 N78-21626

Development of a practical photochemical energy storage system
[SRO-893-8] 18 p0285 N78-21627

System design package for SINS prototype system 2, solar hot water
[NASA-CR-150521] 19 p0388 N78-22465

Preliminary design package for solar collector and solar pump
[NASA-CR-150630] 19 p0389 N78-22472

Preliminary design package for maxi-therm heat exchanger module
[NASA-CR-150620] 19 p0389 N78-22473

Air-liquid solar collector for solar heating, combined heating and cooling, and hot water subsystems
[NASA-CR-150569] 19 p0389 N78-22475

Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] 19 p0396 N78-23567

Preliminary design package for prototype solar heating system
[NASA-CR-150615] 19 p0405 N78-24610

Preliminary design package for RS600 microprocessor control subsystem
[NASA-CR-150628] 19 p0405 N78-24611

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150686] 19 p0420 N78-25537

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150687] 19 p0420 N78-25538

Hardware problems encountered in solar heating and cooling systems
[NASA-TM-78172] 19 p0420 N78-25539

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150691] 19 p0420 N78-25540

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150692] 19 p0420 N78-25541

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150693] 19 p0420 N78-25542

Prototype solar heating and combined heating and cooling systems
[NASA-CR-150694] 19 p0420 N78-25543

Design and operation of a solar heating and cooling system for a residential size building
[NASA-TM-78169] 19 p0420 N78-25546

Design data brochure: Solar hot air heater
[NASA-CR-150697] 19 p0421 N78-25548

Preliminary design package for noncorrosive fluid subsystem, solar heating and cooling
[NASA-CR-150698] 19 p0421 N78-25549

Design data brochure: SINS prototype system 3
[NASA-CR-150707] 19 p0421 N78-25552

Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 N78-25615

Feasibility evaluation: Solar heated textile process water
[SRO-0885-75/1] 19 p0428 N78-25621

Solar energy in high-rise buildings
[DSE/1963-1] 19 p0431 N78-25641

Design method for heat loss calculation for in-ground heat storage tanks
[COO-2939-3] 19 p0441 N78-26402

Solar heating and cooling system design and development
[NASA-CR-150705] 19 p0444 N78-26556

Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 N78-26568

Solar Heating and Cooling Demonstration Program Contractor's Review. Summary and analysis of workshop and panel sessions
[CONF-771229-SUM] 19 p0448 N78-26608

Preliminary design package for Sunspot Domestic Hot Water Heating System
[NASA-CR-150605] 19 p0456 N78-27518

Preliminary design package for solar heating and cooling systems
[NASA-CR-150674] 19 p0456 N78-27519

Preliminary design package for solar heating and hot water system
[NASA-CR-150616] 19 p0458 N78-27536

Preliminary design activities for solar heating and cooling systems
[NASA-CR-150673] 19 p0458 N78-27537

System definition study: Phase 1 of individual load center, solar heating and cooling residential project
[EPRI-ER-594] 19 p0459 N78-27548

Subsurface waste-heat storage: Experimental study
[ORO-5003-1] 19 p0459 N78-27554

Analysis of the current economic feasibility of solar water and space heating
[DOE/CS-0023] 19 p0460 N78-27560

Solar energy and the heat pump in a northern climate
[EPRI-EA-407] 19 p0462 N78-27583

DoB facilities solar design handbook
[DOE/AD-0006/1] 19 p0463 N78-27586

SOLAR HOUSES

Materials for luminescent greenhouse solar collectors
17 p0002 A78-10171

Economic considerations in the energy supply of Autarkic dwellings
17 p0005 A78-10621

The conceptual design and analysis of a photovoltaic powered experimental residence
17 p0022 A78-11015

Solar energy and domestic heating needs
17 p0029 A78-11085

The design of passive solar heating systems
17 p0030 A78-11094

Solar energy utilization and resource recovery application in space heating
17 p0031 A78-11104

- Design of a large solar heating system for a campus complex of buildings 17 p0032 A78-11105
- Optimized spacing between rows of solar collectors 17 p0043 A78-11229
- Evaluation of an energy conserving research house involving multi-modal operation of solar and heat pump systems 17 p0046 A78-11244
- A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity 17 p0047 A78-11262
- A hybrid passive/active solar house 17 p0047 A78-11269
- Thermal mass and heatwalls in two new buildings --- for solar energy storage 17 p0048 A78-11276
- A performance evaluation of a solar house in Quebec 17 p0048 A78-11277
- Solar heating and cooling of mobile homes test results 17 p0048 A78-11279
- Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- Shenandoah Solar Recreational Center - An overview 17 p0049 A78-11281
- Monitoring and evaluation of solar heating in northern New England 17 p0049 A78-11282
- Analysis of two methods used to generate climatological data for design of solar energy buildings 17 p0049 A78-11289
- Dual phase annual cycle, index of application --- solar system for heating and cooling of buildings 17 p0050 A78-11299
- Residential photovoltaic prototype system definition study 17 p0054 A78-11338
- Preferred residential solar heating and cooling systems compatible with electric utility operation 17 p0055 A78-11345
- Analytical performance and economic evaluation of residential wind or wind and solar heating systems 17 p0055 A78-11347
- A solar economic performance model for residential applications 17 p0056 A78-11354
- Effect of tax-credits on the economics of solar heating for homeowners 17 p0057 A78-11356
- Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution 17 p0064 A78-12394
- The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908
- Some recent domestic solar energy systems in Europe 17 p0065 A78-12909
- The BBC solar house - Design and operating experience 17 p0068 A78-13454
- Solar energy installations in Germany 17 p0068 A78-13455
- Solar energy economizes on heat pump current --- in house heating system 17 p0071 A78-14091
- Standard and solar energy exchange-heat water installation 17 p0071 A78-14092
- Solar heating for 10,000 Deutsche Marks --- solar house economics 17 p0071 A78-14093
- Construction physics for solar houses 17 p0071 A78-14094
- The first 'solar hotel' in Germany 17 p0072 A78-14096
- The Trithem House of Bosch-Junkers in Wernau --- solar heating for private homes 17 p0072 A78-14097
- The sun satisfies two thirds of the heat requirements 17 p0072 A78-14098
- A prefabricated-house series with solar technology 17 p0072 A78-14099
- Solar energy: Fundamentals in building design --- Book 17 p0081 A78-16275
- Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16831
- Energy performance of solar walls - A computer analysis 17 p0107 A78-20496
- Theoretical performance of a passive solar energy collection system for house heating 18 p0165 A78-20622
- Heat balance of a solar house: Rapid calculation method --- French book 18 p0177 A78-23975
- A sheet-metal roof as a solar absorber 18 p0179 A78-24344
- Solar house Hoehenkirchen --- heating and hot water system 18 p0179 A78-24345
- Solar energy in perspective - Builder/developer's view of the industry 18 p0181 A78-24758
- Solar economics comes home 18 p0186 A78-25718
- Solar heating and cooling of homes 18 p0201 A78-27867
- Heating with the sun II - Principles of solar technology; Meeting, 3rd, Munich, West Germany, March 3, 4, 1977, Report. Volume 2.- Practical technology for residences 18 p0212 A78-28576
- Solar energy utilization in 1977 - Status, results, prospects 18 p0212 A78-28577
- Solar-array installations operating in Germany 18 p0212 A78-28579
- Buildings design with reference to the natural utilization of solar energy 18 p0212 A78-28580
- Proposals for the design and construction of solar houses 18 p0212 A78-28581
- Prospects for the development of solar houses 18 p0212 A78-28582
- Thermal-engineering preliminaries for the retrofitting of old houses to solar-energy utilization 18 p0213 A78-28583
- Integration of solar-energy designs with existing heating systems 18 p0213 A78-28586
- Aqueous heat-carrying liquids for solar houses 18 p0213 A78-28587
- Air as a heat-transfer fluid --- for solar houses 18 p0213 A78-28589
- Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590
- Integration of heat pumps into solar-heating systems 18 p0213 A78-28592
- Building rights, apartment- and residence-designing in the light of solar energy utilization 18 p0214 A78-28594
- Legal problems of solar energy utilization 18 p0214 A78-28595
- Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy --- solar energy utilization 18 p0214 A78-28596
- Monitoring solar space heat 18 p0214 A78-28800
- Thermal simulation of a passive solar house using a Trombe-Michel wall structure 18 p0220 A78-30269
- Utilities put the sun to work 18 p0223 A78-30744
- NMSU - Casa del Sol of the future 18 p0232 A78-32114
- Preliminary performance evaluation of the New Mexico State University solar house 19 p0295 A78-33032

SUBJECT INDEX

SOLAR REFLECTORS

- A solar energy system for space heating and space cooling 19 p0295 A78-33033
- A study of solar water heating for existing homes in Southern New England 19 p0295 A78-33034
- Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- On the study of applications of solar thermal energy for mobile home park and community 19 p0296 A78-33040
- The effect of certain major parameters on the annual effectiveness of solar systems for residential dwellings [ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- Experience in operating a solar absorption cooling plant with open solution regenerator 19 p0332 A78-36871
- Use of heat pumps with solar collectors for domestic space heating in the United Kingdom 19 p0341 A78-38971
- Solar heating and air conditioning for the southwestern United States 19 p0361 A78-40370
- Solar energy - Architectural imperative and problem of collectors 19 p0375 A78-42158
- Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 A78-13555
- Environmental issues associated with solar heating and cooling of residential dwellings [SAND-77-0172] 17 p0161 A78-15581
- Comparison of solar system measured data for various sample rates --- conducted using Marshall Space Flight Center Solar House [NASA-CR-150496] 18 p0250 A78-17480
- Solar heating and cooling systems design and development [NASA-CR-150542] 18 p0263 A78-19603
- Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements [NASA-CR-155948] 18 p0264 A78-19612
- System definition study: Phase 1 of individual load center, solar heating and cooling residential project [EPRI-EH-594] 19 p0459 A78-27548
- SOLAR INSTRUMENTS**
- Radiation measurements for solar energy utilization 19 p0370 A78-42109
- SOLAR PONDS (HEAT STORAGE)**
- Proposal for the production and seasonal storage of hot water to heat a city 17 p0083 A78-16833
- The circular cylindrical reflector - Application to a shallow solar pond electricity generating system 17 p0105 A78-19833
- Solar pond 18 p0200 A78-27860
- Heat transfer analysis of a system for annual collection and storage of solar energy 19 p0296 A78-33038
- Solar ponds for power production 19 p0376 A78-42164
- Generalized numerical model for predicting energy transfers and performance of large solar ponds [UCRL-13722] 17 p0161 A78-15576
- SOLAR RADIATION**
- Solar radiation and energy measurements --- solar cell meter for meteorological monitoring 17 p0009 A78-10732
- The estimation of daily, clear-sky solar radiation intercepted by a tilted surface 17 p0044 A78-11230
- Hourly direct-normal solar radiation data tapes for the United States 17 p0049 A78-11288
- Solar shade control --- legislation to assure direct solar radiation availability 17 p0057 A78-11358
- Stochastic modeling and forecasting of solar radiation data 17 p0084 A78-16842
- Solar energy availability prediction from climatological data 18 p0199 A78-27854
- Prediction of the monthly and annual performance of solar heating systems 18 p0220 A78-30270
- Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916
- Calibration standards and field instruments for the precision measurement of insolation 19 p0312 A78-34517
- Solar and infrared radiation properties of parallel-plate honeycomb [AIAA PAPER 78-901] 19 p0324 A78-36019
- Spectral distribution of global solar radiation at Poona 19 p0370 A78-42106
- Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 A78-15148
- SOLAR REFLECTORS**
- Mirrors for solar energy application 17 p0045 A78-11242
- An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328
- An internal cusp reflector for an evacuated tubular heat pipe solar thermal collector 17 p0060 A78-11384
- Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results 17 p0060 A78-11386
- Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- Enhancement of flat plate solar collector performance through the use of planar reflectors 17 p0060 A78-11388
- Solar collector cost reduction with reflector enhancement 17 p0061 A78-11390
- Film reflectors in space --- Russian book on orbiting solar power stations and solar sails 17 p0078 A78-15423
- Structure of a beam reflected by a heliostat 18 p0214 A78-28888
- Study of physicochemical processes in fabrication of reflectors from polymer materials --- coat bond in foam-film solar concentrator 18 p0215 A78-28895
- Effect of heat treatment on optical properties of collectors for solar energy installations 18 p0215 A78-28896
- Thin-film black-white coatings for the receivers of solar energy installations 18 p0215 A78-28897
- Optical performance of absorber-reflector combinations for photothermal solar energy conversion 19 p0316 A78-35411
- Time integrated calculation of the insolation collected by a reflector-collector system 19 p0323 A78-35799
- Satellite mirror systems for providing terrestrial power - System concept [AAS 77-240] 19 p0330 A78-36717
- In orbit manufacture of solar reflector satellites [AAS 77-241] 19 p0330 A78-36718
- Ideal flux concentrators with reflector gaps --- solar collectors 19 p0333 A78-37177
- Condition for no shadow, and effective shadow due to plane reflectors 19 p0375 A78-42156
- Testing of five solar cookers Jodhpur 19 p0376 A78-42166
- A 400 kW high temperature solar test facility 19 p0384 A78-42894
- Experimental determination of optimal operating conditions for circular-profile solar concentrators 19 p0384 A78-42895
- Parameter study for a central-receiver power station [SAND-77-0667C] 17 p0154 A78-14664

SOLAR SAILS

SUBJECT INDEX

- A fixed tilt solar collector employing reversible
vee-trough reflectors and vacuum tube receivers
for solar heating and cooling systems
[NASA-CR-155426] 17 p0160 N78-15567
- SOLAR SAILS**
Film reflectors in space --- Russian book on
orbiting solar power stations and solar sails
17 p0078 A78-15423
- SOLAR SEA POWER PLANTS**
Solar sea power plants - Prospects and problems
19 p0376 A78-42163
- SOLAR SENSORS**
Solar energy collector orientation and tracking mode
17 p0104 A78-19827
A low cost high temperature sun tracking solar
energy collector
18 p0262 N78-19041
- SOLAR SIMULATION**
Indoor test for thermal performance evaluation of
Sunworks (liquid) solar collector
[NASA-CR-150573] 18 p0268 N78-19650
- SOLAR SIMULATORS**
What is simulated AND - A comparison of CWR and
violet cell measurements across USA and Europe
17 p0019 A78-10988
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing
17 p0058 A78-11369
Indoor test for thermal performance evaluation of
Libbey-Owens-Ford solar collector --- using a
solar simulator
[NASA-CR-150508] 18 p0249 N78-17474
Use of the Marshall Space Flight Center solar
simulator in collector performance evaluation
[NASA-TN-78165] 18 p0284 N78-21605
Indoor test for thermal performance evaluation on
life sciences engineering (air) solar collector
[NASA-CR-150665] 19 p0420 N78-25547
- SOLAR SPECTRA**
High-efficiency solar energy conversion through
flux concentration and spectrum splitting
18 p0168 A78-22064
Solar irradiance, total and spectral --- data for
cost-effective solar energy conversion
18 p0199 A78-27853
- SOLAR TERRESTRIAL INTERACTIONS**
The earth as a solar heat engine --- windpower
utilization, ocean thermal conversion, tidal
power, waterwave power and biomass conversion
18 p0223 A78-30745
- SOLDERED JOINTS**
Development program for MHD power generation.
Volume 4: Superconducting magnet study
[FE-2015-16-VOL-4] 19 p0455 N78-27447
- SOLENOIDS**
Fusion reactor development scenarios for the laser
solenoid concept
19 p0349 A78-39881
- SOLID ELECTRODES**
MHD electrode-insulator micro- and macro-structure
17 p0088 A78-17464
- SOLID STATE DEVICES**
Design considerations for an electric vehicle
solid-state motor controller with regenerative
braking capability
17 p0092 A78-17570
A lithium solid-state cell based on the
Li3.75S0.75P0.25O4 electrolyte
19 p0363 A78-40620
On the discharge mechanism of silver/alkylammonium
polyiodide solid state cells
19 p0363 A78-40621
Innovations in microelectronics and solid state at
North Carolina Agricultural and Technical State
University
18 p0237 N78-16280
- SOLID STATE LASERS**
A 25 megajoule energy storage and delivery system
for the Shiva laser
19 p0351 A78-39920
- SOLID SUSPENSIONS**
Studies on the separation of coal extract from
solid residue in liquefied coal
[NSP/AER-75-15213] 19 p0398 N78-23590
- SOLID WASTES**
Quality and characteristics of steam produced from
wastes
17 p0005 A78-10630
- Densified refuse derived fuels - An alternative
concept
17 p0005 A78-10634
- Energy from solid waste - Appraisal of alternatives
17 p0011 A78-10746
- The utilization of solid wastes for the generation
of electric power
17 p0028 A78-11074
- ROEHHC subscript R Burner - High ash solid fuel
combustion system
17 p0032 A78-11111
- The environmental effects and economic costs of
solid waste energy recovery
17 p0033 A78-11113
- Modular incinerator energy recovery systems - The
Silcoam Springs experience
17 p0033 A78-11114
- Utilization of waste cellulose for production of
chemical feedstocks via acid hydrolysis ---
Conversion to glucose
17 p0035 A78-11129
- Pyrolysis of solid wastes for production of
gaseous fuels and chemical feedstocks
17 p0035 A78-11131
- Chicago's new refuse disposal installation
17 p0035 A78-11133
- Operating experience with large scale digestion of
urban refuse with sewage sludge
17 p0036 A78-11136
- Environmental impact of solid waste and biomass
conversion-to-energy processes
17 p0036 A78-11139
- The Andco-Torrax process - A slagging pyrolysis
solid waste conversion system
17 p0036 A78-11142
- Energy from refuse - Theoretical and practical
results
17 p0037 A78-11149
- A solid waste package deal - Energy and materials
from garbage
17 p0092 A78-17671
- Energy from municipal refuse
18 p0182 A78-24763
- Fuels from waste --- Book
18 p0197 A78-27801
- Energy from wastes - An overview of present
technologies and programs
18 p0197 A78-27803
- Production of low-Btu gas from wastes, using
molten salts
18 p0197 A78-27804
- Pipeline gas from solid wastes by the Syngas
recycling process
18 p0197 A78-27805
- The nature of pyrolytic oil from municipal solid
waste
18 p0197 A78-27806
- The production of oil from wood waste
18 p0198 A78-27809
- Fuels from wood waste
18 p0198 A78-27810
- Pyrolytic gasification of Kraft black liquors
18 p0198 A78-27811
- Energy recovery by the incineration of solid waste
- Development, present status, and experiences
in Germany /James Clayton Lecture/
18 p0221 A78-30373
- Energy savings from solid urban waste disposal
systems in Italy
18 p0228 A78-31744
- Waste pyrolysis - Alternative fuel source
19 p0333 A78-31712
- European developments in the recovery of energy
and materials from municipal solid waste
[PB-270219/9] 17 p0122 N78-11892
- Synthetic fuel production from solid wastes
[PB-272423/5] 17 p0148 N78-14182
- Environmental assessment of waste-to-energy
processes: Source assessment document
[PB-272646/1] 17 p0163 N78-15956
- Metals in the combustible fraction of municipal
solid waste
[PB-272946/5] 18 p0245 N78-16499
- Net energy from municipal solid waste
[ORAU/IEA(N)-77-5] 18 p0288 N78-21653
- Market analysis of recovered materials and energy
from solid waste, executive summary
[PB-277143/4] 19 p0392 N78-22979

SUBJECT INDEX

SPACE MANUFACTURING

Solid waste utilization: Pyrolysis
 [ANL/CES/78-77-15] 19 p0435 N78-26038
 Overcoming institutional barriers to solid waste
 utilization as an energy source --- electric
 power plants
 [HCP/L50172-01] 19 p0452 N78-27005
 Overcoming institutional barriers to solid waste
 utilization as an energy source: Executive
 summary --- electric power plants
 [HCP/L50172-02] 19 p0453 N78-27006
 Environmental effects of burning solid waste as fuel
 [IS-N-124] 19 p0466 N78-27637

SOLID-SOLID INTERFACES
 Dependence of Schottky barrier solar cell
 efficiency on the thickness of the interfacial
 layer 19 p0373 A78-42128

SOLIDIFICATION
 Purification and characterization of metallurgical
 silicon 18 p0219 A78-30191

SOLIDS FLOW
 Gravity flow rate of solids through orifices and
 pipes 17 p0133 N78-13260

SOLUBILITY
 Kinetics and solubility of hydrogen in coal
 liquefaction reactions 18 p0191 A78-26585
 An investigation of coal solubility in anthracene
 oils 18 p0195 A78-27745

SOLVENT EXTRACTION
 Effect of solvent on molecular composition in coal
 liquefaction 18 p0173 A78-22823
 An investigation of coal solubility in anthracene
 oils 18 p0195 A78-27745
 Effects of coal minerals on the hydrogenation,
 desulfurization, and solvent extraction of coal
 18 p0229 A78-31870
 Application of solar energy to a solvent
 reclamation system 19 p0338 A78-38426
 Studies on the separation of coal extract from
 solid residue in liquefied coal
 [NSF/ABR-75-15213] 19 p0398 N78-23590
 Assessment of technology for the liquefaction of
 coal: Summary
 [FE-1216-2] 19 p0445 N78-26572

SOLVENTS
 The role of solvent in the solvent refined coal
 process 18 p0190 A78-26577
 Short contact time coal liquefaction - Techniques
 and product distributions 18 p0191 A78-26586
 Separation of coal liquids from major liquefaction
 processes to meaningful fractions 18 p0191 A78-26590
 Occupational exposure to refined petroleum
 solvents. Criteria for a recommended standard
 [DHEW/PUB/NIOSH-77/192] 19 p0412 N78-24790
 Characteristics of solvent refined coal: Dual
 register burner tests
 [EPRI-PP-628] 19 p0437 N78-26232

SORBENTS
 Synthetic SO₂ sorbents for fluidized-bed coal
 combustors 17 p0003 A78-10503

SORPTION
 Tritium removal from liquid metals by sorption on
 yttrium 19 p0358 A78-40074

SOUTH DAKOTA
 Legislative handbook on energy-related topics
 [PB-276766/3] 19 p0390 N78-22477

SOUTHERN CALIFORNIA
 Public policy issues. A Southern California Gas
 Company project SAGE report
 [NASA-CR-155945] 18 p0264 N78-19613

SPACE CHARGE
 Experimental and computational results on direct
 energy conversion for mirror fusion reactors
 17 p0064 A78-12486
 Analysis of generation in space charge regions of
 solar cells 19 p0334 A78-37466

SPACE COLONIES

The industrialization of space - A myth or
 tomorrow's reality. I 17 p0106 A78-20148
 Space industrialization - Redefining the world
 18 p0193 A78-26823
 Materials, processing, and construction --- in space
 18 p0203 A78-27928
 Directions for research --- for space
 manufacturing colonization and scientific research
 18 p0203 A78-27930
 The economics of space industrialization - A
 phased approach 18 p0204 A78-27934
 The extraterrestrial imperative --- space
 industrialization 19 p0308 A78-33589

SPACE ERRECTABLE STRUCTURES
 Learning to build large structures in space
 17 p0082 A78-16698
 Development of a large-area roll-out solar
 generator for the multi-kW range
 [DGLR PAPER 77-012] 18 p0180 A78-24406
 Modular solar energy satellite - Project proposal
 and development strategy 18 p0180 A78-24452
 Structure assembly demonstration slated --- for
 large space structures in low orbit 19 p0339 A78-38774

SPACE EXPLORATION
 Integrating space developments - 1980-95 --- for
 scientific research and energy production
 18 p0175 A78-23422

SPACE INDUSTRIALIZATION
 Industrialization of space - Myth or the reality
 of tomorrow 18 p0218 A78-29660
 The extraterrestrial imperative --- space
 industrialization 19 p0308 A78-33589
 The industrialization of space; Proceedings of the
 Twenty-third Annual Meeting, San Francisco,
 Calif., October 18-20, 1977. Parts 1 & 2
 19 p0329 A78-36701
 Space industrialization - The long-range view and
 the near and intermediate steps 19 p0330 A78-36729
 Platform designed for numerous uses --- in
 geostationary orbit 19 p0382 A78-42509

SPACE LAW
 The geostationary orbit, focal point of space
 telecommunication law 19 p0326 A78-36301

SPACE LOGISTICS
 A baseline of logistic and power requirements for
 full-scale manufacturing of metallic materials
 in earth orbit 19 p0329 A78-36712
 [AAS 77-237]

SPACE MANUFACTURING
 Systems analysis of space manufacturing from
 nonterrestrial materials
 [IAP PAPER 77-72] 17 p0080 A78-15930
 Establishment of a space manufacturing facility
 17 p0087 A78-17190
 The industrialization of space - A myth or
 tomorrow's reality. I 17 p0106 A78-20148
 Space industrialization - Redefining the world
 18 p0193 A78-26823
 Transport --- to near-earth industrial sites
 18 p0203 A78-27927
 Materials, processing, and construction --- in space
 18 p0203 A78-27928
 Directions for research --- for space
 manufacturing colonization and scientific research
 18 p0203 A78-27930
 Demandite, lunar materials and space
 industrialization 18 p0204 A78-27933
 The economics of space industrialization - A
 phased approach 18 p0204 A78-27934
 A baseline of logistic and power requirements for
 full-scale manufacturing of metallic materials
 in earth orbit 19 p0329 A78-36712
 [AAS 77-237]

- A road map to space products --- extraterrestrial manufactured products for Earth use
 [AAS 77-239] 19 p0329 A78-36716
 In orbit manufacture of solar reflector satellites
 [AAS 77-241] 19 p0330 A78-36718
 AIAA/HSPC Symposium on Space Industrialization:
 Proceedings
 [NASA-CP-2026] 18 p0253 A78-18088
 The next 25 years: Industrialization of space:
 Rationale for planning
 [NASA-TM-79360] 18 p0253 A78-18091
- SPACE NAVIGATION**
 Electromechanics in space --- Russian book on spacecraft control, navigation and energy conversion systems 17 p0073 A78-14175
- SPACE POWER REACTORS**
 Lithium and potassium heat pipes for thermionic converters
 [NASA-TM-78946] 19 p0441 A78-26390
 General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program --- plutonium oxide radioisotopic power systems
 [LA-7184-PR] 19 p0467 A78-27898
- SPACE PROCESSING**
 Molecular-beam epitaxy in space 17 p0103 A78-19472
 Materials, processing, and construction --- in space 18 p0203 A78-27928
 Industries in space to benefit mankind: A view over the next 30 years 17 p0118 A78-10973
 [NASA-CR-155203]
 AIAA/HSPC Symposium on Space Industrialization:
 Proceedings
 [NASA-CP-2026] 18 p0253 A78-18088
 The next 25 years: Industrialization of space:
 Rationale for planning
 [NASA-TM-79360] 18 p0253 A78-18091
- SPACE SHUTTLE ORBITERS**
 Next steps in space transportation and operations 17 p0103 A78-19543
- SPACE SHUTTLE PAYLOADS**
 A thermal canister experiment for the Space Shuttle [AIAA 78-456] 19 p0319 A78-35631
 In orbit manufacture of solar reflector satellites [AAS 77-241] 19 p0330 A78-36718
 Structure assembly demonstration slated --- for large space structures in low orbit 19 p0339 A78-38774
- SPACE SHUTTLES**
 The further development of the Spacelab/Space Shuttle system - A first step towards a space station
 [DGLR PAPER 77-041] 18 p0180 A78-24430
 Solar-powered global aerospace transportation [AIAA PAPER 78-689] 19 p0293 A78-32761
- SPACE STATIONS**
 Establishment of a space manufacturing facility 17 p0087 A78-17190
 The further development of the Spacelab/Space Shuttle system - A first step towards a space station
 [DGLR PAPER 77-041] 18 p0180 A78-24430
 Space station systems analysis study. Part 3: Documentation. Volume 7: SCB alternate EPS evaluation, task 10 17 p0109 A78-10185
 [NASA-CR-151535]
 AIAA/HSPC Symposium on Space Industrialization:
 Proceedings
 [NASA-CP-2026] 18 p0253 A78-18088
- SPACE SURVEILLANCE**
 The beamed power microwave transmitting antenna 19 p0340 A78-38841
- SPACE TRANSPORTATION**
 Integrating space developments - 1980-95 --- for scientific research and energy production 18 p0175 A78-23422
 Transport --- to near-earth industrial sites 18 p0203 A78-27927
 Advanced launch vehicle systems and technology 18 p0225 A78-31175
 Solar power satellite. System definition study. Part 1, volume 4: SPS transportation system requirements --- spacecraft propulsion [NASA-CR-151557] 17 p0130 A78-13102
- Solar power satellite. System definition study. Part 1, volume 5: SPS transportation. Representative system descriptions [NASA-CR-151558] 17 p0130 A78-13103
 AIAA/HSPC Symposium on Space Industrialization: Proceedings
 [NASA-CP-2026] 18 p0253 A78-18088
 Solar power satellite system definition study. Part 2, volume 5: Space operations (construction and transportation) [NASA-CR-151669] 18 p0271 A78-20159
- SPACE TRANSPORTATION SYSTEM**
 Next steps in space transportation and operations 17 p0103 A78-19543
 Construction in space: A proposed experiment in support of the space solar power concept and other large space systems [NASA-TM-79435] 18 p0279 A78-21179
- SPACEBORNE EXPERIMENTS**
 A thermal canister experiment for the Space Shuttle [AIAA 78-456] 19 p0319 A78-35631
- SPACECRAFT COMPONENTS**
 Heat pipes in space and on earth [AIAA PAPER 78-295] 18 p0178 A78-24005
- SPACECRAFT CONTROL**
 Electromechanics in space --- Russian book on spacecraft control, navigation and energy conversion systems 17 p0073 A78-14175
- SPACECRAFT DESIGN**
 Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISER-B 17 p0085 A78-16852
 Advanced launch vehicle systems and technology 18 p0225 A78-31175
 Technical applications of heat pipes [AIAA 78-396] 19 p0318 A78-35589
- SPACECRAFT ELECTRONIC EQUIPMENT**
 Electromechanics in space --- Russian book on spacecraft control, navigation and energy conversion systems 17 p0073 A78-14175
 Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36129
- SPACECRAFT INSTRUMENTS**
 A thermal canister experiment for the Space Shuttle [AIAA 78-456] 19 p0319 A78-35631
- SPACECRAFT MODULES**
 Solar power satellite. System definition study. Part 1, volume 2: System requirements and energy conversion options [NASA-CR-151555] 17 p0129 A78-13100
 The modular solar energy satellite. Project proposal and development strategy 19 p0399 A78-23598
- SPACECRAFT MOTION**
 Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 A78-15148
- SPACECRAFT POWER SUPPLIES**
 ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932
 Qualification of European high efficiency solar cells for future ESA satellites 17 p0014 A78-10936
 Development of a multi-kW roll-out solar generator 17 p0017 A78-10965
 Comparison of foldout and rollout solargenerators in the multi-kW-range 17 p0017 A78-10966
 Development status of the ultralightweight solar array ULP --- Ultra Lightweight Panel 17 p0017 A78-10967
 Concentrator solar arrays for space power 17 p0017 A78-10970
 Potential of GaAs solar cells for Air Force space power systems 17 p0019 A78-10994
 Improved Helios cell output --- solar generator power efficiency 17 p0019 A78-10995
 Next steps in space transportation and operations 17 p0103 A78-19543

- Application of solar energy in space 18 p0201 A78-27863
- High temperature materials for space power systems 18 p0218 A78-29954
- Development and fabrication of a diffusion welded
Columbium alloy heat exchanger --- for space
power generation 18 p0228 A78-31500
[AIME PAPER A78-61]
- A scheme of low powered thermal energy conversion
for satellite manoeuvres 19 p0293 A78-32762
[AIAA PAPER 78-690]
- NTS-2 nickel hydrogen battery performance ---
Navigation Technology Satellite 19 p0294 A78-32885
[AIAA 78-536]
- Heat pipe nuclear reactors for space applications
[AIAA 78-454] 19 p0319 A78-35629
- Comment on 'Heat-pipe reactors for space power
applications' 19 p0364 A78-40826
- Transistor inverters for satellite onboard
networks of higher power 19 p0365 A78-40865
- Failure analysis of cadmium sulphide solar cells
--- for spacecraft power supplies 19 p0372 A78-42124
- Space station systems analysis study. Part 3:
Documentation. Volume 7: SCB alternate EPS
evaluation, task 10 17 p0109 A78-10185
[NASA-CR-151535]
- Heat pipe reactors for space power applications
[LA-UR-77-296] 17 p0153 A78-14653
- Conceptual approach study of a 200 watt per
kilogram solar array, phase 1 18 p0248 A78-17465
[NASA-CR-155614]
- A study of some economic factors relating to the
development and implementation of a satellite
power system 18 p0268 A78-19654
[NASA-CR-150602]
- Space electric power design study --- laser energy
conversion 18 p0282 A78-21590
[NASA-CR-152031]
- Solar thermoelectric generators 19 p0407 A78-24645
[NASA-CR-157097]
- SPACECRAFT PROPULSION**
- Solar power satellite. System definition study.
Part 1, volume 2: System requirements and
energy conversion options 17 p0129 A78-13100
[NASA-CR-151555]
- Solar power satellite. System definition study.
Part 1, volume 4: SPS transportation system
requirements --- spacecraft propulsion 17 p0130 A78-13102
[NASA-CR-151557]
- High-temperature, high-power-density thermionic
energy conversion for space 17 p0147 A78-13890
[NASA-TN-73844]
- SPACELAB**
- Next steps in space transportation and operations
17 p0103 A78-19543
- The further development of the Spacelab/Space
Shuttle system - A first step towards a space
station 18 p0180 A78-24430
[DGLR PAPER 77-041]
- Design study of an experiment cooling system with
liquid/air heat exchanger for Spacelab payloads
(ECLA) --- control system for fluid loop with
heat pump 19 p0404 A78-24511
[F+W-PO-1378]
- SPARK IGNITION**
- How do alternative powerplant costs compare
19 p0313 A78-34677
- Performance and NO_x emissions of spark ignited
combustion engines using alternative fuels -
Quasi one-dimensional modeling. I - Hydrogen
fueled engines 19 p0333 A78-37299
- Performance characteristics of automotive engines
in the United States. Report no. 10: Chevrolet
(1975) 250 CID 1-bbl engine 18 p0254 A78-18439
[PB-274376/3]
- Baseline tests of the Kordesh hybrid passenger
vehicle 19 p0443 A78-26551
[NASA-TN-73769]
- SPATIAL DISTRIBUTION**
- Optimized spacing between rows of solar collectors
17 p0043 A78-11229
- Solar energy for use as a source of power
19 p0370 A78-42104
- SPECIFIC HEAT**
- Geological and geothermal data use investigations
for application explorer mission-A: Heat
capacity mapping mission 18 p0263 A78-19570
[E78-10092]
- SPECIFICATIONS**
- Impact of broad-specification fuels on future jet
aircraft --- engine components and performance
19 p0453 A78-27059
- SPECTRAL BANDS**
- High-efficiency solar energy conversion through
flux concentration and spectrum splitting
18 p0168 A78-22064
- SPECTRAL ENERGY DISTRIBUTION**
- Spectral characteristics of photoconverters with
nonuniform distribution of defects in the base
19 p0326 A78-36134
- Spectral distribution of global solar radiation at
Poona 19 p0370 A78-42106
- SPECTRAL REFLECTANCE**
- Re-evaluation of flat plate solar panels in use
for twenty years 17 p0043 A78-11225
- Effect of heat treatment on optical properties of
collectors for solar energy installations 18 p0215 A78-28896
- Evaluation of portable optical property
measurement equipment for solar selective surfaces
[ASME PAPER 77-WA/SOL-1] 19 p0299 A78-33189
- SPECTRAL SENSITIVITY**
- High temperature, stable, spectrally selective
solar absorbers for thermochemical hydrogen
production 17 p0080 A78-16049
- Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells
19 p0343 A78-39456
- Effectiveness of spectrally selective surfaces for
exposed, high-temperature solar absorbers
[SAND-77-8300] 19 p0444 A78-26563
- SPECTRUM ANALYSIS**
- Investigation on the non-uniform thickness of the
skin region of a CdS solar cell 19 p0372 A78-42121
- SPECULAR REFLECTION**
- Mirrors for solar energy application 17 p0045 A78-11242
- An analytic evaluation of the flux density due to
sunlight reflected from a flat mirror having a
polygonal boundary 17 p0053 A78-11328
- Geometric factors for plane specular reflectors
17 p0105 A78-19835
- Estimating the deformation process in the
formation of the reflecting surface of solar
concentrators 18 p0187 A78-25735
- Radiation transfer through specular passages - A
simple approximation 19 p0369 A78-42030
- SPEED CONTROL**
- Speed polar of a wind turbine powered cargo boat
17 p0094 A78-18094
- Wind energy converter and mechanical energy
converters - Matching and control 18 p0211 A78-28564
- SPIN TESTS**
- Fiber-composite systems for energy-storage flywheels
17 p0085 A78-16901
- SPRAY CHARACTERISTICS**
- The Mist Flow OTEC Plant --- convective lift to
achieve hydraulic head in Ocean Thermal Energy
Conversion 19 p0306 A78-33352
- SPRAY NOZZLES**
- Performance study of spray-type solar water heater
19 p0374 A78-42147
- SPRAYED COATINGS**
- Cds sprayed thin films - Electrical and optical
properties 17 p0018 A78-10981
- Study of physicochemical processes in fabrication
of reflectors from polymer materials --- coat
bond in foam-film solar concentrator 18 p0215 A78-28895
- Sprayed CdS thin film solar cells 19 p0372 A78-42123

- Structural effects in chemically sprayed
CdS/Cu/sub x/S photovoltaic cells
[SAND-76-0737] 17 p0161 N78-15573
- SPRAYING**
Structure and morphology of chemical-sprayed CdS
films 19 p0325 A78-36036
- SPUTTERING**
CdS - sputtered Cu₂S solar cells 17 p0019 A78-10986
Indium phosphide films deposited by cylindrical
magnetron reactive sputtering 17 p0019 A78-10987
Fabrication of OSOS cells by neutral ion beam
sputtering --- Oxide Semiconductor On Silicon
solar cells 17 p0027 A78-11062
Fusion-neutron-induced nuclear recoil emission
probabilities 17 p0062 A78-11814
Sputtered metal silicide solar selective absorbing
surfaces 18 p0221 A78-30303
American Vacuum Society, National Symposium, 24th,
and Conference on Microbalance Techniques, 15th,
Boston, Mass., November 8-11, 1977, Proceedings
19 p0324 A78-36030
Relative importance of different impurity sources
in tokamak reactors as estimated from particle
balance equations 19 p0379 A78-42221
- STABILIZED PLATFORMS**
Platform designed for numerous uses --- in
geostationary orbit 19 p0382 A78-42509
- STACKS**
Consol stack gas process for SO₂ removal
19 p0320 A78-35697
Fuel cell stacks
[AD-A042315] 17 p0112 N78-10566
- STANDARDS**
Testing of flat-plate air heaters according to
ASHRAE Standard 93-77 17 p0042 A78-11220
Reference guide to changes in refiner and reseller
pricing regulations and rulings
[PB-270151/4] 17 p0115 N78-10595
Energy conservation and state legislatures. Based
on the Energy Conservation Workshop for Region 8
State Legislators
[PB-270428/6] 17 p0128 N78-12550
Measurements and standards for recycled oil
[PB-271562/1] 17 p0130 N78-13212
Intermediate standards for solar domestic hot
water systems/HUD initiative
[PB-271758/5] 17 p0139 N78-13563
California residential energy standards: Problems
and recommendations relating to implementation,
enforcement, design
[SAN/1178-1] 18 p0287 N78-21640
Code of practice for the petroleum industry. Part
1: The handling, storage, and distribution of
petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366
Occupational exposure to refined petroleum
solvents. Criteria for a recommended standard
[DHEW/PUB/NIOSH-77/192] 19 p0412 N78-24790
Method of tests and instructions (generator sets,
Stirling engine drive)
[GHE-2690-SECT-1.208] 19 p0438 N78-26258
Standards support and environmental impact
statement. Volume 2: Promulgated standards of
performance for petroleum refinery sulfur
recovery plants
[PB-278163/1] 19 p0450 N78-26648
- STANDING WAVES**
Intensity dependence of inverse bremsstrahlung
absorption in an inhomogeneous standing wave
19 p0332 A78-37139
- STAR TRACKERS**
A low cost high temperature sun tracking solar
energy collector 18 p0262 N78-19041
- STARTING**
Manual cranking tests of the Stirling engine
ground power unit
[GHE-2690-SECT-1.202] 19 p0437 N78-26252
- STATIC LOADS**
Influence of wind turbine foundation
18 p0266 N78-19626
Summary of static load test of the Mod-0 blade
18 p0266 N78-19627
- STATIC TESTS**
Summary of static load test of the Mod-0 blade
18 p0266 N78-19627
- STATISTICS**
US oil and natural gas findings costs. A study
for the Federal Energy Administration. Volume
2: Statistical appendix
[PB-274001/7] 18 p0238 N78-16414
- STATISTICAL ANALYSIS**
Empirical and theoretical statistics of
windcharger home heating potential
18 p0236 A78-32506
- STATOR BLADES**
Cold-air performance of free-power turbine
designed for 112-kilowatt automotive gas-turbine
engine. 1: Design Stator-vane-chord setting
angle of 35 deg
[NASA-TP-1007] 18 p0237 N78-16053
- STEADY STATE**
Electromagnetic processes in ac/dc power
converters. II - Symmetrical transient processes
in power converters. III - Nonsymmetrical
transient processes
18 p0217 A78-29625
- STEAM**
Quality and characteristics of steam produced from
wastes 17 p0005 A78-10630
Prospects of energy recovery from the incineration
of chemical plant wastes 17 p0006 A78-10635
Cogeneration --- single site simultaneous
electricity/heat generation 18 p0216 A78-29226
Water pulsejet research --- for quantitative
understanding of McHugh cycle
[AD-A046533] 17 p0158 N78-15497
Steam reforming of methyl fuel, phase 1
[AD-A044787] 19 p0403 N78-24375
Development of the steam-iron process for hydrogen
production
[FE-2435-12] 19 p0416 N78-25254
Cogeneration power systems 19 p0457 N78-27525
- STEAM FLOW**
Metering low-quality steam-water flows
[UCRL-52271] 18 p0263 N78-19455
- STEAM TURBINES**
Dynamic modeling and control of
magnetohydrodynamic/steam systems
17 p0028 A78-11070
The application of solar energy to boiler
feedwater heating in steam-electric power plants
17 p0052 A78-11320
Thermal testing of the GT-35 gas turbine plant in
the steam turbine-gas turbine plant with a
high-head steam generator 17 p0066 A78-13157
Pulverized coal-pressure gasification with air as
a topping stage for the combined gas/steam
turbine process 17 p0074 A78-14498
Cogeneration - A systematic analysis of combined
steam and power generation 18 p0188 A78-26108
Catalytic gasification of coal with high-pressure
steam 18 p0227 A78-31497
Steam bottoming plants for combined cycles
19 p0296 A78-33102
Open-Cycle Gas Turbine/Steam Turbine Combined
Cycles with synthetic fuels from coal
[ASHE PAPER 77-WA/ENER-9] 19 p0298 A78-33147
Combined cycles for operation on coal derived
fuels with high temperature combustion turbines
[ASHE PAPER 77-WA/ENER-18] 19 p0298 A78-33152
A parametric study of hot water storage for peak
power generation 19 p0309 A78-34076
Venture analysis case study of combined gas and
steam power systems for the generation of
utility electric power
[APAE-2483-5] 19 p0416 N78-25337

STEEL STRUCTURES

- Metallographic analysis of a steel plate which failed in service in a coal gasifier
17 p0077 A78-15354

STELLARATORS

- Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields
18 p0217 A78-29433
- Heliotron as a D-D fusion reactor - Preliminary analysis
18 p0220 A78-30226
- A computer program for parameter studies of a neutral injection beam line
19 p0357 A78-40052
- Effect of neutral injection heating on the impurity level in the W VII A Stellarator
19 p0378 A78-42208

STIMULATION

- Gas stimulation studies at LASL [LA-UR-77-1937]
19 p0410 N78-24678

STIRLING CYCLE

- Solar Stirling power generation - Systems analysis and preliminary tests
17 p0052 A78-11321
- Some results of an experimental study of the Stirling engine --- in solar energy systems
17 p0064 A78-12391
- Further Stirling engine development work. II
17 p0093 A78-18049
- Determination of the thermodynamic parameters of a thermal compressor --- for solar energy conversion
19 p0331 A78-36856
- Some results of an experimental investigation of a Stirling engine --- in solar energy systems
19 p0331 A78-36868
- Materials technology assessment for Stirling engines [NASA-TM-73789]
18 p0247 N78-17187
- Automotive Stirling engine development program --- fuel economy assessment [NASA-CR-135331]
19 p0392 N78-22970
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing, General Motors research studies
19 p0437 N78-26250
- Effect of diesel fuel on Stirling engine ground power unit components --- fuel system [GHR-2690-SECT-1.201]
19 p0437 N78-26251
- Manual cranking tests of the Stirling engine ground power unit [GHR-2690-SECT-1.202]
19 p0437 N78-26252
- The GPU-3 Stirling engine ground power unit ignition system [GHR-2690-SECT-1.203]
19 p0438 N78-26253
- Combustor development for Stirling ground power units, GPU-2 and GPU-3 [GHR-2690-SECT-1.204]
19 p0438 N78-26254
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen [GHR-2690-SECT-1.206]
19 p0438 N78-26256
- STIR-LEC 2 Stirling engine performance [GHR-2690-SECT-1.207]
19 p0438 N78-26257
- Method of tests and instructions (generator sets, Stirling engine drive) [GHR-2690-SECT-1.208]
19 p0438 N78-26258
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies [GHR-2690-PT-2]
19 p0438 N78-26262
- Stirling engine heater tube failures [GHR-2690-SECT-3.101]
19 p0438 N78-26285
- Stirling engine heater tube failure [GHR-2690-SECT-3.102]
19 p0438 N78-26286
- Examination of Stirling engine regenerator screens [GHR-2690-SECT-3.105]
19 p0439 N78-26289
- Evaluation of stresses in tubes with external heat flux and internal pressurization [GHR-2690-SECT-3.204]
19 p0439 N78-26294
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 6: Regenerators [GHR-2690-PT-6]
19 p0439 N78-26318
- Stirling thermal engine regenerator cost reduction program outline [GHR-2690-SECT-6.001]
19 p0439 N78-26319

- Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GHR-2690-SECT-6.002]
19 p0439 N78-26320
- Stirling engine regenerator performance analysis [GHR-2690-SECT-6.003]
19 p0439 N78-26321
- Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status [GHR-2690-SECT-6.004]
19 p0439 N78-26322
- Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C Stirling engine regenerators [GHR-2690-SECT-6.005]
19 p0439 N78-26323
- Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials [GHR-2690-SECT-6.006]
19 p0440 N78-26324
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 7: Thermal energy storage and publication list, 7.1 Thermal energy storage, 7.2 List of general motors Stirling engine publications [GHR-2690-PT-7]
19 p0440 N78-26326
- Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies [GHR-2690-SECT-7.104]
19 p0440 N78-26330
- Energy storage systems complement the Stirling engine [GHR-2690-SECT-7.107]
19 p0440 N78-26333
- Thermal energy storage--Stirling engine power plants 2: Calculated energy transfer rates from solidifying lithium fluoride to a plain-tube heater [GHR-2690-SECT-7.108]
19 p0440 N78-26334
- Performance evaluation of a Stirling cycle heat pump [GHR-2690-SECT-7.110]
19 p0441 N78-26336
- Thermal energy storage-Stirling engine powerplants for road vehicles [GHR-2690-SECT-7.111]
19 p0441 N78-26337
- STOCHASTIC PROCESSES
- Stochastic modeling and forecasting of solar radiation data
17 p0084 A78-16842

STOICHIOMETRY

- Stoichiometric calculations concerning the Fischer-Tropsch synthesis
17 p0077 A78-15101
- Combustion and incineration processes --- Book
19 p0300 A78-33212

STORAGE BATTERIES

- Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio
17 p0028 A78-11076
- The battery energy storage test /BEST/ facility - Its purposes and description
17 p0029 A78-11079
- New batteries and their impact on electric vehicles
17 p0085 A78-16923
- Techniques for the determination of ohmic drop in half-cells and full cells - A review
17 p0095 A78-18408
- Current efficiency in the lithium-water battery
17 p0095 A78-18410
- The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts
18 p0171 A78-22248
- An iron-air vehicle battery
18 p0174 A78-23241
- Materials requirements for high performance secondary batteries
18 p0183 A78-25054
- Storage of solar energy
18 p0201 A78-27865
- Thermal properties of battery systems
18 p0233 A78-32232
- Mathematical model for the design of grids for electric vehicle batteries [SAE PAPER 780221]
19 p0307 A78-33380
- Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion [SAE PAPER 780295]
19 p0308 A78-33386
- The electric automobile --- technical problems, market prospects and environmental impact
19 p0321 A78-35763

STORAGE STABILITY

- Lead-acid battery-operated electric street vehicles - New constructions from Germany
19 p0322 A78-35764
- Photoelectrochemical storage cells - The importance of the second and third electrodes
19 p0343 A78-39455
- Solar energy and storage batteries /Invited Lecture/
19 p0374 A78-42138
- Conceptual design of a battery Energy Storage Test (BEST) facility
[EPRI-255-TR-2] 19 p0143 A78-13597
- Battery storage performance requirements for terrestrial solar photovoltaic power systems.
[ANL/OEPM-77-3] 19 p0428 A78-25614
- STORAGE STABILITY**
Influence of the effect of storage on models of power cell dynamics
19 p0103 A78-19486
- A review of diesel fuel deterioration and related problems.
[AD-A043566] 19 p0109 A78-10308
- STORAGE TANKS**
Storage of off-peak thermal energy in oil
19 p0029 A78-11078
- Air Storage System Energy Transfer /ASSET/ plants - A utility's evaluation
19 p0029 A78-11081
- A heating oil tank as a solar energy reservoir
19 p0072 A78-14105
- Control of volatile organic emissions from storage of petroleum liquids in fixed roof tanks
[PB-276749/9] 19 p0391 A78-22500
- Code of practice for the petroleum industry. Part 1: The handling, storage, and distribution of petroleum products
[SABS-089-1977-PT-1] 19 p0402 A78-24366
- Design method for heat loss calculation for in-ground heat storage tanks
[COO-2939-3] 19 p0441 A78-26402
- STRAITS**
The energy of near-surface internal waves in the Strait of Georgia
19 p0092 A78-17948
- STRATIFIED FLOW**
Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants
19 p0302 A78-33316
- STRATIGRAPHY**
Subsurface structure of the southern portion of the Salton Sea geothermal field
[UCRL-52354] 19 p0467 A78-27695
- STRESS ANALYSIS**
Design aspects of a large toroidal stabilizing shell and vacuum liner assembly
19 p0040 A78-11184
- Stress and deflection analysis of the PLT-coil using ANSYS computer code
19 p0346 A78-39792
- Mechanical and thermal design of a gas-cooled fusion blanket module
19 p0357 A78-40040
- Summary of static load test of the Mod-0 blade
18 p0266 A78-19627
- STRESS CONCENTRATION**
Stress response investigations related to in-situ gasification of coal
[ASME PAPER 77-PET-25] 19 p0077 A78-15083
- Blanket structure design for JAERI Experimental Fusion Reactor
19 p0357 A78-40041
- STRESS CORROSION CRACKING**
Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion
19 p0305 A78-33344
- Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion
19 p0305 A78-33345
- Materials evaluation for geothermal applications: Turbine materials
[UCRL-79360] 19 p0392 A78-23238
- STRIP MINING**
Remote-sensing methods for monitoring surface coal mining in the northern Great Plains
18 p0206 A78-28247

SUBJECT INDEX

- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2
[E78-10032] 17 p0125 A78-12506
- STROUHAL NUMBER**
Hydrodynamic loads on the cold water pipe --- for Ocean Thermal Energy Conversion application
19 p0303 A78-33326
- STRUCTURAL ANALYSIS**
Some factors affecting the selection of OTEC plant platform/cold water pipe designs
19 p0303 A78-33325
- Using computer graphics to analyze the placement of neutral-beam injectors for the Mirror Fusion Test Facility
19 p0357 A78-40026
- Structural analysis of a two-component torus /TCT/ hybrid reactor first wall
19 p0358 A78-40072
- Structural effects in chemically sprayed CdS/Cu/sub x/S photovoltaic cells
[SAND-76-0737] 17 p0161 A78-15573
- Simplified modeling for wind turbine modal analysis using NASTRAN
18 p0265 A78-19619
- STRUCTURAL BASINS**
Remote sensing applications in hydro-geothermal exploration of the northern basin and range province
18 p0238 A78-16405
- STRUCTURAL DESIGN**
Conceptual design of OTEC platforms --- Ocean Thermal Energy Conversion
17 p0008 A78-10724
- Finite size corrections for a reflector-collector system
17 p0043 A78-11227
- Optimum and near-optimum blade configurations for high speed wind turbines
17 p0051 A78-11314
- Solar energy: Fundamentals in building design --- Book
17 p0081 A78-16275
- Optimal design of anisotropic /fiber-reinforced/ flywheels --- for energy storage
17 p0092 A78-17789
- Design parameters affecting the performance of resistance-type, vertical-axis windrotors - An experimental investigation
17 p0094 A78-18093
- Passive solar heating and cooling systems
18 p0175 A78-23425
- Convective heat transfer effects within honeycomb structures for flat plate solar collectors
18 p0200 A78-27857
- Blade design and fabrication - 17-meter VAWT --- Vertical Axis Wind Turbine
18 p0234 A78-32422
- Structural and mechanical design of tokamaks
[ASME PAPER 77-WA/NE-2] 19 p0299 A78-33186
- Optical design of solar concentrators
[AIAA PAPER 78-904] 19 p0324 A78-36022
- The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture
19 p0335 A78-37861
- Lateral support structure for constant tension D-shaped coils in tokamak fusion devices
19 p0351 A78-39916
- Blanket structure design for JAERI Experimental Fusion Reactor
19 p0357 A78-40041
- Capturing sunlight - A revolution in collector design
19 p0365 A78-41217
- A new design of organic vapour engine for solar systems
19 p0376 A78-42161
- Solar energy operated oscillating heat engine
19 p0376 A78-42162
- A domestic multi-purpose solar energy unit
19 p0376 A78-42165
- Calculation of the geometry and performance of a high-speed wind rotor
19 p0382 A78-42419
- Secondary parameters affecting the performance of resistance-type vertical-axis wind rotors
19 p0382 A78-42420

SUBJECT INDEX

SULFUR COMPOUNDS

- Piping design considerations in a solar-Rankine power plant --- pipe size 17 p0158 N78-15085
- Design data brochure: SIMS prototype system 2 [NASA-CR-150558] 18 p0268 N78-19649
- Design data brochure for CSI series V solar heating system [NASA-CR-150600] 18 p0275 N78-20615
- Silicon solar cells with a total power capacity of 30 kilowatts [NASA-CR-157066] 19 p0407 N78-24639
- Automated array assembly, phase 2 [NASA-CR-157134] 19 p0407 N78-24653
- Concentrating solar collector subsystem: Preliminary design package [NASA-CR-150714] 19 p0444 N78-26559
- STRUCTURAL DESIGN CRITERIA**
- Flat-plate solar collector design for industrial air heating using design data hand book 19 p0375 N78-42157
- Definition of requirements for geothermal power conversion system studies [UCRL-13751] 18 p0288 N78-21650
- Design data brochure: Solar hot air heater [NASA-CR-150697] 19 p0421 N78-25548
- STRUCTURAL ENGINEERING**
- Anchor systems --- for offshore power plants 19 p0303 N78-33328
- Industrial application of fluidized-bed combustion --- boiler and plant design [FE-2461-5] 19 p0436 N78-26190
- STRUCTURAL FAILURE**
- Metallographic analysis of a steel plate which failed in service in a coal gasifier 17 p0077 N78-15354
- STRUCTURAL MEMBERS**
- Interdisciplinary research and development on the effects of the nature and properties of ceramic materials in the design of advanced structural components [NASA-CR-155733] 18 p0247 N78-17223
- Influence of wind turbine foundation 18 p0266 N78-19626
- STRUCTURAL PROPERTIES (GEOLOGY)**
- The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber 17 p0071 N78-14072
- Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region 19 p0313 N78-34877
- Applications of remote sensing in resource management in Nebraska [E78-10099] 18 p0273 N78-20567
- STRUCTURAL STABILITY**
- The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber 17 p0071 N78-14072
- STRUCTURAL VIBRATION**
- Use of asymptotic methods in vibration analysis 18 p0265 N78-19620
- STRUCTURAL WEIGHT**
- Evolution of the aircraft gas turbine engine 18 p0220 N78-30257
- Advanced lightweight solar array technology --- for communication satellites [AIAA 78-533] 19 p0294 N78-32883
- On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles [SAE PAPER 780220] 19 p0307 N78-33379
- Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348] 19 p0366 N78-41225
- SUBMILLIMETER WAVES**
- Applications of submillimeter waves in plasma physics and controlled fusion research 19 p0360 N78-40241
- SUBSONIC AIRCRAFT**
- Hydrogen fueled subsonic aircraft - a prospective 17 p0100 N78-18843
- The NASA Aircraft Energy Efficiency Program 18 p0226 N78-31302
- The Liquid Hydrogen Option for the Subsonic Transport: A status report [NASA-TN-74089] 17 p0109 N78-10306
- SUBSONIC FLOW**
- Subsonic flow in an MHD channel 19 p0341 A78-38963
- SUBSONIC SPEED**
- Adaptation for economization, or adaptation for the economization of energy --- in transport aircraft design and operation 17 p0063 A78-12030
- SUBSTRATES**
- Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915
- Effect of substrate on graphite and other solar selective surfaces 19 p0345 A78-39637
- Failure analysis of cadmium sulphide solar cells --- for spacecraft power supplies 19 p0372 A78-42124
- Fuel cell stacks [AD-A042315] 17 p0112 N78-10566
- SUCTION**
- Lift on a rotating porous cylinder --- with application to wind power generation 18 p0167 A78-21633
- SUGAR BEETS**
- Using sugar crops to capture solar energy --- biomass conversion techniques 18 p0208 A78-28365
- SUGAR CANE**
- Using sugar crops to capture solar energy --- biomass conversion techniques 18 p0208 A78-28365
- SULFATES**
- Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492
- Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251
- SULFONATES**
- El Dorado micellar-polymer demonstration project report --- oil recovery [BERC/TPR-77/12] 19 p0413 N78-25225
- SULFONIC ACID**
- New materials for fluorosulfonic acid electrolyte fuel cells [AD-A044414] 17 p0126 N78-12531
- SULFUR**
- Sulfur, energy, and environment --- Book 18 p0224 A78-31069
- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- Methods and costs of controlling sulfur emissions from a petroleum refinery 19 p0320 A78-35698
- Sulfur budget of a power plant plume 19 p0366 A78-41275
- Investigation of sulfur based thermochemical cycles for hydrogen production by water decomposition 17 p0123 N78-12160
- Preliminary evaluation of sulfur variability in low-sulfur coals from selected mines [PB-275000/8] 18 p0261 N78-18566
- Modifications and costs of converting to low sulfur western coals [CONF-771024-3] 19 p0392 N78-23249
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for petroleum refinery sulfur recovery plants [PB-278163/1] 19 p0450 N78-26648
- Ford/ERDA sodium-sulfur battery development, phase 2 [COO-2566-30] 19 p0463 N78-27585
- SULFUR COMPOUNDS**
- Sulfur, energy, and environment --- Book 18 p0224 A78-31069
- Chemistry, thermodynamics and kinetics of reactions of sulphur in coal-gas reactions - A review 18 p0229 A78-31749

- Sulphur emissions in Europe 19 p0366 A78-41267
- SULFUR DIOXIDES**
- Scrubbers win the energy-SO₂ controversy 17 p0002 A78-10300
- A history of flue gas desulfurization systems since 1850 - Research, development and demonstration 17 p0003 A78-10502
- Synthetic SO₂ sorbents for fluidized-bed coal combustors 17 p0003 A78-10503
- Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants 17 p0065 A78-12936
- Estimates of smoke and sulphur dioxide pollution from fuel combustion in the United Kingdom for 1975 and 1976 17 p0097 A78-18819
- Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain 18 p0167 A78-21821
- Ambient air quality in complex terrain 18 p0167 A78-21833
- Securing energy production and protecting the environment --- electric power production 18 p0177 A78-23941
- An evaluation of control strategies for SO₂ emissions from petroleum refineries [APCA PAPER 77-43,1] 18 p0184 A78-25380
- A continuous monitoring system for sulfur dioxide mass emissions from stationary sources [APCA PAPER 77-27,5] 18 p0185 A78-25400
- Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- Relationships among observed short-term maximum sulfur dioxide concentrations near coal-fired power plants [APCA PAPER 77-29,5] 18 p0185 A78-25443
- Studies to define the role of coal cleaning in an SO₂ control strategy for TVA [APCA PAPER 77-14,4] 18 p0186 A78-25446
- Bergbau-Forschung process for the desulfurization of flue gas 18 p0223 A78-30708
- The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968
- Emissions from PBC boilers --- Fluidized Bed Combustion 19 p0310 A78-34186
- SO₂ control technologies - Commercial availabilities and economics 19 p0310 A78-34224
- A modeling analysis of the impact of the energy shortage on ambient air quality 19 p0320 A78-35683
- Consol stack gas process for SO₂ removal 19 p0320 A78-35697
- Pollution control with SO₂ recovery 19 p0328 A78-36679
- Nuclei formation rates in a coal-fired power plant plume 19 p0366 A78-41253
- Aerosol size distributions and aerosol volume formation for a coal-fired power plant plume 19 p0366 A78-41254
- Efficiency and reliability of sulfur dioxide scrubbers 19 p0384 A78-42906
- Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report [PB-279417/0] 19 p0467 A78-27659
- Effects of alternative new source performance standards on flue gas desulfurization system supply and demand [PB-279080/6] 19 p0467 A78-27661
- SULFUR OXIDES**
- Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
- SULFURIC ACID**
- Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process 18 p0174 A78-22867
- SUNLIGHT**
- Transmission of sunlight through a uniform water-drop atmosphere --- computer-aided design for solar collectors 17 p0105 A78-19838
- SUPERCONDUCTING MAGNETS**
- Terawatt pulse power systems utilizing inductive storage 17 p0008 A78-10701
- Superconducting energy storage development for electric utility systems 17 p0032 A78-11109
- Aspects of safety and reliability of superconducting magnet systems for fusion power reactors 17 p0038 A78-11167
- The UMRK-II study and magnet design 17 p0038 A78-11169
- Studies on design and tests of superconductors for Tokamaks 17 p0039 A78-11176
- Design of superconducting magnets for full scale MHD generators 18 p0183 A78-25108
- Superconducting machines --- homopolar d.c. machines and a.c. generators 18 p0225 A78-31154
- The analysis of superconducting magnet systems for the M.H.D. energy conversion 18 p0229 A78-31752
- The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields 19 p0293 A78-32717
- S.C. magnet design for 10 MJ homopolar machine --- as energy storage device for fusion experiments 19 p0348 A78-39840
- Cryostabilization of large superconducting magnets using pool boiled helium II 19 p0350 A78-39896
- Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system 19 p0350 A78-39897
- The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901
- Potential damage to dc superconducting magnets due to high frequency electromagnetic waves 19 p0350 A78-39902
- Computational model for superconducting toroidal-field magnets for a tokamak reactor 19 p0350 A78-39905
- General Electric conceptual design of a test coil for the large coil program --- for superconducting electromagnet construction 19 p0351 A78-39928
- Pulsed power conversion with inductive storage --- compression for superconducting coil fields 19 p0353 A78-39954
- Poloidal field coil design for a fusion-fission breeder reactor 19 p0354 A78-39977
- An apparatus to examine pulsed parallel field losses in large conductors --- of superconducting magnetic coils in Tokamak 19 p0355 A78-40006
- Time dependent study of eddy current loss in a superconducting composite --- for Tokamak toroidal field coils 19 p0355 A78-40007
- Losses in a coil where the multifilamentary composite is subjected to simultaneous orthogonal and parallel induction variations --- superconducting toroidal field magnet in Tokamak 19 p0356 A78-40008
- Fast ramp superconductor for ohmic heating coils --- of Tokamak Next Step reactor 19 p0356 A78-40009
- Superconducting energy storage coils 19 p0356 A78-40010

SUBJECT INDEX

SURFACE PROPERTIES

Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047

Large superconducting magnets - A key issue in commercialization of MHD 19 p0362 A78-40509

Development program for MHD power generation. Volume 4: Superconducting magnet study [FE-2015-16-VOL-4] 19 p0455 N78-27447

SUPERCONDUCTING POWER TRANSMISSION
Prospects of using superconducting dc lines [BNL-TR-637] 17 p0115 N78-10589

Superconducting power transmission line materials research and conductor development [SIN/0326-1] 19 p0416 N78-25342

SUPERCONDUCTORS
Pulsed superconducting inductive storage system 17 p0008 A78-10702

Superconductive inductor storage and converters for pulsed power loads 17 p0008 A78-10703

Superconducting magnetic energy storage 17 p0074 A78-14649

Advancing technologies --- Book 18 p0225 A78-31151

Superconducting machines --- homopolar d.c. machines and a.c. generators 18 p0225 A78-31154

SUPERHEATING
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 MWt MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496

SUPERSONIC COMBUSTION
A shock tube study of the ignition delay of methane at elevated temperatures 18 p0199 A78-27831

SUPERSONIC DIFFUSERS
On pressure and heat flux distribution along magnetohydrodynamic generator channel-diffuser systems 17 p0128 N78-12837

SUPERSONIC FLOW
Method for taking account of the effect of chemical kinetics on the thermodynamic properties of the working fluid in a supersonic MHD generator 18 p0168 A78-22137

SUPERSONIC NOZZLES
Acceleration nozzles of MHD generators with deformation of supersonic flow 17 p0002 A78-10244

SUPERSONIC TRANSPORTS
Supersonic transport in terms of energy savings 19 p0323 A78-35893

Supersonic transportation faced with energy savings [AAAP-WT-77-28] 19 p0402 N78-24131

SUPPLYING
Project Independence Evaluation System (PIES) documentation. Volume 10: Automation of finding rate and discount rates in the FEA gas supply model [PB-269947/8] 17 p0127 N78-12541

An overview of US energy options: Supply- and demand-side history and prospects [NASA-CR-155946] 18 p0264 N78-19610

SUPPORTS
Lateral support structure for constant tension D-shaped coils in tokamak fusion devices 19 p0351 A78-39916

Vertical axis wind turbine tie-down design with an example [SAND-77-1919] 19 p0429 N78-25631

SURFACE DEFECTS
An analysis of factors influencing the efficiency of EFG silicon ribbon solar cells 17 p0014 A78-10930

SURFACE DIFFUSION
The role of defects on the performance of epitaxial and diffused solar cells fabricated on EFG 'ribbon' silicon --- edge-defined growth process technology 17 p0012 A78-10905

Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943

Observations of anisotropic diffused layer sheet resistance in EFG silicon ribbon solar cells --- Edge-defined Film-fed Growth 18 p0223 A78-30648

SURFACE DISTORTION
Estimating the deformation process in the formation of the reflecting surface of solar concentrators 18 p0187 A78-25735

SURFACE FINISHING
Textured surface cell performance characteristics 17 p0019 A78-10996

First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245

SURFACE GEOMETRY
A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906

Vortex augmentation of wind energy --- aerodynamic surface design for energy conversion efficiency 17 p0094 A78-18091

Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape 17 p0104 A78-19829

Asymmetrical non-imaging cylindrical solar concentrators 17 p0104 A78-19831

Geometric factors for plane specular reflectors 17 p0105 A78-19835

The development and use of the moire method in solar engineering problems 18 p0187 A78-25731

Concentration of the sun's rays using catenary curves 18 p0214 A78-28843

Radiation transfer through specular passages - A simple approximation 19 p0369 A78-42030

SURFACE NAVIGATION
Positioning and navigation by satellite --- for marine operations [AIAA 77-1553] 17 p0069 A78-13684

SURFACE PROPERTIES
Post-fabrication treatments, surface properties, and front contact of Cu_x/S-CdS solar cells 17 p0018 A78-10978

Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results 17 p0060 A78-11386

Study of physicochemical processes in fabrication of reflectors from polymer materials --- coat bond in foam-film solar concentrator 18 p0215 A78-28895

Effect of heat treatment on optical properties of collectors for solar energy installations 18 p0215 A78-28896

Thermionic emission from electrodes with raised surfaces in a thermionic converter 18 p0224 A78-31011

Thermal optical surface properties and high-temperature solar energy conversion [AIAA PAPER 78-903] 19 p0324 A78-36021

ERDA/NASA advanced thermionic technology program [COO-3056-20] 17 p0120 N78-11504

Investigation of the topographical features of surface carrier concentrations in silicon solar cell material using electrolyte electroluminescence 17 p0136 N78-13535

Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [DLR-FB-77-23] 17 p0156 N78-14686

Development of surfaces optically suitable for flat solar panels [NASA-CR-150539] 18 p0250 N78-17477

Some experimental results on selective absorbing surfaces for low temperature solar collectors --- electroplated black nickel coatings [ESA-TT-432] 19 p0390 N78-22482

Surface structure and mechanisms of gasification catalyst deactivation [FE-2229-5] 19 p0398 N78-23589

Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers [SAND-77-8300] 19 p0444 N78-26563

SURFACE REACTIONS

- A correction procedure for separating direct and diffuse insolation on a horizontal surface
17 p0105 A78-19839
- Estimation of the monthly average of the diffuse component of total insolation on a horizontal surface
17 p0105 A78-19840
- Tritium removal from liquid metals by sorption on yttrium
19 p0358 A78-40074
- International Symposium on Plasma Wall Interaction, Juelich, West Germany, October 18-22, 1976, Proceedings
19 p0377 A78-42201
- Wall analysis in TFR performed by QWAASS --- Quantitative Wall Analysis by Auger and Secondary ion mass Spectroscopy
19 p0377 A78-42206
- Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI
19 p0378 A78-42209
- Surface and impurity studies in ORMAK and ISX --- tokamaks
19 p0378 A78-42210
- Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- Screening property of the limiter shadow region for heavy wall impurities --- in tokamak
19 p0378 A78-42213
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding [PE-2600-2]
19 p0402 A78-24326
- SURFACE ROUGHNESS**
- Processing ramifications of textured surfaces --- of silicon wafers for solar cells
17 p0016 A78-10949
- Engineering estimate of the quality of facets obtained by a deformation method of form giving --- mirrors for solar collectors
18 p0214 A78-28890
- SURFACE ROUGHNESS EFFECTS**
- Wind shear downwind of large surface roughness elements --- for wind energy conversion system design
17 p0076 A78-14957
- Improvements in the design of solar selective thin film absorbers
18 p0168 A78-22018
- Mathematical modelling of topographic effects on wind energy systems
18 p0169 A78-22228
- Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence --- for windpower generator site selection in hilly terrain
18 p0169 A78-22231
- SURFACE TEMPERATURE**
- Time and space resolved temperature measurements of a limiter in a Tokamak discharge using an infra red camera
17 p0041 A78-11200
- The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel
19 p0341 A78-38969
- Energy flux and surface temperature measurements at surfaces in the DITE tokamak
19 p0377 A78-42205
- Application of remote sensing to geothermal anomaly mapping in the Caldas Novas County, Goias [INPE-1129-TPT/070]
17 p0149 A78-14610
- SURFACE VEHICLES**
- Energy - Implications for transport
18 p0218 A78-29904
- Baseline tests of the Zagato Elcar electric passenger vehicle [NASA-TN-73764]
18 p0252 A78-17934
- Thermal energy storage for road vehicle propulsion [GMR-2690-SECT-7.103]
19 p0440 A78-26329
- Thermal energy storage-Stirling engine powerplants for road vehicles [GMR-2690-SECT-7.111]
19 p0441 A78-26337
- SURFACE WAVES**
- Energy from ocean surface waves
17 p0006 A78-10655

SURFACES

- Variation of solar cell sensitivity and solar radiation on tilted surfaces [NASA-TN-78921]
19 p0443 A78-26547
- SURFACTANTS**
- Surfactant-assisted liquefaction of particulate carbonaceous substances --- coal liquefaction [NASA-CASE-NPO-13904-1]
19 p0414 A78-25237
- SUSPENDING (HANGING)**
- Research toward improved flywheel suspension and energy conversion systems [PB-278679/G]
19 p0458 A78-27544
- SUSPENSION SYSTEMS (VEHICLES)**
- Electric levitated inter-city vehicles [EVC PAPER 7782]
17 p0085 A78-16928
- SWITCHING CIRCUITS**
- Influence of the effect of storage on models of power cell dynamics
17 p0103 A78-19486
- Pulse battery charger employing 1000 ampere transistor switches
18 p0231 A78-31974
- Dual 30 kA, HVDC interrupter test facility --- for fusion reactors
19 p0353 A78-39959
- Self-reconfiguring solar cell system [NASA-CASE-LEW-12586-1]
19 p0456 A78-27520
- SWITZERLAND**
- Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption
19 p0418 A78-25480
- Completion of the fuel cycle in small countries [CONF-770323-5]
19 p0451 A78-26906
- SYNCHRONISM**
- Synchronization of the DOE/NASA 100-kilowatt wind turbine generator with a large utility network [NASA-TN-73861]
18 p0249 A78-17467
- SYNCHRONOUS SATELLITES**
- Cost of earth power from photovoltaic power satellite
17 p0024 A78-11035
- A scheme of low powered thermal energy conversion for satellite manoeuvres [AIAA PAPER 78-690]
19 p0293 A78-32762
- Platform designed for numerous uses --- in geostationary orbit
19 p0382 A78-42509
- SYNOPTIC MEASUREMENT**
- Spectral distribution of global solar radiation at Poona
19 p0370 A78-42106
- SYNTHANE**
- A systems analysis of bioconversion with microalgae --- combined sewage treatment and methane production
17 p0034 A78-11124
- Syngas process converts waste to SNG
17 p0035 A78-11134
- Two-phase anaerobic digestion --- for synthane-from-waste conversion
17 p0036 A78-11137
- Bioconversion of solar energy to methane
17 p0067 A78-13342
- Stoichiometric calculations concerning the Fischer-Tropsch synthesis
17 p0077 A78-15101
- The manufacture of synthetic natural gas by hydrogenation of fossil fuel residuals
17 p0099 A78-18840
- The gasification of coal
18 p0196 A78-27788
- Pipeline gas from solid wastes by the Syngas recycling process
18 p0197 A78-27805
- The conversion of feedlot wastes into pipeline gas
18 p0197 A78-27807
- The production of substitute natural gas by oil gasification
18 p0225 A78-31272
- Political and economic justification for immediate realization of a syn fuels industry
19 p0310 A78-34225
- Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal
19 p0363 A78-40593
- Prototype pilot plant operation: Synthane process [COO-0003-8]
18 p0280 A78-21316

SUBJECT INDEX

SYSTEM EFFECTIVENESS

Prototype pilot plant operation, synthane process
[COO-0003-10] 18 p0280 N78-21317

SYNTHETIC FUELS

Biomass and wastes as energy resources - Update
17 p0033 A78-11121

Pyrolysis of solid wastes for production of
gaseous fuels and chemical feedstocks
17 p0035 A78-11131

Ammonia synthesis gas and petrochemicals from
cattle feedlot manure
17 p0035 A78-11132

Syngas process converts waste to SNG
17 p0035 A78-11134

The economics of SNG production by anaerobic
digestion of specially grown plant matter ---
synthetic natural gas
17 p0036 A78-11138

Biomass and waste production as energy resources -
Update
17 p0063 A78-12222

Mobilization and impacts of bio-gas technologies
17 p0067 A78-13345

Koppers-Totzek economics and inflation ---
entrained slagging gasification process
17 p0074 A78-14539

Future fuels for aviation
[ONERA, TP NO. 1977-156]
17 p0076 A78-15021

Synthetic fuels and combustion
17 p0082 A78-16637

Heavy oil gasification --- Book
17 p0087 A78-17144

Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. I - Technology and energy requirement
18 p0174 A78-22846

Entropy production, efficiency, and economics in
the thermochemical generation of synthetic
fuels. I - The hybrid sulfuric acid process
18 p0174 A78-22867

Entropy production, efficiency, and economics in
the thermochemical generation of synthetic
fuels. II - The methanol water splitting cycle
18 p0174 A78-22868

Fuels from waste --- Book
18 p0197 A78-27801

A wealth of waste - A shortage of energy ---
organic wastes for fuel conversion in U.S.
18 p0197 A78-27802

The nature of pyrolytic oil from municipal solid
waste
18 p0197 A78-27806

Fuels and chemicals from crops
18 p0197 A78-27808

The production of oil from wood waste
18 p0198 A78-27809

Fuels from wood waste
18 p0198 A78-27810

Methanol production from organic waste
18 p0198 A78-27812

Open-Cycle Gas Turbine/Steam Turbine Combined
Cycles with synthetic fuels from coal
[ASME PAPER 77-WA/ENEB-9]
19 p0298 A78-33147

Magma - A potential source of fuels
19 p0311 A78-34398

Methanol - A boiler fuel alternative
19 p0321 A78-35704

Evaluation of NO_x/ emission characteristics of
alcohol fuels for use in stationary combustion
systems
19 p0321 A78-35705

Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. II - Capital investment and production
costs
19 p0322 A78-35778

New concepts and results concerning the mechanism
of carbon monoxide hydrogenation. I - Organic
oxygen compounds produced during medium-pressure
synthesis with iron catalysts. II - Evolution of
reaction steps on the basis of detailed product
composition and other data
19 p0337 A78-38404

High temperature blankets for the production of
synthetic fuels
19 p0359 A78-40093

Water in synthetic fuel production: The technology
and alternatives --- Book
19 p0365 A78-41000

Characterization of nitrogen compounds in tar
produced from underground coal gasification
19 p0368 A78-41814

Catalytic hydrosolvation process converts coal to
low-sulfur liquid fuel
19 p0368 A78-41817

Synthetic fuel and electric cars: A cost
effectiveness comparison of alternatives for
substituting coal for oil
17 p0110 N78-10552

Effect of fuel properties on performance of single
aircraft turbojet combustor at simulated idle,
cruise, and takeoff conditions
[NASA-TN-73780]
17 p0129 N78-13056

Workshop on Synthetic Fuels from Fusion
[EPRI-ER-439-SR]
17 p0131 N78-13239

Experience in feeding coal into a liquefaction
process development unit
17 p0131 N78-13242

Pyrolysis of industrial wastes for oil and
activated carbon recovery
[PB-270961/6]
17 p0147 N78-13967

Synthetic fuel production from solid wastes
[PB-272423/5]
17 p0148 N78-14182

Two-stage coal gasification to high-BTU gas
18 p0238 N78-16422

Allocation of petroleum feedstocks to synthetic
natural gas plants
[PB-273098/4]
18 p0251 N78-17490

Synthetic liquid fuels development: Assessment of
critical factors
18 p0257 N78-18535

Fusion energy applied to synthetic fuel
production: A report to the DOE Division of
Magnetic Fusion Energy based on a preliminary
study by an ad-hoc advisory group
[CONF-770593]
19 p0393 N78-23251

Characterization of substances in products,
effluents and wastes from synthetic fuel
development processes
[BNWL-2224]
19 p0410 N78-24683

Evaluation of methods to produce aviation turbine
fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106]
19 p0414 N78-25239

Alternate fuels nitrogen chemistry
[AD-A053299]
19 p0414 N78-25240

Status of steam-iron pilot plant operations
[CONF-771092-5]
19 p0415 N78-25250

Assessment, selection, and development of
procedures for determining the environmental
acceptability of synthetic fuel plants based on
coal, appendix 2
[FF-1795-3-PT-2-REV]
19 p0433 N78-25674

Aviation fuels beyond the 1980's --- liquefied
gases and synthetic fuels
[NASA-TN-79510]
19 p0436 N78-26223

Development studies on selected conversion of
synthesis gas from coal to high octane gasoline
[FE-2276-20]
19 p0454 N78-27289

SYSTEM EFFECTIVENESS

A general design method for closed-loop solar
energy systems
17 p0046 A78-11251

Solar tower - Thermal collection energy component:
10 MWe pilot plant
17 p0052 A78-11322

Effects of solar data accuracy on the performance
and economics of solar energy systems
17 p0058 A78-11366

Assessing near-term technologies for solar heating
and air-conditioning systems
17 p0074 A78-14540

A computer model for large-scale offshore
wind-power systems
17 p0093 A78-18089

Influence of system exactness on the concentration
factor of cylinder-parabolic solar energy
collectors
18 p0176 A78-23920

Comparing the Ames and St. Louis resource recovery
projects
18 p0186 A78-25700

Recent developments in wind turbines
18 p0210 A78-28563

Winds and wind system performance --- Book
18 p0231 A78-32074

SYSTEMS ANALYSIS

SUBJECT INDEX

- The effect of certain major parameters on the annual effectiveness of solar systems for residential dwellings
[ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- Efficiency and reliability of sulfur dioxide scrubbers 19 p0384 A78-42906
- Comparison of solar system measured data for various sample rates --- conducted using Marshall Space Flight Center Solar House [NASA-CR-150496] 18 p0250 A78-17480
- Prototype solar heated hot water systems and double-walled heat exchangers: A collection of quarterly reports [NASA-CR-150591] 18 p0282 A78-21591
- ### SYSTEMS ANALYSIS
- Photovoltaic system design and analysis application to a shopping center 17 p0022 A78-11013
- The potential for application of energy storage capacity on electric utility systems in the United States. II 17 p0030 A78-11087
- Systems analysis of space manufacturing from nonterrestrial materials [IAF PAPER 77-72] 17 p0080 A78-15930
- 'T-System' - Proposal of a new concept heat transport system [AIAA 78-444] 19 p0319 A78-35623
- Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production --- French thesis 19 p0336 A78-38068
- Establishment of design and performance requirements using cost and systems analysis --- for commercial fusion power plant 19 p0346 A78-39793
- Daily input modelling for solar collectors and systems 19 p0383 A78-42890
- Space station systems analysis study. Part 3: Documentation. Volume 7: SCB alternate EPS evaluation, task 10 [NASA-CR-151535] 17 p0109 A78-10185
- Diagnostic assessment for advanced power systems [SAND-77-8216] 17 p0121 A78-11509
- Three-region world dynamics of fossil/hydrogen energy system 18 p0239 A78-16427
- Preliminary system analysis of a fixed mirror solar power central station [EPRI-EE-434(6-77)] 18 p0241 A78-16452
- Systems approach to solar heating and cooling systems [CONF-770359-1] 18 p0242 A78-16455
- Central Data Processing System (CDPS) user's manual: Solar heating and cooling program [NASA-CR-150580] 18 p0283 A78-21595
- Energy systems analysis and development [BRL-22969] 18 p0286 A78-21633
- Systems studies of coal conversion processes using a reference simulator [FE-2275-A] 19 p0390 A78-22480
- Solar total energy; large scale experiment. No. 2, phase 2: Conceptual design [TID-27995] 19 p0428 A78-25618
- Thermochemical energy storage systems: A review [SAND-77-8051] 19 p0460 A78-27557
- Circuit and magnetic analysis for a system of Faraday rotator coils driven by a two-spool, four-rotor homopolar generator [CONF-771029-119] 19 p0467 A78-27927
- ### SYSTEMS COMPATIBILITY
- Assessment of storage systems - The device utility interface --- energy technology 17 p0009 A78-10730
- A feasibility study of a combined wind-solar system for space and domestic hot water heating 17 p0052 A78-11319
- Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning 17 p0078 A78-15408
- ### SYSTEMS ENGINEERING
- Lens-mirror combinations with maximal concentration --- evaluated for solar energy applications 17 p0001 A78-10170
- Solar-electrical systems - Theory and applications 17 p0009 A78-10731
- Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734
- A long-term solution to fossil fuel depletion --- biomass energy conversion technology assessment 17 p0010 A78-10739
- Solar central electric power generation - A baseline design 17 p0010 A78-10742
- Finite size corrections for a reflector-collector system 17 p0043 A78-11227
- Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system 17 p0046 A78-11246
- Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309
- Residential photovoltaic prototype system definition study 17 p0054 A78-11338
- Design options in solar total energy systems 17 p0055 A78-11346
- Engineering cost estimates for solar technologies 17 p0058 A78-11365
- Marshall Space Flight Center development program for solar heating and cooling systems 17 p0058 A78-11368
- Parabolic collector for total energy systems application 17 p0059 A78-11376
- Optimal design methodology for a wind power system 17 p0070 A78-13847
- Solar challenges to consulting engineers --- on optimization of solar collector performance for heating and cooling applications 18 p0181 A78-24757
- Solar energy in office and industrial buildings 18 p0181 A78-24760
- Solar design and installation experience --- pyramidal optics for use in residential buildings 18 p0181 A78-24761
- Synthesis of organic compounds from carbon dioxide in land plants --- energy farm design and solar energy conversion efficiency limits 18 p0208 A78-28361
- Economic design of wind electric systems [IEEE PAPER F 77 679-4] 18 p0219 A78-30197
- NMSU - Casa del Sol of the future 18 p0232 A78-32114
- Engineering of wind energy systems 18 p0234 A78-32423
- Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- An outline for optimizing and evaluating proposed OTEC systems --- Ocean Thermal Energy Conversion 19 p0304 A78-33333
- Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342
- Potential of open cycle OTEC - A general survey --- Ocean Thermal Energy Conversion 19 p0305 A78-33347
- Optimization models for the economic design of wind power systems 19 p0314 A78-34934
- Fundamentals of wind energy --- Book 19 p0341 A78-38972
- THX - A new facility --- Tandem Mirror Experiment fusion reactor design 19 p0347 A78-39805
- System design for the new THX machine --- Tandem Mirror Experiment 19 p0349 A78-39888
- System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak 19 p0351 A78-39921
- Tritium handling trade studies and design options for the GA/ANL THS --- The Next Step tokamak 19 p0355 A78-39983
- The OMEGA fusion laser system 19 p0359 A78-40221

- Focusing systems for high energy glass lasers
19 p0360 A78-40224
- Design of a non-tracking solar heat
concentrator/collector system
19 p0371 A78-42113
- Design of a non-tracking concentrator which will
distribute sunlight in a uniform manner over a
flat receiving surface
19 p0371 A78-42114
- Solar energy for industrial processes - A
simplified design method
19 p0383 A78-42891
- Solar power, satellite. System definition study.
Part 1, volume 2: System requirements and
energy conversion options
[NASA-CR-151555] 17 p0129 N78-13100
- Solar power satellite. System definition study.
Part 1, volume 4: SPS transportation system
requirements --- spacecraft propulsion
[NASA-CR-151557] 17 p0130 N78-13102
- System dynamics model of national energy usage
[SAND-76-0415] 17 p0141 N78-13577
- Demonstration of an inductor
motor/alternator/flywheel energy storage system
[COO-4010-2] 17 p0141 N78-13579
- Intertechnology Corporation report of solar energy
systems installation costs for selected
commercial buildings
[COO-2688-76-13] 17 p0143 N78-13606
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 2:
Analysis and design.
[NASA-CR-134935] 18 p0248 N78-17462
- Conceptual approach study of a 200 watt per
kilogram solar array, phase 1
[NASA-CR-155614] 18 p0248 N78-17465
- SIMS prototype system 1: Design data brochure ---
solar heating system
[NASA-CR-150534] 18 p0250 N78-17484
- Installation package - SIMS prototype system 1a
[NASA-CR-150524] 18 p0255 N78-18523
- SIMS prototype system 1 test results: Engineering
analysis
[NASA-CR-150522] 18 p0256 N78-18527
- Energy intensity of various transportation modes
18 p0260 N78-18555
- Prototype solar heating and hot water system
[NASA-CR-150575] 18 p0268 N78-19653
- Solar power satellite system definition study.
Part 1 and part 2, volume 2: Technical summary
[NASA-CR-151666] 18 p0271 N78-20156
- Solar power satellite, system definition study.
Part 2, volume 3: SPS satellite systems
[NASA-CR-151667] 18 p0271 N78-20157
- Solar power satellite system definition study.
Part 2, volume 4: Microwave power transmission
systems
[NASA-CR-151668] 18 p0271 N78-20158
- Solar power satellite system definition study.
Part 2, volume 5: Space operations
(construction and transportation)
[NASA-CR-151669] 18 p0271 N78-20159
- Solar power satellite system definition study.
Part 2, volume 6: Evaluation data book
[NASA-CR-151670] 18 p0271 N78-20160
- Solar power satellite system definition study,
volume 7
[NASA-CR-151671] 18 p0271 N78-20161
- Preliminary design review package on air flat
plate collector for solar heating and cooling
system
[NASA-CR-150601] 18 p0275 N78-20616
- Floating power optimization studies for the
cooling system of a geothermal power plant
[TRB-1164] 18 p0277 N78-20646
- High Temperature Turbine Technology Program.
Phase 1: Program and system definition.
Topical report: Low BTU gas combustor
technology development plan
[FE-2290-26] 18 p0282 N78-21480
- System design package for IBM system one: solar
heating and domestic hot water
[NASA-CR-150614] 18 p0282 N78-21589
- Space electric power design study --- laser energy
conversion
[NASA-CR-152031] 18 p0282 N78-21590
- Prototype solar heated hot water systems and
double-walled heat exchangers: A collection of
quarterly reports
[NASA-CR-150591] 18 p0282 N78-21591
- Trenton ICES, volume 1, phase 1
[COO-4212-1/1-VOL-1] 18 p0287 N78-21639
- System design package for SIMS prototype system 2,
solar hot water
[NASA-CR-150521] 19 p0388 N78-22465
- Transition to decentralized energy systems
[CONF-7710101-1] 19 p0397 N78-23582
- Central receiver solar thermal power system.
Phase 1, CRDL Item 2: Pilot plant preliminary
design report. Volume 3, book 2: Collector
subsystem
[SAN/1108-8/3] 19 p0398 N78-23587
- Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 N78-24618
- Hydrogasifier development for the Hydrane process
[FE-2518-4] 19 p0415 N78-25244
- Report on emergency electrical power supply
systems for nuclear fuel cycle and reactor
facilities security systems
[Y/SUB-77-14263/1] 19 p0416 N78-25340
- Design study for high-pressure high-flow oxygen
centrifugal compressor, phase 1
[MTI-77TR17] 19 p0417 N78-25439
- Prototype solar heating and combined heating and
cooling systems
[NASA-CR-150691] 19 p0420 N78-25540
- Prototype solar heating and combined heating and
cooling systems
[NASA-CR-150692] 19 p0420 N78-25541
- Prototype solar heating and combined heating and
cooling systems
[NASA-CR-150693] 19 p0420 N78-25542
- Prototype solar heating and combined heating and
cooling systems
[NASA-CR-150694] 19 p0420 N78-25543
- Preliminary design package for noncorrosive fluid
subsystem, solar heating and cooling
[NASA-CR-150698] 19 p0421 N78-25549
- Development of prototype air/liquid solar
collector subsystem
[NASA-CR-150703] 19 p0421 N78-25550
- Design data brochure: SIMS prototype system 3
[NASA-CR-150707] 19 p0421 N78-25552
- Application of solar energy to the supply of
industrial process hot water: Preliminary
design and performance report. Volume 1:
Technical report
[SAN/1218-3-VOL-1] 19 p0422 N78-25569
- Coal-fired alkali metal power system design study
[ORNL-TM-6000] 19 p0423 N78-25576
- Systems aspects of large-scale solar energy
conversion
[IIASA-RM-77-23] 19 p0423 N78-25581
- Industrial applications of solar total energy.
Volume 5: Catalog of conceptual designs
[SAN/1132-2/5-VOL-5] 19 p0425 N78-25590
- Battery storage performance requirements for
terrestrial solar photovoltaic power systems
[ANI/OEPM-77-3] 19 p0428 N78-25614
- Feasibility evaluation: Solar heated textile
process water
[SRO-0885-75/1] 19 p0428 N78-25621
- Solar total energy system: Large scale
experiment, Shenandoah, Georgia. Volume 1.
Section 1: Conclusions and recommendations.
Section 2: Systems requirements
[ALO/3987-1/1-VOL-1] 19 p0431 N78-25644
- Total energy systems for buildings. Citations
from the engineering index data base
[NTIS/PS-78/0306] 19 p0432 N78-25657
- Total energy systems for buildings. Citations
from the NTIS data base
[NTIS/PS-78/0305] 19 p0433 N78-25658
- Development schedules for vehicle energy storage
systems
[TID-28030] 19 p0435 N78-26036
- A collection of Stirling engine reports from
General Motors' research, 1958 to 1970. Part
1.2: Model 3 ground power units design,
construction, and testing, General Motors
research studies
[GMR-2690-PT-1.2] 19 p0437 N78-26250
- The GPU-3 Stirling engine ground power unit
ignition system
[GMR-2690-SECT-1.203] 19 p0438 N78-26253

- Support testing and design study evaluation of regenerative air heaters
[FE-2254-5] 19 p0441 N78-26398
- Solar heating and cooling system design and development
[NASA-CR-150705] 19 p0444 N78-26556
- Preliminary design package for Sunspot Domestic Hot Water Heating System
[NASA-CR-150605] 19 p0456 N78-27518
- Preliminary design package for solar heating and cooling systems
[NASA-CR-150674] 19 p0456 N78-27519
- Solar thermal systems
19 p0457 N78-27526
- System considerations
19 p0457 N78-27529
- Preliminary design activities for solar heating and cooling systems
[NASA-CR-150673] 19 p0458 N78-27537
- Stirling total energy systems study
[RCP/T2947-1] 19 p0461 N78-27570
- DoE facilities solar design handbook
[DOE/AD-0006/1] 19 p0463 N78-27586
- Potential energy savings in commercial/residential communities based on integrated systems design
[CONF-771120-21] 19 p0464 N78-27592

SYSTEMS MANAGEMENT

- Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production --- French thesis
19 p0336 A78-38068

T

TABLES (DATA)

- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables)
[PB-269366/1] 17 p0116 N78-10597
- Energetics of the United States of America: An atlas
[BNL-50501-R] 19 p0397 N78-23578
- Design data brochure: SIMS prototype system 3
[NASA-CR-150707] 19 p0421 N78-25552

TANKER SHIPS

- Keeping oil out of the marine environment
17 p0073 A78-14170
- A study of the formation of unpumpable residues of crude oil on tankers for the purpose of preventing marine pollution
17 p0093 A78-18050
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers
[H-REPT-95-589] 19 p0392 N78-22968

TANKER TERMINALS

- The Alaskan oil disposition study: Potential air quality impact of a major off-loading terminal in the Pacific Northwest
[PB-271261/0] 17 p0147 N78-13657

TANKS (CONTAINERS)

- Analysis of the failure of the nickel tank used for LiOH thermal energy storage for the Calvair automobile
[GMR-2690-SECT-7.106] 19 p0440 N78-26332

TAR SANDS

- An evaluation of in-situ recovery of tar sands
18 p0189 A78-26250
- The Syncrude Project and the future of heavy oil development
18 p0196 A78-27785
- Tar sand evaluation using geophysical well logs
19 p0368 A78-41819

TARGET ACQUISITION

- Evaluation and targeting of geothermal energy resources in the southeastern United States
[VPI-SU-5103-3] 17 p0162 N78-15585

TARS

- Characterization of nitrogen compounds in tar produced from underground coal gasification
19 p0368 A78-41814

TEARING

- Tearing-mode-stable diffuse-pinch configurations --- of plasmas
19 p0380 A78-42261

TECHNICAL WRITING

- The role of scientific and technical information in critical period management, volume 1
[PB-272178/5] 17 p0157 N78-14939

- The role of scientific and technical information in critical period management, volume 2
[PB-272179/3] 17 p0157 N78-14940

TECHNOLOGICAL FORECASTING

- The potential of satellite solar power
17 p0002 A78-10411
- The near-term prospectives for photovoltaic solar energy conversion
17 p0003 A78-10558
- The prospect for geothermal power
17 p0010 A78-10740
- A forecast of electric power generation technology - 1975-2000
17 p0028 A78-11077
- Biomass as a long range source of hydrocarbons
17 p0034 A78-11122
- Solar electric-energy market penetration
17 p0057 A78-11362
- Alternative hydrocarbon fuels for aviation
17 p0077 A78-15400
- Paratransit prospects - Filling a gap
17 p0084 A78-16848
- Exotic power and energy storage
17 p0095 A78-18624
- Next steps in space transportation and operations
17 p0103 A78-19543
- Energy supply-demand integrations to the year 2000: Global and national studies --- Book
18 p0165 A78-20618
- World energy prospects to the year 2000
18 p0172 A78-22545
- From oil and gas to alternate fuels - The transition in conversion equipment
18 p0174 A78-22843
- Integrating space developments - 1980-95 --- for scientific research and energy production
18 p0175 A78-23422
- Industrial energy in transition - A petrochemical perspective
18 p0175 A78-23560
- Liquid fuels from coal - From R & D to an industry
18 p0175 A78-23561
- Modular solar energy satellite - Project proposal and development strategy
18 p0180 A78-24452
- Solar industry - Status report and forecast
18 p0181 A78-24754
- Directions for research --- for space manufacturing colonization and scientific research
18 p0203 A78-27930
- The Swedish Wind Energy Programme
18 p0209 A78-28555
- General aviation energy-conservation research programs at NASA-Lewis Research Center --- for non-turbine general aviation engines
18 p0216 A78-29330
- Fuel efficiency - Where we are heading in the design of future jet transports
18 p0226 A78-31307
- Energy: Global prospects, 1985-2000 --- Book
19 p0312 A78-34520
- Solar Sweden --- future renewable energy resources utilization
19 p0315 A78-35281
- Energy modeling and forecasting at the U.S. Energy Research and Development Administration
19 p0316 A78-35420
- MHD's target - Payoff by 2000
19 p0316 A78-35444
- The electric automobile --- technical problems, market prospects and environmental impact
19 p0321 A78-35763
- Space industrialization - The long-range view and the near and intermediate steps
[AAS 77-230] 19 p0330 A78-36729
- The hydrogen energy economy: A realistic appraisal of prospects and impacts --- Book
19 p0336 A78-38055
- Fundamentals of wind energy --- Book
19 p0341 A78-38972
- Energy perspectives for the year 2000
19 p0377 A78-42184
- Solar energy in America's future: A preliminary assessment
[DSE/115-1] 17 p0113 A78-10576
- Industries in space to benefit mankind: A view over the next 30 years
[NASA-CR-155203] 17 p0118 A78-10973

SUBJECT INDEX

TECHNOLOGY ASSESSMENT

- Scenarios for chemical technology --- forecasts
for the year 2000
[BMFT-PB-T-77-01] 17 p0123 N78-11897
- Transportation in America's future: Potentials
for the next half century. Part 2.
Transportation forecasts
[PB-270468/2] 17 p0129 N78-12909
- Transportation in America's future: Potentials
for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
- A hypothetical 1000 MW(e) photovoltaic
solar-electric plant
[PB-273108/1] 18 p0243 N78-16468
- The next 25 years: Industrialization of space:
Rationale for planning
[NASA-TM-79360] 18 p0253 N78-18091
- Aviation fuels beyond the 1980's --- liquefied
gases and synthetic fuels
[NASA-TM-79510] 19 p0436 N78-26223
- An agenda for technology assessment in the
materials field. Volume 1: Principal findings
--- energy technology requirements and impact
[PB-278639/0] 19 p0453 N78-27009
- An agenda for technology assessment in the
materials field. Volume 2: Appendices ---
energy technology requirements and impact
[PB-278640/8] 19 p0453 N78-27010
- Solar photovoltaic systems
19 p0457 N78-27523
- System considerations
19 p0457 N78-27529
- Methods of forecasting of scientific and technical
progress in the production and consumption of
fuel and energy resources
[DOE-TS-24] 19 p0461 N78-27573
- ## TECHNOLOGIES
- Bibliography of Lewis Research Center technical
contributions announced in 1976
[NASA-TM-73860] 18 p0252 N78-17921
- ## TECHNOLOGY ASSESSMENT
- An overview of the planning considerations in the
United States inertial confinement fusion program
17 p0004 A78-10606
- Pulsed power for fusion
17 p0007 A78-10696
- OTEC - A survey of the state of the art --- Ocean
Thermal Energy Conversion
17 p0008 A78-10723
- Assessment of storage systems - The device utility
interface --- energy technology
17 p0009 A78-10730
- A long-term solution to fossil fuel depletion ---
biomass energy conversion technology assessment
17 p0010 A78-10739
- National program for MHD power generation
17 p0010 A78-10745
- The current status of the U.S. photovoltaic
conversion program
17 p0020 A78-10998
- Coal-based options for generation of electricity
17 p0028 A78-11071
- Corporate research and development in alternate
energy
17 p0028 A78-11072
- The present status of fusion power
17 p0028 A78-11075
- The status of and need for new coal gasification
technology
17 p0031 A78-11097
- A survey of the U.S. magnetic fusion program
17 p0040 A78-11179
- Review of overseas solar technologies relative to
international cooperation
17 p0058 A78-11367
- Remote sensing - A burgeoning science --- Canadian
programs
17 p0063 A78-12214
- The technical evaluation of transport drive systems
17 p0067 A78-13422
- U.S. energy conversion research needs
17 p0069 A78-13624
- The outlook for wind energy
17 p0072 A78-14101
- Assessing near-term technologies for solar heating
and air-conditioning systems
17 p0078 A78-14540
- Solar power satellite status report
17 p0097 A78-18750
- Status report on controlled thermonuclear fusion
17 p0106 A78-20360
- The contemporary state of studies on controlled
thermonuclear fusion --- Soviet plasma research
18 p0166 A78-21350
- Terrestrial solar cells - Present and future
18 p0177 A78-23952
- The further development of the Spacelab/Space
Shuttle system - A first step towards a space
station
[DGLR PAPER 77-041] 18 p0180 A78-24430
- ERDA's Solar Energy Research and Development Program
18 p0180 A78-24753
- Status and prospects for continued progress in
magnetic fusion energy research and development
18 p0181 A78-24756
- Biomass - Progress and plans --- fermentation,
thermochemical conversion and methane production
18 p0182 A78-24764
- Technical and economic impacts of the application
of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- The achievements and perspectives for the
development of solar power engineering in the USSR
18 p0186 A78-25730
- Energy from wastes - An overview of present
technologies and programs
18 p0197 A78-27803
- Infrared focal planes in intrinsic semiconductors
--- technology review
18 p0204 A78-28139
- Environmental assessment of the fluidized-bed
combustion of coal - Methodology and initial
results
18 p0206 A78-28271
- Recent developments in wind turbines
18 p0210 A78-28563
- Reflections on the energy wars --- solar vs
nuclear power
18 p0221 A78-30297
- Cooling turbine technology --- for aircraft air
conditioning
18 p0224 A78-30775
- New developments in electromagnetic energy beaming
18 p0224 A78-30883
- Advanced launch vehicle systems and technology
18 p0225 A78-31175
- Technologies for the utilization of waste energy
18 p0232 A78-32116
- 25 years of fuel cell development /1951-1976/
18 p0233 A78-32235
- Test and evaluation of 23 electric vehicles for
state-of-the-art assessment
[SAB PAPER 780290] 19 p0307 A78-33382
- SO2 control technologies - Commercial
availabilities and economics
19 p0310 A78-34224
- Methods of energy conversion /Some results of the
International Electrotechnology Congress -
Moscow, 1977/
19 p0325 A78-36126
- Problems of electrical energy generation /Some
results of the International Electrotechnology
Congress - Moscow, 1977/
19 p0325 A78-36127
- Automated complex electromechanical systems in
industry and new types of electric equipment
/Some results of the International
Electrotechnology Congress - Moscow, 1977/ ---
in transportation
19 p0325 A78-36128
- An assessment of laser-driven fusion
19 p0338 A78-38418
- The technology of mirror machines - LLL facilities
for magnetic mirror fusion experiments
19 p0345 A78-39784
- The JET Project - Technical developments, status
of the manufacturing work in industry,
administrative and managerial aspects --- Joint
European Torus reactor design
19 p0349 A78-39887
- Large superconducting magnets - A key issue in
commercialization of MHD
19 p0362 A78-40509
- Technology of Cu2S-CdS solar cells - German
state-of-the-art
19 p0373 A78-42127
- Solar air-conditioning study
[AD-A043951] 17 p0113 N78-10575

- Solar energy in America's future: A preliminary assessment
[DSE/115-1] 17 p0113 N78-10576
- Solar program assessment: Environmental factors
[ERDA-77-47/5] 17 p0113 N78-10577
- Solar program assessment: Environmental factors.
Fuel from biomass --- environmental impact
[ERDA-77-47/7] 17 p0120 N78-11506
- Preliminary assessment for designing experiments
using federal innovation processes
[PB-270089/6] 17 p0122 N78-11863
- Technology assessment in a dialectic key
[IIASA-PF-77-1] 17 p0123 N78-11896
- Methanol as an automotive fuel with special
emphasis on methanol-gasoline blends
[PB-270401/3] 17 p0123 N78-12243
- Development of high temperature turbine subsystem
technology to technology readiness status; phase 1
[FE-1806-6] 17 p0124 N78-12425
- The status of flue gas desulfurization
applications in the United States: A
technological assessment, highlights
[PB-271361/8] 17 p0128 N78-12560
- The status of flue gas desulfurization
applications in the United States: A
technological assessment, report in full
[PB-271362/6] 17 p0128 N78-12561
- A Review of Air Force space photovoltaic
development efforts 17 p0136 N78-13530
- Applications of ion implantation for high
efficiency silicon solar cells 17 p0137 N78-13538
- Coal technology program --- hydrocarbon fuel
production [ORNL/TM-5883] 17 p0142 N78-13586
- Advanced Thermionic Technology Program
[NASA-CR-155299] 17 p0143 N78-13599
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 2: Detailed analysis and
supporting materials [PB-271753/6] 17 p0144 N78-13617
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 3: Preliminary policy
analysis [PB-271754/4] 17 p0144 N78-13618
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 4: Appendices [PB-272243/7] 17 p0144 N78-13619
- High temperature turbine technology program.
Phase 1: Program and system definition. Topical
report: Phase 3, preliminary turbine subsystem
technology readiness verification program plan
[FE-2290-21] 17 p0149 N78-14421
- Microcrack technology for geothermal exploration
and assessment [PB-271940/9] 17 p0157 N78-14725
- Solar cell radiation handbook
[NASA-CR-155554] 17 p0160 N78-15566
- Technical and economic assessment of phase change
and thermochemical advanced Thermal Energy
Storage (TES) systems. Volume 2: Phase change
TES sizing computer program [EPRI-EH-256-VOL-2] 17 p0162 N78-15586
- Technical and economic assessment of phase change
and thermochemical advanced Thermal Energy
Storage (TES) systems. Volume 3:
Thermochemical TES sizing computer program
[EPRI-EH-256-VOL-3] 17 p0162 N78-15587
- Development status and environmental hazards of
several candidate advanced energy systems
[PB-272759/2] 17 p0162 N78-15588
- Extended performance solar electric propulsion
thrust system study. Volume 4: Thruster
technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- Overview of technological-economic models for
energy policy analysis [BNL-22730] 18 p0241 N78-16451
- Technical and economic assessment of phase change
and thermochemical advanced thermal energy
storage (TES) systems. Volume 4: Solar Power
Plant Operation, analysis computer program.
[EPRI-EH-256-VOL-4] 18 p0242 N78-16462
- Preliminary environmental assessment of solar
energy systems [PB-272352/6] 18 p0243 N78-16465
- A technology assessment of offshore industry. The
United States offshore industry. Current
status, trends and forecast 1976 - 2000, volume 1
[PB-272983/8] 18 p0246 N78-16947
- A technology assessment of offshore industry and
its impact on the maritime industry 1976 - 2000,
volume 2 [PB-272984/6] 18 p0246 N78-16948
- A technology assessment of offshore industry and
its impact on the maritime industry 1976 - 2000.
Executive summary [PB-272985/3] 18 p0246 N78-16949
- Materials technology assessment for stirling engines
[NASA-TM-73789] 18 p0247 N78-17187
- Technical and economic feasibility study of
solar/fossil hybrid power systems [NASA-TM-73820] 18 p0250 N78-17486
- NASA authorization, 1979, program review, volume
2, part 1 [GPO-98-932] 18 p0252 N78-17932
- Synthetic liquid fuels development: Assessment of
critical factors 18 p0257 N78-18535
- An analysis of the technical status of high level
radioactive waste and spent fuel management
systems [NASA-CR-155313] 18 p0261 N78-18897
- State-of-the-art assessment of electric vehicles
and hybrid vehicles [NASA-TM-73756] 18 p0262 N78-18988
- Proceedings of Small Power Systems Solar Electric
Workshop. Volume 2: Invited papers
[NASA-CR-155940] 18 p0264 N78-19615
- Assessment of solar heating and cooling technology
[LA-6379-MS] 18 p0269 N78-19667
- Loose-parts monitoring: Present status of the
technology, its implementation in US reactors,
and some recommendations for achieving improved
performance [CONV-770902-5] 18 p0282 N78-21483
- Distributed technologies in California's energy
future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 N78-21635
- Historical evidence of importance to the
industrialization of flat-plate silicon
photovoltaic systems, volume 2
[NASA-CR-156185] 19 p0388 N78-22464
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications: Analysis and
design [NASA-CR-134937] 19 p0395 N78-23560
- Automated array assembly task, phase 1
[NASA-CR-156985] 19 p0396 N78-23562
- Characterization of substances in products,
effluents and wastes from synthetic fuel
development processes [BNWL-2224] 19 p0410 N78-24683
- Progress on coal-derived fuels for aviation systems
[NASA-TM-78696] 19 p0420 N78-25545
- Liquid-cooling technology for gas turbines review
and status [NASA-TM-78906] 19 p0436 N78-26145
- Solar sail-solar electric technology readiness and
transfer assessment [NASA-CR-157239] 19 p0436 N78-26154
- Impact of alternate fuels on refractories and
refractory insulations [ORNL-TM-5895-ADD] 19 p0436 N78-26226
- Status of wraparound contact solar cells and arrays
[NASA-TM-78911] 19 p0443 N78-26543
- Assessment of technology for the liquefaction of
coal: Summary [FE-1216-2] 19 p0445 N78-26572
- Assessment of advanced technology for direct
combustion of coal [HCP/T1216-0001] 19 p0446 N78-26578
- Status of European thermochemical hydrogen programs
[LA-UR-77-2985] 19 p0446 N78-26583
- Perspectives on utility central station
photovoltaic applications [EPRI-EH-589-SR] 19 p0447 N78-26592

SUBJECT INDEX

TECHNOLOGY UTILIZATION

- Power plant reject heat utilization: An assessment of the potential for wide-scale implementation
[ORNL/TM-5841] 19 p0449 N78-26613
- Environmental assessment of high-ETU gasification
[PB-278175/5] 19 p0450 N78-26646
- An agenda for technology assessment in the materials field. Volume 1: Principal findings --- energy technology requirements and impact
[PB-278639/0] 19 p0453 N78-27009
- An agenda for technology assessment in the materials field. Volume 2: Appendices --- energy technology requirements and impact
[PB-278640/8] 19 p0453 N78-27010
- Overview of NASA CTOL program 19 p0453 N78-27047
- Ceramic technology readiness program
[PE-2664-3] 19 p0454 N78-27279
- Advancing coal mining technology research, development, and demonstration in fiscal year 1977
[PB-278001/3] 19 p0456 N78-27511
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1
[NASA-CR-157264] 19 p0457 N78-27530
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2
[NASA-CR-157265] 19 p0457 N78-27531
- State-of-the-art lead-acid vehicle
[ANL-K-77-3639-1] 19 p0459 N78-27547
- Models and methodologies for assessing the impact of energy development
[ERDA-77-91] 19 p0463 N78-27587
- Impact of selected energy conservation technologies on baseline demands
[BNL-50745] 19 p0463 N78-27591
- TECHNOLOGY TRANSFER**
- What does it concern --- technological information dissemination and social response 18 p0218 A78-29873
- Information and data flows in societal problem areas: Focus-energy
[PB-269497/4] 17 p0118 N78-10965
- European developments in the Na/S high temperature battery for automobile propulsion and energy storage
[AD-A042541] 17 p0120 N78-11501
- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine
[NASA-TM-73849] 17 p0129 N78-13062
- Intertechnology Corporation report of solar energy systems installation costs for selected commercial buildings
[COO-2688-76-13] 17 p0143 N78-13606
- Industrial applications of solar energy
[SAN/1132-1] 18 p0242 N78-16457
- The diffusion of the use of new energy technology as a context for an overview of solar energy technologies
[NASA-CR-155942] 18 p0264 N78-19611
- Analyses of methods for the determination of water availability for energy development
[FEA/G-77/059] 18 p0282 N78-21580
- Solar sail-solar electric technology readiness and transfer assessment
[NASA-CR-157239] 19 p0436 N78-26154
- Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 N78-26568
- Proceedings of the Alternate Energy Systems Seminar
[NASA-CR-157255] 19 p0457 N78-27522
- TECHNOLOGY UTILIZATION**
- Problems in adapting photocells to terrestrial applications 17 p0003 A78-10555
- Terrestrial applications of the Radiotechnique-Compelec /BTC/ solar modules from 1961 to 1977 17 p0003 A78-10556
- Near term commercial uses for terrestrial photovoltaics 17 p0057 A78-11361
- Survey of the applications of solar thermal energy systems to industrial process heat 17 p0058 A78-11370
- Prospects for geothermal energy applications and utilization in Canada 17 p0067 A78-13343
- Applications of Seasat to the offshore oil, gas and mining industries
[AIAA 77-1583] 17 p0069 A78-13666
- Non-electrical uses of geothermal energy 17 p0082 A78-16635
- Solar energy for village development 18 p0176 A78-23564
- MHD electric power generation --- using fossil fuels 18 p0179 A78-24329
- Application of solar energy in space 18 p0201 A78-27863
- Technological innovation and social exploration in economic growth and energy development 18 p0204 A78-27935
- Application of solar energy bioconversion in developing countries 18 p0208 A78-28367
- Criteria for the manufacture and operation of wind power installations with power up to 10 kW 18 p0212 A78-28573
- Legal problems of solar energy utilization 18 p0214 A78-28595
- Advancing technologies --- Book 18 p0225 A78-31151
- Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems 18 p0232 A78-32112
- Advanced lightweight solar array technology --- for communication satellites
[AIAA 78-533] 19 p0294 A78-32883
- Aerospace technology can be applied to exploration 'back on earth' --- offshore petroleum resources 19 p0297 A78-33123
- Making aerospace technology work for the automotive industry - Introduction 19 p0306 A78-33359
- Emerging heat pipe applications
[AIAA 78-390] 19 p0317 A78-35585
- Heat pipes in space and on earth
[AIAA 78-439] 19 p0318 A78-35619
- Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ --- German book 19 p0328 A78-36650
- Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- New designs and applications of medium sized wind systems 19 p0361 A78-40369
- A survey of applications of fusion power technology for the chemical and material processing industries 19 p0368 A78-41812
- High-power lasers --- industrial applications 19 p0382 A78-42446
- Photovoltaic highway applications: Assessment of the near-term market
[NASA-TM-73863] 18 p0252 N78-17935
- Heat pipes and their use in technology
[NASA-TM-75148] 18 p0254 N78-18357
- Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements
[NASA-CR-155948] 18 p0264 N78-19612
- Proceedings of Small Power Systems Solar Electric Workshop. Volume 2: Invited papers
[NASA-CR-155940] 18 p0264 N78-19615
- Design study for high-pressure high-flow oxygen centrifugal compressor, phase 1
[MTI-77TR17] 19 p0417 N78-25439
- Industrial applications of solar total energy. Volume 1: Summary
[SAN/1132-2/1-VOL-1] 19 p0424 N78-25587
- Industrial applications of solar total energy. Volume 2: Technical
[SAN/1132-2/2-VOL-2] 19 p0424 N78-25588
- Application analysis of solar total energy to the residential sector
[TID-28103] 19 p0429 N78-25624
- Institutional applications of solar total energy systems
[TID-22782] 19 p0429 N78-25625
- Industrial application of fluidized-bed combustion --- boiler and plant design
[FE-2461-5] 19 p0436 N78-26190

- Impacts of the national energy programme on solar economics
[LA-OR-78-131] 19 p0444 N78-26567
- TECTONICS**
Applications of remote sensing in resource management in Nebraska
[E78-10099] 18 p0273 N78-20567
Tectonic atlas of uranium potential in crystalline rocks of the eastern US
[GJBX-69(77)] 19 p0400 N78-23666
- TEFLON (TRADEMARK)**
Teflon PEP fluorocarbon film for flat plate solar collectors
17 p0042 A78-11218
Optical and electrical properties of ion beam textured Kapton and Teflon
18 p0182 A78-24908
Transport processes in Teflon-bonded fuel cell electrodes
17 p0135 N78-13524
- TELEOPERATORS**
Some opportunities in teleoperated mining
18 p0222 A78-30507
- TEMPERATURE**
Characterization of solar cells for space applications. Volume 1: Electrical characteristics of OCLI violet solar cells as a function of intensity and temperature
[NASA-CR-156162] 18 p0283 N78-21601
- TEMPERATURE COMPENSATION**
The evening out of hot junction temperatures in solar thermoelectric generators by a disk method
17 p0106 A78-20423
- TEMPERATURE CONTROL**
Fluid flow control strategies in flat-plate and evacuated tube collectors --- solar collectors
17 p0047 A78-11260
Lightweight thermal storage for solar heated buildings
17 p0083 A78-16832
The University of Louisville Dual Solar Energy Research Center
17 p0091 A78-17551
The use of heat pumps in reducing fuel consumption for nonsolar climate control of buildings
18 p0174 A78-22842
Heat pipes in space and on earth
[AIAA PAPER 78-295] 18 p0178 A78-24005
Investigation of gas-controlled cryogenic heat pipes
18 p0221 A78-30495
Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures
19 p0317 A78-35560
A variable conductance heat pipe for terrestrial applications
[AIAA 78-377] 19 p0317 A78-35578
Emerging heat pipe applications
[AIAA 78-390] 19 p0317 A78-35585
Technical applications of heat pipes
[AIAA 78-396] 19 p0318 A78-35589
Heat pipes in space and on earth
[AIAA 78-439] 19 p0318 A78-35619
Application of heat pipes in electronic modules
[AIAA 78-449] 19 p0319 A78-35625
Direct heat pipe cooling of semiconductor devices
[AIAA 78-450] 19 p0319 A78-35626
A thermal canister experiment for the Space Shuttle
[AIAA 78-456] 19 p0319 A78-35631
Investigation of the dynamics of melting processes in a solar furnace
19 p0336 A78-37949
Heat transfer and thermal control systems; Aerospace Sciences Meeting, 15th, Los Angeles, Calif., January 24-26, 1977 and Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Technical Papers
19 p0336 A78-38054
Modular control subsystems for use in solar heating systems for multi-family dwellings
[NASA-CR-150593] 18 p0275 A78-20613
Heat pipes, volume 2. Citations from the engineering index data base
[NTIS/PS-78/0303] 19 p0417 N78-25382
Heat pipes, volume 3. Citations from the engineering index data base
[NTIS/PS-78/0304] 19 p0417 N78-25383
Heat pipes, volume 3. Citations from the NTIS data base
[NTIS/PS-78/0302] 19 p0417 N78-25384
- TEMPERATURE DISTRIBUTION**
The evening out of hot junction temperatures in solar thermoelectric generators by a disk method
17 p0106 A78-20423
Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling
18 p0166 A78-21030
Two-dimensional temperature distribution in a ceramic-based electrode --- for MHD channels
18 p0173 A78-22806
An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico
19 p0302 A78-33317
Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation
[AIAA 78-434] 19 p0318 A78-35614
The natural circulation solar heater-models with linear and nonlinear temperature distributions
19 p0369 A78-42064
Indoor test for thermal performance evaluation on life sciences engineering (air) solar collector
[NASA-CR-150665] 19 p0420 N78-25547
- TEMPERATURE EFFECTS**
Temperature dependence of the photovoltaic performance of Si cells under blue, white and near-bandgap irradiation
17 p0012 A78-10909
Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures
17 p0070 A78-13907
Thermomigration of silicon wafers in a solar furnace
17 p0084 A78-16837
An approach for determining the impact of peak coolant temperature on fusion reactor size and electricity costs
[ASME PAPER 77-HT-73] 17 p0090 A78-17501
Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides*
18 p0167 A78-22008
Energy characteristics of an MHD generator cycle with internal cooling of the channel
18 p0172 A78-22531
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators
18 p0194 A78-27136
Anomalous temperature dependence observed on the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures
18 p0222 A78-30644
Heat pipe mirrors for high power lasers
[AIAA 78-391] 19 p0317 A78-35586
Hydrothermal alteration in active geothermal fields
19 p0339 A78-38770
Blanket structure design for JAERI Experimental Fusion Reactor
19 p0357 A78-40041
Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces --- in solar cells
19 p0362 A78-40531
Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation
19 p0367 A78-41521
Effects of temperature on the performance of silicon solar cells
19 p0371 A78-42117
- TEMPERATURE GRADIENTS**
Power from the oceans' thermal gradients
17 p0006 A78-10652
Thermophotovoltaic cells for solar energy conversion
18 p0205 A78-28169
Air conditioning using ocean thermal gradients
19 p0376 A78-42160
- TEMPERATURE MEASUREMENT**
Time and space resolved temperature measurements of a limiter in a Tokamak discharge using an infra red camera
17 p0041 A78-11200
Chemical geothermometers and mixing models for geothermal systems
17 p0062 A78-11491

SUBJECT INDEX

TEXTILES

Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492

Temperature sheaths on probes or electrodes in MHD plasmas 19 p0336 A78-38108

Energy flux and surface temperature measurements at surfaces in the DITE tokamak 19 p0377 A78-42205

Use of aerial thermography in Canadian energy conservation programs 17 p0149 N78-14566

TEMPERATURE PROFILES

Preparation of a coal conversion systems technical data book [FE-2286-21] 19 p0398 N78-23591

TENNESSEE

The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506

TENSILE TESTS

Dynamic oil shale fracture experiments [PB-269258/0] 17 p0122 N78-11559

TERNARY ALLOYS

Ternary compound thin film solar cells-2 [PB-270029/2] 17 p0121 N78-11515

TERRAIN

Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain 18 p0167 A78-21821

Ambient air quality in complex terrain 18 p0167 A78-21833

TERRAIN ANALYSIS

Mathematical modelling of topographic effects on wind energy systems 18 p0169 A78-22228

Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence --- for windpower generator site selection in hilly terrain 18 p0169 A78-22231

Significance of the space imagery for studies of the petroleum platform areas --- in Lower Volga region 19 p0313 A78-34877

A simplified physics airflow model for evaluating wind power sites in complex terrain 19 p0340 A78-38791

The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506

TEST FACILITIES

The battery energy storage test /BEST/ facility - Its purposes and description 17 p0029 A78-11079

Testing of flat-plate air heaters according to ASHRAE Standard 93-77 17 p0042 A78-11220

Results of experiments with heliostats for central receiver power plants 17 p0053 A78-11326

A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 Mwt MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496

Solar thermal test facility 18 p0216 A78-29227

An experimental facility for wind engineering research [AIAA 78-813] 18 p0234 A78-32367

TFTR Toroidal Field coil design --- Tokamak Fusion Test Reactor 19 p0345 A78-39785

The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901

Dual 30 kA, HVDC interrupter test facility --- for fusion reactors 19 p0353 A78-39959

Using computer graphics to analyze the placement of neutral-beam injectors for the Mirror Fusion Test Facility 19 p0357 A78-40026

Facility for the testing of the TFTR prototype neutral beam injector --- Tokamak Fusion Test Reactor 19 p0357 A78-40049

A 400 kW high temperature solar test facility 19 p0384 A78-42894

Conceptual design of a battery Energy Storage Test (BEST) facility [EPRI-255-TR-2] 17 p0143 N78-13597

Ford-EPA emission laboratory correlation study [PB-270699/2] 17 p0145 N78-13631

EPA-BMW correlation program [PB-270559/8] 17 p0145 N78-13632

The ERDA/LeRC photovoltaic systems test facility [NASA-TM-73787] 17 p0157 N78-15059

Sims Prototype System 2 test results: Engineering analysis [NASA-CR-150544] 18 p0263 N78-19604

Methodology for site selection of a solar total energy large scale experiment [SAND-77-0248] 18 p0277 N78-20644

ERDA Geothermal Component Test Facility (GCTF), East Mesa, Imperial Valley, California. Test operations management plan [TID-28010] 19 p0397 N78-23577

DOE LeRC photovoltaic systems test facility [NASA-TM-78923] 19 p0443 N78-26549

Master control and data system for the 5MW solar thermal test facility [SAND-78-0205C] 19 p0460 N78-27562

TEST STANDS

An Early Ocean Test Platform Conversion --- for thermal energy conversion 19 p0300 A78-33302

An Early Ocean Test Platform for testing cycle components --- in Ocean Thermal Energy Conversion 19 p0300 A78-33303

TEST VEHICLES

General safety considerations of the Ohio DOT electric vehicle [SAE PAPER 780160] 19 p0307 A78-33376

Test and evaluation of 23 electric vehicles for state-of-the-art assessment [SAE PAPER 780290] 19 p0307 A78-33382

TESTS

Ocean thermal Energy Conversion (OTEC) test facilities study program, volume 1 [SAN/1156-77/1-VOL-1] 17 p0120 N78-11507

TEXAS

On the relation between insolation and climatological variables. III - The relation between normal incidence solar intensity, total insolation, and weather at Fort Hood, Texas. IV - Construction of a model year of solar intensity and climate 19 p0322 A78-35781

Strategic petroleum reserve: Byron Mound salt dome, draft supplement [PB-270108/4] 17 p0119 N78-11256

Strategic petroleum reserve: Final environmental impact statement for Kleer Mine [FES-77-2] 19 p0387 N78-22439

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 1: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-1] 19 p0390 N78-22487

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 2, appendices A and B: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-2] 19 p0391 N78-22488

Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 4, appendices D-S: West Hackberry expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-4] 19 p0391 N78-22490

Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas. [TID-18040] 19 p0429 N78-25630

Homopolar generator development at the University of Texas [ORO-5594-7] 19 p0467 N78-27922

TEXTILES

Feasibility evaluation: Solar heated textile process water [SRO-0885-75/1] 19 p0428 N78-25621

TEXTURES

TEXTURES

- Processing ramifications of textured surfaces ---
of silicon wafers for solar cells 17 p0016 A78-10949

THEMATIC MAPPING

- Mapping offshore oil leases --- interactive
computer graphics [LA-UR-77-2892] 19 p0456 W78-27500

THERMAL ABSORPTION

- Mass and energy transfer in a hot liquid energy
storage system 17 p0050 A78-11302
- Fundamental studies of direct contact latent heat
energy storage 17 p0051 A78-11306

- Selective absorption of solar energy in granular
metals - The role of particle shape 19 p0369 A78-41910

- Thermal performance of honeywell double covered
liquid solar collector [NASA-CR-150505] 18 p0249 W78-17472

- Site dependent factors affecting the economic
feasibility of solar powered absorption cooling [NASA-CR-150533] 18 p0255 W78-18524

- Indoor test for thermal performance evaluation of
the Solaron (air) solar collector [NASA-CR-150572] 18 p0268 W78-19652

THERMAL BATTERIES

- Study of diffusion processes in low-temperature
thermal elements --- for solar energy conversion 19 p0326 A78-36135

- Output power and lifetime of high-voltage,
low-temperature thermoelectric batteries 19 p0330 A78-36854

- European developments in the Na/S high temperature
battery for automobile propulsion and energy storage [AD-A042541] 17 p0120 W78-11501

- High energy density pelletized aluminum chloride
thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 W78-11502

THERMAL COMFORT

- Energy conservation and thermal comfort in a New
York City high rise office building 19 p0311 A78-34380

THERMAL CONDUCTIVITY

- Downhole measurements of thermal conductivity in
geothermal reservoirs [ASME PAPER 77-PET-23] 17 p0076 A78-15079

- Techniques for reducing thermal conduction and
natural convection heat losses in annular
receiver geometries --- for solar collectors 19 p0294 A78-33029

- Investigation of the effective thermal
conductivity of metal-fiber wicks in
low-temperature heat pipes 19 p0308 A78-33573

- A variable conductance heat pipe for terrestrial
applications [AIAA 78-377] 19 p0317 A78-35578

- Technical applications of heat pipes [AIAA 78-396] 19 p0318 A78-35589

- Classical diffusion in large-aspect toroidal plasmas 19 p0382 A78-42482

THERMAL CONTROL COATINGS

- Analytical investigation of thermal barrier
coatings for advanced power generation
combustion turbines [ASME PAPER 77-WA/ENR-13] 19 p0298 A78-33151

- Converter of solar radiation to thermal energy
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings 19 p0335 A78-37946

THERMAL CYCLING TESTS

- Sea thermal power cycles 19 p0306 A78-33348

THERMAL DEGRADATION

- Fuels from wood waste 18 p0198 A78-27810
- Thermal deformations of solar concentrators 19 p0335 A78-37945

- Oil shale retorting - Effects of particle size and
heating rate on oil evolution and intraparticle
oil degradation 19 p0367 A78-41521

SUBJECT INDEX

THERMAL DIFFUSION

- An estimate of the impact of OTEC operation on the
vertical distribution of heat in the Gulf of
Mexico 19 p0302 A78-33317

- Dynamic models of house heating based on
equivalent thermal parameters 19 p0456 W78-27517

THERMAL DIFFUSIVITY

- Heat transfer in a dense layer at large Biot numbers 19 p0335 A78-37912

THERMAL DISSOCIATION

- The thermodynamics of a fuel cell aggregate
involving thermal-catalytic methanol decomposition 17 p0074 A78-14497

- Use of solar energy for direct and two-step water
decomposition cycles 17 p0080 A78-16048

- High temperature, stable, spectrally selective
solar absorbers for thermochemical hydrogen
production 17 p0080 A78-16049

- Water dissociation by a thermochemical cycle - A
thermodynamic analysis of principles and
efficiencies 19 p0340 A78-38893

- The thermochemical dissociation of water 17 p0123 W78-12163

THERMAL ENERGY

- Storage of off-peak thermal energy in oil 17 p0029 A78-11078

- A cellwise method for the optimization of large
central receiver systems --- solar collectors 17 p0053 A78-11330

- Nitinol engine development --- Ni-Ti alloy for
thermal-to-mechanical energy converter 17 p0056 A78-11348

- Survey of the applications of solar thermal energy
systems to industrial process heat 17 p0058 A78-11370

- A solar collector for industrial and commercial
applications 17 p0058 A78-11371

- Optimization of a fixed solar thermal energy
collector 17 p0059 A78-11380

- Evaluation of an optimized solar thermal collector
by a new method 17 p0060 A78-11381

- Prospects for geothermal energy applications and
utilization in Canada 17 p0067 A78-13343

- Volcanoes as a source of geothermal energy 17 p0067 A78-13346

- Estimating the potential of a solar-to-thermal
collector industry 17 p0070 A78-13851

- Basis of cheap energy --- economic nuclear-thermal
energy distribution systems 17 p0102 A78-19244

- The construction of long-distance thermal-energy
supply systems in Mannheim within the framework
of a demonstration project 17 p0102 A78-19245

- Unconventional types of power-heat coupling 17 p0102 A78-19246

- The block heating power station - Characteristics
and first experience 17 p0103 A78-19247

- Thermo-hydraulic energy from the sea 18 p0225 A78-31274

- Survey of atomic energy planning taking into
account the production of energy in addition to
electricity 18 p0227 A78-31474

- Steady metal combustor as a closed thermal energy
source 18 p0233 A78-32141

- A scheme of low powered thermal energy conversion
for satellite manoeuvres [AIAA PAPER 78-690] 19 p0293 A78-32762

- On the study of applications of solar thermal
energy for mobile home park and community 19 p0296 A78-33040

- High temperature thermal energy storage, including
a discussion of TES integrated into power plants
--- Book 19 p0311 A78-34468

SUBJECT INDEX

THERMAL MAPPING

Marine thermic energy and the combination of solar, radiative and aeolian energies
19 p0328 A78-36623

Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ --- German book
19 p0328 A78-36650

Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings
19 p0335 A78-37946

Investigation of the dynamics of melting processes in a solar furnace
19 p0336 A78-37949

Application of solar energy to a solvent reclamation system
19 p0338 A78-38426

Research and Product Development programme in the area of solar thermal energy
19 p0370 A78-42108

Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power [ORNL/TM-5821]
17 p0115 N78-10588

Survey of the applications of solar thermal energy systems to industrial process heat. Volume 1: Summary
17 p0153 N78-14656

Integration of solar thermal power plants into electric utility systems
17 p0154 N78-14666

Integration of solar thermal power plants into electric utility systems
17 p0154 N78-14667

Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 2: Phase change TES sizing computer program
17 p0162 N78-15586

Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 3: Thermochemical TES sizing computer program
17 p0162 N78-15587

Technical and economic assessment of phase change and thermochemical advanced thermal energy storage (TES) systems. Volume 4: Solar Power Plant Operation, analysis computer program
18 p0242 N78-16462

Thermal energy storage
18 p0255 N78-18520

Analysis of requirements for accelerating the development of geothermal energy resources in California
18 p0256 N78-18528

Ocean thermal energy conversion: Legal, political, and institutional aspects
18 p0261 N78-18568

Trenton ICES, volume 1, phase 1
18 p0287 N78-21639

Molten salt thermal energy storage systems
19 p0405 N78-24618

Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design
19 p0409 N78-24672

Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3
19 p0409 N78-24673

Solar pilot plant, phase 1, preliminary design report. Volume 2, book 2: Central receiver optical model users manual, CDBL item 2
19 p0424 N78-25583

Solar pilot plant, phase 1, preliminary design report. Volume 2, book 3: Dynamic simulation model and computer program descriptions, CDBL item 2
19 p0424 N78-25584

Solar pilot plant, phase 1, preliminary design report. Volume 3: Collector subsystem, CDBL item 2
19 p0424 N78-25585

Solar pilot plant, phase 1, preliminary design report. Volume 6: Electrical power generation; master control subsystems; balance of plant CDBL item 2
19 p0424 N78-25586

Heat extraction system of the Perm thermal electric power plant
19 p0426 N78-25599

Commercial applications of solar total energy systems
19 p0427 N78-25613

A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 7: Thermal energy storage and publication list, 7.1 Thermal energy storage, 7.2 List of general motors Stirling engine publications
19 p0440 N78-26326

Thermal energy storage for road vehicle propulsion
19 p0440 N78-26329

Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies
19 p0440 N78-26330

Analysis of the failure of the nickel tank used for LiOH thermal energy storage for the Calvair automobile
19 p0440 N78-26332

Thermal energy storage--Stirling engine power plants 2. Calculated energy transfer rates from solidifying lithium fluoride to a plain-tube heater
19 p0440 N78-26334

Dynamic models of falling film evaporators for ocean thermal energy conversion plants
19 p0447 N78-26591

Proceedings of the Alternate Energy Systems Seminar [NASA-CR-157255]
19 p0457 N78-27522

Geothermal systems
19 p0457 N78-27524

Solar thermal systems
19 p0457 N78-27526

Utilization of waste heat in trucks for increased fuel economy
19 p0458 N78-27532

Molten-salt thermal-energy storage systems
19 p0460 N78-27556

THERMAL EXPANSION
High temperature heat pipes for terrestrial applications
19 p0318 A78-35615

Patent application. Variable-volume engine --- using natural heat sources
19 p0408 N78-24660

THERMAL FATIGUE
Analysis of the thermal fatigue induced by DNB oscillations in the MDAC Rocketdyne pilot and commercial plant solar receiver designs
19 p0431 N78-25642

THERMAL INSTABILITY
Electrical and thermal instabilities and their suppression in thermally equilibrium HED plasma
18 p0192 A78-26622

THERMAL INSULATION
Heat losses from solar energy absorbers enclosed in glass tubes
17 p0044 A78-11234

Thermal mass and headwalls in two new buildings --- for solar energy storage
17 p0048 A78-11276

Construction physics for solar houses
17 p0071 A78-14094

Thermal-engineering preliminaries for the retrofitting of old houses to solar-energy utilization
18 p0213 A78-28583

Refractory periclase materials and means of using them in high-temperature power plants
19 p0328 A78-36566

Poikoidal field coil design for a fusion-fission breeder reactor
19 p0354 A78-39977

THERMAL MAPPING
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington
19 p0387 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region
19 p0394 N78-23499

- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] 19 p0394 N78-23500
- THERMAL POLLUTION**
Re-circulating power, unit costs and thermal pollution of fusion power stations 18 p0189 A78-26372
Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River 19 p0313 A78-34905
- THERMAL PROTECTION**
Blanket structure design for JAERI Experimental Fusion Reactor 19 p0357 A78-40041
Protection of walls from hard disruptions in large tokamaks 19 p0379 A78-42214
- THERMAL RADIATION**
Thermophotovoltaic systems for electrical energy conversion 17 p0023 A78-11031
- THERMAL REACTORS**
A fluidized bed solar reactor - A thermochemical application 18 p0165 A78-20623
- THERMAL RESISTANCE**
The analysis, design and thermal performance testing of a heat pipe flat plate collector 17 p0042 A78-11214
Direct heat pipe cooling of semiconductor devices [AIAA 78-450] 19 p0319 A78-35626
- THERMAL RESOURCES**
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- THERMAL SIMULATION**
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 MWT MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496
Indoor test for thermal performance evaluation of the Solaron (air) solar collector [NASA-CR-150572] 18 p0268 N78-19652
- THERMAL STABILITY**
New materials for coal liquefaction --- catalysts 18 p0190 A78-26581
Investigation of gas-controlled cryogenic heat pipes 18 p0221 A78-30495
A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters 19 p0373 A78-42134
- THERMAL STRESSES**
Stress response investigations related to in-situ gasification of coal [ASME PAPER 77-PET-25] 17 p0077 A78-15083
- THERMIONIC CONVERTERS**
Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112
Experiments with enhanced mode thermionic converters 18 p0218 A78-29636
Thermionic emission from electrodes with raised surfaces in a thermionic converter 18 p0224 A78-31011
Thermionic energy conversion topping system --- utilization of waste energy from steam generators [ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144
Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler 19 p0340 A78-38933
The problem of optimizing the output characteristics of an ideal thermionic converter 19 p0341 A78-38934
ERDA/NASA advanced thermionic technology program [COO-3056-20] 17 p0120 N78-11504
Advanced Thermionic Technology Program [NASA-CR-155299] 17 p0143 N78-13599
ERDA/NASA advanced thermionic technology program [NASA-CR-157117] 19 p0409 N78-24674
Lithium and potassium heat pipes for thermionic converters [NASA-TM-78946] 19 p0441 N78-26390
Performance of a thermionic converter module utilizing emitter and collector heat pipes [NASA-TM-78941] 19 p0454 N78-27174
- THERMIONIC EMISSION**
Thermionic emission from electrodes with raised surfaces in a thermionic converter 18 p0224 A78-31011
- THERMIONIC EMITTERS**
Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563
Lithium and potassium heat pipes for thermionic converters [NASA-TM-78946] 19 p0441 N78-26390
Performance of a thermionic converter module utilizing emitter and collector heat pipes [NASA-TM-78941] 19 p0454 N78-27174
- THERMIONIC POWER GENERATION**
Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338
Performance and cost evaluation for a thermionic topping power plant [ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
ERDA/NASA advanced thermionic technology program [COO-3056-20] 17 p0120 N78-11504
Advanced Thermionic Technology Program [NASA-CR-155299] 17 p0143 N78-13599
High-temperature, high-power-density thermionic energy conversion for space [NASA-TM-73844] 17 p0147 N78-13890
Optimize out-of-core thermionic energy conversion for nuclear electric propulsion [NASA-TM-73892] 18 p0252 N78-17856
High temperature heat pipe research at NASA Lewis Research Center [NASA-TM-78832] 19 p0393 N78-23384
- THERMISTORS**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington [E78-10121] 19 p0394 N78-23498
- THERMOCHEMICAL PROPERTIES**
Status of the DOE/STOR/-sponsored national program on hydrogen production from water via thermochemical cycles 18 p0217 A78-29331
- THERMOCHEMISTRY**
Chemical geothermometers and mixing models for geothermal systems 17 p0062 A78-11491
Combustion --- Book 17 p0080 A78-15951
Thermodynamics of thermochemical cycles in the decomposition of water 17 p0098 A78-18833
Thermochemical hydrogen production - Engineering efficiency and economics 17 p0099 A78-18834
Design and evaluation of thermochemical cycles - The work performed at J.R.C. Ispra establishment 17 p0099 A78-18835
Chemistry of thermochemical cycles from United States hydrogen programme - Thermochemical hydrogen production: Chemistry and thermochemical efficiency --- for hydrogen production 17 p0100 A78-18849
Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry 17 p0101 A78-18850
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process 18 p0174 A78-22867
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. II - The methanol water splitting cycle 18 p0174 A78-22868
Biomass - Progress and plans --- fermentation, thermochemical conversion and methane production 18 p0182 A78-24764
Solar production of hydrogen 18 p0201 A78-27868
Thermochemical energy transport costs for a distributed solar power plant 19 p0312 A78-34515

SUBJECT INDEX

THERMODYNAMIC PROPERTIES

Water dissociation by a thermochemical cycle - A thermodynamic analysis of principles and efficiencies 19 p0340 A78-38893

Thermochemistry of the reactions of the metals Nb, V, and Mo with the residual gases of a vacuum 19 p0379 A78-42227

Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859

Investigation of sulfur based thermochemical cycles for hydrogen production by water decomposition 17 p0123 N78-12160

Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 2: Phase change TES sizing computer program [EPRI-EM-256-VOL-2] 17 p0162 N78-15586

Technical and economic assessment of phase change and thermochemical advanced Thermal Energy Storage (TES) systems. Volume 3: Thermochemical TES sizing computer program [EPRI-EM-256-VOL-3] 17 p0162 N78-15587

Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen 18 p0247 N78-17166

Status of European thermochemical hydrogen programs [IA-UR-77-2985] 19 p0446 N78-26583

Molten carbonate fuel cell research at OENL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy. [ORNL/TM-6168/V2] 19 p0448 N78-26601

Thermochemical energy storage systems: A review [SAND-77-8051] 19 p0460 N78-27557

THERMODYNAMIC CYCLES

The Gas Turbine HTGR plant with a binary cycle 17 p0029 A78-11083

Theoretical modeling of an ammonia/water absorption cycle with solar energy storage 17 p0046 A78-11250

A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323

Application of direct contact heat exchangers in geothermal systems [ASME PAPER 77-HT-3] 17 p0089 A78-17478

Thermodynamics of thermochemical cycles in the decomposition of water 17 p0098 A78-18833

Steady metal combustor as a closed thermal energy source 18 p0233 A78-32141

Steam bottoming plants for combined cycles 19 p0296 A78-33102

Alternative automobile engines 19 p0367 A78-41466

Solar energy operated oscillating heat engine 19 p0376 A78-42162

The thermochemical dissociation of water 17 p0123 N78-12163

THERMODYNAMIC EFFICIENCY

Analysis of closed cycle Brayton systems for solar electric power generation 17 p0053 A78-11324

Some results of an experimental study of the Stirling engine --- in solar energy systems 17 p0064 A78-12391

Heat optimization for solar power plants - Concentration of radiation and the temperature of the working medium 17 p0064 A78-12392

Heat pump application in houses 17 p0068 A78-13452

The thermodynamics of a fuel cell aggregate involving thermal-catalytic methanol decomposition 17 p0074 A78-14497

Pulverized coal-pressure gasification with air as a topping stage for the combined gas/steam turbine process 17 p0074 A78-14498

Collection properties of generalized light concentrators 17 p0080 A78-16093

Thermochemical hydrogen production - Engineering efficiency and economics 17 p0099 A78-18834

Some problems in the operational analysis of a hydrogen-fueled gas turbine 18 p0186 A78-25637

Thermal optimization of compact solar water heaters 18 p0206 A78-28172

Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388

Some results of an experimental investigation of a Stirling engine --- in solar energy systems 19 p0331 A78-36868

Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature 19 p0332 A78-36869

Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7] 19 p0345 A78-39776

A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors 19 p0354 A78-39978

Mechanical and thermal design of a gas-cooled fusion blanket module 19 p0357 A78-40040

Performance characteristics of compressed air energy storage systems 19 p0364 A78-40823

A suggestion for improving the heat transfer from solar heaters 19 p0374 A78-42146

A 400 kW high temperature solar test facility 19 p0384 A78-42894

A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 N78-11154

Indoor test for thermal performance evaluation of Libbey-Owens-Ford solar collector --- using a solar simulator [NASA-CR-150508] 18 p0249 N78-17474

Analysis of data and results for the round-robin flat-plate collector test program [PB-275576/7] 18 p0289 N78-21655

Indoor test for thermal performance evaluation on the Sunworks (air) solar collector [NASA-CR-150666] 19 p0405 N78-24613

Outdoor thermal efficiency evaluation of the Ying solar collector [NASA-CR-150675] 19 p0405 N78-24614

Development of an improved high efficiency thin silicon solar cell [NASA-CR-157058] 19 p0408 N78-24654

THERMODYNAMIC EQUILIBRIUM

Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma 18 p0192 A78-26622

Catalytic gasification of coal with high-pressure steam 18 p0227 A78-31497

Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres [EPRI-PP-539] 19 p0445 N78-26574

THERMODYNAMIC PROPERTIES

Method for taking account of the effect of chemical kinetics on the thermodynamic properties of the working fluid in a supersonic MHD generator 18 p0168 A78-22137

Thermal properties of battery systems 18 p0233 A78-32232

Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators 19 p0315 A78-35091

Thermal optical surface properties and high-temperature solar energy conversion [AIAA PAPER 78-903] 19 p0324 A78-36021

Determination of the thermodynamic parameters of a thermal compressor --- for solar energy conversion 19 p0331 A78-36856

Stationary and dynamic behavior of heat pipes 19 p0364 A78-40864

Development of working fluid thermodynamic properties information for geothermal cycles; phase 1 [ORO-5249-1] 17 p0143 N78-13600

Coso geothermal corrosion studies [AD-A045511] 17 p0147 N78-13681

- Characteristics and combustion of future hydrocarbon fuels --- aircraft fuels [NASA-TN-78865] 19 p0403 N78-24370
- Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C] 19 p0410 N78-24685
- Heat pipes, volume 2. Citations from the engineering index data base [NTIS/PS-78/0303] 19 p0417 N78-25382
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies [GMR-2690-PT-2] 19 p0428 N78-26262
- THERMODYNAMICS**
- Reversible thermodynamics of the airlift pump 18 p0235 A78-32503
- Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods 19 p0313 A78-34603
- Study of the thermodynamics of coal gasification 19 p0337 A78-38200
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems 19 p0344 A78-39465
- Thermodynamics and energy policy [ORAU/LEA(M)-77-18] 18 p0287 N78-21643
- Thermodynamic analysis of a tin-steamed LHMHD system [AD-A052395] 19 p0409 N78-24669
- Heat pipes, volume 3. Citations from the engineering index data base [NTIS/PS-78/0304] 19 p0417 N78-25383
- THERMOELECTRIC COOLING**
- Investigation of an ejector heat pump 17 p0124 N78-12361
- THERMOELECTRIC GENERATORS**
- The evening out of hot junction temperatures in solar thermoelectric generators by a disk method 17 p0106 A78-20423
- Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling 18 p0166 A78-21030
- Indices and areas of application of gas-turbine-driven thermal power plants 18 p0193 A78-27096
- Utilisation of solar energy by thermoelectric generators 19 p0373 A78-42133
- A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters 19 p0373 A78-42134
- Selenide isotope generators [CONF-770302-1] 17 p0114 N78-10581
- Solar thermoelectric generators [NASA-CR-157097] 19 p0407 N78-24645
- Prediction of thermoelectric battery power and voltage for a 15 year lifetime HB-75 mW (B) battery [GA-A-14718] 19 p0446 N78-26576
- THERMOELECTRIC MATERIALS**
- On some new criteria of efficiency of thermoelectric materials 17 p0106 A78-20200
- The role of macrorelief of semiconductor branches during their commutation in thermoelements --- semiconductor-metal contacts for thermoelectric solar batteries 18 p0187 A78-25736
- Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705
- Utilisation of solar energy by thermoelectric generators 19 p0373 A78-42133
- THERMOELECTRIC POWER GENERATION**
- On some new criteria of efficiency of thermoelectric materials 17 p0106 A78-20200
- Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349
- Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427
- Development and fabrication of a diffusion welded Columbian alloy heat exchanger --- for space power generation [AIHE PAPER A78-61] 18 p0228 A78-31500
- Power system economics - On selection of engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- Preliminary results on the conversion of laser energy into electricity 19 p0313 A78-34631
- Study of diffusion processes in low-temperature thermal elements --- for solar energy conversion 19 p0326 A78-36135
- Thermoelectric power and ac conductivity of A-type Nd2O3 19 p0332 A78-36964
- TELEC laser experiment [NASA-CR-152077] 18 p0247 N78-17251
- Conceptual design of a heat pipe radiator [LA-6939-MS] 18 p0273 N78-20471
- A review of the thermoelectronic laser energy converter (TELEC) program at Lewis Research Center [NASA-TN-73888] 18 p0281 N78-21441
- Small Power Systems Solar Electric Workshop Proceedings. Volume 1: Executive report. Volume 2: Invited papers [NASA-CR-156165] 18 p0283 N78-21599
- THERMOGRAVIMETRY**
- Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances 19 p0367 A78-41795
- THERMOHYDRAULICS**
- Experimental investigation and computer modeling of a solar natural circulation system 17 p0044 A78-11236
- Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling 18 p0166 A78-21030
- Study of the driving forces of heat and mass transfer in a nozzle reflux device for heating air by water 18 p0172 A78-22543
- Solar house Roehrenkirchen --- heating and hot water system 18 p0179 A78-24345
- Integration of solar-energy designs with existing heating systems 18 p0213 A78-28586
- Aqueous heat-carrying liquids for solar houses 18 p0213 A78-28587
- Calculation of the drag of a cylindrical pebble-type heat retainer --- for solar energy accumulation 18 p0215 A78-28899
- Thermal hydraulic analyses of two fusion reactor first wall/blanket concepts --- lithium cooled reactor experiment hydraulic equipment [CONF-771029-178] 19 p0434 N78-25930
- THERMONUCLEAR POWER GENERATION**
- Commercial application of laser fusion 17 p0004 A78-10605
- The present status of fusion power 17 p0028 A78-11075
- Vacuum pumping for controlled thermonuclear reactors 17 p0038 A78-11163
- An approach for determining the impact of peak coolant temperature on fusion reactor size and electricity costs [ASME PAPER 77-HT-73] 17 p0090 A78-17501
- Status report on controlled thermonuclear fusion 17 p0106 A78-20360
- Problem of the vulnerability of materials to radiation in relation to atomic and thermonuclear power engineering 18 p0180 A78-24748
- Some economic and environmental consequences of fusion power 18 p0184 A78-25302
- Aerospace aids fusion power concept 19 p0339 A78-38775
- Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673
- High-voltage high-current breaker and closer for power systems with inductive storage devices [UCRL-TRANS-11310] 19 p0454 N78-27344

THERMONUCLEAR REACTIONS

- Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384
- Thermo-nuclear fusion plasma produced by CO2 laser 19 p0362 A78-40385

THERMOPHYSICAL PROPERTIES

- Rock properties for thermal energy storage systems in the 0 to 500 C range 17 p0051 A78-11308
- Two-dimensional temperature distribution in a ceramic-based electrode --- for MHD channels 18 p0173 A78-22806
- Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190
- High-temperature materials for MHD generators --- Russian book 19 p0328 A78-36551

THERMOPILES

- Output power and lifetime of high-voltage, low-temperature thermoelectric batteries 19 p0330 A78-36854

THERMOPLASTIC FILMS

- Performance of Loran vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219

THERMOSIPHONS

- Experimental investigation and computer modeling of a solar natural circulation system 17 p0044 A78-11236
- Analytical and experimental study of thermosiphon solar water heaters 17 p0045 A78-11237
- Installation package maxi-therm S-101 heating module [NASA-CR-150512] 18 p0274 A78-20602
- Preliminary design package for maxi-therm heat exchanger module [NASA-CR-150620] 19 p0389 A78-22473

THETA PINCH

- Plasma stabilization requirements of the Reference Theta-Pinch Reactor /BTPB/ 17 p0041 A78-11193
- Measurement of a theta-pinch plasma by holographic interferometry 18 p0192 A78-26624
- Production of fusion energy by vortex structure compression 19 p0338 A78-38419
- Finite Larmor radius equations in an arbitrary near-theta pinch geometry 19 p0362 A78-42491

THICK FILMS

- Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947

THICKNESS

- Coil thickness gauge using ERAS techniques, part 1 --- radiofrequency resonance absorption [NASA-CR-150625] 18 p0273 A78-20573

THIN FILMS

- Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- Efficiency calculations for thin film polycrystalline semiconductor Schottky barrier solar cells 17 p0013 A78-10920
- High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 A78-10944
- The relationships between preparation parameters, operating characteristics and physical processes in Cu₂S-CdS thin film solar cells 17 p0017 A78-10971
- An automatable integrated thin film solar cell array 17 p0017 A78-10972
- Variation of short-circuit current spectral response with Cu₂-x/S composition in thin film Cu₂-x/S/CdS photovoltaic cells 17 p0017 A78-10973
- Characteristics of chalcocite /Cu₂x/S/ films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977
- The formation of Cu₂S thin films for CdS solar cells by sulfurization of copper with thiourea 17 p0018 A78-10980

CdS sprayed thin films - Electrical and optical properties 17 p0018 A78-10981

Thin film heterojunction and homojunction solar cells utilizing I-III-VI₂ ternary compound semiconductors 17 p0018 A78-10984

Indium phosphide films deposited by cylindrical magnetron reactive sputtering 17 p0019 A78-10987

Solar cells using Schottky barriers on amorphous silicon 17 p0025 A78-11045

Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049

Experimental study of the interface properties of MOS tunnel devices 17 p0026 A78-11053

Improved GaAs solar cells with very thin junctions 17 p0026 A78-11057

High efficiency thin window Ga_{1-x}Al_x/As/GaAs solar cells 17 p0027 A78-11065

Rheotaxy for large grain thin film solar cell fabrication 17 p0027 A78-11067

Thin film CrO₂/x/ selective absorbers stable above 500 C 17 p0045 A78-11239

Low cost, high efficiency solar cells using indium-tin oxide on semiconductor /OSOS/ solar cells 17 p0054 A78-11334

Silicon films as selective absorbers for solar energy conversion 17 p0070 A78-13905

Solar cells for terrestrial applications 17 p0083 A78-16826

Improvements in the design of solar selective thin film absorbers 18 p0168 A78-22018

Thin Pt and Pd silicide Schottky barriers for silicon solar cells 18 p0171 A78-22267

Thin-film black-white coatings for the receivers of solar energy installations 18 p0215 A78-28897

Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427

Anomalous temperature dependence observed on the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures 18 p0222 A78-30644

Polycrystalline thin film CdS/CdTe solar cells 18 p0225 A78-31210

Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu₂S photovoltaic cells 18 p0228 A78-31730

The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008

Cu₂x/S/CdS thin-film solar cells using chemically sprayed CdS films 19 p0309 A78-34009

American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., November 8-11, 1977, Proceedings 19 p0324 A78-36030

Optical properties of selectively absorbing metal/insulator composite films 19 p0324 A78-36032

Structure and morphology of chemical-sprayed CdS films 19 p0325 A78-36036

Thin film CdS-CuI heterojunction photocells 19 p0333 A78-37260

Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS-Cr₂O₃ system 19 p0333 A78-37261

Technology of Cu₂S-CdS solar cells - German state-of-the-art 19 p0373 A78-42127

Ternary compound thin film solar cells-2 [PB-270029/2] 17 p0121 A78-11515

THIN PLATES

SUBJECT INDEX

Indium phosphide/cadmium sulfide thinfilm
terrestrial solar cells
[ALO/3717-1] 19 p0462 N78-27581

THIN PLATES
Development of an improved high efficiency thin
silicon solar cell
[NASA-CR-157058] 19 p0408 N78-24654

THIN WALLED SHELLS
The mechanical structure of the Joint European Torus
17 p0040 A78-11182

THRUST LOADS
Ball to separator contact forces in angular
contact ball bearings under thrust and radial
loads
[NASA-CR-2976] 18 p0281 N78-21469

THRUST MEASUREMENT
Tutorial, test measurement accuracy --- for gas
turbine engine performance
17 p0088 A78-17409
Thrust computing system applications to increase
engine life and provide fuel conservation
18 p0227 A78-31311

THYRISTORS
The new electric locomotives
18 p0179 A78-24378

TIDEPower
Status report on the alternative energy sources
17 p0061 A78-11489
The earth as a solar heat engine --- windpower
utilization, ocean thermal conversion, tidal
power, waterwave power and biomass conversion
18 p0223 A78-30745
Unconventional energy sources. A select
bibliography
[NCWTD-CHDST-BIB-6] 17 p0150 N78-14626

TILTING ROTORS
Effects of rotor location, coning, and tilt on
critical loads in large wind turbines
18 p0267 N78-19636

TIME DEPENDENCE
A Fokker-Planck analysis of photovoltaic systems
18 p0173 A78-22841
Time dependent study of eddy current loss in a
superconducting composite --- for Tokamak
toroidal field coils
19 p0355 A78-40007

TIME MEASUREMENT
Minority carrier lifetime measurement of silicon
solar cell
19 p0335 A78-37903

TIME RESPONSE
Thin silicon film p-i-n photodiodes with internal
reflection
18 p0205 A78-28142

TIN
Thermoelectric power of tin films at low
temperatures
18 p0217 A78-29427
Thermodynamic analysis of a tin-steamed LMHD system
[AD-A052395] 19 p0409 N78-24669

TIN OXIDES
Degradation of SnO₂/Si heterojunction solar cells
17 p0027 A78-11063
Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells
17 p0054 A78-11334
Anomalous temperature dependence observed on the
photovoltage of Se-based amorphous thin
film-SnO₂ heterostructures
18 p0222 A78-30644
Electrical and photovoltaic characteristics of
indium-tin oxide/silicon heterojunctions
19 p0315 A78-35282
SnO₂/Si solar cells - Heterostructure of
Schottky-barrier or MIS-type device
19 p0338 A78-38550

TIP DRIVEN ROTORS
Performance characteristics of
concentrator-augmented Savonius wind rotors
17 p0094 A78-18092

TITANIUM
Compatibility studies for the
ammonia-titanium-seawater system as related to
Ocean Thermal Energy Conversion
19 p0305 A78-33345

Friction and wear of selected metals and alloys in
sliding contact with AISI 440 C stainless steel
in liquid methane and in liquid natural gas
[NASA-TP-1150] 18 p0273 N78-20512
Some rate and modeling studies on the use of
iron-titanium hydride as an energy storage
medium for electric utility companies
[BNL-50667] 19 p0409 N78-24676

TITANIUM ALLOYS
Metal hydride development program at Brookhaven
National Library
[BNL-23574] 19 p0461 N78-27568

TITANIUM CHLORIDES
Development of a Ti/Fe redox couple flow battery
system
19 p0388 N78-22458

TITANIUM OXIDES
Radiative cooling of TiO₂ white paint
18 p0206 A78-28171
New TiO_x-MIS and SiO₂-MIS silicon solar cells
19 p0313 A78-34847
Temperature dependence of flatband potentials at
semiconductor-electrolyte interfaces --- in
solar cells
19 p0362 A78-40531

TOKAMAK DEVICES
Controllable homopolar motor-generator energy
storage for application in a fusion power reactor
17 p0007 A78-10680
Doublet IIA experiments --- plasma cross sections
in Tokamak fusion reactor
17 p0011 A78-10776
Shaping and compression experiments in a Tokamak
17 p0011 A78-10778
Reconnection of field lines and disruptive
instability in Tokamaks
17 p0011 A78-10796
Reactor costs and maintenance, with reference to
the Culham Mark II conceptual Tokamak reactor
design
17 p0011 A78-10872
Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
Vacuum pumping for controlled thermonuclear reactors
17 p0038 A78-11163
Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors
17 p0038 A78-11167
The UWMAK-II study and magnet design
17 p0038 A78-11169
Poloidal field for a 1.7 MA Tokamak - Comparison
between an iron core and an air core transformer
17 p0039 A78-11170
The transformer design for a proposed technical
feasibility Tokamak reactor
17 p0039 A78-11171
Design, construction and operation of the DITE
divertor field system --- Divertor Injection
Tokamak Experiment
17 p0039 A78-11175
Studies on design and tests of superconductors for
Tokamaks
17 p0039 A78-11176
The practical feasibility of a bundle divertor for
a Tokamak power reactor
17 p0041 A78-11188
Technical limitations on conceptual Tokamak
reactors. II
17 p0041 A78-11194
Time and space resolved temperature measurements
of a limiter in a Tokamak discharge using an
infra red camera
17 p0041 A78-11200
Large Tokamak power supplies - A survey of
problems and solutions
17 p0041 A78-11205
Energy optimization of a cycled Tokamak
17 p0087 A78-17133
An approach for determining the impact of peak
coolant temperature on fusion reactor size and
electricity costs
[ASME PAPER 77-HT-73] 17 p0090 A78-17501
Tokamak fusion power reactors
17 p0103 A78-19600

- The use and performance of graphite and metal
ISSECS in tokamak fusion reactors --- Internal
Spectral Shifter and Energy Converter shield
18 p0195 A78-27579
- Controlled nuclear fusion, a challenge to the
engineer. II - Systems for fuel supply and fuel
removal, plasma heating, and vacuum generation
18 p0195 A78-27700
- The tokamak - Model T fusion reactor
18 p0217 A78-29620
- Mechanism for the ω pe/ radiation in Tokamaks
18 p0225 A78-31215
- G2M, a two-dimensional diffusion time scale
tokamak code
18 p0231 A78-32066
- Finite hybrid elements to compute the ideal
magnetohydrodynamic spectrum of an axisymmetric
plasma
18 p0231 A78-32067
- Fusion energy --- controlled fusion fundamentals
[ASME PAPER 77-WA/NE-1] 19 p0299 A78-33185
- Structural and mechanical design of tokamaks
[ASME PAPER 77-WA/NE-2] 19 p0299 A78-33186
- Tokamak reactors --- review
[ASME PAPER 77-WA/NE-3] 19 p0299 A78-33187
- TFTR vacuum system --- Tokamak Fusion Test Reactor
19 p0325 A78-36046
- Technoeconomic estimates of a possible
thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
- A small tokamak 'Nova II'
19 p0327 A78-36319
- Wall stabilization of axisymmetric modes in
noncircular tokamak plasmas
19 p0332 A78-37143
- Mode mixing of large scale fluctuations in JFT-2
tokamak
19 p0332 A78-37147
- Aerospace aids fusion power concept
19 p0339 A78-38775
- Plasma edge cooling during RF heating
19 p0342 A78-39389
- TFTR Toroidal Field coil design --- Tokamak Fusion
Test Reactor
19 p0345 A78-39785
- Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- Design of the TEXT toroidal and poloidal field coils
--- Texas fusion plasma research tokamak
19 p0345 A78-39790
- Stress and deflection analysis of the PLT-coil
using ANSYS computer code
19 p0346 A78-39792
- Impact of confinement physics on reactor design
and economics
19 p0346 A78-39794
- An approach to decision modeling for an ignition
test reactor --- The Next Step Tokamak design
19 p0346 A78-39797
- Tritium systems preliminary design for TNS ---
Tokamak Next Step with fuel reprocessing
19 p0346 A78-39798
- Control system of plasma position and
cross-sectional shape in large tokamak device
19 p0346 A78-39800
- Engineering features of ISX-B --- Tokamak reactor
design
19 p0347 A78-39802
- TMX - A new facility --- Tandem Mirror Experiment
fusion reactor design
19 p0347 A78-39805
- Toroidal field ripple effects in TNS design ---
computer simulation model for Tokamak
19 p0347 A78-39810
- Hybrid equilibrium field coils for the ORNL TNS
19 p0347 A78-39812
- Advantages of iron core in a tokamak
19 p0347 A78-39814
- Direct energy conversion of exhaust fusion plasma
by magnetic deflection
19 p0348 A78-39815
- Impurity and gas throughput control for TNS ---
The Next Step tokamaks
19 p0348 A78-39822
- Design related R&D assessment for TNS --- tokamak
technology
19 p0349 A78-39877
- Engineering features of an upgradable ignition
test reactor
19 p0349 A78-39878
- Magnet conceptual design for a high field tokamak
reactor
19 p0349 A78-39884
- Economics of tokamak power systems
19 p0350 A78-39894
- Computational model for superconducting
toroidal-field magnets for a tokamak reactor
19 p0350 A78-39905
- Magnetic forces in the PDI toroidal field coils
19 p0350 A78-39908
- PDI PF power tests --- Princeton Divertor
Experiment tokamak Poloidal Field coil system
19 p0351 A78-39909
- Bending free toroidal shells for tokamak fusion
reactors
19 p0351 A78-39915
- Lateral support structure for constant tension
D-shaped coils in tokamak fusion devices
19 p0351 A78-39916
- Electrical design of TNS --- Next Step tokamak
19 p0351 A78-39918
- System engineering and design of a pulsed
homopolar generator power supply for the Texas
Experimental Tokamak
19 p0351 A78-39921
- Pulse coil concepts for the LCP facility --- Large
Coil Program to simulate tokamak coils
19 p0352 A78-39935
- The helium liquefier-refrigerator and distribution
system for the Large Coil Program Test Facility
--- tokamak toroidal magnetic coils
19 p0352 A78-39936
- Remote leak detection for the TFTR --- Tokamak
Fusion Test Reactor
19 p0352 A78-39939
- Cryogenic supplies for the TFTR neutral beam line
cryopanels --- Tokamak Fusion Test Reactor
19 p0352 A78-39951
- Cryopumping system for TFTR neutral beam injectors
19 p0352 A78-39952
- Voltage protection scheme for AG sets used to
drive inductive energy storage systems ---
Motor-Generator sets for Tokamaks
19 p0353 A78-39961
- THMP heating studies on Petula Tokamak --- Transit
Time Magnetic Pumping
19 p0354 A78-39969
- Parametric study of plasma startup systems for
tokamaks
19 p0354 A78-39971
- A lower hybrid heating system for an ignition
tokamak
19 p0354 A78-39972
- The Princeton neutral injection power supply system
19 p0354 A78-39975
- The TFTR neutral beam power system --- Tokamak
Fusion Test Reactor
19 p0354 A78-39976
- A tokamak hybrid blanket design
19 p0355 A78-39982
- Tritium handling trade studies and design options
for the GA/ANL TNS --- The Next Step tokamak
19 p0355 A78-39983
- Bundle divertor designs for the IIB advanced fuel
tokamaks
19 p0355 A78-39985
- CODAS - The proposed control and data acquisition
system for JET --- Joint European Torus
19 p0355 A78-39986
- An apparatus to examine pulsed parallel field
losses in large conductors --- of
superconducting magnetic coils in Tokamak
19 p0355 A78-40006
- Time dependent study of eddy current loss in a
superconducting composite --- for Tokamak
toroidal field coils
19 p0355 A78-40007
- Losses in a coil where the multifilamentary
composite is subjected to simultaneous
orthogonal and parallel induction variations ---
superconducting toroidal field magnet in Tokamak
19 p0356 A78-40008
- Fast ramp superconductor for ohmic heating coils
--- of Tokamak Next Step reactor
19 p0356 A78-40009

- Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks 19 p0356 A78-40013
- Magnetic field computations for ISX using GFUN-3D --- Impurity Study experiment iron core tokamak computerized design 19 p0356 A78-40019
- Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027
- Blanket structure design for JAERI Experimental Fusion Reactor 19 p0357 A78-40041
- Facility for the testing of the TFTR prototype neutral beam injector --- Tokamak Fusion Test Reactor 19 p0357 A78-40049
- A computer program for parameter studies of a neutral injection beam line 19 p0357 A78-40052
- PLT OH system operation --- Princeton Large Torus-Ohmie Heating 19 p0357 A78-40064
- A comparison between an air core and an iron core Ohmic Heating system for The Next Step --- tokamak 19 p0358 A78-40065
- Structural analysis of a two-component torus /TCT/ hybrid reactor first wall 19 p0358 A78-40072
- TFTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075
- Plasma engineering problems associated with superthermal fusion products 19 p0358 A78-40081
- Mechanical design and analysis for a EPR first wall/blanket/shield system --- for tokamak Experimental Power Reactor 19 p0359 A78-40095
- Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015
- Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- Shear stabilization of collisional drift instability 19 p0369 A78-42022
- International Symposium on Plasma Wall Interaction, Juelich, West Germany, October 18-22, 1976, Proceedings 19 p0377 A78-42201
- Recent results on plasma-wall interaction in the T. P. R. tokamak 19 p0377 A78-42202
- Divertors for impurity control and review of impurity effects in PPL tokamaks 19 p0377 A78-42203
- A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
- Energy flux and surface temperature measurements at surfaces in the DITE tokamak 19 p0377 A78-42205
- Wall analysis in TFR performed by QMASS --- Quantitative Wall Analysis by Auger and Secondary ion mass Spectroscopy 19 p0377 A78-42206
- Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI 19 p0378 A78-42209
- Surface and impurity studies in ORMAK and ISX --- tokamaks 19 p0378 A78-42210
- Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- Kinetic theory of plasma in the limiter-shadow region 19 p0378 A78-42212
- Screening property of the limiter shadow region for heavy wall impurities --- in tokamak 19 p0378 A78-42213
- Protection of walls from hard disruptions in large tokamaks 19 p0379 A78-42214
- The effect of electric field in the divertor scrape-off layer 19 p0379 A78-42215
- Neutral particle emission of the pulsator plasma during high-density discharges --- in tokamaks 19 p0379 A78-42216
- Models for impurity production and transport in tokamaks 19 p0379 A78-42217
- Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations 19 p0379 A78-42221
- On toroidal divertors for tokamaks 19 p0379 A78-42242
- First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245
- Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269
- Turbulence theory for the dissipative trapped electron instability --- in tokamak toroidal devices 19 p0382 A78-42487
- Major features of D-T Tokamak fusion reactor systems [EPRI-472-1] 17 p0147 A78-13903
- Fusion and fast breeder reactors [IIASA-RR-77-8] 18 p0278 A78-20941
- A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project) 18 p0278 A78-20942
- Commercial feasibility of fusion power based on the Tokamak concept [CONF-771109-55] 19 p0391 A78-22915
- Tokamak impurity report [DOE/ET-0001] 19 p0434 A78-25920
- Plasma driving system requirements for commercial Tokamak fusion reactors [CONF-771029-191] 19 p0434 A78-25923
- TOLERANCES (MECHANICS) Dynamic modeling and sensitivity analysis of solar thermal energy conversion systems 17 p0118 A78-11156
- TOROIDAL PLASMAS The poloidal field circuit in the Joint European Torus /JET/ 17 p0039 A78-11177
- Poloidal field equilibrium calculations for JET --- Joint European Torus 17 p0040 A78-11178
- Plan and design of ETL TFE-2 experiment --- toroidal screw pinch technique 17 p0040 A78-11180
- Damping of radial oscillation of a toroidal pinch plasma 18 p0192 A78-26708
- Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields 18 p0217 A78-29433
- Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma 19 p0310 A78-34237
- A small tokamak 'Nova II' 19 p0327 A78-36319
- Wall stabilization of axisymmetric modes in noncircular tokamak plasmas 19 p0332 A78-37143
- Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- Plasma edge cooling during RF heating 19 p0342 A78-39389
- TFTR Toroidal Field coil design --- Tokamak Fusion Test Reactor 19 p0345 A78-39785
- Design of the TEXT toroidal and poloidal field coils --- Texas fusion plasma research tokamak 19 p0345 A78-39790
- The Alcator C magnetic coil systems 19 p0346 A78-39791
- Stress and deflection analysis of the PIT-coil using ANSYS computer code 19 p0346 A78-39792
- Control system of plasma position and cross-sectional shape in large tokamak device 19 p0346 A78-39800

SUBJECT INDEX

TRANSFORMERS

- Engineering features of ISI-B --- Tokamak reactor design
19 p0347 A78-39802
- Design of an electrostatic end-plugged plasma-confinement device
19 p0347 A78-39806
- The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects --- Joint European Torus reactor design
19 p0349 A78-39887
- Economic analysis of EBT reactor --- Elmo Bumpy Torus
19 p0350 A78-39895
- Computational model for superconducting toroidal-field magnets for a tokamak reactor
19 p0350 A78-39905
- Magnetic forces in the PDI toroidal field coils
19 p0350 A78-39908
- Electrical design of TNS --- Next Step tokamak
19 p0351 A78-39918
- Design of the ZT-40 power crowbar system --- for toroidal Z pinch current maintenance
19 p0353 A78-39957
- Parametric study of plasma startup systems for tokamaks
19 p0354 A78-39971
- CODAS - The proposed control and data acquisition system for JET --- Joint European Torus
19 p0355 A78-39986
- Losses in a coil where the multifilamentary composite is subjected to simultaneous orthogonal and parallel induction variations --- superconducting toroidal field magnet in Tokamak
19 p0356 A78-40008
- Magnetic field computations for ISI using GPUN-3D --- Impurity Study experiment iron core tokamak computerized design
19 p0356 A78-40019
- PLT OH system operation --- Princeton Large Torus-Ohaic Heating
19 p0357 A78-40064
- Structural analysis of a two-component torus /TCT/ hybrid reactor first wall
19 p0358 A78-40072
- Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas
19 p0369 A78-42015
- Divertors for impurity control and review of impurity effects in PPL tokamaks
19 p0377 A78-42203
- On toroidal divertors for tokamaks
19 p0379 A78-42242
- The ambipolarity paradox in toroidal diffusion, revisited
19 p0380 A78-42259
- Classical diffusion in large-aspect toroidal plasmas
19 p0382 A78-42482
- Turbulence theory for the dissipative trapped electron instability --- in tokamak toroidal devices
19 p0382 A78-42487
- TOROIDAL SHELLS**
The mechanical structure of the Joint European Torus
17 p0040 A78-11182
- Design aspects of a large toroidal stabilizing shell and vacuum liner assembly
17 p0040 A78-11184
- Bending free toroidal shells for tokamak fusion reactors
19 p0351 A78-39915
- TOROIDS**
Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility --- tokamak toroidal magnetic coils
19 p0352 A78-39936
- TORUSES**
Vacuum vessel and pumping system of the J.E.T. experiment --- Joint European Torus
17 p0038 A78-11164
- Constructing the vacuum vessel for J.E.T. /Joint European Torus/
19 p0352 A78-39947
- TOWED BODIES**
Energetic evaluation of the hybrid tunnel principle and possibilities of efficiency improvement --- wind/tow tunnel combination
18 p0246 A78-17011
- TOWERS**
Twind wind mill --- blade and tower design
18 p0211 A78-28570
- Approximate method for calculating free vibrations of a large-wind-turbine tower structure
[NASA-TN-73754] 18 p0240 A78-16434
- Tower design considerations for the solar thermal central receiver systems
[SAND-77-8243] 18 p0242 A78-16459
- Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine
[NASA-TN-78853] 19 p0395 A78-23558
- TOXIC HAZARDS**
Hazardous wastes and energy recovery
17 p0032 A78-11112
- Toxicological aspects of the use of hydrogen in the future as main energy source
17 p0101 A78-18855
- The petroleum industry in the Delaware estuary
[PB-277962/7] 19 p0451 A78-26653
- TRACE CONTAMINANTS**
Emissions of trace elements from the combined firing of coal and RDF in a utility boiler --- Refuse-Derived Fuel
[APCA PAPER 77-37,6] 18 p0185 A78-25404
- TRACE ELEMENTS**
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant
17 p0001 A78-10062
- Pathways of trace elements in the environment
[CONF-770210-3] 17 p0146 A78-13644
- Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 A78-16499
- TRACING**
Remote leak detection for the TFTR --- Tokamak Fusion Test Reactor
19 p0352 A78-39939
- TRACKING (POSITION)**
Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system
17 p0058 A78-11372
- The linear Fresnel lens - Solar optical analysis of tracking error effects
17 p0059 A78-11375
- Solar energy collector orientation and tracking mode
17 p0104 A78-19827
- Efficiency of Fresnel lens solar collector
18 p0232 A78-32113
- A simulated comparison of the useful energy gain in a fixed and a fully tracking flat plate collector
19 p0323 A78-35800
- TRACTORS**
Solar energy for tractors
19 p0376 A78-42168
- TRADEOFFS**
Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system
[NASA-CR-137925] 17 p0109 A78-10035
- TRANSFER FUNCTIONS**
Experimental transfer function analysis of a dissipative and a reactive mode --- instability in magnetic mirror plasma
19 p0381 A78-42267
- TRANSFER ORBITS**
Propulsion options for orbital transfers in cis-lunar space
18 p0204 A78-27931
- TRANSFORMERS**
Poloidal field for a 1.7 MA Tokamak - Comparison between an iron core and an air core transformer
17 p0039 A78-11170
- The transformer design for a proposed technical feasibility Tokamak reactor
17 p0039 A78-11171
- Power conditioning systems for high-power, airborne, pulsed applications
18 p0174 A78-23412

TRANSIENT HEATING

Time and space resolved temperature measurements of a limiter in a Tokamak discharge using an infra red camera

17 p0041 A78-11200

The OPEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion

19 p0304 A78-33335

TRANSIENT LOADS

Study of the performance of flat plate collectors in the transient regime

19 p0384 A78-42892

TRANSIENT RESPONSE

Electromagnetic processes in ac/dc power converters. II - Symmetrical transient processes in power converters. III - Nonsymmetrical transient processes

18 p0217 A78-29625

An integral equation method to calculate the transient behaviour of a photovoltaic solar cell

19 p0292 A78-32695

Transient response to three-phase faults on a wind turbine generator [NASA-TM-78902]

19 p0442 A78-26542

TRANSISTOR CIRCUITS

Influence of the effect of storage on models of power cell dynamics

17 p0103 A78-19486

Pulse battery charger employing 1000 ampere transistor switches

18 p0231 A78-31974

Properties of a collectorless motor fed from a three-phase current-source

18 p0235 A78-32430

Transistor inverters for satellite onboard networks of higher power

19 p0365 A78-40865

TRANSIT SATELLITES

Positioning and navigation by satellite --- for marine operations

[AIAA 77-1553]

17 p0069 A78-13684

TRANSIT TIME

TMP heating studies on Petula Tokamak --- Transit Time Magnetic Pumping

19 p0354 A78-39969

TRANSITION FLOW

Influence of the nonuniformity of the field of force on the flow in an MHD channel

18 p0216 A78-28951

TRANSITION METALS

Silicon solar cells from transition metal doped Czochralski and web crystals

17 p0013 A78-10922

Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics

18 p0203 A78-27920

Materials for fuel cells

[PB-269518/7]

17 p0113 A78-10573

TRANSITION TEMPERATURE

Increasing the resources of jet fuels

17 p0062 A78-11699

TRANSMISSION EFFICIENCY

Hydrogen transmission - The significance of efficiency --- in comparison with conventional electric power system

17 p0009 A78-10736

TRANSMISSION LINES

Superconducting power transmission line materials research and conductor development

[SAN/0326-1]

19 p0416 A78-25342

TRANSMISSIONS (MACHINE ELEMENTS)

Optimal control of flywheel hybrid transmissions

[ASME PAPER 77-WA/AUT-3]

18 p0229 A78-31828

TRANSMITTANCE

Re-evaluation of flat plate solar panels in use for twenty years

17 p0043 A78-11225

An approximate equation for predicting the solar transmittance of transparent honeycombs --- flat plate collector efficiency

17 p0044 A78-11231

A correction procedure for separating direct and diffuse insolation on a horizontal surface

17 p0105 A78-19839

TRANSMITTER RECEIVERS

Supervisory and transmission system for the control of atmospheric pollution in areas surrounding thermoelectric plants

17 p0065 A78-12936

Solar power satellite system definition study, Part 3

[NASA-CR-151673]

18 p0272 A78-20164

TRANSMUTATION

Transmutation doping of silicon solar cells

17 p0137 A78-13539

TRANSPARENCY

Design factors for transparent conducting layers in solar cells

17 p0027 A78-11064

A study of the differential spectral absorption flat-plate solar collectors

17 p0048 A78-11275

TRANSPORT AIRCRAFT

Adaptation for economization, or adaptation for the economization of energy --- in transport aircraft design and operation

17 p0063 A78-12030

Energy savings - The viewpoint of an aircraft manufacturer

17 p0063 A78-12031

Current and future fuels for transport aircraft

17 p0096 A78-18669

The challenge of advanced fuel-conservative aircraft - A manufacturer's view

[AIAA PAPER 78-362]

18 p0178 A78-24034

Canadian Symposium on Energy Conserving Transport Aircraft, Ottawa, Canada, October 3, 4, 1977, Proceedings

18 p0226 A78-31301

The NASA Aircraft Energy Efficiency Program

18 p0226 A78-31302

Fuel saving potential of Mach 0.8 twin engine prop-fan transports

18 p0226 A78-31306

Fuel efficiency - Where we are heading in the design of future jet transports

18 p0226 A78-31307

The Liquid Hydrogen Option for the Subsonic Transport: A status report

[NASA-TM-74089]

17 p0109 A78-10306

Fuel conservation merits of advanced turboprop transport aircraft

[NASA-CR-152096]

18 p0279 A78-21095

Studies of advanced transport aircraft

[NASA-TM-78697]

19 p0413 A78-25047

CTOL transport technology, 1978 --- conferences

[NASA-CP-2036-PT-1]

19 p0453 A78-27046

Overview of NASA CTOL program

19 p0453 A78-27047

TRANSPORT PROPERTIES

Thermochemical energy transport costs for a distributed solar power plant

19 p0312 A78-34515

Sulfur budget of a power plant plume

19 p0366 A78-41275

Transport processes in Teflon-bonded fuel cell electrodes

17 p0135 A78-13524

Heat pipe development

[NASA-CR-156669]

18 p0238 A78-16327

Solar heat transport fluids for solar energy collection systems: A collection of quarterly reports

[NASA-CR-150560]

18 p0274 A78-20606

TRANSPORT THEORY

Transport calculations for a wall-confined liner-compressed plasma

19 p0380 A78-42258

TRANSPORTATION

Transportation in America's future: Potentials for the next half century. Part 2. Transportation forecasts

[PB-270468/2]

17 p0129 A78-12909

Transportation in America's future: Potentials for the next half century. Part 1: Societal

[PB-270467/4]

17 p0129 A78-12910

Effects of Energy Constraints on Transportation Systems

18 p0256 A78-18529

Energy consumption in the transportation sector

18 p0256 A78-18531

- Long range transportation planning under energy constraints: A critical review of current capability 18 p0256 N78-18532
- Optimization of the vehicle-fuel-refinery system 18 p0257 N78-18533
- Transit bus propulsion systems alternate power plant installation [PB-276612/9] 19 p0387 N78-22385
- Energy Transportation Security Act of 1977 --- transporting oil imports in U.S. tankers [H-REPT-95-589] 19 p0392 N78-22968
- Offshore pipelines. A bibliography with abstracts [NTIS/PS-78/0179/8] 19 p0393 N78-23263
- TRANSPORTATION ENERGY**
- Hydraulic container pipelining - A future transportation system to conserve energy 17 p0030 A78-11091
- Means of transport and the energy consumed by them 17 p0067 A78-13421
- The technical evaluation of transport drive systems 17 p0067 A78-13422
- Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131
- New batteries and their impact on electric vehicles 17 p0085 A78-16923
- Federal policy and the electric vehicle 17 p0092 A78-17568
- The availability of jet fuel over the next two decades 17 p0102 A78-19222
- An iron-air vehicle battery 18 p0174 A78-23241
- The new electric locomotives 18 p0179 A78-24378
- Future automotive fuels: Prospects, performance, perspective --- Book 18 p0194 A78-27475
- Information system for transportation energy 18 p0194 A78-27545
- Energy - Implications for transport 18 p0218 A78-29904
- Aviation fuel usage - Economy and conservation 18 p0223 A78-30698
- On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles [SAE PAPER 780220] 19 p0307 A78-33379
- Lead-acid battery-operated electric street vehicles - New constructions from Germany 19 p0322 A78-35764
- Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ --- in transportation 19 p0325 A78-36128
- Transportation energy conservation data book, supplement-3 [ORNL-5248] 17 p0121 N78-11508
- ERDA funding in transportation energy conservation area and research plans 18 p0259 N78-18553
- Data needs in transportation energy conservation research 18 p0259 N78-18554
- Alternative fuels for transportation: Implications of the broad-cut option [UCRL-52313] 18 p0281 N78-21322
- Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1 [EPRI-PA-433-VOL-1] 18 p0286 N78-21637
- Situation of air traffic in comparison to ground transportation noting especially energetic problems [ILR-20] 19 p0392 N78-23072
- TRAPPED PARTICLES**
- Turbulence theory for the dissipative trapped electron instability --- in tokamak toroidal devices 19 p0382 A78-42487
- TRAPS**
- Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- TREES**
- Trees as a renewable energy resource 17 p0034 A78-11127
- TREES (PLANTS)**
- Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers [NP-22159/2] 19 p0393 N78-23253
- TRIBOLOGY**
- Tribology: Research and development needs in advanced energy technology [HEDL-SA-1191-REV] 19 p0442 N78-26450
- TRITIUM**
- Tritium handling trade studies and design options for the GA/ANL TNS --- The Next Step tokamak 19 p0355 A78-39983
- Tritium removal from liquid metals by sorption on yttrium 19 p0358 A78-40074
- Ignition of catalyzed-D reactor from D-T burning 19 p0358 A78-40083
- TROPICAL REGIONS**
- Thermo-hydraulic energy from the sea 18 p0225 A78-31274
- Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322
- Analysis of solar space cooling systems suitable for tropical climates 19 p0375 A78-42159
- TRUCKS**
- Electric-flywheel vehicle for postal service applications [SAE PAPER 780297] 19 p0308 A78-33387
- Baseline tests of the power-train electric delivery van [NASA-TN-73765] 18 p0252 N78-17936
- Energy use in intercity freight transport and policy implications 18 p0257 N78-18536
- Energy and economic impacts of projected freight transportation improvements 18 p0257 N78-18537
- Trucking and fuel economy 18 p0257 N78-18538
- Energy use and other comparisons between diesel and gasoline pickup trucks [PB-277464] 19 p0404 N78-24564
- Energy losses in heavy commercial vehicles [PB-277354] 19 p0417 N78-25434
- Utilization of waste heat in trucks for increased fuel economy [NASA-CR-157292] 19 p0458 N78-27532
- TUBE HEAT EXCHANGERS**
- Design considerations for residential solar heating and cooling systems utilizing evacuated tube solar collectors 17 p0047 A78-11265
- Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309
- A parametric study of a heat exchanger designed for geothermal power plant application [ASME PAPER 77-HT-1] 17 p0088 A78-17476
- Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- The OTEC program at Carnegie-Mellon University - Heat transfer research and power cycle transient modeling --- Ocean Thermal Energy Conversion 19 p0304 A78-33335
- Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships 19 p0304 A78-33339
- Ultra clean heat exchangers - A critical OTEC requirement 19 p0305 A78-33341
- Geothermal direct contact heat exchange [SAN/1116-1] 18 p0277 N78-20638
- TUNNEL DIODES**
- Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038

TURBINE BLADES

SUBJECT INDEX

- Experimental study of the interface properties of
MOS tunnel devices 17 p0026 A78-11053
- TURBINE BLADES**
- Optimum and near-optimum blade configurations for
high speed wind turbines 17 p0051 A78-11314
- A practical approach to vortex augmentation of
wind turbines 17 p0052 A78-11315
- An aerodynamic performance theory for the Darrieus
wind turbine 18 p0171 A78-22250
- The effect of hub fairings on wind turbine rotor
performance 18 p0219 A78-30039
- Blade design and fabrication - 17-meter VAWT ---
Vertical Axis Wind Turbine 18 p0234 A78-32422
- Aerodynamic characteristics of a cylindrical type
of wind turbine with inclined blades 19 p0291 A78-32536
- Effluent characterization from a conical
pressurized fluid bed 19 p0300 A78-33221
- Giant wind turbines 19 p0340 A78-38814
- Experimental analysis of a straight bladed
Darrieus wind turbine 19 p0361 A78-40365
- The influence of blade thickness on the output of
vertical axis wind turbines 19 p0381 A78-42417
- Nonlinear dynamic response of wind turbine blades 17 p0160 A78-15565
- Wind turbine generator rotor blade concepts with
low cost potential [NASA-TM-73835] 18 p0249 A78-17466
- Aeroelastic stability of wind turbine blades 18 p0265 A78-19622
- Flutter of Darrieus wind turbine blades 18 p0265 A78-19624
- Summary of static load test of the Mod-0 blade 18 p0266 A78-19627
- DOE/NASA Mod-0 100KW wind turbine test results 18 p0266 A78-19628
- Effluent characterization from a conical
pressurized fluid bed [NASA-TM-73897] 18 p0283 A78-21596
- TURBINE ENGINES**
- Current costs of solar powered organic Rankine
cycle engines 17 p0104 A78-19826
- * Cooling turbine technology --- for aircraft air
conditioning 18 p0224 A78-30775
- Performance tests of a total flow impulse turbine
for geothermal applications [UCID-17411] 17 p0127 A78-12546
- Agglomerating burner gasification process:
Design, installation, and operation of a
25-ton-a-day process development unit [FE-1513-64] 19 p0409 A78-24675
- TURBINE PUMPS**
- Concepts and features of the automated unit
control system for the Raccoon Mountain
Pumped-Storage Plant [IEEE PAPER P 77 672-9] 18 p0219 A78-30195
- Performance of a turbomolecular pump in a pulsed
magnetic field --- for controlled fusion
experiments 19 p0352 A78-39938
- TURBINE WHEELS**
- Effects of rotor location, coning, and tilt on
critical loads in large wind turbines 17 p0107 A78-20476
- Performance of counter- and corotating arrays of
Savonius turbines --- windpowered machines 18 p0188 A78-26113
- How to build wind wheels: Construction and
calculation --- German book 18 p0231 A78-32075
- An experimental facility for wind engineering
research [AIAA 78-813] 18 p0234 A78-32367
- TURBINES**
- Innovative wind turbines 17 p0031 A78-11101
- Cylindrical arrays of vertical-axis wind turbines 17 p0107 A78-20477
- Wind power limitations associated with vortices
[AIAA PAPER 78-278] 18 p0166 A78-20785
- Possibilities and prospects for wind energy
utilization 18 p0209 A78-28552
- Results of the German wind energy study 18 p0210 A78-28557
- Wind energy conversion - Horizontal-axis machines 18 p0210 A78-28559
- Engineering of wind energy systems 18 p0234 A78-32423
- Wind tunnel performance data for two- and
three-bucket Savonius rotors 19 p0364 A78-40822
- Development of high temperature turbine subsystem
technology to technology readiness status; phase 1
[FE-1806-6] 17 p0124 A78-12425
- NASTRAN use for cyclic response and fatigue
analysis of wind turbing towers 17 p0125 A78-12459
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 1:
Summary report [NASA-CR-134934] 17 p0125 A78-12529
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 2:
Analysis and design [NASA-CR-134935] 18 p0248 A78-17462
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 3:
Supplementary design and analysis tasks [NASA-CR-135121] 18 p0248 A78-17463
- Theory of wind turbines with contrarotation
[UTIAS-218] 18 p0260 A78-18556
- Wind Turbine Structural Dynamics [NASA-CP-2034] 18 p0265 A78-19616
- Comparison of computer codes for calculating
dynamic loads in wind turbines 18 p0265 A78-19617
- Simplified modeling for wind turbine modal
analysis using NASTRAN 18 p0265 A78-19619
- Use of asymptotic methods in vibration analysis 18 p0265 A78-19620
- Aeroelastic analysis of wind energy conversion
systems 18 p0265 A78-19621
- Analytical testing techniques 18 p0266 A78-19625
- DOE/NASA Mod-0 100KW wind turbine test results 18 p0266 A78-19628
- Power oscillation of the Mod-0 wind turbine 18 p0266 A78-19629
- Mod-1 wind turbine generator analysis 18 p0266 A78-19631
- Methods of attenuating wind turbine ac generator
output variations 18 p0266 A78-19632
- Fatigue load spectra for upwind and downwind rotors 18 p0267 A78-19635
- Comparison of blade loads of fixed and free yawing
wind turbine 18 p0267 A78-19637
- Fixed pitch wind turbines 18 p0267 A78-19638
- Research of low cost wind generator rotors 18 p0267 A78-19639
- The UMass wind furnace blade design 18 p0267 A78-19641
- Experimental data and theoretical analysis of an
operating 100 kW wind turbine [NASA-TM-73883] 18 p0267 A78-19642
- Materials evaluation for geothermal applications:
Turbine materials [UCRL-79360] 19 p0392 A78-23238
- Wake characteristics of a tower for the DOE-NASA
MOD-1 wind turbine [NASA-TM-78853] 19 p0395 A78-23558
- High temperature turbine technology program. Phase
1: Combined cycle electric power plant with
coal derived low Btu gas or coal-liquid fuel,
book 2 [FE-2291-18-BK-2] 19 p0417 A78-25442
- Vertical axis wind turbine tie-down design with an
example [SAND-77-1919] 19 p0429 A78-25631

SUBJECT INDEX

TURBOMACHINE BLADES

- Free-air performance tests of a 5-metre-diameter Darrieus turbine
 - [SAND-77-1063] 19 p0430 N78-25632
- Design and operating experience on the US Department of Energy experimental Mod-0 100-kW wind turbine
 - [NASA-TM-78915] 19 p0443 N78-26552
- DOE/NASA Mod-0A wind turbine performance
 - [NASA-TM-78916] 19 p0443 N78-26553
- Brake system for the 17 meter vertical axis wind turbine
 - [SAND-77-1331] 19 p0461 N78-27569
- TURBOCOMPRESSORS**
 - Cold-air performance of the compressor-drive turbine of the Department of Energy baseline automobile gas-turbine engine
 - [NASA-TM-78894] 19 p0436 N78-26098
- TURBOFAN ENGINES**
 - The design and performance of high temperature turbines in turbofan engines 17 p0093 A78-18023
- TURBOPANS**
 - Novel wind turbine: Invention of a Viennese engineer - 'Fan principle' yields severalfold the current effective power 18 p0211 A78-28566
- TURBOGENERATORS**
 - OTEC - A survey of the state of the art --- Ocean Thermal Energy Conversion 17 p0008 A78-10723
 - A practical approach to vortex augmentation of wind turbines 17 p0052 A78-11315
 - Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator 17 p0066 A78-13157
 - The potential for power production by large dispersed arrays of wind turbines 18 p0168 A78-22227
 - Performance-optimized horizontal-axis wind turbines 18 p0169 A78-22232
 - A cross flow wind turbine 18 p0169 A78-22233
 - Some design aspects of high-speed vertical-axis wind turbines 18 p0169 A78-22235
 - General performance theory for crosswind axis turbines 18 p0170 A78-22236
 - A contribution to the aerodynamic theory of the vertical-axis wind turbine 18 p0170 A78-22238
 - Aerodynamic studies on vertical-axis wind turbine 18 p0170 A78-22239
 - Status of the ERDA/Sandia 17-metre Darrieus turbine design 18 p0170 A78-22240
 - Economics of a vertical-axis wind turbine 18 p0170 A78-22243
 - A self-contained 5,000 kW capacity wind energy conversion system with storage 18 p0171 A78-22246
 - Some aspects of the solar case study in Austria illustrated by the example of hybrid power plants 18 p0183 A78-25256
 - Cogeneration - A systematic analysis of combined steam and power generation 18 p0188 A78-26108
 - Indices and areas of application of gas-turbine-driven thermal power plants 18 p0193 A78-27096
 - Possibilities and prospects for wind energy utilization 18 p0209 A78-28552
 - Wind energy program of the Danish government and the Danish electric power concerns 18 p0209 A78-28554
 - The Swedish Wind Energy Programme 18 p0209 A78-28555
 - Program for wind energy utilization in the framework of nonnuclear energy research 18 p0210 A78-28556
 - Meteorology and wind energy utilization 18 p0210 A78-28558
 - Wind energy conversion - Horizontal-axis machines 18 p0210 A78-28559
- Mode of operation and characteristics of Darrieus rotors 18 p0210 A78-28560
- Measurement program of the Dutch experimental vertical-axis wind turbine 18 p0210 A78-28561
- Recent developments in wind turbines 18 p0210 A78-28563
- Wind energy converter and mechanical energy converters - Matching and control 18 p0211 A78-28564
- Possibilities for demand-oriented delivery of wind energy 18 p0211 A78-28565
- Novel wind turbine: Invention of a Viennese engineer - 'Fan principle' yields severalfold the current effective power 18 p0211 A78-28566
- Concepts for the intermediate storage of wind-generated secondary energy 18 p0211 A78-28567
- Twind wind mill --- blade and tower design 18 p0211 A78-28570
- Maximum wind energy utilization by means of a single-unit wind turbine 18 p0211 A78-28572
- Concepts and features of the automated unit control system for the Raccoon Mountain Pumped-Storage Plant [IEEE PAPER P 77 672-9] 18 p0219 A78-30195
- Spinning a turbine with sunlight 18 p0223 A78-30742
- Some contributions to aerodynamic theory for vertical-axis wind turbines 19 p0291 A78-32534
- Aerodynamic characteristics of a cylindrical type of wind turbine with inclined blades 19 p0291 A78-32536
- Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal [ASME PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- A low-risk approach to the high-temperature turbine [ASME PAPER 77-WA/ENER-10] 19 p0298 A78-33148
- The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles [ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- Sea thermal power cycles 19 p0306 A78-33348
- Diffuser augmentation of wind turbines 19 p0312 A78-34512
- Problems of electrical energy generation /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36127
- Magdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781
- The influence of blade thickness on the output of vertical axis wind turbines 19 p0381 A78-42417
- Baseload reliability in a combustion turbine 19 p0385 A78-43101
- Control system for wind-powered generators [SAND-77-0287] 17 p0143 N78-13604
- Proceedings of Small Power Systems Solar Electric Workshop. Volume 2: Invited papers [NASA-CR-155940] 18 p0264 N78-19615
- HTS thermal storage peaking plant [ORNL/SUB-4188-2] 18 p0277 N78-20645
- Value of energy storage for direct-replacement solar thermal power plants [CONF-780216-2] 19 p0446 N78-26588
- STEARC: Solar Thermal Electric Annual Energy Calculator documentation [SAND-77-8278] 19 p0447 N78-26588
- TURBOJET ENGINES**
 - Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/ 19 p0326 A78-36279
 - Aero engines climb towards better fuel efficiency 19 p0332 A78-37114
 - Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TM-73780] 17 p0129 N78-13056
- TURBOMACHINE BLADES**
 - Wind tunnel performance data for two- and three-bucket Savonius rotors 19 p0364 A78-40822

TURBOMACHINERY

SUBJECT INDEX

TURBOMACHINERY

- The Netherlands National Research Programme on
Wind Energy 18 p0209 A78-28553
- TURBOPROP AIRCRAFT**
Adaptation for economization, or adaptation for
the economization of energy --- in transport
aircraft design and operation 17 p0063 A78-12030
- TURBOPROP ENGINES**
Review of the development of small- and
medium-capacity gas turbines at the Motoren- und
Turbinen Union [DGLR PAPER 77-061] 17 p0096 A78-18702
Organic compounds in turbine combustor exhaust
[AD-A045582] 17 p0129 A78-13065
- TURBULENCE EFFECTS**
Computer aided aerogenerator analysis and
performance 18 p0169 A78-22229
- TURBULENT DIFFUSION**
Particulate deposition in direct fired HHD air
preheaters [ASME PAPER 77-HT-65] 17 p0090 A78-17497
- TURBULENT FLOW**
Stratified turbulence modeling for the near field
external flow --- application to Ocean Thermal
Energy Conversion plants 19 p0302 A78-33316
- TURBULENT HEAT TRANSFER**
A numerical solution to the unsteady,
quasi-three-dimensional, turbulent heat transfer
problem in an HHD channel [ASME PAPER 77-HT-90] 17 p0091 A78-17506
- TWISTING**
Blade twist, droop snoot, and forward spars --- in
windmill blades 18 p0234 A78-32421
- TWO DIMENSIONAL FLOW**
Two-dimensional electrical effects in a frame-type
HHD channel 17 p0103 A78-19269
Lift on a rotating porous cylinder --- with
application to wind power generation 18 p0167 A78-21633
G2H, a two-dimensional diffusion time scale
tokamak code 18 p0231 A78-32066
- TWO FLUID MODELS**
Study of a collisional plasma rotating between two
cylinders 19 p0293 A78-32718
- TWO PHASE FLOW**
Two phase working fluids in solar collectors
[ATAA PAPER 78-354] 18 p0178 A78-24030
Modeling fluidized bed combustion 18 p0230 A78-31959
Experiments on and design of low-cost aluminum
heat exchangers for OTEC plant ships 19 p0304 A78-33339
Broadlands - A gas-dominated geothermal field 19 p0330 A78-36825
Babcock and Wilcox's experience with two-phase
flow mixtures of coal and gas 17 p0132 A78-13254
Two-phase working fluids for the temperature range
50 to 350 C [NASA-CR-135255] 18 p0238 A78-16329
Experimental two-phase liquid-metal
magnetohydrodynamic generator program [AD-A046951] 18 p0240 A78-16444
Synthoil hydrodynamics [COO-0056-4] 18 p0273 A78-20473
Two-phase Hartmann flows in the HHD generator
configuration [AD-A051450] 19 p0401 A78-23927
Studies on two-phase flow mixing pertaining to
liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 A78-26933

U

U.S.S.R.

- The achievements and perspectives for the
development of solar power engineering in the USSR 18 p0186 A78-25730
A few aspects of the Soviet energy policy 18 p0195 A78-27779

- Multi-organizational strategies: An analytic
framework and case illustrations [IIASA-RN-77-4] 17 p0122 A78-11864
Translations on USSR resources, no. 768
[JPBS-70524] 17 p0159 A78-15557
- ULTRASHORT PULSED LASERS**
Pulsed power systems for the LASL high energy gas
laser facility 17 p0007 A78-10691
Limitation of 3547 to 1182 A conversion efficiency
in Xe 18 p0215 A78-28924
Giant laser system readied for tests --- for
inertial fusion 19 p0316 A78-35300
The Shiva laser - nearing completion 19 p0360 A78-40226
- ULTRASONIC WELDING**
Advanced interconnect for use with ultrasonic seam
welding on solar cells 17 p0016 A78-10958
- ULTRAVIOLET LASERS**
Photoelectrolysis of water at high current density
- Use of ultraviolet laser excitation 17 p0062 A78-11927
- ULTRAVIOLET RADIATION**
Ultraviolet damage in solar cell assemblies with
various UV filters 17 p0138 A78-13551
- UNDERGROUND EXPLOSIONS**
Mechanical properties of oil shale of importance
to in-situ rubblelization [SAND-77-0499C] 19 p0411 A78-24731
- UNDERGROUND STORAGE**
Modeling underground storage in aquifers of hot
water from solar power systems 17 p0050 A78-11298
Underground hydroelectric pumped storage - A
practical option 17 p0063 A78-12221
Underground longterm storage of solar energy - An
overview 17 p0083 A78-16827
Storage and distribution of large quantities of
hydrogen 17 p0099 A78-18838
Mechanical energy storage systems - Compressed air
and underground pumped hydro [ATAA PAPER 78-281] 18 p0166 A78-20788
Heat transfer effects in compressed air energy
storage 19 p0296 A78-33120
Offshore and underground power plants --- Book 19 p0317 A78-35574
Strategic petroleum reserve: Supplement to final
environmental impact statement for bayou choctaw
salt dome [PB-270435/1] 17 p0119 A78-11254
Strategic petroleum reserve: Byron Mound salt
dome, draft supplement [PB-270108/4] 17 p0119 A78-11256
Strategic petroleum reserve. Texoma group salt
dome. Draft environmental impact statement.
Volume 1: West Hackberry expansion, Black
Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-1] 19 p0390 A78-22487
Strategic petroleum reserve. Texoma group salt
dome. Draft environmental impact statement.
Volume 2, appendices A and B: West Hackberry
expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-2] 19 p0391 A78-22488
Strategic petroleum reserve. Texoma group salt
dome. Draft environmental impact statement.
Volume 4, appendices D-S: West Hackberry
expansion, Black Bayou, Vinton, Big Hill [FEA/S-77/323-VOL-4] 19 p0391 A78-22490
- UNDERGROUND STRUCTURES**
Underground coal gasification program [ERDA-77-51] 18 p0241 A78-16446
- UNDERWATER STRUCTURES**
Offshore pipelines. A bibliography with abstracts
[NTIS/PS-78/0179/8] 19 p0393 A78-23263
- UNITED KINGDOM**
UK experience of planning the nuclear contribution
to the UK power programme [IAEA-CN-36/53] 17 p0116 A78-10605
Industrial energy thrift scheme [NPL-CHEM-68-PR-1] 17 p0121 A78-11510

UNITED STATES OF AMERICA

Development of solar tower program in the United States. 18 p0173 A78-22819

Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534

Geothermal energy resources map of the western United States 19 p0362 A78-40535

Information and data flows in societal problem areas: Focus-energy [PB-269497/4] 17 p0118 N78-10965

Fuels and energy data: United States by states and census divisions, 1974 [PB-271093/7] 17 p0124 N78-12245

Transportation in America's future: Potentials for the next half century. Part 2. Transportation forecasts [PB-270468/2] 17 p0129 N78-12909

Transportation in America's future: Potentials for the next half century. Part 1: Societal [PB-270467/4] 17 p0129 N78-12910

Consensus forecast of US energy supply and demand to the year 2000 [ORNL/TM-5369] 17 p0140 N78-13576

Consensus forecast of US electricity supply and demand to the year 2000 [ORNL/TM-5370] 17 p0141 N78-13578

Net energy effects and resource depletion: An all-oil economy [COO-2865-6] 17 p0142 N78-13592

Energy flow patterns for 1975 [LA-6770] 18 p0242 N78-16456

Performance characteristics of automotive engines in the United States. Report no. 8: Mitsubishi Model 6DS7 diesel engine [PB-274374/8] 18 p0254 N78-18437

Performance characteristics of automotive engines in the United States. Report no. 9: Chrysler (1975) 225-CID 1-hbl engine [PB-274375/5] 18 p0254 N78-18438

Performance characteristics of automotive engines in the United States. Report no. 11: Chrysler (1975) 318-CID 2-hbl engine [PB-274377/1] 18 p0254 N78-18440

The United States energy scene 1976-1985 18 p0256 N78-18530

Data needs in transportation energy conservation research 18 p0259 N78-18554

Energetics of the United States of America: An atlas [BNL-50501-R] 19 p0397 N78-23578

Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584

The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976, --- Venezuelan exports [AD-A051131] 19 p0403 N78-24372

Evaluation of in situ coal gasification processes on a regional basis [ORNL-5279] 19 p0431 N78-25647

System definition study: Phase 1 of individual load center, solar heating and cooling residential project [EPRI-ER-594] 19 p0459 N78-27548

UNIVERSITIES

Homopolar generator development at the University of Texas [ORO-5594-7] 19 p0467 N78-27922

UNIVERSITY PROGRAM

Innovations in microelectronics and solid state at North Carolina Agricultural and Technical State University 18 p0237 N78-16280

UPWELLING WATER

Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274

URANIUM

Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBX-74(77)] 19 p0391 N78-22534

Tectonic atlas of uranium potential in crystalline rocks of the eastern US [GJBX-69(77)] 19 p0400 N78-23666

Hydrogeochemical and stream-sediment survey of the National Resource Evaluation (NURE) program: Western United States [UCID-16911-77-2] 19 p0434 N78-25722

URANIUM FLUORIDES

Power deposition in volumetric /O-235/P6-He fission-pumped nuclear lasers 18 p0235 A78-32436

URANIUM 233

Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing 19 p0380 A78-42257

URBAN DEVELOPMENT

Chicago's new refuse disposal installation 17 p0035 A78-11133

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 1 [HCF/M3879-VOL-1] 19 p0398 N78-23594

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 2 [HCF/M3879-1-VOL-2] 19 p0399 N78-23595

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development: Executive summary [HCF/M3879-0003] 19 p0399 N78-23596

Models and methodologies for assessing the impact of energy development [ERDA-77-91] 19 p0463 N78-27587

Assistance from energy developers: A negotiating guide for communities [ERDA-77-90] 19 p0463 N78-27588

URBAN PLANNING

Building rights, apartment- and residence-designing in the light of solar energy utilization 18 p0214 A78-28594

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 1 [HCF/M3879-VOL-1] 19 p0398 N78-23594

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 2 [HCF/M3879-1-VOL-2] 19 p0399 N78-23595

Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development: Executive summary [HCF/M3879-0003] 19 p0399 N78-23596

Assistance from energy developers: A negotiating guide for communities [ERDA-77-90] 19 p0463 N78-27588

URBAN RESEARCH

Proposal for the production and seasonal storage of hot water to heat a city 17 p0083 A78-16833

Energy-politics alternatives for the urban region of Munich until 1985 17 p0093 A78-17950

A study of the energy consequences of alternative transport policies in intercity freight markets 18 p0258 N78-18547

Energy requirements for municipal pollution control facilities [PB-276989/1] 19 p0401 N78-24003

URBAN TRANSPORTATION

Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131

Paratransit prospects - Filling a gap 17 p0084 A78-16848

Piat electric city car prototype [EVC PAPER 7755] 17 p0085 A78-16926

Electric levitated inter-city vehicles [EVC PAPER 7782] 17 p0085 A78-16928

The Copper Electric Town Car - Recent developments [EVC PAPER 7756] 17 p0086 A78-16934

Electric vehicle test and evaluation program of the U.S. Postal Service
[EVC PAPER 7747] 17 p0086 A78-16935

Electric utility fleet applications of electric vehicles
[EVC PAPER 7751] 17 p0086 A78-16940

Environmental and energy considerations for electric vehicles in urban use
[EVC PAPER 7753] 17 p0086 A78-16941

Prototype testing of a rotary current train in the Berlin transit system
18 p0194 A78-27171

The electric way ahead for road transport
19 p0292 A78-32652

An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine
[SAE PAPER 780075] 19 p0306 A78-33364

Electric vehicles in Germany - Present and future
[SAE PAPER 780087] 19 p0307 A78-33368

General safety considerations of the Ohio DOT electric vehicle
[SAE PAPER 780160] 19 p0307 A78-33376

Large buses and the Townobile electric city transit system
[SAE PAPER 780293] 19 p0308 A78-33385

Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion
[SAE PAPER 780295] 19 p0308 A78-33386

Electric-flywheel vehicle for postal service applications
[SAE PAPER 780297] 19 p0308 A78-33387

The role of advanced transit in the implementation of the polycentric city concept
19 p0329 A78-36697

Investigations concerning direct-current operated local-traffic vehicles with low reactive effects
19 p0365 A78-40866

Alternative concepts for underground rapid transit systems, executive summary
[PB-270102/7] 17 p0123 N78-11894

Priority treatment for high occupancy vehicles: Project status report --- bus and carpool lanes
[PB-270529/1] 17 p0129 N78-12907

A study of efficiency indicators of urban public transportation systems
[PB-270940/0] 17 p0147 N78-13970

Magic Carpet evaluation study
[PB-271214/9] 17 p0148 N78-13975

Assessment of battery buses
[PB-271321/2] 17 p0148 N78-13976

Flywheel propulsion simulation
[PB-272259/3] 17 p0149 N78-14426

Costs and energy efficiency of a dual-mode system
[PB-272714/7] 18 p0246 N78-16936

Baseline tests of the Zagato Elcar electric passenger vehicle
[NASA-TN-73764] 18 p0252 N78-17934

The energy efficiency of urban transit systems
18 p0258 N78-18541

Intercity rail energy intensity for passenger movement
18 p0258 N78-18546

Urban applications and energy impacts of future electric cars
18 p0259 N78-18552

Energy intensity of various transportation modes
18 p0260 N78-18555

Near-term electric vehicle program, phase 1
[SAN/1295-1] 18 p0273 N78-20448

UBETHANES

Research of low cost wind generator rotors
18 p0267 N78-19639

USER MANUALS (COMPUTER PROGRAMS)

Central Data Processing System (CDPS) user's manual: Solar heating and cooling program
[NASA-CR-150580] 18 p0283 N78-21595

Systems studies of coal conversion processes using a reference simulator
[PE-2275-4] 19 p0390 N78-22480

PVSS: A photovoltaic system simulation program manual
[SAND-77-0814] 19 p0398 N78-23593

Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual
[AD-A047356] 19 p0409 N78-24667

USER REQUIREMENTS

Electric vehicles in the Bell System
[EVC PAPER 7752] 17 p0086 A78-16931

Coal technology - Users' viewpoint
18 p0181 A78-24755

UTILITIES

Assessment of storage systems - The device utility interface --- energy technology
17 p0009 A78-10730

Optimum peak-shaving mix for electric utilities
17 p0009 A78-10737

Energy from solid waste - Appraisal of alternatives
17 p0011 A78-10746

Solar photovoltaic conversion electric utility point of view and development role
17 p0021 A78-11008

The potential for application of energy storage capacity on electric utility systems in the United States. II
17 p0030 A78-11087

Economic analysis of wind generation and energy storage for electric utility systems
17 p0031 A78-11100

Superconducting energy storage development for electric utility systems
17 p0032 A78-11109

The impact of solar central electric technology on the regulated utility
17 p0033 A78-11119

The use of wind power by electric utilities
17 p0051 A78-11311

Solar hybrid repowering
17 p0055 A78-11343

Impact of domestic solar heating systems utilizing off peak storage on electric utilities
17 p0055 A78-11344

Preferred residential solar heating and cooling systems compatible with electric utility operation
17 p0055 A78-11345

An off-peak energy storage concept for electric utilities. II - The water battery concept
17 p0068 A78-13449

Electric utility applications of fabric filters --- for pollution control
17 p0073 A78-14155

An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities
17 p0095 A78-18412

Cost-effective electricity rates - A stronger incentive to rational energy use
18 p0176 A78-23919

Re-circulating power, unit costs and thermal pollution of fusion power stations
18 p0189 A78-26372

Wind energy program of the Danish government and the Danish electric power concerns
18 p0209 A78-28554

Cogeneration --- single site simultaneous electricity/heat generation
18 p0216 A78-29226

Electricity generation by utilities - 1974 nationwide emissions estimates
19 p0320 A78-35701

Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 1: Summary report
[NASA-CR-134934] 17 p0125 N78-12529

Projected 1977 - 1978 winter electric load-supply situation, contiguous United States
[PB-276269/8] 18 p0285 N78-21621

The long-run incremental cost of electric utilities
[PB-276082/5] 18 p0289 N78-21660

Performance potential of combined cycles integrated with low-Btu gasifiers for future electric utility applications
[NASA-TN-73775] 19 p0395 N78-23557

V

VACUUM APPARATUS

Vacuum vessel and pumping system of the J.E.T. experiment --- Joint European Torus
17 p0038 A78-11164

VACUUM CHAMBERS

Molecular-beam epitaxy in space
17 p0103 A78-19472

SUBJECT INDEX

VISCOUS DAMPING

Constructing the vacuum vessel for J.E.T. /Joint European Torus/ 19 p0352 A78-39947

Thermochemistry of the reactions of the metals Nb, V, and Mo with the residual gases of a vacuum 19 p0379 A78-42227

VACUUM DEPOSITION

Vacuum deposited polycrystalline silicon solar cells 17 p0013 A78-10921

American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., November 8-11, 1977, Proceedings 19 p0324 A78-36030

Structure and morphology of chemical-sprayed Cds films 19 p0325 A78-36036

Photoelectric properties of Cds thin films obtained by vacuum evaporation from the heterogeneous Cds.Cr2O3 system 19 p0333 A78-37261

VACUUM EFFECTS

Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215

Experimental evaluation of a fixed collector employing vee-through concentrator and vacuum tube receivers 19 p0295 A78-33030

A road map to space products --- extraterrestrial manufactured products for Earth use [AAS 77-239] 19 p0329 A78-36716

VACUUM PUMPS

Vacuum pumping for controlled thermonuclear reactors 17 p0038 A78-11163

Vacuum vessel and pumping system of the J.E.T. experiment --- Joint European Torus 17 p0038 A78-11164

Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation 18 p0195 A78-27700

TMX - A new facility --- Tandem Mirror Experiment fusion reactor design 19 p0347 A78-39805

VACUUM SYSTEMS

TFTR vacuum system --- Tokamak Fusion Test Reactor 19 p0325 A78-36046

Engineering features of ISI-B --- Tokamak reactor design 19 p0347 A78-39802

VALUE ENGINEERING

Oil and gas replacement cost: Development and production. Volume 2: Exhibits [TID-28043/2] 19 p0418 A78-25515

VALVES

Report of survey of valve industry capabilities [CONF-771145-2] 19 p0393 A78-23440

VANES

Betz type limitation of vortex wind machines 17 p0093 A78-18090

VAPOR DEPOSITION

Controlling open circuit voltage in silicon Schottky /HIS/ solar cells 17 p0025 A78-11043

An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967

Solar cells from zone-refined metallurgical silicon 18 p0219 A78-30190

Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni/CO/4 18 p0221 A78-30302

Thickness dependence of structural and electrical properties of Cds films for solar cells 19 p0325 A78-36035

VAPOR PHASES

Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells 17 p0026 A78-11055

VAPOR PRESSURE

Models for calculating density and vapor pressure of geothermal brines 18 p0206 A78-28249

Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction 19 p0295 A78-33036

Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications 18 p0282 A78-21587

VAPORIZERS

Fuel vaporization - Economy with reduced exhaust emission 18 p0221 A78-30366

Liquid hydrogen flash vaporizer --- for aircraft fuel systems [NASA-CASE-LAR-12159-1] 17 p0120 A78-11260

VAPORIZING

Heat transfer for solar energy utilization 18 p0200 A78-27855

Devolatilization and desulfurization of Iowa coal 17 p0125 A78-12525

VARIABLE CYCLE ENGINES

Solar-powered global aerospace transportation [AIAA PAPER 78-689] 19 p0293 A78-32761

Patent application. Variable-volume engine --- using natural heat sources [NASA-TM-75094] 19 p0408 A78-24660

VARIABLE GEOMETRY STRUCTURES

The variable geometry vertical axis windmill 18 p0170 A78-22241

Patent application. Variable-volume engine --- using natural heat sources [NASA-TM-75094] 19 p0408 A78-24660

VARIATIONAL PRINCIPLES

Variational irreversible thermodynamics of heat and mass transfer in porous solids - New concepts and methods 19 p0313 A78-34603

VEGETATION

Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] 19 p0455 A78-27482

VEHICLES

Vehicle gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486

VELOCITY DISTRIBUTION

Reference wind speed statistics for wind turbine design 17 p0051 A78-11313

A note on vertical extrapolation formulas for Weibull velocity distribution parameters --- of wind 18 p0234 A78-32413

VENEZUELA

The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 --- Venezuelan exports [AD-A051131] 19 p0403 A78-24372

VENTILATION

Solar energy and large building HVAC systems - Are they compatible --- Heating, Ventilating and Air Conditioning 17 p0078 A78-15408

Net energy analysis model for the evaluation of a solar heating, ventilation and air conditioning system [AD-A047433] 18 p0251 A78-17487

Estimating the energy conservation potential of ventilation control through weather data analysis [PB-273949/8] 18 p0261 A78-18655

VERTICAL DISTRIBUTION

An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico 19 p0302 A78-33317

VISCOELASTICITY

Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 18-16, 1977 19 p0360 A78-40301

VISCOPLASTICITY

Coal extrusion in the plastic state 17 p0132 A78-13256

VISCOSITY

Viscosity of coal-derived liquids 19 p0363 A78-40595

VISCOUS DAMPING

Damping of radial oscillation of a toroidal pinch plasma 18 p0192 A78-26708

VISCOUS DRAG

Windmills with diffuser effect induced by small tipvanes

18 p0171 A78-22245

VOLATILITY

Flame stabilization of low volatile fuels

17 p0079 A78-15832

The evolution of pollutants during the rapid devolatilization of coal

[PB-278496/5] 19 p0466 N78-27617

VOLCANOES

Stable isotopic studies of Japanese geothermal systems

17 p0062 A78-11493

Volcanoes as a source of geothermal energy

17 p0067 A78-13346

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington

[E78-10122] 19 p0387 N78-22435

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington

[E78-10121] 19 p0394 N78-23498

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region

[E78-10123] 19 p0394 N78-23499

Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology

[E78-10124] 19 p0394 N78-23500

VOLCANOLOGY

Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico

17 p0075 A78-14815

The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs

19 p0369 A78-42080

Exploration for geothermal energy on Oahu, Hawaii

[AD-A046954] 18 p0241 N78-16445

VOLT-AMPERE CHARACTERISTICS

Temperature dependence of the photovoltaic performance of Si cells under blue, white and near-bandgap irradiation

17 p0012 A78-10909

High intensity solar cell

17 p0023 A78-11028

A data acquisition system for in situ measurements of terrestrial photovoltaic array performance

17 p0023 A78-11029

MIS solar cell calculations

17 p0024 A78-11039

A contribution to Schottky barrier solar cell theory

17 p0025 A78-11041

Controlling open circuit voltage in silicon Schottky /MIS/ solar cells

17 p0025 A78-11043

An analysis of optimum loading conditions for P-N junction solar cells

17 p0030 A78-11092

Solar panels BPX47A for terrestrial applications

17 p0071 A78-13984

A simple measurement of absolute solar-cell efficiency

17 p0079 A78-15850

Thin Pt and Pd silicide Schottky barriers for silicon solar cells

18 p0171 A78-22267

On the theory of homojunction and heterojunction solar cells

18 p0192 A78-26616

The operation of the semiconductor-insulator-semiconductor /SIS/ solar cell theory

18 p0192 A78-26717

Analysis of electrolyte shunt currents in fuel cell power plants

18 p0219 A78-30188

Solar cells from zone-refined, metallurgical silicon

18 p0219 A78-30190

Observations of anisotropic diffused layer sheet resistance in EPG silicon ribbon solar cells --- Edge-defined Film-fed Growth

18 p0223 A78-30648

Thermionic emission from electrodes with raised surfaces in a thermionic converter

18 p0224 A78-31011

Polycrystalline thin film CdS/CdTe solar cells

18 p0225 A78-31210

Theoretical analysis of a novel MPN gallium arsenide Schottky barrier solar cell

18 p0227 A78-31385

Two-dimensional analysis for Cu_x/S-CdS solar cells with nonuniform skin region

18 p0228 A78-31726

On the fill factor of solar cells --- volt-ampere characteristics

19 p0292 A78-32691

Junction potentials of strongly illuminated n⁺/p-p⁺/solar cells

19 p0292 A78-32693

Preliminary results on the conversion of laser energy into electricity

19 p0313 A78-34631

Sunstations --- calibrated silicon solar cell for insolation measurement

19 p0314 A78-34933

Photo-galvano-voltaic cell - A new approach to the use of solar energy

19 p0333 A78-37174

Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS.Cr₂O₃ system

19 p0333 A78-37261

Frequency limitations of transferred electron devices related to quality of contacts

19 p0334 A78-37468

Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure

19 p0334 A78-37469

Temperature sheaths on probes or electrodes in HED plasmas

19 p0336 A78-38108

A model for the current-voltage curve of photoexcited semiconductor electrodes

19 p0343 A78-39457

Voltage protection scheme for MG sets used to drive inductive energy storage systems --- Motor-Generator sets for Tokamaks

19 p0353 A78-39961

Microprocessor-based solar cell measurement system

19 p0365 A78-40919

Evaporated CdS film based heterojunction solar cells

19 p0372 A78-42122

Measurement of material parameters that limit the open-circuit voltage in P-N-junction silicon solar cells

17 p0136 N78-13532

Radiation tests of SEP solar cells

17 p0138 N78-13548

VOLTAGE CONVERTERS (DC TO DC)

Influence of the effect of storage on models of power cell dynamics

17 p0103 A78-19486

A theory of control for a class of electronic power processing systems: Energy-storage dc-to-dc converters

18 p0262 N78-19382

VOLTAGE GENERATORS

Controllable homopolar motor-generator energy storage for application in a fusion power reactor

17 p0007 A78-10680

Development of inductive storage for generation of high voltage pulses

17 p0007 A78-10699

The evolution of pulsed power --- voltage generator fusion reactor applications

17 p0008 A78-10709

VOLTAGE REGULATORS

Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads

18 p0189 A78-26265

Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply

19 p0353 A78-39965

VORTEX GENERATORS

A practical approach to vortex augmentation of wind turbines

17 p0052 A78-11315

Betz type limitation of vortex wind machines

17 p0093 A78-18090

- Vortex augmentation of wind energy --- aerodynamic surface design for energy conversion efficiency 17 p0094 A78-18091
- VORTICES**
- Wind power limitations associated with vortices [AIAA PAPER 78-278] 18 p0166 A78-20785
- On vortex wind power [ASME PAPER 77-WA/FE-20] 18 p0218 A78-30035
- Production of fusion energy by vortex structure compression 19 p0338 A78-38419
- Vortex augmented wind energy conversion 19 p0361 A78-40361
- VORTICITY**
- The aerodynamic efficiency of windmills 18 p0229 A78-31834
- W**
- WAPERS**
- Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays [JPL-PUB-78-37] 18 p0276 N78-20620
- WAKES**
- Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine [NASA-TN-78853] 19 p0395 N78-23558
- WALL FLOW**
- Effect of flow inhomogeneity on plasma instability near a channel wall 17 p0002 A78-10245
- Effects of wall electrical conductance and induced magnetic field on MHD channel heat transfer with developing thermal and velocity fields [ASME PAPER 77-HT-63] 17 p0090 A78-17495
- Flame stabilization by wall recess technique 18 p0199 A78-27835
- WALL TEMPERATURE**
- Cold wall Faraday type generating channel 17 p0106 A78-20199
- Energy characteristics of an MHD generator cycle with internal cooling of the channel 18 p0172 A78-22531
- Protection of walls from hard disruptions in large tokamaks 19 p0379 A78-42214
- WALLS**
- International Symposium on Plasma Wall Interaction, Juelich, West Germany, October 18-22, 1976, Proceedings 19 p0377 A78-42201
- Recent results on plasma-wall interaction in the T. F. R. tokamak 19 p0377 A78-42202
- A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
- Wall analysis in TFR performed by QWASS --- Quantitative Wall Analysis by Auger and Secondary ion mass Spectroscopy 19 p0377 A78-42206
- Plasma-wall charge-exchange interactions in the 2XIIB magnetic mirror experiment 19 p0377 A78-42207
- Review of the work on plasma-wall interaction in tokamak plasma confinement at JAERI 19 p0378 A78-42209
- Screening property of the limiter shadow region for heavy wall impurities --- in tokamak 19 p0378 A78-42213
- Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations 19 p0379 A78-42221
- First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245
- Study of heat transfer through refractory lined gasifier vessel walls [FE-2210-20] 19 p0417 N78-25376
- WANKEL ENGINES**
- Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388
- Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo [SAE PAPER 780417] 19 p0308 A78-33389

- An update of the development on the new Audi NSU rotary engine generation [SAE PAPER 780418] 19 p0308 A78-33390
- Experimental and analytical comparisons of the performance and combustion characteristics of gasoline, methane, and methanol in a Wankel engine 17 p0158 N78-15487
- WASHINGTON**
- Application of solar energy to the supply of industrial process hot water: Preliminary design and performance report. Volume 1: Technical report [SAN/1218-3-VOL-1] 19 p0422 N78-25569
- WASHINGTON**
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] 19 p0387 N78-22435
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 --- Lassen volcanic region, California, Surtsey, Iceland and Mt. St. Helens and Mt Baker, Washington [E78-10121] 19 p0394 N78-23498
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] 19 p0394 N78-23500
- WASTE DISPOSAL**
- Prospects of energy recovery from the incineration of chemical plant wastes 17 p0006 A78-10635
- Hazardous wastes and energy recovery 17 p0032 A78-11112
- Modular incinerator energy recovery systems - The Siloam Springs experience 17 p0033 A78-11114
- Chicago's new refuse disposal installation 17 p0035 A78-11133
- Waste management considerations for fusion power reactors 18 p0176 A78-23588
- Experience at Edmonton /GLC/ of generating electricity using refuse as fuel 18 p0186 A78-25504
- Energy savings from solid urban waste disposal systems in Italy 18 p0228 A78-31744
- Fluidized bed combustion of coal and waste materials --- Book 19 p0309 A78-33803
- Thermal refuse treatment --- waste incineration 19 p0315 A78-34973
- Refuse without imperfection - Refuse combustion with combined sediment processing 19 p0316 A78-35297
- European developments in the recovery of energy and materials from municipal solid waste [PB-270219/9] 17 p0122 N78-11892
- Analysis of brine disposal in the Gulf of Mexico. 3: Capline sector [PB-271292/5] 17 p0146 N78-13648
- Assessment in industrial hazardous waste management petroleum re-refining industry [PB-272267/6] 17 p0157 N78-14951
- Environmental assessment of waste-to-energy processes: Source assessment document [PB-272646/1] 17 p0163 N78-15956
- Consequences of new energy patterns [PB-273259/2] 18 p0244 N78-16474
- An analysis of the technical status of high level radioactive waste and spent fuel management systems [NASA-CR-155313] 18 p0261 N78-18897
- WASTE ENERGY UTILIZATION**
- Prospects of energy recovery from the incineration of chemical plant wastes 17 p0006 A78-10635
- Energy from solid waste - Appraisal of alternatives 17 p0011 A78-10746
- Development of fast neutral beam injectors at Fontenay-aux-Roses 17 p0012 A78-10879
- The utilization of solid wastes for the generation of electric power 17 p0028 A78-11074

WASTE UTILIZATION

SUBJECT INDEX

Utilization of waste heat from electric power generation 17 p0031 A78-11095

Solar energy utilization and resource recovery application in space heating 17 p0031 A78-11104

Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power 17 p0032 A78-11110

Hazardous wastes and energy recovery 17 p0032 A78-11112

Modular incinerator energy recovery systems - The Siloam Springs experience 17 p0033 A78-11114

Materials and energy from refuse; Proceedings of the First International Symposium, Antwerp, Belgium, October 21, 22, 1976 17 p0036 A78-11140

The Andco-Torrax process - A slagging pyrolysis solid waste conversion system 17 p0036 A78-11142

Partial oxidation of refuse using the Purox system 17 p0036 A78-11143

Energy recovery from municipal and industrial waste 17 p0037 A78-11146

Refuse incineration with heat recovery - Typical design and practical experience 17 p0037 A78-11147

Energy from refuse - Theoretical and practical results 17 p0037 A78-11149

Refuse energy in the United States - Two generations of steam generating waterwall incinerators 17 p0037 A78-11150

Combined refuse and sludge incineration 17 p0037 A78-11151

Heat transfer from a horizontal plate facing upward to superposed liquid-layers with change of phase [ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057

Combustion treatment of smoke and odors of industrial origin - Energy recovery 17 p0082 A78-16475

Constraining the energy gobbler --- industrial waste heat recovery techniques 17 p0096 A78-18674

Basis of cheap energy --- economic nuclear-thermal energy distribution systems 17 p0102 A78-19244

The construction of long-distance thermal-energy supply systems in Mannheim within the framework of a demonstration project 17 p0102 A78-19245

Unconventional types of power-heat coupling 17 p0102 A78-19246

The block heating power station - Characteristics and first experience 17 p0103 A78-19247

Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525

Comparison of two government reports as to their approaches to recycling 17 p0106 A78-20248

Energy from wastes - An overview of present technologies and programs 18 p0197 A78-27803

Production of low-Btu gas from wastes, using molten salts 18 p0197 A78-27804

Pipeline gas from solid wastes by the Syngas recycling process 18 p0197 A78-27805

The nature of pyrolytic oil from municipal solid waste 18 p0197 A78-27806

Utilization of energy from organic wastes through fluidized-bed combustion 18 p0198 A78-27813

Procedures for the production of hydrogen from natural gas and oil fractions 18 p0209 A78-28475

Cogeneration --- single site simultaneous electricity/heat generation 18 p0216 A78-29226

Energy recovery by the incineration of solid waste - Development, present status, and experiences in Germany /James Clayton Lecture/ 18 p0221 A78-30373

Energy savings from solid urban waste disposal systems in Italy 18 p0228 A78-31744

Technologies for the utilization of waste energy 18 p0232 A78-32116

Steam bottoming plants for combined cycles 19 p0296 A78-33102

Thermionic energy conversion topping system --- utilization of waste energy from steam generators [ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144

Performance and cost evaluation for a thermionic topping power plant [ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145

Refuse without imperfection - Refuse combustion with combined sediment processing 19 p0316 A78-35297

Technical applications of heat pipes [AIAA 78-396] 19 p0318 A78-35589

Tritium systems preliminary design for TNS --- Tokamak Next Step with fuel reprocessing 19 p0346 A78-39798

Direct energy conversion of exhaust fusion plasma by magnetic deflection 19 p0348 A78-39815

Symbiotic system of a fusion and a fission reactor with very simple fuel reprocessing 19 p0380 A78-42257

Technology evaluation of Army-scale waste-to-energy systems [AD-A042578] 17 p0112 N78-10567

Prospects for the utilization of waste heat in large scale district heating systems [BNL-22559] 17 p0152 N78-14651

Environmental assessment of waste-to-energy processes: Source assessment document [PB-272646/1] 17 p0163 N78-15956

European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France) [CONS/2103-1] 18 p0245 N78-16932

Waste heat utilization. Citations from the NTIS data base [NTIS/PS-78/0294] 19 p0433 N78-25661

Waste heat utilization, volume 3. Citations from the engineering index data base [NTIS/PS-78/0296] 19 p0433 N78-25662

Waste heat utilization, volume 2. Citations from the engineering index data base [NTIS/PS-78/0295] 19 p0433 N78-25663

Power plant reject heat utilization: An assessment of the potential for wide-scale implementation [ORNL/TM-5841] 19 p0449 N78-26613

Overcoming institutional barriers to solid waste utilization as an energy source --- electric power plants [HCP/L50172-01] 19 p0452 N78-27005

Overcoming institutional barriers to solid waste utilization as an energy source: Executive summary --- electric power plants [HCP/L50172-02] 19 p0453 N78-27006

Subsurface waste-heat storage: Experimental study [ORO-5003-1] 19 p0459 N78-27554

Environmental effects of burning solid waste as fuel [IS-M-124] 19 p0466 N78-27637

WASTE UTILIZATION

Present status and research needs in energy recovery from wastes; Proceedings of the Conference, Oxford, Ohio, September 19-24, 1976 17 p0005 A78-10626

Quality and characteristics of steam produced from wastes 17 p0005 A78-10630

Densified refuse derived fuels - An alternative concept 17 p0005 A78-10634

Experience with burning industrial wastes in steam-generating and high-temperature heat recovery systems 17 p0006 A78-10636

Overcoming obstacles to energy recovery from industrial wastes 17 p0006 A78-10637

ROEMHC subscript R Burner - High ash solid fuel combustion system 17 p0032 A78-11111

SUBJECT INDEX

WASTE WATER

The environmental effects and economic costs of solid waste energy recovery 17 p0033 A78-11113

Biomass as an energy mechanism 17 p0033 A78-11116

Clean fuels from biomass and wastes; Proceedings of the Second Symposium, Orlando, Fla., January 25-28, 1977 17 p0033 A78-11120

Biomass and wastes as energy resources - Update 17 p0033 A78-11121

Energy and materials from the forest biomass 17 p0034 A78-11126

Trees as a renewable energy resource 17 p0034 A78-11127

Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis --- Conversion to glucose 17 p0035 A78-11129

Rotary kiln gasification of biomass and municipal wastes 17 p0035 A78-11130

Pyrolysis of solid wastes for production of gaseous fuels and chemical feedstocks 17 p0035 A78-11131

Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132

Chicago's new refuse disposal installation 17 p0035 A78-11133

Syngas process converts waste to SNG 17 p0035 A78-11134

Operating experience with large scale digestion of urban refuse with sewage sludge 17 p0036 A78-11136

Two-phase anaerobic digestion --- for synthane-from-waste conversion 17 p0036 A78-11137

Environmental impact of solid waste and biomass conversion-to-energy processes 17 p0036 A78-11139

Materials and energy from refuse; Proceedings of the First International Symposium, Antwerp, Belgium, October 21, 22, 1976 17 p0036 A78-11140

The Garrett pyrolysis process 17 p0036 A78-11141

Methane production from waste 17 p0037 A78-11144

Prospects of materials and energy from refuse in India 17 p0037 A78-11145

Combination of refuse incineration with electric power generation 17 p0037 A78-11148

Biomass and waste production as energy resources - Update 17 p0063 A78-12222

Mobilization and impacts of bio-gas technologies 17 p0067 A78-13345

A solid waste package deal - Energy and materials from garbage 17 p0092 A78-17671

Bioconversion: Fuels from biomass --- Book 18 p0167 A78-21700

Energy from municipal refuse 18 p0182 A78-24763

Emissions of trace elements from the combined firing of coal and RDF in a utility boiler --- Refuse-Derived Fuel [APCA PAPER 77-37,6] 18 p0185 A78-25404

Experience at Edmonton /GLC/ of generating electricity using refuse as fuel 18 p0186 A78-25504

Comparing the Ames and St. Louis resource recovery projects 18 p0186 A78-25700

Biogasification using NaOH treated pig faeces 18 p0194 A78-27550

Fuels from waste --- Book 18 p0197 A78-27801

A wealth of waste - A shortage of energy --- organic wastes for fuel conversion in U.S. 18 p0197 A78-27802

Production of low-Btu gas from wastes, using molten salts 18 p0197 A78-27804

The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807

Fuels and chemicals from crops 18 p0197 A78-27808

The production of oil from wood waste 18 p0198 A78-27809

Fuels from wood waste 18 p0198 A78-27810

Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811

Methanol production from organic waste 18 p0198 A78-27812

Fuel gas production from selected biomass via anaerobic fermentation 18 p0208 A78-28366

Multi-stage digestion of municipal solid waste to fuel gas 18 p0218 A78-29868

The biogas facility at Benediktbeuern 18 p0221 A78-30323

Fluidized bed combustion of coal and waste materials --- Book 19 p0309 A78-33803

Refuse-derived fuel wins out over oil and coal at new industrial power plant 19 p0315 A78-34974

The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry 19 p0332 A78-36945

Waste pyrolysis - Alternative fuel source 19 p0333 A78-37172

Energy for agriculture and the gasification of crop residues 19 p0368 A78-41815

Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing 19 p0368 A78-41818

A study of biochemical fuel cells utilizing animal and kitchen waste as fuel 19 p0374 A78-42137

Energy and protein production from pulp mill wastes [COO-2983-3] 17 p0157 N78-14952

Metals in the combustible fraction of municipal solid waste [PB-272946/5] 18 p0245 N78-16499

European waste-to-energy systems. An overview [CONS/2103-6] 18 p0245 N78-16931

European waste-to-energy systems: Case study of Munich: Munich North IA and IB, Munich North II, Munich South IV and V [CONS/2103-4] 18 p0245 N78-16933

European waste-to-energy systems: Case study of Koersor, Denmark [CONS/2103-3] 18 p0246 N78-16934

European waste-to-energy systems: Case study of Geneva-Cheneviers (Switzerland) [CONS/2103-2] 18 p0246 N78-16935

Fuel gas production from animal waste, phase 1 [COO-2991-17] 18 p0280 N78-21321

Market analysis of recovered materials and energy from solid waste, executive summary [PB-277143/4] 19 p0392 N78-22979

Energy and protein production from pulp mill wastes [COO-2983-6] 19 p0428 N78-25617

Solid waste utilization: Pyrolysis [ANL/CES/TE-77-15] 19 p0435 N78-26038

Overcoming institutional barriers to solid waste utilization as an energy source --- electric power plants [HCP/L50172-01] 19 p0452 N78-27005

Overcoming institutional barriers to solid waste utilization as an energy source: Executive summary --- electric power plants [HCP/L50172-02] 19 p0453 N78-27006

Utilization of waste heat in trucks for increased fuel economy [NASA-CR-157292] 19 p0458 N78-27532

WASTE WATER

Ozonation of coal gasification plant wastewater 18 p0222 A78-30560

Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650

Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems [CONF-771070-1] 19 p0411 N78-24695

Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams 19 p0435 N78-26007

WASTES

Characterization of substances in products, effluents and wastes from synthetic fuel development processes
[BNWL-2224] 19 p0410 N78-24683

WATER

Thermodynamics of thermochemical cycles in the decomposition of water 17 p0098 A78-18833

Characteristics of water-emulsion fuels --- combustion of hydrocarbon emulsions 17 p0102 A78-18949

High efficiency water electrolysis in alkaline solution --- for hydrogen production 19 p0311 A78-34400

The use of oxygen/water for removal of sulfur from coals 19 p0320 A78-35694

Water dissociation by a thermochemical cycle - A thermodynamic analysis of principles and efficiencies 19 p0340 A78-38893

The thermochemical dissociation of water 17 p0123 N78-12163

Solar energy commercialization at the state level: The Florida solar energy water heater program [PB-270158/9] 17 p0128 N78-12551

Parametric study of rock pile thermal storage for solar heating and cooling phase 1 [NASA-CR-155336] 17 p0138 N78-13552

Intermediate standards for solar domestic hot water systems/HUD initiative [PB-271758/5] 17 p0139 N78-13563

Water pulsejet Research --- for quantitative understanding of McHugh cycle [AD-A046533] 17 p0158 N78-15497

Prototype solar heating and hot water systems [NASA-CR-150592] 18 p0275 N78-20612

Preliminary design package for solar hot water system [NASA-CR-150617] 18 p0283 N78-21603

Application of solar energy to the supply of industrial process hot water: Preliminary design and performance report. Volume 1: Technical report [SAN/1218-3-VOL-1] 19 p0422 N78-25569

Feasibility evaluation: Solar heated textile process water [SRO-0885-75/1] 19 p0428 N78-25621

Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions [ORNL/TM-6098-VOL-1] 19 p0442 N78-26524

Preliminary design package for Sunspot Domestic Hot Water Heating System [NASA-CR-150605] 19 p0456 N78-27518

WATER CIRCULATION

The first 'solar hotel' in Germany 17 p0072 A78-14096

The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319

Performance study of spray-type solar water heater 19 p0374 A78-42147

WATER CONSUMPTION

Energy and water --- energy resources correlation with fresh water availability 18 p0175 A78-23562

Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000

Water conservation and pollution control in coal conversion processes [PB-269568/2] 17 p0128 N78-12556

A linear programming model for assessing the regional impacts of energy development on water resources [PB-273022/4] 18 p0251 N78-17491

Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584

WATER COOLED REACTORS

What comes after oil and gas - Development trends offered by energy sources 18 p0223 A78-30709

Design of the TEXT toroidal and poloidal field coils --- Texas fusion plasma research tokamak 19 p0345 A78-39790

Thermal-mechanical design of a 150-mA, direct-current, 400-keV accelerator for production of 14-MeV neutrons 19 p0357 A78-40032

WATER DEPTH

West Antarctic ice sheet and CO2 greenhouse effect - A threat of disaster 18 p0175 A78-23492

WATER EROSION

Corrosion fatigue of 5086-H34 aluminum in sea water --- for ocean thermal energy conversion 19 p0305 A78-33344

WATER FLOW

Solar pond 18 p0200 A78-27860

Stratified turbulence modeling for the near field external flow --- application to Ocean Thermal Energy Conversion plants 19 p0302 A78-33316

The Mist Flow OTEC Plant --- convective lift to achieve hydraulic head in Ocean Thermal Energy Conversion 19 p0306 A78-33352

Engineering analysis and testing of water-trickle solar collectors [ORO-4927-77/1] 18 p0242 N78-16461

Hetering low-quality steam-water flows [UCRL-52271] 18 p0263 N78-19455

WATER INJECTION

North Stanley polymer demonstration project [COO-0029-1] 19 p0394 N78-23539

Pilot demonstration-enhanced oil recovery by micellar-polymer waterflooding Bell Creek Field [COO-4207-14] 19 p0418 N78-25510

WATER LOSS

Photosynthetic and water efficiency of Salsola pestifer --- tumbleweeds for biomass energy production 17 p0056 A78-11352

WATER MANAGEMENT

Coal gasification and water resources development 17 p0097 A78-18775

Energy and water --- energy resources correlation with fresh water availability 18 p0175 A78-23562

Conference proceedings: A critical economic balance: Water, land, energy, people [PB-274089/2] 18 p0253 N78-17944

Analyses of methods for the determination of water availability for energy development [FPA/G-77/059] 18 p0282 N78-21580

WATER POLLUTION

Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant 17 p0001 A78-10062

Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844

Oil in the ocean - Circumstances control its impact 17 p0087 A78-17262

A study of the formation of unpumpable residues of crude oil on tankers for the purpose of preventing marine pollution 17 p0093 A78-18050

Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons 18 p0193 A78-26818

The detection of hydrocarbon sheets on the sea 18 p0209 A78-28395

Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River 19 p0313 A78-34905

Water conservation and pollution control in coal conversion processes [PB-269568/2] 17 p0128 N78-12556

Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650

Consequences of new energy patterns [PB-273259/2] 18 p0244 N78-16474

Chemical and physical properties of refined petroleum products [PB-277100/4] 18 p0279 N78-21312

- HCNM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10111] 18 p0282 N78-21516
- Heat extraction system of the Permian thermal electric power plant [ORNL-TR-4492] 19 p0426 N78-25599
- Assessment, selection, and development of procedures for determining the environmental acceptability of synthetic fuel plants based on coal, appendix 2 [FP-1795-3-PT-2-REV] 19 p0433 N78-25674
- Effective control of secondary water pollution from flue gas desulfurization systems [PB-278373/6] 19 p0450 N78-26645
- The petroleum industry in the Delaware estuary [PB-277962/7] 19 p0451 N78-26653
- Air quality analysis of the Southern California Bight in relation to potential impact of offshore oil and gas development [PB-279088/9] 19 p0467 N78-27665
- WATER QUALITY**
- Energy resource development - The monitoring components 17 p0104 A78-19616
- Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California [UCRL-13784] 19 p0460 N78-27559
- WATER RESOURCES**
- Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492
- Stable isotopic studies of Japanese geothermal systems 17 p0062 A78-11493
- Wind power installations for water pumping in developing countries 18 p0171 A78-22247
- Use of brackish ground water resources for regional energy center development, Tularosa Basin, New Mexico: Preliminary evaluation [PB-269898/3] 17 p0116 N78-10602
- A linear programming model for assessing the regional impacts of energy development on water resources [PB-273022/4] 18 p0251 N78-17491
- Prototype solar domestic hot water systems [NASA-CR-150545] 18 p0264 N78-19606
- Photovoltaic water pumping applications: Assessment of the near-term market [NASA-TN-78847] 18 p0268 N78-19644
- Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584
- Geothermal potential of the west Boise area [TREE-1162] 19 p0455 N78-27497
- Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California [UCRL-13784] 19 p0460 N78-27559
- WATER TEMPERATURE**
- Analytical and experimental study of thermosyphon solar water heaters 17 p0045 A78-11237
- Chemical geothermometers and mixing models for geothermal systems 17 p0062 A78-11491
- Standard and solar energy exchange-heat water installation 17 p0071 A78-14092
- Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- Advances in solar water heating for domestic use in Australia 17 p0105 A78-19834
- Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems 17 p0106 A78-20244
- Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590
- A study of solar water heating for existing homes in Southern New England 19 p0295 A78-33034
- An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico 19 p0302 A78-33317
- The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319
- A parametric study of hot water storage for peak power generation 19 p0309 A78-34076
- Sims Prototype System 2 test results: Engineering analysis [NASA-CR-150544] 18 p0263 N78-19604
- Prototype solar heating and hot water system [NASA-CR-150575] 18 p0268 N78-19653
- Prototype solar heated hot water systems and double-walled heat exchangers: A collection of quarterly reports [NASA-CR-150591] 18 p0282 N78-21591
- System design package for SIMS prototype system 2, solar hot water [NASA-CR-150521] 19 p0388 N78-22465
- Preliminary design package for solar heating and hot water system [NASA-CR-150616] 19 p0458 N78-27536
- WATER TREATMENT**
- A systems analysis of bioconversion with microalgae --- combined sewage treatment and methane production 17 p0034 A78-11124
- Application of direct contact heat exchangers in geothermal systems [ASME PAPER 77-HT-3] 17 p0089 A78-17478
- Mass production of algae - Bioengineering aspects --- for wastewater treatment, protein production, fertilizers, drug and colloid manufacture 18 p0208 A78-28363
- Ultra clean heat exchangers - A critical OTEC requirement 19 p0305 A78-33341
- Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- Water in synthetic fuel production: The technology and alternatives --- Book 19 p0365 A78-41000
- The application of wind energy systems to desalination [PB-276174/0] 18 p0285 N78-21620
- Study of treatment methods for geothermal fluids [LBL-6337] 18 p0285 N78-21622
- SPE water electrolysis technology development for large scale hydrogen production [COO-2675-6] 19 p0415 N78-25249
- WATER VAPOR**
- Study of the thermodynamics of coal gasification 19 p0337 A78-38200
- WATER WAVES**
- The energy of near-surface internal waves in the Strait of Georgia 17 p0092 A78-17948
- Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes --- Ocean Thermal Energy Conversion platform design 19 p0302 A78-33322
- WATERSHEDS**
- The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2 [E78-10032] 17 p0125 N78-12506
- WATERWAVE ENERGY**
- Status report on the alternative energy sources 17 p0061 A78-11489
- WATERWAVE ENERGY CONVERSION**
- Energy from ocean surface waves 17 p0006 A78-10655
- The earth as a solar heat engine --- windpower utilization, ocean thermal conversion, tidal power, waterwave power and biomass conversion 18 p0223 A78-30745
- Wind-wave power available to a wave energy converter array 19 p0326 A78-36272
- WAVE DIFFRACTION**
- Diffraction analysis for multiple-beam pellet irradiance 19 p0360 A78-40225

WAVE DISPERSION

WAVE DISPERSION

- Collapse of Alfvén waves 18 p0224 A78-31008
- Electrical dissipation effects on propagation of magneto-hydrodynamic waves in anisotropic media 19 p0327 A78-36321
- Non-resonant pump field modification of the sidescatter threshold 19 p0381 A78-42264
- WEAR**
 - Friction and wear of several compressor gas-path seal movements [NASA-TP-1128] 17 p0158 A78-15229
 - Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas [NASA-TP-1150] 18 p0273 A78-20512
- WEATHER**
 - Solar and wind power - Some meteorological aspects 17 p0094 A78-18325
 - Regimes for the ocean, outer space, and weather --- Book 18 p0189 A78-26399
- WEATHER MODIFICATION**
 - Postulated weather modification effects of large energy releases [BNWL-2162] 17 p0117 A78-10672
- WEATHERING**
 - The stability of polyurethane foam solar energy collectors to climatic effects 18 p0187 A78-25738
- WEBS (SHEETS)**
 - Film reflectors in space --- Russian book on orbiting solar power stations and solar sails 17 p0078 A78-15423
 - Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 A78-23563
- WEIBULL DENSITY FUNCTIONS**
 - Reference wind speed statistics for wind turbine design 17 p0051 A78-11313
 - Economic design of wind electric systems [IEEE PAPER P 77 679-4] 18 p0219 A78-30197
 - A note on vertical extrapolation formulas for Weibull velocity distribution parameters --- of wind 18 p0234 A78-32413
- WEIGHT ANALYSIS**
 - Comment on 'Heat-pipe reactors for space power applications' 19 p0364 A78-40826
- WEIGHT REDUCTION**
 - Development status of the ultralightweight solar array ULP --- Ultra Lightweight Panel 17 p0017 A78-10967
- WELLS**
 - Geothermal well stimulation with a secondary fluid 17 p0104 A78-19625
 - Comparisons of deep well and insulated shallow earth storage of solar heat 18 p0205 A78-28164
 - Hawaii geothermal project. Well completion report, HGP-A [TID-27312] 18 p0269 A78-19668
 - Pulse test analysis of vertically fractured wells [ORO-8036-5] 19 p0418 A78-25511
- WEST VIRGINIA**
 - Borehole gravity survey to determine density variations in the Devonian shale sequence of Lincoln County [MEBC/CR-77/7] 17 p0157 A78-14729
- WETLANDS**
 - Applications of remote sensing in resource management in Nebraska [E78-10099] 18 p0273 A78-20567
- WETTABILITY**
 - Review of petroleum oil saturation and its determination [BEBC/RI-77/15] 19 p0442 A78-26525
- WHISTLERS**
 - Long-time-scale simulation of resonant particle effects in Langmuir and whistler waves 18 p0231 A78-32068

SUBJECT INDEX

WICKS

- Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes 19 p0308 A78-33573
- Heat pipe development [NASA-CR-156669] 18 p0238 A78-16327
- WIND (METEOROLOGY)**
 - Dynamics of drive systems for wind energy conversion 18 p0266 A78-19633
 - The UMass wind furnace blade design 18 p0267 A78-19641
 - Distributed technologies in California's energy future, volume 1 [LBL-6831-VOL-1] 18 p0285 A78-21623
 - Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization [DOE/ESP/19137-77/3] 19 p0435 A78-25982
- WIND DIRECTION**
 - Air flow in the central valley of Maui, Hawaii --- windpower generation potential 19 p0386 A78-43287
- WIND EFFECTS**
 - Computer aided aerogenerator analysis and performance 18 p0169 A78-22229
 - Applications of wind tunnels to investigations of wind-engineering problems [AIAA 78-812] 18 p0233 A78-32366
 - On the use of power laws for estimates of wind power potential 18 p0234 A78-32410
 - Effects of rotor location, coning, and tilt on critical loads in large wind turbines 18 p0267 A78-19636
 - Effect of generalized wind characteristics on annual power estimates from wind turbine generators [PNL-2436] 19 p0399 A78-23597
- WIND MEASUREMENT**
 - Variance analysis of wind characteristics for energy conversion 17 p0092 A78-17653
 - Nocturnal boundary-layer wind maxima and the problem of wind power assessment 18 p0179 A78-24314
 - Winds and wind system performance --- Book 18 p0231 A78-32074
 - An experimental facility for wind engineering research [AIAA 78-813] 18 p0234 A78-32367
- WIND PRESSURE**
 - Wind energy systems 19 p0457 A78-27528
- WIND PROFILES**
 - A study on the use of windmills in Singapore 18 p0169 A78-22230
 - Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence --- for windpower generator site selection in hilly terrain 18 p0169 A78-22231
 - Nocturnal boundary-layer wind maxima and the problem of wind power assessment 18 p0179 A78-24314
 - Results of the German wind energy study 18 p0210 A78-28557
 - Probability models of wind velocity magnitude and persistence 19 p0314 A78-34935
- WIND SHEAR**
 - Wind shear downwind of large surface roughness elements --- for wind energy conversion system design 17 p0076 A78-14957
- WIND TUNNEL DRIVES**
 - The use of fluidized beds for heating air for wind tunnels [AIAA 78-818] 18 p0234 A78-32372
- WIND TUNNEL TESTS**
 - The shrouded aerogenerator --- wind turbines 17 p0067 A78-13344
 - Performance characteristics of concentrator-augmented Savonius wind rotors 17 p0094 A78-18092
 - Selected wind tunnel test results for the Darrieus wind turbine 17 p0094 A78-18099

SUBJECT INDEX

WINDMILLS (WINDPOWERED MACHINES)

Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence --- for windpower generator site selection in hilly terrain 18 p0169 A78-22231

WVU wind energy concentrators 18 p0171 A78-22244

Experimental and analytical studies of the aerodynamic performance of windmills [AIAA PAPER 78-277] 18 p0172 A78-22612

Applications of wind tunnels to investigations of wind-engineering problems [AIAA 78-812] 18 p0233 A78-32366

An experimental facility for wind engineering research [AIAA 78-813] 18 p0234 A78-32367

Diffuser augmentation of wind turbines 19 p0312 A78-34512

Experimental analysis of a straight bladed Darrieus wind turbine 19 p0361 A78-40365

Wind tunnel performance data for two- and three-bucket Savonius rotors 19 p0364 A78-40822

The Lebest Wind Turbine - Laboratory tests and data analysis 19 p0364 A78-40824

WIND TUNNELS

Energetic evaluation of the hybrid tunnel principle and possibilities of efficiency improvement --- wind/tow tunnel combination 18 p0246 A78-17011

WIND VANES

Effects of rotor location, coning, and tilt on critical loads in large wind turbines 17 p0107 A78-20476

Windmills with diffuser effect induced by small tipvanes 18 p0171 A78-22245

WIND VARIATIONS

Solar and wind power - Some meteorological aspects 17 p0094 A78-18325

How wind variability affects the potential power available from wind generators 18 p0235 A78-32504

Methods of attenuating wind turbine ac generator output variations 18 p0266 A78-19632

WIND VELOCITY

Reference wind speed statistics for wind turbine design 17 p0051 A78-11313

Specific output of windmills - A discovery 17 p0078 A78-15783

Solar and wind induced external coefficients - Solar collectors 18 p0165 A78-20625

Economic design of wind electric systems [IEEE PAPER P 77 679-4] 18 p0219 A78-30197

The production of electricity from the wind - A preliminary feasibility study for Greece 18 p0231 A78-32049

A note on vertical extrapolation formulas for Weibull velocity distribution parameters --- of wind 18 p0234 A78-32413

How wind variability affects the potential power available from wind generators 18 p0235 A78-32504

Toroidal accelerator rotor platforms for wind energy conversion 18 p0235 A78-32505

Probability models of wind velocity magnitude and persistence 19 p0314 A78-34935

Determination of optimum arrays of wind energy conversion devices 19 p0364 A78-40821

New details on wind power climatology [SAND-77-0696C] 17 p0163 A78-15657

WIND VELOCITY MEASUREMENT

Flow field analysis 18 p0265 A78-19623

WINDMILLS (WINDPOWERED MACHINES)

Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio 17 p0028 A78-11076

The use of wind power by electric utilities 17 p0051 A78-11311

Optimum and near-optimum blade configurations for high speed wind turbines 17 p0051 A78-11314

Wind energy techniques of the past and present --- windmill design 17 p0072 A78-14103

Specific output of windmills - A discovery 17 p0078 A78-15783

Generation of electricity from the wind 17 p0080 A78-16053

Betz type limitation of vortex wind machines 17 p0093 A78-18090

Vortex augmentation of wind energy --- aerodynamic surface design for energy conversion efficiency 17 p0094 A78-18091

Performance characteristics of concentrator-augmented Savonius wind rotors 17 p0094 A78-18092

Design parameters affecting the performance of resistance-type, vertical-axis windrotors - An experimental investigation 17 p0094 A78-18093

Speed polar of a wind turbine powered cargo boat 17 p0094 A78-18094

Selected wind tunnel test results for the Darrieus wind turbine 17 p0094 A78-18099

Potential of wind as an energy source in Iran 17 p0094 A78-18223

The use of built form to enhance the output of wind collectors 17 p0107 A78-20478

Wind power limitations associated with vortices [AIAA PAPER 78-278] 18 p0166 A78-20785

Lift on a rotating porous cylinder --- with application to wind power generation 18 p0167 A78-21633

Computer aided aerogenerator analysis and performance 18 p0169 A78-22229

A study on the use of windmills in Singapore 18 p0169 A78-22230

The variable geometry vertical axis windmill 18 p0170 A78-22241

A low cost windmill rotor 18 p0170 A78-22242

WVU wind energy concentrators 18 p0171 A78-22244

Windmills with diffuser effect induced by small tipvanes 18 p0171 A78-22245

Wind power installations for water pumping in developing countries 18 p0171 A78-22247

The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts 18 p0171 A78-22248

Experimental and analytical studies of the aerodynamic performance of windmills [AIAA PAPER 78-277] 18 p0172 A78-22612

Performance of counter- and corotating arrays of Savonius turbines --- windpowered machines 18 p0188 A78-26113

Wind energy converter and mechanical energy converters - Matching and control 18 p0211 A78-28564

Twind wind mill --- blade and tower design 18 p0211 A78-28570

Harnessing the wind --- review of wind turbine machines 18 p0216 A78-29222

On vortex wind power [ASME PAPER 77-WA/PE-20] 18 p0218 A78-30035

The effect of hub fairings on wind turbine rotor performance 18 p0219 A78-30039

The aerodynamic efficiency of windmills 18 p0229 A78-31834

How to build wind wheels: Construction and calculation --- German book 18 p0231 A78-32075

Momentum theory and flow states for windmills 18 p0234 A78-32420

Blade twist, droop snoot, and forward spars --- in windmill blades 18 p0234 A78-32421

- Operational experience with a 5m Darrieus wind turbine 19 p0333 A78-37421
- Fundamentals of wind energy --- Book 19 p0341 A78-38972
- Experimental analysis of a straight bladed Darrieus wind turbine 19 p0361 A78-40365
- Aerodynamic augmentation of wind turbines 19 p0361 A78-40366
- The Lebest Wind Turbine - Laboratory tests and data analysis 19 p0364 A78-40824
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 1: Summary report [NASA-CR-134934] 17 p0125 N78-12529
- Wind power systems. A select bibliography [NCWTD-CNDST-BIB-7] 17 p0150 N78-14627
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 2: Analysis and design [NASA-CR-134935] 18 p0248 N78-17462
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 3: Supplementary design and analysis tasks [NASA-CR-135121] 18 p0248 N78-17463
- Theory of wind turbines with contrarotation [UTIAS-218] 18 p0260 N78-18556
- Effects of large interconnected wind generators on the electric power system 19 p0388 N78-22462
- Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine [NASA-TN-78853] 19 p0395 N78-23558
- Wind power, volume 1. Citations from the NTIS data base [NTIS/PS-78/0415/6] 19 p0465 N78-27600
- Wind power, volume 2. Citations from the NTIS data base [NTIS/PS-78/0416/4] 19 p0465 N78-27601
- Wind power. Citations from the engineering index data base [NTIS/PS-78/0417/2] 19 p0465 N78-27602
- WINDOWS (APERTURES)**
- The computer-aided design of windows as passive solar collectors 17 p0048 A78-11272
- Low-resistivity ZnCdS films for use as windows in heterojunction solar cells 19 p0369 A78-41913
- WINDPOWER UTILIZATION**
- Economic considerations in the energy supply of Autarkic dwellings 17 p0005 A78-10621
- Three ocean sited natural energy systems 17 p0009 A78-10735
- Insolation and wind - A natural combination for self-sufficient power systems 17 p0022 A78-11017
- Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio 17 p0028 A78-11076
- Evaluation of offshore site for wind energy generation 17 p0029 A78-11080
- Computer aided design of a continuous duty energy system --- using both solar and wind energy 17 p0030 A78-11093
- Economic analysis of wind generation and energy storage for electric utility systems 17 p0031 A78-11100
- On the correlation between daily amounts of solar and wind energy and monthly trends of the two energy sources 17 p0052 A78-11318
- A feasibility study of a combined wind-solar system for space and domestic hot water heating 17 p0052 A78-11319
- Analytical performance and economic evaluation of residential wind or wind and solar heating systems 17 p0055 A78-11347
- Status report on the alternative energy sources 17 p0061 A78-11489
- The shrouded aerogenerator --- wind turbines 17 p0067 A78-13344
- Optimal design methodology for a wind power system 17 p0070 A78-13847
- The outlook for wind energy 17 p0072 A78-14101
- Investigation of wind energy --- technical concepts and research problems 17 p0072 A78-14102
- Wind energy techniques of the past and present --- windmill design 17 p0072 A78-14103
- Wind shear downwind of large surface roughness elements --- for wind energy conversion system design 17 p0076 A78-14957
- Variance analysis of wind characteristics for energy conversion 17 p0092 A78-17653
- Potential of wind as an energy source in Iran 17 p0094 A78-18223
- Cylindrical arrays of vertical-axis wind turbines 17 p0107 A78-20477
- The use of built form to enhance the output of wind collectors 17 p0107 A78-20478
- Wind power limitations associated with vortices [AIAA PAPER 78-278] 18 p0166 A78-20785
- Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786
- International Symposium on Wind Energy Systems, St. John's College, Cambridge, England, September 7-9, 1976, Proceedings 18 p0168 A78-22226
- Mathematical modelling of topographic effects on wind energy systems 18 p0169 A78-22228
- A study on the use of windmills in Singapore 18 p0169 A78-22230
- A wind energy conversion system based on the tracked vehicle airfoil concept 18 p0169 A78-22234
- Some design aspects of high-speed vertical-axis wind turbines 18 p0169 A78-22235
- General performance theory for crosswind axis turbines 18 p0170 A78-22236
- A performance prediction model for the Darrieus turbine --- for wind energy conversion 18 p0170 A78-22237
- A contribution to the aerodynamic theory of the vertical-axis wind turbine 18 p0170 A78-22238
- Status of the ERDA/Sandia 17-metre Darrieus turbine design 18 p0170 A78-22240
- The variable geometry vertical axis windmill 18 p0170 A78-22241
- A low cost windmill rotor 18 p0170 A78-22242
- Wind power installations for water pumping in developing countries 18 p0171 A78-22247
- Wind energy research in New Zealand 18 p0171 A78-22249
- An experimental investigation of a class of resistance-type, direction-independent wind turbines 18 p0173 A78-22839
- Nocturnal boundary-layer wind maxima and the problem of wind power assessment 18 p0179 A78-24314
- Wind-electric conversion utilizing field modulated generator systems 18 p0205 A78-28163
- Energy from wind; Meeting, 4th, Bremen, West Germany, June 7, 8, 1977, Report 18 p0209 A78-28551
- Possibilities and prospects for wind energy utilization 18 p0209 A78-28552
- The Netherlands National Research Programme on Wind Energy 18 p0209 A78-28553
- Wind energy program of the Danish government and the Danish electric power concerns 18 p0209 A78-28554
- The Swedish Wind Energy Programme 18 p0209 A78-28555
- Program for wind energy utilization in the framework of nonnuclear energy research 18 p0210 A78-28556

SUBJECT INDEX

WINDPOWER UTILIZATION CONTD

Results of the German wind energy study 18 p0210 A78-28557
 Meteorology and wind energy utilization 18 p0210 A78-28558
 Aeroelasticity problems in wind energy converters 18 p0210 A78-28562
 The coupling of solar energy utilization and wind energy utilization 18 p0211 A78-28568
 Possibilities for wind energy applications in nations of the Third World 18 p0211 A78-28569
 Fully automatic wind power plant 125/220 V 4 KVA 18 p0211 A78-28571
 Maximum wind energy utilization by means of a single-unit wind turbine 18 p0211 A78-28572
 Criteria for the manufacture and operation of wind power installations with power up to 10 kW 18 p0212 A78-28573
 Cost-effective concept for utilization of wind energy - Results based on experience with the Sylt double rotor 18 p0212 A78-28574
 Harnessing the wind --- review of wind turbine machines 18 p0216 A78-29222
 The earth as a solar heat engine --- windpower utilization, ocean thermal conversion, tidal power, waterwave power and biomass conversion 18 p0223 A78-30745
 Winds and wind system performance --- Book 18 p0231 A78-32074
 Renewable energy sources and storage --- wind power in Britain 18 p0233 A78-32249
 On the use of power laws for estimates of wind power potential 18 p0234 A78-32410
 Engineering of wind energy systems 18 p0234 A78-32423
 Probability models of wind velocity magnitude and persistence 19 p0314 A78-34935
 Selection of a method for calculating parameters of storage devices used at wind and solar installations 19 p0326 A78-36138
 Marine thermic energy and the combination of solar, radiative and aeolian energies 19 p0328 A78-36623
 Operational experience with a 5m Darrieus wind turbine 19 p0333 A78-37421
 Hagdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781
 A simplified physics airflow model for evaluating wind power sites in complex terrain 19 p0340 A78-38791
 Vortex augmented wind energy conversion 19 p0361 A78-40361
 New designs and applications of medium sized wind systems 19 p0361 A78-40369
 Wind tunnel performance data for two- and three-bucket Savonius rotors 19 p0364 A78-40822
 The Leobost Wind Turbine - Laboratory tests and data analysis 19 p0364 A78-40824
 Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418
 Air flow in the central valley of Maui, Hawaii --- windpower generation potential 19 p0386 A78-43287
 Solar and wind home heating and domestic hot water systems: Energy and economics study 17 p0111 A78-10555
 Wind power potential of Alaska. Part 2: Wind duration curve fits and output power estimates for typical windmills [RLO/2229/T12-76/1-PT-2] 17 p0113 A78-10578
 NASTRAN use for cyclic response and fatigue analysis of wind turbing towers 17 p0125 A78-12459

Energy storage needs for wind power systems [SAND-76-9058] 17 p0143 A78-13603
 Control system for wind-powered generators [SAND-77-0287] 17 p0143 A78-13604
 Unconventional energy sources. A select bibliography [MCWTD-CHNDST-BIB-6] 17 p0150 A78-14626
 Wind power systems. A select bibliography [MCWTD-CHNDST-BIB-7] 17 p0150 A78-14627
 Wind energy mission analysis, executive summary [COO-2578-1-1] 17 p0152 A78-14645
 Wind energy mission analysis [COO-2578-1-2] 17 p0152 A78-14646
 Wind energy mission analysis, appendices A-J [COO-2578-1-3] 17 p0152 A78-14647
 Summary of current cost estimates of large wind energy systems [DSE/2521-1] 17 p0152 A78-14650
 Investigation of diffuser-augmented wind turbines. Part 1: Executive summary [COO-2616-2-PT-1] 17 p0154 A78-14668
 Investigation of diffuser-augmented wind turbines. Part 2: Technical report [COO-2616-2-PT-2] 17 p0154 A78-14669
 Solar program assessment: Environmental factors. Wind energy conversion [ERDA-77-47/6] 17 p0156 A78-14682
 Wind studies in complex terrain [UCRL-79430] 17 p0157 A78-14762
 ERDA/NASA 100 kilowatt mod-o wind turbine operations and performance --- at the NASA Plum Brook Station, Ohio [NASA-TN-73825] 17 p0159 A78-15563
 New details on wind power climatology [SAND-77-0696C] 17 p0163 A78-15657
 An asynchronous ac/dc/ac link for wind power application 18 p0239 A78-16426
 Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 3: Supplementary design and analysis tasks [NASA-CR-135721] 18 p0248 A78-17463
 Synchronization of the DOE/NASA 100-kilowatt wind turbine generator with a large utility network [NASA-TN-73861] 18 p0249 A78-17467
 Comparison of computer codes for calculating dynamic loads in wind turbines 18 p0265 A78-19617
 Aeroelastic analysis of wind energy conversion systems 18 p0265 A78-19621
 Some alternative dynamic design configurations for large horizontal axis WECS 18 p0266 A78-19634
 Plans for wind energy system simulation 18 p0267 A78-19640
 Experimental data and theoretical analysis of an operating 100 kW wind turbine [NASA-TN-73883] 18 p0267 A78-19642
 Wind energy mission analysis, appendix [SAM/1075-1/2] 18 p0269 A78-19669
 RANN: Research Applied to National Needs. Wind Energy Conversion Research [PB-271942/5] 18 p0270 A78-19677
 A simulation model for wind energy storage systems. Volume 1: Technical report [NASA-CR-135283] 18 p0278 A78-20802
 A simulation model for wind energy storage systems. Volume 2: Operation manual [NASA-CR-135284] 18 p0278 A78-20803
 A simulation model for wind energy storage systems. Volume 3: Program descriptions [NASA-CR-135285] 18 p0278 A78-20804
 The application of wind energy systems to desalination [PB-276174/0] 18 p0285 A78-21620
 Windmill power for city people [PB-275658/3] 18 p0288 A78-21654
 Free-air performance tests of a 5-metre-diameter Darrieus turbine [SAND-77-1063] 19 p0430 A78-25632
 Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization [DOE/NSF/19137-77/3] 19 p0435 A78-25982
 Legal-institutional implications of Wind Energy Conversion Systems (WECS) [NSF/HA-770204] 19 p0435 A78-25983

- Design and operating experience on the US
Department of Energy experimental Mod-0 100-kW
wind turbine
[NASA-TN-78915] 19 p0443 W78-26552
DOE/NASA Mod-0A wind turbine performance
[NASA-TN-78916] 19 p0443 W78-26553
Wind energy systems 19 p0457 W78-27528
Role of wind power in electric utilities
[BHL-50736] 19 p0462 W78-27582
- WINDPOWERED GENERATORS**
Evaluation of wind generator economics in a load
duration context 17 p0028 A78-11073
Innovative wind turbines 17 p0031 A78-11101
The use of wind power by electric utilities 17 p0051 A78-11311
Reference wind speed statistics for wind turbine
design 17 p0051 A78-11313
Optimum and near-optimum blade configurations for
high speed wind turbines 17 p0051 A78-11314
A practical approach to vortex augmentation of
wind turbines 17 p0052 A78-11315
Cost-effective electrical power generation from
the wind 17 p0052 A78-11316
The shrouded aerogenerator --- wind turbines 17 p0067 A78-13344
Optimal design methodology for a wind power system 17 p0070 A78-13847
Specific output of windmills - A discovery 17 p0078 A78-15783
Generation of electricity from the wind 17 p0080 A78-16053
A computer model for large-scale offshore
wind-power systems 17 p0093 A78-18089
Solar and wind power - Some meteorological aspects 17 p0094 A78-18325
Effects of rotor location, coning, and tilt on
critical loads in large wind turbines 17 p0107 A78-20476
Cylindrical arrays of vertical-axis wind turbines 17 p0107 A78-20477
The use of built form to enhance the output of
wind collectors 17 p0107 A78-20478
The potential for power production by large
dispersed arrays of wind turbines 18 p0168 A78-22227
Wind tunnel simulation of the influence of two
dimensional ridges on wind speed and turbulence
--- for windpower generator site selection in
hilly terrain 18 p0169 A78-22231
Performance-optimized horizontal-axis wind turbines 18 p0169 A78-22232
A cross flow wind turbine 18 p0169 A78-22233
A wind energy conversion system based on the
tracked vehicle airfoil concept 18 p0169 A78-22234
Some design aspects of high-speed vertical-axis
wind turbines 18 p0169 A78-22235
General performance theory for crosswind axis
turbines 18 p0170 A78-22236
A contribution to the aerodynamic theory of the
vertical-axis wind turbine 18 p0170 A78-22238
Aerodynamic studies on vertical-axis wind turbine 18 p0170 A78-22239
Status of the ERDA/Sandia 17-metre Darrieus
turbine design 18 p0170 A78-22240
A low cost windmill rotor 18 p0170 A78-22242
Economics of a vertical-axis wind turbine 18 p0170 A78-22243
A self-contained 5,000 kW capacity wind energy
conversion system with storage 18 p0171 A78-22246
- The regulation, storage, and conversion of wind
produced electrical energy at the level of a few
hundred watts 18 p0171 A78-22248
An aerodynamic performance theory for the Darrieus
wind turbine 18 p0171 A78-22250
A performance-optimised wind energy conversion
system for space heating 18 p0171 A78-22251
Experimental and analytical studies of the
aerodynamic performance of windmills
[AIAA PAPER 78-277] 18 p0172 A78-22612
An experimental investigation of a class of
resistance-type, direction-independent wind
turbines 18 p0173 A78-22839
Classification of methods for controlling the
productivity of wind and solar power stations 18 p0187 A78-25737
Wind-electric conversion utilizing field modulated
generator systems 18 p0205 A78-28163
Wind energy program of the Danish government and
the Danish electric power concerns 18 p0209 A78-28554
The Swedish Wind Energy Programme 18 p0209 A78-28555
Program for wind energy utilization in the
framework of nonnuclear energy research 18 p0210 A78-28556
Meteorology and wind energy utilization 18 p0210 A78-28558
Wind energy conversion - Horizontal-axis machines 18 p0210 A78-28559
Mode of operation and characteristics of Darrieus
rotors 18 p0210 A78-28560
Measurement program of the Dutch experimental
vertical-axis wind turbine 18 p0210 A78-28561
Recent developments in wind turbines 18 p0210 A78-28563
Wind energy converter and mechanical energy
converters - Matching and control 18 p0211 A78-28564
Possibilities for demand-oriented delivery of wind
energy 18 p0211 A78-28565
Novel wind turbine: Invention of a Viennese
engineer - 'Fan principle' yields severalfold
the current effective power 18 p0211 A78-28566
Concepts for the intermediate storage of
wind-generated secondary energy 18 p0211 A78-28567
Fully automatic wind power plant 125/220 V 4-KVA 18 p0211 A78-28571
Maximum wind energy utilization by means of a
single-unit wind turbine 18 p0211 A78-28572
Criteria for the manufacture and operation of wind
power installations with power up to 10 kW 18 p0212 A78-28573
On vortex wind power
[ASME PAPER 77-WA/FE-20] 18 p0218 A78-30035
Synchronization of wind turbine generators against
an infinite bus under gusting wind conditions
[IEEE PAPER P 77 675-2] 18 p0219 A78-30196
Economic design of wind electric systems
[IEEE PAPER P 77 679-4] 18 p0219 A78-30197
Utilities put the sun to work 18 p0223 A78-30744
The production of electricity from the wind - A
preliminary feasibility study for Greece 18 p0231 A78-32049
Three-phase induction motor loads on a variable
frequency wind electric generator 18 p0231 A78-32050
How to build wind wheels: Construction and
calculation --- German book 18 p0231 A78-32075
Renewable energy sources and storage --- wind
power in Britain 18 p0233 A78-32249
On the use of power laws for estimates of wind
power potential 18 p0234 A78-32410

SUBJECT INDEX

WINDPOWERED GENERATORS CONTD

- Momentum theory and flow states for windmills 18 p0234 A78-32420
- Blade design and fabrication - 17-meter VAWT ---
Vertical Axis Wind Turbine 18 p0234 A78-32422
- How wind variability affects the potential power
available from wind generators 18 p0235 A78-32504
- Toroidal accelerator rotor platforms for wind
energy conversion 18 p0235 A78-32505
- Empirical and theoretical statistics of
windcharger home heating potential 18 p0236 A78-32506
- The induction generator for wind energy conversion 18 p0236 A78-32507
- Some contributions to aerodynamic theory for
vertical-axis wind turbines 19 p0291 A78-32534
- Aerodynamic characteristics of a cylindrical type
of wind turbine with inclined blades 19 p0291 A78-32536
- Diffuser augmentation of wind turbines 19 p0312 A78-34512
- On the fluctuating power generation of large wind
energy converters, with and without storage
facilities 19 p0312 A78-34514
- Optimization models for the economic design of
wind power systems 19 p0314 A78-34934
- Experimental study of the joint operation of wind-
and solar-plants 19 p0336 A78-37948
- Giant wind turbines 19 p0340 A78-38814
- Fundamentals of wind energy --- Book 19 p0341 A78-38972
- Electrofluid dynamic /EPD/ wind driven generator
research 19 p0361 A78-40362
- Nadaras Rotor Power Plant --- windpowered generator 19 p0361 A78-40367
- Determination of optimum arrays of wind energy
conversion devices 19 p0364 A78-40821
- The influence of blade thickness on the output of
vertical axis wind turbines 19 p0381 A78-42417
- Cost-effective electric power generation from the
wind - A system linking wind-power with
hydroelectric storage and long-distance
transmission 19 p0381 A78-42418
- Calculation of the geometry and performance of a
high-speed wind rotor 19 p0382 A78-42419
- Secondary parameters affecting the performance of
resistance-type vertical-axis wind rotors 19 p0382 A78-42420
- Wind power systems. A select bibliography
[NCWTD-CNDST-BIB-7] 17 p0150 N78-14627
- Investigation of diffuser-augmented wind turbines.
Part 1: Executive summary
[COO-2616-2-PT-1] 17 p0154 N78-14668
- Investigation of diffuser-augmented wind turbines.
Part 2: Technical report
[COO-2616-2-PT-2] 17 p0154 N78-14669
- ERDA/NASA 100 kilowatt mod-o wind turbine
operations and performance --- at the NASA Plum
Brook Station, Ohio
[NASA-TM-73825] 17 p0159 N78-15563
- Nonlinear dynamic response of wind turbine rotors 17 p0160 N78-15565
- An examination of small wind electric systems in
Michigan 18 p0239 N78-16428
- Approximate method for calculating free vibrations
of a large-wind-turbine tower structure
[NASA-TM-73754] 18 p0240 N78-16434
- Legal-institutional implications of Wind Energy
Conversion Systems (WECS), executive summary
[PB-273006/7] 18 p0244 N78-16472
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications. Volume 2:
Analysis and design
[NASA-CR-134935] 18 p0248 N78-17462
- Synchronization of the DOE/NASA 100-kilowatt wind
turbine generator with a large utility network
[NASA-TM-73861] 18 p0249 N78-17467
- Cost-effective electric power generation from the
wind
[PB-273582/7] 18 p0251 N78-17639
- Wind Turbine Structural Dynamics
[NASA-CP-2034] 18 p0265 N78-19616
- MOD-1 WTG dynamic analysis 18 p0265 N78-19618
- Simplified modeling for wind turbine modal
analysis using NASTRAN 18 p0265 N78-19619
- Use of asymptotic methods in vibration analysis 18 p0265 N78-19620
- Aeroelastic analysis of wind energy conversion
systems 18 p0265 N78-19621
- Aeroelastic stability of wind turbine blades 18 p0265 N78-19622
- Flow field analysis 18 p0265 N78-19623
- Flutter of Darrieus wind turbine blades 18 p0265 N78-19624
- Analytical testing techniques 18 p0266 N78-19625
- Influence of wind turbine foundation 18 p0266 N78-19626
- Summary of static load test of the Mod-0 blade 18 p0266 N78-19627
- DOE/NASA Mod-0 100KW wind turbine test results 18 p0266 N78-19628
- Power oscillation of the Mod-0 wind turbine 18 p0266 N78-19629
- Drive train dynamic analysis 18 p0266 N78-19630
- Mod-1 wind turbine generator analysis 18 p0266 N78-19631
- Methods of attenuating wind turbine ac generator
output variations 18 p0266 N78-19632
- Dynamics of drive systems for wind energy conversion 18 p0266 N78-19633
- Fatigue load spectra for upwind and downwind rotors 18 p0267 N78-19635
- Effects of rotor location, coning, and tilt on
critical loads in large wind turbines 18 p0267 N78-19636
- Comparison of blade loads of fixed and free yawing
wind turbine 18 p0267 N78-19637
- Fixed pitch wind turbines 18 p0267 N78-19638
- Research of low cost wind generator rotors 18 p0267 N78-19639
- The UMass wind furnace blade design 18 p0267 N78-19641
- Experimental data and theoretical analysis of an
operating 100 kW wind turbine
[NASA-TM-73883] 18 p0267 N78-19642
- Employing static excitation control and tie line
reactance to stabilize wind turbine generators
[NASA-CR-135344] 18 p0274 N78-20603
- The application of wind energy systems to
desalination
[PB-276174/0] 18 p0285 N78-21620
- Wind wheel electric power generator
[NASA-CASE-NFS-23515-1] 19 p0389 N78-22469
- Comparison of computer codes for calculating
dynamic loads in wind turbines
[NASA-TM-73773] 19 p0395 N78-23556
- Design study of wind turbines, 50 kW to 3000 kW
for electric utility applications: Executive
summary
[NASA-CR-134936] 19 p0395 N78-23559
- Design study of wind turbines 50 kW to 3000 kW for
electric utility applications: Analysis and
design
[NASA-CR-134937] 19 p0395 N78-23560
- Effect of generalized wind characteristics on
annual power estimates from wind turbine
generators
[PNL-2436] 19 p0399 N78-23597
- Vertical axis wind turbine tie-down design with an
example
[SAND-77-1919] 19 p0429 N78-25631
- Transient response to three-phase faults on a wind
turbine generator
[NASA-TM-78902] 19 p0442 N78-26542

- Wind energy systems 19 p0457 W78-27528
- Brake system for the 17 meter vertical axis wind turbine [SAND-77-1331] 19 p0461 W78-27569
- Role of wind power in electric utilities [BNL-50736] 19 p0462 W78-27582
- Wind power, volume 1. Citations from the NTIS data base [NTIS/PS-78/0415/6] 19 p0465 W78-27600
- Wind power, volume 2. Citations from the NTIS data base [NTIS/PS-78/0416/4] 19 p0465 W78-27601
- Wind power. Citations from the engineering index data base [NTIS/PS-78/0417/2] 19 p0465 W78-27602
- WINDPOWERED PUMPS**
- Wind energy - A supplement to hydro-electric energy using the Columbia River Valley as an example 17 p0052 A78-11317
- Wind power installations for water pumping in developing countries 18 p0171 A78-22247
- Concepts for the intermediate storage of wind-generated secondary energy 18 p0211 A78-28567
- Reversible thermodynamics of the airlift pump 18 p0235 A78-32503
- WIRE**
- Multi-wire slurry wafering demonstrations --- slicing silicon ingots for solar arrays [JPL-PUB-78-37] 18 p0276 W78-20620
- WIRE CLOTH**
- Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials [GNE-2690-SECT-6.002] 19 p0439 W78-26320
- WIRE WINDING**
- The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901
- WOOD**
- Energy and materials from the forest biomass 17 p0034 A78-11126
- The production of oil from wood waste 18 p0198 A78-27809
- Fuels from wood waste 18 p0198 A78-27810
- Potential of wood as an energy resource in New England [TID-28131] 19 p0432 W78-25655
- WORK**
- Available work energy and coal conversion processes 17 p0159 W78-15558
- WORK FUNCTIONS**
- Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112
- WORKING FLUIDS**
- Non-corrosive, non-freezing, and non-toxic heat transfer fluids for solar heating and cooling 17 p0045 A78-11240
- Application of direct contact heat exchangers in geothermal systems [ASME PAPER 77-HT-3] 17 p0089 A78-17478
- Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems 17 p0104 A78-19832
- Experimental study of temperature fields in liquids in the steady state regime --- for solar thermoelectric generator cooling 18 p0166 A78-21030
- Method for taking account of the effect of chemical kinetics on the thermodynamic properties of the working fluid in a supersonic MHD generator 18 p0168 A78-22137
- Two phase working fluids in solar collectors [AIAA PAPER 78-354] 18 p0178 A78-24030
- Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136
- Aqueous heat-carrying liquids for solar houses 18 p0213 A78-28587
- The use of thermal oils for energy transfer in the primary cycle of solar heating systems and solar power plants 18 p0213 A78-28588
- Air as a heat-transfer fluid --- for solar houses 18 p0213 A78-28589
- Application of chemical engineering to large scale solar energy 18 p0220 A78-30265
- Optical properties of solar-absorbing oxide particles suspended in a molten salt heat transfer fluid 19 p0312 A78-34513
- Thermochemical energy transport costs for a distributed solar power plant 19 p0312 A78-34515
- Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature 19 p0332 A78-36869
- Characteristics of the utilization of H₂O₄ in solar gas-turbine power plants 19 p0335 A78-37947
- Dynamics of a pistonless engine capable of utilizing solar energy 19 p0339 A78-38554
- The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel 19 p0341 A78-38969
- Fluids serving as heat transfer agents in solar energy conversion 19 p0384 A78-42897
- Development of working fluid thermodynamic properties information for geothermal cycles; phase 1 [ORO-5249-1] 17 p0143 W78-13600
- Heat pipe with dual working fluids [NASA-CASE-ABC-10198] 18 p0248 W78-17336
- WYOMING**
- Legislative handbook on energy-related topics [PB-276766/3] 19 p0390 W78-22477
- X**
- X RAY IMAGERY**
- Microchannel plate response to hard X-rays --- for imaging recompression beam fuel pellet implosion 19 p0360 A78-40267
- X RAY IRRADIATION**
- Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- X RAYS**
- A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors 19 p0354 A78-39978
- XENON**
- Limitation of 3547 to 1182 Å conversion efficiency in Xe 18 p0215 A78-28924
- Y**
- YAG LASERS**
- Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384
- YAW**
- Some alternative dynamic design configurations for large horizontal axis WECS 18 p0266 W78-19634
- YTTRIUM**
- Tritium removal from liquid metals by sorption on yttrium 19 p0358 A78-40074
- YTTRIUM OXIDES**
- Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881] 17 p0155 W78-14676
- Z**
- ZINC**
- Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S 17 p0018 A78-10979

SUBJECT INDEX

ZONE MELTING

ZINC SELENIDES

High conductivity ZnSe films --- for solar cells
19 p0310 A78-34256

ZINC SULFIDES

Studies related to Zn/x/Cd/1-x/S-Cu₂S solar cells
17 p0018 A78-10982

ZIRCONIUM OXIDES

The molecular mechanisms of photosynthetic
hydrogen and oxygen production
18 p0208 A78-28359

Electrochemical characteristics of Zr O₂-Y₂O₃
solid electrolytes for fuel cells
[BNL-22881]
17 p0155 A78-14676

ZONE MELTING


Solar cells from zone-refined metallurgical silicon
18 p0219 A78-30190

PERSONAL AUTHOR INDEX

ENERGY / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The issue, page and accession numbers are located beneath and to the right of the title, e.g., 17 p0138 N78-13552. Under any one author's name the accession numbers are arranged in sequence with the /AA accession numbers appearing first.

A

- ABDEL-AAL, H. K.**
Solar energy prospects in Saudi Arabia
19 p0345 A78-39671
- ABDEL-KHALIK, S. I.**
Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems
17 p0104 A78-19832
- Natural convection in compound parabolic concentrators - A finite-element solution
19 p0337 A78-38269
- ABDOU, M. A.**
Tokamak fusion power reactors
17 p0103 A78-19600
- Computational model for superconducting toroidal-field magnets for a tokamak reactor
19 p0350 A78-39905
- ABEL, B. D.**
TFTR vacuum system
19 p0325 A78-36046
- ABEL, W. T.**
Products from two-step coal liquefaction using three different first-step reactor packings
18 p0190 A78-26578
- ABENS, S. G.**
Fuel cell stacks
[AD-A042315]
17 p0112 N78-10566
- ABERNETHY, R. B.**
Tutorial, test measurement accuracy
17 p0088 A78-17409
- ABILOCK, H.**
Energy modeling and data support for the Electric Power Research Institute
[BHL-50696]
19 p0425 N78-25595
- ABOUL-FOTOUH, K. H.**
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1
[ORO-5249-1]
17 p0143 N78-13600
- ABRAHOVA, A. P.**
Theraionic emission from electrodes with raised surfaces in a theraionic converter
18 p0224 A78-31011
- ABRAMS, H. J.**
Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers
[SAND-77-8300]
19 p0444 N78-26563
- ABRIKOSOV, N. KH.**
Study of diffusion processes in low-temperature thermal elements
19 p0326 A78-36135

- ACHARYA, S. K.**
Optimum solar energy collection
19 p0375 A78-42150
- ACHENBACH, J. D.**
Heat extraction from hot, dry rock masses
[PB-271411/1]
17 p0139 N78-13560
- ACKER, C.**
Saving raw materials or saving energy in aircraft construction
17 p0073 A78-14285
- ACKERMAN, J. P.**
Advanced fuel cell development
[ANL-77-79]
19 p0445 N78-26571
- ACKLEY, D. E.**
Silicon films as selective absorbers for solar energy conversion
17 p0070 A78-13905
- ADAM, J.**
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- ADAMS, G.**
The efficiency of solar flat-plate collectors
19 p0323 A78-35798
- ADAMS, G. A.**
Improved energy efficiency for small CTOL transport aircraft
18 p0226 A78-31305
- ADCOCK, S. J.**
Doublet IIA experiments
17 p0011 A78-10776
- ADLERSTEIN, J.**
Syngas process converts waste to SNG
17 p0035 A78-11134
- Pipeline gas from solid wastes by the Syngas recycling process
18 p0197 A78-27805
- ADT, R. B., JR.**
Methanol-gasoline blends - Performance and emissions
19 p0321 A78-35702
- Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics
[PB-277135/0]
19 p0393 N78-23261
- ADVANI, S. H.**
Stress response investigations related to in-situ gasification of coal
[ASME PAPER 77-PET-25]
17 p0077 A78-15083
- AERENS, A. P.**
Automobile exhaust emission surveillance analysis of the FY 1974 program
[PB-268782/0]
17 p0117 N78-10622
- AFANASEV, I. A.**
Kinetics of chemical processes involved in the decontamination of seawater with respect to oil hydrocarbons
18 p0193 A78-26818
- AGABAEV, CH.**
Experimental study of temperature fields in liquids in the steady state regime
18 p0166 A78-21030
- AGARWAL, H. C.**
Performance study of spray-type solar water heater
19 p0374 A78-42147
- AGARWALA, A.**
Design of a non-tracking solar heat concentrator/collector system
19 p0371 A78-42113
- AGRAWAL, V.**
Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations
[LBL-6841]
18 p0230 A78-31953

- AHLSTROM, H. G.
Laser-fusion experiments utilizing a 4/pi/
illumination system 18 p0235 A78-32434
Implosion experiments with D2, He-3 filled
microspheres 18 p0235 A78-32440
- AHLUWALIA, B. K.
Mechanical energy storage systems - Compressed air
and underground pumped hydro
[AIAA PAPER 78-281] 18 p0166 A78-20788
Surface ignition of coal and other fuel particles
in radiative and diffusive environment 18 p0222 A78-30511
- ABREWS, P. W.
Mechanical energy storage systems - Compressed air
and underground pumped hydro
[AIAA PAPER 78-281] 18 p0166 A78-20788
- AYLLERET, P.
Considerations of the World Energy Conference
long-range review of energy problems /Istanbul -
September 19-23, 1977/ 18 p0184 A78-25257
The risks of energy shortage in the world level
18 p0196 A78-27783
- AIMINIO, M.
Supervisory and transmission system for the
control of atmospheric pollution in areas
surrounding thermoelectric plants 17 p0065 A78-12936
- AKHTAR, S.
Coagulation and filtration of solids from
liquefied coal of SYNTHOIL process 18 p0191 A78-26587
Filterability of a coal-derived liquid 18 p0191 A78-26588
Experience in feeding coal into a liquefaction
process development unit 17 p0131 A78-13242
- AKIN, J. E.
Bending free toroidal shells for tokamak fusion
reactors 19 p0351 A78-39915
- AKISHINO, K.
Development of a new combustion system /HCA-jet/
in gasoline engine 19 p0386 A78-43296
- AKOPOV, P. A.
Oxide ceramics for electrodes on open-cycle MHD
generators 19 p0328 A78-36556
- AL-SOMAIT, P.
Solar energy prospects in Saudi Arabia 19 p0345 A78-39671
- ALABAU, A.
Microprocessor-based solar cell measurement system
19 p0365 A78-40919
- ALAVIAN, Z. A.
Analytic determination of the fuel effect of air
storage gas turbine electric power stations 18 p0227 A78-31364
- ALBERRY, W. J.
Optimum efficiency of photogalvanic cells for
solar energy conversion 17 p0091 A78-17520
- ALBUL, L. W.
Indices and areas of application of
gas-turbine-driven thermal power plants 18 p0193 A78-27096
- ALCORN, J.
Engineering features of an upgradable ignition
test reactor 19 p0349 A78-39878
- ALDOUS, A.
The electric way ahead for road transport 19 p0292 A78-32652
- ALEKSANDROV, A. P.
Survey of atomic energy planning taking into
account the production of energy in addition to
electricity 18 p0227 A78-31474
- ALEKSANDROV, M. G.
Design and cost analysis of turbine penstocks for
hydroelectric power-plants located at the bottom
of the dam 18 p0222 A78-30571
- ALEXANDER, C. K., JR.
A solar collector for industrial and commercial
applications 17 p0058 A78-11371
- ALPEROV, ZH. I.
Photocells employing smooth AlGaAs-GaAs
heterojunctions to extend the spectral response
range 17 p0062 A78-11668
Photocells with intermediate conversion of
radiation and which operate at an increased
concentration /2500-fold/ of solar radiation 18 p0172 A78-22795
AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum 19 p0300 A78-33271
Photocells based on AlGaAs heterostructure with a
transition layer 19 p0341 A78-38941
Photocells with intermediate radiation conversion
and enhanced concentration of solar radiation
/K=2500/ 19 p0381 A78-42415
- ALGER, D. L.
Preliminary results on the conversion of laser
energy into electricity 19 p0313 A78-34631
A review of the thermoelectronic laser energy
converter (TELEC) program at Lewis Research Center
[NASA-TN-73888] 18 p0281 A78-21441
- ALLEN, C. A.
Advances in liquid fluidized-bed heat exchanger
development 17 p0090 A78-17498
[ASME PAPER 77-HT-66]
- ALLEN, J. W.
Performance and testing of a stationary
concentrating collector 19 p0429 A78-25627
[CONF-770953-7]
- ALLEN, R. W.
Solar powered Rankine cycle/vapor compression
cycle modeling and performance prediction 19 p0295 A78-33036
CCMS solar energy pilot study: Report of the
annual meeting 17 p0145 A78-13623
[PB-271797/3]
- ALLENTUCK, J.
Energy information and analytic system for New
York State 19 p0397 A78-23579
[BNL-22677]
- ALLISON, J. F.
What is simulated A80 - A comparison of CNR and
violet cell measurements across USA and Europe 17 p0019 A78-10988
- ALLUMS, S. L.
An analytical and experimental investigation of a
1.8 by 3.7 meter Fresnel lens solar concentrator 17 p0059 A78-11373
- ALLGREN, D. W.
Evaluation of solar cells and arrays for potential
solar power satellite applications 19 p0458 A78-27538
[NASA-CR-151740]
- ALPER, M. E.
System considerations 19 p0457 A78-27529
- ALSBACH, W.
Comparison of foldout and rollout solargenerators
in the multi-kW-range 17 p0017 A78-10966
- ALSTADT, R.
A reactive-heat-pipe for combined heat generation
and transport 19 p0318 A78-35620
[AIAA 78-440]
- ALTENHART, C. A. C.
Experimental evaluation of natural convection
solar air heaters 19 p0323 A78-35795
- ALTENDORF, J. P.
On the relationship between gross vehicle weight,
payload, effective range, and cost of electric
vehicles 19 p0307 A78-33379
[SAE PAPER 780220]
- ALTENHAN, J.
The energy/real gross domestic product ratio: An
analysis of changes during the 1966-1970 period
in relation to long-run trends 19 p0411 A78-24690
[PB-277235]
How industrial societies use energy 19 p0461 A78-27572
[EPRI-RA-707-SY]

- ALTHAUS, D.
Proposals for the design and construction of solar houses
18 p0212 A78-28581
- ALVI, W. S.
The potential for increasing the efficiency of photovoltaic systems by using multiple cell concepts
17 p0026 A78-11058
- ALVIS, R. L.
Solar irrigation program plan, revision [SAND-77-0730-REV]
17 p0151 A78-14642
Solar irrigation program [SAND-77-0380]
17 p0161 A78-15582
- AMADO, D.
Net energy effects and resource depletion: An all-oil economy [COO-2865-6]
17 p0142 A78-13592
- AMBALAVANAN, G.
Flat-plate solar collector design for industrial air heating using design data hand book
19 p0375 A78-42157
- AMELARD, P.
Energy savings - The viewpoint of an aircraft manufacturer
17 p0063 A78-12031
- AMBLER, J. W.
Screens for the OTEC plants
19 p0303 A78-33329
- AMBROZHEVICH, A. V.
Some problems in the operational analysis of a hydrogen-fueled gas turbine
18 p0186 A78-25637
- AMEDURI, G. J.
A solar collector for industrial and commercial applications
17 p0058 A78-11371
- AMIRANTE, I.
The use of natural resources - Solar energy applied to the construction of human habitats
17 p0065 A78-12908
- AMITH, A.
Thickness dependence of structural and electrical properties of CdS films for solar cells
19 p0325 A78-36035
- AMOS, D. J.
Analytical investigation of thermal barrier coatings for advanced power generation combustion turbines [ASME PAPER 77-WA/ENER-13]
19 p0298 A78-33151
- AMOS, J. M.
Energy System Analysis Procedure (ESAP) [AD-A044131]
17 p0126 A78-12532
- ANYOT, J. R.
Magdalen Islands wind turbine hybrid computer model
19 p0340 A78-38781
- AN, I. V.
Some results of investigation of pressure fluctuations in a condensing injector
17 p0066 A78-13154
- ANAGHOSSTOU, E.
Real-time and accelerated outdoor endurance testing of solar cells [NASA-TN-73743]
17 p0150 A78-14628
- AWAND, D. K.
Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction
19 p0295 A78-33036
- ANANTH, K. P.
Control of fine particulate from coal-fired utility boilers [APCA PAPER 77-14,1]
18 p0185 A78-25410
Environmental assessment of waste-to-energy processes: Source assessment document [PB-272646/1]
17 p0163 A78-15956
- ANDERSON, B. W.
Solar energy: Fundamentals in building design
17 p0081 A78-16275
- ANDERSON, C. J.
Alternative fuels for transportation: Implications of the broad-cut option [UCRL-52313]
18 p0281 A78-21322
Alternative fuels utilization program [UCID-17645]
19 p0414 A78-25241
- ANDERSON, D.
Feasibility study of mining Alaska coal and transportation by slurry to the west coast [PB-278755/4]
19 p0458 A78-27545
- ANDERSON, D. W.
Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels [NASA-TN-73786]
17 p0148 A78-14177
- ANDERSON, G. D.
LLL gas stimulation program [UCRL-50036-77-3]
19 p0445 A78-26575
- ANDERSON, J.
Energy requirement for the production of silicon solar arrays [NASA-CR-157071]
19 p0407 A78-24643
- ANDERSON, J. H.
Influence of design factors on the economy of sea thermal power plants
19 p0301 A78-33306
Compact heat exchangers for sea thermal power plants
19 p0303 A78-33330
The potential for geothermal and solar thermal power systems
19 p0361 A78-40368
- ANDERSON, J. H., JR.
Influence of design factors on the economy of sea thermal power plants
19 p0301 A78-33306
Compact heat exchangers for sea thermal power plants
19 p0303 A78-33330
- ANDERSON, L. L.
Fuels and energy from renewable resources; Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977
17 p0107 A78-20524
Fuels from waste
18 p0197 A78-27801
A wealth of waste - A shortage of energy
18 p0197 A78-27802
- ANDERSON, R. L.
Degradation of SnO₂/Si heterojunction solar cells
17 p0027 A78-11063
Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions
19 p0315 A78-35282
- ANDERSON, T. D.
Value of energy storage for direct-replacement solar thermal power plants [CONF-780216-2]
19 p0446 A78-26584
- ANDERSON, W.
State-of-the-art of functional use data measuring energy consumption in the commercial sector [PB-269906/4]
17 p0115 A78-10592
Energy consumption in commercial industries by census division - 1974 [PB-268851/3]
17 p0139 A78-13558
- ANDERSON, W. A.
Controlling open circuit voltage in silicon Schottky /HIS/ solar cells
17 p0025 A78-11043
Silicon Schottky photovoltaic diodes for solar energy conversion [PB-274041/3]
18 p0251 A78-17493
- ANDERSON, W. D.
Experimental data and theoretical analysis of an operating 100 kW wind turbine [NASA-TN-73883]
18 p0267 A78-19642
- ANDREEV, V. M.
Photocells employing smooth AlGaAs-GaAs heterojunctions to extend the spectral response range
17 p0062 A78-11668
Photocells with intermediate conversion of radiation and which operate at an increased concentration /2500-fold/ of solar radiation
18 p0172 A78-22795
AlGaAs-GaAs graded-heterostructure photocells with expanded sensitivity spectrum
19 p0300 A78-33271
Photocells based on AlGaAs heterostructure with a transition layer
19 p0341 A78-38941
Photocells with intermediate radiation conversion and enhanced concentration of solar radiation /K=2500/
19 p0381 A78-42415
- ANDREJKO, D.
Lightweight building materials for the storage of solar energy [PB-275684/9]
18 p0273 A78-20380

- ANDRESS, D. P.
Coal desulfurization by low temperature
chlorinolysis, phase 1
[NASA-CR-157172] 19 p0419 N78-25533
- ANDREWS, A. H.
Infrared focal planes in intrinsic semiconductors
18 p0204 A78-28139
- ANDREWS, J. S.
Fatigue load spectra for upwind and downwind rotors
18 p0267 N78-19635
- ANDREWS, H.
Adaptive curve fitting for chemical processes
[AD-A046456] 17 p0158 N78-15213
- ANHALT, D. A.
Optimal control of flywheel hybrid transmissions
[ASME PAPER 77-WA/AUT-3] 18 p0229 A78-31828
- ANWALAI, N. K.
Cds - sputtered Cu2S solar cells
17 p0019 A78-10986
- ANWAKHAMEDOV, E.
The evening out of hot junction temperatures in
solar thermoelectric generators by a disk method
17 p0106 A78-20423
- ANWAKHAMEDOV, E.
Experimental study of temperature fields in
liquids in the steady state regime
18 p0166 A78-21030
- ANTAL, M. J., JR.
Synthetic fuel production from solid wastes
[PB-272423/5] 17 p0148 N78-14182
Optimization of pyrolytic conversion of coal to
clean fuel
[PE-2253-5] 19 p0427 N78-25609
- ANTE, B.
Solar energy utilization in 1977 - Status,
results, prospects
18 p0212 A78-28577
- ANTHONY, T. R.
Thermomigration of silicon wafers in a solar furnace
17 p0084 A78-16837
- ANTOINE, A. C.
Alternative fuels
17 p0118 N78-11074
Hydrocarbon group type determination in jet fuels
by high performance liquid chromatography
[NASA-TN-73829] 17 p0130 N78-13233
- ANTONIAK, E. I.
High-temperature linear radiation-cavity solar
collector with a Fresnel concentrator
[AD-A049982] 18 p0276 N78-20628
- AOKI, Y.
Electrical and thermal instabilities and their
suppression in thermally equilibrium MHD plasma
18 p0192 A78-26622
- AONO, K.
Thermo-nuclear fusion study by glass laser 'Gekko
II'
19 p0362 A78-40384
- APARISI, B. R.
Heat optimization for solar power plants -
Concentration of radiation and the temperature
of the working medium
17 p0064 A78-12392
Automating the control of the optical system of a
tower-type solar power station
18 p0215 A78-28891
Thermal optimization of solar power plants -
Radiation concentration and working-fluid
temperature
19 p0332 A78-36869
- APPELL, H. R.
The production of oil from wood waste
18 p0198 A78-27809
- APPLEBY, A. J.
High efficiency water electrolysis in alkaline
solution
19 p0311 A78-34400
- APPLETON, A. D.
Superconducting machines
18 p0225 A78-31154
- ARAI, H.
Formation and growth of thermal NOx in hydrocarbon
combustion
18 p0227 A78-31498
- ARANOVICH, J.
High conductivity ZnSe films
19 p0310 A78-34256
- ARCHER, D. H.
What's new in high temperature sulfur removal
systems for fluidized-bed coal gasification
18 p0233 A78-32217
- ARCHER, H. D.
Optimum efficiency of photogalvanic cells for
solar energy conversion
17 p0091 A78-17520
The fraction of solar energy available for direct
conversion processes
18 p0205 A78-28168
- ARDEH, V. H.
Mirrors for solar energy application
17 p0045 A78-11242
- ARGUE, R.
Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 N78-13588
Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 N78-13588
- ARIZHENDI, L.
The formation of Cu2S thin films for Cds solar
cells by sulfurization of copper with thiourea
17 p0018 A78-10980
- ARJONA, F.
The formation of Cu2S thin films for Cds solar
cells by sulfurization of copper with thiourea
17 p0018 A78-10980
- ARMSON, R.
Combined heat and power: A discussion of Energy
Paper 20
[ERG-018] 18 p0284 N78-21608
- ARMSTRONG, J. A.
Design, construction and test of a collector
system using a linear asymmetric Fresnel reflector
17 p0059 A78-11374
- ARMSTRONG, P. R.
Moderate-level-of-rigor methods for solar heating
system performance prediction
17 p0046 A78-11254
- ARNOLD, J. E.
On the correlation between daily amounts of solar
and wind energy and monthly trends of the two
energy sources
17 p0052 A78-11318
- ARNOLD, J. R.
Materials, processing, and construction
18 p0203 A78-27928
- ARNOTT, R.
Characteristics of chalcocite /Cu₂S/ films
produced by different methods and some
properties of solar cells made from such films
17 p0018 A78-10977
- ARONOVSKY, J. S.
Estimating the potential of a solar-to-thermal
collector industry
17 p0070 A78-13851
- ARSCOTT, R. L.
An evaluation of in-situ recovery of tar sands
18 p0189 A78-26250
- ARTHUR, J. E.
Molecular-beam epitaxy in space
17 p0103 A78-19472
- ARUNI, F.
Energy performance of solar walls - A computer
analysis
17 p0107 A78-20496
- ASCHER, G.
Economical photovoltaic power generation with heat
recovery
17 p0091 A78-17552
- ASHARE, E.
Fuel gas production from animal waste, phase 1
[COO-2991-17] 18 p0280 N78-21321
Fuel gas production from animal waste, phase 1
[COO-2991-23] 19 p0415 N78-25248
- ASHCROFT, D. L.
The Princeton neutral injection power supply system
19 p0354 A78-39975
- ASHENDEN, T. W.
Generation of air pollutants from kerosene
combustion in commercial and domestic glasshouses
17 p0105 A78-20075
- ASHLEY, H.
Some contributions to aerodynamic theory for
vertical-axis wind turbines
19 p0291 A78-32534

- Use of asymptotic methods in vibration analysis
18 p0265 A78-19620
- ASHLEY, K. L.
Diffusion lengths in amphoteric GaAs heteroface
solar cells
18 p0216 A78-29195
- ASHRAF, H.
World sources of energy and new energy resource
development in Iran
17 p0111 A78-10553
- ASKEW, G. L.
A simple test for determining a best flow rate
through solar collectors
[AIAA PAPER 78-900]
19 p0324 A78-36020
- ASPINES, J.
Dynamic modeling and control of
magnetohydrodynamic/steam systems
17 p0028 A78-11070
- ATANASIU, G.
The analysis of superconducting magnet systems for
the M.H.D. energy conversion
18 p0229 A78-31752
- ATRAZHEV, V. A.
Electrical conductivity of a plasma composed of
the combustion products of hydrocarbon fuels
with alkali additions
19 p0341 A78-38965
- ATRAZHEV, V. M.
Universal formula for the electroconductivity of a
plasma formed from the combustion products of a
hydrocarbon fuel
18 p0204 A78-28120
- ATTALLA, A.
Physicochemical characterization of Devonian gas
shale
[MLN-2466 (OP)]
19 p0434 A78-25720
- ATTAR, A.
Chemistry, thermodynamics and kinetics of
reactions of sulphur in coal-gas reactions - A
review
18 p0229 A78-31749
- ATTIGA, A. A.
The search for a reasonable world energy policy -
Some basic considerations and options
18 p0196 A78-27782
- ATTURIO, J. E.
Anchor systems
19 p0303 A78-33328
- ATWATER, C. R.
Optimization of an annual storage solar heating
system over its life cycle
17 p0050 A78-11296
- Solar space heating systems using annual heat
storage
[COO-2939]
18 p0287 A78-21645
- Design method for heat loss calculation for
in-ground heat storage tanks
[COO-2939-3]
19 p0441 A78-26402
- ATWOOD, D. K.
Resource assessment of a high potential OTEC site
near Puerto Rico
19 p0302 A78-33323
- AUBMAN, S.
Transistor inverters for satellite onboard
networks of higher power
19 p0365 A78-40865
- AUGENSTEIN, D. C.
Multi-stage digestion of municipal solid waste to
fuel gas
18 p0218 A78-29868
- Investigation of converting the product of coal
gasification to methane by the action of
microorganisms, phase 1
[FE-2203-16]
18 p0280 A78-21319
- Fuel gas production from animal waste, phase 1
[COO-2991-17]
18 p0280 A78-21321
- Fuel gas production from animal waste, phase 1
[COO-2991-23]
19 p0415 A78-25248
- AUTHIER, B.
Novel silicon crystals and method for their
preparation
[NASA-TN-75195]
18 p0290 A78-21957
- AVCI, H. I.
The use and performance of graphite and metal
ISSECs in tokamak fusion reactors
18 p0195 A78-27579
- EVERY, W. H.
Experiments on and design of low-cost aluminum
heat exchangers for OTEC plant ships
19 p0304 A78-33339
- Ocean thermal energy - Status and prospects
19 p0323 A78-35876
- AXON, K. B.
Electron and ion heating by neutral injection in
the DITE tokamak
19 p0381 A78-42268
- AXWORTHY, A. E.
Reactions of fuel-nitrogen compounds under
conditions of inert pyrolysis
18 p0173 A78-22822
- AYMAR, R.
Poloidal field for a 1.7 MA Tokamak - Comparison
between an iron core and an air core transformer
17 p0039 A78-11170
- AYYAGARI, M. S.
Thin film heterojunction and homojunction solar
cells utilizing I-III-VI2 ternary compound
semiconductors
17 p0018 A78-10984
- AZECHI, H.
Thermo-nuclear fusion study by glass laser, 'Gekko
II'
19 p0362 A78-40384
- AZIMOV, S. A.
The achievements and perspectives for the
development of solar power engineering in the USSR
18 p0186 A78-25730
- AZIZOV, E. A.
High-voltage high-current breaker and closer for
power systems with inductive storage devices
[UCRL-TRANS-11310]
19 p0454 A78-27344

B

- BABANIN, V. I.
Optimization of the parameters of a Knudsen
thermionic converter with Cs-Ba filler
19 p0340 A78-38933
- BABII, V. I.
The effect of burner design and operational
factors on the emission of nitrogen oxides when
burning an anthracite/slurry mixture
19 p0335 A78-37861
- BABL, A.
Non-evacuated solar collectors with compound
parabolic concentrators
17 p0059 A78-11378
- BABUSIAUX, D.
Modeling the sectors of production and energy
transformation - The situation in France
19 p0385 A78-43270
- BACH, H.
Direct utilization of solar energy with the aid of
low-temperature heating
18 p0213 A78-28591
- BACHMANN, K. J.
InP/CdS solar cells
17 p0018 A78-10985
- A simple measurement of absolute solar-cell
efficiency
17 p0079 A78-15850
- CuInS2 liquid junction solar cells
19 p0310 A78-34274
- BACK, L. E.
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167]
19 p0414 A78-25233
- BACKUS, C. E.
The testing of specially designed silicon solar
cells under high sunlight illumination
17 p0022 A78-11021
- The potential for increasing the efficiency of
photovoltaic systems by using multiple cell
concepts
17 p0026 A78-11058
- Characteristics of solar cells designed for
concentrator systems
17 p0054 A78-11337
- Photovoltaic conversion
18 p0201 A78-27862
- Application of solar energy in space
18 p0201 A78-27863

BADALOV, T. A.

- Use of the method of one-dimensional nonlinear transformations to forecast the natural model of an oil stratum
18 p0290 N78-21693
- BADER, C.
Electric vehicles in Germany - Present and future
[SAB PAPER 780087]
19 p0307 A78-33368
- BADESCU-SINGUREANU, A. I.
Nonconventional alternatives for conversion of nuclear energy
18 p0229 A78-31772
- BAE, H. H.
Optimization models for the economic design of wind power systems
19 p0314 A78-34934
- BAEDECKER, H. J.
Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis
17 p0097 A78-18784
- BAEHR, H. D.
The thermodynamics of a fuel cell aggregate involving thermal-catalytic methanol decomposition
17 p0074 A78-14497
- BAES, C. P.
Character and transformation of pollutants from major fossil-fuel energy sources
[APCA PAPER 77-15,1]
18 p0185 A78-25406
- Character and transformation of pollutants from major fossil fuel energy sources
[ORNL/TN-5919]
17 p0156 N78-14698
- BAGDONAS, A. V.
The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel
19 p0341 A78-38969
- BAGHDADI, A.
Ribbon-to-ribbon crystal growth
17 p0014 A78-10929
- Laser-zone growth in a Ribbon-To-Ribbon, RTB, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-155586]
18 p0240 N78-16437
- Laser-zone growth in a Ribbon-To-Ribbon (RTB) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[DOE/JPL-954376-78/1]
19 p0406 N78-24630
- BAGSHAW, H. E.
Lead-strontium alloys for battery grids
19 p0363 A78-40617
- BAILEY, W. L.
Processing ramifications of textured surfaces
17 p0016 A78-10949
- BAIN, R. L.
Kinetics of coal hydrodesulfurization in a batch reactor
18 p0191 A78-26584
- Clean solid and liquid fuels from coal
[FE-2047-2]
17 p0160 N78-15571
- BAIR, W. G.
Slurry pumping techniques for feeding high-pressure coal gasification reactors
17 p0131 N78-13248
- BAIRD, C. D.
A numerical simulation of heat transfer in rock beds
17 p0050 A78-11305
- BAIRD, R. D.
Application of laser fusion to the radiolytic production of hydrogen
19 p0383 A78-42858
- BAKER, B. S.
Fuel cell stacks
[AD-A042315]
17 p0112 N78-10566
- BAKER, C. E.
Status of the DOE/STOR/-sponsored national program on hydrogen production from water via thermochemical cycles
18 p0217 A78-29331
- BAKER, C. R.
Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant
[NASA-CR-145282]
17 p0159 N78-15564

BAKER, D. C.

- A systems analysis of bioconversion with microalgae
17 p0034 A78-11124
- BAKER, W. R.
Transmission of energy by open-loop chemical energy pipeline
[CONF-770955-4]
19 p0461 N78-27576
- BAKER, R. D.
General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program
[LA-7184-PR]
19 p0467 N78-27898
- BAKER, S.
Finite size corrections for a reflector-collector system
17 p0043 A78-11227
- Time integrated calculation of the insolation collected by a reflector-collector system
19 p0323 A78-35799
- BAKKER, L. P.
Implanted energy conversion system
[PB-272609/9]
18 p0243 N78-16464
- BAKSHI, R. K.
Investigations into the suitability of methanol and methanol gasoline blends as s.i. engine fuels
18 p0199 A78-27828
- BALASHOV, N. A.
Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant
17 p0066 A78-13156
- Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators
18 p0194 A78-27136
- BALCOMB, J. D.
Assessment of solar heating and cooling technology
[LA-6379-MS]
18 p0269 N78-19667
- BALDWIN, R. M.
Kinetics of coal hydrodesulfurization in a batch reactor
18 p0191 A78-26584
- Clean solid and liquid fuels from coal
[FE-2047-2]
17 p0160 N78-15571
- BALIGA, B. R.
Gravel-filled trenches in earth for annual thermal energy storage
17 p0050 A78-11297
- BALLANCE, J. W.
Integration of solar thermal power plants into electric utility systems
[TID-27627/1]
17 p0154 N78-14666
- BALLARD, S. C.
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report
[PB-271752/8]
17 p0144 N78-13616
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials
[PB-271753/6]
17 p0144 N78-13617
- Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis
[PB-271754/4]
17 p0144 N78-13618
- BALLOU, J. K.
Advantages of iron core in a tokamak
19 p0347 A78-39814
- A comparison between an air core and an iron core Ohmic Heating system for The Next Step
19 p0358 A78-40065
- BALTOV, I. K.
Thin film CdS-CuI heterojunction photocells
19 p0333 A78-37260
- Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS-Cr2O3 system
19 p0333 A78-37261
- BALTRUSCH, H.
A prefabricated-house series with solar technology
17 p0072 A78-14099
- BALUSS, J. E.
Environmental and safety implications of solar technologies
17 p0057 A78-11360

- BAMBERGER, C. E.
Materials problems in large scale production of
hydrogen from water and in hydrogen storage
18 p0183 A78-25056
- BAMPTON, M. C. C.
A tokamak hybrid blanket design
19 p0355 A78-39982
Structural analysis of a two-component torus /TCT/
hybrid reactor first wall
19 p0358 A78-40072
- BANAS, J. P.
Engineering of wind energy systems
18 p0234 A78-32423
- BANERJEE, A.
Evaporated Cds film based heterojunction solar cells
19 p0372 A78-42122
Sprayed Cds thin film solar cells
19 p0372 A78-42123
- BANERJEE, D.
Plane stabilization by wall recess technique
18 p0199 A78-27835
- BANJOYA, N.
Thermo-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385
- BANKS, R.
Nitinol engine development
17 p0056 A78-11348
- BANNEROT, R. B.
Natural convection in groove-like geometries - The
overall heat transfer coefficient
[AIAA PAPER 78-896]
19 p0323 A78-36016
- BAR-COHEM, A.
Thermal optimization of compact solar water heaters
18 p0206 A78-28172
- BARABANOVA, I. D.
Refractory periclase materials and means of using
them in high-temperature power plants
19 p0328 A78-36566
- BARANOV, N. N.
The formation of electrode arcs and the electric
fluctuations in an MHD channel
18 p0194 A78-27137
- BARANOV, V. K.
Concentration by conical and cylindrical
concentrators of radiation scattered by
near-solar regions of the sky
17 p0064 A78-12387
A paraboloid-toroidal conical concentrator as a
secondary concentrator of solar energy
18 p0187 A78-25732
Structure of a beam reflected by a heliostat
18 p0214 A78-28888
Truncated 'focones' and 'foclines'
19 p0331 A78-36858
Focone and focline concentration of radiation
scattered by circumsolar parts of the sky
19 p0331 A78-36864
- BARONA, C. R.
Analysis of epitaxial drift field N on P silicon
solar cells
17 p0012 A78-10904
Status of wraparound contact solar cells and arrays
[NASA-TM-78911]
19 p0443 N78-26543
- BARBER, G. C.
Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
The design philosophy and use of high voltage
power systems for multimegawatt ion beam
accelerators
19 p0354 A78-39974
- BARBER, R. E.
Current costs of solar powered organic Rankine
cycle engines
17 p0104 A78-19826
- BARBIER, E.
Non-electrical uses of geothermal energy
17 p0082 A78-16635
- BARBIERI, R. H.
Utilization requirements. A southern California
Gas Company project SAGE report: Utilization
requirements
[NASA-CR-155948]
18 p0264 N78-19612
Public policy issues. A Southern California Gas
Company project SAGE report
[NASA-CR-155945]
18 p0264 N78-19613
- Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169]
19 p0419 N78-25535
- BARCLOWA, M. J.
Resource assessment of a high potential OTEC site
near Puerto Rico
19 p0302 A78-33323
- BARCLAY, D. A.
Utilization of waste heat from electric power
generation
17 p0031 A78-11095
- BARCLAY, K. M.
Production of low-Btu gas from wastes, using
molten salts
18 p0197 A78-27804
- BARD, A. J.
Semiconductor electrodes. XV -
Photoelectrochemical cells with mixed
polycrystalline n-type CdS-CdSe electrodes
18 p0233 A78-32233
Thermodynamic potential for the anodic dissolution
of n-type semiconductors - A crucial factor
controlling durability and efficiency in
photoelectrochemical cells and an important
criterion in the selection of new
electrode/electrolyte systems
19 p0344 A78-39465
- BARDET, R.
TNTP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- BARIAUD, A.
Development of fast neutral beam injectors at
Fontenay-aux-Roses
17 p0012 A78-10879
- BARIEAU, R. E.
Reversible thermodynamics of the airlift pump
18 p0235 A78-32503
- BARKER, J. L.
First order estimates of energy requirements for
pollution control
[PB-278274/6]
19 p0465 N78-27608
- BARKER, L. M.
Geothermal drill bit improvement - Specific
application to the Geysers
[ASME PAPER 77-PET-67]
17 p0077 A78-15082
- BARKHODAROV, R. M.
Comparative evaluation of the radiation danger to
the public caused by atmospheric emissions from
thermal and atomic electric power plants
18 p0166 A78-21349
- BARLEY, C. D.
Simplified techniques for sizing residential solar
heating systems
17 p0047 A78-11256
- BARLOW, A. J.
Si/CdS heterojunction solar cells
17 p0002 A78-10485
- BARNERT, H.
Uses of nuclear heat at high temperatures for
energy conversion processes
17 p0101 A78-18852
- BARNETT, A. M.
Increases in energy conversion efficiency for
thin-film polycrystalline CdS/Cu2S photovoltaic
cells
18 p0228 A78-31730
- BARON, B.
Studies related to Zn/x/Cd/1-x/S-Cu2S solar cells
17 p0018 A78-10982
- BARR, R. A.
Some factors affecting the selection of OTEC plant
platform/cold water pipe designs
19 p0303 A78-33325
- BARR, W. J.
Sources of alcohol fuels for vehicle fleet tests
[CONS/2693-1]
19 p0415 N78-25242
- BARR, W. L.
Mirror reactor studies
17 p0011 A78-10874
Experimental and computational results on direct
energy conversion for mirror fusion reactors
17 p0064 A78-12486
Computer simulation of the periodic electrostatic
focusing converter
17 p0095 A78-18392

- Design of an electrostatic end-plugged plasma-confinement device
19 p0347 A78-39806
- Engineering of beam direct conversion for a 120-kV, 1-MW ion beam
19 p0348 A78-39834
- BARRA, O.**
Shadows' effect in a large scale solar power plant
17 p0084 A78-16843
- BARRETT, M.**
Future fuels for aviation
[ONERA, TP NO. 1977-156]
17 p0076 A78-15021
Energy and environment /64th Thomas Hawksley Lecture/
[ONERA, TP NO. 1978-20]
18 p0224 A78-31123
- BARRETT, R. J.**
Energy flow patterns for 1975
[LA-6770]
18 p0242 A78-16456
- BARRY, J. R.**
Use of aerial thermography in Canadian energy conservation programs
17 p0149 A78-14566
- BARTELS, P. T. C.**
Photovoltaic system design and analysis application to a shopping center
17 p0022 A78-11013
- BARTERA, R. E.**
Solar energy for process heat: Design/cost studies of four industrial retrofit applications
[NASA-CR-156139]
18 p0276 A78-20619
Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors
[NASA-CR-157169]
19 p0419 A78-25535
- BARTHELEMY, R. R.**
Heat pipe mirrors for high power lasers
[AIAA 78-391]
19 p0317 A78-35586
- BARTHOLD, K. P.**
Aqueous heat-carrying liquids for solar houses
18 p0213 A78-28587
- BARTLETT, J. C.**
Site-dependent factors affecting the economic feasibility of solar powered absorption cooling
17 p0046 A78-11247
Site dependent factors affecting the economic feasibility of solar powered absorption cooling
[NASA-CR-150533]
18 p0255 A78-18524
- BARTON, D. W.**
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy
[COO-2631-22]
19 p0394 A78-23442
- BARTON, J. P.**
Probe-tube microphone for pressure-fluctuation measurements in harsh environments
17 p0077 A78-15155
- BARTON, J. R.**
Electron and proton degradation of commercially available solar cell/coverglass components
17 p0015 A78-10938
- BARTON, R. S.**
Mod-1 wind turbine generator analysis
18 p0266 A78-19631
- BARTOS, K. P.**
The goldstone energy project
[NASA-CR-156133]
18 p0275 A78-20618
- BARTOSH, C. P.**
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices
[PB-272243/7]
17 p0144 A78-13619
- BARTSCH, R. R.**
Plasma stabilization requirements of the Reference Theta-Pinch Reactor /RTPR/
17 p0041 A78-11193
- BARZDA, J. J.**
Blade design and fabrication - 17-meter VAWT
18 p0234 A78-32422
- BASE, T. E.**
Computer-aided aerogenerator analysis and performance
18 p0169 A78-22229
- BASHILOV, V. A.**
The effect of the properties of the working fluid on the choice of electrode-surface temperature for an MHD generator channel
19 p0341 A78-38969
- BASILE, P. S.**
Energy supply-demand integrations to the year 2000: Global and national studies
18 p0165 A78-20618
- BASIULIS, A.**
Heat pipe materials unique requirements for coal gasification processes
17 p0085 A78-16902
- BASS, J. C.**
Prediction of thermoelectric battery power and voltage for a 15 year lifetime NB-75 mW (B) battery
[GA-A-14718]
19 p0446 A78-26576
- BASSEWITZ, H. V.**
Development status of the ultralightweight solar array ULP
17 p0017 A78-10967
- BASSHAM, J. A.**
Synthesis of organic compounds from carbon dioxide in land plants
18 p0208 A78-28361
- BASTRESS, E. K.**
Gas turbine combustion and fuels technology; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977
19 p0296 A78-33108
- BASU, P.**
Back-wall Schottky barrier solar cells - with and without an interfacial layer
19 p0373 A78-42130
- BASULIS, A.**
Emerging heat pipe applications
[AIAA 78-390]
19 p0317 A78-35585
- BATCHELDER, R. F.**
Catalytic liquefaction of coal
18 p0191 A78-26583
- BATES, J. L.**
MHD electrode-insulator micro- and macro-structure
17 p0088 A78-17464
Development, characterization, and evaluation of materials for open cycle MHD
[BNWL-2004-6]
19 p0397 A78-23583
- BATHEN, K. H.**
A further evaluation of the oceanographic conditions found off Keahole Point, Hawaii, and the environmental impact of nearshore ocean thermal energy conversion plants on subtropical Hawaiian waters
19 p0303 A78-33324
- BATHGATE, E. B.**
Mechanical engineering department
[UCRL-50016-77-3]
19 p0431 A78-25645
- BATTEN, C. F.**
An ionic model for the systematic selection of chemical decomposition reactions for energy storage
17 p0051 A78-11307
- BATTLES, J. E.**
Materials requirements for high performance secondary batteries
18 p0183 A78-25054
- BATZER, T. H.**
The technology of mirror machines - LLL facilities for magnetic mirror fusion experiments
19 p0345 A78-39784
- BAUBLITZ, J. R.**
Some economic and environmental consequences of fusion power
18 p0184 A78-25302
- BAUDET, Y.**
Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048
- BAUER, H. P.**
The nature of pyrolytic oil from municipal solid waste
18 p0197 A78-27806
- BAUERHEISTER, K.**
Means of transport and the energy consumed by them
17 p0067 A78-13421
- BAUGHN, J. W.**
Experimental investigation and computer modeling of a solar natural circulation system
17 p0044 A78-11236
Theoretical modeling of an ammonia/water absorption cycle with solar energy storage
17 p0046 A78-11250

- BAUM, I. V.
A comparative analysis of models describing the formation of irradiance fields in wide-aperture optical systems
18 p0187 A78-25733
Equalizing an irradiance field on the surface of a receiver
18 p0187 A78-25734
- BAUM, V.
Energy in developing countries: Prospects and problems
[IAEA-CN-36/581]
17 p0116 N78-10603
- BAUNGARTHEL, G.
Catalytic gasification of coal with high-pressure steam
18 p0227 A78-31497
- BAUR, J. F.
Doublet IIA experiments
17 p0011 A78-10776
- BAUTISTA, R. G.
Energy considerations in electrodrometallurgy
[IS-M-83]
17 p0120 N78-11505
- BAVA, S. C.
Effects of temperature on the performance of silicon solar cells
19 p0371 A78-42117
- BAXTER, A. C.
A low cost windmill rotor
18 p0170 A78-22242
- BAZAN, J.
Coal fired non-equilibrium, Closed Cycle MHD/steam power generation
[ASME PAPER 77-WA/ENER-8]
19 p0298 A78-33146
- BAZANT, E. P.
Heat extraction from hot, dry rock masses
[PB-271411/1]
17 p0139 N78-13560
- BAZAROV, B. A.
The stability of polyurethane foam solar energy collectors to climatic effects
18 p0187 A78-25738
Photoelectric radiation-density meter
18 p0215 A78-28892
- BAZAROV, KH.
Photoelectric radiation-density meter
18 p0215 A78-28892
- BEACH, C.
International Solar Energy Society, Annual Meeting, Orlando, Fla., June 6-10, 1977, Proceedings. Sections 1-13, 14-25 & 26-38
17 p0042 A78-11212
- BEACHEY, J. E.
The microstructure of pulverized coal-air flames. I - Stabilization on small burners and direct sampling techniques
17 p0078 A78-15829
- BEAL, S. W.
Diffusion lengths in amphoteric GaAs heterojunction solar cells
18 p0216 A78-29195
- BEALL, S. R., JR.
Conservation and the contributions from advanced energy source
[CONF-770870-2]
18 p0288 N78-21648
- BEALS, R. C.
Development program for MHD power generation. Volume 4: Superconducting magnet study
[PB-2015-16-VOL-4]
19 p0455 N78-27447
- BEAN, J. W.
Estimating the energy conservation potential of ventilation control through weather data analysis
[PB-273949/8]
18 p0261 N78-18655
- BEARD, J. T.
Heat transfer analysis of a system for annual collection and storage of solar energy
19 p0296 A78-33038
Design and operational influences on thermal performance of 'Solaris' solar collector
[ASME PAPER 77-WA/SOL-2]
19 p0299 A78-33190
Annual collection and storage of solar energy for the heating of buildings
[ORO-5136-76/1]
17 p0152 N78-14649
Engineering analysis and testing of water-trickle solar collectors
[ORO-4927-77/1]
18 p0242 N78-16461
- BEARG, D.
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry
[PB-273019/0]
18 p0244 N78-16476
- BEASLEY, M. R.
Superconducting power transmission line materials research and conductor development
[SAB/0326-1]
19 p0416 N78-25342
- BEATTIE, J. R.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation
[NASA-CN-135281-VOL-4]
18 p0237 N78-16090
- BEAUFRERE, A.
An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities
17 p0095 A78-18412
Hydrogen-chlorine energy storage system
[BNL-23670]
19 p0460 N78-27558
- BEAULIEU, R.
Characteristics of chalcocite /Cu₂S/ films produced by different methods and some properties of solar cells made from such films
17 p0018 A78-10977
- BEBERMEIER, H.
Development of a multi-kW roll-out solar generator
17 p0017 A78-10965
Development of a large-area roll-out solar generator for the multi-kW range
[DGLR PAPER 77-012]
18 p0180 A78-24406
- BECHNER, R.
Development of fast neutral beam injectors at Fontenay-aux-Roses
17 p0012 A78-10879
- BECK, B. P.
Introductory workshops on remote sensing as related to geological problems in Georgia
[N78-10152]
19 p0455 N78-27482
- BECK, J. W.
The battery energy storage test /BEST/ facility - Its purposes and description
17 p0029 A78-11079
- BECK, T. R.
Improvements in energy efficiency of industrial electrochemical processes
[BNL/OEPH-77-2]
17 p0114 N78-10584
- BECKER, D. A.
Measurements and standards for recycled oil
[PB-271562/1]
17 p0130 N78-13212
- BECKER, F. E.
Design of superconducting magnets for full scale MHD generators
18 p0183 A78-25108
- BECKERING, W.
Ash fouling in the combustion of low rank Western U.S. coals
17 p0078 A78-15827
- BECKMAN, W. A.
A general design method for closed-loop solar energy systems
17 p0046 A78-11251
Solar heating design, by the f-chart method
18 p0224 A78-31071
- BECKWITH, R.
Air Storage System Energy Transfer /ASSET/ plants - A utility's evaluation
17 p0029 A78-11081
- BECRAFT, W. R.
Advantages of iron core in a tokamak
19 p0347 A78-39814
- BEDFORD, C. D.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/AER-75-15213]
19 p0398 N78-23590
- BERSON, J. L.
Riser cracking of coal to oil and gas
[CONF-770814-10]
19 p0392 N78-23250
Research and development of rapid hydrogenation for coal conversion to synthetic motor fuels (riser cracking of coal)
[PB-2307-17]
19 p0403 N78-24382
- BEGEMANN, S. H. A.
Relative cost-performance of various solar based power supply packages
17 p0003 A78-10557
- BEHLING, D. J., JR.
Overview of technological-economic models for energy policy analysis
[BNL-22730]
18 p0241 N78-16451

- BEHRET, H.
Characterization of catalysts for fuel-cell
electrodes with the aid of vacuum microbalances
19 p0367 A78-41795
- BEHRISCH, R.
Relative importance of different impurity sources
in tokamak reactors as estimated from particle
balance equations
19 p0379 A78-42221
- BEILIS, I. I.
Cathode spots on metallic electrodes under the
conditions of the channel of an MHD generator
17 p0002 A78-10243
- BEIN, B.
Kinetic theory of plasma in the limiter-shadow
region
19 p0378 A78-42212
- BEKEY, I.
Integrating space developments - 1980-95
18 p0175 A78-23422
High efficiency solar photovoltaic power module
concept
[NASA-CR-157002]
19 p0395 A78-23555
- BELAIRE, R. C.
Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy
[COO-2631-22]
19 p0394 A78-23442
- BEIDING, J. A.
From oil and gas to alternate fuels - The
transition in conversion equipment
18 p0174 A78-22843
- BELL, C. J.
A MHD simulation test facility for investigating
the thermal properties of a slag/seed coated
radiant boiler and superheater for a 2000 MWT
MHD power plant
[ASME PAPER 77-HT-64]
17 p0090 A78-17496
- BELL, M. W. J.
Advanced launch vehicle systems and technology
18 p0225 A78-31175
- BELL, R. L.
Progress report on a 1-kW terrestrial array of
AlGaAs/GaAs concentrator solar cells
17 p0023 A78-11025
- BELL, R. O.
An analysis of factors influencing the efficiency
of EFG silicon ribbon solar cells
17 p0014 A78-10930
- BELLER, M.
A survey of applications of fusion power
technology for the chemical and material
processing industries
19 p0368 A78-41812
Energy modeling and data support for the Electric
Power Research Institute
[BNL-50696]
19 p0425 A78-25595
- BELOTE, J. C.
Preliminary analysis of an option for the Federal
photovoltaic utilization program
[PB-274220/3]
18 p0260 A78-18562
- BELOW, A. I.
Thermal testing of the GT-35 gas turbine plant in
the steam turbine-gas turbine plant with a
high-head steam generator
17 p0066 A78-13157
- BEN-AMOTZ, A.
The mechanism of hydrogen photoevolution in
photosynthetic organisms
18 p0207 A78-28356
- BEN-DAVID, S.
Impacts of the national energy programme on solar
economics
[LA-UR-78-131]
19 p0444 A78-26567
Prospects for solar energy: The impact of the
National Energy Plan
[LA-7064-MS]
19 p0447 A78-26595
- BENDER, D. J.
Mirror reactor studies
17 p0011 A78-10874
- BENDER, T.
Energy conservation via solar energy applications
to multi-family and commercial structures.
Volume 3: An energy, engineering and economic
analysis of heating and cooling systems for
multi-family structures
[PB-276131/0]
18 p0289 A78-21657
- BENDORAITIS, J. G.
Upgrading of coal liquids for use as power
generation fuels
[EPRI-AP-444]
19 p0427 A78-25608
- BENEFMAN, J. R.
A systems analysis of bioconversion with microalgae
17 p0034 A78-11124
Solar energy conversion with microalgal sewage
treatment ponds
17 p0056 A78-11351
A critical analysis of bioconversion with microalgae
18 p0208 A78-28364
Solar energy conversion with hydrogen producing
algae
[SAN/0034-77/1]
19 p0460 A78-27565
- BEWI, G.
A new description of electrochemical kinetics
19 p0343 A78-39459
- BENINGSON, H. E.
Experience with burning industrial wastes in
steam-generating and high-temperature heat
recovery systems
17 p0006 A78-10636
- BENJAMIN, B. M.
Pyrolysis of 1,2-diphenylethane in the presence of
tetralin
19 p0342 A78-39424
- BENKOVITZ, C. M.
Facilitating data interchange with ERDA
[BNL-22595]
19 p0468 A78-27988
- BENNETHUN, J. E.
Preliminary performance tests of a GPU-3 Stirling
engine on hydrogen, helium, and nitrogen
[GHR-2690-SECT-1.206]
19 p0438 A78-26256
- BENNETT, A.
Implanted energy conversion system
[PB-272609/9]
18 p0243 A78-16464
- BENNETT, E. F.
Instrumentation and process control for fossil
demonstration plants
[ANL/PB-49622-9]
19 p0430 A78-25640
- BENNETT, G. A.
Conceptual design of a heat pipe radiator
[LA-6939-MS]
18 p0273 A78-20471
- BENNETT, J. V.
Deactivation of hydrodesulfurization catalysts
under coal liquids. II - Loss of hydrogenation
activity due to adsorption of metallics
18 p0203 A78-27920
- BENNETT, L. H.
Materials for fuel cells
[PB-269518/7]
17 p0113 A78-10573
- BENSON, G. C.
Extended performance solar electric propulsion
thrust system study. Volume 4: Thruster
technology evaluation
[NASA-CR-135281-VOL-4]
18 p0237 A78-16090
- BENSON, G. E.
Methods and costs of controlling sulfur emissions
from a petroleum refinery
19 p0320 A78-35698
- BERDAHL, C. H.
Calibration standards and field instruments for
the precision measurement of insolation
19 p0312 A78-34517
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167]
19 p0414 A78-25233
- BERDAHL, P.
Effects of solar data accuracy on the performance
and economics of solar energy systems
17 p0058 A78-11366
- BERG, C. A.
Process innovation and changes in industrial
energy use
18 p0175 A78-23559
- BERG, R. S.
Structure and morphology of chemical-sprayed CdS
films
19 p0325 A78-36036
Structural effects in chemically sprayed
CdS/Cu/sub x/S photovoltaic cells
[SAND-76-0737]
17 p0161 A78-15573
- BERGLES, A. E.
Enhanced single-phase heat transfer for ocean
thermal energy conversion systems
[ORNL/SUB-77/14216/1]
17 p0153 A78-14657

- BERGLUND, L. G.
Energy conservation and thermal comfort in a New York City high rise office building
19 p0311 A78-34380
- BERGHARK, W. R.
Photon-energy storage in organic materials - The case of linked anthracenes
18 p0220 A78-30267
Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization
[AD-A051336] 19 p0408 A78-24665
- BERKBIGLER, L.
A 25 megajoule energy storage and delivery system for the Shiva laser
19 p0351 A78-39920
- BERKNER, K. H.
Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system
19 p0357 A78-40027
- BERKOWITZ, B.
OTEC implementation problems for specific missions
19 p0302 A78-33315
- BERMAN, E.
Sunstations
19 p0314 A78-34933
- BERNARD, P.
Deep sea oil - Myth, reality of today, or future necessity
18 p0196 A78-27787
- BERNARD, J.
Photon degradation of electron and proton irradiated silicon solar cells
17 p0015 A78-10940
- BERNARD, E.
TTFP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- BERNDT, E. R.
Dynamic models of the industrial demand for energy
[EPRI-EA-580] 19 p0425 A78-25596
- BERNER, F.
Design study of an experiment cooling system with liquid/air heat exchanger for Spacelab payloads (ECLA)
[F+W-PO-1378] 19 p0404 A78-24511
- BERNSTEIN, S.
Improved energy efficiency for small CTOL transport aircraft
18 p0226 A78-31305
- BERTOLINI, E.
Large Tokamak power supplies - A survey of problems and solutions
17 p0041 A78-11205
The JET Project - Technical developments, status of the manufacturing work in industry, administrative and managerial aspects
19 p0349 A78-39887
- BETTINI, E.
InP/CdS solar cells
17 p0018 A78-10985
- BETTIS, E. S.
Advantages of iron core in a tokamak
19 p0347 A78-39814
- BETZ, P.
NTS-2 nickel hydrogen battery performance
[AIAA 78-536] 19 p0294 A78-32885
- BEVERLY, A.
Commercial space: Policy analysis of profitability of retrofit for energy conservation
[PB-269189/7] 17 p0115 A78-10591
- BEVERLY, W. D.
All-glass collectors in solar energy utilization
17 p0097 A78-18785
- BEZDEK, R. H.
Assessment of incentives to accelerate market penetration of solar heating and cooling systems
17 p0057 A78-11363
Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 A78-25615
Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 A78-26568
Analysis of the current economic feasibility of solar water and space heating
[DOE/CS-0023] 19 p0460 A78-27560
- BHADA, R. K.
Evaluation of devolatilization concept
[EPRI-AF-608] 19 p0430 A78-25639
- BHARGAVA, S. C.
Dynamics of a pistonless engine capable of utilizing solar energy
19 p0339 A78-38554
- BHASKAR, E. V.
Progress report from Central Electronics Ltd., Delhi
19 p0370 A78-42103
- BHASKARAN, K. A.
A shock tube study of the ignition delay of methane at elevated temperatures
18 p0199 A78-27831
- BHASKARAO, A.
Energy budget of single crystal silicon solar cells with the present state-of-art
19 p0371 A78-42116
- BHAT, A. H.
Heat-transfer allowing for ion slip in an MHD channel
17 p0063 A78-12346
Heat exchange in an MHD channel with allowance for the ion slippage
19 p0291 A78-32570
- BHATTAGAR, P. K.
Deviation in solar cell characteristics from their ideal behaviour
19 p0371 A78-42118
- BHATTACHARYA, K.
Back-wall Schottky barrier solar cells - with and without an interfacial layer
19 p0373 A78-42130
- BHAUMIK, B.
Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell
19 p0373 A78-42129
- BIASHIMOV, M.
Temperature operating conditions of the energy storage device of a solar heating system
19 p0319 A78-35646
- BIBA, V.
Mathematical model for the gasification of coal under pressure
18 p0184 A78-25323
- BICKFORD, K. J.
Development of a low cost, 10 kV capacitor
[LA-OR-77-2408] 19 p0416 A78-25335
- BICKLE, L.
Prospects for solar energy: The impact of the National Energy Plan
[LA-7064-MS] 19 p0447 A78-26595
- BIEDERMAN, M.
Alternative forms of energy transmission from OTEC plants
19 p0301 A78-33312
Alternative energy transmission systems from OTEC plants, Project 8980
[DSE/2426-8] 17 p0153 A78-14658
Alternative forms of energy transmission from OTEC plants
[CONF-770331-5] 18 p0241 A78-16453
Alternative energy transmission systems from OTEC plants, project 8980
[DSE/2426-12] 18 p0242 A78-16454
Optimization study of OTEC delivery systems based on chemical-energy carriers
[ERDA/NSF-00033/76/TI] 19 p0409 A78-24677
- BIEGER, W.
Performance of a turbomolecular pump in a pulsed magnetic field
19 p0352 A78-39938
- BIRLA, R. L.
Comparison of blade loads of fixed and free yawing wind turbine
18 p0267 A78-19637
- BIEHART, W. B.
Heat pipe central solar receiver
[COO-2839-1] 17 p0114 A78-10579
Heat pipe development
[NASA-CR-156669] 18 p0238 A78-16327
- BIEHSTOCK, D.
Research in coal-based magnetohydrodynamics
[TID-27893] 19 p0432 A78-25650
- BIERHALS, R.
Building rights, apartment- and residence-designing in the light of solar energy utilization
18 p0214 A78-28594

- BIERLEIN, J. C.
Analysis of the failure of the nickel tank used
for LiOH thermal energy storage for the Calvair
automobile
[GHR-2690-SECT-7.106] 19 p0440 N78-26332
- BIERNAN, S. L.
Geothermal energy in the Western United States:
Innovation versus monopoly 19 p0322 A78-35768
- BIERSMAN, A. H.
Physical and morphological studies of
size-classified coal fly ash 18 p0222 A78-30555
- BIPANO, W. J.
Photovoltaic highway applications: Assessment of
the near-term market 18 p0252 N78-17935
[NASA-TN-73863]
Photovoltaic village power application:
Assessment of the near-term market 18 p0267 N78-19643
[NASA-TN-73893]
Photovoltaic water pumping applications:
Assessment of the near-term market 18 p0268 N78-19644
[NASA-TN-78847]
Photovoltaic remote instrument applications:
Assessment of the near-term market 18 p0271 N78-19710
[NASA-TN-73881]
- BIGGER, J.
Spinning a turbine with sunlight 18 p0223 A78-30742
- BIGGER, J. H.
Cyanide removal from petroleum refinery wastewater
using powdered activated carbon 17 p0146 N78-13650
[PB-270862/6]
- BIGGS, F.
Parameter study for a central-receiver power station
[SAND-77-0667C] 17 p0154 N78-14664
HELIOS: A computational model for solar
concentrators 17 p0154 N78-14665
[SAND-77-0642C]
- BILGEN, H.
Use of solar energy for direct and two-step water
decomposition cycles 17 p0080 A78-16048
- BILL, R. C.
Friction and wear of several compressor gas-path
seal movements 17 p0158 N78-15229
[NASA-TP-1128]
- BILLINGS, R. E.
Hydrogen fuel and its application to vehicular
systems 19 p0327 A78-36445
- BILLMAN, K. W.
Satellite mirror systems for providing terrestrial
power - System concept 19 p0330 A78-36717
[AAS 77-240]
- BILSKY, I. L.
Pollution abatement energy usage of gas treating
and processing plants 17 p0073 A78-14161
- BINDER, H.
Characterization of catalysts for fuel-cell
electrodes with the aid of vacuum microbalances.
19 p0367 A78-41795
- BINDRA, P.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505] 19 p0423 N78-25578
- BIOT, H. A.
Variational irreversible thermodynamics of heat
and mass transfer in porous solids - New
concepts and methods 19 p0313 A78-34603
- BIRAN, D.
Solar-electrical systems - Theory and applications
17 p0009 A78-10731
Solar radiation and energy measurements
17 p0009 A78-10732
Some problems concerning solar cell arrays in the
design of solar-electrical systems 17 p0030 A78-11086
Sunstations 19 p0314 A78-34933
- BIRCHENROUGH, A. G.
Baseline tests of the EPC Hummingbird electric
passenger vehicle 18 p0279 N78-21010
[NASA-TN-73760]
Design and operating experience on the US
Department of Energy experimental Mod-0 100-kW
wind turbine 19 p0443 N78-26552
[NASA-TN-78915]
- BIRD, W. L.
System engineering and design of a pulsed
homopolar generator power supply for the Texas
Experimental Tokamak 19 p0351 A78-39921
- BIREN, J.-H.
French policy in the area of the campaign against
atmospheric pollution 17 p0082 A78-16473
- BIRIUKOVA, T. H.
The efficiency of half-peak MHD electric power plant
18 p0166 A78-21034
- BISHOP, H. R.
Engine development toward lower energy consumption
and reduced environmental impact
[AIAA PAPER 78-307] 18 p0178 A78-24008
- BISHOP, W. I.
Photohydrogen production in green algae - Water
serves as the primary substrate for hydrogen and
oxygen production 18 p0207 A78-28352
- BITER, W. J.
An automatable integrated thin film solar cell array
17 p0017 A78-10972
- BITIURIN, V. A.
Two-dimensional electrical effects in a frame-type
MHD channel 17 p0103 A78-19269
Choice of optimal configuration of frame and cross
section shape for a frame-type MHD channel 18 p0168 A78-22139
Influence of the nonuniformity of the field of
force on the flow in an MHD channel 18 p0216 A78-28951
- BLACKBURN, J. B.
Subsystem research experiments on a central
receiver collector 17 p0053 A78-11327
- BLACKSHEAR, P. L.
Gravel-filled trenches in earth for annual thermal
energy storage 17 p0050 A78-11297
- BLACKWELL, B. E.
Free-air performance tests of a 5-metre-diameter
Darrieus turbine 19 p0430 N78-25632
[SAND-77-1063]
- BLACKWELL, B. F.
Selected wind tunnel test results for the Darrieus
wind turbine 17 p0094 A78-18099
Status of the ERDA/Sandia 17-metre Darrieus
turbine design 18 p0170 A78-22240
Wind tunnel performance data for two- and
three-bucket Savonius rotors 19 p0364 A78-40822
- BLAIS, P. D.
Silicon solar cells from transition metal doped
Czochralski and web crystals 17 p0013 A78-10922
Low cost silicon solar array project large area
silicon sheet task: Silicon web process
development 19 p0396 N78-23563
[NASA-CR-156984]
Silicon materials task of the low cost solar array
project, phase 2 19 p0406 N78-24622
[NASA-CR-157082]
- BLAKE, P. A.
One MWth solar cavity steam generator solar test
program 17 p0053 A78-11329
Baseline design of commercial central receiver
solar power plant 17 p0054 A78-11332
- BLASY, J. A.
ERDA's Solar Energy Research and Development Program
18 p0180 A78-24753
- BLAZEK, C.
Alternative energy transmission systems from OTEC
plants, Project 8980 17 p0153 N78-14658
[DSE/2426-8]
- BLAZOWSKI, W. S.
Fuel hydrogen content as an indicator of radiative
heat transfer in an aircraft gas turbine combustor
19 p0296 A78-33114
- BLESS, J. J.
Shunt regulation electric power system
[NASA-CASE-GSC-10135] 18 p0247 N78-17296

- BLESSING, J. R.
Hydroconversion of a bituminous coal with CO-H₂O
19 p0342 A78-39125
- BLINKIN, V. L.
Synbiotic system of a fusion and a fission reactor
with very simple fuel reprocessing
19 p0380 A78-42257
- BLOCKER, W.
High-efficiency solar energy conversion through
flux concentration and spectrum splitting
18 p0168 A78-22064
- BLOOM, A. M.
Heat transfer in solar energy storage
[ASME PAPER 77-HT-38]
17 p0089 A78-17487
- BLOOM, R.
A baseline of logistic and power requirements for
full-scale manufacturing of metallic materials
in earth orbit
[AAS 77-237]
19 p0329 A78-36712
- BLOOMFIELD, H. S.
In-situ laser retorting of oil shale
[NASA-CASE-LEN-12217-1]
17 p0149 A78-14452
- Technical and economic feasibility study of
solar/fossil hybrid power systems
[NASA-TN-73820]
18 p0250 A78-17486
- BLOOMQUIST, D.
Prototype solar heating and cooling systems,
including potable hot water
[NASA-CR-150576]
18 p0263 A78-19601
- BLOOMSTER, C. H.
A tokamak hybrid blanket design
19 p0355 A78-39982
- GEOCITY: A computer code for calculating costs of
district heating using geothermal resources
[BNWL-2208]
17 p0151 A78-14644
- Analysis of electricity production costs from the
geopressured geothermal resource
[BNWL-2192]
18 p0241 A78-16449
- Geothermal energy potential for district and
process heating applications in the US: An
economic analysis
[BNWL-2311]
18 p0288 A78-21649
- BLOSS, W. H.
The influence of the horizontal and vertical
structure of the p-n junction in Cu₂S-CdS solar
cells
17 p0018 A78-10975
- Post-fabrication treatments, surface properties,
and front contact of Cu_x/S-CdS solar cells
17 p0018 A78-10978
- Technology of Cu₂S-CdS solar cells - German
state-of-the-art
19 p0373 A78-42127
- BLOTTNER, F. G.
Numerical codes for MHD flows
[SAND-77-1658]
19 p0448 A78-26604
- BLUM, H. A.
Estimating the potential of a solar-to-thermal
collector industry
17 p0070 A78-13851
- BLUM, H. A.
Vacuum deposited polycrystalline silicon solar cells
17 p0013 A78-10921
- BLUM, S.
CCRS solar energy pilot study: Report of the
annual meeting
[PB-271797/3]
17 p0145 A78-13623
- BLUMENFELD, D. L.
Oxidant measurements in western power plant
plumes. Volume 1: Technical analysis
[EPRI-BA-421-VOL-1]
19 p0400 A78-23614
- BOADE, R. R.
Oil shale programs
[SAND-77-1497]
19 p0432 A78-25653
- BOBBIO, S.
On the series resistance of solar cells
17 p0013 A78-10914
- The transformer design for a proposed technical
feasibility Tokamak reactor
17 p0039 A78-11171
- BOBELDIJK, C.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- BOBROV, V. L.
The effect of the properties of the working fluid
on the choice of electrode-surface temperature
for an MHD generator channel
19 p0341 A78-38969
- BOCARSLY, A. B.
Photoelectrolysis of water at high current density
- Use of ultraviolet laser excitation
17 p0062 A78-11927
- Stabilization of n-type semiconductors to
photoanodic dissolution by competitive electron
transfer processes
19 p0343 A78-39462
- BOCHKAREV, O. E.
Properties of a collectorless motor fed from a
three-phase current-source
18 p0235 A78-32430
- BOCKRATH, B. C.
Viscosity of coal-derived liquids
19 p0363 A78-40595
- BODIN, R. A. B.
Conceptual design problems in future reversed
field pinch experiments
17 p0040 A78-11181
- BOEHR, K. W.
Solar-electric residential system tests
17 p0010 A78-10741
- Model of the CdS/Cu₂S heterojunction
17 p0017 A78-10974
- Payback of solar systems
18 p0220 A78-30266
- BOEGLY, W. J., JR.
Solid waste utilization: Pyrolysis
[ANL/CES/TE-77-15]
19 p0435 A78-26038
- BOEHMKE, H.
Polycyclic aromatic hydrocarbons in the exhaust
gas of motor vehicles
17 p0061 A78-11459
- BOEHIG, H. J.
Superconducting energy storage development for
electric utility systems
17 p0032 A78-11109
- BOES, E. C.
Hourly direct-normal solar radiation data tapes
for the United States
17 p0049 A78-11288
- BOGUS, K.
Qualification of European high efficiency solar
cells for future ESA satellites
17 p0014 A78-10936
- BONDANSKY, J.
Relative importance of different impurity sources
in tokamak reactors as estimated from particle
balance equations
19 p0379 A78-42221
- BOHL, R. W.
Molten salt energy storage system - A feasibility
study
19 p0296 A78-33119
- BOIADZHIAN, A. G.
Analytic determination of the fuel effect of air
storage gas turbine electric power stations
18 p0227 A78-31364
- BOICOURT, G. P.
Design of the XT-40 power crowbar system
19 p0353 A78-39957
- Development of a low cost, 10 kV capacitor
[LA-UR-77-2408]
19 p0416 A78-25335
- BOJARSKI, W.
Energy management as a scientific discipline
17 p0111 A78-10558
- BOL, K.
Two phase working fluids in solar collectors
[AIAA PAPER 78-354]
18 p0178 A78-24030
- BOLGER, J. G.
Investigation of the feasibility of a dual model
electric transportation system
[LBL-6301]
17 p0157 A78-14954
- BOLL, R. H.
Evaluation of devolatilization concept
[EPRI-AP-608]
19 p0430 A78-25639
- BOLLINI, R.
Solar energy utilization and resource recovery
application in space heating
17 p0031 A78-11104
- BOLT, J. B. D. H.
Measurement program of the Dutch experimental
vertical-axis wind turbine
18 p0210 A78-28561
- BOLT, R. H.
Colorado energy impact assistance plan
[PB-276587/3]
19 p0390 A78-22483

- BOLTON, J. R.
Solar power and fuels; Proceedings of the First International Conference on the Photochemical Conversion and Storage of Solar Energy, University of Western Ontario, London, Canada, August 24-28, 1976
18 p0202 A78-27889
Photochemical storage of solar energy
18 p0206 A78-28170
- BOLTS, J. F.
Photoelectrolysis of water at high current density - Use of ultraviolet laser excitation
17 p0062 A78-11927
Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
19 p0343 A78-39462
- BOLUNEN, A. G.
Babcock and Wilcox's experience with two-phase flow mixtures of coal and gas
17 p0132 A78-13254
- BONAR, S.-H.
A 400 kW high temperature solar test facility
19 p0384 A78-42894
- BONBAUGH, K. J.
A systematic approach to the problem of characterizing the emission potential of energy conversion processes
19 p0320 A78-35699
- BOMB, F.
CODAS - The proposed control and data acquisition system for JET
19 p0355 A78-39986
- BOND, J. W., JR.
Military applications of solar cell power
17 p0022 A78-11018
- BONET, C.
A fluidized bed solar reactor - A thermochemical application
18 p0165 A78-20627
- BONIN, J. H.
Development of dry coal feeders
17 p0131 A78-13249
- BONINO, F.
On the discharge mechanism of silver/alkylammonium polyiodide solid state cells
19 p0363 A78-40621
- BONNAL, J. F.
Development of fast neutral beam injectors at Fontenay-aux-Roses
17 p0012 A78-10879
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- BOON, R. W.
The UWMAK-II study and magnet design
17 p0038 A78-11169
- BOOTH, J.
The mechanical structure of the Joint European Torus
17 p0040 A78-11182
- BOOTH, L. A.
Commercial application of laser fusion
17 p0004 A78-10605
Fusion energy applied to synthetic fuel production: A report to the DOE Division of Magnetic Fusion Energy based on a preliminary study by an ad-hoc advisory group [CONF-770593]
19 p0393 A78-23251
- BORDEN, C. S.
Costs and energy efficiency of a dual-mode system [PB-272714/7]
18 p0246 A78-16936
- BORTON, D. H.
Focusing solar collector development [PB-275042/0]
18 p0260 A78-18561
- BOS, P. B.
Nominal cost and performance objectives for photovoltaic panels in nonconcentrating central station applications
17 p0021 A78-11007
Perspectives on utility central station photovoltaic applications [EPRI-ER-589-SR]
19 p0447 A78-26592
- BOSCHI, A.
First wall surface treating in the Frascati Tokamak FT
19 p0380 A78-42245
- BOSSSEL, U.
Basic physical factors in the calculation of flat-plate collectors. VI
17 p0072 A78-14104
- Energy from wind; Meeting, 8th, Bremen, West Germany, June 7, 8, 1977, Report
18 p0209 A78-28551
- The coupling of solar energy utilization and wind energy utilization
18 p0211 A78-28568
- Heating with the sun II - Principles of solar technology; Meeting, 3rd, Munich, West Germany, March 3, 4, 1977, Report. Volume 2 - Practical technology for residences
18 p0212 A78-28576
- BOTER, H. L.
Dispersion and analysis of methane in the atmosphere [CL-1976-16]
19 p0450 A78-26644
- BOTTEN, L. C.
Improvements in the design of solar selective thin film absorbers
18 p0168 A78-22018
- BOTTS, T. E.
Waste management considerations for fusion power reactors
18 p0176 A78-23588
- BOUCHER, P. B.
Pyrolysis of industrial wastes for oil and activated carbon recovery [PB-270961/6]
17 p0147 A78-13967
- BOUGHNOT, J.
Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu2S
17 p0018 A78-10979
CdS sprayed thin films - Electrical and optical properties
17 p0018 A78-10981
- BOURGEOIS, S. V.
Development status and environmental hazards of several candidate advanced energy systems [PB-272759/2]
17 p0162 A78-15588
Assessment of large-scale photovoltaic materials production [PB-272604/0]
17 p0162 A78-15589
- BOURGESS, B.
Study of the performance of flat plate collectors in the transient regime
19 p0384 A78-42892
- BOUNHESTER, R.
Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence
18 p0169 A78-22231
- BOWDEN, J. R.
The status of and need for new coal gasification technology
17 p0031 A78-11097
- BOWEN, H. K.
HED electrode-insulator micro- and macro-structure
17 p0088 A78-17464
- BOWEN, J. S.
Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8]
18 p0261 A78-18590
- BOWEN, S. W.
Satellite mirror systems for providing terrestrial power - System concept [AAS-77-240]
19 p0330 A78-36717
- BOWERS, D. A.
An approach for determining the impact of peak coolant temperature on fusion reactor size and electricity costs [ASME PAPER 77-HT-73]
17 p0090 A78-17501
- BOWERS, J. F., JR.
Comparison of calculated and observed characteristics of plumes from two coal-fired power plants located in complex terrain
18 p0167 A78-21821
- BOWLES, R. L.
Federal policy options to effect fuel conservation in the air industry
18 p0259 A78-18548
- BOWMAN, H.
Chemistry of thermochemical cycles from United States hydrogen programme - Thermochemical hydrogen production: Chemistry and thermochemical efficiency
17 p0100 A78-18849
- BOWMAN, H. G.
Status of European thermochemical hydrogen programs [LA-UR-77-2985]
19 p0446 A78-26583

- BOWYER, D. C.
Laboratory support for in situ gasification
reaction kinetics
[ANL/CEN/PE-77-2] 19 p0423 N78-25575
- BOYD, J. R.
Polycrystalline silicon p-n junctions 19 p0334 A78-37467
- BOYD, W. K.
A survey of the use of ceramics in battery and
fuel cell applications
[AD-A044888] 17 p0126 N78-12534
- BOYES, J. D.
Efficiency of Fresnel lens solar collector 18 p0232 A78-32113
- BOYLE, M. J.
Laser-fusion experiments utilizing a 4/pi/
illumination system 18 p0235 A78-32434
- BOYLE, R. J.
Evaluation of initial collector field performance
at the Langley Solar Building Test Facility 17 p0061 A78-11391
- BOZEK, J. R.
Baseline tests of the power-train electric
delivery van
[NASA-TM-73765] 18 p0252 N78-17936
Baseline tests of the EVA change-of-pace coupe
electric passenger vehicle
[NASA-TM-73763] 18 p0253 N78-17938
Baseline tests of the EVA contractor electric
passenger vehicle
[NASA-TM-73762] 18 p0253 N78-17939
Baseline tests of the batronic Minivan electric
delivery van
[NASA-TM-73761] 18 p0253 N78-17940
Baseline tests of the Kordesh hybrid passenger
vehicle
[NASA-TM-73769] 19 p0443 N78-26551
- BOZHEVOLNOVA, E. V.
Reducing nitrogen oxides in the flue gases from
gas/oil-fired boilers at high-capacity power
stations 19 p0335 A78-37862
- BOZLER, C. O.
High-efficiency GaAs shallow-homojunction solar
cells 17 p0062 A78-11933
Simplified fabrication of GaAs homojunction solar
cells with increased conversion efficiencies 18 p0216 A78-29199
- BOZZO, S. R.
Data bank for the geographical allocation of
future US energy supply facilities by county
[BNL-50754] 19 p0463 N78-27590
- BRAATEN, R. W.
Emissions and energy conservation in residential
oil heating 19 p0384 A78-42902
- BRACEWELL, R. W.
Silicon photovoltaic cells in thermophotovoltaic
conversion
[EPRI-ER-478] 18 p0242 N78-16460
Silicon photovoltaic cells in TPV conversion
[EPRI-ER-633] 19 p0461 N78-27567
- BRADLEY, E. B.
Surface structure and mechanisms of gasification
catalyst deactivation
[FE-2229-5] 19 p0398 N78-23589
- BRADLEY, J. E.
Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy
[COO-2631-22] 19 p0394 N78-23442
- BRADLEY, J. H.
Development of a freeze-tolerant solar water
heater using crosslinked polyethylene as a
material of construction
[COO-2956-5] 17 p0162 N78-15584
- BRADLEY, J. O.
Technoeconomic aspects of photovoltaic electric
power systems/PEPS/ 17 p0031 A78-11098
Technoeconomic aspects of central photovoltaic
power plants 17 p0084 A78-16835
- BRADLEY, W. G.
A hypothetical 1000 MW(e) photovoltaic
solar-electric plant
[PB-273108/1] 18 p0243 N78-16468
- BRADSHAW, T. F.
Oil shale - Its time has come 18 p0196 A78-27784
- BRADY, J.
Analysis of the impact of heat pump technology on
the Irish energy system to the year 2000.
Energy case study series: no. 2
[CONF-770956-2] 19 p0448 N78-26599
- BRAGG, G. R.
Determination of optimum arrays of wind energy
conversion devices 19 p0364 A78-40821
- BRANLETTE, T. T.
Thermochemical energy storage systems: A review
[SAND-77-8051] 19 p0460 N78-27557
- BRAWAN, J. G.
Material handling systems for the fluidized-bed
combustion boiler at Rivesville, West Virginia
17 p0133 N78-13265
- BRANDENBURG, C. F.
Combustion processes in in situ coal gasification:
Phenomena, conceptual models and research
status. I - Overview and continuum wave
descriptions
[WSS/CI PAPER 77-3] 17 p0081 A78-16337
Characterization of nitrogen compounds in tar
produced from underground coal gasification
19 p0368 A78-41814
- BRANDHORST, H. W., JR.
Analysis of epitaxial drift field N on P silicon
solar cells 17 p0012 A78-10904
Status of the ERDA/NASA Photovoltaic Tests and
Applications Project 17 p0022 A78-11014
Summary of the NASA space photovoltaic research
and technology program 17 p0136 N78-13528
US terrestrial solar cell calibration and
measurement procedures
[NASA-TM-73788] 17 p0150 N78-14629
Photon degradation effects in terrestrial solar
cells
[NASA-TM-78924] 19 p0421 N78-25551
High-power, ultralow-mass solar arrays: FY-77
solar arrays technology readiness assessment
report, volume 1
[NASA-CR-157264] 19 p0457 N78-27530
High-power, ultralow-mass solar arrays: FY-77
solar arrays technology readiness assessment
report, volume 2
[NASA-CR-157265] 19 p0457 N78-27531
- BRANNON, P. J.
Environmental issues associated with solar heating
and cooling of residential dwellings
[SAND-77-0172] 17 p0161 N78-15581
- BRASLAVSKAYA, M. V.
Truncated 'focones' and 'foclines' 19 p0331 A78-36858
- BRAUN, C.
An electrochemically regenerative
hydrogen-chlorine energy storage system for
electric utilities 17 p0095 A78-18412
- BRAUN, G. W.
Solar photovoltaic conversion electric utility
point of view and development role 17 p0021 A78-11008
Integration of solar thermal power plants into
electric utility systems
[TID-27627/1] 17 p0154 N78-14666
- BRAUNSBERGER, U.
Sequences of neutron and X-ray flashes during a
long-lasting current in a plasma focus device
19 p0381 A78-42265
- BRAUNSTEIN, A.
Solar-electrical systems - Theory and applications
17 p0009 A78-10731
Solar radiation and energy measurements
17 p0009 A78-10732
Some problems concerning solar cell arrays in the
design of solar-electrical systems
17 p0030 A78-11086
Sunstations 19 p0314 A78-34933
- BRAUNSTEIN, H. H.
Environmental, health, and control aspects of coal
conversion, an information overview, volume 1
[ORNL/EIS-94-VOL-1] 19 p0411 N78-24696

- Environmental, health, and control aspects of coal conversion: An information overview, volume 2
[ORNL/EIS-95-VOL-2] 19 p0411 N78-24697
- BRAUNSTEIN, J.**
Molten carbonate fuel cell research at ORNL
[ORNL/TM-5886] 17 p0151 N78-14639
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy
[ORNL/TM-6168/V2] 19 p0448 N78-26601
- BRAY, D. C.**
The Alaskan oil disposition study: Potential air quality impact of a major off-loading terminal in the Pacific Northwest
[PB-271261/0] 17 p0147 N78-13657
- BREELE, Y.**
Hydrogen fuel cells and hydrogen engines 17 p0099 A78-18841
- BREEV, V. V.**
Investigation of the efficiency of a Faraday MHD-generator coupled to a thermonuclear reactor 17 p0063 A78-12348
Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor 19 p0291 A78-32572
- BRENNAN, M.**
Test data on electrical contacts at high surface velocities and high current densities for homopolar generators
[CONF-771029-121] 19 p0467 N78-27924
- BRENNER, H.**
Synthoil hydrodynamics
[COO-0056-4] 18 p0273 N78-20473
- BRENNER, W.**
Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis 17 p0035 A78-11129
- BRESSMAN, J.**
A solar powered desiccant air conditioning system 17 p0046 A78-11245
- BRESSON, A.**
Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- BRETON, C.**
Ionization equilibrium and radiative cooling of a high temperature plasma 18 p0227 A78-31423
Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015
Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- BRETON, J.**
Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- BRETSCHNEIDER, C. L.**
Operational sea state and design wave criteria - State-of-the-art of available data for U.S.A. coasts and the equatorial latitudes 19 p0302 A78-33322
- BREUER, K.**
Technical safety questions concerning solar energy installations 18 p0214 A78-28593
- BREYWISCH, D.**
Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859
- BRICKHILL, J. A.**
Impact of natural gas shortage on major industrial fuel-burning installations. Volume 1: Text
[PB-269365/3] 17 p0115 N78-10596
Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables)
[PB-269366/1] 17 p0116 N78-10597
Impact of natural gas shortage on major industrial fuel burning installations. Volume 3. Appendix: Summary and analysis of fuel-burning characteristics of MPBIS
[PB-269367/9] 17 p0116 N78-10598
- BRIPFOD, G.**
THMP heating studies on Petula Tokamak 19 p0354 A78-39969
- Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- BRIGGS, D. E.**
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 N78-23590
- BRINKWORTH, B. J.**
Refrigeration and air conditioning 18 p0201 A78-27866
Daily input modelling for solar collectors and systems 19 p0383 A78-42890
- BRISSEY, J.-J.**
Silicon for solar photocells 17 p0003 A78-10551
- BRITT, E. J.**
Performance and cost evaluation for a thermionic topping power plant
[ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
TELEC laser experiment
[NASA-CR-152077] 18 p0247 N78-17251
- BROCK, B. C.**
Optical analysis of spherical segment solar collectors 18 p0239 N78-16425
- BRODER, J. D.**
Photon degradation effects in terrestrial solar cells
[NASA-TM-78924] 19 p0421 N78-25551
- BRODZINSKI, R. L.**
Fusion-neutron-induced nuclear recoil emission probabilities 17 p0062 A78-11814
- BRONSTEIN, H. R.**
Molten carbonate fuel cell research at ORNL
[ORNL/TM-5886] 17 p0151 N78-14639
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy
[ORNL/TM-6168/V2] 19 p0448 N78-26601
- BROOKS, J.**
A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972
- BROOKS, J. H.**
Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
Plasma driving system requirements for commercial Tokamak fusion reactors
[CONF-771029-191] 19 p0434 N78-25923
- BROOKS, M. H.**
Doublet IIA experiments 17 p0011 A78-10776
- BROOMAN, E. W.**
An off-peak energy storage concept for electric utilities. II - The water battery concept 17 p0068 A78-13449
Mathematical model for the design of grids for electric vehicle batteries
[SAE PAPER 780221] 19 p0307 A78-33380
Optimal electrode properties and the selection of stabilizing electrolytes 19 p0344 A78-39470
A survey of the use of ceramics in battery and fuel cell applications
[AD-A044888] 17 p0126 N78-12534
- BROSER, E.**
Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX 19 p0345 A78-39789
- BROSSIER, P.**
Ion-cyclotron instability in the TFR tokamak 19 p0369 A78-42016
- BROST, O.**
Technical applications of heat pipes
[AYAA 78-396] 19 p0318 A78-35589
- BROTHERS, K. C.**
Control of volatile organic emissions from storage of petroleum liquids in fixed roof tanks
[PB-276749/9] 19 p0391 N78-22500
- BROUSSARD, P. H.**
Some opportunities in teleoperated mining 18 p0222 A78-30507
- BROVERMAN, A. Y.**
The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974

- BROWER, D. F.
Design of the TEXT toroidal and poloidal field coils
19 p0345 A78-39790
- BROWN, A.
A comparison of some alternative domestic energy systems
19 p0316 A78-35361
- BROWN, C. T.
One MWth solar cavity steam generator solar test program
17 p0053 A78-11329
- BROWN, C.-T.
A 400 kW high temperature solar test facility
19 p0384 A78-42894
- BROWN, E. C.
Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3 [AD-A053106]
19 p0414 N78-25239
- BROWN, G. H.
PDX PF power tests
19 p0351 A78-39909
- BROWN, H. L.
Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems
18 p0232 A78-32112
- BROWN, H. L.
Solar energy for village development
18 p0176 A78-23564
- BROWN, R.
Alaskan oil transportation issues [PB-276449/6]
18 p0289 N78-21661
- BROWN, R. J.
Use of aerial thermography in Canadian energy conservation programs
17 p0149 N78-14566
- BROWN, R. V.
An attitudinal study of the home market for solar devices [AD-A045082]
17 p0126 N78-12535
- BROWN, S.
Comparison of the fossil fuel energy requirements for solar, natural gas, and electrical water heating systems
17 p0106 A78-20244
Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides*
18 p0167 A78-22008
Regimes for the ocean, outer space, and weather
18 p0189 A78-26399
- BROWN, T.
Magnetics design for ripple-assisted beam injection into the ISX-B and FTFR tokamaks
19 p0356 A78-40013
- BROWN, T. D.
Emissions and energy conservation in residential oil heating
19 p0384 A78-42902
- BROWN, W. H.
Suggestions for a phase-2 national energy policy [PE-2660-1]
19 p0397 N78-23581
- BROWNE, P. R. L.
Hydrothermal alteration in active geothermal fields
19 p0339 A78-38770
- BRUCKNER, L. A.
Probability distribution of bids on outer continental shelf oil and gas leases [LA-7190-MS]
19 p0468 N78-27982
- BRUNS-SLOT, R.
Solar system cost/performance analysis
17 p0047 A78-11257
- BRUE, J. H.
BUCKS: Economic analysis model of solar electric power plants [SAND-77-8279]
19 p0460 N78-27564
- BRUNNER, C. U.
Energy conservation and energy source substitution in old buildings - Estimation of cost and efficacy
18 p0214 A78-28596
- BRUNNER, R.
Solar heating for 10,000 Deutsche Marks
17 p0071 A78-14093
- BRUNO, R.
Analysis and optimization of solar hot water systems
17 p0075 A78-14689
A correction procedure for separating direct and diffuse insolation on a horizontal surface
17 p0105 A78-19839
- BRUPBACHER, J. H.
Shock-tube combustion of high density hydrocarbon fuels
18 p0222 A78-30512
- BRUSAGLINO, G.
Fiat electric city car prototype [EVC PAPER 7755]
17 p0085 A78-16926
- BRYAN, R. J.
Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3]
17 p0117 N78-10636
- BRYAN, R. L.
Inductor network development for aircraft high power supplies [AD-A052750]
19 p0413 N78-25096
- BRYANT, R. W.
General Electric conceptual design of a test coil for the large coil program
19 p0351 A78-39928
- BUBE, H.
Recent results on II-VI heterojunctions for photovoltaic solar energy conversion
17 p0018 A78-10983
- BUBE, R. H.
Evaluation of the CdS/CdTe heterojunction solar cell
17 p0062 A78-11815
High conductivity ZnSe films
19 p0310 A78-34256
- BUBENWICK, D. V.
Economic comparison of selected scenarios for electrostatic precipitators and fabric filters [APCA PAPER 77-14,2]
18 p0186 A78-25445
- BUCH, F.
Recent results on II-VI heterojunctions for photovoltaic solar energy conversion
17 p0018 A78-10983
- BUCKLEY, S.
Thermic diode solar panels for space heating
19 p0314 A78-34936
- BUCKWELL, H., III
The energy question: A case study in major public policy development in a quasi-free enterprise society
18 p0274 N78-20599
- BUDDEW, K. T.
Environmental assessment of coal liquefaction [PB-278333/0]
19 p0451 N78-26654
- BUDER, H. K.
Underground coal gasification via the LVW process
18 p0182 A78-24775
Coming - In situ gasification
19 p0322 A78-35783
- BUDZIK, P. T.
An evaluation of control strategies for SO₂ emissions from petroleum refineries [APCA PAPER 77-43,1]
18 p0184 A78-25380
- BUEHL, W. H.
An internal cusp reflector for an evacuated tubular heat pipe solar thermal collector
17 p0060 A78-11384
- BUEHLER, R.
InP/CdS solar cells
17 p0018 A78-10985
A simple measurement of absolute solar-cell efficiency
17 p0079 A78-15850
- BUERGER, R.
Performance and cost assessment of photovoltaic system concepts
17 p0021 A78-11011
- BUGGY, J. J.
Solar total energy; large scale experiment. Phase 2: Fort Hood, Texas [TID-18040]
19 p0429 N78-25630
- BOHRMAN, R. A.
Optical properties of selectively absorbing metal/insulator composite films
19 p0324 A78-36032
- BUHS, R.
German activities in the field of terrestrial application of solar cell arrays
17 p0020 A78-11005
- BOKREEV, E. N.
Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators
19 p0315 A78-35091

- BULLARD, C. W.
Structural descriptions of alternative energy
futures
[COO-2865-7] 17 p0114 N78-10580
- BULLARD, E.
An analysis of the technical status of high level
radioactive waste and spent fuel management
systems
[NASA-CR-155313] 18 p0261 N78-18897
- BULTEEL, P.
Influence of bandgap narrowing on the performance
of silicon n-p solar cells 19 p0334 A78-37464
- BUHARSKOV, A. O.
Thermal testing of the GT-35 gas turbine plant in
the steam turbine-gas turbine plant with a
high-head steam generator 17 p0066 A78-13157
- BUNGAY, H. R.
Fuels and chemicals from crops 18 p0197 A78-27808
- BUONICORE, A. J.
Coal dryer emission control with the energy saving
centripetal vortex wet scrubber
[APCA PAPER 77-17,5] 18 p0185 A78-25424
- BURAKHANOV, B. M.
Two-dimensional electrical effects in a frame-type
MHD channel 17 p0103 A78-19269
- BUREWIN, IU. A.
Coaxial, explosive-type MHD generator 18 p0166 A78-21387
- BURFORD, J. J., JR.
The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807
- BURGESS, E. L.
Silicon solar cell development for
concentrated-sunlight, high-temperature
applications 17 p0022 A78-11020
Silicon solar cell designs based on physical
behavior in concentrated sunlight 19 p0334 A78-37462
A novel square Fresnel lens design for
illuminating circular solar cells 19 p0342 A78-39369
- BURK, D. E.
Fabrication of OSOS cells by neutral ion beam
sputtering 17 p0027 A78-11062
- BURKE, J. C.
System definition study: Phase 1 of individual
load center, solar heating and cooling
residential project
[EPRI-ER-594] 19 p0459 N78-27548
- BURKE, J. R.
Inspection manual for the enforcement of new
source performance standards: Coal preparation
plants
[PB-274262/5] 18 p0270 N78-19683
- BURKES, T. R.
Pulse power systems employing inductive energy
storage 17 p0007 A78-10698
- BURKHARD, D. G.
Irradiance for skew rays incident upon a
trough-like solar collector of arbitrary shape
17 p0104 A78-19829
Flat-sided rectilinear trough as a solar
concentrator - An analytical study 19 p0344 A78-39636
- BURKHARD, D. R.
Flat-sided rectilinear trough as a solar
concentrator - An analytical study 19 p0344 A78-39636
- BURKHARDT, W.
Economic energy utilization by means of remote
heating 17 p0093 A78-18025
- BURKHART, J. A.
Potential damage to dc superconducting magnets due
to high frequency electromagnetic waves 19 p0350 A78-39902
- BURLEIGH, R. J.
Mirror reactor studies 17 p0011 A78-10874
- BURN, P. B.
Pulse coil concepts for the LCP facility 19 p0352 A78-39935
- BURNETT, R. A.
Description and comparison of energy impact
assessment models
[BNWL-2107] 18 p0290 N78-21671
- BURNETT, W. H.
From oil and gas to alternate fuels - The
transition in conversion equipment 18 p0174 A78-22843
- BURNS, R. K.
Performance potential of combined cycles
integrated with low-Btu gasifiers for future
electric utility applications
[NASA-TN-73775] 19 p0395 N78-23557
- BURNS, W. W., III
A theory of control for a class of electronic
power processing systems: Energy-storage
dc-to-dc converters 18 p0262 N78-19382
- BURR, A. A.
Focusing solar collector development
[PB-275042/0] 18 p0260 N78-18561
- BURR, R. K.
Control of volatile organic emissions from storage
of petroleum liquids in fixed roof tanks
[PB-276749/9] 19 p0391 N78-22500
- BURRELL, T.
Canada's renewable energy resources: An
assessment of potential
[NP-21901] 17 p0142 N78-13588
- BURROUGHS, C. A.
Analysis of brine disposal in the Gulf of Mexico.
3: Capline sector
[PB-271292/5] 17 p0146 N78-13648
- BURROUGHS, J. D.
A simulation model for wind energy storage
systems. Volume 2: Operation manual
[NASA-CR-135284] 18 p0278 N78-20803
A simulation model for wind energy storage
systems. Volume 3: Program descriptions
[NASA-CR-135285] 18 p0278 N78-20804
- BURT, J.
A review of work on plasma-wall interactions and
divertor experiments on DITE 19 p0377 A78-42204
- BURTON, L. C.
Studies related to Zn/x/Cd/1-x/S-Cu2S solar cells
17 p0018 A78-10982
- BURWELL, C. C.
Solar biomass energy - An overview of U.S. potential
18 p0193 A78-26967
- BUSH, J. R.
Development of a high-temperature/high-pressure
electrostatic precipitator
[PB-276626/9] 19 p0391 N78-22497
- BUSH, W. A.
Report of survey of valve industry capabilities
[CONF-771145-2] 19 p0393 N78-23440
- BUSSAC, J. P.
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- BUSTRAAN, H.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- BUTCHER, W. R.
Energy conservation policy - opportunities and
associated impacts. Study module 1-A. Volume
1, summary report
[PB-274337/5] 18 p0269 N78-19661
- BUTERA, F.
Solar energy for industrial processes - A
simplified design method 19 p0383 A78-42891
- BUTLER, B. L.
Laser ray trace and bi-directional reflectometry
measurements of various solar concentrators:
[SAND-77-1466C] 19 p0444 N78-26564
- BUTLER, H. A.
Temperature dependence of flatband potentials at
semiconductor-electrolyte interfaces
19 p0362 A78-40531
- BUTT, S. H.
Solar industry - Status report and forecast
18 p0181 A78-24754
- BUTTER, C. D.
Silicon on ceramic process. Silicon sheet growth
development for the large-area silicon sheet
task of the low-cost silicon solar array project
[NASA-CR-155613] 18 p0248 A78-17464

- BUTZ, J. R.
Design, construction and test of a collector system using a linear asymmetric Fresnel reflector
17 p0059 A78-11374
- BUTZE, H. P.
Alternative fuels
17 p0118 A78-11074
Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions
[NASA-TN-73780] 17 p0129 A78-13056
- BYERS, R. L.
Dispersion and control of atmospheric emissions: New-energy-source pollution potential
19 p0320 A78-35676
- BYRNE, R. E.
G2M, a two-dimensional diffusion time scale tokamak code
18 p0231 A78-32066
- BYSTRYI, A. I.
Investigation of combustion stability in an MHD-generator combustion chamber
19 p0292 A78-32715
- BYSZENSKI, W. W.
Generalization of the description of energy conversion in CO2 impulse lasers
17 p0109 A78-10444
- BYVIK, C. E.
High efficiency GaAs solar cells
17 p0137 A78-13542
Status of photoelectrochemical production of hydrogen and electrical energy
19 p0451 A78-26865
- C**
- CABAL, A. V.
Upgrading of coal liquids for use as power generation fuels
[EPRI-AP-444] 19 p0427 A78-25608
- CABESTANY, J.
Microprocessor-based solar cell measurement system
19 p0365 A78-40919
- CAHEN, D.
Photoelectrochemical storage cells - The importance of the second and third electrodes
19 p0343 A78-39455
- CAHILL, T. P.
Wind turbine generator rotor blade concepts with low cost potential
[NASA-TN-73835] 18 p0249 A78-17466
- CAHN, R. P.
Storage of off-peak thermal energy in oil
17 p0029 A78-11078
- CAIN, R. W.
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 Mwt MHD power plant
[ASME PAPER 77-HT-64] 17 p0090 A78-17496
- CAIN, W. D.
Magnetic field computations for ISX using GPUN-3D
19 p0356 A78-40019
- CAIRD, R. S.
Explosive magnetic flux compression plate generators as fast high-energy power sources
17 p0008 A78-10705
- CALDERON, M. O.
System design for the new TMI machine
19 p0349 A78-39888
- CALFF, C. E.
Energetics of the United States of America: An atlas
[BNL-50501-R] 19 p0397 A78-23578
- CALHOUN, J. E.
The University of Louisville Dual Solar Energy Research Center
17 p0091 A78-17551
The microprocessor controlled and instrumented solar energy project
17 p0091 A78-17556
- CALIFANO, P. P.
On the series resistance of solar cells
17 p0013 A78-10914
- CALL, R. L.
High intensity solar cell
17 p0023 A78-11028

- CALLAHAN, W. E.
Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells
17 p0026 A78-11055
- CALLEN, J. D.
Toroidal field ripple effects in TMS design
19 p0347 A78-39810
Turbulence theory for the dissipative trapped electron instability
19 p0382 A78-42487
- CALLEN, R. B.
Upgrading of coal liquids for use as power generation fuels
[EPRI-AP-444] 19 p0427 A78-25608
- CALLIGAN, C. C.
Simulating Oregon's future electrical energy demand
[PB-276970/1] 19 p0399 A78-23603
- CALMAN, P. G.
Generation of electricity from the wind
17 p0080 A78-16053
- CALOGERAS, J. E.
Technical and economic feasibility study of solar/fossil hybrid power systems
[NASA-TN-73820] 18 p0250 A78-17486
- CALVIN, M.
Materials and energy from the sun
17 p0071 A78-14025
Hydrocarbons via photosynthesis
17 p0074 A78-14688
Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides*
18 p0167 A78-22008
- CANBELL, A. B.
Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 A78-26568
- CAMERON, J. R.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 A78-23590
- CAMPBELL, I. H.
Energy and the atmosphere: A physical-chemical approach
19 p0327 A78-36497
- CAMPBELL, J.
Hydrogen turbine power conversion system assessment
[NASA-CR-135298] 18 p0276 A78-20621
- CAMPBELL, J. H.
Pyrolysis of subbituminous coal in relation to in-situ coal gasification
18 p0229 A78-31750
Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation
19 p0367 A78-41521
- CAMPBELL, R.
An analysis of the technical status of high level radioactive waste and spent fuel management systems
[NASA-CR-155313] 18 p0261 A78-18897
- CAMPBELL, R. B.
Impact of confinement physics on reactor design and economics
19 p0346 A78-39794
- CAMPBELL, V. H.
An attitudinal study of the home market for solar devices
[AD-A045082] 17 p0126 A78-12535
- CAMPBELL, W. J.
Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 A78-16499
- CAMPER, G. L.
Voltage protection scheme for MG sets used to drive inductive energy storage systems
19 p0353 A78-39961
- CANPOSVENUTI, G.
Health and environmental aspects of energy development
[ISS-P-77/2] 19 p0399 A78-23599
- CANALI, C.
Semiconductor materials for photovoltaic conversion
17 p0080 A78-16128
Thin Pt and Pd silicide Schottky barriers for silicon solar cells
18 p0171 A78-22267

- CANNISTRARO, G.
Solar energy for industrial processes - A
simplified design method
19 p0383 A78-42891
- CANNON, J. S.
Corporate research and development in alternate
energy
17 p0028 A78-11072
- CANO, R.
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- CANON, R. H.
Boiling heat transfer in a bench-scale molten-salt
thermal energy storage device
[ORNL/TM-5689]
17 p0114 A78-10586
- CANTAFIO, L. J.
GSSPS - Taking a new approach to the space solar
power station
17 p0066 A78-13072
- CANTREY, D. E.
Development of dry coal feeders
17 p0131 A78-13249
- CANTOR, S.
Molten carbonate fuel cell research at ORNL
[ORNL/TM-5886]
17 p0151 A78-14639
Molten carbonate fuel cell research at ORNL. 2:
Theoretical and experimental transport studies,
thermochemistry, and electron microscopy
[ORNL/TM-6168/V2]
19 p0448 A78-26601
- CANTRELL, B. K.
Nuclei formation rates in a coal-fired power plant
plume
19 p0366 A78-41253
Aerosol size distributions and aerosol volume
formation for a coal-fired power plant plume
19 p0366 A78-41254
- CARBAJAL, B. G.
Automated array assembly task, phase 1
[NASA-CR-156985]
19 p0396 A78-23562
Automated array assembly, phase 2
[NASA-CR-157134]
19 p0407 A78-24653
- CARD, H. C.
The effects of illumination on the
depletion-region recombination currents in
Schottky-barrier solar cells
17 p0026 A78-11052
- CARD, W. H.
Solar building energy use analysis
17 p0045 A78-11243
- CARDEN, P. O.
Steering a field of mirrors using a shared
computer-based controller
19 p0312 A78-34516
- CARDER, B. H.
A 25 megajoule energy storage and delivery system
for the Shiva laser
19 p0351 A78-39920
- CARDULLO, H.
Petroleum supply alternatives for the northern
tier states through 1980
[PB-269809/0]
17 p0116 A78-10600
- CARDWELL, G. L.
Design of the TEXT toroidal and poloidal field coils
19 p0345 A78-39790
- CARETTO, L. S.
Modeling fluidized bed combustion
18 p0230 A78-31959
- CARHART, S. C.
Residential energy demand analysis: Data and
methodology
[BNL-21920]
17 p0140 A78-13573
- CARL, D. A.
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[AD-A046951]
18 p0240 A78-16444
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[BNL-MHD-77-3]
19 p0432 A78-25651
- CARLSMITH, R. S.
Energy conservation and the environment
[PB-272428/4]
17 p0162 A78-15590
- CARLSON, D. E.
Solar cells using Schottky barriers on amorphous
silicon
17 p0025 A78-11045
- CARLSON, G. A.
Mirror reactor studies
17 p0011 A78-10874
- CARLSON, H. P.
Applications of remote sensing in resource
management in Nebraska
[E78-10099]
18 p0273 A78-20567
- CARLSON, H. G.
A low-risk approach to the high-temperature turbine
[ASME PAPER 77-WA/ENER-10]
19 p0298 A78-33148
- CARLSON, R.
Transportation in America's future: Potentials
for the next half century. Part 2.
Transportation forecasts
[PB-270468/2]
17 p0129 A78-12909
Transportation in America's future: Potentials
for the next half century. Part 1: Societal
[PB-270467/4]
17 p0129 A78-12910
- CARLSSON, L.
An iron-air vehicle battery
18 p0174 A78-23241
- CARLTON, H. E.
Coal desulfurization by the Battelle Hydrothermal
Coal Process
17 p0029 A78-11082
- CARLTON, R. J.
Design and analysis of a uniaxial tracking device
with a cylindrical parabolic solar concentrator
system
17 p0058 A78-11372
- CARNICHAEL, D. C.
Characterization of terrestrial service
environments - The simultaneous occurrence of
combined conditions of solar insolation and
climatic variables
17 p0049 A78-11283
- CARNASCIALI, G.
Performance and cost evaluation for a thermionic
topping power plant
[ASME PAPER 77-WA/ENER-7]
19 p0297 A78-33145
- CARNEGIE, E. J.
Design and performance of an air collector for
industrial crop dehydration
17 p0104 A78-19828
- CAROSELLA, L. A.
Establishment of design and performance
requirements using cost and systems analysis
19 p0346 A78-39793
- CARPENTER, S.
Energy conservation and state legislatures. Based
on the Energy Conservation Workshop for Region 8
State Legislators
[PB-270428/6]
17 p0128 A78-12550
- CARPETIS, C.
Hydrogen cryogenic storage - Liquid for automotive
applications and cryoadsorbents for pipeline
distribution systems
17 p0100 A78-18844
- CARRIKER, M. E.
Heavy metal interactions with natural organics in
aquatic environments
18 p0244 A78-16479
- CARROLL, J. R.
Hydrocarbon pollutants from stationary sources
[PB-272784/0]
17 p0163 A78-15605
- CARROLL, T. O.
Land use-energy simulation model: A
computer-based model for exploring land use and
energy relationships
[BNL-50634]
18 p0241 A78-16450
Planner's energy workbook: A manual for exploring
relationships between land use and energy
utilization
[BNL-50633]
18 p0286 A78-21634
Energy information and analytic system for New
York State
[BNL-22677]
19 p0397 A78-23579
- CARROLL, W.
Material and design considerations of encapsulants
for photovoltaic arrays in terrestrial
applications
17 p0016 A78-10951
- CARROLL, W. F.
Characterization of terrestrial service
environments - The simultaneous occurrence of
combined conditions of solar insolation and
climatic variables
17 p0049 A78-11283
- CARSON, J. W.
Storage and feeding of coal
17 p0133 A78-13263

- CARTER, C. P.
DOD photovoltaic energy conversion systems market inventory and analysis, volume 1 [PB-273969/6] 18 p0243 N78-16469
DOD photovoltaic energy conversion systems market inventory and analysis, volume 2 [PB-273970/4] 18 p0243 N78-16470
DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume [PB-273971/2] 18 p0243 N78-16471
- CARTER, J. C.
Introductory workshops on remote sensing as related to geological problems in Georgia [E78-10152] 19 p0455 N78-27482
- CARTER, J. R., JR.
Solar cell radiation handbook [NASA-CR-155554] 17 p0160 N78-15566
- CARTER, W. J.
Gas stimulation studies at LASL [LA-UR-77-1937] 19 p0410 N78-24678
- CARUVANA, A.
Development of high temperature turbine subsystem technology to technology readiness status; phase 1 [FE-1806-6] 17 p0124 N78-12425
- CARWILE, C.
Seals for geothermal roller drill bits [ASME PAPER 77-PET-53] 17 p0077 A78-15081
Geothermal drill bit improvement - Specific application to the Geysers [ASME PAPER 77-PET-67] 17 p0077 A78-15082
- CASAD, T. A.
Characterization of solar cells for space applications. Volume 1: Electrical characteristics of OCLI violet solar cells as a function of intensity and temperature [NASA-CR-156462] 18 p0283 N78-21601
- CASE, G. R.
Computer simulation of photovoltaic systems 17 p0021 A78-11010
PVSS: A photovoltaic system simulation program manual [SAND-77-0814] 19 p0398 N78-23593
- CASH, M.
Marshall Space Flight Center development program for solar heating and cooling systems 17 p0058 A78-11368
Hardware problems encountered in solar heating and cooling systems [NASA-TN-78172] 19 p0420 N78-25539
- CASS, R. W.
Filtration model for coal fly ash with glass fabrics [PB-276489/2] 18 p0289 N78-21667
- CASTAGNE, M.
Energy economy in the investment policy of French companies. I - The industrial attitude 17 p0069 A78-13469
- CASTNER, L.
Microprocessor-based solar cell measurement system 19 p0365 A78-40919
- CASTELLI, V. J.
Corrosion and biofouling on an Ocean Thermal Energy Conversion power plant - What are the questions 19 p0305 A78-33343
- CASTLE, J. A.
Design criteria for high efficiency silicon solar cells with concentration 17 p0023 A78-11022
- CASTLE, L. J.
Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics 18 p0203 A78-27920
- CATALANO, A. W.
Variation of short-circuit current spectral response with Cu/2-x/S composition in thin film Cu/2-x/S/CdS photovoltaic cells 17 p0017 A78-10973
- CATCHPOLE, S.
UK experience of planning the nuclear contribution to the UK power programme [IAEA-CN-36/53] 17 p0116 N78-10605
- CATELLANI, F.
Thin Pt and Pd silicide Schottky barriers for silicon solar cells 18 p0171 A78-22267
- CATERINA, G.
The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908
- CATTOLICA, R. J.
Diagnostic assessment for advanced power systems [SAND-77-8216] 17 p0121 N78-11509
- CAVAGHARO, D. M.
Fluidized bed combustion, volume 2. Citations from the NTIS data base [NTIS/PS-78/0195/4] 19 p0400 N78-23607
Fluidized bed combustion, volume 1. Citations from the engineering index data base [NTIS/PS-78/0196/2] 19 p0400 N78-23608
Fluidized bed combustion, volume 2. Citations from the engineering index data base [NTIS/PS-78/0197/0] 19 p0400 N78-23609
Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts [NTIS/PS-78/0208/5] 19 p0400 N78-23623
Automobile air pollution: Automotive fuels. A bibliography with abstracts [NTIS/PS-78/0235/8] 19 p0400 N78-23627
Coal gasification and liquefaction technology, volume 3. A bibliography with abstracts [NTIS/PS-78/0345/5] 19 p0466 N78-27609
- CAVALLERI, G.
Proposal for the production and seasonal storage of hot water to heat a city 17 p0083 A78-16833
- CAVALLO, J.
Transition to decentralized energy systems [CONF-7710101-1] 19 p0397 N78-23582
- CAVANAUGH, E. C.
A systematic approach to the problem of characterizing the emission potential of energy conversion processes 19 p0320 A78-35699
Hydrocarbon pollutants from stationary sources [PB-272784/0] 17 p0163 N78-15605
Environmental assessment of low/medium BTU gasification [PB-276580/8] 18 p0281 N78-21325
- CELESTANO, G.
The mechanical structure of the Joint European Torus 17 p0040 A78-11182
- CERINI, D. J.
Steam reforming of methyl fuel, phase 1 [AD-A044787] 19 p0403 N78-24375
- CERNAK, J. E.
Applications of wind tunnels to investigations of wind-engineering problems [AIAA 78-812] 18 p0233 A78-32366
- CERRI, S. T.
Self-powered electric propulsion of satellite power systems [AIAA PAPER 78-694] 19 p0293 A78-32765
- CERRUTI, D.
Dual phase annual cycle, index of application 17 p0050 A78-11299
- CERVENAN, M. E.
Evolution of stimulated Brillouin to stimulated ion Compton scattering in a CO2 laser-plasma interaction experiment 18 p0235 A78-32425
- CHACKO, O.
Solar energy for use as a source of power 19 p0370 A78-42104
- CHAI, H. C.
A parametric study of a heat exchanger designed for geothermal power plant application [ASME PAPER 77-HT-1] 17 p0088 A78-17476
- CHAI, V. W.
A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 N78-11154
- CHAIKEN, R. F.
Coal pyrolysis at fire-level heat flux 17 p0079 A78-15835
- CHAMBERLAIN, R. G.
SAMIS - A simulation of the solar array manufacturing industry 17 p0016 A78-10955
- CHAMBERLAIN, S. G.
Spectral responses limitation mechanisms of a shallow junction n+/p photodiode 18 p0205 A78-28141

- CHAMIS, C. C.
NASTRAN use for cyclic response and fatigue
analysis of wind turbing towers 17 p0125 N78-12459
- CHAN, M. A.
Subsurface structure of the southern portion of
the Salton Sea geothermal field
[UCRL-52354] 19 p0467 N78-27695
- CHAN, Y. K.
A simulation model for wind energy storage
systems. Volume 1: Technical report
[NASA-CR-135283] 18 p0278 N78-20802
- CHANDLER, T. C., JR.
Solar cell processing with spin-on diffusion sources
17 p0015 A78-10943
An optical scanning technique for evaluating
silicon solar cells 17 p0091 A78-17553
- CHANDRA, A.
Development of selective solar surfaces
19 p0375 A78-42152
- CHANDRA, H.
Some aspects of radiation climatology in relation
to applied solar energy 19 p0374 A78-42143
- CHANG, G. C.
For the latest in energy storage, try the flywheel
18 p0217 A78-29600
- CHANG, J.
Microchannel plate response to hard X-rays
19 p0360 A78-40267
- CHANG, K. C.
Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency
19 p0343 A78-39461
Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells
19 p0344 A78-39469
- CHANG, K.-C.
Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells
19 p0343 A78-39456
- CHANG, H.-C.
Computer simulation of an advanced hybrid
electric-powered vehicle
[SAE PAPER 780217] 19 p0307 A78-33378
- CHANG, P. Y.
Some factors affecting the selection of OTEC plant
platform/cold water pipe designs 19 p0303 A78-33325
- CHANG, Y. I.
Alternative fuel cycle options: Performance
characteristics and impact on nuclear power
growth potential
[ANL-77-70] 19 p0412 N78-24920
- CHAO, T.
High efficiency, long life terrestrial solar panel
[NASA-CR-157060] 19 p0407 N78-24649
- CHAPMAN, P. F.
The economic evaluation of solar energy schemes
17 p0004 A78-10615
- CHAPMAN, R. A.
Environmental impact of solid waste and biomass
conversion-to-energy processes 17 p0036 A78-11139
- CHAPMAN, R. L.
Simplified fabrication of GaAs homojunction solar
cells with increased conversion efficiencies
18 p0216 A78-29199
- CHAPPELL, T. I.
A pn junction silicon sensor for high-intensity
solar flux mapping 17 p0023 A78-11023
- CHARGIN, A. K.
System design for the new TMX machine
19 p0349 A78-39888
Design for the magnetic field requirements of the
tandem mirror experiment 19 p0349 A78-39889
- CHARLES, H. K., JR.
Vacuum deposited polycrystalline silicon solar cells
17 p0013 A78-10921
- CHARLSON, E. J.
Temperature dependence of the photovoltaic
performance of Si cells under blue, white and
near-bandgap irradiation 17 p0012 A78-10909
- CHARLSON, L.
HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- CHARTERS, W. W. S.
Theoretical performance of a passive solar energy
collection system for house heating
18 p0165 A78-20622
Solar and wind induced external coefficients -
Solar collectors 18 p0165 A78-20625
Solar energy utilization - Liquid flat plate
collectors 18 p0200 A78-27856
Convective heat transfer effects within honeycomb
structures for flat plate solar collectors
18 p0200 A78-27857
Thermal simulation of a passive solar house using
a Trombe-Michel wall structure 18 p0220 A78-30269
- CHARTOCK, M. A.
Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616
Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 2: Detailed analysis and
supporting materials
[PB-271753/6] 17 p0144 N78-13617
Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 3: Preliminary policy
analysis
[PB-271754/4] 17 p0144 N78-13618
Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 4: Appendices
[PB-272243/7] 17 p0144 N78-13619
- CHARWAT, A. F.
Performance of counter- and corotating arrays of
Savonius turbines 18 p0188 A78-26113
- CHASE, R.
Potential of wood as an energy resource in New
England
[TID-28131] 19 p0432 N78-25655
- CHASE, R. L.
Solar sail-solar electric technology readiness and
transfer assessment
[NASA-CR-157239] 19 p0436 N78-26154
- CHASE, W. E.
Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy
[COO-2631-22] 19 p0394 N78-23442
- CHASTEAU, V. A. L.
Operational experience with a 5m Darrieus wind
turbine 19 p0333 A78-37421
- CHATELIER, M.
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- CHATTERJEE, J. S.
Solar energy for tractors 19 p0376 A78-42168
- CHATURVEDI, A. C.
Prospects of materials and energy from refuse in
India 17 p0037 A78-11145
- CHAU, K. V.
Analysis of a matrix solar collector 17 p0043 A78-11222
- CHAUDHURI, N.
Semiconducting materials in solar energy conversion
19 p0371 A78-42115
- CHAUHAN, S. P.
Coal desulfurization by the Battelle Hydrothermal
Coal Process 17 p0029 A78-11082
- CHEW, C. P.
Multi-wire slurry wafering demonstrations
[JPL-PUB-78-37] 18 p0276 N78-20620
- CHEW, E. C. H.
An ionic model for the systematic selection of
chemical decomposition reactions for energy
storage 17 p0051 A78-11307

- CHEN, F. F.
Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the p-B-11 reaction
[EPRI-ER-429-SR-PT-A] 18 p0290 N78-21927
- CHEN, F. K.
Design for the magnetic field requirements of the tandem mirror experiment 19 p0349 A78-39889
- CHEN, J. C.
Finite-element solutions for geothermal systems 17 p0094 A78-18097
- CHEN, J. L.-P.
Particle separation from a fluidized mixture - Simulation of the Westinghouse coal gasification combustor/gasifier operation 18 p0230 A78-31872
- CHEN, L.-T.
Solar powered vapor-compressive refrigeration system using ejector as the thermal compressors 17 p0096 A78-18681
- CHEN, P. C. S.
A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains 19 p0386 A78-43291
- CHEN, P. I.
Wind energy - A supplement to hydro-electric energy using the Columbia River Valley as an example 17 p0052 A78-11317
- CHEN, P. J.
Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 A78-31731
- CHEN, T. C.
Analysis of two methods used to generate climatological data for design of solar energy buildings 17 p0049 A78-11289
Economic evaluation of solar cooling and heating of buildings 17 p0057 A78-11355
- CHEN, T. W.
Dry coal feeder development program at Ingersoll-Rand Research, Incorporated 17 p0132 N78-13250
- CHEN, W. Y.
Controllable homopolar motor-generator energy storage for application in a fusion power reactor 17 p0007 A78-10680
Time dependent study of eddy current loss in a superconducting composite 19 p0355 A78-40007
- CHEWY, M. C.
Comparison of blade loads of fixed and free yawing wind turbine 18 p0267 N78-19637
- CHENG, P.
The effect of dike intrusion on free convection in conduction-dominated geothermal reservoirs 19 p0369 A78-42080
- CHERDAK, A.
Engineering cost estimates for solar technologies 17 p0058 A78-11365
- CHERDAK, A. S.
A data acquisition system for in situ measurements of terrestrial photovoltaic array performance 17 p0023 A78-11029
- CHEREMISINOFF, W. P.
Fundamentals of wind energy 19 p0341 A78-38972
- CHERNE, J. H.
Design and performance of an air collector for industrial crop dehydration 17 p0104 A78-19828
- CHERNIAVSKY, E. A.
Overview of technological-economic models for energy policy analysis [BNL-22730] 18 p0241 N78-16451
Energy modeling and data support for the Electric Power Research Institute [BNL-50696] 19 p0425 N78-25595
- CHERNOMORDIK, L. I.
Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator 17 p0066 A78-13157
- CHERNUKHA, V. V.
Investigation of the efficiency of a Faraday MHD-generator coupled to a thermonuclear reactor 17 p0063 A78-12348
Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor 18 p0194 A78-27140
Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor 19 p0291 A78-32572
- CHERNYSHEV, G. P.
Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556
- CHESTER, K. A.
Methanol-gasoline blends - Performance and emissions 19 p0321 A78-35702
Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics [PB-277135/0] 19 p0393 N78-23261
- CHEUNG, A.
A study of the differential spectral absorption flat-plate solar collectors 17 p0048 A78-11275
Cost-effective energy from humid air 19 p0361 A78-40363
- CHEUNG, D. T.
Infrared focal planes in intrinsic semiconductors 18 p0204 A78-28139
- CHI, J. W. H.
Poloidal field coil design for a fusion-fission breeder reactor 19 p0354 A78-39977
- CHIANG, C. W.
Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- CHIANG, R. N. S.
Computer aided preliminary energy analysis and energy use options for architectural students 17 p0057 A78-11359
- CHIDESTER, L. G.
Advanced lightweight solar array technology [AIAA 78-533] 19 p0298 A78-32883
- CHIKOVANI, V. V.
Characteristics of the utilization of N₂O₄ in solar gas-turbine power plants 19 p0335 A78-37947
- CHILCOAT, M.
Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- CHILDS, R.
H-I-S solar cell - Theory and experimental results 17 p0025 A78-11040
- CHILINGARIAN, G. V.
Tar sand evaluation using geophysical well logs 19 p0368 A78-41819
- CHIN, D. T.
Hydrogen-chlorine energy storage system [BNL-23670] 19 p0460 N78-27558
- CHIOU, J. P.
On the study of applications of solar thermal energy for mobile home park and community 19 p0296 A78-33040
- CHIOU, J., SR.
Thermal performance evaluation of Solar Energy Products Company (SEPCO) 'Soloron' collector tested outdoors [NASA-CR-150509] 18 p0250 N78-17478
Comparison of solar system measured data for various sample rates [NASA-CR-150496] 18 p0250 N78-17480
- CHIU, H. H.
Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281] 18 p0166 A78-20788
- CHIU, S. Y.
Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584
Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions [ORNL/TN-6098-VOL-1] 19 p0442 N78-26524

- CHOBOTOV, V. A.
GSSPS - Taking a new approach to the space solar power station 17 p0066 A78-13072
- CHOCKIE, A.
An analysis of the technical status of high level radioactive waste and spent fuel management systems [NASA-CR-155313] 18 p0261 N78-18897
- CHOPRA, I.
Nonlinear dynamic response of wind turbine rotors 17 p0160 N78-15565
- CHOPRA, K. L.
Evaporated CdS film based heterojunction solar cells 19 p0372 A78-42122
Sprayed CdS thin film solar cells 19 p0372 A78-42123
- CHOUEARD, P.
Theoretical method to determine monthly efficiency of flat plate solar collectors 17 p0029 A78-11084
Heat balance of a solar house: Rapid calculation method 18 p0177 A78-23975
- CHOW, J. C. F.
Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation [CONF-771098-1] 19 p0452 N78-26933
- CHOWANIEC, C. E.
Technical and economic results of solar photovoltaic power systems analyses 17 p0021 A78-11012
Solar photovoltaic power stations 17 p0054 A78-11335
Evaluation of a photovoltaic central power station [CONF-770403-8] 17 p0141 N78-13582
- CHRIST, H. A.
Net energy analysis model for the evaluation of a solar heating, ventilation and air conditioning system [AD-A047433] 18 p0251 N78-17487
- CHRISTAKIS, A. M.
An agenda for technology assessment in the materials field. Volume 1: Principal findings [PB-278639/0] 19 p0453 N78-27009
An agenda for technology assessment in the materials field. Volume 2: Appendices [PB-278640/8] 19 p0453 N78-27010
- CHRISTENSEN, D. L.
Solar Heating and Cooling Demonstration Program Contractor's Review. Summary and analysis of workshop and panel sessions [CONF-771229-SUMM] 19 p0448 N78-26608
- CHRISTENSEN, H.
Distributed technologies in California's energy future, volume 1 [LBL-6831-VOL-1] 18 p0285 N78-21623
Distributed technologies in California's energy future: A preliminary report, volume 2 [LBL-6831-VOL-2] 18 p0286 N78-21635
- CHRISTENSEN, H. M.
Optimal design of anisotropic /fiber-reinforced/ flywheels 17 p0092 A78-17789
- CHRISTIANSON, H.
Windmill power for city people [PB-275658/3] 18 p0288 N78-21654
- CHU, L. L.
Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274
- CHU, H.-S.
Wall stabilization of axisymmetric modes in noncircular tokamak plasmas 19 p0332 A78-37143
- CHU, S. S.
Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915
Solar cells from zone-refined metallurgical silicon 18 p0219 A78-30190
Polycrystalline silicon p-n junctions 19 p0334 A78-37467
- CHU, T. L.
Silicon solar cells on metallurgical silicon substrates 17 p0013 A78-10915
Solar cells from zone-refined metallurgical silicon 18 p0219 A78-30190
- Purification and characterization of metallurgical silicon 18 p0219 A78-30191
Polycrystalline silicon p-n junctions 19 p0334 A78-37467
Process for utilizing low-cost graphite substrates for polycrystalline solar cells [NASA-CASE-GSC-12022-2] 19 p0405 N78-24609
- CHUBB, T. A.
Demand sensitive energy storage in molten salts 18 p0220 A78-30264
Application of chemical engineering to large scale solar energy 18 p0220 A78-30265
- CHUIANOV, V. A.
The contemporary state of studies on controlled thermonuclear fusion 18 p0166 A78-21350
- CHUNG, H. K.
Pulsed superconducting inductive storage system 17 p0008 A78-10702
- CHUNG, P. H.
Surface ignition of coal and other fuel particles in radiative and diffusive environment 18 p0222 A78-30511
Analysis of a high-temperature coal combustor according to a one-dimensional flow model [ANL/RHD-77-2] 19 p0422 N78-25568
- CHURCH, H. W.
Environmental issues associated with solar heating and cooling of residential dwellings [SAND-77-0172] 17 p0161 N78-15581
- CHURCHILL, A. V.
Future aviation turbine fuels [AIAA PAPER 78-268] 18 p0165 A78-20781
- CISSON, G.
Prototype testing of a rotary current train in the Berlin transit system 18 p0194 A78-27171
- CIHLAR, J.
Use of aerial thermography in Canadian energy conservation programs 17 p0149 N78-14566
- CINA, G.
Shaping and compression experiments in a Tokamak 17 p0011 A78-10778
- CIOFFI, P. L.
Characteristics of solvent refined coal: Dual register burner tests [EPRI-PP-628] 19 p0437 N78-26232
- CISCATO, D.
CODAS - The proposed control and data acquisition system for JET 19 p0355 A78-39986
- CLAASSEN, H. A.
Screening property of the limiter shadow region for heavy wall impurities 19 p0378 A78-42213
- CLARK, J. A.
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- CLARK, M. M.
Hazardous wastes and energy recovery 17 p0032 A78-11112
- CLARK, W.
Analytical and experimental study of thermosyphon solar water heaters 17 p0045 A78-11237
- CLARK, W. E.
Consol stack gas process for SO₂ removal 19 p0320 A78-35697
- CLARKE, P. J. P.
Status report on the alternative energy sources 17 p0061 A78-11489
- CLARKE, J. F.
The tokamak - Model T fusion reactor 18 p0217 A78-29620
- CLAUSEN, E. C.
Biomass as an energy mechanism 17 p0033 A78-11116
- CLAUSING, A. M.
Solar collector cost reduction with reflector enhancement 17 p0061 A78-11390
- CLAUSING, R. E.
Surface and impurity studies in ORMAK and ISX 19 p0378 A78-42210

- CLELAND, J. W.
Transmutation doping of silicon solar cells
17 p0137 N78-13539
- CLEMENT, E.
THP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
Investigation of international energy economics
[BNWL-2134] 17 p0140 N78-13571
- CLEMENTS, R. E.
Collection of ions by electric probes in
combustion MHD plasmas - An overview
18 p0188 A78-26111
- CLEMMER, R. G.
Tritium handling trade studies and design options
for the GA/ANL TNS
19 p0355 A78-39983
- CLIFF, W. C.
Flow field analysis
18 p0265 N78-19623
Effect of generalized wind characteristics on
annual power estimates from wind turbine
generators
[PNL-2436] 19 p0399 N78-23597
- CLIFFORD, A.
Some economic and political aspects of
photovoltaic development
17 p0024 A78-11034
Energy requirement for the production of silicon
solar arrays
[NASA-CR-157071] 19 p0407 N78-24643
- CLIFFORD, J. E.
An off-peak energy storage concept for electric
utilities. II - The water battery concept
17 p0068 A78-13449
- CLINARD, L.
Energy conservation in the home: An energy
education/conservation curriculum guide for home
economics teachers
[EDM-1028] 18 p0284 N78-21607
- CLINE, H. E.
Thermomigration of silicon wafers in a solar furnace
17 p0084 A78-16837
- CLINE, J. D.
Submarine seepage of natural gas in Norton Sound,
Alaska
17 p0087 A78-17263
- CLINTON, S. D.
Tritium removal from liquid metals by sorption on
yttrium
19 p0358 A78-40074
- CLIQUE, E.
Influence of the effect of storage on models of
power cell dynamics
17 p0103 A78-19486
- CLOSE, D. J.
Measurements of the behaviour of adsorbent energy
storage beds
18 p0205 A78-28166
The effects of air leaks on solar air collector
behaviour
19 p0313 A78-34932
- CWARR, E. C.
Terawatt pulse power systems utilizing inductive
storage
17 p0008 A78-10701
Pulsed power conversion with inductive storage
19 p0353 A78-39954
- COBBLE, M. H.
Efficiency of Fresnel lens solar collector
18 p0232 A78-32113
- COBURN, T. T.
Oil shale retorting - Effects of particle size and
heating rate on oil evolution and intraparticle
oil degradation
19 p0367 A78-41521
- COCANOWER, A.
Thermal energy storage--Stirling engine power
plants 2. Calculated energy transfer rates from
solidifying lithium fluoride to a plain-tube
heater
[GHR-2690-SECT-7.108] 19 p0440 N78-26334
- COCCA, A. A.
The geostationary orbit, focal point of the
telecommunication law
19 p0006 A78-36301
- COCKRUM, L. S.
Technical and economic impacts of the application
of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- CODOFF, L. H.
Development, testing, and evaluation of MHD
materials and component designs
[FE-2248-15] 19 p0436 N78-26217
- CODY, J. C.
Design and operation of a solar heating and
cooling system for a residential size building
[NASA-TM-78169] 19 p0420 N78-25546
- COHESSEN, P. E.
Plasma-wall charge-exchange interactions in the
2XIIB magnetic mirror experiment
19 p0377 A78-42207
- COPALA, J.
Energy management as a scientific discipline
17 p0111 N78-10558
- COPPINBERRY, G. A.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] 17 p0109 N78-10467
- COPPEMAN, J. A.
Rotary kiln gasification of biomass and municipal
wastes
17 p0035 A78-11130
- COGOLI, J. G.
Flame stabilization of low volatile fuels
17 p0079 A78-15832
- COHAN, P. A.
An Early Ocean Test Platform for testing cycle
components
19 p0300 A78-33303
- COHEN, A. D.
Solar energy in office and industrial buildings
18 p0181 A78-24760
- COHEN, M. I.
Materials for fuel cells
[PB-269518/7] 17 p0113 N78-10573
- COHEN, M. P.
Variance analysis of wind characteristics for
energy conversion
17 p0092 A78-17653
- COHEN, R.
Conceptual design of OTEC platforms
17 p0008 A78-10724
- COHN, C. E.
Instrumentation and process control for fossil
demonstration plants
[ANL/FE-49622-9] 19 p0430 N78-25640
- COHN, E. H.
Photovoltaic electricity - On the way. I - An
optimistic view. II - Solar cell arrays too
expensive . . . but interesting
19 p0327 A78-36444
- COHET, C.
Mode of operation and characteristics of Darrieus
rotors
18 p0210 A78-28560
- COJOCARU, L.
Heat pipes for sun energy conversion
[AIAA 78-457] 19 p0319 A78-35632
- COLCHIN, E. J.
Surface and impurity studies in ORMAK and ISX
19 p0378 A78-42210
- COLE-APPEL, B. E.
Flat plate air-heater improvements
17 p0043 A78-11221
- COLE, C. L.
Modeling the effect of atmospheric carbon dioxide
on the global radiative heat balance
17 p0068 A78-13447
- COLE, J. D.
Design considerations for an electric vehicle
solid-state motor controller with regenerative
braking capability
17 p0092 A78-17570
- COLE, R.
Estimated cost of electricity produced by four
types of compound parabolic concentrators
17 p0055 A78-11342
Long-term average performance predictions for
compound parabolic concentrator solar collectors
17 p0059 A78-11379
- COLE, R. L.
Performance and testing of a stationary
concentrating collector
[CONF-770953-7] 19 p0429 N78-25627

- Conceptual design of a 5x CPC for solar total energy systems
[CONF-770953-5] 19 p0429 N78-25629
- COLE, R. H.
Method of tests and instructions (generator sets, Stirling engine drive)
[GMR-2690-SECT-1.208] 19 p0438 N78-26258
- COLE, R. H., JR.
The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976
[AD-A051131] 19 p0403 N78-24372
- COLEMAN, G.
Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design
[ORO-5178-78/1] 19 p0447 N78-26594
- COLEMAN, H. J.
GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification
[BERC/RI-77/12] 19 p0402 N78-24324
- COLEMAN, H. W.
Diagnostic assessment for advanced power systems
[SAND-77-8216] 17 p0121 N78-11509
- COLEMAN, M. G.
Ribbon-to-ribbon crystal growth 17 p0014 A78-10929
Processing ramifications of textured surfaces 17 p0016 A78-10949
A novel solar cell interconnection design 17 p0017 A78-10959
Phase 1 of the automated array assembly task of the low cost silicon solar array project
[NASA-CR-155935] 18 p0255 N78-18516
- COLES, H. G.
International Symposium on Wind Energy Systems, St. John's College, Cambridge, England, September 7-9, 1976, Proceedings 18 p0168 A78-22226
- COLLADAY, R. S.
Design approaches to more energy efficient engines
[NASA-TN-78893] 19 p0441 N78-26442
- COLLARES-PEREIRA, M.
Lens-mirror combinations with maximal concentration 17 p0001 A78-10170
Non-evacuated solar collectors with compound parabolic concentrators 17 p0059 A78-11378
- COLLEY, J. D.
Hydrocarbon pollutants from stationary sources
[PB-272784/0] 17 p0163 N78-15605
- COLLINS, E. E., JR.
Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233
- COLLINS, J. P.
The environmental effects and economic costs of solid waste energy recovery 17 p0033 A78-11113
Refuse energy in the United States - Two generations of steam generating waterwall incinerators 17 p0037 A78-11150
- COLLINS, H.
Energy conservation in the home: An energy education/conservation curriculum guide for home economics teachers
[EDM-1028] 18 p0284 N78-21607
- COLONES, J.
The theoretical and experimental performance of a solar heater equipped with flat plate collectors 19 p0384 A78-42893
- COLONNA, J.
Storage and distribution of large quantities of hydrogen 17 p0099 A78-18838
- COLUCCI, J. H.
Future automotive fuels: Prospects, performance, perspective 18 p0194 A78-27475
- CONBERIATI, J. R.
Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578
- COMBS, S. K.
Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes
[ORNL-5356] 19 p0429 N78-25623
- CONFORT, W. J., III
Performance tests of a total flow impulse turbine for geothermal applications
[UCID-17411] 17 p0127 N78-12546
- COMMONER, B.
The solar transition 19 p0321 A78-35751
- CONEL, J. E.
Finite-element solutions for geothermal systems 17 p0094 A78-18097
- CONGIU, S.
CODAS - The proposed control and data acquisition system for JET 19 p0355 A78-39986
- CONKLE, J. P.
Organic compounds in turbine combustor exhaust
[AD-A045582] 17 p0129 N78-13065
- CONN, A. F.
Ultra clean heat exchangers - A critical OTEC requirement 19 p0305 A78-33341
- CONN, D. W.
European developments in the recovery of energy and materials from municipal solid waste
[PB-270219/9] 17 p0122 N78-11892
- CONN, R. W.
The UMWAK-II study and magnet design 17 p0038 A78-11169
Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269
- CONNER, W. D.
Instrumental sensing of stationary source emissions 17 p0001 A78-10056
Tertiary oil recovery by CO2 injection
[ORO-5302-20] 19 p0455 N78-27499
- CONNOLLY, T. J.
The Stanford pilot energy/economic model
[AD-A044908] 17 p0126 N78-12537
- CONRAD, H.
Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- CONSTANTIN, E.
The analysis of superconducting magnet systems for the M.H.D. energy conversion 18 p0229 A78-31752
- CONSTANZ, J. C.
Measuring the impact on scheduled air lines operations of restrictions in fuel availability 18 p0259 N78-18549
- CONTE, D.
Application of homopolar generators for high voltage plasma experiments 19 p0348 A78-39848
- CONTI, H.
Shadows' effect in a large scale solar power plant 17 p0084 A78-16843
- CONVERS, S.
Patent application. Variable-volume engine
[NASA-TN-75094] 19 p0408 N78-24660
- CONVERSE, A. O.
Monitoring and evaluation of solar heating in northern New England 17 p0049 A78-11282
On the design of flat reflector - collector combinations 17 p0060 A78-11385
- CONWAY, D.
Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0] 19 p0451 N78-26657
- CONWAY, R. J.
Annealing of GaAs solar cells damaged by electron irradiation 18 p0219 A78-30192
High efficiency GaAs solar cells 17 p0137 N78-13542
- CONWAY, T. H.
Fluid flow control strategies in flat-plate and evacuated tube collectors 17 p0047 A78-11260
- COOK, R. G.
Thermophotovoltaic systems for electrical energy conversion 17 p0023 A78-11031

- COOL, E. W.
Comparative testing of high efficiency silicon solar cells
17 p0014 A78-10937
- COONEY, C. L.
Multi-stage digestion of municipal solid waste to fuel gas
18 p0218 A78-29868
- COOHLEY, D. R.
The use of built form to enhance the output of wind collectors
17 p0107 A78-20478
- COOPER, D. W.
Dispersion and control of atmospheric emissions: New-energy-source pollution potential
19 p0320 A78-35676
Filtration model for coal fly ash with glass fabrics [PB-276489/2]
18 p0289 A78-21667
- COOPER, G.
Solar energy and storage batteries /Invited Lecture/
19 p0374 A78-42138
- COOPER, G. P.
U.S. energy conversion research needs
17 p0069 A78-13624
- COOPER, J. F.
Summary of the metal-air fuel cell research program [UCID-17591]
19 p0446 A78-26580
- COOPER, L. P.
Supercritical fuel injection system [NASA-CASE-LEW-12990-1]
19 p0453 A78-27122
- COOPER, V.
Baseload reliability in a combustion turbine
19 p0385 A78-43101
- COOPER, W. S.
Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system
19 p0357 A78-40027
- COPENHAVER, E. D.
Environmental, health, and control aspects of coal conversion, an information overview, volume 1 [ORNL/EIS-94-VOL-1]
19 p0411 A78-24696
Environmental, health, and control aspects of coal conversion: An information overview, volume 2 [ORNL/EIS-95-VOL-2]
19 p0411 A78-24697
- CORBATT, G. E.
An ionic model for the systematic selection of chemical decomposition reactions for energy storage
17 p0051 A78-11307
- CORCORAN, J. R.
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy [COO-2631-22]
19 p0394 A78-23442
- CORCORAN, W. L.
Economics of solar heating and cooling systems
18 p0228 A78-31550
- CORLETT, R. C.
Combustion processes in in situ coal gasification: Phenomena, conceptual models and research status. I - Overview and continuum wave descriptions [WSS/CI PAPER 77-3]
17 p0081 A78-16337
- CORHAN, J. C.
Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal [ASME PAPER 77-WA/ENER-9]
19 p0298 A78-33147
Performance and economics of advanced energy conversion systems for coal and coal-derived fuels
19 p0309 A78-34078
- CORHERY, G.
Supersonic transport in terms of energy savings
19 p0323 A78-35893
Supersonic transportation faced with energy savings [AAAF-MT-77-28]
19 p0402 A78-24131
- CORREIL, H. G.
Production economics for hydrogen, ammonia and methanol during the 1980-2000 period [BNL-50663]
19 p0415 A78-25243
- CORRELL, E. W.
Regimes for the ocean, outer space, and weather
18 p0189 A78-26399
- CORRISH, D. W.
Mechanical engineering department [UCRL-50016-77-3]
19 p0431 A78-25645
- COROTIS, E. B.
Variance analysis of wind characteristics for energy conversion
17 p0092 A78-17653
- Probability models of wind velocity magnitude and persistence
19 p0314 A78-34935
- CORY, E.
High efficiency thin window Ga/1-x/Al/x/As/GaAs solar cells
17 p0027 A78-11065
- COSBY, E. H.
The linear Fresnel lens - Solar optical analysis of tracking error effects
17 p0059 A78-11375
- COSTAIN, J. E.
Evaluation and targeting of geothermal energy resources in the southeastern United States [VPI-SU-5103-3]
17 p0162 A78-15585
- COSTELLO, D. R.
Technoeconomic aspects of photovoltaic electric power systems /PEPS/
17 p0031 A78-11098
Technoeconomic aspects of central photovoltaic power plants
17 p0084 A78-16835
- COSTELLO, R. E.
Conceptual design of a coal-fueled, fluid bed combined cycle power plant [ASME PAPER 77-WA/ENER-11]
19 p0298 A78-33149
- COSTES, J. R.
Profitability of a hydrogen network in a chemical complex
17 p0101 A78-18853
- COSTOGUE, E. E.
High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1 [NASA-CR-157264]
19 p0457 A78-27530
High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2 [NASA-CR-157265]
19 p0457 A78-27531
- COTSAPIS, M.
Ion-cyclotron instability in the TFR tokamak
19 p0369 A78-42016
- COTTER, D.
Stimulated electronic Raman scattering in Cs vapour - A simple tunable laser system for the 2.7 to 3.5 micron region
17 p0064 A78-12440
- COUNSIL, J. A.
An analysis of optimum loading conditions for P-W junction solar cells
17 p0030 A78-11092
- COUPLAND, J. R.
Design and performance of large cryopumps for high power neutral injectors
19 p0359 A78-40108
- COVAULT, C.
Structure assembly demonstration slated
19 p0339 A78-38774
Views change on power satellite work
19 p0382 A78-42475
Platform designed for numerous uses
19 p0382 A78-42509
- COWAN, H.
Terawatt pulse power systems utilizing inductive storage
17 p0008 A78-10701
Pulsed power conversion with inductive storage
19 p0353 A78-39954
- COX, W. D.
Energy oriented study of industrial cyclone separators [FREE-1174]
18 p0287 A78-21642
- COX, S. A.
Instrumentation and process control for fossil demonstration plants [ANL/PB-49622-9]
19 p0430 A78-25640
- COYLE, H. P.
Heat transfer analysis of a system for annual collection and storage of solar energy
19 p0296 A78-33038
- COYNE, J. K., III
Pyrolysis of solid wastes for production of gaseous fuels and chemical feedstocks
17 p0035 A78-11131
- CPREK, E. R.
Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride [GHP-2690-SECT-7.109]
19 p0440 A78-26335

- CRABB, R. L.
Photon degradation of electron and proton
irradiated silicon solar cells 17 p0015 A78-10940
What is simulated AMO - A comparison of CNR and
violet cell measurements across USA and Europe 17 p0019 A78-10988
- CRAFT, B. D.
Physicochemical Characterization of Devonian gas
shale [MLM-2466(OP)] 19 p0434 A78-25720
- CRAIG, P.
Distributed technologies in California's energy
future, volume 1 [LBL-6831-VOL-1] 18 p0285 A78-21623
Distributed technologies in California's energy
future: A preliminary report, volume 2 [LBL-6831-VOL-2] 18 p0286 A78-21635
- CRAIG, R. A.
Optimal electrode properties and the selection of
stabilizing electrolytes 19 p0344 A78-39470
- CRAIG, V. F. J.
Aviation fuel usage - Economy and conservation 18 p0223 A78-30698
- CRAIGHEAD, H. G.
Optical properties of selectively absorbing
metal/insulator composite films 19 p0324 A78-36032
- CRAWER, H. E.
Comparison of calculated and observed
characteristics of plumes from two coal-fired
power plants located in complex terrain 18 p0167 A78-21821
- CRANE, D. F.
An electrifying experience - Electric vehicles in
the Postal Service [EVC PAPER 7750] 17 p0085 A78-16927
- CRANE, R. E.
Solar collection at different temperatures by
different collector types under various
orientation methods 17 p0043 A78-11228
- CRAVEN, E. E.
Electrifying the Burlington Northern Railroad
[EVC PAPER 7780] 17 p0086 A78-16930
- CRAWFORD, H.
Transient conduction in the space surrounding a
ring of holes [ASME PAPER 77-WA/HT-12] 19 p0299 A78-33175
- CRAWLEY, H. J.
Design aspects of a large toroidal stabilizing
shell and vacuum liner assembly 17 p0040 A78-11184
The practical feasibility of a bundle divertor for
a Tokamak power reactor 17 p0041 A78-11188
- CREMER, H.
Experimental and theoretical investigation of
thermochemical hydrogen production 19 p0383 A78-42859
- CREPY, G.
High efficiency water electrolysis in alkaline
solution 19 p0311 A78-34400
- CRISMAN, E. E.
Characteristics of chalcocite /Cu₂S/ films
produced by different methods and some
properties of solar cells made from such films 17 p0018 A78-10977
- CRISWELL, D. E.
Demantite, lunar materials and space
industrialization 18 p0204 A78-27933
- CROCKER, B. B.
Dispersion and control of atmospheric emissions:
New-energy-source pollution potential 19 p0320 A78-35676
- CROCKER, H. E.
Review of petroleum oil saturation and its
determination [BERC/RI-77/15] 19 p0442 A78-26525
- CROFT, W. J.
Materials technology assessment for stirling engines
[NASA-TM-73789] 18 p0247 A78-17187
- CRONACK, D. E.
Optimum and near-optimum blade configurations for
high speed wind turbines 17 p0051 A78-11314
- New designs and applications of medium sized wind
systems 19 p0361 A78-40369
- The UMass wind furnace blade design 18 p0267 A78-19641
- CRONAUER, D. C.
Kinetics of thermal liquefaction of Belle Ayr
subbituminous coal 19 p0365 A78-41221
Kinetics of catalytic liquefaction of Big Horn
coal in a segmented bed reactor 19 p0365 A78-41222
- CROSNO, D.
The induction generator for wind energy conversion 18 p0236 A78-32507
- CROSSMAN, L. D.
Production of solar-grade silicon from purified
metallurgical silicon 17 p0013 A78-10925
- CROUTHANEL, H.
Solar driven air conditioning system
[COO-2938-77/1] 17 p0153 A78-14654
- CROWE, C. T.
Metering low-quality steam-water flows
[UCRL-52271] 18 p0263 A78-19455
- CRUMP, L. H.
Fuels and energy data: United States by states
and census divisions, 1974 [PB-271093/7] 17 p0124 A78-12245
- CSEVERN, I.
Plasma flow computation method for MHD conversion
channels 17 p0002 A78-10375
- CSEVERN, I. I.
The stationary regimes of open-cycle MHD power
units - A mathematical model 19 p0362 A78-40456
- CSIGI, K.
Evaluation of solar cells and arrays for potential
solar power satellite applications [NASA-CR-151740] 19 p0458 A78-27538
- CUDAHY, J. J.
Prospects of energy recovery from the incineration
of chemical plant wastes 17 p0006 A78-10635
- CUDDIHY, E.
Material and design considerations of encapsulants
for photovoltaic arrays in terrestrial
applications 17 p0016 A78-10951
- CUDMORE, J. F.
Non-catalytic hydrogenation of Australian coals 19 p0363 A78-40596
- CUEVAS, A.
Solar cell behaviour under variable surface
recombination velocity and proposal of a novel
structure 19 p0334 A78-37469
- CULIK, J.
The relationships between preparation parameters,
operating characteristics and physical processes
in Cu₂S-CdS thin film solar cells 17 p0017 A78-10971
- CULL, R. C.
DOE LeRC photovoltaic systems test facility
[NASA-TM-78923] 19 p0443 A78-26549
- CULVER, D. W.
Mechanical and thermal design of a gas-cooled
fusion blanket module 19 p0357 A78-40040
- CUNNING, G. D.
Economic analysis of low cost silicon sheet
produced from Czochralski grown material 17 p0024 A78-11036
- CUNNINGHAM, J. E.
Preferred residential solar heating and cooling
systems compatible with electric utility operation 17 p0055 A78-11345
- CUNNINGHAM, B. L.
The Gas Turbine HTGR plant with a binary cycle 17 p0029 A78-11083
- CUNNINGHAM, P. G.
Photoelectrolysis of water at high current density
- Use of ultraviolet laser excitation 17 p0062 A78-11927
- CUNNINGHAM, W. P.
Plasma-wall charge-exchange interactions in the
2XII B magnetic mirror experiment 19 p0377 A78-42207

- CUNNINGHAM, A. R.
Evaluation of methods to produce aviation turbine
fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239
- CUNNINGHAM, J. W.
North Stanley polymer demonstration project
[COO-0029-1] 19 p0394 N78-23539
- CUPP, G. H.
Preliminary study of the favorability for uranium
in selected areas in the Basin and Range
Province, Nevada
[GJBX-74(77)] 19 p0391 N78-22534
- CURL, R., JR.
Chemical and physical properties of refined
petroleum products
[PB-277100/4] 18 p0279 N78-21312
- CURRAN, G. P.
High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246
- CURRAN, W. T.
Engineering tests for energy storage cars at the
Transportation Test Center. Volume 1: Program
description and test summary
[PB-269400/8] 17 p0109 N78-10483
Engineering tests for energy storage cars at the
Transportation Test Center. Volume 2:
Performance power consumption and radio
frequency interference tests
[PB-269401/6] 17 p0110 N78-10484
Engineering tests for energy storage cars at the
Transportation Test Center. Volume 3: Noise
tests
[PB-269402/4] 17 p0110 N78-10485
Engineering tests for energy storage cars at the
Transportation Test Center. Volume 4: Ride
Roughness tests
[PB-269403/2] 17 p0110 N78-10486
- CURRIN, C. G.
The use of silicone gel for potting photovoltaic
arrays
17 p0054 A78-11336
- CURRY, D.
Transportation in America's future: Potentials
for the next half century. Part 2.
Transportation forecasts
[PB-270468/2] 17 p0129 N78-12909
Transportation in America's future: Potentials
for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
- CURRY, H. G.
Management of social and economic impacts
associated with the construction of large-scale
projects: Experiences from the Western coal
development communities
[BNWL-RAP-16] 19 p0468 N78-27975
- CURTIN, D. J.
Comparative testing of high efficiency silicon
solar cells
17 p0014 A78-10937
- CURTO, P.
Engineering cost estimates for solar technologies
17 p0058 A78-11365
- CUSICK, J. P.
Photovoltaic water pumping applications:
Assessment of the near-term market
[NASA-TN-78847] 18 p0268 N78-19644
Impact of Balance Of System (BOS) costs on
photovoltaic power systems
[NASA-TN-78939] 19 p0443 N78-26550
- CUSUMANO, J. A.
New materials for coal liquefaction
18 p0190 A78-26581
- CHERN, G.
Input-output models support corrections of
previous principles for the estimation of energy
economy and development strategies in directed
systems
18 p0177 A78-23940
- CHARNECKI, J. T.
Advances in solar water heating for domestic use
in Australia
17 p0105 A78-19834
- CHIKK, A. H.
Enhanced performance heat exchangers
19 p0304 A78-33336
Ocean thermal power plants heat exchangers
[ERDA/NSF-43441/76/1] 19 p0410 N78-24681
- DABKOWSKI, M. J.
Upgrading of coal liquids for use as power
generation fuels
[EPRI-AF-444] 19 p0427 N78-25608
- DABROWSKI, R.
Investigation of polymeric iron phthalocyanine as
an electrocatalyst of oxygen reduction in acid
electrolytes
19 p0363 A78-40618
- DAGA, S. L.
Determination of shading factor for flat-plate
collectors
19 p0375 A78-42155
Condition for no shadow, and effective shadow due
to plane reflectors
19 p0375 A78-42156
- DAGENHART, W. K.
Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
- DAIDO, H.
Thermo-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385
- DAIELLO, R. V.
The role of defects on the performance of
epitaxial and diffused solar cells fabricated on
EPG 'ribbon' silicon
17 p0012 A78-10905
- DALESSANDRO, J. A.
Mechanical and thermal design of a gas-cooled
fusion blanket module
19 p0357 A78-40040
- DALIBOT, B.
Terrestrial applications of the
Radiotechnique-Compelec /BTC/ solar modules from
1961 to 1977
17 p0003 A78-10556
- DALTON, C. P.
The availability of jet fuel over the next two
decades
17 p0102 A78-19222
- DANACEANU, E.
Researches and experiments concerning the
parameters influencing the application of the
fluidized bed as burning technique of low-grade
lignite
19 p0362 A78-40457
- DANBOLENA, I. G.
A computer model for large-scale offshore
wind-power systems
17 p0093 A78-18089
- DANHANN, R. E.
Experimental performance of flat plate solar
collectors with various cover materials with and
without transparent plastic honeycomb
[AIAA PAPER 78-899] 19 p0324 A78-36018
- DANSTRA, G. C.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- DANBY, G.
Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors
17 p0038 A78-11167
- DANG, V. D.
Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. II - Capital investment and production
costs
19 p0322 A78-35778
- DANG, V.-D.
Production of synthetic methanol from air and
water using controlled thermonuclear reactor
power. I - Technology and energy requirement
18 p0174 A78-22846
- DANIEL, A. D., JR.
Development of dry coal feeders
17 p0131 N78-13249
- DANIEL, R. E.
Solar cells using Schottky barriers on amorphous
silicon
17 p0025 A78-11045
- DANIELI, G. A.
Experimental and theoretical analysis of Wankel
engine performance
[SAE PAPER 780416] 19 p0308 A78-33388

- DANIELS, W. H. G.
Materials problems in hydrogen energy systems
17 p0099 A78-18839
- DANIELS, P. A.
Air flow in the central valley of Maui, Hawaii
19 p0386 A78-43287
- DANILOV, I. H.
Characteristics of water-emulsion fuels
17 p0102 A78-18949
- DANILOVA, R. A.
Characteristics of water-emulsion fuels
17 p0102 A78-18949
- DANTZIG, G. B.
The Stanford pilot energy/economic model
[AD-A044908] 17 p0126 N78-12537
- DANYLUK, S.
EBV ball-valve stem failure: Synthane
coal-gasification pilot plant, failure analysis
report
[ANL/MSD/FE-77-4] 19 p0404 N78-24559
- DAO, K.
Performance of an experimental solar-driven
absorption air conditioner
[LBL-5911] 17 p0161 N78-15579
- DARAZALLI, G.
Analytical performance and economic evaluation of
residential wind or wind and solar heating systems
17 p0055 A78-11347
Solar heating and air conditioning for the
southwestern United States
19 p0361 A78-40370
Solar and wind home heating and domestic hot water
systems: Energy and economics study
17 p0111 N78-10555
- DARMSTADTER, J.
How industrial societies use energy
[EPRI-EA-707-SY] 19 p0461 N78-27572
- DARSEY, D. H.
Master control and data system for the 5MW solar
thermal test facility
[SAND-78-0205C] 19 p0460 N78-27562
- DAS, A. K.
Response of a solar cell partially illuminated by
a nonuniform light source
18 p0192 A78-26614
- DAS, S. C.
Approximate method for calculating free vibrations
of a large-wind-turbine tower structure
[NASA-TN-73754] 18 p0240 N78-16434
- DAS, S. H.
Two-dimensional analysis for Cu/x/S-CdS solar
cells with nonuniform skin region
18 p0228 A78-31726
Investigation on the non-uniform thickness of the
skin region of a CdS solar cell
19 p0372 A78-42121
- DAS, S. R.
Evaporated CdS film based heterojunction solar cells
19 p0372 A78-42122
Sprayed CdS thin film solar cells
19 p0372 A78-42123
- DASTI, A. Q.
Electric utilities use of flue gas desulfurization
technology in the United States
[PB-274120/5] 18 p0251 N78-17514
- DATES, L. R.
Instrumentation and process control for fossil
demonstration plants
[ANL/FE-49622-9] 19 p0430 N78-25640
- DATTA, R. L.
Power increase from solar cells under
pyramidal-horn type concentrator
19 p0372 A78-42125
- DAUVILLIER, A.
Marine thermal energy and the combination of
solar, radiative and aeolian energies
19 p0328 A78-36623
- DAVENPORT, F. J.
Fuel saving potential of Mach 0.8 twin engine
prop-fan transports
18 p0226 A78-31306
- DAVENPORT, P. A.
Re-circulating power, unit costs and thermal
pollution of fusion power stations
18 p0189 A78-26372
- DAVID, A.
An evaluation of in-situ recovery of tar sands
18 p0189 A78-26250
- DAVIES, C.
Multi-organizational strategies: An analytic
framework and case illustrations
[NASA-RN-77-4] 17 p0122 N78-11864
- DAVIES, G. O.
An investigation of coal solubility in anthracene
oils
18 p0195 A78-27745
- DAVIES, L. W.
Large open-circuit photovoltages in silicon
minority carrier MIS solar cells
17 p0025 A78-11046
- DAVIS, A.
A petrographic classification of solid residues
derived from the hydrogenation of bituminous coals
18 p0192 A78-26592
- DAVIS, A. R.
Estimates of satellite-to-earth microwave
attenuation by cloud, rain, oxygen, and water
vapor
[AD-A052581] 19 p0404 N78-24431
- DAVIS, B. W.
Generalized numerical model for predicting energy
transfers and performance of large solar ponds
[UCRL-13722] 17 p0161 N78-15576
- DAVIS, D. E.
Rocketdyne's advanced coal slurry pumping program
17 p0133 N78-13266
- DAVIS, E. E.
Solar power satellite system definition study.
Part 2, volume 5: Space operations
(construction and transportation)
[NASA-CR-151669] 18 p0271 N78-20159
- DAVIS, E. S.
Building application of solar energy. Study no.
4: Scenarios for the utilization of solar
energy in southern California buildings, change 1
[NASA-CR-155326] 17 p0125 N78-12528
Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 N78-25535
- DAVIS, H. C.
A novel dry coal feeding concept for high-pressure
gasifiers
17 p0132 N78-13257
- DAVIS, H. P.
Solar power satellite status report
17 p0097 A78-18750
- DAVIS, H. S.
Potential for cogeneration of heat and electricity
in California industry, phase 1
[NASA-CR-157168] 19 p0419 N78-25536
Cogeneration power systems
19 p0457 N78-27525
- DAVIS, J. R.
Silicon solar cells from transition metal doped
Czochralski and web crystals
17 p0013 A78-10922
- DAVIS, J. R., JR.
Low cost silicon solar array project large area
silicon sheet task: Silicon web process
development
[NASA-CR-156984] 19 p0396 N78-23563
Silicon materials task of the low cost solar array
project, phase 2
[NASA-CR-157082] 19 p0406 N78-24622
- DAVIS, J. W.
Major features of D-T Tokamak fusion reactor systems
[EPRI-472-1] 17 p0147 N78-13903
Economic impact of using refractory metals for
fusion reactors, phase 1
[COO-4247-1] 19 p0435 N78-25939
- DAVIS, L. K.
Coal fired non-equilibrium, Closed Cycle MHD/steam
power generation
[ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- DAVIS, R. C.
Neutral beam injector research and development
work in the USA
17 p0012 A78-10878
- DAVIS, R. W.
Performance characteristics of compressed air
energy storage systems
19 p0364 A78-40823
- DAVISON, R. H.
The application of stainless steel to solar
collectors
17 p0045 A78-11238

- DAVISON, W. R.
Venture analysis case study of combined gas and steam power systems for the generation of utility electric power
[APAE-2483-5] 19 p0416 N78-25337
- DAVITIAN, H.
The use of wind power by electric utilities 17 p0051 A78-11311
Role of wind power in electric utilities
[BNL-50736] 19 p0462 N78-27582
- DAYLETOV, A.
Choice of the optimal parabolocylindrical concentrator with a tubiform receiver 17 p0107 A78-20424
- DAVIDOVSKII, V. G.
Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715
- DAY, A. H.
Solar energy reflector using metallised polystyrene 19 p0371 A78-42110
- DAWSON, A. G.
Analysis of data and results for the roundrobin flat-plate collector test program
[PB-275576/7] 18 p0289 N78-21655
- DAWSON, J. H.
Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the p-B-11 reaction
[EPRI-ER-429-SR-PT-A] 18 p0290 N78-21927
- DAY, E. D., III
Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
- DAY, J. A.
Generalized numerical model for predicting energy transfers and performance of large solar ponds
[UCL-13722] 17 p0161 N78-15576
- DAY, W. H.
The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles.
[ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- DAYAN, V. H.
Reactions of fuel-nitrogen compounds under conditions of inert pyrolysis 18 p0173 A78-22822
- DAYBELGE, U.
Kinetic theory of plasma in the limiter-shadow region 19 p0378 A78-42212
- DAYMAN, B., JR.
Alternative concepts for underground rapid transit systems, executive summary
[PB-270102/7] 17 p0123 N78-11894
- DE ANGELIS, R. J.
Metallographic analysis of a steel plate which failed in service in a coal gasifier 17 p0077 A78-15354
- DE BENI, G.
Design and evaluation of thermochemical cycles - The work performed at J.R.C. Ispra establishment 17 p0099 A78-18835
- DE BOER, P. C. T.
Performance and NO_x emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines 19 p0333 A78-37299
- DE CONELLI, G.
Some recent domestic solar energy systems in Europe 17 p0065 A78-12909
- DE LA GARZA, E.
Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132
- DE LA RUE, R. W.
Si/CdS heterojunction solar cells 17 p0002 A78-10485
- DE MEY, G.
Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745
An integral equation method to calculate the transient behavior of a photovoltaic solar cell 19 p0292 A78-32695
- DE MICHELIS, C.
Ionization equilibrium and radiative cooling of a high temperature plasma 18 p0227 A78-31423
Ionization and recombination rate coefficients of highly ionized molybdenum ions from spectroscopy of tokamak plasmas 19 p0369 A78-42015
- DE MONCUI, M.
Fluids serving as heat transfer agents in solar energy conversion 19 p0384 A78-42897
- DE PACKH, D. C.
Transmission of sunlight through a uniform water-drop atmosphere 17 p0105 A78-19838
- DE PERA, R. G.
A study of production and growth of sulfate particles in plumes from a coal-fired power plant 19 p0366 A78-41251
- DE VISSCHERE, P.
The influence of tunneling effects on the efficiency of heterojunction solar cells 19 p0309 A78-34048
Influence of an insulating layer on the efficiency of a semiconductor-insulator-semiconductor /SIS/ heterojunction solar cell 19 p0316 A78-35287
Analysis of generation in space charge regions of solar cells 19 p0334 A78-37466
- DEALY, R. J.
Technology evaluation of Army-scale waste-to-energy systems
[AD-A042578] 17 p0112 N78-10567
- DEAN, C.
Solid waste utilization: Pyrolysis
[ANL/CES/TE-77-15] 19 p0435 N78-26038
- DEANGELIS, R. J.
Surface structure and mechanisms of gasification catalyst deactivation
[FE-2229-5] 19 p0398 N78-23589
- DEARSTONE, R. L.
Engineering features of ISX-B 19 p0347 A78-39802
- DEB, S.
Solar energy - Its nature and possibilities as a source of power for terrestrial use 18 p0188 A78-26144
National Solar Energy Convention, Jadavpur University, Calcutta, India, November 29-December 1, 1976, Proceedings 19 p0369 A78-42101
Performance characteristics of a solar battery concentrator system using Si and CdS cells 19 p0372 A78-42126
- DEBNEY, B. T.
Terrestrial solar cells - Present and future 18 p0177 A78-23952
- DEBOO, J. C.
Doublet IIA experiments 17 p0011 A78-10776
- DECHER, R.
Performance characteristics of compressed air energy storage systems 19 p0364 A78-40823
- DEEN, J. R.
Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential
[ANL-77-70] 19 p0412 N78-24920
- DEFLANDRE, J.
Solar power stations 17 p0092 A78-17673
- DEPRECE, D. A.
Establishment of design and performance requirements using cost and systems analysis 19 p0346 A78-39793
Impact of confinement physics on reactor design and economics 19 p0346 A78-39794
- DEGELMAN, L. O.
Computer optimization of solar collector area based on life-cycle costing 17 p0046 A78-11253
- DEGREY, S. P.
Utilization of waste heat in trucks for increased fuel economy
[NASA-CR-157292] 19 p0458 N78-27532

- DEHLI, H.
Basis of cheap energy 17 p0102 A78-19244
- DEIBERT, P. P.
Research design construction and evaluation of a
low energy utilization school, phase 2
[PB-269407/3] 17 p0112 A78-10569
- DEIS, D. W.
Mechanical engineering department
[UCBL-50016-77-3] 19 p0431 A78-25645
- DEITZ, A.
The TFTR neutral beam power system 19 p0354 A78-39976
- DEJOU, A.
What does it concern 18 p0218 A78-29873
- DEL FOSSE, E. S.
Waterhyacinth biomass yield potentials 17 p0034 A78-11123
- DELAHOY, A. E.
Controlling open circuit voltage in silicon
Schottky /MIS/ solar cells 17 p0025 A78-11043
- DELANEY, C. L.
Future aviation turbine fuels
[AIAA PAPER 78-268] 18 p0165 A78-20781
- DELAVALLE, R.
A home central electric system
[NASA-TM-75084] 17 p0159 A78-15561
- DELOMBARD, R.
Experimental investigation of a solar
cell/inverter system 17 p0054 A78-11339
- DENE, A.
Multi-organizational strategies: An analytic
framework and case illustrations
[IIASA-BM-77-4] 17 p0122 A78-1 864
- DENETEV, A. G.
The stability of polyurethane foam solar energy
collectors to climatic effects 18 p0187 A78-25738
- DENEO, E. A.
Characteristics of chalcocite /Cu₂S/ films
produced by different methods and some
properties of solar cells made from such films
17 p0018 A78-10977
Nominal cost and performance objectives for
photovoltaic panels in nonconcentrating central
station applications 17 p0021 A78-11007
Perspectives on utility central station
photovoltaic applications
[EPRI-ER-589-SR] 19 p0447 A78-26592
- DENETRIADES, S. T.
A numerical solution to the unsteady,
quasi-three-dimensional, turbulent heat transfer
problem in an MHD channel
[ASME PAPER 77-HT-90] 17 p0091 A78-17506
- DENICHELIS, F.
A cylindrical dioptrics, nonfocalising solar
collector 17 p0102 A78-19225
- DENINET, C.
Solar energy applications for heat-absorbing glass
17 p0048 A78-11273
All-glass collectors in solar energy utilization
17 p0097 A78-18785
- DENAVIT, J.
Long-time-scale simulation of resonant particle
effects in Langmuir and whistler waves 18 p0231 A78-32068
- DENINGTON, R. J.
Test and evaluation of 23 electric vehicles for
state-of-the-art assessment
[SAE PAPER 780290] 19 p0307 A78-33382
Test and evaluation of 23 electric vehicles for
state-of-the-art assessment
[NASA-TM-73850] 18 p0252 A78-17937
Baseline tests of the Kordesh hybrid passenger
vehicle
[NASA-TM-73769] 19 p0443 A78-26551
- DENNING, E. B.
Energy conserving aircraft from the engine viewpoint
18 p0226 A78-31310
- DENNIS, R.
Filtration model for coal fly ash with glass fabrics
[PB-276489/2] 18 p0289 A78-21667
- DENHO, K.
Direct energy conversion of exhaust fusion plasma
by magnetic deflection 19 p0348 A78-39815
Pulsed acceleration of exhaust plasma in a
fusion-MHD power plant 19 p0356 A78-40014
- DEONIGI, D. E.
Investigation of international energy economics
[BWWL-2134] 17 p0140 A78-13571
- DERBYSHIRE, F. J.
An investigation of coal solubility in anthracene
oils 18 p0195 A78-27745
- DERHAM, R. L.
Optimization of pyrolytic conversion of coal to
clean fuel
[FE-2253-5] 19 p0427 A78-25609
- DERICKSON, R. G.
A simplified physics airflow model for evaluating
wind power sites in complex terrain 19 p0340 A78-38791
- DERIVE, C.
Comparison of the costs of producing hydrogen by
electrolysis and by nuclear-based thermochemistry
17 p0101 A78-18850
- DESAL, S. P.
Spectral responses limitation mechanisms of a
shallow junction n/+/-p photodiode 18 p0205 A78-28141
- DESAL, T. B.
Effects of temperature on the performance of
silicon solar cells 19 p0371 A78-42117
- DESMET, D.
Development of surfaces optically suitable for
flat solar panels
[NASA-CR-150539] 18 p0250 A78-17477
- DESPRAIRES, P.
The future of oil 17 p0092 A78-17670
- DETRA, R. W.
MHD electric power generation 18 p0179 A78-24329
- DEV GUPTA, V.
A study of biochemical fuel cells utilizing animal
and kitchen waste as fuel 19 p0374 A78-42137
- DEVAN, J. H.
Materials problems in large scale production of
hydrogen from water and in hydrogen storage
18 p0183 A78-25056
- DEVANEY, W.
Studies related to Zn/x/Cd/1-x/S-Cu₂S solar cells
17 p0018 A78-10982
- DEVANEY, W. E.
Increases in energy conversion efficiency for
thin-film polycrystalline CdS/Cu₂S photovoltaic
cells 18 p0228 A78-31730
- DEVERALL, J. E.
Sodium vapor heat pipe laser cell
[AIAA 78-392] 19 p0317 A78-35587
- DEVINE, M. D.
Optimization models for the economic design of
wind power systems 19 p0314 A78-4934
- DEVINE, W. D., JR.
Simulating Oregon's future electrical energy demand
[PB-276970/1] 19 p0399 A78-23603
- DEVITT, T.
Flue gas desulfurization system capabilities for
coal-fired steam generators. Volume 2:
Technical report
[PB-279417/0] 19 p0467 A78-27659
- DEVITT, T. W.
Studies to define the role of coal cleaning in an
SO₂ control strategy for TVA
[APCA PAPER 77-14,4] 18 p0186 A78-25446
- DEVOTO, M. S.
Mirror reactor studies 17 p0011 A78-10874
- DEY, A. H.
Analysis of the bipole-dipole resistivity method
for geothermal exploration
[LBL-6332] 18 p0290 A78-21710

- DEYO, J. W.
Status of the ERDA/NASA Photovoltaic Tests and Applications Project
17 p0022 A78-11014
- DEYOR, D.
Application analysis of solar total energy to the residential sector
[TID-28104]
19 p0431 N78-25643
- DEYOUNG, R. J.
Power deposition in volumetric /U-235/P6-Re fission-pumped nuclear lasers
18 p0235 A78-32436
- DHARWAL, S. B.
Deviation in solar cell characteristics from their ideal behaviour
19 p0371 A78-42118
- DI PIETRO, B.
A lithium solid-state cell based on the Li3.75SO.75PO.25O4 electrolyte
19 p0363 A78-40620
- DICKERHOOP, D. W.
Clean solid and liquid fuels from coal
[FE-2047-2]
17 p0160 N78-15571
- DICKER, J. W.
Heat transfer analysis of a system for annual collection and storage of solar energy
19 p0296 A78-33038
Annual collection and storage of solar energy for the heating of buildings
[ORO-5136-76/1]
17 p0152 N78-14649
- DICKINSON, R. E.
The beamed power microwave transmitting antenna
19 p0340 A78-38841
Microwave power converter
[NASA-CASE-NPO-14068-1]
18 p0264 N78-19609
- DICKINSON, W. C.
The economic viability of solar assisted industrial process heat systems - The need for government economic incentives
17 p0057 A78-11364
- DICKS, J. B.
Electricity from coal by the MHD process
[AIAA PAPER 78-291]
18 p0177 A78-24002
- DICKS, J. B., JR.
The effect of coherent structures on open-cycle generators
[AIAA PAPER 78-1173]
19 p0368 A78-41870
- DICKSON, R. W.
The hydrogen energy economy: A realistic appraisal of prospects and impacts
19 p0336 A78-38055
- DIERENHORST, R.
Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C Stirling engine regenerators
[GMR-2690-SECT-6.005]
19 p0439 N78-26323
- DIGGES, T. G., JR.
Economic analysis of low cost silicon sheet produced from Czochralski grown material
17 p0024 A78-11036
- DILLARD, P. A.
Assessment of large-scale photovoltaic materials production
[PB-272604/0]
17 p0162 N78-15589
- DILMORE, J. A.
Development, testing, and evaluation of MHD materials and component designs
[FE-2248-15]
19 p0436 N78-26217
- DINOVA, D. I.
Thin film Cds-CuI heterojunction photocells
19 p0333 A78-37260
Photoelectric properties of Cds thin films obtained by vacuum evaporation from the heterogeneous Cds-Cr2O3 system
19 p0333 A78-37261
- DIPIPPO, B.
An analysis of an early hybrid fossil-geothermal power plant proposal
18 p0218 A78-29998
- DIPPEL, K. E.
Performance of a turbomolecular pump in a pulsed magnetic field
19 p0352 A78-39938
- DIRHAN, L. A.
Heat transfer analysis of a system for annual collection and storage of solar energy
19 p0296 A78-33038
- DISHER, J. B.
Next steps in space transportation and operations
17 p0103 A78-19543
- DITTENHOEFER, A. C.
A study of production and growth of sulfate particles in plumes from a coal-fired power plant
19 p0366 A78-41251
- DIVAN, D. H.
Maximization of operating efficiency of solar cells
19 p0322 A78-35782
- DIVITA, E.
An analysis of the technical status of high level radioactive waste and spent fuel management systems
[NASA-CR-155313]
18 p0261 N78-18897
- DIYIT, D. K.
Solar sea power plants - Prospects and problems
19 p0376 A78-42163
Solar ponds for power production
19 p0376 A78-42164
- DIYIT, V. B.
Analysis and scale-up consideration of bituminous coal liquefaction rate processes
18 p0184 A78-25322
- DIXON, K.
Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program
[PB-277917]
19 p0433 N78-25678
- DJANALI-SCHAHNI, D.
Comparison of several computation methods for inductive MHD channel and free jet converters with nonmagnetic liquid metals as working fluids
[SPB-MHD-27]
17 p0121 N78-11512
- DJORDJEVIC, B.
Energy of gas fuels and their combustion gases
17 p0088 A78-17425
- DOBSON, J. E.
Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions
[ORNL/TN-6098-VOL-1]
19 p0442 N78-26524
- DODD, C. W.
Brake system for the 17 meter vertical axis wind turbine
[SAND-77-1331]
19 p0461 N78-27569
- DODDAPANEHI, N.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505]
19 p0423 N78-25578
- DODGE, D. D.
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy
[COO-2631-22]
19 p0394 N78-23442
- DOEBLEB, E. E.
Study of treatment methods for geothermal fluids
[LBL-6337]
18 p0285 N78-21622
Study of brine treatment
[EPRI-ER-476]
19 p0430 N78-25633
- DOERNER, H.-J.
A prefabricated-house series with solar technology
17 p0072 A78-14099
- DOERING, B. W.
Instrumentation and process control for fossil demonstration plants
[ANL/FE-49622-9]
19 p0430 N78-25640
- DOERNBERG, A.
Impact of selected energy conservation technologies on baseline demands
[BNL-50745]
19 p0463 N78-27591
- DOERNBER, E.
Wind energy conversion - Horizontal-axis machines
18 p0210 A78-28559
- DOGANU, I. T.
The stationary regimes of open cycle MHD power units - A mathematical model
19 p0362 A78-40456
- DOGGETT, J. E.
Mirror reactor studies
17 p0011 A78-10874
Engineering of beam direct conversion for a 120-kV, 1-MW ion beam
19 p0348 A78-39834
- DOKOPOULOS, P.
The poloidal field circuit in the Joint European Torus /JET/
17 p0039 A78-11177
- DOLAN, K. W.
Microchannel plate response to hard X-rays
19 p0360 A78-40267

- DOLAN, T. J.
Design of an electrostatic end-plugged
plasma-confinement device 19 p0347 A78-39806
- DOLAND, C.
The dependence of optical properties on the
structural composition of solar absorbers 17 p0044 A78-11232
Structural composition and optical properties of
solar blacks - Gold black 17 p0070 A78-13908
- DOLGIREV, I. U. E.
Design of a heat pipe with separate ducts for
vapor and fluid 19 p0383 A78-42638
- DOLL, D.
Engineering features of an upgradable ignition
test reactor 19 p0349 A78-39878
- DOMANSKI, P.
Gasification and residence time of hard-coal
particles in a cyclone reaction chamber 19 p0369 A78-41931
- DOMINY, D. G.
Design study for high-pressure high-flow oxygen
centrifugal compressor, phase 1 [MTI-77TR17] 19 p0417 N78-25439
Design, develop, and manufacture process gas
lubricated hot recycle gas circulators [COO-0004-1] 19 p0423 N78-25573
- DONKUNDWAR, V. H.
Flame stabilization by wall recess technique 18 p0199 A78-27835
- DONALDSON, E. C.
Review of petroleum oil saturation and its
determination [BEHC/RI-77/15] 19 p0442 N78-26525
- DONAT, G.
Storage and distribution of large quantities of
hydrogen 17 p0099 A78-18838
- DONATH, E. E.
Early coal hydrogenation catalysis 19 p0337 A78-38403
- DONATO, J. W.
General Electric conceptual design of a test coil
for the large coil program 19 p0351 A78-39928
- DONHAM, E. E.
Experimental data and theoretical analysis of an
operating 100 kW wind turbine [NASA-TM-73883] 18 p0267 N78-19642
- DONHADIEU, A.
Optical performance of absorber-reflector
combinations for photothermal solar energy
conversion 19 p0316 A78-35411
- DONOVAN, L. K.
An Early Ocean Test Platform Conversion 19 p0300 A78-33302
- DOOLEY, J. E.
Analyzing liquid products derived from coal
conversion processes 18 p0191 A78-26589
- DORAN, J. C.
A note on vertical extrapolation formulas for
Weibull velocity distribution parameters 18 p0234 A78-32413
- DORDEA-IONAS, D.
The analysis of superconducting magnet systems for
the M.H.D. energy conversion 18 p0229 A78-31752
- DORR, E. F.
Stirling engine feasibility study of an 80 to 100
hp engine of improvement potential for emissions
and fuel economy [COO-2631-22] 19 p0394 N78-23442
- DOROSHENKO, V. G.
Analysis of the characteristics of semiconductor
photocells in the 100-400 K temperature range 19 p0336 A78-37950
- DORSET, P.
Advanced fossil fuel and the environment: An
executive report [PB-274541/2] 18 p0261 N78-18587
- DORY, E. A.
Hybrid equilibrium field coils for the ORNL TNS 19 p0347 A78-39812
- DOSAJ, V. D.
Production of solar-grade silicon from purified
metallurgical silicon 17 p0013 A78-10925
High-purity silicon for solar cell applications 19 p0344 A78-39567
Solar silicon via the Dow Corning process
[NASA-CR-157065] 19 p0406 N78-24637
- DOSANJOS, C. E.
Application of remote sensing to geothermal
anomaly mapping in the Caldas Novas County, Goias
[INPE-1129-TPT/070] 17 p0149 N78-14610
- DOUGHERTY, D. A.
Experimental investigation and computer modeling
of a solar natural circulation system 17 p0044 A78-11236
- DOUTHITT, C.
An analysis of the technical status of high level
radioactive waste and spent fuel management
systems [NASA-CR-155313] 18 p0261 N78-18897
- DOWNEY, W. T.
On the design of flat reflector - collector
combinations 17 p0060 A78-11385
- DOWNING, R. G.
Characterization of solar cells for space
applications. Volume 1: Electrical
characteristics of OCLI violet solar cells as a
function of intensity and temperature [NASA-CR-156162] 18 p0283 N78-21601
- DOWNS, W.
Characteristics of solvent refined coal: Dual
register burner tests [EPRI-PP-628] 19 p0437 N78-26232
- DRAGEL, G. H.
EBV ball-valve stem failure: Synthane
coal-gasification pilot plant, failure analysis
report [ANL/MSD/FE-77-4] 19 p0404 N78-24559
- DRAGO, P.
A simulated comparison of the useful energy gain
in a fixed and a fully tracking flat plate
collector 19 p0323 A78-35800
- DRAGOO, A. L.
Materials for fuel cells [PB-269518/7] 17 p0113 N78-10573
- DRAGOS, L.
Researches and experiments concerning the
parameters influencing the application of the
fluidized bed as burning technique of low-grade
lignite 19 p0362 A78-40457
- DREES, J. H.
Blade twist, droop snoot, and forward spars 18 p0234 A78-32421
- DREESSEN, D. B.
Comparison of levels of trace elements extracted
from fly ash and levels found in effluent waters
from a coal-fired power plant 17 p0001 A78-10062
- DREIER, H. E.
Plans for wind energy system simulation 18 p0267 N78-19640
- DREIZIN, L. E.
Experimental investigation of pulsating modes of
combustion in the combustion chambers of the
U-25 plant 17 p0066 A78-13156
- DRESKIN, S. A.
Magnetic forces in the PDX toroidal field coils 19 p0350 A78-39908
- DRIGGERS, G. W.
Systems analysis of space manufacturing from
nonterrestrial materials [IAF PAPER 77-72] 17 p0080 A78-15930
Establishment of a space manufacturing facility 17 p0087 A78-17190
- DROTHING, W. D.
Optical properties of solar-absorbing oxide
particles suspended in a molten salt heat
transfer fluid 19 p0312 A78-34513
- DROZDOV, E. YA.
Oxide ceramics for electrodes on open-cycle MHD
generators 19 p0328 A78-36556

- DRUAUX, J.
Development of fast neutral beam injectors at
Pontenay-aux-Roses 17 p0012 A78-10879
- DRUCKER, E. E.
Solar building energy use analysis 17 p0045 A78-11243
- DRYSDALE, P. R.
Energetics of the United States of America: An
atlas [BNL-50501-R] 19 p0397 N78-23578
- DUBA, A.
Bibliography of earth science reports for 1976
[UCID-17476-76] 17 p0149 N78-14451
- DUBE, D.
Design and cost study of nickel-zinc batteries for
electric vehicle [ANL-K-76-3541-1] 17 p0114 N78-10585
- DUBIS, D.
Coal pressurization and feeding: Use of a lock
hopper system 17 p0131 N78-13244
- DUBOIS, B. M.
North Stanley polymer demonstration project
[COO-0029-1] 19 p0394 N78-23539
- DUBOW, J.
The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell theory 18 p0192 A78-26717
- DUBOW, J. B.
Fabrication of OSOS cells by neutral ion beam
sputtering 17 p0027 A78-11062
Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells 17 p0054 A78-11334
- DUBROVSKII, L. A.
Estimating the deformation process in the
formation of the reflecting surface of solar
concentrators. 18 p0187 A78-25735
Engineering estimate of the quality of facets
obtained by a deformation method of form giving 18 p0214 A78-28890
Technique of testing silazane coatings 19 p0331 A78-36859
- DUCABROIS, E.
Use of solar energy for direct and two-step water
decomposition cycles 17 p0080 A78-16048
- DUCHEMIN, S.
Influence of Cd and Zn doping on the electrical
and optical properties of bulk Cu₂S 17 p0018 A78-10979
- DUDERSTADT, E. C.
Development and fabrication of a diffusion welded
Columbium alloy heat exchanger [AINE PAPER A78-61] 18 p0228 A78-31500
- DUDKIN, L. D.
Study of diffusion processes in low-temperature
thermal elements 19 p0326 A78-36135
Output power and lifetime of high-voltage,
low-temperature thermoelectric batteries 19 p0330 A78-36854
- DUDKO, I. U. A.
Estimating the deformation process in the
formation of the reflecting surface of solar
concentrators 18 p0187 A78-25735
Engineering estimate of the quality of facets
obtained by a deformation method of form giving 18 p0214 A78-28890
- DUE, H. F., JR.
The status of small, cooled, axial-flow turbines 18 p0279 N78-21123
- DUFF, I. S.
Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells 17 p0054 A78-11334
- DUFF, W. S.
Optimization of solar heating in residential
buildings using a stochastic performance model 17 p0046 A78-11252
- Evaluation of a residential solar heating and
cooling system with high performance evacuated
tubular collectors 17 p0048 A78-11280
- DUFFEY, D.
Instrumentation and process control for fossil
demonstration plants [ANL/FE-49622-9] 19 p0430 N78-25640
- DUFFIE, J. A.
Solar heating design, by the f-chart method 18 p0224 A78-31071
- DUGAN, V. L.
Approach for evaluating alternative future energy
systems: A dynamic net energy analysis [SAND-77-0489] 17 p0155 N78-14670
- DUGGER, G. L.
Experiments on and design of low-cost aluminum
heat exchangers for OTEC plant ships 19 p0304 A78-33339
- DUGUNDJI, J.
Aeroelastic analysis of wind energy conversion
systems 18 p0265 N78-19621
- DUI, K. Y.
Silicon solar cells on metallurgical silicon
substrates 17 p0013 A78-10915
- DUIEL, R. W.
Methanol - A boiler fuel alternative 19 p0321 A78-35704
- DUISENBAEV, M.
Photoelectric and electric properties of nSiC-nCdS
heterojunctions 19 p0330 A78-36855
- DUKEK, W. G.
Alternative hydrocarbon fuels for aviation 17 p0077 A78-15400
- DULLEA, J. P.
Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 N78-24618
Molten-salt thermal-energy storage systems
[CONF-770955-3] 19 p0460 N78-27556
- DUNBAR, D. W.
Computer model for refinery operations with
emphasis on jet fuel production. Volume 2:
Data and technical bases [NASA-CR-135334] 18 p0262 N78-19326
Computer model for refinery operations with
emphasis on jet fuel production. Volume 1:
Program description [NASA-CR-135333] 18 p0272 N78-20350
Computer model for refinery operations with
emphasis on jet fuel production. Volume 3:
Detailed systems and programming documentation
[NASA-CR-135335] 19 p0414 N78-25235
- DUNBAR, P. M.
A study of improvements in silicon solar cell
efficiency due to various geometrical and doping
modifications 17 p0012 A78-10906
- DUNCAN, C. H.
Solar and wind power - Some meteorological aspects 17 p0094 A78-18325
- DUNCAN, C. P.
Resource assessment of a high potential OTEC site
near Puerto Rico 19 p0302 A78-33323
- DUNCAN, C. S.
Low cost silicon solar array project large area
silicon sheet task: Silicon web process
development [NASA-CR-156984] 19 p0396 N78-23563
- DUNCAN, D. A.
Riser cracking of coal to oil and gas
[CONF-770814-10] 19 p0392 N78-23250
Research and development of rapid hydrogenation
for coal conversion to synthetic motor fuels
(riser cracking of coal) [FE-2307-17] 19 p0403 N78-24382
- DUNCAN, B.
Baseload reliability in a combustion turbine 19 p0385 A78-43101
- DUNCAN, R. T., JR.
Application of solar energy to schools and
residences 18 p0181 A78-24759
- DUNCAN, W.
Si/CdS heterojunction solar cells 17 p0002 A78-10485

- DUNDURS, J.
Heat extraction from hot, dry rock masses
[PB-271411/1] 17 p0139 N78-13560
- DUNKERLEY, J.
How industrial societies use energy
[EPRI-EA-707-SY] 19 p0461 N78-27572
- DUNLOP, J. D.
NTS-2 nickel hydrogen battery performance
[AIAA 78-536] 19 p0294 A78-32885
- DUNN, P. F.
Studies on two-phase flow mixing pertaining to
liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 N78-26933
- DUNWOODY, J. E.
The Illinois program for comprehensive solar
energy legislation
[PB-275565/0] 18 p0277 N78-20648
- DUPAS, A.
The industrialization of space - A myth or
tomorrow's reality. I 17 p0106 A78-20148
Industrialization of space - Myth or the reality
of tomorrow 18 p0218 A78-29660
- DUPREE, W. G., JR.
The United States energy scene 1976-1985
18 p0256 N78-18530
Energy consumption in the transportation sector
18 p0256 N78-18531
- DUPUY, C. H. S.
Experimental determination of optimal operating
conditions for circular-profile solar
concentrators 19 p0384 A78-42895
- DURBIN, R. C.
An analysis of optimum loading conditions for P-N
junction solar cells 17 p0030 A78-11092
- DURDYEV, KH.
Choice of the optimal parabolocylindrical
concentrator with a tubiform receiver 17 p0107 A78-20424
- DURFEE, J. H.
A technology assessment of offshore industry. The
United States offshore industry. Current
status, trends and forecast 1976 - 2000, volume 1
[PB-272983/8] 18 p0246 N78-16947
A technology assessment of offshore industry and
its impact on the maritime industry 1976 - 2000,
volume 2 [PB-272984/6] 18 p0246 N78-16948
A technology assessment of offshore industry and
its impact on the maritime industry 1976 - 2000.
Executive summary [PB-272985/3] 18 p0246 N78-16949
- DUNNING, R. F.
Power system economics - On selection of
engineering alternatives [ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080
- DUSTIN, H. O.
Test and evaluation of 23 electric vehicles for
state-of-the-art assessment [SAE PAPER 780290] 19 p0307 A78-33382
Baseline tests of the AM General DJ-5E electruck
electric delivery van [NASA-TN-73758] 18 p0252 N78-17933
Baseline tests of the power-train electric
delivery van [NASA-TN-73765] 18 p0252 N78-17936
Test and evaluation of 23 electric vehicles for
state-of-the-art assessment [NASA-TN-73850] 18 p0252 N78-17937
Baseline tests of the EVA change-of-pace coupe
electric passenger vehicle [NASA-TN-73763] 18 p0253 N78-17938
Baseline tests of the batronic Minivan electric
delivery van [NASA-TN-73761] 18 p0253 N78-17940
Performance of conventionally powered vehicles
tested to an electric vehicle test procedure
[NASA-TN-73768] 18 p0271 N78-20022
Baseline tests of the Kordesh hybrid passenger
vehicle [NASA-TN-73769] 19 p0443 N78-26551
- DUSTMANN, C.-H.
Studies on design and tests of superconductors for
Tokamaks 17 p0039 A78-11176
- DUTTA, V.
Sprayed CdS thin film solar cells 19 p0372 A78-42123
- DUVALL, J. J.
Shale oil retention on crushed unretorted shale 19 p0367 A78-41523
- DUVALL, H. D.
Heat transfer analysis of a system for annual
collection and storage of solar energy 19 p0296 A78-33038
- DWIVEDI, R.
Trap induced photovoltage in thin films of
gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- DZITOEY, H. S.
Characteristics of the utilization of N2O4 in
solar gas-turbine power plants 19 p0335 A78-37947

E

- EARL, C. B.
Scrubbers win the energy-SO2 controversy 17 p0002 A78-10300
- EASTER, R. B.
Voltage protection scheme for MG sets used to
drive inductive energy storage systems 19 p0353 A78-39961
- EASTERLING, A. E.
The status of small, cooled, axial-flow turbines 18 p0279 N78-21123
- EASTMAN, L. P.
Frequency limitations of transferred electron
devices related to quality of contacts 19 p0334 A78-37468
- EASTON, C. R.
Subsystem research experiments on a central
receiver collector 17 p0053 A78-11327
- EASTON, R. J.
Partial oxidation of refuse using the Purox system 17 p0036 A78-11143
- EASTWOOD, D.
Field infrared method to discriminate natural
seeps from non-seeps, Santa Barbara, California
area [AD-A042861] 17 p0116 N78-10608
- EATON, W. C.
Literature survey of emissions associated with
emerging energy technologies [PB-272550/5] 17 p0163 N78-15606
- EBBLING, W.-D.
Properties of a solar cell array with mirrors and
radiators [DGLR PAPER 77-011] 18 p0179 A78-24405
- EBERHARDT, A. W.
Candidate locations for SPS rectifying antennas
[NASA-TN-78146] 17 p0138 N78-13553
- EBERLE, J. W.
Can coal-oil mixtures make it as industrial fuels 18 p0206 A78-28210
- EBSTEIN, A. R.
Gas turbine module performance analysis
[SAE PAPER 770992] 18 p0176 A78-23828
- ECKELS, P. W.
S.C. magnet design for 10 MJ homopolar machine 19 p0348 A78-39840
Superconducting energy storage coils 19 p0356 A78-40010
- ECKHART, D.
Vacuum vessel and pumping system of the J.E.T.
experiment 17 p0038 A78-11164
- EDDY, R. L.
Cost-effective electrical power generation from
the wind 17 p0052 A78-11316
Cost-effective electric power generation from the
wind - A system linking wind-power with
hydroelectric storage and long-distance
transmission 19 p0381 A78-42418
Cost-effective electric power generation from the
wind [PB-273582/7] 18 p0251 N78-17639
- EDELHART, D.
Optimized spacing between rows of solar collectors 17 p0043 A78-11229

- EDELSON, E.**
 An analysis of the technical status of high level radioactive waste and spent fuel management systems
 [NASA-CR-155313] 18 p0261 W78-18897
- EDENBURN, H. W.**
 Computer simulation of photovoltaic systems
 17 p0021 A78-11010
 Optimum operating conditions for a cylindrical parabolic focusing collector/Rankine power generation cycle system
 [SAND-75-6132] 17 p0151 W78-14634
- EDENS, H. H.**
 Rock properties for thermal energy storage systems in the 0 to 500 C range
 17 p0051 A78-11308
- EDGECOMBE, A. L.**
 Solar collector cost reduction with reflector enhancement
 17 p0061 A78-11390
- EDIE, D. D.**
 Fundamental studies of direct contact latent heat energy storage
 17 p0051 A78-11306
- EDSINGER, R. W.**
 A simulation model for wind energy storage systems. Volume 1: Technical report
 [NASA-CR-135283] 18 p0278 W78-20802
 A simulation model for wind energy storage systems. Volume 2: Operation manual
 [NASA-CR-135284] 18 p0278 W78-20803
 A simulation model for wind energy storage systems. Volume 3: Program descriptions
 [NASA-CR-135285] 18 p0278 W78-20804
- EDWALL, D. D.**
 High efficiency thin window Ga/1-x/Al/x/As/GaAs solar cells
 17 p0027 A78-11065
- EDWARDS, D. K.**
 Solar collector design
 18 p0167 A78-21698
 Solar and infrared radiation properties of parallel-plate honeycomb
 [AIAA PAPER 78-901] 19 p0324 A78-36019
- EDWARDS, J. G.**
 Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
 [PB-278031/0] 19 p0451 W78-26657
- EDWARDS, W. B.**
 Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States
 [APCA PAPER 77-39,1] 18 p0185 A78-25412
- EDYE, E.**
 What comes after oil and gas - Development trends offered by energy sources
 18 p0223 A78-30709
- EFREMOV, H. H.**
 Acceleration nozzles of MHD generators with deformation of supersonic flow
 17 p0002 A78-10244
- EFREMOVA, E. A.**
 The emission characteristics of liquid-fuel flames
 18 p0222 A78-30496
- EGGERS, G. H.**
 Solar collector field subsystem program on the fixed mirror solar concentrator
 [GA-A-14209-BEV] 17 p0141 W78-13583
 Preliminary system analysis of a fixed mirror solar power central station
 [EPRI-ER-434 (6-77)] 18 p0241 W78-16452
- EGIZIANO, L.**
 The transformer design for a proposed technical feasibility Tokamak reactor
 17 p0039 A78-11171
- EGRICAN, A. H.**
 Solar powered Rankine cycle/vapor compression cycle modeling and performance prediction
 19 p0295 A78-33036
 Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications
 18 p0282 W78-21587
- EGUREN, J.**
 Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure
 19 p0334 A78-37469
- EHLEES, K. W.**
 Performance of a developmental 120-keV, 10-A deuterium /14-A hydrogen/ neutral beam system
 19 p0357 A78-40027
- EBRICK, K. A.**
 Power Soletta: An industrial sun for Europe - Possibilities for an economically feasible supply with solar energy
 18 p0172 A78-22741
 The extraterrestrial imperative
 19 p0308 A78-33589
- EIBLING, J. A.**
 Survey of the applications of solar thermal energy systems to industrial process heat
 17 p0058 A78-11370
- EIGNER, J.**
 Hazardous wastes and energy recovery
 17 p0032 A78-11112
- EISEN, D.**
 Commercial space: Policy analysis of profitability of retrofit for energy conservation
 [PB-269189/7] 17 p0115 W78-10591
- EISENBERG, B. A.**
 A microprocessor-based control system for solar heated/cooled residential dwellings
 18 p0176 A78-23896
- EISENHARD, R. H.**
 State solar energy legislation of 1976: A review of statutes relating to buildings
 [PB-273899/5] 18 p0261 W78-18567
- EISENHART, D.**
 Research toward improved flywheel suspension and energy conversion systems
 [PB-271413/7] 17 p0139 W78-13564
 Research toward improved flywheel suspension and energy conversion systems
 [PB-278679/6] 19 p0458 W78-27544
- EISENSTADT, H. H.**
 On the right to sunshine
 17 p0105 A78-19836
- EL HADI, A.**
 The effect of electric field in the divertor scrape-off layer
 19 p0379 A78-42215
- EL-BADRY, Y. Z.**
 An off-peak energy storage concept for electric utilities. II - The water battery concept
 17 p0068 A78-13449
- EL-GASSEIR, H.**
 Energy and water
 18 p0175 A78-23562
- EL-HAWLY, H.**
 Ocean energy industrial complexes
 19 p0301 A78-33311
- EL-WAKIL, H. H.**
 Natural convection characteristics of flat plate collectors
 17 p0044 A78-11235
 Natural convection characteristics of flat plate collectors
 19 p0294 A78-33028
- ELDER, C. R.**
 Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa.
 [PB-271875/7] 17 p0145 W78-13624
- ELGABALAWI, H.**
 Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000
 [NASA-CR-155427] 17 p0160 W78-15568
- ELISERV, V. B.**
 Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings
 19 p0335 A78-37946
- ELKINS, R. E., III**
 Two-phase Hartmann flows in the MHD generator configuration
 [AD-A051450] 19 p0401 W78-23927
- ELLINGTON, B. T.**
 Liquid fuels from coal; Proceedings of the Symposium, San Francisco, Calif., August 29-September 3, 1976
 18 p0189 A78-26576
- ELLIS, A. B.**
 Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
 19 p0343 A78-39462

- ELLIS, A. J.
Chemical and isotopic techniques in geothermal investigations 17 p0061 A78-11490
- ELLIS, R. J.
Ribbon-to-ribbon crystal growth 17 p0014 A78-10929
Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 A78-24630
- ELSON, B. E.
Giant laser system readied for tests 19 p0316 A78-35300
- ELTIMSANY, A. E.
A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity 17 p0047 A78-11262
Experimental investigation of a solar cell/inverter system 17 p0054 A78-11339
Impact of domestic solar heating systems utilizing off peak storage on electric utilities 17 p0055 A78-11344
- ENBURY, J. P., JR.
Selective paints for solar absorbers 18 p0237 A78-16177
- ENGERSON, D. O.
LLL gas stimulation program [UCRL-50036-77-3] 19 p0445 A78-26575
- ENGERSON, L. C.
Surface and impurity studies in ORMAK and ISX 19 p0378 A78-42210
- ENGERSON, P.
Gravel-filled trenches in earth for annual thermal energy storage 17 p0050 A78-11297
- ENIGH, S. G.
Implanted energy conversion system [PB-272609/9] 18 p0243 A78-16464
- ENNEST, G. A.
Experimental transfer function analysis of a dissipative and a reactive mode 19 p0381 A78-42267
- ENRICH, W.
Preliminary system analysis of a fixed mirror solar power central station [EPRI-ER-434 (6-77)] 18 p0241 A78-16452
- ENDER, A. IA.
Optimization of the parameters of a Knudsen thermalionic converter with Cs-Ba filler 19 p0340 A78-38933
- ENDO, T.
Hydrogen photoproduction from water 18 p0207 A78-28358
- ENGER, R. C.
Solar electric generating system resource requirements and the feasibility of orbiting solar reflectors [AD-A048908] 18 p0269 A78-19663
- ENGIRA, R. E.
A new design of organic vapour engine for solar systems 19 p0376 A78-42161
- ENGLAND, C.
Coal extrusion in the plastic state 17 p0132 A78-13256
- ENGLESBY, G. E.
Implanted energy conversion system [PB-272609/9] 18 p0243 A78-16464
- ENGLISH, B. A.
Increasing the resources of jet fuels 17 p0062 A78-11699
- ENGLISH, R. E.
Comment on 'Heat-pipe reactors for space power applications' 19 p0364 A78-40826
- ENGLISH, T.
An analysis of the technical status of high level radioactive waste and spent fuel management systems [NASA-CR-155313] 18 p0261 A78-18897
- ENOTO, T.
Measurement of a theta-pinch plasma by holographic interferometry 18 p0192 A78-26624
- EPHRAIM, H., JR.
The new electric locomotives 18 p0179 A78-24378
- EPWORTH, R. E.
A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850
- ERBACHER, J. K.
High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 A78-11502
- ERRES, D. L.
The mechanism of hydrogen photoevolution in photosynthetic organisms 18 p0207 A78-28356
- ERRETS, S. K.
A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
- ERICKSON, D. J.
Explosive magnetic flux compression plate generators as fast high-energy power sources 17 p0008 A78-10705
- ERICKSON, L. E.
Approach to valuing visual pollution from western electricity production [BNWL-2103] 17 p0117 A78-10613
- ERNAK, D. L.
A scenario for geothermal electric power development in Imperial Valley 18 p0228 A78-31743
Potential growth of electric power production from Imperial Valley geothermal resources [UCRL-52252] 19 p0430 A78-25635
- ERNEST, J. B.
Coal desulfurization by low temperature chlorinolysis, phase 1 [NASA-CR-157172] 19 p0419 A78-25533
- EROPREV, A. V.
Stability of nonequilibrium plasmas 17 p0063 A78-12352
Stability of nonequilibrium plasma 19 p0291 A78-32575
- EROKHIN, N. S.
Collapse of Alfvén waves 18 p0224 A78-31008
- ERTEL, D.
The application of color response data of silicon cells for improving photovoltaic efficiency 17 p0055 A78-11341
- ESLEMAN, W. D.
A numerical simulation of heat transfer in rock beds 17 p0050 A78-11305
- ESKESER, J. H.
Study of practical cycles for geothermal power plants [COO-2619-1] 18 p0288 A78-21651
- ESPEJO, R.
Multi-organizational strategies: An analytic framework and case illustrations [IIASA-RM-77-4] 17 p0122 A78-11864
- ESSENHUGH, R. E.
Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C 17 p0079 A78-15831
Flame stabilization of low volatile fuels 17 p0079 A78-15832
- ESTES, J. E.
Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215
- ESTEVE, E.
Thermodynamics of thermochemical cycles in the decomposition of water 17 p0098 A78-18833
Comparison of the costs of producing hydrogen by electrolysis and by nuclear-based thermochemistry 17 p0101 A78-18850
- ETIENVANT, J.-C.
Solar power stations 17 p0092 A78-17673
- EUSTIS, R. E.
High magnetic field HED generator program [FE-2341-1] 18 p0245 A78-16874
- EVANS, A. L.
A feasibility study of a combined wind-solar system for space and domestic hot water heating 17 p0052 A78-11319

- EVANS, D.
Small Power Systems Solar Electric Workshop
Proceedings. Volume 1: Executive report.
Volume 2: Invited papers
[NASA-CR-156165] 18 p0283 N78-21599
- EVANS, D. G.
An overview of aerospace gas turbine technology of
relevance to the development of the automotive
gas turbine engine
[SAE PAPER 780075] 19 p0306 A78-33364
An overview of aerospace gas turbine technology of
relevance to the development of the automotive
gas turbine engine
[NASA-TM-73849] 17 p0129 N78-13062
- EVANS, H. E.
Energy storage apparatus
[NASA-CASE-GSC-12030-1] 19 p0404 N78-24608
- EVANS, J. C., JR.
Solar cell collector
[NASA-CASE-LEW-12552-1] 19 p0419 N78-25527
Method for producing solar energy panels by
automation
[NASA-CASE-LEW-12541-1] 19 p0419 N78-25529
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] 19 p0421 N78-25553
- EVANS, R. D.
The analysis, design and thermal performance
testing of a heat pipe flat plate collector
17 p0042 A78-11214
- EVANS, R. S., II
Fast production of methane by anaerobic digestion
[COO-2900-11] 19 p0416 N78-25252
- EVAN, J.
High efficiency and large area GaAl/As-GaAs solar
cells
17 p0026 A78-11054
- EWELL, G. J.
Heat pipe materials unique requirements for coal
gasification processes
17 p0085 A78-16902
- EXRING, H.
Theoretical and experimental investigation of
reaction mechanisms of explosives, corrosion,
and battery and fuel technology
[AD-A046641] 17 p0158 N78-15295
- EZRA, A.
Analysis of policy options for accelerating
commercialization of solar heating and cooling
systems
[TID-27597] 19 p0428 N78-25615
- EZRA, A. A.
Assessment of incentives to accelerate market
penetration of solar heating and cooling systems
17 p0057 A78-11363
- F**
- FABIAN, L. L.
Regimes for the ocean, outer space, and weather
18 p0189 A78-26399
- FABRE, E.
Structures for photocells - Homojunctions,
heterostructures or heterojunctions
17 p0003 A78-10552
Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048
- FABRIS, G.
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[AD-A046951] 18 p0240 N78-16444
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[ANL-MHD-77-3] 19 p0432 N78-25651
Studies on two-phase flow mixing pertaining to
liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 N78-26933
- FAENL, R. J.
Intensity dependence of inverse bremsstrahlung
absorption in an inhomogeneous standing wave
19 p0332 A78-37139
- FAERN, D. D.
DOD/EBDA terrestrial photovoltaic systems
demonstration program
17 p0022 A78-11016
- FAETH, G. E.
Steady metal combustor as a closed thermal energy
source
18 p0233 A78-32141
- A reactive-heat-pipe for combined heat generation
and transport
[ATAA 78-440] 19 p0318 A78-35620
- FAGELSON, J. J.
Performance and NO_x/emissions of spark ignited
combustion engines using alternative fuels -
Quasi one-dimensional modeling. I - Hydrogen
fueled engines
19 p0333 A78-37299
- FAHRENBURCH, A. L.
Recent results on II-VI heterojunctions for
photovoltaic solar energy conversion
17 p0018 A78-10983
Evaluation of the CdS/CdTe heterojunction solar cell
17 p0062 A78-11815
High conductivity ZnSe films
19 p0310 A78-34256
- FAILS, C. F.
Ocean thermal power plants heat exchangers
[ERDA/NSF-43441/76/1] 19 p0410 N78-24681
- FAIRBANK, P.
Potential of wood as an energy resource in New
England
[TID-28131] 19 p0432 N78-25655
- FAIZIEV, SH. A.
Effect of heat treatment on optical properties of
collectors for solar energy installations
18 p0215 A78-28896
Thin-film black-white coatings for the receivers
of solar energy installations
18 p0215 A78-28897
- FALCONE, C. A.
Hydrogen transmission - The significance of
efficiency
17 p0009 A78-10736
- FALCONER, R. W.
An Early Ocean Test Platform for testing cycle
components
19 p0300 A78-33303
- FAN, J. C. C.
High-efficiency GaAs shallow-homojunction solar
cells
17 p0062 A78-11933
Simplified fabrication of GaAs homojunction solar
cells with increased conversion efficiencies
18 p0216 A78-29199
- FANASEVA, L. A.
Reducing nitrogen oxides in the flue gases from
gas/oil-fired boilers at high-capacity power
stations
19 p0335 A78-37862
- FANELLI, M.
Non-electrical uses of geothermal energy
17 p0082 A78-16635
- FANETTI, E.
Photovoltaic conversion of solar energy for
terrestrial use - The present situation and the
developmental trends
19 p0309 A78-34021
- FANG, C. R.
Impurity gradients and high efficiency solar cells
17 p0136 N78-13531
- FANG, C. S.
Process feasibility study in support of silicon
material task 1
[NASA-CR-157030] 19 p0396 N78-23561
- FANOUS, A. F.
Advances in liquid fluidized-bed heat exchanger
development
[ASME PAPER 77-HT-66] 17 p0090 A78-17498
- FANTEL, K.
Thermal-engineering preliminaries for the
retrofitting of old houses to solar-energy
utilization
18 p0213 A78-28583
- FANUCCI, J. B.
Innovative wind turbines
17 p0031 A78-11101
Experimental analysis of a straight bladed
Darrieus wind turbine
19 p0361 A78-40365
- FARAHAN, E.
Central heating: Package boilers
[ANL/CES/TE-77-6] 19 p0422 N78-25564
- FARBER, E. A.
Theoretical analysis and design - A solar powered
ammonia/water absorption air conditioning system
17 p0046 A78-11246

- FARBRIDGE, J. E.
Some aspects of powerplant airframe integration affecting fuel conservation 18 p0226 A78-31304
- FARLEY, R. D.
A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains 19 p0386 A78-43291
- FARRELL, D. H.
Sampling and analysis requirements for low-Btu gasification of coal for electric power generation [FE-1545-38] 19 p0431 N78-25648
- FASS, S. M.
Oil/gas complex conceptual design/economic analysis: oil and SNG production [FE-1775-8] 17 p0161 N78-15575
- FASSEBENDER, L. L.
A tokamak hybrid blanket design 19 p0355 A78-39982
Geothermal energy potential for district and process heating applications in the US: An economic analysis [BNWL-2311] 18 p0288 N78-21649
- FATTAKHOV, A. A.
Effect of heat treatment on optical properties of collectors for solar energy installations 18 p0215 A78-28896
- FAUDE, D.
Fusion and fast breeder reactors [IIASA-RR-77-8] 18 p0278 N78-20941
- FAULKNER, R. F.
Performance analysis and experience for flat plate collector with absorber operating in a vacuum 17 p0042 A78-11215
- FAURE, A.
Safety problems in the use of liquid hydrogen 17 p0102 A78-18858
- FAUST, J. W., JR.
Solar cell processing with spin-on diffusion sources in optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553
- FEBER, R. C.
Synthetic fuel production from solid wastes [PB-272423/5] 17 p0148 N78-14182
- FEDERER, C. A., JR.
Solar thermal test facility 18 p0216 A78-29227
- FEDERHANN, R. F.
Technical and economic results of solar photovoltaic power systems analyses 17 p0021 A78-11012
- FEIST, J. H.
Effect of neutral injection heating on the impurity level in the W VII A Stellarator 19 p0378 A78-42208
- FEIST, J.-H.
A computer program for parameter studies of a neutral injection beam line 19 p0357 A78-40052
- FEJER, M. E.
Development of an industry-government cooperative energy conservation program for small manufacturers, phase 1. Project 8978 [COO-2852-2] 17 p0140 N78-13572
- FEKETE, G. I.
A self-contained 5,000 kW capacity wind energy conversion system with storage 18 p0171 A78-22246
- FELDMAN, C.
Vacuum deposited polycrystalline silicon solar cells 17 p0013 A78-10921
- FELDMAN, K. I., JR.
Cost-effectiveness study of heat pipe heat exchangers [ASME PAPER 77-WA/HT-5] 19 p0298 A78-33171
- FELDMAN, R. L.
Development of a high-temperature/high-pressure electrostatic precipitator [PB-276626/9] 19 p0391 N78-22497
- FELDMANN, H. F.
Coal desulfurization by the Battelle Hydrothermal Coal Process 17 p0029 A78-11082
Syngas process converts waste to SNG 17 p0035 A78-11134
- Pipeline gas from solid wastes by the Syngas recycling process 18 p0197 A78-27805
- FELIX, M. P.
Dynamic oil shale fracture experiments [PB-269258/0] 17 p0122 N78-11559
- FELL, B.
Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- FELLAND, J. R.
Solar and infrared radiation properties of parallel-plate honeycomb [AIAA PAPER 78-901] 19 p0324 A78-36019
- FELLER, D. R.
Coal desulfurization by low temperature chlorinolysis, phase 1 [NASA-CR-157172] 19 p0419 N78-25533
- FELSKE, J. D.
The effect of off-south orientation on the performance of flat-plate solar collectors 17 p0104 A78-19830
- FELTZER, W. R.
Method of construction of a multi-cell solar array [NASA-CASE-NFS-23540-1] 18 p0249 N78-17468
- FELTON, G. W.
Syngas process converts waste to SNG 17 p0035 A78-11134
Pipeline gas from solid wastes by the Syngas recycling process 18 p0197 A78-27805
- FELTZ, L. V.
Wind tunnel performance data for two- and three-bucket Savonius rotors 19 p0364 A78-40822
- FENG, T.
High-efficiency organic solar cells 18 p0223 A78-30646
SnO₂/Si solar cells - Heterostructure of Schottky-barrier or MIS-type device 19 p0338 A78-38550
Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices [TID-27910] 19 p0462 N78-27579
- FENN, B. B.
Fixed pitch wind turbines 18 p0267 N78-19638
- FENNER, G. W.
Ocean thermal power plants heat exchangers [ERDA/NSP-43441/76/1] 19 p0410 N78-24681
- FENTON, J. E.
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy [COO-2631-22] 19 p0394 N78-23442
- FENZAN, R. K.
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy [COO-2631-22] 19 p0394 N78-23442
- FERRARA, A.
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135244] 17 p0150 N78-14632
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135245] 17 p0150 N78-14633
- FERRER, R.
Evaluation of a photovoltaic central power station [CONF-770403-8] 17 p0141 N78-13582
Proceedings of Small Power Systems Solar Electric Workshop. Volume 2: Invited papers [NASA-CR-155940] 18 p0264 N78-19615
Small Power Systems Solar Electric Workshop Proceedings. Volume 1: Executive report. Volume 2: Invited papers [NASA-CR-156165] 18 p0283 N78-21599
- FERRER, R. E.
Technical and economic results of solar photovoltaic power systems analyses 17 p0021 A78-11012
Solar photovoltaic power stations 17 p0054 A78-11335

- FERNANDES, R.**
 Lateral support structure for constant tension
 D-shaped coils in tokamak fusion devices
 19 p0351 A78-39916
- FERNANDES, R. A.**
 Optimum peak-shaving mix for electric utilities
 17 p0009 A78-10737
- FERNANDEZ, J. M.**
 Colorado energy impact assistance plan
 [PB-276587/3] 19 p0390 N78-22483
- FERRANTE, J. J.**
 General Electric conceptual design of a test coil
 for the large coil program
 19 p0351 A78-39928
- FERRILL, G. C.**
 Coal energy and the environment: Analysis of
 economic and energy efficiency implications of
 environmental and resource constraints on the
 utilization of coal to produce electricity
 18 p0274 N78-20600
- FERRER, F.**
 Feasibility of integrated ocean thermal
 gradient-nuclear plants for the production of
 electrical power
 17 p0032 A78-11110
- FERRO, C.**
 First wall surface treating in the Frascati
 Tokamak PT
 19 p0380 A78-42245
- FERTIS, D. G.**
 Research of low cost wind generator rotors
 18 p0267 N78-19639
- FERTL, W. H.**
 Tar sand evaluation using geophysical well logs
 19 p0368 A78-41819
- FETKOVICH, J. G.**
 Studies of biofouling in Ocean Thermal Energy
 Conversion plants
 19 p0305 A78-33342
- FETTERMAN, G. P., JR.**
 How do alternative powerplant costs compare
 19 p0313 A78-34677
- FEUCHT, D. L.**
 Rheotary for large grain thin film solar cell
 fabrication
 17 p0027 A78-11067
- FEVRIER, A.**
 Losses in a coil where the multifilamentary
 composite is subjected to simultaneous
 orthogonal and parallel induction variations
 19 p0356 A78-40008
- FIALA, V.**
 A procedure for comparing the economy of different
 electrical space heating systems
 17 p0068 A78-13451
- FIELD, H. B.**
 Application of thick-film technology to solar cell
 fabrication
 17 p0015 A78-10947
- FIELD, R.**
 Engineering features of an upgradable ignition
 test reactor
 19 p0349 A78-39878
- FIELDING, S. J.**
 A review of work on plasma-wall interactions and
 divertor experiments on DITE
 19 p0377 A78-42204
- FIELDS, S. F.**
 Continuous high pressure lump coal feeder design
 study
 17 p0132 N78-13253
- FIGARD, R. L.**
 Experimental and analytical studies of the
 aerodynamic performance of windmills
 [AIAA PAPER 78-277] 18 p0172 A78-22612
- FILLO, J.**
 High temperature blankets for the production of
 synthetic fuels
 19 p0359 A78-40093
- FINGOLD, J. G.**
 Utilization of waste heat in trucks for increased
 fuel economy
 [NASA-CR-157292] 19 p0458 N78-27532
- FINK, J. H.**
 Mirror reactor studies
 17 p0011 A78-10874
- FINKENTHAL, H.**
 Ionization and recombination rate coefficients of
 highly ionized molybdenum ions from spectroscopy
 of tokamak plasmas
 19 p0369 A78-42015
- FINN-CARLSON, D. W.**
 Crop residues as energy sources - Assessing the
 cost and energy feasibility of direct firing
 19 p0368 A78-41818
- FINNegan, S. A.**
 Coso geothermal corrosion studies
 [AD-A045511] 17 p0147 N78-13681
- FINNEY, C. D.**
 Fast production of methane by anaerobic digestion
 [COO-2900-11] 19 p0416 N78-25252
- FINNEY, K. A.**
 Fast production of methane by anaerobic digestion
 [COO-2900-11] 19 p0416 N78-25252
- FIORITO, G.**
 Photovoltaic conversion of solar energy for
 terrestrial use - The present situation and the
 developmental trends
 19 p0309 A78-34021
- FISCHER-COLBRIE, E.**
 Temperature dependence of the photovoltaic
 performance of Si cells under blue, white and
 near-bandgap irradiation
 17 p0012 A78-10909
- FISCHER, A. K.**
 Experimental two-phase liquid-metal
 magnetohydrodynamic generator program
 [AD-A046951] 18 p0240 N78-16444
- FISCHER, A. K.**
 Experimental two-phase liquid-metal
 magnetohydrodynamic generator program
 [ANL-MHD-77-3] 19 p0432 N78-25651
- FISCHER, R.**
 Low cost solar cells based on large area
 unconventional silicon
 17 p0013 A78-10918
- FISCHER, J.**
 Laboratory support for in situ gasification
 reaction kinetics
 [ANL/CEN/FE-77-2] 19 p0423 N78-25575
- FISCHER, J. R.**
 Metallographic analysis of a steel plate which
 failed in service in a coal gasifier
 17 p0077 A78-15354
- FISCHER, W.**
 Energy-politics alternatives for the urban region
 of Munich until 1985
 17 p0093 A78-17950
- FISH, L. W.**
 Development of working fluid thermodynamic
 properties information for geothermal cycles;
 phase 1
 [ORO-5249-1] 17 p0143 N78-13600
- FISHBEIN, L.**
 Consequences of new energy patterns
 [PB-273259/2] 18 p0244 N78-16474
- FISHER, G. L.**
 Physical and morphological studies of
 size-classified coal fly ash
 18 p0222 A78-30555
- FISHER, P. W.**
 Vacuum pumping for controlled thermonuclear reactors
 17 p0038 A78-11163
- FISHER, P. W.**
 Cryosorption pumping of 95% deuterium-5% helium on
 molecular sieve-5A at 4.2 K
 19 p0359 A78-40112
- FISHER, R.**
 Injection of coal by screw feed
 17 p0133 N78-13264
- FISHER, R. K.**
 Doublet IIA experiments
 17 p0011 A78-10776
- FISHMAN, C.**
 High-efficiency organic solar cells
 18 p0223 A78-30646
- FISHMAN, C.**
 SnO₂/Si solar cells - Heterostructure of
 Schottky-barrier or MIS-type device
 19 p0338 A78-38550
- FISHMAN, C.**
 Heterostructure single crystal silicon
 photovoltaic cell. Type A: Semiconductor
 heterojunction silicon devices
 [TID-27910] 19 p0462 N78-27579
- FITCH, B.**
 Synthoil hydrodynamics
 [COO-0056-4] 18 p0274 N78-20473

- FITCH, J. B.
An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon
[BULL-55] 19 p0396 N78-23568
- FITZGERALD, D. P.
Economic feasibility of solar heating systems in the northeastern United States 19 p0295 A78-33035
- FITZBUGH, D.
Computer aided preliminary energy analysis and energy use options for architectural students 17 p0057 A78-11359
- FITZPATRICK, G. O.
Performance and cost evaluation for a thermionic topping power plant
[ASME PAPER 77-WA/ENER-7] 19 p0297 A78-33145
- FLACK, P.
Solar challenges to consulting engineers 18 p0181 A78-24757
- FLAMANT, G.
A fluidized bed solar reactor - A thermochemical application 18 p0165 A78-20623
- FLANAGAN, C. A.
Design related RD&D assessment for TNS 19 p0349 A78-39877
- FLATT, R.
Speed polar of a wind turbine powered cargo boat 17 p0094 A78-18094
- FLEMING, J. B.
Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-157080] 19 p0406 N78-24629
- FLEMING, W. S.
Energy conservation via solar energy applications to multi-family and commercial structures. Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures
[PB-276131/0] 18 p0289 N78-21657
- FLEMING, D. K.
Pilot plant study of conversion of coal to low sulfur fuel
[PB-274113/0] 18 p0260 N78-18565
- FLETCHER, L. S.
Heat transfer and thermal control systems; Aerospace Sciences Meeting, 15th, Los Angeles, Calif., January 24-26, 1977 and Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Technical Papers 19 p0336 A78-38054
- FLETT, D. S.
Energy considerations in electrohydrometallurgy
[IS-8-83] 17 p0120 N78-11505
- FLOCKE, J. W.
The thermochemical dissociation of water 17 p0123 N78-12163
- FLODDER, S. P.
Corrosion fatigue of 5086-H34 aluminum in sea water 19 p0305 A78-33344
- FLORENSKII, P. V.
Significance of the space imagery for studies of the petroleum platform areas 19 p0313 A78-34877
- FLORES, C.
Photovoltaic conversion of solar energy for terrestrial use - The present situation and the developmental trends 19 p0309 A78-34021
- FOA, J. V.
Performance potential of the energy separator without mechanical energy recovery
[PB-269721/7] 17 p0116 N78-10601
- FOBER, L. L.
Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy
[COO-2631-22] 19 p0394 N78-23442
- FOERSTER, S.
Vehicular gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486
- *OBI, H.
Use of solar energy for direct and two-step water decomposition cycles 17 p0080 A78-16048
- FOE, S. E.
Alternative energy transmission systems from OTEC plants, Project 8980
[DSE/2426-8] 17 p0153 N78-14658
- FOKIN, V. G.
Thermal deformations of solar concentrators 19 p0335 A78-37945
- FOLEY, R. T.
Definition of chemical and electrochemical properties of a fuel cell electrolyte
[AD-A050920] 19 p0389 N78-22476
- FOLEY, T. J.
Investigation of international energy economics
[BNWL-2134] 17 p0140 N78-13571
- FOLIGNO, G.
Proposal for the production and seasonal storage of hot water to heat a city 17 p0083 A78-16833
- FONASH, S. J.
N-I-S solar cell - Theory and experimental results 17 p0025 A78-11040
- FONG, A. D.
Efficiency of paraffin wax as a thermal energy storage system 17 p0049 A78-11295
- FONG, G. T.
Photosensing arrays with improved spatial resolution 18 p0204 A78-28134
- FONTANEL, A.
The detection of hydrocarbon sheets on the sea 18 p0209 A78-28395
- FORD, R. D.
Application of homopolar generators for high voltage plasma experiments 19 p0348 A78-39848
- FORDYCE, E.
International Solar Energy Society, Annual Meeting, Orlando, Fla., June 6-10, 1977, Proceedings. Sections 1-13, 14-25 & 26-38 17 p0042 A78-11212
- FOREMAN, K. H.
Diffuser augmentation of wind turbines 19 p0312 A78-34512
- Investigation of diffuser-augmented wind turbines. Part 1: Executive summary
[COO-2616-2-PT-1] 17 p0154 N78-14668
- Investigation of diffuser-augmented wind turbines. Part 2: Technical report
[COO-2616-2-PT-2] 17 p0154 N78-14669
- FORESTIERI, A. F.
Status of the ERDA/NASA Photovoltaic Tests and Applications Project 17 p0022 A78-11014
- Real-time and accelerated outdoor endurance testing of solar cells
[NASA-TN-73743] 17 p0150 N78-14628
- The ERDA/LeRC photovoltaic systems test facility
[NASA-TN-73787] 17 p0157 N78-15059
- DOE LeRC photovoltaic systems test facility
[NASA-TN-78923] 19 p0443 N78-26549
- FORNILLER, D. J.
Emerging heat pipe applications
[AIAA 78-390] 19 p0317 A78-35585
- FORNER, T. E.
Coal feed component testing for CDIF 17 p0133 N78-13262
- FORNEY, R. G.
Solar photovoltaic systems 19 p0457 N78-27523
- FOROUZANNEHR, N. S.
Three-region world dynamics of fossil/hydrogen energy system 18 p0239 N78-16427
- FORREST, L.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary
[PB-278118/5] 19 p0464 N78-27596
- Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599

- PORTNA, J.**
M-I-S solar cell - Theory and experimental results
17 p0025 A78-11040
- POSDICK, G. E.**
Prediction of air quality impacts for a commercial shale oil complex
19 p0320 A78-35700
- POSSARD, A. J.**
Influence of the effect of storage on models of power cell dynamics
17 p0103 A78-19486
- POSSUM, J. G.**
Silicon solar cell development for concentrated-sunlight, high-temperature applications
17 p0022 A78-11020
Silicon solar cell designs based on physical behavior in concentrated sunlight
19 p0334 A78-37462
Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C]
19 p0410 A78-24685
- POSTER-PREGG, R. W.**
Steam bottoming plants for combined cycles
19 p0296 A78-33102
- POSTER, B.**
Application analysis of solar total energy to the residential sector [TID-28104]
19 p0431 A78-25643
- POSTER, J. F.**
Coal desulfurization by the Battelle Hydrothermal Coal Process
17 p0029 A78-11082
- POSTER, W.**
Fuel and energy price forecasts. Volume 1: Report [EPRI-EA-411-VOL-1]
17 p0142 A78-13589
Fuel and energy price forecasts. Volume 2: Schedules [EPRI-EA-411-VOL-2]
17 p0142 A78-13590
- POUNNIER, R. O.**
Chemical geothermometers and mixing models for geothermal systems
17 p0062 A78-11491
- POWLER, C. N.**
Explosive magnetic flux compression plate generators as fast high-energy power sources
17 p0008 A78-10705
- POWLER, J. N.**
Power plant performance
19 p0321 A78-35753
- POWLER, R. N.**
Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks
19 p0356 A78-40013
- POX, E. C.**
Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power [ORNL/TN-5821]
17 p0115 A78-10588
- POX, G. R.**
Performance and economics of advanced energy conversion systems for coal and coal-derived fuels
19 p0309 A78-34078
- POX, H.**
Cogeneration - A systematic analysis of combined steam and power generation
18 p0188 A78-26108
- POX, J. P.**
Anaerobic fermentation of simulated in-situ oil shale retort water [LBL-68551]
19 p0431 A78-25646
- PRAAS, A. P.**
Power conversion system of the 21st century [CONF-770448-1]
17 p0155 A78-14672
- PRAYR, L.**
Optimal design methodology for a wind power system
17 p0070 A78-13847
- PRELEY, D. W.**
Description and comparison of energy impact assessment models [BNWL-2107]
18 p0290 A78-21671
- FRANCIS, E. J.**
Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans
17 p0056 A78-11349
- Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration
19 p0302 A78-33313
- FRANK, D.**
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122]
19 p0387 A78-22435
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121]
19 p0394 A78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123]
19 p0394 A78-23499
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124]
19 p0394 A78-23500
- FRANK, R.**
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- FRANK, R. I.**
A tracking, high-concentration electrical and thermal solar energy collection system
17 p0024 A78-11032
Improved performance of solar cells for high intensity applications
17 p0024 A78-11033
- FRANK, T. G.**
Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977
19 p0381 A78-42269
- FRANKEN, W. H. P.**
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- FRANKENFELD, J. W.**
Alternate fuels nitrogen chemistry [AD-A053299]
19 p0414 A78-25240
- FRANKLIN, A. D.**
Materials for fuel cells [PB-269518/7]
17 p0113 A78-10573
- FRANKLIN, R.**
Oil shale, FY 1977 [BDP/F-01(77)]
19 p0411 A78-24694
- FRANSEN, F.**
Influence of junction roughness on solar-cell characteristics
17 p0075 A78-14745
- FRANTA, G. E.**
Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977
19 p0336 A78-38051
- FRANK, I. C.**
Solar panels BPI47A for terrestrial applications
17 p0071 A78-13984
- FRANZEN, J. E.**
Considerations on coal gasification [NASA-TN-75233]
18 p0239 A78-16431
- FRASER, M. D.**
The economics of SNG production by anaerobic digestion of specially grown plant matter
17 p0036 A78-11138
- FRASS, L.**
Indium phosphide/cadmium sulfide thinfilm terrestrial solar cells [ALO/3717-1]
19 p0462 A78-27581
- FREDERICK, E. B.**
Electric utility applications of fabric filters
17 p0073 A78-14155
- FREDERIKSE, H. P. B.**
Development, testing, and evaluation of HED-materials [PR-6010-9]
19 p0441 A78-26380
- FREDRICKSON, C. D.**
Analysis of requirements for accelerating the development of geothermal energy resources in California [NASA-CR-155782]
18 p0256 A78-18528
- FREEMAN, B. E.**
Mathematical modelling of topographic effects on wind energy systems
18 p0169 A78-22228

- FREEMAN, H. J.
The economic viability of solar assisted industrial process heat systems - The need for government economic incentives 17 p0057 A78-11364
- FREEMAN, J. E.
Information and data flows in societal problem areas: Focus-energy [PB-269497/8] 17 p0118 N78-10965
- FREEMAN, J. E.
Numerical methods for studying compressed magnetic field generators 17 p0102 A78-18908
- FREEMAN, R. L.
Doublet III experiments 17 p0011 A78-10776
- FREIDBERG, J. P.
Finite Larmor radius equations in an arbitrary near-theta pinch geometry 19 p0382 A78-42491
- FRENCH, A.
Estimated highway fuel savings in 1975 18 p0257 N78-18539
- FRENCH, G.
A study of the differential spectral absorption flat-plate solar collectors 17 p0048 A78-11275
- FRENCH, R. L.
Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1 [NASA-CR-155326] 17 p0125 N78-12528
Solar energy for process heat: Design/cost studies of four industrial retrofit applications. [NASA-CR-156139] 18 p0276 N78-20619
- FREZZER, P.
Nocturnal boundary-layer wind maxima and the problem of wind power assessment 18 p0179 A78-24314
- FREERIS, L. L.
A performance-optimised wind energy conversion system for space heating 18 p0171 A78-22251
- FREY, H.
Controlled nuclear fusion, a challenge to the engineer. II - Systems for fuel supply and fuel removal, plasma heating, and vacuum generation 18 p0195 A78-27700
- FRICK, H.
Photohydrogen production in green algae - Water serves as the primary substrate for hydrogen and oxygen production 18 p0207 A78-28352
- FRICKE, H. D.
Enhanced performance heat exchangers 19 p0304 A78-33336
- FRIE, W.
Compact gas generator for fuel gasification aboard motor vehicles 18 p0236 A78-32509
- FRIEDLAND, J.
Hydrogen from sunlight: The biological answer - Development of a low-cost biological solar panel 17 p0056 A78-11350
- FRIEDMAN, H. L.
Optimization of pyrolytic conversion of coal to clean fuel [PE-2253-5] 19 p0427 N78-25609
- FRIEDMAN, J.
Coal conversion to liquid and gaseous fuels - Aerospace technology in a new role [AIAA PAPER 78-293] 18 p0177 A78-24004
- FRIEDMAN, J. D.
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington [E78-10122] 19 p0387 N78-22435
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] 19 p0394 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region [E78-10123] 19 p0394 N78-23499
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] 19 p0394 N78-23500
- FRIEDMAN, R.
Alternative fuels 17 p0118 N78-11074
- FRIEDMAN, S.
Experience in feeding coal into a liquefaction process development unit 17 p0131 N78-13242
- FRIEFELD, J.
Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design [ORO-5178-78/1] 19 p0447 N78-26594
- FRIISCH, J.-R.
Global equilibrium between energy requirements and resources on the horizon of the year 2000. I - Evolution and regionalization of the problem 17 p0069 A78-13468
The world balance between energy needs and resources by the year 2000. II - Evolution and regional aspects of the problem 17 p0094 A78-18096
Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
Energy perspectives for the year 2000 19 p0377 A78-42184
- FRISH, A. E.
Some results of investigation of pressure fluctuations in a condensing injector 17 p0066 A78-13154
- FRISMAN, B.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- FRITZ, J. E.
Direct heat pipe cooling of semiconductor devices [AIAA 78-450] 19 p0319 A78-35626
- FRITZSCHE, A. A.
Aerodynamic studies on vertical-axis wind turbine 18 p0170 A78-22239
Economics of a vertical-axis wind turbine 18 p0170 A78-22243
- FRUCHTER, J. S.
Characterization of substances in products, effluents and wastes from synthetic fuel development processes [BNWL-2224] 19 p0410 N78-24683
- FRULLANI, S.
Health and environmental aspects of energy development [ISS-P-77/2] 19 p0399 N78-23599
- FU, Y. C.
Catalytic liquefaction of coal 18 p0191 A78-26583
- FURS, A. E.
Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786
- FURS, S. E.
Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786
- FUJIA, R. E.
Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
Argonne national laboratory energy storage and transfer experimental program 19 p0353 A78-39956
- FUJISAWA, H.
Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- FUJISHIMA, A.
Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466
- FUJITA, H.
Thermo-nuclear fusion plasma produced by CO2 laser 19 p0362 A78-40385
- FUJITA, T.
Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427

- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427] 17 p0160 W78-15568
- FUJINARA, Y.
A small tokamak 'Nova II' 19 p0327 A78-36319
- FUKAO, H.
A small tokamak 'Nova II' 19 p0327 A78-36319
- FUKUTA, M.
Design, construction and test of a collector system using a linear asymmetric Fresnel reflector 17 p0059 A78-11374
- FULLARD, R.
Some design aspects of computer based control systems for pulsed fusion experiments 19 p0355 A78-39991
- FULLER, C. R.
High performance, inexpensive solar cell process capable of a high degree of automation 17 p0015 A78-10944
- FULLER, L. C.
Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power [ORNL/TM-5821] 17 p0115 W78-10588
- FULRATH, R. H.
Ceramic microstructures '76: With emphasis on energy related applications; Proceedings of the Sixth International Materials Symposium, University of California, Berkeley, Calif., August 24-27, 1976 17 p0088 A78-17451
- FULTON, P. F.
Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3] 19 p0410 W78-24680
- FURNELLI, E.
Development of fast neutral beam injectors at Pontenay-aux-Roses 17 p0012 A78-10879
- FURUKAWA, H.
M-Gas process for production of fuel gas from heavy oil 18 p0225 A78-31273
- FURUKAWA, E.
Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 W78-13247
- FURUKAWA, J. E.
Thermochemical hydrogen production - Engineering efficiency and economics 17 p0099 A78-18834
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process 18 p0174 A78-22867
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. II - The methanol water splitting cycle 18 p0174 A78-22868
- FURMAN, A. H.
Pressurized feeding on the GEGAS system 17 p0132 W78-13255
- FURUHANA, S.
Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050
Some characteristics of oil consumption measured by hydrogen fueled engine [ASLE PREPRINT 77-1C-5B-1] 18 p0209 A78-28434
- FURUKAWA, A. H.
Exploration for geothermal energy on Oahu, Hawaii [AD-A046954] 18 p0241 W78-16445
- FURUKAWA, S.
A large scale heat exchanger with polygonally configured heat pipe units [AIAA 78-393] 19 p0317 A78-35588
- FUSS, H. A.
Dynamic models of the industrial demand for energy [EPRI-BA-580] 19 p0425 W78-25596
- G
GABRIEL, G. J.
Potential damage to dc superconducting magnets due to high frequency electromagnetic waves 19 p0350 A78-39902
- GADDY, J. L.
Utilization of waste heat from electric power generation 17 p0031 A78-11095
Biomass as an energy mechanism 17 p0033 A78-11116
- GAENSSLER, H.
Relative evaluation of competing processes - Energetic economy analysis of competing processes of coal and oil chemistry 17 p0087 A78-17349
- GAFUROV, A. H.
Study of physicochemical processes in fabrication of reflectors from polymer materials 18 p0215 A78-28895
- GAGE, S. J.
Environmental impact of solid waste and biomass conversion-to-energy processes 17 p0036 A78-11139
- GAGNE, R. H.
Magdalen Islands wind turbine hybrid computer model 19 p0340 A78-38781
- GAGNON, W. L.
A 25 megajoule energy storage and delivery system for the Shiva laser 19 p0351 A78-39920
- GAHN, R. P.
The Redox Flow System for solar photovoltaic energy storage 17 p0022 A78-11019
- GALAN, M.
Coaxial MHD generator 18 p0229 A78-31751
- GALANIS, N.
The production of electricity from the wind - A preliminary feasibility study for Greece 18 p0231 A78-32049
- GALES, C.
The storage of hydrogen in the form of metal hydrides - An application to thermal engines 17 p0100 A78-18845
- GALLAGHER, J. T.
Political and economic justification for immediate realization of a syn fuels industry 19 p0310 A78-34225
- GALLOPOULOS, N. E.
Future automotive fuels: Prospects, performance, perspective 18 p0194 A78-27475
- GALT, J. R.
Magma - A potential source of fuels 19 p0311 A78-34398
Potential fuel production from magma [SAND-77-0509] 19 p0403 W78-24383
- GAMZE, E.
Application analysis of solar total energy to the residential sector [TID-28104] 19 p0431 W78-25643
- GANDEL, M. G.
Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 W78-15589
- GANDELSMAN, A. F.
Some results of investigation of pressure fluctuations in a condensing injector 17 p0066 A78-13154
- GANDHI, K. K.
Use of methanol in diesel engine - An experimental study of engine performance 18 p0199 A78-27827
- GANDHIDASAN, P.
Analysis of solar space cooling systems suitable for tropical climates 19 p0375 A78-42159
- GANEFIELD, R. V.
Investigation of combustion stability in an MHD-generator combustion chamber 19 p0292 A78-32715
- GANGLER, J. J.
High temperature materials for space power systems 18 p0218 A78-29954
- GANIC, E. H.
Enhanced performance heat exchangers 19 p0304 A78-33336
- GAPONOV, I. N.
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136

- GARBER, E. J.
Tritium systems preliminary design for TWS
19 p0346 A78-39798
- GARBUZOV, D. Z.
Photocells with intermediate conversion of
radiation and which operate at an increased
concentration /2500-fold/ of solar radiation
18 p0172 A78-22795
Photocells with intermediate radiation conversion
and enhanced concentration of solar radiation
/K=2500/
19 p0381 A78-42415
- GARCIA-CANABERO, E.
The formation of Cu₂S thin films for CdS solar
cells by sulfurization of copper with thiourea
17 p0018 A78-10980
- GARD, H.
Application of gas turbines for peak and base load
operation
19 p0327 A78-36371
- GARDNER, J. P.
Gravity flow rate of solids through orifices and
pipes
17 p0133 A78-13260
High pressure rotary piston coal feeder
17 p0133 A78-13261
High pressure rotary piston coal feeder
[HERC/SP-77/6]
19 p0417 A78-25443
- GARF, E. A.
Comparative analysis of the geometrical
characteristics of solar power plant boilers
17 p0064 A78-12393
Comparative analysis of geometric characteristics
of solar power plant boilers
19 p0332 A78-36870
- GARG, H. P.
Testing of five solar cookers Jodhpur
19 p0376 A78-42166
- GARG, V. K.
Wind energy - A supplement to hydro-electric
energy using the Columbia River Valley as an
example
17 p0052 A78-11317
- GARGUS, S.
Solar energy bibliography
[NASA-TN-X-73398]
17 p0128 A78-13554
- GARR, W. B.
Explosive magnetic flux compression plate
generators as fast high-energy power sources
17 p0008 A78-10705
- GARONE, L. C.
An analysis of factors influencing the efficiency
of EFG silicon ribbon solar cells
17 p0014 A78-10930
- GARRETT, D. E.
Thermal processing of biomass materials
17 p0033 A78-11117
- GARRETT, P.
Conference proceedings: A critical economic
balance: Water, land, energy, people
[PB-274089/2]
18 p0253 A78-17944
- GARRISON, G. W.
MHD generators for baseload power stations
17 p0032 A78-11108
- GARRISON, J. D.
Optimization of a fixed solar thermal energy
collector
17 p0059 A78-11380
Evaluation of an optimized solar thermal collector
by a new method
17 p0060 A78-11381
- GARRISON, P. E.
Pulse power systems employing inductive energy
storage
17 p0007 A78-10698
- GARRISON, E. E.
Materials evaluation for geothermal applications:
Turbine materials
[UCRL-79360]
19 p0392 A78-23238
- GARTLING, D. K.
Techniques for reducing thermal conduction and
natural convection heat losses in annular
receiver geometries
19 p0294 A78-33029
- GARVEY, D. B.
Implications of the 1977 Clean Air Act amendments
for energy research and development
[CONF-7710101-2]
19 p0450 A78-26642
- GARY, J. B.
Kinetics of coal hydrodesulfurization in a batch
reactor
18 p0191 A78-26584
Clean solid and liquid fuels from coal
[PB-2047-2]
17 p0160 A78-15571
- GASPARINI, G.
Photovoltaic conversion of solar energy for
terrestrial use - The present situation and the
developmental trends
19 p0309 A78-34021
- GATES, W. B.
Historical evidence of importance to the
industrialization of flat-plate silicon
photovoltaic systems, volume 2
[NASA-CR-156185]
19 p0388 A78-22464
- GATSBOS, P. H.
Information and data flows in societal problem
areas: Focus-energy
[PB-269497/4]
17 p0118 A78-10965
- GAUDET, A. D.
Evaluation of solar cells and arrays for potential
solar power satellite applications
[NASA-CR-151740]
19 p0458 A78-27538
- GAUR, K. S.
Pollution control with SO₂ recovery
19 p0328 A78-36679
- GAUSSENS, P.
The gasification of coal
18 p0196 A78-27788
- GAUTHIER, A.
TRHP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- GAVERLOVA, I. P.
Converter of solar radiation to thermal energy
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings
19 p0335 A78-37946
- GAWROW, K.
Properties of some salt hydrates for latent heat
storage
17 p0075 A78-14691
- GAY, C.
High efficiency solar panel (HESP)
[AD-A043382]
17 p0112 A78-10572
- GAY, R. L.
Quenching of nitric-oxide formation in methane-air
flames by secondary-air injection
17 p0081 A78-16338
- GAZIEV, U. KH.
Effect of heat treatment on optical properties of
collectors for solar energy installations
18 p0215 A78-28896
Thin-film black-white coatings for the receivers
of solar energy installations
18 p0215 A78-28897
- GEBALL, T. H.
Superconducting power transmission line materials
research and conductor development
[SAM/0326-1]
19 p0416 A78-25342
- GEFFERS, W.
Engine performance and exhaust emission
characteristics of spark-ignition engines
burning methanol and methanol-gasoline mixtures
19 p0321 A78-35703
- GRIBEL, B. B.
Solar energy for the Naval Shore Establishment
[AD-A050026]
18 p0284 A78-21616
- GENESOV, R. T.
High pressure rotary piston coal feeder
17 p0133 A78-13261
High pressure rotary piston coal feeder
[HERC/SP-77/6]
19 p0417 A78-25443
- GENECHEO, J.
H-I-S solar cell - Theory and experimental results
17 p0025 A78-11040
- GEORGE, E. V.
Advanced lasers for fusion applications
19 p0342 A78-39367
- GEORGE, E.
New materials for fluorosulfonic acid electrolyte
fuel cells
[AD-A044414]
17 p0126 A78-12531
- GEORGE, P. J.
Evaporated CdS film based heterojunction solar cells
19 p0372 A78-42122

- GERASIMOV, I. U. F.
Design of a heat pipe with separate ducts for
vapor and fluid
19 p0383 A78-42638
- GERBER, K. A.
Reversed-field configuration generated by a
rotating relativistic electron beam
19 p0382 A78-42492
- GERHAUSER, B.
On toroidal divertors for tokamaks
19 p0379 A78-42242
- GERISCHER, B.
Power generation by photoelectrolysis
18 p0202 A78-27892
- GERLACH, L. P.
Technological innovation and social exploration in
economic growth and energy development
18 p0204 A78-27935
- GERLACH, T. H.
Magma - A potential source of fuels
19 p0311 A78-34398
Potential fuel production from magma
[SAND-77-0509] 19 p0403 N78-24383
- GERNHARDT, J.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- GERSHAN, B.
Assessing near-term technologies for solar heating
and air-conditioning systems
17 p0074 A78-14540
- GERSTLE, R. W.
Control of fine particulate from coal-fired
utility boilers
[APCA PAPER 77-14,1] 18 p0185 A78-25410
Operation and maintenance of particulate control
devices on coal-fired utility boilers
[PB-274104/9] 18 p0251 N78-17505
Flue gas desulfurization system capabilities for
coal-fired steam generators. Volume 2:
Technical report
[PB-279417/0] 19 p0467 N78-27659
- GERVAIS, R. L.
Central receiver solar thermal power system.
Phase 1, CRDL Item 2: Pilot plant preliminary
design report. Volume 3, book 2: Collector
subsystem
[SAN/1108-8/3] 19 p0398 N78-23587
- GETOFF, H.
Hydrogen as an energy carrier: Production,
storage, transport
19 p0315 A78-35179
- GEWEHR, H. W.
Wind turbine generator rotor blade concepts with
low cost potential
[NASA-TM-73835] 18 p0249 N78-17466
- GHASSEMI, H.
Environmental assessment of high-BTU gasification
[PB-278175/5] 19 p0450 N78-26646
- GHOLAMNEZHAD, A. H.
Hot forming of silicon sheet, silicon sheet growth
development for the large area silicon sheet
task of the low cost silicon solar array project
[NASA-CR-155934] 18 p0255 N78-18517
- GHOSH, A. K.
High-efficiency organic solar cells
18 p0223 A78-30646
SnO₂/Si solar cells - Heterostructure of
Schottky-barrier or MIS-type device
19 p0338 A78-38550
Heterostructure single crystal silicon
photovoltaic cell. Type A: Semiconductor
heterojunction silicon devices
[TID-27910] 19 p0462 N78-27579
- GHOSH, H.
Some data collected by experiments to be utilised
for solar energy application
19 p0370 A78-42107
- GHOSH, M. K.
A domestic multi-purpose solar energy unit
19 p0376 A78-42165
- GHOSH, S.
The anaerobic digestion of *Macrocystis pyrifera*
under mesophilic conditions
17 p0035 A78-11135
Two-phase anaerobic digestion
17 p0036 A78-11137
- GHOSHROY, S.
Inductor network development for aircraft high
power supplies
[AD-A052750] 19 p0413 N78-25096
- GHULE, B. M.
Dependence of Schottky barrier solar cell
efficiency on the thickness of the interfacial
layer
19 p0373 A78-42128
- GIANSANTE, M.
Drive train dynamic analysis
18 p0266 N78-19630
- GIBBARD, H. F.
Thermal properties of battery systems
18 p0233 A78-32232
- GIBBS, L.
Flue gas desulfurization system capabilities for
coal-fired steam generators. Volume 2:
Technical report
[PB-279417/0] 19 p0467 N78-27659
Effects of alternative new source performance
standards on flue gas desulfurization system
supply and demand
[PB-279080/6] 19 p0467 N78-27661
- GIBBS, B.
The mechanism of hydrogen photoevolution in
photosynthetic organisms
18 p0207 A78-28356
- GIBERTI, B. A.
The use of oxygen/water for removal of sulfur from
coals
19 p0320 A78-35694
- GIBSON, D. L.
Hydraulic container pipelining - A future
transportation system to conserve energy
17 p0030 A78-11091
- GICQUEL, R.
The development and prospects of power transistors
used for the conversion of energy
17 p0081 A78-16353
Study of the performance of flat plate collectors
in the transient regime
19 p0384 A78-42892
- GIBEL, P.
The consequences and lessons of four years of
high-priced energy
17 p0094 A78-18095
- GILBERT, B.
Diffuser augmentation of wind turbines
19 p0312 A78-34512
- GILBERT, B. L.
Investigation of diffuser-augmented wind turbines.
Part 1: Executive summary
[COO-2616-2-PT-1] 17 p0154 N78-14668
Investigation of diffuser-augmented wind turbines.
Part 2: Technical report
[COO-2616-2-PT-2] 17 p0154 N78-14669
- GILBERT, L. J.
Synchronization of wind turbine generators against
an infinite bus under gusting wind conditions
[IEEE PAPER P 77 675-2] 18 p0219 A78-30196
Synchronization of the DOE/NASA 100-kilowatt wind
turbine generator with a large utility network
[NASA-TM-73861] 18 p0249 N78-17467
Transient response to three-phase faults on a wind
turbine generator
[NASA-TM-78902] 19 p0442 N78-26542
- GILBREATH, W. P.
Satellite mirror systems for providing terrestrial
power - System concept
[AAS 77-240] 19 p0330 A78-36717
- GILEADI, B.
An electrochemically regenerative
hydrogen-chlorine energy storage system for
electric utilities
17 p0095 A78-18412
- GILES, G. R.
Cooling turbine technology
18 p0224 A78-30775
- GILL, B. D.
Electron and ion heating by neutral injection in
the DITE tokamak
19 p0381 A78-42268
- GILLANI, N. V.
Sulfur budget of a power plant plume
19 p0366 A78-41275

- GILLET, W. B.
Use of heat pumps with solar collectors for domestic space heating in the United Kingdom
19 p0341 A78-38971
- GILLILAND, M. W.
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials
[PB-271753/6] 17 p0144 N78-13617
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis
[PB-271754/4] 17 p0144 N78-13618
- GILLIS, P. P.
Metallographic analysis of a steel plate which failed in service in a coal gasifier
17 p0077 A78-15354
- GILLMAN, K.
Oil and gas in coastal lands and waters
19 p0404 N78-24597
- GILMAN, H. H.
Rocketdyne's advanced coal slurry pumping program
17 p0133 N78-13266
- GILMOUR, A. S., JR.
Power conditioning systems for high-power, airborne, pulsed applications
18 p0174 A78-23412
- GINLEY, D. S.
Temperature dependence of flatband potentials at semiconductor-electrolyte interfaces
19 p0362 A78-40531
- GINTZ, J. R.
Analysis of closed cycle Brayton systems for solar electric power generation
17 p0053 A78-11324
- GIOVANNONI, J. H.
Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption
19 p0418 N78-25484
- GIPSON, G. L.
A modeling analysis of the impact of the energy shortage on ambient air quality
19 p0320 A78-35683
- GIRAMONTI, A. J.
Conceptual design of a coal-fueled, fluid bed combined cycle power plant
[ASME PAPER 77-WA/ENER-11] 19 p0298 A78-33149
- GISH, W. B.
Digital load control for hydroelectric powerplants
[PB-274027/2] 18 p0251 N78-17492
- GIUTRONICH, J. E.
Asymmetrical non-imaging cylindrical solar concentrators
17 p0104 A78-19831
- GIVONI, B.
Underground longterm storage of solar energy - An overview
17 p0083 A78-16827
- GJERDING, J.
Twind wind mill
18 p0211 A78-28570
- GLADNEY, E. S.
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant
17 p0001 A78-10062
- GLASER, A.
Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles
17 p0061 A78-11459
- GLASER, P.
Economic and environmental costs of satellite solar power
18 p0179 A78-24377
- GLASER, P. E.
The potential of satellite solar power
17 p0002 A78-10411
- GLASGOW, J. C.
DOE/NASA Mod-0 100KW wind turbine test results
18 p0266 N78-19628
- Experimental data and theoretical analysis of an operating 100 kW wind turbine
[NASA-TN-73883] 18 p0267 N78-19642
Design and operating experience on the US Department of Energy experimental Mod-0 100-kw wind turbine
[NASA-TN-78915] 19 p0443 N78-26552
- GLASS, I. I.
Prospects for geothermal energy applications and utilization in Canada
17 p0067 A78-13343
- GLASS, W. R.
The biological effects of air pollution from fossil fuel burning power plants in the Northcentral Great Plains
[APCA PAPER 77-15,4] 18 p0185 A78-25438
- GLASSMAN, I.
Combustion
17 p0080 A78-15951
- GLATZEL, K.
Electric levitated inter-city vehicles
[EVC PAPER 7782] 17 p0085 A78-16928
- GLAZE, J. A.
The Shiva laser - Nearing completion
19 p0360 A78-40226
- GLEBOV, I. A.
Problems of electrical energy generation /Some results of the International Electrotechnology Congress - Moscow, 1977/
19 p0325 A78-36127
- GLOBE, S.
An agenda for technology assessment in the materials field. Volume 1: Principal findings
[PB-278639/0] 19 p0453 N78-27009
An agenda for technology assessment in the materials field. Volume 2: Appendices
[PB-278640/8] 19 p0453 N78-27010
- GLOVER, L., III
Evaluation and targeting of geothermal energy resources in the southeastern United States
[VPI-SU-5103-3] 17 p0162 N78-15585
- GLOVER, S. F.
Design of a large solar heating system for a campus complex of buildings
17 p0032 A78-11105
- GLUSHKOV, E. S.
Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474
- GOBLE, R. L.
Power plant performance
19 p0321 A78-35753
- GOCHERHANN, H.
German activities in the field of terrestrial application of solar cell arrays
17 p0020 A78-11005
- GODFREY, R. B.
Large open-circuit photovoltages in silicon minority carrier MIS solar cells
17 p0025 A78-11046
Enhancement of MIS solar-cell 'efficiency' by peripheral collection
17 p0070 A78-13797
- GODWIN, R. O.
The Shiva laser - Nearing completion
19 p0360 A78-40226
- GOEL, R. C.
Performance of the novel solar cell
19 p0372 A78-42120
- GOERLER, G. P.
Some experimental results on selective absorbing surfaces for low temperature solar collectors
[DLR-PB-77-23] 17 p0156 N78-14686
Some experimental results on selective absorbing surfaces for low temperature solar collectors
[ESA-TT-4321] 19 p0390 N78-22482
- GOFF, T.
Application analysis of solar total energy to the residential sector
[TID-28104] 19 p0431 N78-25643
- GOH, T. H.
Stochastic modeling and forecasting of solar radiation data
17 p0084 A78-16842
- GOHAR, Y.
The use and performance of graphite and metal ISSECs in tokamak fusion reactors
18 p0195 A78-27579

- GOIN, K. H.
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1
[ORO-5249-1] 17 p0143 N78-13600
- GOLD, H.
Water in synthetic fuel production: The technology and alternatives 19 p0365 A78-41000
Methods of attenuating wind turbine ac generator output variations 18 p0266 N78-19632
Automotive gas turbine fuel control [NASA-CASE-LEW-12785-1] 19 p0404 N78-24545
- GOLDBERG, A.
Materials evaluation for geothermal applications: Turbine materials [UCRL-79360] 19 p0392 N78-23238
- GOLDBERG, M. D.
Energy information and analytic system for New York State [BNL-22677] 19 p0397 N78-23579
- GOLDBURG, A.
Bell Creek Field micellar-polymer pilot demonstration [BERC/TPR-77/13] 19 p0413 N78-25226
- GOLDEN, J. O.
Kinetics of coal hydrosulfurization in a batch reactor 18 p0191 A78-26584
Clean solid and liquid fuels from coal [FE-2047-2] 17 p0160 N78-15571
- GOLDENBAUM, G. C.
Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- GOLDHAMMER, L. J.
ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932
Project STOP (Spectral Thermal Optimization Program) 17 p0137 N78-13541
- GOLDMAN, J. C.
Mass production of algae - Bioengineering aspects 18 p0208 A78-28363
- GOLDSMITH, H.
Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742
- GOLDSTEIN, D. J.
Water conservation and pollution control in coal conversion processes [PB-269568/2] 17 p0128 N78-12556
- GOLDSTEIN, L. H.
Computer simulation of photovoltaic systems 17 p0021 A78-11010
A Fokker-Planck analysis of photovoltaic systems 18 p0173 A78-22841
PVSS: A photovoltaic system simulation program manual [SAND-77-0814] 19 p0398 N78-23593
- GOLDSTON, R. J.
Magnetics design for ripple-assisted beam injection into the ISX-B and TFTR tokamaks 19 p0356 A78-40013
- GOLOVIN, A. H.
Calculation of porous-particle combustion 19 p0315 A78-35052
- GOLOVNER, T. H.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134
- GOLTZ, G.
Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document [AD-A047925] 18 p0260 N78-18558
Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual [AD-A047356] 19 p0409 N78-24667
- GORKALE, S. D.
Power increase from solar cells under pyramidal-horn type concentrator 19 p0372 A78-42125
- GONCHARENKO, O. V.
Optimum testing period for new thermomechanical equipment 18 p0225 A78-31245
- GONSIORAWSKI, R.
An analysis of factors influencing the efficiency of EFG silicon ribbon solar cells 17 p0014 A78-10930
- GONZALEZ, C.
Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors [NASA-CR-157225] 19 p0442 N78-26541
- GOODALE, D. B.
Performance of a thermionic converter module utilizing emitter and collector heat pipes [NASA-TN-78941] 19 p0454 N78-27174
- GOODALL, D. B. J.
Time and space resolved temperature measurements of a limiter in a Tokamak discharge using an infra red camera 17 p0041 A78-11200
A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
Energy flux and surface temperature measurements at surfaces in the DITE tokamak 19 p0377 A78-42205
- GOODELLE, G. S.
Project STOP (Spectral Thermal Optimization Program) 17 p0137 N78-13541
- GOODENOUGH, D. G.
Remote sensing - A burgeoning science 17 p0063 A78-12214
- GOODGER, E. H.
Comparative energies of alternative fuels 18 p0216 A78-29289
- GOODJOHN, A. J.
Gas turbine BTGR: A total energy utilization option [GA-A-14484] 18 p0270 N78-19670
- GOODMAN, H. B.
Non-evacuated solar collectors with compound parabolic concentrators 17 p0059 A78-11378
- GOODSON, R. E.
Information system for transportation energy 18 p0194 A78-27545
- GOPALAKRISHNAN, K. V.
Investigation of some factors affecting the performance of an alcohol-diesel oil dual fuel engine 18 p0199 A78-27829
- GOPINATHAN, K. K.
Utilisation of solar energy by thermoelectric generators 19 p0373 A78-42133
- GORADIA, C.
Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory 17 p0023 A78-11026
Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 A78-11027
- GORADIA, H. G.
Recent experimental results on high intensity /HI/ edge-illuminated multijunction silicon solar cells 17 p0023 A78-11027
- GORANSON, C. B.
Modeling underground storage in aquifers of hot water from solar power systems 17 p0050 A78-11298
- GORANSON, P. L.
Engineering features of ISX-B 19 p0347 A78-39802
- GORBANEV, A. D.
Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations 19 p0335 A78-37862
- GORDIETS, B. F.
Gas laser with solar excitation 19 p0308 A78-33395
- GORDON, C. W.
Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191
- GORDON, P. G.
Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] 19 p0414 N78-25233

- GORDON, V. G.
Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563
- GORIN, E.
Consol stack gas process for SO₂ removal 19 p0320 A78-35697
High-temperature desulfurization of low-Btu-gas [PB-271008/5] 17 p0124 N78-12246
- GORMAN, P. G.
Emissions of trace elements from the combined firing of coal and RDF in a utility boiler [APCA PAPER 77-37,6] 18 p0185 A78-25404
- GORMEZANO, C.
Plasma-wall charge-exchange interactions in the ZIIIB magnetic mirror experiment 19 p0377 A78-42207
- GORODETSKII, S. M.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134
- GORSKI, A.
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- GOSLICH, H.-D.
Cost-effective concept for utilization of wind energy - Results based on experience with the Sylt double rotor 18 p0212 A78-28574
- GOTKIN, L.
An experimental facility for wind engineering research [AIAA 78-813] 18 p0234 A78-32367
- GOTTESFELD, S.
An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412
- GOULBURN, J. R.
Fuel vapourization - Economy with reduced exhaust emission 18 p0221 A78-30366
- GOULD, C. L.
Space industrialization - The long-range view and the near and intermediate steps [AAS 77-230] 19 p0330 A78-36729
- GOULD, G.
Key steps to coal conversion 18 p0179 A78-24328
- GOULET, D. V.
A pilot system for the Texas energy data bank and information retrieval system 17 p0118 N78-10957
- GOVAN, F. A.
Experience with burning industrial wastes in steam-generating and high-temperature heat recovery systems 17 p0006 A78-10636
- GOWDA, B. H. L.
Aerodynamic characteristics of a cylindrical type of wind turbine with inclined blades 19 p0291 A78-32536
- GOWDY, C. H.
Modeling the effect of atmospheric carbon dioxide on the global radiative heat balance 17 p0068 A78-13447
- GRAD, B.
Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673
- GRAY, O. F., JR.
Effects of solar radiation pressure on the orbit of the Solar Power Satellite 18 p0230 A78-31916
Orbital motion of the solar power satellite [NASA-CR-151603] 17 p0158 N78-15148
- GRAHAM, C. D., JR.
Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells 17 p0014 A78-10928
Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- GRAHAM, D. L.
Geothermal potential of the west Boise area [TREE-1162] 19 p0455 N78-27497
- GRALLERT, H.
Solar house Hoehenkirchen 18 p0179 A78-24345
Solar thermal heating systems: Technical aspects and economic limits /2nd revised edition/ 19 p0328 A78-36650
- GRANA, D. C.
Kine-Pak: A self-contained, electrical power generator system [NASA-CASE-LAR-11551-1] 19 p0389 N78-22468
- GRANNEHANN, G. H.
Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342
- GRANQUIST, C. G.
Selective absorption of solar energy in ultrafine chromium particles 17 p0070 A78-13785
- GRANQVIST, C. G.
Coatings of ultrafine chromium particles - Efficient selective absorbers of solar energy 17 p0106 A78-20117
Ultrafine chromium particles for photothermal conversion of solar energy 19 p0339 A78-38553
Selective absorption of solar energy in granular metals - The role of particle shape 19 p0369 A78-41910
- GRANT, D. F.
Field infrared method to discriminate natural seeps from non-seeps, Santa Barbara, California area [AD-A042861] 17 p0116 N78-10608
- GRANT, G. B.
System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak 19 p0351 A78-39921
- GRANT, H. A.
Broadlands - A gas-dominated geothermal field 19 p0330 A78-36825
- GRASTRUP, R.
Wind energy program of the Danish government and the Danish electric power concerns 18 p0209 A78-28554
- GRATER, I.
Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices [TID-27910] 19 p0462 N78-27579
- GRAVEN, B.
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
- GRAY, D.
Flame stabilization of low volatile fuels 17 p0079 A78-15832
- GRAY, D. E.
Energy efficient engine: Preliminary design and integration studies 19 p0453 N78-27053
- GRAY, J. A.
Hydrogasifier development for the Hydrane process [FE-2518-4] 19 p0415 N78-25244
- GRAY, J. W.
Eddy current losses and transient magnetic forces in pulsed fusion reactors 17 p0039 A78-11172
- GRAY, K. E.
The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber 17 p0071 A78-14072
- GRAY, S.
Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine. 1: Journal bearing performance [NASA-CR-135368] 18 p0281 N78-21472
- GRAY, W. H.
Bending free toroidal shells for tokamak fusion reactors 19 p0351 A78-39915
- GRAZIOTTI, R.
Possibilities for improving the electrolysis of water in alkaline solutions 17 p0098 A78-18831

- GREENBERG, V. B.
Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474
- GREENLEY, D. W.
The analysis, design and thermal performance testing of a heat pipe flat plate collector
17 p0042 A78-11214
- GREEN, B. D.
The Illinois program for comprehensive solar energy legislation
[PB-275565/0]
18 p0277 A78-20648
- GREEN, H. A.
Large open-circuit photovoltages in silicon minority carrier MIS solar cells
17 p0025 A78-11046
Enhancement of MIS solar-cell 'efficiency' by peripheral collection
17 p0070 A78-13797
The efficiency of grating solar cells
18 p0178 A78-24131
- GREEN, R. H.
Direct contact heat exchange for latent heat-of-fusion energy storage systems
[SAND-77-8665]
19 p0464 A78-27595
- GREENBAUM, E.
The molecular mechanisms of photosynthetic hydrogen and oxygen production
18 p0208 A78-28359
- GREENBERG, J. K.
Tectonic atlas of uranium potential in crystalline rocks of the eastern US
[GJEX-69(77)]
19 p0400 A78-23666
- GREENBERG, S. A.
Experimental performance of flat plate solar collectors with various cover materials with and without transparent plastic honeycomb
[AIAA PAPER 78-899]
19 p0324 A78-36018
- GREENE, M. I.
Engineering development of a short residence time, coal hydrolysis process
19 p0362 A78-40592
Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal
19 p0363 A78-40593
- GREENE, M. R.
Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities
[BNWL-RAP-16]
19 p0468 A78-27975
- GREENMAN, P.
Non-evacuated solar collectors with compound parabolic concentrators
17 p0059 A78-11378
- GREENWALD, A. C.
Silicon solar cells by ion implantation and pulsed energy processing
17 p0015 A78-10946
- GREGOIRE, B.
TTHP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- GREGORY, R.
Operational limitations of direct contact boilers for geothermal applications
[ASME PAPER 77-HT-5]
17 p0089 A78-17480
- GRELLOT, P.
TTHP heating studies on Petula Tokamak
19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak
19 p0378 A78-42211
- GREENEY, W. J.
Environmental transport model of heavy metals
18 p0215 A78-28946
- GREENO, L. A.
Phase 1 of the automated array assembly task of the low cost silicon solar array project
[NASA-CR-155935]
18 p0255 A78-18516
- GREENO, H.
A few aspects of the Soviet energy policy
18 p0195 A78-27779
- GREENS, J.
Preliminary tests using a laser particle-size analyzer on geothermal brine
[UCID-17637]
19 p0430 A78-25634
- GRETHNER, D.
Effects of solar data accuracy on the performance and economics of solar energy systems
17 p0058 A78-11366
- GREY, J.
Transport
18 p0203 A78-27927
- GRIBENTROG, H.
The technology of closed-cycle gas turbines
19 p0291 A78-32650
- GRIFFEE, D. G., JR.
Wind turbine generator rotor blade concepts with low cost potential
[NASA-TN-73835]
18 p0249 A78-17466
- GRIFFIN, O. H.
Power from the oceans' thermal gradients
17 p0006 A78-10652
- GRIFFIN, T. J.
The evolution of pulsed power
17 p0008 A78-10709
- GRIGGS, E. I.
Performance tests of a solar energy collector used to heat air
17 p0043 A78-11224
- GRIGGS, R. L.
Retrofit precipitators meet rigid new standards
18 p0189 A78-26475
- GRIGOREVA, G. H.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base
19 p0326 A78-36134
- GRIN, P. J.
Geothermal energy resources map of the western United States
19 p0362 A78-40535
- GRIMMER, D. P.
Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results
17 p0060 A78-11386
Possible selective solar photothermal absorber - Ni dendrites formed on Al surfaces by the CVD of Ni /CO/4
18 p0221 A78-30302
- GRIMMER, G.
Polycyclic aromatic hydrocarbons in the exhaust gas of motor vehicles
17 p0061 A78-11459
- GRIMMETT, E. S.
Advances in liquid fluidized-bed heat exchanger development
[ASME PAPER 77-HT-66]
17 p0090 A78-17498
- GRINBERG, G. K.
Evaluation of the feedback in MHD conduction machines
18 p0167 A78-21397
- GRISHAM, L. R.
Neutral beam injector research and development work in the USA
17 p0012 A78-10878
- GRITTON, D. G.
A 25 megajoule energy storage and delivery system for the Shiva laser
19 p0351 A78-39920
- GRIZZLE, P. L.
GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification
[BERG/RI-77/12]
19 p0402 A78-24324
- GROBMAN, J. S.
Alternative fuels
17 p0118 A78-11074
Alternative aircraft fuels
[NASA-TN-73836]
18 p0247 A78-17229
Impact of future fuel properties on aircraft engines and fuel systems
[NASA-TN-78866]
19 p0402 A78-24369
Characteristics and combustion of future hydrocarbon fuels
[NASA-TN-78865]
19 p0403 A78-24370
Impact of broad-specification fuels on future jet aircraft
19 p0453 A78-27059
- GRODEKA, P. G.
Thermal energy storage
[NASA-CR-150563]
18 p0255 A78-18520
- GROFF, E. G.
Steady metal combustor as a closed thermal energy source
18 p0233 A78-32141

- A reactive-heat-pipe for combined heat generation and transport
[AIAA 78-440] 19 p0318 A78-35620
- GROH, E. F.
Instrumentation and process control for fossil demonstration plants
[ANL/FE-49622-9] 19 p0430 N78-25640
- GROLL, H.
Technical applications of heat pipes
[AIAA 78-396] 19 p0318 A78-35589
- GROMOV, I. I.
Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range
19 p0336 A78-37950
- GROOME, L.
A solar economic performance model for residential applications
17 p0056 A78-11354
- GROSE, L. T.
Research on the physical properties of geothermal reservoir rocks. Summary report on collection of samples of volcanic rocks for petrophysical studies
[COO-2908-1] 17 p0141 N78-13584
- GROSS, R. A.
Fusion energy
[ASME PAPER 77-WA/NE-1] 19 p0299 A78-33185
- GROSSHANDLER, W. L.
Pollutant measurements in a methanol furnace
[WSS/CI PAPER 77-8] 17 p0081 A78-16339
- GROSSMAN, G.
The natural circulation solar heater-models with linear and nonlinear temperature distributions
19 p0369 A78-42064
- GROVES, D. J.
Solar hybrid repowering
17 p0055 A78-11343
- GROVES, W. W.
Cost-effective energy from humid air
19 p0361 A78-40363
- GRUBB, D. P.
Experimental transfer function analysis of a dissipative and a reactive mode
19 p0381 A78-42267
- GRUBER, C. L.
Cost-effective energy from humid air
19 p0361 A78-40363
- GRUBER, R.
Finite hybrid elements to compute the ideal magnetohydrodynamic spectrum of an axisymmetric plasma
18 p0231 A78-32067
- GRUBER, R. P.
Closed loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] 19 p0387 N78-22149
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] 19 p0456 N78-27520
- GRUBB, D. H.
HYSOS: A chemical heat pump and energy system based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- GRUBENBAUM, R.
Alternative energy sources in the USSR
19 p0315 A78-35280
- GRUBER, H.
Model considerations concerning the gas-electrolyte balance of supported gas-diffusion electrodes for fuel cells
17 p0096 A78-18646
- GRUBERRECHT, P.
Transistor inverters for satellite onboard networks of higher power
19 p0365 A78-40865
- GRUTSCH, P.
Use of transition metal compounds to sensitize a photochemical energy storage reaction
17 p0083 A78-16830
- GRUZD, L. F.
Study of the behavior of periclase materials in gas flows containing alkali additions
19 p0328 A78-36578
- GUASTAVINO, F.
Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S
17 p0018 A78-10979
- GUDZENKO, L. I.
Gas laser with solar excitation
19 p0308 A78-33395
- GUENTHER, J.
Use of gas turbines in natural gas transport systems /pipelines/
19 p0327 A78-36372
- GURIN, M. R.
Energy sources of polycyclic aromatic hydrocarbons
[CONF-770130-2] 17 p0148 N78-14181
- GUIN, J. A.
Effect of coal minerals on reaction rates during coal liquefaction
18 p0190 A78-26579
Kinetics and solubility of hydrogen in coal liquefaction reactions
18 p0191 A78-26585
High pressure liquid chromatographic studies of coal liquefaction kinetics
18 p0192 A78-26591
Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
A dispersion model for the Solvent Refined Coal process
18 p0230 A78-31871
- GULDBERG, P. H.
A modeling analysis of the impact of the energy shortage on ambient air quality
19 p0320 A78-35683
- GULIAENKO, A. B.
Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators
19 p0315 A78-35091
- GULLICKSON, R. L.
Measurements of high-energy deuterons in the plasma-focus device
18 p0235 A78-32439
- GULLY, J.
A metallic contact, fast-closing, high current switch
19 p0359 A78-40096
- GUNKO, V. H.
Thermionic emission from electrodes with raised surfaces in a thermionic converter
18 p0224 A78-31011
- GUO, T.
Employing static excitation control and tie line reactance to stabilize wind turbine generators
[NASA-CR-135344] 18 p0274 N78-20603
- GUPTA, A.
A non-tracking heat concentrator capable of giving concentration factor of the order of 20
19 p0371 A78-42112
Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface
19 p0371 A78-42114
- GUPTA, C. P.
Determination of shading factor for flat-plate collectors
19 p0375 A78-42155
Condition for no shadow, and effective shadow due to plane reflectors
19 p0375 A78-42156
- GUPTA, H. C.
Analysis of solar space cooling systems suitable for tropical climates
19 p0375 A78-42159
- GUPTA, Y. P.
Fixed mirror/distributed focus solar thermal electric power systems development
17 p0053 A78-11331
Analytical and experimental study of total internal reflection prismatic panels for solar energy concentrators
17 p0060 A78-11389
Design and evaluation of an inexpensive heat pipe
19 p0374 A78-42145
- GUREV, H. S.
Thin film CrO_x/ selective absorbers stable above 500 C
17 p0045 A78-11239
High temperature, stable, spectrally selective solar absorbers for thermochemical hydrogen production
17 p0080 A78-16049
- GURFIELD, R. H.
Potential for cogeneration of heat and electricity in California industry, phase 1
[NASA-CR-157168] 19 p0419 N78-25536

- GURTLE, R. W.
Ribbon-to-ribbon crystal growth 17 p0014 A78-10929
Laser-zone growth in a Ribbon-To-Ribbon (RTR), process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 N78-16437
Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 N78-24630
- GUSEVA, A. V.
Increasing the resources of jet fuels 17 p0062 A78-11699
- GUSS, W. C.
Doublet IIA experiments 17 p0011 A78-10776
- GUSTAFSSON, P.
Twind wind mill 18 p0211 A78-28570
- GUTTER, C. D.
Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- GUZDAR, P. W.
Non-resonant pump field modification of the sidescatter threshold 19 p0381 A78-42264
- H**
- HAACK, B. W.
An examination of small wind electric systems in Michigan 18 p0239 N78-16428
- HAAN, C. T.
Onsite control of sedimentation utilizing the modified block-cut method of surface mining [PB-272244/5] 17 p0159 N78-15552
- HAAS, G. H.
A data acquisition system for in situ measurements of terrestrial photovoltaic array performance 17 p0023 A78-11029
- HAAS, J. E.
The status of small, cooled, axial-flow turbines 18 p0279 N78-21123
- HAAS, J. L., JR.
Models for calculating density and vapor pressure of geothermal brines 18 p0236 A78-28249
- HABEGGER, L. J.
Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 N78-23584
- HABERCOM, G. E., JR.
Offshore pipelines. A bibliography with abstracts [NTIS/PS-78/0179/8] 19 p0393 N78-23263
- HADERLIE, E. C.
Nature of primary organic films in the marine environment and their significance for Ocean Thermal Energy Conversion (OTEC) heat exchange surfaces [BNWL-2283] 17 p0154 N78-14663
- HADLEY, L. N.
Re-evaluation of flat plate solar panels in use for twenty years 17 p0043 A78-11225
- HAEPFEL, W.
Report to the Advisory Committee of IIAA's Energy Program [IIASA-EM-77-42] 19 p0399 N78-23601
- HAPEZZADAN, H.
Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle 19 p0306 A78-33351
- HAGAN, H.
Compatibility studies of various refractory materials in contact with molten silicon [NASA-CR-156181] 19 p0387 N78-22184
- HAGAN, R. H.
Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California [UCRL-13784] 19 p0460 N78-27559
- HAGE, R. E.
The challenge of advanced fuel-conservative aircraft - A manufacturer's view [AIAA PAPER 78-362] 18 p0178 A78-24034
- HAGEL, D.
Ultra clean heat exchangers - A critical OTEC requirement 19 p0305 A78-33341
- HAGLER, T.
Learning to build large structures in space 17 p0082 A78-16698
- HAHN, O. J.
Metallographic analysis of a steel plate which failed in service in a coal gasifier 17 p0077 A78-15354
- HAHN, B. E.
High temperature, stable, spectrally selective solar absorbers for thermochemical hydrogen production 17 p0080 A78-16049
- HAIDER, G.
Methanol production from organic waste 18 p0198 A78-27812
- HAIGH, A. D.
Fired through printed contacts on antireflection coated silicon terrestrial solar cells 17 p0016 A78-10956
- HAINSON, B. C.
LLC gas stimulation program [UCRL-50036-77-3] 19 p0445 N78-26575
- HAKODA, K.
Plan and design of ETL TPE-2 experiment 17 p0040 A78-11180
- HALL, D. O.
Will photosynthesis solve the energy problem 18 p0202 A78-27891
Solar energy conversion through biology - Could it be a practical energy source 19 p0342 A78-39123
- HALL, E. E.
Survey of the applications of solar thermal energy systems to industrial process heat 17 p0058 A78-11370
- HALL, J. L.
Environmental effects of burning solid waste as fuel [IS-H-124] 19 p0466 N78-27637
- HALL, R. E.
Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASME PAPER 77-WA/APC-1] 19 p0297 A78-33126
Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 N78-18590
- HALL, R. E.
Electricity generation by utilities - 1974 nationwide emissions estimates 19 p0320 A78-35701
Filtration model for coal fly ash with glass fabrics [PB-276489/2] 18 p0289 N78-21667
- HALLDAVE, J. F.
Constraints in solar life cycle cost modeling 17 p0056 A78-11353
- HALLENBECK, P. C.
Solar energy conversion with hydrogen producing algae [SAB/0034-77/1] 19 p0460 N78-27565
- HALLT, R. W., JR.
Central receiver solar thermal power system. Phase 1, CRDL Item 2: Pilot plant preliminary design report. Volume 3, book 2: Collector subsystem [SAB/1108-8/3] 19 p0398 N78-23587
- HALLIGAN, J. E.
Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132
- HALPERN, A. H.
Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization [AD-A051336] 19 p0408 N78-24665
- HALS, P.
Open-cycle MHD energy conversion - Prospects and developments for central station power generation 19 p0385 A78-43176

- HALZL, J.
Helium heaters of the helium turbine unit of the
Oberhausen energy supply
[DOE-TR-35] 19 p0455 N78-27440
- HAN, J. D.
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233
- HAN, N. D.
Flutter of Darrieus wind turbine blades
18 p0265 N78-19624
- HANAHOTO, Y.
A computer analysis of Ga/1-x/Al/x/As-GaAs solar
cells with multilayered window structure
19 p0313 A78-34850
- HAMBURGER, W.
The Alcator C magnetic coil systems
19 p0346 A78-39791
- HAMILTON, C. L.
Dynamic modeling and sensitivity analysis of solar
thermal energy conversion systems
17 p0118 N78-11156
- HAMILTON, G. W.
Mirror reactor studies
17 p0011 A78-10874
- Engineering of beam direct conversion for a
120-kV, 1-MW ion beam 19 p0348 A78-39834
- HAMILTON, L. D.
Health and economic costs of alternative energy
sources
[IAEA-CN-36/448] 19 p0390 N78-22484
- HAMILTON, M. R.
Preliminary analysis of an option for the Federal
photovoltaic utilization program
[PB-274220/3] 18 p0260 N78-18562
- HAMILTON, W.
Electric car technology for demonstration and
development
18 p0259 N78-18551
- Urban applications and energy impacts of future
electric cars 18 p0259 N78-18552
- HANMEL, R. L.
A road map to space products
[AAS 77-239] 19 p0329 A78-36716
- HANMEL, T. E.
Selenide isotope generators
[CONF-770302-1] 17 p0114 N78-10581
- HANMER, D. A.
Reversed-field configuration generated by a
rotating relativistic electron beam
19 p0382 A78-42492
- HANMOND, A. L.
Capturing sunlight - A revolution in collector
design
19 p0365 A78-41217
- HANMOND, D. P.
Design and performance of large cryopumps for high
power neutral injectors
19 p0359 A78-40108
- HANPEL, V. E.
Decision making with interactive access to
integrated administrative and technological data
bases. An illustrated conceptual overview
[UCRL-80353] 18 p0290 N78-21986
- HANPEL, V.
Filtration model for coal fly ash with glass fabrics
[PB-276489/2] 18 p0289 N78-21667
- HAN, K. W.
Analysis and scale-up consideration of bituminous
coal liquefaction rate processes
18 p0184 A78-25322
- HANCOX, R.
Reactor costs and maintenance, with reference to
the Culham Mark II conceptual Tokamak reactor
design
17 p0011 A78-10872
- Fusion reactor design. II - Report on the Second
IAEA Technical Committee Meeting and Workshop,
Madison, Wisconsin, USA, 10-21 October 1977
19 p0381 A78-42269
- HAWES, M. R.
Silicon materials task of the low cost solar array
project, phase 2
[NASA-CR-157082] 19 p0406 N78-24622
- HANNA, D. C.
Stimulated electronic Raman scattering in Cs
vapour - A simple tunable laser system for the
2.7 to 3.5 micron region
17 p0064 A78-12440
- HANBAHAW, E. J.
Energy modeling and forecasting at the U.S. Energy
Research and Development Administration
19 p0316 A78-35420
- HANSEN, A. C.
Operational limitations of direct contact boilers
for geothermal applications
[ASME PAPER 77-HT-5] 17 p0089 A78-17480
- HANSEN, K. C.
Process feasibility study in support of silicon
material task 1
[NASA-CR-157030] 19 p0396 N78-23561
- HANSEN, R. H.
Screens for the OTEC plants
19 p0303 A78-33329
- HANSON, C. L.
Thermal-mechanical design of a 150-mA,
direct-current, 400-keV accelerator for
production of 14-MeV neutrons
19 p0357 A78-40032
- HANSON, J. H.
Heat transfer effects in forced geohat recovery
systems
19 p0395 N78-23554
- HANSON, H. R.
LLL gas stimulation program
[UCRL-50036-77-3] 19 p0445 N78-26575
- HANSSNAHW, P.
Energy-politics alternatives for the urban region
of Munich until 1985
17 p0093 A78-17950
- HARA, T.
Two-dimensional analysis of a diagonal-type
nonequilibrium plasma MHD generator
17 p0073 A78-14274
- HARDER, E. L.
Specific output of windmills - A discovery
17 p0078 A78-15783
- HARDESTY, D. R.
Diagnostic assessment for advanced power systems
[SAND-77-8216] 17 p0121 N78-11509
- HARDING, G. L.
Sputtered metal silicide solar selective absorbing
surfaces
18 p0221 A78-30303
- HARDING, J. C.
Foster-Miller's development of dry coal feed systems
17 p0132 N78-13251
- HARDING, N. S.
Pollutant measurements in laboratory pulverized
coal combustor and gasifier
17 p0081 A78-16348
- HARDY, D. H.
Wind studies in complex terrain
[UCRL-79430] 17 p0157 N78-14762
- HARGRAVES, W. R.
Reference wind speed statistics for wind turbine
design
17 p0051 A78-11313
- HARNAY, W. C.
General safety considerations of the Ohio DOT
electric vehicle
[SAE PAPER 780160] 19 p0307 A78-33376
- HARI RAO, C. V.
Observations of anisotropic diffused layer sheet
resistance in EPG silicon ribbon solar cells
18 p0223 A78-30648
- HARKNESS, S.
A lower hybrid heating system for an ignition
tokamak
19 p0354 A78-39972
- HARLING, O. K.
Fusion-neutron-induced nuclear recoil emission
probabilities
17 p0062 A78-11814
- HARLOW, E. H.
Conceptual design of OTEC platforms
17 p0008 A78-10724
- HARMON, S. Y.
The testing of specially designed silicon solar
cells under high sunlight illumination
17 p0022 A78-11021

- Characteristics of solar cells designed for concentrator systems 17 p0054 A78-11337
- HARMS, A. A.
Energy yield and fuel dynamics of the fusion breeder 17 p0041 A78-11191
- HARRIGAN, R. W.
Factors affecting market initiation of solar total energy [SAND-78-0148C] 19 p0460 N78-27561
- HARRIS, A. W.
Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage 19 p0295 A78-33037
- HARRIS, J. S.
High efficiency thin window Ga_{1-x}Al_xAs/GaAs solar cells 17 p0027 A78-11065
- HARRIS, J.-W.
Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- HARRIS, L. P.
Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system [ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- HARRISON, A. W.
Radiative cooling of TiO₂ white paint 18 p0206 A78-28171
- HARRISON, R. E.
Generation of air pollutants from kerosene combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- HARRISON, W. B.
Coal-based options for generation of electricity 17 p0028 A78-11071
- HARSTAD, A. J.
Application of solar energy to air conditioning systems [NASA-CR-150532] 18 p0250 N78-17483
- HART, A. B.
Electrolytic production of hydrogen 17 p0098 A78-18830
- HART, G. K.
Testing of direct contact heat exchangers for geothermal brines [ASME PAPER 77-HT-4] 17 p0089 A78-17479
- HART, R. E.
Photon degradation effects in terrestrial solar cells [NASA-TM-78924] 19 p0421 N78-25551
- HARTE, J.
Energy and water 18 p0175 A78-23562
- HARTGEN, D. T.
Long range transportation planning under energy constraints: A critical review of current capability 18 p0256 N78-18532
- HARTMAN, S.
Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report [PB-279417/0] 19 p0467 N78-27659
- HARTMAN, T. L., III
A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323
- HARTMAN, T. L., JR.
A novel gas adsorption cycle for solar thermal power generation 17 p0052 A78-11323
- HARTY, W. E.
Corrosion fatigue of 5086-H34 aluminum in sea water 19 p0305 A78-33344
- HARTZ, F.
Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX 19 p0345 A78-39789
- HARVEY, A. B.
Mechanical engineering department [UCRL-50016-77-3] 19 p0431 N78-25645
- HARVEY, C., III
Concepts and features of the automated unit control system for the Racoon Mountain Pumped-Storage Plant [IEEE PAPER F 77 672-9] 18 p0219 A78-30195
- HASAN, H. M.
Maximization of operating efficiency of solar cells 19 p0322 A78-35782
- HASATANI, M.
Formation and growth of thermal NO_x in hydrocarbon combustion 18 p0227 A78-31498
- HASELTON, H. H.
Neutral beam injector research and development work in the USA 17 p0012 A78-10878
- HASHIZUME, H.
Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384
- HASLETT, R.
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135244] 17 p0150 N78-14632
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants [NASA-CR-135245] 17 p0150 N78-14633
- HASSENZAHN, W. V.
Superconducting energy storage development for electric utility systems 17 p0032 A78-11109
- HASTINGS, L. J.
An analytical and experimental investigation of a 1.8 by 3.7 meter Fresnel lens solar concentrator 17 p0059 A78-11373
- HATCH, A. H.
Design of superconducting magnets for full scale MHD generators 18 p0183 A78-25108
Development program for MHD power generation. Volume 4: Superconducting magnet study [FE-2015-16-VOL-4] 19 p0455 N78-27447
- HATHAWAY, G.
Canada's renewable energy resources: An assessment of potential [NP-21901] 17 p0142 N78-13588
- HATHAWAY, R. E.
Potential of open cycle OTEC - A general survey 19 p0305 A78-33347
- HATHAWAY, S. A.
Technology evaluation of Army-scale waste-to-energy systems [AD-A042578] 17 p0112 N78-10567
- HATHAWAY, S. W.
Improving sludge incineration and vacuum filtration with pulverized coal 17 p0095 A78-18498
- HAUCK, S. A.
Tectonic atlas of uranium potential in crystalline rocks of the eastern US [GJEX-69(77)] 19 p0400 N78-23666
- HAUER, C. E.
Summary of proceedings of Solar Heating and Cooling Commercialization workshop [DSE/4017-1] 19 p0445 N78-26568
- HAUGER, J. S.
Preliminary analysis of an option for the Federal photovoltaic utilization program [PB-274220/3] 18 p0260 N78-18562
- HAUGHIAN, J. H.
Facility for the testing of the TFTR prototype neutral beam injector 19 p0357 A78-40049
- HAUSER, J. E.
A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906
Computer analysis of heterojunction and graded bandgap solar cells 17 p0026 A78-11056
Impurity gradients and high efficiency solar cells 17 p0136 N78-13531
Solar cell design study [AD-A048042] 18 p0251 N78-17489
- HAUSER, L. G.
A forecast of electric power generation technology - 1975-2000 17 p0028 A78-11077
- HAUSZ, W.
OTEC implementation problems for specific missions 19 p0302 A78-33315

- HAUTALA, R. R.
Development of a practical photochemical energy storage system [SRO-893-6] 18 p0285 N78-21626
Development of a practical photochemical energy storage system [SRO-893-8] 18 p0285 N78-21627
Development of a practical photochemical energy storage system [SRO-893-9] 18 p0285 N78-21628
Development of a practical photochemical energy storage system [SRO-893-10] 18 p0285 N78-21629
- HAWKINS, W. M.
Where aerospace can serve afresh - Paths to energy independence 18 p0175 A78-23420
- HAWRYLUK, R. J.
Plasma edge cooling during RF heating 19 p0342 A78-39389
- HAWTHORNE, E. I.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- HAWTHORNE, W.
Aircraft propulsion from the back room /Sixty-sixth Wilbur and Orville Wright Memorial Lecture/ 19 p0326 A78-36279
- HAY, R. D.
Magnet conceptual design for a high field tokamak reactor 19 p0349 A78-39884
- HAYASE, K.
Plan and design of ETL TPE-2 experiment 17 p0040 A78-11180
- HAYDEN, A. C. S.
Emissions and energy conservation in residential oil heating 19 p0384 A78-42902
- HAYES, H.
Techniques for the determination of ohmic drop in half-cells and full cells - A review 17 p0095 A78-18408
- HAYNES, B. W.
Metals in the combustible fraction of municipal solid waste [PB-272946/5] 18 p0245 N78-16499
- HAYNES, H. W., JR.
Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions 18 p0190 A78-26580
The conversion of model coal liquids compounds to Naphtha species [PB-275891/0] 18 p0272 N78-20291
- HAYWARD, R. J.
Design, construction and operation of the DITE divertor field system 17 p0039 A78-11175
- HAZELRIGG, G. A., JR.
Political and legal implications of developing and operating a satellite power system [NASA-CR-157077] 19 p0412 N78-25003
- HEALEY, J.
Solar energy and the heat pump in a northern climate [EPRI-EA-407] 19 p0462 N78-27583
- HEALY, J. V.
The influence of blade thickness on the output of vertical axis wind turbines 19 p0381 A78-42417
- HEAP, M. P.
Evaluation of NO_x/x emission characteristics of alcohol fuels for use in stationary combustion systems 19 p0321 A78-35705
Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-269277/0] 17 p0121 N78-11526
- HEAPS, J. D.
Dip-coated sheet silicon solar cells 17 p0014 A78-10926
Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464
- Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- HEARD, H. C.
LLL gas stimulation program [UCRL-50036-77-3] 19 p0445 N78-26575
- HEATH, J.
Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients [PB-268603/8] 17 p0110 N78-10546
- HEATHERLY, D. E.
Molten carbonate fuel cell research at ORNL [ORNL/TN-5886] 17 p0151 N78-14639
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TN-6168/V2] 19 p0448 N78-26601
- HEATHERLY, L.
Surface and impurity studies in ORMAK and ISI 19 p0378 A78-42210
- HECK, F. H.
Electrical design of TNS 19 p0351 A78-39918
- HECK, R. H.
Upgrading of coal liquids for use as power generation fuels [EPRI-AP-444] 19 p0427 N78-25608
- HEETDEKES, J. H.
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- HEFFINGTON, W. H.
Volcanoes as a source of geothermal energy 17 p0067 A78-13346
- HEFFNER, F. E.
Stirling engine ground power unit [GMR-2690-SECT-1.108] 19 p0437 N78-26245
Stirling engine Ground Power Unit model GPU 3 acceptance test report [GMR-2690-SECT-1.110] 19 p0437 N78-26247
US Army Engineer Research and Development Laboratories five hundred hour engineering evaluation of the Stirling GPU 2-1 [GMR-2690-SECT-1.112] 19 p0437 N78-26249
- HEFT, R. C.
Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7] 17 p0123 N78-11894
Costs and energy efficiency of a dual-mode system [PB-272714/7] 18 p0246 N78-16936
- HEGELS, S.
Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859
- HEIER, S.
Wind energy converter and mechanical energy converters - Matching and control 18 p0211 A78-28564
- HEILMAN, J.
HCM energy budget data as a model input for assessing regions of high potential groundwater pollution [E78-10111] 18 p0282 N78-21516
- HEILMANN, W.
Review of the development of small- and medium-capacity gas turbines at the Motoren- und Turbinen Union [DGLR PAPER 77-061] 17 p0096 A78-18702
- HEIN, G. F.
Energy resources of the developing countries and some priority markets for the use of solar energy 18 p0179 A78-24400
Impact of Balance Of System (BOS) costs on photovoltaic power systems [NASA-TN-78939] 19 p0443 N78-26550
- HEINS, C. F.
Solar heating system for recreation building at Scattergood School [NASA-CR-150553] 18 p0274 N78-20605
- HEINZELMANN, F. J.
Production economics for hydrogen, ammonia and methanol during the 1980-2000 period [BNL-50663] 19 p0415 N78-25243
- HEISS, K. P.
The economics of space industrialization - A phased approach 18 p0204 A78-27934

- HEITHAUN, W.
Waste heat utilization in industrial processes
[NASA-TN-75210] 19 p0413 N78-25012
- HEITNER, K. L.
Air pollution assessments of new fossil energy
technologies 17 p0086 A78-17092
- HEITZENROEDER, P. J., JR.
PDX PF power tests 19 p0351 A78-39909
- HELLER, A.
CuInS₂ liquid junction solar cells 19 p0310 A78-34274
Semiconductor liquid-junction solar cells;
Proceedings of the Conference on the
Electrochemistry and Physics of Semiconductor
Liquid Interfaces under Illumination, Airlie,
Va., May 3-5, 1977 19 p0342 A78-39453
Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells 19 p0343 A78-39456
Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency 19 p0343 A78-39461
Stability and voltammetry of illuminated
semiconductor-liquid interfaces 19 p0343 A78-39464
Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells 19 p0344 A78-39469
- HELLHAKE, G. P.
School and factory installations demonstrate solar
energy in US northeast 18 p0193 A78-26950
- HELM, H.
Fusion and fast breeder reactors
[IIASA-RR-77-8] 18 p0278 N78-20941
- HELTON, P. J.
Doublet IIA experiments 17 p0011 A78-10776
- HENBREE, L. A., JR.
Ambient air quality in complex terrain 18 p0167 A78-21833
- HENHINGS, P. L.
Thermodynamic phase stability diagrams for the
analysis of corrosion reactions in coal
gasification/combustion atmospheres
[EPRI-PP-539] 19 p0445 N78-26574
- HENSWORTH, M. C.
Energy efficient engine preliminary design and
integration studies 19 p0453 N78-27054
- HENSWORTH, R. S.
Electron and ion heating by neutral injection in
the DITE tokamak 19 p0381 A78-42268
- HENCH, T. L.
Studies related to Zn/x/Cd/1-x/S-Cu₂S solar cells
17 p0018 A78-10982
- HENDERSON, C.
Transportation in America's future: Potentials
for the next half century. Part 2.
Transportation forecasts
[PB-270468/2] 17 p0129 N78-12909
Transportation in America's future: Potentials
for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
- HENDERSON, F. B., III
Future onshore and offshore exploration by remote
sensing from space
[AIAA 77-1550] 17 p0069 A78-13681
Industrial use of geological remote sensing from
space 17 p0075 A78-14787
- HENDRICKS, B. C.
A feasibility study of a combined wind-solar
system for space and domestic hot water heating
17 p0052 A78-11319
Effect of tax-credits on the economics of solar
heating for homeowners 17 p0057 A78-11356
- HENDRICKSON, B. R.
Seals for geothermal roller drill bits
[ASME PAPER 77-PET-53] 17 p0077 A78-15081
- HENKEL, H.-J.
Autothermal gasification of liquid hydrocarbons by
partial oxidation 17 p0002 A78-10320
- Compact gas generator for fuel gasification aboard
motor vehicles 18 p0236 A78-32509
- HENLEY, J. P.
Effect of coal minerals on reaction rates during
coal liquefaction 18 p0190 A78-26579
- HENNAGIN, B. D.
Appendix: Cook inlet coal: Economics of mining
and marine slurry transport
[PB-278756/2] 19 p0455 N78-27493
- HENNESSEY, J. P., JR.
On the use of power laws for estimates of wind
power potential 18 p0234 A78-32410
- HENNING, C. D.
Some economic and environmental consequences of
fusion power 18 p0184 A78-25302
- HENNINGTON, W. H.
Devonian - Ohio Shale productive potential
17 p0030 A78-11090
- HENRICH, J. P.
General Electric conceptual design of a test coil
for the large coil program 19 p0351 A78-39928
- HENSCHEL, D. B.
Environmental assessment of the fluidized-bed
combustion of coal - Methodology and initial
results 18 p0206 A78-28271
Emissions from FBC boilers 19 p0310 A78-34186
- HERGET, W. P.
Instrumental sensing of stationary source emissions
17 p0001 A78-10056
- HERMAN, S. W.
Corporate research and development in alternate
energy 17 p0028 A78-11072
- HERMANN, W.
Analysis and optimization of solar hot water systems
17 p0075 A78-14689
- HERNELEY, A. L.
Regional reference energy systems
[EPRI-EA-462] 17 p0155 N78-14675
Energy modeling and data support for the Electric
Power Research Institute
[EML-50696] 19 p0425 N78-25595
- HERNANDEZ, D.
A fluidized bed solar reactor - A thermochemical
application 18 p0165 A78-20623
- HERNANDEZ, D. J.
Energy consumption of advanced wastewater
treatment at Ely, Minnesota
[PB-278270/4] 19 p0452 N78-26998
- HERNANDEZ, E.
Selecting optimum tilts for solar collectors as a
function of cloudiness 17 p0043 A78-11226
- HERONENUS, W. E.
Three ocean sited natural energy systems
17 p0009 A78-10735
Ocean thermal energy conversion material
requirements for large-scale systems 18 p0183 A78-25057
- HERR, K. C.
Augmented solar energy collection using different
types of planar reflective surfaces -
Theoretical calculations and experimental results
17 p0060 A78-11386
Possible selective solar photothermal absorber -
Ni dendrites formed on Al surfaces by the CVD of
Ni/CO/4 18 p0221 A78-30302
- HERRERA, G.
Projection of distributed-collector solar-thermal
electric power plant economics to years 1990-2000
[NASA-CR-155427] 17 p0160 N78-15568
- HERRING, R. L.
Evaluation of a large capacity heat pump concept
for active cooling of hypersonic aircraft
structure
[NASA-CR-145301] 18 p0248 N78-17339
- HERTZBERG, A.
A high thermal efficiency X-ray energy conversion
scheme for advanced fusion reactors 19 p0354 A78-39978

- HERVEY, G. H.
Oil/gas complex conceptual design/economic analysis: Oil and SNG production [FE-1775-8] 17 p0161 N78-15575
- HERWIG, L. O.
Solar energy systems for electricity production 17 p0010 A78-10738
Review of overseas solar technologies relative to international cooperation 17 p0058 A78-11367
- HERZENBERG, C. L.
Instrumentation and process control for fossil demonstration plants [ANL/FE-49622-9] 19 p0430 N78-25640
- HESSE, R. W.
Noble-gas closed-cycle system of magnetohydrodynamic power generation [R-2128-ERDA] 19 p0422 N78-25570
- HESSE, R.
THP heating studies on Petula Tokamak 19 p0354 A78-39969
Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- HESTER, J. C.
Feasibility evaluation: Solar heated textile process water [SRO-0885-75/1] 19 p0428 N78-25621
- HETTEL, S. A.
Dynamic models of falling film evaporators for ocean thermal energy conversion plants [COO-2641-3] 19 p0447 N78-26591
- HEUER, J.
Recent developments in heat exchangers for vehicle gas turbines [DGLR PAPER 77-075] 17 p0096 A78-18711
- HEWITT, T. A.
Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7] 19 p0345 A78-39776
- HEWIG, G. H.
The influence of the horizontal and vertical structure of the p-n junction in Cu₂S-CdS solar cells 17 p0018 A78-10975
Technology of Cu₂S-CdS solar cells - German state-of-the-art 19 p0373 A78-42127
- HEWING, G.
Vehicular gas turbine with ceramic recuperative heat exchanger 19 p0311 A78-34486
- HEWISH, H.
Aero engines climb towards better fuel efficiency 19 p0332 A78-37114
- HEWITT, H. C., JR.
Performance tests of a solar energy collector used to heat air 17 p0043 A78-11224
Design and analysis of a uniaxial tracking device with a cylindrical parabolic solar concentrator system 17 p0058 A78-11372
A simple test for determining a best flow rate through solar collectors [AIAA PAPER 78-900] 19 p0324 A78-36020
- HEWITT, J. D.
Boiling heat transfer in a bench-scale molten-salt thermal energy storage device [ORNL/TH-5689] 17 p0114 N78-10586
- HEYNDRIKX, A.
Toxicological aspects of the use of hydrogen in the future as main energy source 17 p0101 A78-18855
- HEYNE, C. J.
Superconducting energy storage coils 19 p0356 A78-40010
- HEYWOOD, J. B.
Experimental and theoretical analysis of Wankel engine performance [SAE PAPER 780416] 19 p0308 A78-33388
- HICKMAN, B. H.
Can coal-oil mixtures make it as industrial fuels 18 p0206 A78-28210
- HICKOX, C. E.
Techniques for reducing thermal conduction and natural convection heat losses in annular receiver geometries 19 p0294 A78-33029
- HIJIKATA, K.
Analysis of the seeded combustion gas boundary layer near a cold electrode 17 p0083 A78-16814
- HILBOEN, R. B., JR.
Solar cell processing with spin-on diffusion sources 17 p0015 A78-10943
An optical scanning technique for evaluating silicon solar cells 17 p0091 A78-17553
- HILDEBRANDT, A. F.
The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232
Solar tower - Thermal collection energy component: 10 MWe pilot plant 17 p0052 A78-11322
- HILL, A. C.
Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1] 18 p0185 A78-25412
- HILL, D. C.
Design of high efficiency flat plate solar collectors for space and water heating [ASME PAPER 78-DE-7] 19 p0345 A78-39776
- HILL, G. R.
Critical paths to coal utilization 17 p0075 A78-14690
Coal technology - Users' viewpoint 18 p0181 A78-24755
- HILL, J. E.
Testing of flat-plate air heaters according to ASHRAE Standard 93-77 17 p0042 A78-11220
A method of testing for rating thermal storage devices based on thermal performance 17 p0084 A78-16838
- HILL, J. H.
Removal of silica from spent geothermal brine [UCID-17702] 19 p0430 N78-25636
- HILL, J. H.
Enhancement of flat plate solar collector performance through the use of planar reflectors 17 p0060 A78-11388
- HILL, M.
Automobile exhaust emission surveillance analysis of the FY 1974 program [PB-268782/0] 17 p0117 N78-10622
- HILL, R. E.
The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974
- HILL, R. F.
Energy technology IV; Proceedings of the Fourth Conference, Washington, D.C., March 14-16, 1977 18 p0180 A78-24751
- HILL, R. W.
Highlights of the LLL Hoe Creek No. 2 underground coal gasification experiment 19 p0367 A78-41524
- HILST, G. R.
Time-variable air pollutant emission strategies for individual power plants [EPRI-EA-418] 17 p0146 N78-13645
- HINENO, S.-I.
Measurement of a theta-pinch plasma by holographic interferometry 18 p0192 A78-26624
- HIMSTEDT, U.
Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISEE-B 17 p0085 A78-16852
- HINES, A. L.
Shale oil retention on crushed unretorted shale 19 p0367 A78-41523
- HINMAN, G. W.
Energy conservation policy - opportunities and associated impacts. Study module 1-A. Volume 1, summary report [PB-274337/5] 18 p0269 N78-19661
- HINTON, H. G.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596

- Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- HIRANO, K.-I.
Damping of radial oscillation of a toroidal pinch plasma
18 p0192 A78-26708
- HIRANO, Y.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- HIRAKA, T.
The progress and the development program of fusion technology in Japan
17 p0038 A78-11162
- HIROTA, I.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- HIRSBERG, A. S.
Public policy issues. A Southern California Gas Company project SAGE report
[NASA-CR-155945] 18 p0264 N78-19613
- HIRSCH, R. L.
ERDA's Solar Energy Research and Development Program
18 p0180 A78-24753
- HIRSCHFELD, P.
For the latest in energy storage, try the flywheel
18 p0217 A78-29600
- Problems and progress in developing the automotive gas turbine
19 p0316 A78-35423
- HIRSCHMAN, J. G.
Progress in the utilization of solar energy in Chile
19 p0370 A78-42105
- HIRSHBERG, A. S.
Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration
[NASA-CR-155325] 17 p0125 N78-12527
- Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1
[NASA-CR-155326] 17 p0125 N78-12528
- An overview of US energy options: Supply- and demand-side history and prospects
[NASA-CR-155946] 18 p0264 N78-19610
- The diffusion of the use of new energy technology as a context for an overview of solar energy technologies
[NASA-CR-155942] 18 p0264 N78-19611
- Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements
[NASA-CR-155948] 18 p0264 N78-19612
- HIRSHMAN, S. P.
The ambipolarity paradox in toroidal diffusion, revisited
19 p0380 A78-42259
- HIRST, P.
The regulation, storage, and conversion of wind produced electrical energy at the level of a few hundred watts
18 p0171 A78-22246
- HIRUNA, H.
Some characteristics of oil consumption measured by hydrogen fueled engine
[ASLE PREPRINT 77-LC-5B-1] 18 p0209 A78-28434
- HIRZEL, D. G.
Mechanical engineering department
[UCRL-50016-77-3] 19 p0431 N78-25645
- HISE, E. C.
Annual cycle energy system concept and application
[CONF-770870-1] 18 p0288 N78-21647
- HIVELY, L.
Plasma engineering problems associated with superthermal fusion products
19 p0358 A78-40081
- HJELMFELT, H. R.
A preliminary numerical study into the effects of coal development on cloud and precipitation processes to the northern Great Plains
19 p0386 A78-43291
- HLAVKA, G. E.
Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 N78-25535
- HO, B.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 N78-23590
- HO, F.
Cuprous oxide Schottky barrier photovoltaic cells
17 p0025 A78-11042
- HO, J. C. T.
An analysis of factors influencing the efficiency of EPG silicon ribbon solar cells
17 p0014 A78-10930
- HOBBY, H.
A review of work on plasma-wall interactions and divertor experiments on DITE
19 p0377 A78-42204
- HOBDAY, J. M.
Development of coal-feeding systems at the Morgantown Energy Research Center
17 p0131 N78-13246
- Gravity flow rate of solids through orifices and pipes
17 p0133 N78-13260
- HODES, G.
Photoelectrochemical storage cells - The importance of the second and third electrodes
19 p0343 A78-39455
- HOEHNE, K.
Doped silver catalysts for H₂/air fuel cells
17 p0095 A78-18644
- HORKEMA, J. A.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- HOHRING, H.
Early coal hydrogenation catalysis
19 p0337 A78-38403
- HOEBSTER, H.
Analysis and optimization of solar hot water systems
17 p0075 A78-14689
- HOFFERT, H. I.
The Lebest Wind Turbine - Laboratory tests and data analysis
19 p0364 A78-40824
- HOFFMAN, A. A. J.
Estimation of availability of solar energy
17 p0049 A78-11285
- Design options in solar total energy systems
17 p0055 A78-11346
- On the relation between insolation and climatological variables. III - The relation between normal incidence solar intensity, total insolation, and weather at Fort Hood, Texas. IV - Construction of a model year of solar intensity and climate
19 p0322 A78-35781
- HOFFMAN, K. C.
Overview of technological-economic models for energy policy analysis
[BNL-22730] 18 p0241 N78-16451
- HOFFMAN, H. A.
Electrostatic direct energy converter performance and cost scaling laws
[UCID-17560] 18 p0269 N78-19665
- HOFFMAN, U.
Development of a multi-kW roll-out solar generator
17 p0017 A78-10965
- Development of a large-area roll-out solar generator for the multi-kW range
[DGLR PAPER 77-012] 18 p0180 A78-24406
- HOFFNAYLE, G.
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry
[PB-273019/0] 18 p0244 N78-16476
- HOGAN, J. T.
Models for impurity production and transport in tokamaks
19 p0379 A78-42217
- HOGSETT, D. F.
Coal gasification - Better late than never
19 p0310 A78-34223

- HOENEHSEER, C.
Power plant performance 19 p0321 A78-35753
- HOENEHSEER, K. H.
Some alternative dynamic design configurations for large horizontal axis WECS 18 p0266 W78-19634
- HOLDWAY, R.
A scheme of low powered thermal energy conversion for satellite manoeuvres [AIAA PAPER 78-690] 19 p0293 A78-32762
- HOLDEN, S. C.
Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-157080] 19 p0406 W78-24629
- HOLDER, T. W.
Remote sensing applications in hydro-geothermal exploration of the northern basin and range province 18 p0238 W78-16405
- HOLGATE, H. J.
A cross flow wind turbine 18 p0169 A78-22233
- HOLLA, V.
Effects of temperature on the performance of silicon solar cells 19 p0371 A78-42117
- HOLLANDER, J. H.
Annual review of energy. Volume 2 17 p0007 A78-10675
- HOLLANDS, K. G. T.
An approximate equation for predicting the solar transmittance of transparent honeycombs 17 p0044 A78-11231
Studies on methods of reducing heat losses from flat plate solar collectors, phase 2 [COO-2597] 18 p0285 W78-21624
- HOLLINDEW, G. A.
Technical and economic impacts of the application of environmental control technology options [APCA PAPER 77-56,4] 18 p0186 A78-25447
- HOLLIS, B. R.
Method of construction of a multi-cell solar array [NASA-CASE-HFS-23540-1] 18 p0249 W78-17468
- HOLLOWAY, P. A. L.
A view of the government's role in energy research and development for the civilian sector 18 p0220 A78-30275
- HOLLOWAY, R.
Comparing the Ames and St. Louis resource recovery projects 18 p0186 A78-25700
- HOLLOWAY, R. W.
A 25 megajoule energy storage and delivery system for the Shiva laser 19 p0351 A78-39920
- HOLME, O.
A contribution to the aerodynamic theory of the vertical-axis wind turbine 18 p0170 A78-22238
- HOLMES, J. G.
Environmental and safety implications of solar technologies 17 p0057 A78-11360
Air pollution potential of solar technologies [APCA PAPER 77-37,1] 18 p0185 A78-25427
- HOLMES, H. L.
Submarine seepage of natural gas in Norton Sound, Alaska 17 p0087 A78-17263
- HOLTZ, E. B.
Potential energy savings in commercial/residential communities based on integrated systems design [CONF-771120-21] 19 p0464 W78-27592
- HOMBURG, E.
Acton mass flow system applied to PFBC feed 17 p0133 W78-13267
- HOMBETCOVSCHI, D.
Coaxial MHD generator 18 p0229 A78-31751
- HONDA, K.
Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466
- HONDA, T.
Cold wall Faraday type generating channel 17 p0106 A78-20199
- HONG, S. O.
Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047
- HONIG, E. H.
Dual 30 kA, HVDC interrupter test facility 19 p0353 A78-39959
- HONYA, H.
Hydrogen photoproduction from water 18 p0207 A78-28358
- HOOK, C. O.
Oil shale research overview [PB-278159/9] 19 p0442 W78-26529
- HOOPER, F. C.
Optimization of an annual storage solar heating system over its life cycle 17 p0050 A78-11296
Solar space heating systems using annual heat storage [COC-2939] 18 p0287 W78-21645
Design method for heat loss calculation for in-ground heat storage tanks [COO-2939-3] 19 p0441 W78-26402
- HOOSER, J.
The OMEGA fusion laser system 19 p0359 A78-40221
- HOOVER, D. Q.
Potential role of solar thermal electric power in the U.S. 17 p0010 A78-10743
- HOOVER, L. J.
Long-term availability of water resources for energy development in the central United States [CONF-7710101-5] 19 p0397 W78-23584
- HOOVERMAN, R. H.
Rotary kiln gasification of biomass and municipal wastes 17 p0035 A78-11130
- HOPKINS, D. C.
Shading effect for uniformly spaced solar collector arrays on plane surfaces 19 p0296 A78-33039
- HOPKINS, J. B.
Measurement and simulation of fuel consumption in rail freight service 18 p0258 W78-18545
- HOPKINS, R. H.
Silicon solar cells from transition metal doped Czochralski and web crystals 17 p0013 A78-10922
Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 W78-24622
- HOPPER, T. G.
Time-variable air pollutant emission strategies for individual power plants [EPRI-EA-418] 17 p0146 W78-13645
- HOPPS, R. H.
Fuel efficiency - where we are heading in the design of future jet transports 18 p0226 A78-31307
- HORAK, H. L.
NHSU - Casa del Sol of the future 18 p0232 A78-32114
- HORI, K.
Development of a new combustion system /MCA-jet/ in gasoline engine. 19 p0386 A78-43296
- HORNADY, B.
Bibliography of earth science reports for 1976 [UCID-17476-76] 17 p0149 W78-14451
- HORNBERG, C. D.
Ocean energy industrial complexes 19 p0301 A78-33311
- HORSFIELD, B.
Energy for agriculture and the gasification of crop residues 19 p0368 A78-41815
- HORSTHAHN, U.
Application of solar energy bioconversion in developing countries 18 p0208 A78-28367
- HORTON, R. C.
Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBN-74(77)] 19 p0391 W78-22534

- HORTON, T. E.
Optical design of solar concentrators
[AIAA PAPER 78-904] 19 p0324 A78-36022
- HORVATH, J. A.
Using computer graphics to analyze the placement
of neutral-beam injectors for the Mirror Fusion
Test Facility 19 p0357 A78-40026
- HOSOKAWA, K.
Computer simulation on laser plasma compression 19 p0362 A78-40386
- HOTTEBROTH, P. W.
Low cost test procedure for solar collectors
[ASME PAPER 77-WA/SOL-4] 19 p0299 A78-33192
- HOTTNER, T.
Energetic evaluation of the hybrid tunnel
principle and possibilities of efficiency
vement 18 p0246 N78-17011
- HOUGLAND, R. S.
Technical and economic impacts of the application
of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- HOUREHANESH, S.
Energy performance of solar walls - A computer
analysis 17 p0107 A78-20496
- HOUSEMAN, J.
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233
- HOUSER, T.
Fundamentals of nitric oxide formation in fossil
fuel combustion [FE-2018-5] 17 p0130 N78-13175
- HOUSTON, D. E.
Application of laser fusion to the radiolytic
production of hydrogen 19 p0383 A78-42858
- HOVE, D. T.
Hydrodynamic loads on the cold water pipe 19 p0303 A78-33326
- HOVEL, E. J.
Efficiency calculations for thin film
polycrystalline semiconductor Schottky barrier
solar cells 17 p0013 A78-10920
Diffusion length measurement by a simple
photoresponse technique 17 p0026 A78-11050
Improved GaAs solar cells with very thin junctions 17 p0026 A78-11057
Solar cells for terrestrial applications 17 p0083 A78-16826
- HOWARD, B. C.
Computer simulation of the periodic electrostatic
focusing converter 17 p0095 A78-18392
- HOWARD, J. B.
The physical transformation of the mineral matter
pulverized coal under simulated combustion
conditions 17 p0079 A78-15834
- HOWE, J. W.
Solar energy for village development 18 p0176 A78-23564
- HOWELL, J. R.
Heat transfer in solar energy systems; Proceedings
of the Winter Annual Meeting, Atlanta, Ga.,
November 27-December 2, 1977 19 p0294 A78-33026
- HOWELL, R. E.
Comparative residential energy consumption and
fuel costs with various types of systems - Oil-,
gas-, electric-furnaces and heat pumps 17 p0033 A78-11118
- HOWELL, W. E.
Cost-effective electrical power generation from
the wind 17 p0052 A78-11316
Cost-effective electric power generation from the
wind - A system linking wind-power with
hydroelectric storage and long-distance
transmission 19 p0381 A78-42418
Cost-effective electric power generation from the
wind [PB-273582/7] 18 p0251 N78-17639
- HOWLAND, H. R.
An approach to decision modeling for an ignition
test reactor 19 p0346 A78-39797
Poloidal field coil design for a fusion-fission
breeder reactor 19 p0354 A78-39977
- HOWLAND, H. R.
A 25 megajoule energy storage and delivery system
for the Shiva laser 19 p0351 A78-39920
- HRAPLA, M. P.
Net energy analysis model for the evaluation of a
solar heating, ventilation and air conditioning
system [AD-A047433] 18 p0251 N78-17487
- HRICAK, W.
Energy savings through combining of operation of
heat pump and air conditioning systems 18 p0232 A78-32115
- HSIA, E. A.
Effects of wall electrical conductance and induced
magnetic field on MHD channel heat transfer with
developing thermal and velocity fields
[ASME PAPER 77-HT-63] 17 p0090 A78-17495
- HSIAO, T.-L.
Limits on the yield of photochemical solar energy
conversion 17 p0079 A78-15847
- HSIEH, C. L.
Doublet IIA experiments 17 p0011 A78-10776
- HSIEH, C. T.
Artificial upwelling induced by ocean currents -
Theory and experiment 19 p0326 A78-36274
- HSIEH, D.
Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors 17 p0038 A78-11167
- HSU, G. C.
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167] 19 p0414 N78-25233
Surfactant-assisted liquefaction of particulate
carbonaceous substances [NASA-CASE-WPO-13904-1] 19 p0414 N78-25237
Coal desulfurization by low temperature
chlorinolysis, phase 1 [NASA-CR-157172] 19 p0419 N78-25533
- HSU, L. C.
Impurity concentrations and surface charge
densities on the heavily doped face of a silicon
solar cell 17 p0136 N78-13534
- HUANG, C.-S.
Hydrogenation of phenanthrene over a commercial
cobalt molybdenum sulfide catalyst under severe
reaction conditions 18 p0190 A78-26580
- HUANG, E. T. K.
Devolatilization and desulfurization of Iowa coal 17 p0125 N78-12525
- HUANG, J. C.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505] 19 p0423 N78-25578
- HUANG, P. A.
Artificial upwelling induced by ocean currents -
Theory and experiment 19 p0326 A78-36274
- HUANG, V. H.
Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 N78-24618
- HUBBARD, J. E.
Postulated weather modification effects of large
energy releases [BNWL-2162] 17 p0117 N78-10672
- HUCK, S. E.
Simplified techniques for sizing residential solar
heating systems 17 p0047 A78-11256
- HUCKLESBY, R. J.
Design aspects of a large toroidal stabilizing
shell and vacuum liner assembly 17 p0040 A78-11184

- HUCKSTEP, F. L.
Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOI-2] 19 p0299 A78-33190
- HUBBER, A.
Legal problems of solar energy utilization 18 p0214 A78-28595
- HUETTER, U.
The outlook for wind energy 17 p0072 A78-14101
Possibilities and prospects for wind energy utilization 18 p0209 A78-28552
Giant wind turbines 19 p0340 A78-38814
- HUETTER, H.
Hydrogen production from coal gasification 17 p0098 A78-18829
- HUFF, J. E.
Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650
- HUFFMAN, F. H.
Thermionic energy conversion topping system [ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144
- HUFFMAN, W. J.
Ammonia synthesis gas and petrochemicals from cattle feedlot manure 17 p0035 A78-11132
- HUGHART, D. P.
Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil 17 p0110 N78-10552
- HUGHES, D. W.
Fuel vapourization - Economy with reduced exhaust emission 18 p0221 A78-30366
- HUGILL, J.
A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- HUGOSSON, S.
The Swedish Wind Energy Programme 18 p0209 A78-28555
- HUGUET, H.
The mechanical structure of the Joint European Torus 17 p0040 A78-11182
- HULETT, L. D.
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TM-6168/V2] 19 p0448 N78-26601
- HULL, J. A.
Adaptive curve fitting for chemical processes [AD-A046456] 17 p0158 N78-15213
- HULSHIZER, W. B.
Current progress in materials development for coal conversion 17 p0073 A78-14399
- HULSTROM, R. L.
An accurate, economical, solar insolation computer model for the United States 17 p0049 A78-11284
- HUMPHREY, J. P.
Energy from in situ processing of antrim oil shale [FE-2346-16] 19 p0432 N78-25649
Energy from in situ processing of antrim oil shale [FE-2346-19] 19 p0432 N78-25652
- HUMPHREY, M. F.
Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] 19 p0414 N78-25233
- HUMPHRIES, W. B.
Use of the Marshall Space Flight Center solar simulator in collector performance evaluation [NASA-TM-78165] 18 p0284 N78-21605
Design and operation of a solar heating and cooling system for a residential size building [NASA-TM-78169] 19 p0420 N78-25546
- HUNDENHAIN, A. S.
Petroleum exploration, production, and recovery methods. Citations from the NTIS data base [NTIS/PS-78/0277] 19 p0411 N78-24689
- Total energy systems for buildings. Citations from the engineering index data base [NTIS/PS-78/0306] 19 p0432 N78-25657
- Total energy systems for buildings. Citations from the NTIS data base [NTIS/PS-78/0305] 19 p0433 N78-25658
- Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0278] 19 p0433 N78-25659
- Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0279] 19 p0433 N78-25660
- Waste heat utilization. Citations from the NTIS data base [NTIS/PS-78/0294] 19 p0433 N78-25661
- Waste heat utilization; volume 3. Citations from the engineering index data base [NTIS/PS-78/0296] 19 p0433 N78-25662
- Waste heat utilization, volume 2. Citations from the engineering index data base [NTIS/PS-78/0295] 19 p0433 N78-25663
- Pollution and environmental aspects of fuel conversion. A bibliography with abstracts [NTIS/PS-78/0314] 19 p0434 N78-25701
- Wind power, volume 1. Citations from the NTIS data base [NTIS/PS-78/0415/6] 19 p0465 N78-27600
- Wind power, volume 2. Citations from the NTIS data base [NTIS/PS-78/0416/4] 19 p0465 N78-27601
- Wind power. Citations from the engineering index data base [NTIS/PS-78/0417/2] 19 p0465 N78-27602
- HUNDERI, O.
Selective absorption of solar energy in granular metals - The role of particle shape 19 p0369 A78-41910
- HUNKER, R. W.
Methodology for site selection of a solar total energy large scale experiment [SAND-77-0248] 18 p0277 N78-20644
- HUNN, B. D.
A hybrid passive/active solar house 17 p0047 A78-11269
- HUNT, L. P.
Production of solar-grade silicon from purified metallurgical silicon 17 p0013 A78-10925
- Total energy use in the production of silicon solar cells from raw materials to finished product 17 p0016 A78-10954
- High-purity silicon for solar cell applications 19 p0344 A78-39567
- Solar silicon via the Dow Corning process [NASA-CR-157065] 19 p0406 N78-24637
- HUNTER, J. E.
Examination of Stirling engine regenerator screens [GHE-2690-SECT-3.105] 19 p0439 N78-26289
- HUNTER, S. C.
Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions [ASME PAPER 77-WA/APC-1] 19 p0297 A78-33126
- HUNTER, W. B.
Aviation fuels beyond the 1980's [NASA-TM-79510] 19 p0436 N78-26223
- HUO, R.
Innovative wind turbines 17 p0031 A78-11101
- HURLBURT, H. E.
Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies 19 p0302 A78-33320
- HURLEY, J. D.
Design, develop, and manufacture process gas lubricated hot recycle gas circulators [COO-0004-1] 19 p0423 N78-25573
- HURTER, D. A.
Study of future heat engine vehicle systems [UCRL-13781] 19 p0436 N78-2603
- HUSAR, J. D.
Sulfur budget of a power plant plume 19 p0366 A78-41275
- HUSAR, R. B.
Sulfur budget of a power plant plume 19 p0366 A78-41275

- HUSSEIN, S. A.**
Contribution to the mineralogy of some Arabian oil-shales 18 p0168 A78-22021
- HUSSEY, C. L.**
High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 N78-11502
- HUSSMAN, P. N.**
Experiments with enhanced mode thermionic converters 18 p0218 A78-29636
- HUTCHBY, J. A.**
Comparative radiation resistance calculation for graded- and constant-composition n Al/x/Ga/1-x/As-p Al/z/Ga/1-z/As solar cells 19 p0338 A78-38551
Theoretical studies of a new double graded band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub 1-y As 17 p0138 N78-13543
- HUTCHINSON, I. B.**
Mechanism for the omega/pe/ radiation in Tokamaks 18 p0225 A78-31215
- HUZUN, H.**
Heat pipes for sun energy conversion [AIAA 78-457] 19 p0319 A78-35632
- HWANG, G. J.**
Experiments on flat-plate solar energy collectors 19 p0342 A78-39179
- HWANG, H. H.**
Synchronization of wind turbine generators against an infinite bus under gusting wind conditions [IEEE PAPER P 77 675-2] 18 p0219 A78-30196
Employing static excitation control and tie line reactance to stabilize wind turbine generators [NASA-CR-135344] 18 p0274 N78-20603
- HWANG, H. L.**
Characteristics of chalcocite /Cu/x/S/ films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977
A study of copper-sulfide/cadmium-sulfide photovoltaic cells based on sulfurization and other processes. 17 p0111 N78-10556
- HWANG, K. P.**
Dielectric breakdown of liquid and vapor helium in bulk and across epoxy insulation 19 p0357 A78-40047
- HYMAN, H., JR.**
Solar economics comes home 18 p0186 A78-25718
Monitoring solar space heat 18 p0214 A78-28800
- IACHETTA, F. A.**
Heat transfer analysis of a system for annual collection and storage of solar energy 19 p0296 A78-33038
Design and operational influences on thermal performance of 'Solaris' solar collector [ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190
Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1] 17 p0152 N78-14649
- IAKUBOV, I. T.**
Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel 18 p0204 A78-28120
Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions 19 p0341 A78-38965
- IANTUONO, A.**
Generalized numerical model for predicting energy transfers and performance of large solar ponds [UCRL-13722] 17 p0161 N78-15576
- IBA, K.**
Thermo-nuclear fusion plasma produced by CO2 laser 19 p0362 A78-40385
- IBRAGIMOV, SH. SH.**
Problem of the vulnerability of materials to radiation in relation to atomic and thermonuclear power engineering 18 p0180 A78-24748
- ICENBOWER, D.**
A reactive-heat-pipe for combined heat generation and transport [AIAA 78-440] 19 p0318 A78-35620
- IGLOVA, L. V.**
The efficiency of half-peak MHD electric power plant 18 p0166 A78-21034
- IGNATIEV, A.**
The dependence of optical properties on the structural composition of solar absorbers 17 p0044 A78-11232
Structural composition and optical properties of solar blacks - Gold black 17 p0070 A78-13908
- IGNATOV, V. E.**
Prospects of using superconducting dc lines [BNL-TR-637] 17 p0115 N78-10589
- IGNATOVA, T. S.**
Study of the behavior of periclase materials in gas flows containing alkali additions 19 p0328 A78-36578
- IGRA, O.**
The shrouded aerogenerator 17 p0067 A78-13344
- IIOYOSHI, A.**
Ignition of catalyzed-D reactor from D-T burning 19 p0358 A78-40083
- IKAW, R.**
Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784
- IKEDA, N.**
Plan and design of ETL TPE-2 experiment 17 p0040 A78-11180
- IKEDA, S.**
Cold wall Faraday type generating channel 17 p0106 A78-20199
- IKUTA, K.**
Formation of a high-current relativistic-electron-beam ring for plasma confinement 17 p0012 A78-10887
An expression for beta in linked Min-B configurations 18 p0173 A78-22836
- ILES, P. A.**
Design factors for transparent conducting layers in solar cells 17 p0027 A78-11064
- ILIEV, I.**
Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes 19 p0363 A78-40619
- IMAHURA, H. S.**
Residential photovoltaic prototype system definition study 17 p0054 A78-11338
- IMBERT, B.**
Determination of the geometrical concentration of a solar collector using a spherical mirror 18 p0203 A78-27922
- INCROPERA, F. P.**
A model for solar radiation conversion to algae in a shallow pond 18 p0205 A78-28167
- INGLEY, H. A.**
Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system 17 p0046 A78-11246
- INHABER, H.**
Is solar power more dangerous than nuclear 19 p0341 A78-38998
- INNOCENTE, G.**
Helium heaters of the helium turbine unit of the Oberhausen energy supply [DOR-TR-35] 19 p0455 N78-27440
- INOUE, N.**
Computer simulation of ion extraction 18 p0188 A78-25947
- INOUE, S.**
Shear stabilization of collisional drift instability 19 p0369 A78-42022
- INOUE, T.**
Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466

- INTRON, J. A.
Impact of solar heating and cooling on electric utilities
[PB-271415/2] 17 p0145 N78-13621
- IOSIFIAN, A. G.
Electromechanics in space 17 p0073 A78-14175
- IOUP, G. E.
Annual Conference on Ocean Thermal Energy Conversion, 4th, University of New Orleans, New Orleans, La., March 22-24, 1977, Proceedings 19 p0300 A78-33301
- IQBAL, M.
Estimation of the monthly average of the diffuse component of total insolation on a horizontal surface 17 p0105 A78-19840
- IRANI, M. C.
Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa. 17 p0145 N78-13624
[PB-271875/7]
- IRELAND, H. E.
Upgrading of coal liquids for use as power generation fuels
[EPRI-AF-444] 19 p0427 N78-25608
- IRWINGER, P. F.
The use of oxygen/water for removal of sulfur from coals 19 p0320 A78-35694
- ISAACS, G. A.
Studies to define the role of coal cleaning in an SO₂ control strategy for TVA
[APCA PAPER 77-14.4] 18 p0186 A78-25446
- ISAACS, H. S.
Fuel cells: Applied research fuel cell materials and electrocatalysis
[BNL-50652] 19 p0447 N78-26597
- ISAACS, J. D.
Salt domes - Is there more energy available from their salt than from their oil 18 p0217 A78-29623
- ISAKOVA, H. P.
Subsonic flow in an MHD channel 19 p0341 A78-38963
- ISEROV, A. D.
Processing the results of experiments on the U-25 unit by means of an information measuring system 17 p0002 A78-10246
The formation of electrode arcs and the electric fluctuations in an MHD channel 18 p0194 A78-27137
- ISHIHARA, S.
Epitaxial silicon solar cells with uniformly doped layer 18 p0228 A78-31732
- ISHIKAWA, H.
Two-dimensional analysis of a diagonal-type nonequilibrium plasma MHD generator 17 p0073 A78-14274
- ISHIWATARI, H.
Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784
- ISLER, R. C.
Surface and impurity studies in ORMAK and ISI 19 p0378 A78-42210
- ISHANZHANOV, A. I.
Technique of testing silazane coatings 19 p0331 A78-36859
- ISRAEL, J.
DOD photovoltaic energy conversion systems market inventory and analysis, volume 1
[PB-273969/6] 18 p0243 N78-16469
DOD photovoltaic energy conversion systems market inventory and analysis, volume 2
[PB-273970/4] 18 p0243 N78-16470
DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471
Preliminary analysis of an option for the Federal photovoltaic utilization program
[PB-274220/3] 18 p0260 N78-18562
- ISSACS, H. S.
Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells
[BNL-22881] 17 p0155 N78-14676
- ISSELHARDT, C. F.
Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534
- ISTING, CH.
The hydrogen pipeline network in the Rhine-Ruhr area 17 p0099 A78-18837
- ITATANI, R.
Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields 18 p0217 A78-29433
- ITOH, H.
Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- ITOH, K.
Shear stabilization of collisional drift instability 19 p0369 A78-42022
- IUV, G. H.
Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262
- IUNKOV, M. G.
Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36128
- IUNUSOV, N.
Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells 19 p0335 A78-37944
- IURASCHIK, I. L.
Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525
- IUREV, V. A.
Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338
- IURIN, E. H.
Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings 19 p0335 A78-37946
- IVANIUK, A. P.
On some new criteria of efficiency of thermoelectric materials 17 p0106 A78-20200
- IVLIEV, A. V.
Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169
- IVANKOVITSCH, S. W.
Examination of Stirling engine regenerator screens [GHR-2690-SECT-3.105] 19 p0439 N78-26289
- J
JABLOW, C.
Nuclear fusion by means of a laser 17 p0068 A78-13464
- JACKSON, G. A.
Biological constraints on seaweed culture 18 p0208 A78-28368
- JACKSON, T. A.
Fuel hydrogen content as an indicator of radiative heat transfer in an aircraft gas turbine combustor 19 p0296 A78-33114
- JACKSON, W. D.
National program for MHD power generation 17 p0010 A78-10745
- JACOB, K. T.
Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- JACOB, S. H.
Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223
- JACOBS, B.
Influence of junction roughness on solar-cell characteristics 17 p0075 A78-14745

- Influence of light reflection on the collection efficiency of a solar cell 18 p0229 A78-31767
- JACOBS, H. R.
Evaluation and design considerations for liquid-liquid direct contact heat exchangers for geothermal applications [ASME PAPER 77-HT-2] 17 p0089 A78-17477
Operational limitations of direct contact boilers for geothermal applications [ASME PAPER 77-HT-5] 17 p0089 A78-17480
- JACOBS, K. H.
Energy use and other comparisons between diesel and gasoline pickup trucks [PB-277464] 19 p0404 A78-24564
- JACOBSEN, A. S.
Solar heating and cooling of mobile homes test results 17 p0048 A78-11279
- JACOBSON, D.
Electron emission from nickel-alloy surfaces in cesium vapor 18 p0188 A78-26112
Heat pipe mirrors for high power lasers [AIAA 78-391] 19 p0317 A78-35586
- JACOBSON, D. L.
The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 A78-11021
Characteristics of solar cells designed for concentrator systems 17 p0054 A78-11337
Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment [AD-A042389] 17 p0112 A78-10563
- JACOBSON, W.
Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 A78-10636
- JACQUELIN, J.
High efficiency water electrolysis in alkaline solution 19 p0311 A78-34400
- JAFFE, L. D.
Aerospace technology can be applied to exploration 'back on earth' 19 p0297 A78-33123
Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] 19 p0414 A78-25233
- JAGUSZYK, T.
Energy conservation via solar energy applications to multi-family and commercial structures. Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures [PB-276131/0] 18 p0289 A78-21657
- JAKOBSSON, S.
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] 19 p0394 A78-23498
- JAMES, L. W.
Progress report on a 1-kW terrestrial array of AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
- JAMES, R. B.
Use of aerial thermography in Canadian energy conservation programs 17 p0149 A78-14566
- JAMES, R. C.
Cost-effective electrical power generation from the wind 17 p0052 A78-11316
Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418
Cost-effective electric power generation from the wind [PB-273582/7] 18 p0251 A78-17639
- JAMES, T. E.
Conceptual design problems in future reversed field pinch experiments 17 p0040 A78-11181
- JAMIESON, I. H.
Heat flow in a geothermally active area: The Geysers, California 18 p0261 A78-18602
- JAMISON, R. L.
Trees as a renewable energy resource 17 p0034 A78-11127
- JANCZY, J. R.
Modal analysis of the first production design heliostat used at the Solar Thermal Test Facility (STTF) [SAND-77-1393] 19 p0410 A78-24686
- JANETZKE, D. C.
Effects of rotor location, coning, and tilt on critical loads in large wind turbines 17 p0107 A78-20476
Effects of rotor location, coning, and tilt on critical loads in large wind turbines 18 p0267 A78-19636
- JANOCKO, H. A.
Superconducting energy storage coils 19 p0356 A78-40010
- JANSEN, H.
Pulsed power systems for the LASL high energy gas laser facility 17 p0007 A78-10691
- JANSEN, J.
Design of the power amplifier for the HEGLP at LASL 19 p0349 A78-39861
- JANSEN, P.
Relative cost-performance of various solar based power supply packages 17 p0003 A78-10557
- JANUSZKIEWICZ, S.
New materials for fluorosulfonic acid electrolyte fuel cells [AD-A044414] 17 p0126 A78-12531
- JARBOE, T. R.
Initial numerical studies of the behaviour of Z-pinch plasma under liner implosion conditions 19 p0380 A78-42260
- JARDINE, D. H.
Systems approach to solar heating and cooling systems [CONF-770359-1] 18 p0242 A78-16455
- JARVINEN, P. O.
Photovoltaic applications in the southwest for the National Park Service [COO-4094-3] 17 p0161 A78-15578
- JASON, A.
Development of surfaces optically suitable for flat solar panels [NASA-CR-150539] 18 p0250 A78-17477
- JASSBY, D. L.
Magnetics design for ripple-assisted beam injection into the ISX-B and TFR tokamaks 19 p0356 A78-40013
- JEFCOAT, A.
A systematic approach to the problem of characterizing the emission potential of energy conversion processes 19 p0320 A78-35699
- JENIKE, A. W.
Storage and feeding of coal 17 p0133 A78-13263
- JENKIN, P. P.
UK experience of planning the nuclear contribution to the UK power programme [IAEA-CN-36/53] 17 p0116 A78-10605
- JENSEN, G. A.
Ocean thermal energy conversion system biofouling and corrosion problems [BNWL-SA-5970] 17 p0154 A78-14662
- JENSEN, H. K.
Enhanced single-phase heat transfer for ocean thermal energy conversion systems [ORNL/SUB-77/14216/1] 17 p0153 A78-14657
- JENSEN, R. H.
Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391
Solar heating system [NASA-CASE-LAR-12009-1] 17 p0159 A78-15560
Combined solar collector and energy storage system [NASA-CASE-LAR-12205-1] 19 p0396 A78-23567
- JENSEN, T. H.
Doublet IIA experiments 17 p0011 A78-10776

- JENSEN, W. P.
Energy oriented study of industrial cyclone separators
[TREE-1174] 18 p0287 N78-21642
- JENSEN, W. S.
An analytical and experimental investigation of a 1.8 by 3.7 meter Fresnel lens solar concentrator
17 p0059 A78-11373
- JENTZ, N. E.
Oil/gas complex conceptual design/economic analysis: Oil and SNG production
[FE-1775-8] 17 p0161 N78-15575
- JESSOP, E. S.
Fiber-composite systems for energy-storage flywheels
17 p0085 A78-16901
Fiber-composite systems for energy-storage flywheels
[UCRL-78610] 17 p0114 N78-10587
- JOHNSON, A. W.
Environmental effects of burning solid waste as fuel
[IS-W-124] 19 p0466 N78-27637
- JOHANSON, E. S.
Deactivation and attrition of Co-Mo catalyst during B-Coal operations
18 p0190 A78-26582
- JOHANSSON, T. B.
Solar Sweden
19 p0315 A78-35281
- JOHNSON, C. E.
Experimental two-phase liquid-metal magnetohydrodynamic generator program
[ANL-MHD-77-3] 19 p0432 N78-25651
- JOHNSON, D. G.
Thermo-hydraulic energy from the sea
18 p0225 A78-31274
- JOHNSON, D. R.
High pressure liquid chromatographic studies of coal liquefaction kinetics
18 p0192 A78-26591
Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
- JOHNSON, D. W.
Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle
19 p0306 A78-33351
- JOHNSON, G. L.
Economic design of wind electric systems
[IEEE-PAPER F.77 679-4] 18 p0219 A78-30197
Three-phase induction motor loads on a variable frequency wind electric generator
18 p0231 A78-32050
- JOHNSON, G. R.
A microprocessor-based control system for solar heated/cooled residential dwellings
18 p0176 A78-23896
- JOHNSON, I.
Synthetic SO₂ sorbents for fluidized-bed coal combustors
17 p0003 A78-10503
The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants
[WSS/CI PAPER 77-30] 18 p0230 A78-31968
Supportive studies in fluidized-bed combustion
[FE-276974/3] 19 p0399 N78-23604
- JOHNSON, J. E.
Laboratory support for in situ gasification reaction kinetics
[ANL/CEN/FE-77-2] 19 p0423 N78-25575
- JOHNSON, J. H.
Stirling engine heater tube failures
[GHR-2690-SECT-3.101] 19 p0438 N78-26285
Stirling engine heater tube failure
[GHR-2690-SECT-3.102] 19 p0438 N78-26286
- JOHNSON, J. P.
North Stanley polymer demonstration project
[COO-0029-1] 19 p0394 N78-23539
- JOHNSON, J. R.
Metal hydride development program at Brookhaven National Library
[BNL-23574] 19 p0461 N78-27568
- JOHNSON, K. L.
Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen
18 p0247 N78-17166
- JOHNSON, M.
Solar energy commercialization at the state level: The Florida solar energy water heater program
[PB-270158/9] 17 p0128 N78-12551
- JOHNSON, M. N.
Probability distribution of bids on outer continental shelf oil and gas leases
[LA-7190-MS] 19 p0468 N78-27982
- JOHNSON, P. J.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSP/AER-75-15213] 19 p0398 N78-23590
- JOHNSON, R. N.
Tribology: Research and development needs in advanced energy technology
[HEDL-SA-1191-REV] 19 p0442 N78-26450
- JOHNSON, T. E.
Lightweight thermal storage for solar heated buildings
17 p0083 A78-16832
Lightweight building materials for the storage of solar energy
[PB-275684/9] 18 p0273 N78-20380
- JOHNSTON, J. E.
Mechanical engineering department
[UCRL-50016-77-3] 19 p0431 N78-25645
- JOHNSTON, J. R.
Materials technology assessment for stirling engines
[NASA-TN-73789] 18 p0247 N78-17187
- JOHNSTON, R. P.
Implanted energy conversion system
[PB-272609/9] 18 p0243 N78-16464
Energy efficient engine preliminary design and integration studies
19 p0453 N78-27054
- JOHNSTON, W. D., JR.
Vapor-phase-epitaxial growth, processing and performance of AlAs-GaAs heterojunction solar cells
17 p0026 A78-11055
The prospects for photovoltaic conversion
17 p0081 A78-16276
- JOLLEY, B. L.
Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPLC and GC/MS analysis
18 p0232 A78-32104
- JOWATH, A. D.
Indium phosphide films deposited by cylindrical magnetron reactive sputtering
17 p0019 A78-10987
- JONES, B. G.
Holtan salt energy storage system - A feasibility study
19 p0296 A78-33119
- JONES, B. W.
Evaluation of wind generator economics in a load duration context
17 p0028 A78-11073
Economic analysis of wind generation and energy storage for electric utility systems
17 p0031 A78-11100
- JONES, D. E.
Testing of flat-plate air heaters according to ASHRAE Standard 93-77
17 p0042 A78-11220
- JONES, G., II
Photon energy storage in organic materials - The case of linked anthracenes
18 p0220 A78-30267
Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization
[AD-A051336] 19 p0408 N78-24665
- JONES, J. E.
Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance
[CONF-770902-5] 18 p0282 N78-21483
- JONES, J. P., JR.
Analysis of the thermal fatigue induced by DNB oscillations in the MDAC Rocketdyne pilot and commercial plant solar receiver designs
[SAND-77-8283] 19 p0431 N78-25642

- JONES, L. W.
Photohydrogen production in green algae - Water serves as the primary substrate for hydrogen and oxygen production
18 p0207 A78-28352
- JONES, R.
Analytical testing techniques
18 p0266 W78-19625
- JONES, R. E., JR.
Optical properties of cylindrical elliptic concentrators
17 p0060 A78-11382
Collection properties of generalized light concentrators
17 p0080 A78-16093
- JONES, R. L.
Materials problems in hydrogen energy systems
17 p0099 A78-18839
- JONES, T. R.
Subsurface waste-heat storage: Experimental study [OR0-5003-1]
19 p0459 W78-27554
- JOWKE, A. A.
Synthetic SO₂ sorbents for fluidized-bed coal combustors
17 p0003 A78-10503
Supportive studies in fluidized-bed combustion [PB-276974/3]
19 p0399 W78-23604
Laboratory support for in situ gasification reaction kinetics [ANL/CEN/PP-77-2]
19 p0423 W78-25575
- JORGENSEN, D. W.
Overview of technological-economic models for energy policy analysis [BNL-22730]
18 p0241 W78-16451
- JOSEPH, T. W.
Annotated bibliography of natural resource information: Northwestern New Mexico [PB-276024/7]
18 p0273 W78-20597
- JUANG, L. L.
Energy modeling and data support for the Electric Power Research Institute [BNL-50696]
19 p0425 W78-25595
- JUEBTGEN, B.
Procedures for the production of hydrogen from natural gas and oil fractions
18 p0209 A78-28475
Bergbau-Forschung process for the desulfurization of flue gas
18 p0223 A78-30708
- JUNG, J.
A lower hybrid heating system for an ignition tokamak
19 p0354 A78-39972
- JUNOD, A.
Meteorological aspects of local and urban air pollution with special consideration of energy production and consumption
19 p0418 W78-25484
- JUNTGEN, H.
Methods for the production of hydrogen from natural gas and petroleum fractions
17 p0098 A78-18828
- JURGENSEN, H. P.
Energy and protein production from pulp mill wastes [COO-2983-3]
17 p0157 W78-14952
Energy and protein production from pulp mill wastes [COO-2983-6]
19 p0428 W78-25617
- JURINAK, J. J.
Environmental transport model of heavy metals
18 p0215 A78-28946
- JUSTUS, C. G.
Reference wind speed statistics for wind turbine design
17 p0051 A78-11313
The potential for power production by large dispersed arrays of wind turbines
18 p0168 A78-22227
Winds and wind system performance
18 p0231 A78-32074
- K**
- KADONTSEV, B. B.
Reconnection of field lines and disruptive instability in Tokamaks
17 p0011 A78-10796

- KAHN, H. D.
Finite size corrections for a reflector-collector system
17 p0043 A78-11227
Time integrated calculation of the insolation collected by a reflector-collector system
19 p0323 A78-35799
- KAGAN, H. B.
Photocells employing smooth AlGaAs-GaAs heterojunctions to extend the spectral response range
17 p0062 A78-11668
AlGaAs-GaAs graded-heterostructure photocells with expanded sensitivity spectrum
19 p0300 A78-33271
- KAHN, H.
Suggestions for a phase-2 national energy policy [PE-2660-1]
19 p0397 W78-23581
- KAISER, L. H.
Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document [AD-A047925]
18 p0260 W78-18558
- KAISER, V.
Water dissociation by a thermochemical cycle - A thermodynamic analysis of principles and efficiencies
19 p0340 A78-38893
- KAISHEVA, A.
Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes
19 p0363 A78-40619
- KAJI, M.
Desulfurization of petroleum residues and their carbonization properties
19 p0337 A78-38406
- KAKABAEV, A. A.
Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution
17 p0064 A78-12394
Experience in operating a solar absorption cooling plant with open solution regenerator
19 p0332 A78-36871
Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution
17 p0138 W78-13555
- KAKAC, S.
Solar production of hydrogen
18 p0201 A78-27868
- KALBERLAN, A.
On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles [SAE PAPER 780220]
19 p0307 A78-33379
- KALINCHAK, A. I.
Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators
19 p0315 A78-35091
- KALININ, B. A.
The stability of polyurethane foam solar energy collectors to climatic effects
18 p0187 A78-25738
- KALININ, V. I.
Processing the results of experiments on the U-25 unit by means of an information measuring system
17 p0002 A78-10246
- KALKE, S.
Twind wind mill
18 p0211 A78-28570
- KALTER, R. J.
Enhanced oil recovery: The impact of policy options [PB-276763/0]
19 p0388 W78-22451
- KALVINSKAS, J. J.
Coal desulfurization by low temperature chlorinolysis, phase 1 [NASA-CR-157172]
19 p0419 W78-25533
- KANABAJ, G.
Flat-plate solar collector design for industrial air heating using design data hand book
19 p0375 A78-42157

- KANAT, P. V.
Thermophotovoltaic cells for solar energy conversion 18 p0205 A78-28169
Photochemical and photoelectrochemical routes and solar energy conversion 19 p0373 A78-42135
- KANATH, G. S.
High efficiency and large area GaAl/As-GaAs solar cells 17 p0026 A78-11054
- KANATH, S.
GaAs solar cell development 17 p0138 A78-13544
- KANINS, T. I.
Photosensing arrays with improved spatial resolution 18 p0204 A78-28134
- KANINSKY, P. C.
A computer model for large-scale offshore wind-power systems 17 p0093 A78-18089
- KANIYAMA, S.
Laminar flow of a conducting liquid between coaxial cylinders in a traveling magnetic field 19 p0339 A78-38673
- KANODY, J. F.
Koppers-Totzek economics and inflation 17 p0074 A78-14539
- KANABE, T.
Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384
- KANDLER, G.
Liquid hydrogen as energy source - Economic considerations through a comparison with imported liquefied natural gas 17 p0107 A78-20516
- KANG, C. C.
The role of solvent in the solvent refined coal process 18 p0190 A78-26577
Deactivation and attrition of Co-Mo catalyst during B-Coal operations 18 p0190 A78-26582
- KANILO, P. B.
Some problems in the operational analysis of a hydrogen-fueled gas turbine 18 p0186 A78-25637
- KAPITSA, P. L.
Global problems and energy 18 p0218 A78-29772
- KAPLAN, G.
Constraining the energy gobble 17 p0096 A78-18674
- KAPLAN, I. B.
Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis 17 p0097 A78-18784
- KAPLAN, M. P.
Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator 17 p0066 A78-13157
- KAPLAN, S. I.
Value of energy storage for direct-replacement solar thermal power plants [CONF-780216-2] 19 p0446 A78-26584
- KAPLOW, B.
A tracking, high-concentration electrical and thermal solar energy collection system 17 p0024 A78-11032
Improved performance of solar cells for high intensity applications 17 p0024 A78-11033
- KAPUR, S. K.
The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319
- KAR, S.
Experimental study of the interface properties of MOS tunnel devices 17 p0026 A78-11053
- KARAKI, S.
Solar cooling 18 p0167 A78-21699
- KARAWANA, K.
A large scale heat exchanger with polygonally configured heat pipe units [AIAA 78-393] 19 p0317 A78-35588
- KARDAS, A.
Molten salt thermal energy storage systems [NASA-CR-135919] 19 p0405 A78-24618
- KARKHANAVALA, M. D.
Thermophotovoltaic cells for solar energy conversion 18 p0205 A78-28169
Photochemical and photoelectrochemical routes and solar energy conversion 19 p0373 A78-42135
- KARKHECK, J.
Prospects for the utilization of waste heat in large scale district heating systems [BNL-22559] 17 p0152 A78-14651
- KARPUKHIN, A. V.
The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields 19 p0293 A78-32717
- KARR, C., JR.
Products from two-step coal liquefaction using three different first-step reactor packings 18 p0190 A78-26578
- KARTSOUNES, G. T.
Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281] 18 p0166 A78-20788
- KARVALY, B.
Ultrathin barriers and solar energy conversion 18 p0203 A78-27895
- KASABA, R.
The efficiency improvement of electric vehicles by regenerative braking [SAE PAPER 780291] 19 p0307 A78-33383
- KASSARIAN, J. G.
Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio 17 p0028 A78-11076
- KAST, B. B.
Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1] 17 p0109 A78-10467
- KATADA, H.
The efficiency improvement of electric vehicles by regenerative braking [SAE PAPER 780291] 19 p0307 A78-33383
- KATHIRESAN, M.
Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems 19 p0375 A78-42149
- KATONA, L. J.
The stationary regimes of open cycle MHD power units - A mathematical model 19 p0362 A78-40456
- KATTO, Y.
Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115
- KATE, M.
Analysis of electrolyte shunt currents in fuel cell power plants 18 p0219 A78-30188
- KAUFFMAN, C. W.
The effect of ambient temperature and humidity on the carbon monoxide emissions of an idling gas turbine 17 p0065 A78-12557
- KAUFFMAN, K. W.
Non-corrosive, non-freezing, and non-toxic heat transfer fluids for solar heating and cooling 17 p0045 A78-11240
- KAUFFMAN, H.
Illinois energy contingency plan [PB-278715/8] 19 p0465 A78-27606
- KAUFFMAN, H. A.
State-of-the-art of functional use data measuring energy consumption in the commercial sector [PB-269906/4] 17 p0115 A78-10592
Energy consumption in commercial industries by census division - 1974 [PB-268851/3] 17 p0139 A78-13558

- KAUFMAN, J. L.
Evaluation of methods to produce aviation turbine
fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239
- KAUFMAN, J. W.
Wind wheel electric power generator
[NASA-CASE-MPS-23515-1] 19 p0389 N78-22469
- KAUFMAN, W. B.
High temperature heat pipe research at NASA Lewis
Research Center
[NASA-TN-78832] 19 p0393 N78-23384
- KAWAI, Y.
Laminar flow of a conducting liquid between
coaxial cylinders in a traveling magnetic field
19 p0339 A78-38673
- KAWAKAMI, J.
Development of a flow-model for energies and
products
18 p0187 A78-25946
- KAWAHARA, K.
An agenda for technology assessment in the
materials field. Volume 1: Principal findings
[PB-278639/0] 19 p0453 N78-27009
An agenda for technology assessment in the
materials field. Volume 2: Appendices
[PB-278640/8] 19 p0453 N78-27010
- KAWAHARA, Y.
Thermo-nuclear fusion plasma produced by CO2 laser
19 p0362 A78-40385
- KAYINAN, P.
Systems studies of coal conversion processes using
a reference simulator
[FE-2275-4] 19 p0390 N78-22480
- KAYUKAWA, N.
Electrical and thermal instabilities and their
suppression in thermally equilibrium MHD plasma
18 p0192 A78-26622
- KAZA, K. B. V.
Aeroelastic stability of wind turbine blades
18 p0265 N78-19622
- KAZHERSKI, L. L.
Thin film heterojunction and homojunction solar
cells utilizing I-III-VI2 ternary compound
semiconductors
17 p0018 A78-10984
Ternary compound thin film solar cells-2
[PB-270029/2] 17 p0121 N78-11515
- KEABLE, J.
The heat pump in relation to solar energy
17 p0004 A78-10618
- KEARNS, D. L.
Particle separation from a fluidized mixture -
Simulation of the Westinghouse coal gasification
combustor/gasifier operation
18 p0230 A78-31872
What's new in high temperature sulfur removal
systems for fluidized-bed coal gasification
18 p0233 A78-32217
- KEAR, E. B., III
The effect of certain major parameters on the
annual effectiveness of solar systems for
residential dwellings
[ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- KEAR, E. B., JR.
The effect of certain major parameters on the
annual effectiveness of solar systems for
residential dwellings
[ASME PAPER 77-WA/SOL-3] 19 p0299 A78-33191
- KEARNEY, D. W.
Mechanical and thermal design of a gas-cooled
fusion blanket module
19 p0357 A78-40040
- KECK, J. C.
Experimental and theoretical analysis of Wankel
engine performance
[SAE PAPER 780416] 19 p0308 A78-33388
- KREILING, M. C.
A novel solar cell interconnection design
17 p0017 A78-10959
Optically thin diffusion barriers enhance the life
of metal/metal oxide selective surfaces
17 p0045 A78-11241
- KEENAN, J. D.
Bioconversion of solar energy to methane
17 p0067 A78-13342
- KEER, L. M.
Heat extraction from hot, dry rock masses
[PB-271411/1] 17 p0139 N78-13560
- KEHL, A.
Trithem heating
17 p0074 A78-14421
Integration of heat pumps into solar-heating systems
18 p0213 A78-28592
- KEILHACKER, H.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- KEITH, R. A.
Paratransit prospects - Filling a gap
17 p0084 A78-16848
- KELBER, C. C.
Photovoltaic system design and analysis
application to a shopping center
17 p0022 A78-11013
- KELLER, G. V.
Exploration for geothermal energy on Oahu, Hawaii
[AD-A046954] 18 p0241 N78-16445
- KELLEY, J. H.
Proceedings of the DOE Chemical Energy Storage and
Hydrogen Energy Systems Contracts Review
[NASA-CR-157164] 19 p0419 N78-25532
- KELLEY, R.
Theoretical and experimental investigation of
reaction mechanisms of explosives, corrosion,
and battery and fuel technology
[AD-A046641] 17 p0158 N78-15295
- KELLY, G. E.
A method of testing for rating thermal storage
devices based on thermal performance
17 p0084 A78-16838
- KELLY, H.
Photovoltaic power systems - A tour through the
alternatives
18 p0175 A78-23563
- KELLY, J. L.
Poloidal field coil design for a fusion-fission
breeder reactor
19 p0354 A78-39977
- KELN, R. W., JR.
Solar cells from zone-refined metallurgical silicon
18 p0219 A78-30190
- KEMP, E. L.
Development of a low cost, 10 kV capacitor
[LA-UR-77-2408] 19 p0416 N78-25335
- KENDALL, J. E., SR.
Calibration standards and field instruments for
the precision measurement of insulation
19 p0312 A78-34517
- KENNERLY, K.
Energy consumption in commercial industries by
census division - 1974
[PB-268851/3] 17 p0139 N78-13558
- KENTON, J.
The earth as a solar heat engine
18 p0223 A78-30745
- KERABANE, H. A.
A few aspects of the energy policy in Algeria
18 p0196 A78-27781
- KERR, R. A.
Oil in the ocean - Circumstances control its impact
17 p0087 A78-17262
- KERR, R. G.
A performance evaluation of a solar house in Quebec
17 p0048 A78-11277
- KERREBROCK, J. L.
Potential effects of coal slag condensation on
plasma conductivity in MHD generators
18 p0188 A78-26109
Characterization of open-cycle coal-fired MHD
generators, revision A
[FE-2478-4-REV-A] 19 p0422 N78-25566
- KERSTEN, B.
Analysis and optimization of solar hot water systems
17 p0075 A78-14689
- KERWIN, W. J.
High intensity solar cell
17 p0023 A78-11028
- KETELS, P. A.
Development of an industry-government cooperative
energy conservation program for small
manufacturers, phase 1. Project 8978
[COO-2852-2] 17 p0140 N78-13572
- KETTANI, H. A.
Conversion of solar energy into electricity
18 p0201 A78-27864
Storage of solar energy
18 p0201 A78-27865

KEVER, H.

PERSONAL AUTHOR INDEX

- KEVER, H.
On toroidal divertors for tokamaks
19 p0379 A78-42242
- KHAIKIN, M. D.
Increasing the resources of jet fuels
17 p0062 A78-11699
- KHAIKOVSKIY, I. A. S.
Gas turbines. Part 2 - Aerodynamic processes, regenerators, combustion chambers, and construction /2nd revised and enlarged edition/
18 p0219 A78-30200
- KHAIRITDINOV, B.
Calculation of the drag of a cylindrical pebble-type heat retainer
18 p0215 A78-28899
- KHALAPALLAB, A. K.
Poloidal field equilibrium calculations for JET
17 p0040 A78-11178
- KHALKEVICH, V. A.
Acceleration nozzles of MHD generators with deformation of supersonic flow
17 p0002 A78-10244
- KHALYKOV, A. M.
Automating the control of the optical system of a tower-type solar power station
18 p0215 A78-28891
- KHANZA, A. KH.
Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads
18 p0189 A78-26265
- KHANDURDIEV, A.
Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution
17 p0064 A78-12394
Experience in operating a solar absorption cooling plant with open solution regenerator
19 p0332 A78-36871
Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution
17 p0138 A78-13555
- KHENTHONG, S.
High efficiency, long life terrestrial solar panel [NASA-CR-157060]
19 p0407 A78-24649
- KHODZHEV, B.
Choice of the optimal parabolocylindrical concentrator with a tubiform receiver
17 p0107 A78-20424
- KHOKHLACHEVA, B. V.
Increasing the resources of jet fuels
17 p0062 A78-11699
- KHOKHLOV, L. K.
The efficiency of half-peak MHD electric power plant
18 p0166 A78-21034
- KHRISTICH, V. A.
Gasdynamic calculation of gas-turbine combustion chambers with successive air injection
19 p0342 A78-39196
- KIANG, Y. Y.
Techniques for the utilization of waste energy
18 p0232 A78-32116
- KIDMAN, R. B.
Energy flow patterns for 1975 [A-6770]
18 p0242 A78-16456
- KIDN, A. J.
Calpy measurement of coal-derived liquids [FE-2035-10]
19 p0452 A78-26962
- KIES, F.
Elasticity problems in wind energy converters
18 p0210 A78-28562
- KILGROE, J. D. H.
A parametric study of a heat exchanger designed for geothermal power plant application [ASME PAPER 77-HT-1]
17 p0088 A78-17476
- KILGROE, J. D.
Emissions of trace elements from the combined firing of coal and RDF in a utility boiler [APCA PAPER 77-37,6]
18 p0185 A78-25404
- KILOH, K. D.
Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBX-74(77)]
19 p0391 A78-22534
- KIN, B. C.
Agglomerating burner gasification process: design, installation, and operation of a 25-ton-a-day process development unit. [FE-1513-69]
19 p0426 A78-25600

- KIN, J.
Neutral beam injector research and development work in the USA
17 p0012 A78-10878
- KIN, J. K.
Controlling open circuit voltage in silicon Schottky/HIS/ solar cells
17 p0025 A78-11043
Ion-implanted drift field silicon solar cells
19 p0335 A78-37904
- KIN, Y. S.
Minority carrier lifetime measurement of silicon solar cell
19 p0335 A78-37903
Ion-implanted drift field silicon solar cell
19 p0335 A78-37904
- KINURA, N.
Computer simulation on laser plasma compression
19 p0362 A78-40386
- KING, C. H.
Flywheel propulsion simulation [PB-272259/3]
17 p0149 A78-14426
- KING, D.
The mechanism of hydrogen photoevolution in photosynthetic organisms
18 p0207 A78-28356
- KING, J. A.
Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2 [HCP/160901-01]
19 p0461 A78-27575
- KING, J. D.
Coal thickness gauge using BRAS techniques, part 1 [NASA-CR-150625]
18 p0273 A78-20573
- KING, J. H., JR.
Advanced technology fuel cell program [EPRI-EH-576]
19 p0459 A78-27553
- KING, H. J.
Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential [ANL-77-70]
19 p0412 A78-24920
- KING, S. B.
Characterization of nitrogen compounds in tar produced from underground coal gasification
19 p0368 A78-41814
- KINNEY, J. D.
Experimental and computational results on direct energy conversion for mirror fusion reactors
17 p0064 A78-12486
Engineering of beam direct conversion for a 120-kV, 1-MW ion beam
19 p0348 A78-39834
- KINOSHITA, K.
Advanced fuel cell development [ANL-77-79]
19 p0445 A78-26571
- KINTNER, E. E.
A survey of the U.S. magnetic fusion program
17 p0040 A78-11179
Status and prospects for continued progress in magnetic fusion energy research and development
18 p0181 A78-24756
- KIRCHER, H. J.
Design of the energy storage system for the high energy gas laser facility at LSL
19 p0353 A78-39955
- KIRILLIN, V. A.
Some results of investigations on the U-25 pilot plant to attain its design parameters
17 p0066 A78-13153
The use of MHD generators in the nuclear energy field
17 p0072 A78-14130
The U-25B MHD-facility intended for research in strong electric and magnetic fields
19 p0293 A78-32716
- KIRKPATRICK, A. R.
Silicon solar cells by ion implantation and pulsed energy processing
17 p0015 A78-10946
Integral glass sheet encapsulation for terrestrial panel applications
17 p0016 A78-10948
Applications of ion implantation for high efficiency silicon solar cells
17 p0137 A78-13538

- KIRLIN, R. L.
Empirical and theoretical statistics of
windcharger home heating potential
18 p0236 A78-32506
- KIRPICH, A.
Performance and cost assessment of photovoltaic
system concepts
17 p0021 A78-11011
- KIRSANOV, L. L.
Processing the results of experiments on the U-25
unit by means of an information measuring system
17 p0002 A78-10246
- KIRSCH, L. W.
Instrumentation and process control for fossil
demonstration plants
[ANL/FE-49622-9]
19 p0430 N78-25640
- KIRSCHBAUM, H. S.
Evaluation of offshore site for wind energy
generation
17 p0029 A78-11080
- Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Volume 3: Appendices B, C, D
[EPRI-EH-319-VOL-3-APP-B]
17 p0139 N78-13565
- Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Final report, volume 1
[EPRI-EH-319-VOL-1]
17 p0139 N78-13567
- KIRSTEN, P. A.
Investigation of the feasibility of a dual model
electric transportation system
[LBL-6301]
17 p0157 N78-14954
- KISREV, V. H.
Design of a heat pipe with separate ducts for
vapor and fluid
19 p0383 A78-42638
- KISPERT, R. G.
Fuel gas production from selected biomass via
anaerobic fermentation
18 p0208 A78-28366
- KISSEL, D. E.
Design considerations for an electric vehicle
solid-state motor controller with regenerative
braking capability
17 p0092 A78-17570
- KISSEL, R. R.
Test and analysis of a Northrup collector controller
[NASA-TN-78153]
18 p0240 N78-16432
- KISSINGER, G.
Conference proceedings: A critical economic
balance: Water, land, energy, people
[PB-274089/2]
18 p0253 N78-17944
- KITO, H.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- KITTELSON, D. B.
Further studies with a hydrogen engine
[SAE PAPER 780233]
19 p0307 A78-33381
- Nuclei formation rates in a coal-fired power plant
plume
19 p0366 A78-41253
- KITZNER, E. W.
Automotive Stirling engine development program
[NASA-CR-135331]
19 p0392 N78-22970
- KIYAMA, H.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- KIYAMA, S.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- KIYOTA, Y.
Development of a new combustion system /MCA-jet/
in gasoline engine
19 p0386 A78-43296
- KIZER, L. E.
Fundamental studies of direct contact latent heat
energy storage
17 p0051 A78-11306
- KLEBAN, A. F.
Effect of fuel bound nitrogen on oxides of
nitrogen emission from a gas turbine engine
[AD-A048382]
18 p0262 N78-19162
- KLASS, D. L.
A long-term solution to fossil fuel depletion
Biomass and wastes as energy resources - Update
17 p0010 A78-10739
- Biomass as a long range source of hydrocarbons
17 p0033 A78-11121
- 17 p0034 A78-11122
- The anaerobic digestion of *Macrocystis pyrifera*
under mesophilic conditions
17 p0035 A78-11135
- Two-phase anaerobic digestion
17 p0036 A78-11137
- Biomass and waste production as energy resources -
Update
17 p0063 A78-12222
- KLEHMANN, H.
Vehicular gas turbine with ceramic recuperative
heat exchanger
19 p0311 A78-34486
- KLEI, H. E.
Capital and electrical production costs for
geothermal power plants
17 p0010 A78-10744
- KLEIN NISBELINK, H. J.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- KLEIN, H. H.
G2M, a two-dimensional diffusion time scale
tokamak code
18 p0231 A78-32066
- KLEIN, J.
Probability models of wind velocity magnitude and
persistence
19 p0314 A78-34935
- KLEIN, H.
Design and cost study of nickel-zinc batteries for
electric vehicle
[ANL-K-76-3541-1]
17 p0114 N78-10585
- KLEIN, S. A.
A general design method for closed-loop solar
energy systems
17 p0046 A78-11251
- Solar heating design, by the f-chart method
18 p0224 A78-31071
- KLEINAU, J. H.
Overcoming obstacles to energy recovery from
industrial wastes
17 p0006 A78-10637
- KLEINER, C. T.
Advanced semiconductor technology for alternate
energy sources: dc to ac inverters
[AD-A048806]
18 p0269 N78-19662
- KLEINHUECKELKOTTEN, H.
Pulverized coal-pressure gasification with air as
a topping stage for the combined gas/steam
turbine process
17 p0074 A78-14498
- KLEHNT, G.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- KLEMETSON, S. L.
Ultrafiltration and hyperfiltration of phenolic
compounds in coal gasification wastewater streams
19 p0435 N78-26007
- KLIER, R.
Flue gas desulfurization system capabilities for
coal-fired steam generators. Volume 2:
Technical report
[PB-279417/0]
19 p0467 N78-27659
- KLINOVSKII, I. I.
The formation of electrode arcs and the electric
fluctuations in an MHD channel
18 p0194 A78-27137
- KLINPKE, C.
A contribution to Schottky barrier solar cell theory
17 p0025 A78-11041
- KLINE, J. H.
Volcanoes as a source of geothermal energy
17 p0067 A78-13346
- KLINEBERG, J. H.
The NASA Aircraft Energy Efficiency Program
18 p0226 A78-31302
- KLIPPEL, H. T.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- KLIUCHEVSKII, I. I.
Some results of an experimental study of the
Stirling engine
17 p0064 A78-12391
- Some results of an experimental investigation of a
Stirling engine
19 p0331 A78-36868

- KLOSE, E.
Mathematical model for the gasification of coal under pressure 18 p0184 A78-25323
- KLOSE, G. J.
Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348] 19 p0366 A78-41225
- KLUCHER, T. H.
Variation of solar cell sensitivity and solar radiation on tilted surfaces [NASA-TN-789211] 19 p0443 N78-26547
- KLUMPE, H. W.
Oil/gas complex conceptual design/economic analysis: Oil and SNG production [FE-1775-8] 17 p0161 N78-15575
- KLYCHEV, SH. I.
Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations 19 p0331 A78-36860
- KLYSHEVA, O.
Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution 17 p0064 A78-12394
Experience in operating a solar absorption cooling plant with open solution regenerator 19 p0332 A78-36871
Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 N78-13555
- KNECHTLI, R. C.
High efficiency and large area GaAl/As-GaAs solar cells 17 p0026 A78-11054
GaAs solar cell development 17 p0138 N78-13544
- KNELL, E. W.
Pyrolysis of industrial wastes for oil and activated carbon recovery [PB-270961/6] 17 p0147 N78-13967
- KNIGHT, E. G.
Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A Report on an ASIL/ERDA study 19 p0301 A78-33308
Ocean thermal energy conversion: legal, political, and institutional aspects [PB-274123/9] 18 p0261 N78-18568
- KNIGHT, J. R.
Terrestrial solar cells - Present and future 18 p0177 A78-23952
- KNIZHNIKOV, V. A.
Comparative evaluation of the radiation danger to the public caused by atmospheric emissions from thermal and atomic electric power plants 18 p0166 A78-21349
- KNOBLOCH, A. P.
Technical limitations on conceptual Tokamak reactors. II 17 p0041 A78-11194
- KNOBLOCH, K.
Bergbau-Forschung process for the desulfurization of flue gas 18 p0223 A78-30708
- KNOCHE, K. P.
Thermochemical hydrogen production - Engineering efficiency and economics 17 p0099 A78-18834
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. I - The hybrid sulfuric acid process 18 p0174 A78-22867
Entropy production, efficiency, and economics in the thermochemical generation of synthetic fuels. II - The methanol water splitting cycle 18 p0174 A78-22868
Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859
- KNOLL, R. H.
Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391
- KNOX, A.
HSCSOS: A chemical heat pump and energy system based on metal hydrides [ANL-77-39] 18 p0238 N78-16334
- KNUDSON, C. L.
Effect of solvent on molecular composition in coal liquefaction 18 p0173 A78-22823
- KNUTH, E. L.
Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338
- KNUTSEN, C. A.
Analysis of electricity production costs from the geopressured geothermal resource [BNWL-2192] 18 p0241 N78-16449
- KNUTSON, C.
LLI gas stimulation program [UCL-50036-77-3] 19 p0445 N78-26575
- KNYSE, IU. A.
Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169
- KO, S. H.
Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 N78-15589
- KOBAYASHI, H.
Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705
- KOBAYASHI, S.
Thermoelectric power of tin films at low temperatures 18 p0217 A78-29427
- KOCH, H.
Refuse without imperfection - Refuse combustion with combined sediment processing 19 p0316 A78-35297
- KOCHIAN, L. V.
Solar energy conversion with hydrogen producing algae [SAN/0034-77/1] 19 p0460 N78-27565
- KOCHKA, E. L.
Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 N78-26217
- KOENIG, D. R.
Heat pipe nuclear reactors for space applications [AFAA 78-454] 19 p0319 A78-35629
Heat pipe reactors for space power applications [LA-UR-77-296] 17 p0153 N78-14653
Energy flow patterns for 1975 [LA-6770] 18 p0242 N78-16456
- KOENIG, R. P.
General Electric conceptual design of a test coil for the large coil program 19 p0351 A78-39928
- KOEPKE, B. G.
Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464
Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- KOESTER, J. K.
Probe-tube microphone for pressure-fluctuation measurements in harsh environments 17 p0077 A78-15155
High magnetic field MHD generator program [FE-2341-1] 18 p0245 N78-16874
- KOFSKEY, M. G.
Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg [NASA-TP-1007] 18 p0237 N78-16053
- KOHL, P. A.
Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 19 p0233 A78-32233
- KOHLBERGER, J.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596

- Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- KOIS, J. P.
The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility
19 p0352 A78-39936
- KOIZUMI, T.
A large scale heat exchanger with polygonally configured heat pipe units
[AIAA 78-393] 19 p0317 A78-35588
- KOKIN, A.
Economic analysis of vapor recovery systems on small bulk plants
[PB-269884/3] 17 p0117 N78-10636
- KOKOROPOULOS, P.
Solar energy utilization and resource recovery application in space heating
17 p0031 A78-11104
- KOLB, C. E.
Potential effects of coal slag condensation on plasma conductivity in MHD generators
18 p0188 A78-26109
- Characterization of open-cycle coal-fired MHD generators, revision A
[PE-2478-4-REV-A] 19 p0422 N78-25566
- KOLIWAD, K. M.
Economic analysis of low cost silicon sheet produced from Czochralski grown material
17 p0024 A78-11036
- KOLP, R.
Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 N78-26933
- KOLTUN, M. M.
Converter of solar radiation to thermal energy designed on the basis of coaxial evacuated tubular elements with multilayer and selective coatings
19 p0335 A78-37946
- KOLTZ, R. C.
Kinetics of coal hydrosulfurization in a batch reactor
18 p0191 A78-26584
- KOMOTOBI, K.
Heat transfer from a horizontal plate facing upward to superposed liquid-layers with change of phase
[ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057
- KONP, R. J.
Cuprous oxide Schottky barrier photovoltaic cells
17 p0025 A78-11042
- KON, T.
Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma
18 p0192 A78-26622
- KONEV, IU. I.
Properties of a collectorless motor fed from a three-phase current-source
18 p0235 A78-32430
- KONEV, S. V.
Investigation of gas-controlled cryogenic heat pipes
18 p0221 A78-30495
- KONG, A. K.
The efficiency of grating solar cells
18 p0178 A78-24131
- KONIGSBERG, A. S.
How wind variability affects the potential power available from wind generators
18 p0235 A78-32504
- KOPOPKA, A.
Alternative forms of energy transmission from OTEC plants
19 p0301 A78-33312
- KOPOPKA, A. J.
Alternative energy transmission systems from OTEC plants, Project 8980
[DSE/2426-8] 17 p0153 N78-14658
- Alternative forms of energy transmission from OTEC plants
[CONF-770331-5] 18 p0241 N78-16453
- Alternative energy transmission systems from OTEC plants, project 8980
[DSE/2426-12] 18 p0242 N78-16454
- Optimization study of OTEC delivery systems based on chemical-energy carriers
[ERDA/NSF-00033/76/TI] 19 p0409 N78-24677
- KOOI, C. F.
The circular cylindrical reflector - Application to a shallow solar pond electricity generating system
17 p0105 A78-19833
- KOOPMAN, B. L.
A systems analysis of bioconversion with microalgae
17 p0034 A78-11124
- Solar energy conversion with microalgal sewage treatment ponds
17 p0056 A78-11351
- KOPA, R.
Bitinol engine development
17 p0056 A78-11348
- KOPER, J.
Outline of the energy-related projects sponsored by the Federal Railroad Administration, DOT
18 p0258 N78-18544
- KORDESCH, K. V.
25 years of fuel cell development /1951-1976/
18 p0233 A78-32235
- The electric automobile
19 p0321 A78-35763
- KOROBKIN, L.
Application analysis of solar total energy to the residential sector
[TID-28103] 19 p0429 N78-25624
- KOROLEV, V. M.
Thermal deformations of solar concentrators
19 p0335 A78-37945
- KOROLKOV, V. I.
Photocells employing smooth AlGaAs-GaAs heterojunctions to extend the spectral response range
17 p0062 A78-11668
- AlGaAs-GaAs graded-heterostructure photocells with expanded sensitivity spectrum
19 p0300 A78-33271
- Photocells based on AlGaAs heterostructure with a transition layer
19 p0341 A78-38941
- KORCINSKI, P. F.
Air terminals and liquid hydrogen commercial air transports
19 p0383 A78-42860
- The Liquid Hydrogen Option for the Subsonic Transport: A status report
[NASA-TN-74089] 17 p0109 N78-10306
- KORZE, P. I.
Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator
17 p0066 A78-13157
- KOSKINAS, G. H.
Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation
19 p0367 A78-41521
- KOSKI, P. G.
Heat transfer effects in compressed air energy storage
19 p0296 A78-33120
- KOSSON, R.
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135244] 17 p0150 N78-14632
- Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135245] 17 p0150 N78-14633
- KOSTEL, P. C.
Solar energy conversion with hydrogen producing algae
[SAR/0034-77/1] 19 p0460 N78-27565
- KOSTKA, H.
Autothermal gasification of liquid hydrocarbons by partial oxidation
17 p0002 A78-10320

- Compact gas generator for fuel gasification aboard motor vehicles
18 p0236 A78-32509
- KOTTENSTETTE, J. P.
Information and data flows in societal problem areas: Focus-energy [PB-269497/4]
17 p0118 N78-10965
- KOUSKOULAS, V.
Information system for transportation energy
18 p0194 A78-27545
- KOVACH, S. H.
Deactivation of hydrodesulfurization catalysts under coal liquids. I - Loss of hydrogenation activity due to carbonaceous deposits
18 p0203 A78-27919
Deactivation of hydrodesulfurization catalysts under coal liquids. II - Loss of hydrogenation activity due to adsorption of metallics
18 p0203 A78-27920
- KOVALEV, L. K.
Two-dimensional temperature distribution in a ceramic-based electrode
18 p0173 A78-22806
- KOVASIUK, V. I.
Two-dimensional electrical effects in a frame-type MHD channel
17 p0103 A78-19269
The formation of electrode arcs and the electric fluctuations in an MHD channel
18 p0194 A78-27137
- KOVITZ, J. C.
Interfacial effects in the recovery of residual oil by displacement: Studies at Northwestern University [COO-0039-5]
18 p0244 N78-16494
- KOYANAGI, T.
Photovoltaic system in 'Sunshine Project' - R & D underway in Japan
17 p0020 A78-11004
- KOZLENKO, V. I.
The emission characteristics of liquid-fuel flames
18 p0222 A78-30496
- KOZOREZOV, M. P.
The role of macrorelief of semiconductor branches during their commutation in thermoelements
18 p0187 A78-25736
- KRAEMER, S. P.
Solar shade control
17 p0057 A78-11358
- KRAFT, C. C., JR.
Solar power satellites [NASA-TM-79434]
18 p0284 N78-21612
- KRAKOWSKI, B. A.
Plasma stabilization requirements of the Reference Theta-Pinch Reactor /RTPR/
17 p0041 A78-11193
- KRANER, J. J.
Overview of NASA CTOL program
19 p0453 N78-27047
- KRAHLICH, J. C.
Modelling and experimentation of sample probe effects on pollutant gases drawn from flame zones [WSS/CI PAPER 77-6]
17 p0081 A78-16340
- KRAHFITZ, L. O.
Potentials of hydrogen production through biophotolysis
17 p0034 A78-11125
- KRASILOVSKII, V. I.
A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators
19 p0326 A78-36137
- KRASNA, A. I.
Catalytic and structural properties of the enzyme hydrogenase and its role in biophotolysis of water
18 p0207 A78-28354
- KRASNOVSKII, A. A.
The problem of photosynthetic hydrogen
17 p0095 A78-18521
- KRAUS, E. F.
Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system [NASA-CR-137925]
17 p0109 N78-10035
- KRAUTH, H.
Studies on design and tests of superconductors for Tokamaks
17 p0039 A78-11176
- KRAVETZ, S.
Primary lithium organic electrolyte battery BA - 5598 ()/U [AD-A042799]
17 p0112 N78-10568
- KREIBIN, L. B.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base
19 p0326 A78-36134
- KREISMAN, W. S.
Integral glass sheet encapsulation for terrestrial panel applications
17 p0016 A78-10948
- KREITER, B. G.
Energy recovery from municipal and industrial waste
17 p0037 A78-11146
- KRESSEL, B.
The role of defects on the performance of epitaxial and diffused solar cells fabricated on EPG 'ribbon' silicon
17 p0012 A78-10905
- KRETZSCHMAR, C.
Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes
19 p0363 A78-40618
Effect of active-layer composition on the catalytic efficacy of two-layer diffusion electrodes for the reduction of oxygen in acid electrolytes
19 p0363 A78-40619
- KRICKE, K. D.
Situation of air traffic in comparison to ground transportation noting especially energetic problems [ILR-20]
19 p0392 N78-23072
- KRIWINGGER, H.
Integration of solar-energy designs with existing heating systems
18 p0213 A78-28586
- KRISHBERG, B. R.
Integral characteristics of an induction MHD device at large parameters of electromagnetic interaction
18 p0204 A78-28087
- KROEGER, E. W.
Lithium and potassium heat pipes for thermionic converters [NASA-TM-78946]
19 p0441 N78-26390
Performance of a thermionic converter module utilizing emitter and collector heat pipes [NASA-TM-78941]
19 p0454 N78-27174
- KROHN, G. C.
Modifications and costs of converting to low sulfur western coals [CONF-771024-3]
19 p0392 N78-23249
Transition to decentralized energy systems [CONF-7710101-1]
19 p0397 N78-23582
- KROPFSCHOT, B. H.
Fossil energy research meeting [CONF-7706100]
19 p0398 N78-23585
- KROTH, G. J.
Control system for wind-powered generators [SAND-77-0287]
17 p0143 N78-13604
- KROTKY, J.
Properties of fuels used in the Czechoslovak aircraft industry
18 p0217 A78-29588
- KRUEGER, P.
Manufacture, assembly and test of the toroidal and poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- KRUGER, C. H.
High magnetic field MHD generator program [FE-2341-1]
18 p0245 N78-16874
- KRUPKE, W. P.
Advanced lasers for fusion applications
19 p0342 A78-39367
- KRUPNICK, A. C.
Stainless steel panel for selective absorption of solar energy and the method of producing said panel [NASA-CASE-NPS-23518-3]
19 p0421 N78-25557
- KRUSCHE, P.
Proposals for the design and construction of solar houses
18 p0212 A78-28581

- KROUSE, J. J.
Solar energy in perspective - Builder/developer's view of the industry
18 p0181 A78-24758
- KRUTIEV, V. A.
Reducing nitrogen oxides in the flue gases from gas/oil-fired boilers at high-capacity power stations
19 p0335 A78-37862
- KRUTZ, R.
Simulation study of a flywheel powered electric vehicle utilizing the modern high energy density energy storage flywheel
19 p0385 A78-43044
- KRUZHELIN, N. A.
Calculation of electron heating in a nonequilibrium MHD channel
18 p0193 A78-27133
- KRYTER, R. C.
Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance [CONF-770902-5]
18 p0282 N78-21483
- KUBASCO, A. J.
Evaluation of devolatilization concept [EPRI-AP-608]
19 p0430 N78-25639
- KUDYSHEIN, I. I.
Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam
18 p0222 A78-30571
- KUCHEROV, R. IA.
Thermionic emission from electrodes with raised surfaces in a thermionic converter
18 p0224 A78-31011
- KUCZERA, M.
Influence of system exactness on the concentration factor of cylinder-parabolic solar energy collectors
18 p0176 A78-23920
- KURSEBAUCH, W.
Compact gas generator for fuel gasification aboard motor vehicles
18 p0236 A78-32509
- KUHLKE, K. D.
Experimental analysis of a straight bladed Darrieus wind turbine
19 p0361 A78-40365
- KUHN, A. T.
Techniques for the determination of ohmic drop in half-cells and full cells - A review
17 p0095 A78-18408
- KULAKOV, V. L.
Investigation of the energy capacity of wound composite flywheels
19 p0311 A78-34331
- KULASH, D. J.
President Carter's automobile related energy conservation proposals
18 p0258 N78-18542
- KULCINSKI, G. L.
The use and performance of graphite and metal ISSECs in tokamak fusion reactors
18 p0195 A78-27579
- Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977
19 p0381 A78-42269
- Major features of D-T Tokamak fusion reactor systems [EPRI-472-1]
17 p0147 N78-13903
- KULKARNI, L. V.
A simple technique of fabrication of paraboloidal concentrators
19 p0375 A78-42148
- KULKARNI, S.
Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells
17 p0014 A78-10928
- KULKARNI, V. M. D.
The significance of an arc shaped dark patch on the Nimbus III /HRIR/ imagery of India
17 p0082 A78-16507
- KULVASKAIA, B. S.
Investigation of the thermionic emission of some advanced cathode materials
19 p0328 A78-36563
- KUMAR, K. H.
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1 [ORO-5249-1]
17 p0143 N78-13600
- KUMAR, R. R.
A shock tube study of the ignition delay of methane at elevated temperatures
18 p0199 A78-27831
- KUMAR, S.
Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface
19 p0371 A78-42114
- Issues in Federally supported research on advanced automotive power systems [PB-278124/3]
19 p0442 N78-26457
- KUMAZAWA, S.
Hydrogen production by marine photosynthetic organisms as a potential energy resource
18 p0207 A78-28353
- KURBAN, S.
Focusing systems for high energy glass lasers
19 p0360 A78-40224
- KUNCHITAPATHAN, M.
Calculation procedure for determining the thermal performance of solar domestic hot water and space heating systems
19 p0375 A78-42149
- KUNEN, S. H.
Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1]
18 p0185 A78-25412
- KUREV, S. K.
Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS-Cr₂O₃ system
19 p0333 A78-37261
- KUNG, S. L.
Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2]
19 p0450 N78-26642
- KUNZE, J. F.
Making use of moderate temperature geothermal resources
18 p0232 A78-32117
- KUO, C. Y.
Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River
19 p0313 A78-34905
- KUPPERMAN, D. S.
Nondestructive evaluation needs for coal liquefaction [AHL-77-61]
19 p0426 N78-25606
- KURAKINA, T. S.
Conditions for the constricted discharge at electrodes in a combustion product plasma
18 p0193 A78-27127
- KURBANOV, N.
Experience in the utilization of absorption-cooling solar equipment with an open-type regenerator of the solution
17 p0064 A78-12394
- Experience in operating a solar absorption cooling plant with open solution regenerator
19 p0332 A78-36871
- Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution
17 p0138 N78-13555
- KURBATOV, D. K.
Technicoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
- A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project)
18 p0278 N78-20942
- KURITA, S.
Hydrogen photoproduction from water
18 p0207 A78-28358
- KURTZ, D. W.
Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348]
19 p0366 A78-41225
- Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7]
17 p0123 N78-11894

- KURUCZ, C. W.
Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics [PB-277135/0] 19 p0393 N78-23261
- KUBYLCHIK, A. L.
Feeding the feeder 17 p0132 N78-13258
- KURZWEIG, U. B.
Two-phase Hartmann flows in the MHD generator configuration [AD-A051450] 19 p0401 N78-23927
- KUSAKA, Y.
Cold wall Faraday type generating channel 17 p0106 A78-20199
- KUSKO, A.
Flywheel propulsion simulation [PB-272259/3] 17 p0149 N78-14426
- KUSSE, B. R.
Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma 19 p0310 A78-34237
- KUSTON, R. L.
Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
Argonne national laboratory energy storage and transfer experimental program 19 p0353 A78-39956
- KUSUDA, T.
Estimating the energy conservation potential of ventilation control through weather data analysis [PB-273949/8] 18 p0261 N78-18655
- KUSZYK, J. A.
Development, testing, and evaluation of MHD materials and component designs [PB-2248-15] 19 p0436 N78-26217
- KUTAL, C.
Use of transition metal compounds to sensitize a photochemical energy storage reaction 17 p0083 A78-16830
- KUTAL, C. R.
Development of a practical photochemical energy storage system [SRO-893-6] 18 p0285 N78-21626
Development of a practical photochemical energy storage system [SRO-893-8] 18 p0285 N78-21627
Development of a practical photochemical energy storage system [SRO-893-9] 18 p0285 N78-21628
Development of a practical photochemical energy storage system [SRO-893-10] 18 p0285 N78-21629
- KUTREV, B. V.
Hall effect on an rf induction discharge 17 p0070 A78-13857
- KUTLUNIN, N. P.
The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861
- KUTS, V. P.
Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
- KUZNETSOV, V. I.
Optimization of the parameters of a Knudsen thermionic converter with Cs-Ba filler 19 p0340 A78-38933
- KUZNETSOVA, T. N.
Two-dimensional electrical effects in a frame-type MHD channel 17 p0103 A78-19269
- KVOK, H. L.
Cu_x/S/CdS thin-film solar cells using chemically sprayed CdS films 19 p0309 A78-34009
- KYDES, A. S.
Land use-energy simulation model: A computer-based model for exploring land use and energy relationships [BNL-50634] 18 p0241 N78-16450
- LA CRETA, R.
The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908
- LA ROCHE, G. J.
Improved mesh interconnector technology for the Meteosat solar array 17 p0016 A78-10957
- LABRECQUE, J. P.
Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 N78-20376
- LACKEY, W. W.
Organic compounds in turbine combustor exhaust [AD-A045582] 17 p0129 N78-13065
- LACORTI, A. B.
An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412
- LACOSTE, J.
Energy balance sheets and electricity-fuel equivalences concerning OECD reports 18 p0195 A78-27725
- LACOUT, R. B.
Viscosity of coal-derived liquids 19 p0363 A78-40595
- LADELFA, C. J.
Economic evaluation of synthetic natural gas production by short residence time hydrolysis of coal 19 p0363 A78-40593
- LAPKY, V.
Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
- LAGALLY, M. G.
American Vacuum Society, National Symposium, 24th, and Conference on Microbalance Techniques, 15th, Boston, Mass., November 8-11, 1977, Proceedings 19 p0324 A78-36030
- LAGRAFF, J. E.
Solar building energy use analysis 17 p0045 A78-11243
- LAGROHE, P. S.
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices [PB-272243/7] 17 p0144 N78-13619
- LAKOVA, B. S.
Thin film CdS-CuI heterojunction photocells 19 p0333 A78-37260
Photoelectric properties of CdS thin films obtained by vacuum evaporation from the heterogeneous CdS.Cr2O3 system 19 p0333 A78-37261
- LAL, A.
A new design of organic vapour engine for solar systems 19 p0376 A78-42161
- LAL, P.
Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes 19 p0373 A78-42131
- LALIBERTE, M.
The sun on a semiconductor 18 p0223 A78-30743
- LALL, C.
Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- LAM, C.
Acceleration of one ampere negative ion beams to energies up to 120 keV 19 p0348 A78-39832
- LAMBOLLEY, G.
Alumina-plasma interaction in the Petula tokamak 19 p0378 A78-42211
- LAMBRECHT, V. G.
CuInS₂ liquid junction solar cells 19 p0310 A78-34274
- LAMEIRO, G. F.
Optimization of solar heating in residential buildings using a stochastic performance model 17 p0046 A78-11252

- LANICHE, G.
HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- LANHES, J. T. H.
Energy conservation and thermal comfort in a New
York City high rise office building
19 p0311 A78-34380
- LANHECK, S. H.
Photon degradation effects in terrestrial solar
cells
[NASA-TN-78924] 19 p0421 N78-25551
- LANONT, W. J.
Geothermal energy in the Western United States:
Innovation versus monopoly
19 p0322 A78-35768
- LANORTE, M. P.
Solar cell design study
[AD-A048042] 18 p0251 N78-17489
- LANPKEIN, C.
Structure and morphology of chemical-sprayed CdS
films
19 p0325 A78-36036
- LANCASHIRE, A. B.
The value of solar heating
17 p0004 A78-10616
- LANDER, H. R.
Future aviation turbine fuels
[AIAA PAPER 78-268] 18 p0165 A78-20781
- LANDES, R.
The conceptual design and analysis of a
photovoltaic powered experimental residence
17 p0022 A78-11015
- LANDMAN, A.
Methanol as an automotive fuel with special
emphasis on methanol-gasoline blends
[PB-270401/3] 17 p0123 N78-12243
- LANDSBERG, P. T.
How much investment in conversion devices
17 p0004 A78-10617
A simple model for solar energy economics in the
U.K.
17 p0024 A78-11037
A contribution to Schottky barrier solar cell theory
17 p0025 A78-11041
- LANE, J. A.
Consensus forecast of US energy supply and demand
to the year 2000
[ORNL/TN-5369] 17 p0140 N78-13576
Consensus forecast of US electricity supply and
demand to the year 2000
[ORNL/TN-5370] 17 p0141 N78-13578
- LANE, W. E.
Factors detrimental to electrostatic precipitator
performance
[ASME PAPER 77-WA/APC-7] 19 p0297 A78-33130
- LANG, H.
Two phase working fluids in solar collectors
[AIAA PAPER 78-354] 18 p0178 A78-24030
- LANG, W. E.
Solar hybrid repowering
17 p0055 A78-11343
- LANGER, U.
Economic load distribution in the hybrid
hydrothermal power system
17 p0092 A78-17949
- LANGHAM, R. W.
Optimal design methodology for a wind power system
17 p0070 A78-13847
- LANISING, P. L.
A thermodynamic analysis of a solar-powered jet
refrigeration system
17 p0118 N78-11154
Piping design considerations in a solar-Rankine
power plant
17 p0158 N78-15085
Development of a unified criterion for solar
collector selection
19 p0402 N78-24237
- LANUN, W. J.
Characterization of nitrogen compounds in tar
produced from underground coal gasification
19 p0368 A78-41814
- LANZA, C.
Efficiency calculations for thin film
polycrystalline semiconductor Schottky barrier
solar cells
17 p0013 A78-10920
- LAPEDES, D. E.
Hybrid vehicle technology constraints and
application assessment study. Volume 1: Summary
[PB-278118/5] 19 p0464 N78-27596
Hybrid vehicle technology constraints and
application assessment study. Volume 2:
Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
Hybrid vehicle technology constraints and
application assessment study. Volume 3:
Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
Hybrid vehicle technology constraints and
application assessment study. Volume 4:
Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- LAPYSEB, R. B.
Unconventional energy sources. A select
bibliography
[NCWTD-CNDST-BIB-6] 17 p0150 N78-14626
Wind power systems. A select bibliography
[NCWTD-CNDST-BIB-7] 17 p0150 N78-14627
- LAPOINTE, C. W.
Potential for automotive fuel economy improvement
18 p0258 N78-18543
- LAPOINTE, J. T.
Performance characteristics of air-cooled solar
collectors as determined by computer simulation
19 p0294 A78-33027
- LARCHEE, T. V.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- LARIN, E. A.
Optimum testing period for new thermomechanical
equipment
18 p0225 A78-31245
- LARIONOV, V. R.
Photocells with intermediate conversion of
radiation and which operate at an increased
concentration /2500-fold/ of solar radiation
18 p0172 A78-22795
Photocells with intermediate radiation conversion
and enhanced concentration of solar radiation
/K=2500/
19 p0381 A78-42415
- LAROCHE, R.
The first 'solar hotel' in Germany
17 p0072 A78-14096
- LARSEN, J. T.
Implosion experiments with D2, He-3 filled
microspheres
18 p0235 A78-32440
- LARSEN, J. W.
In situ conversion of coal
[COO-0066-2] 19 p0448 N78-26610
- LARUE, A. D.
Solar power satellite 50 kW VKS-7773 cw klystron
evaluation
[NASA-CR-151577] 17 p0130 N78-13106
- LARUE, J. C.
Qualification of European high efficiency solar
cells for future ESA satellites
17 p0014 A78-10936
- LASEKE, B. A.
EPA utility PGD (Flue Gas Desulfurization) survey:
December 1977 - January 1978
[PB-279011/1] 19 p0466 N78-27622
- LASETER, J. L.
Analysis of petroleum type hydrocarbons in marine
samples using gas chromatography and mass
spectrometry
17 p0065 A78-12844
- LASKA, R.
Advanced fossil fuel and the environment: An
executive report
[PB-274541/2] 18 p0261 N78-18587
Energy/environment 2. Proceeding of 2nd National
Conference on the Interagency R and D Program
[PB-277917] 19 p0433 N78-25678
- LAU, K. H.
The effect of dike intrusion on free convection in
conduction-dominated geothermal reservoirs
19 p0369 A78-42080
- LAUGHLIN, C. B. Q.
Federal energy conservation programs, a state
perspective
[PB-271283/4] 17 p0144 N78-13614

- LAUKHUF, W. L. S.
Production of ammonia using coal as a source of hydrogen
[PB-271916/9] 17 p0130 A78-13237
- LAURENCE, S.
Potential mariculture yield of sea thermal power plants. II - Food chain efficiency 19 p0301 A78-33309
- LAUWERS, P.
Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- LAVERDER, K. E.
Design, construction and operation of the DITE divertor field system 17 p0039 A78-11175
- LAVI, G. H.
A comparison of two generic OTEC systems and missions 19 p0300 A78-33304
- LAVINA, R., JR.
Impact of solar heating and cooling on electric utilities
[PB-271415/2] 17 p0145 A78-13621
- LAVOSHNIK, O. S.
The utilization of LaNi₅ as a hydrogen-storage medium for heat engines 18 p0233 A78-32193
- LAW, S. H.
Gas turbine HTGR: A total energy utilization option [GA-A-14484] 18 p0270 A78-19670
- LAW, S. L.
Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 A78-16499
- LAWIT, R. L.
Specifics of heat exchanger design for a 2000-MWT dual cycle, WHD Topping-Steam Bottoming power plant
[ASME PAPER 77-HT-61] 17 p0090 A78-17493
- LAWLEY, T. J.
Solar heating and air conditioning for the southwestern United States 19 p0361 A78-40370
- LAWRENCE, A.
Forecasting and modeling time-of-day and seasonal electricity demands
[EPRI-BA-578-SR] 19 p0425 A78-25598
- LAWRENCE, G.
Use of aerial thermography in Canadian energy conservation programs 17 p0149 A78-14566
- LAWSON, C. G.
The helium liquefier-refrigerator and distribution system for the Large Coil Program Test Facility 19 p0352 A78-39936
- LAWSON, M. O.
Electrofluid dynamic /EPD/ wind driven generator research 19 p0361 A78-40362
- LAWTON, R. G.
Downhole measurements of thermal conductivity in geothermal reservoirs
[ASME PAPER 77-PET-23] 17 p0076 A78-15079
- LAX, P. D.
Mathematical aspects of production and distribution of energy: Proceedings of symposia in applied mathematics of the American Mathematical Society, volume 21
[PB-278350/4] 19 p0449 A78-26619
- LAYTON, J. P.
Propulsion options for orbital transfers in cis-lunar space 18 p0204 A78-27931
- LAZZARI, M.
On the discharge mechanism of silver/alkylammonium polyiodide solid state cells 19 p0363 A78-40621
- LEACH, S. J.
Heat pump application in houses 17 p0068 A78-13452
- LEAVITT, G. A.
A 40-kV, 26-ms neutral-beam power supply for THX 19 p0353 A78-39964
- LEBEDEV, V. N.
Investigation of the electrical characteristics of low-temperature thermionic power generators 18 p0227 A78-31338
- LEBER, R. L.
Mechanical engineering department
[UCRL-50016-77-3] 19 p0431 A78-25645
- LEBLOND, P. H.
The energy of near-surface internal waves in the Strait of Georgia 17 p0092 A78-17948
- LECLERCQ, J.
Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- LECONTE, P.
Adaptation for economization, or adaptation for the economization of energy 17 p0063 A78-12030
- LEE, C. K.
Coal pyrolysis at fire-level heat flux 17 p0079 A78-15835
- LEE, C.-W.
Optimization of particulate type selective solar absorber 17 p0044 A78-11233
- LEE, H. Y.
Minority carrier lifetime measurement of silicon solar cell 19 p0335 A78-37903
- Ion-implanted drift field silicon solar cell 19 p0335 A78-37904
- LEE, J. C.
Hydrogen turbine power conversion system assessment [NASA-CR-135298] 18 p0276 A78-20621
- LEE, J. D.
Mirror reactor studies 17 p0011 A78-10874
- LEE, J. H.
Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal 18 p0229 A78-31870
- LEE, K. F.
Performance tests of a solar energy collector used to heat air 17 p0043 A78-11224
- LEE, K. Y.
Stress response investigations related to in-situ gasification of coal
[ASME PAPER 77-PET-25] 17 p0077 A78-15083
- LEE, M. C.
Transport processes in Teflon-bonded fuel cell electrodes 17 p0135 A78-13524
- LEE, M.-B.
A dispersion model for the Solvent Refined Coal process 18 p0230 A78-31871
- LEE, S.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 A78-23604
- LEE, S. H.
Insolation and wind - A natural combination for self-sufficient power systems 17 p0022 A78-11017
- LEE, T.
Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2
[NASA-CR-156185] 19 p0388 A78-22464
- LEE, T. J.
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1
[ORO-5249-1] 17 p0143 A78-13600
- LEE, W.
Engine performance and exhaust emission characteristics of spark-ignition engines burning methanol and methanol-gasoline mixtures 19 p0321 A78-35703
- LEEDON, S. H.
Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada
[GJBY-74(77)] 19 p0391 A78-22534
- LEEDS, H. W.
A market survey of geothermal wellhead power generation systems
[NASA-CR-157262] 19 p0458 A78-27533
- LEENBRUGGEN, L. E.
Large buses and the townobile electric city transit system
[SAE PAPER 780293] 19 p0308 A78-33385

- LEES, L.
An analysis of the technical status of high level radioactive waste and spent fuel management systems
[NASA-CR-155313] 18 p0261 N78-18897
- LEFEBVRE, P. L.
Optimum and near-optimum blade configurations for high speed wind turbines 17 p0051 A78-11314
- LEFKOWITZ, E. H.
PLT OR system operation 19 p0357 A78-40064
- LEFLAR, J.
Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- LEFOHN, A. S.
Federally sponsored energy research in the northern Great Plains, North Dakota, fiscal year 1976
[PB-278132/6] 19 p0465 N78-27607
- LEGARDER, R.
TTF heating studies on Petula Tokamak 19 p0354 A78-39969
- LEGASOV, V. A.
Survey of atomic energy planning taking into account the production of energy in addition to electricity 18 p0227 A78-31474
- LEGATSKI, M. W.
Prediction of air quality impacts for a commercial shale oil complex 19 p0320 A78-35700
- LEGENDEE, M. C.
Analysis of petroleum type hydrocarbons in marine samples using gas chromatography and mass spectrometry 17 p0065 A78-12844
- LEGG, K. D.
Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes 19 p0343 A78-39462
- LEGGE, R.
Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[DOE/JPL-954376-78/1] 19 p0406 N78-24630
- LEGILLE, E.
The Andco-Torrax process - A slagging pyrolysis solid waste conversion system 17 p0036 A78-11142
- LEGLER, B.
Scenarios for chemical technology
[BNFT-PB-T-77-01] 17 p0123 N78-11897
- LEHNER, J.
Aspects of safety and reliability of superconducting magnet systems for fusion power reactors 17 p0038 A78-11167
- LEHNERT, B.
On the trends in nuclear fusion research 19 p0338 A78-38417
- LEHRFELD, D.
Stirling total energy systems study
[HCP/T2947-1] 19 p0461 N78-27570
- LEIBOWITZ, L. P.
The impact of H₂S emissions on future geothermal power generation - The Geysers region, California
[IEEE PAPER A 77 816-2] 17 p0071 A78-14077
California's geothermal resource potential 19 p0368 A78-41816
- LEICESTER, R. J.
Renewable energy sources and storage 18 p0233 A78-32249
- LEIDENFROST, W.
The use of heat pumps in reducing fuel consumption for nonsolar climate control of buildings 18 p0174 A78-22842
- LEILICH, R. H.
Energy and economic impacts of projected freight transportation improvements 18 p0257 A78-18537
- LEIPELT, G. R.
Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- LEIPOLD, M. H.
Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036
Compatibility studies of various refractory materials in contact with molten silicon
[NASA-CR-156181] 19 p0387 N78-22184
- LEISHER, W. B.
Terawatt pulse power systems utilizing inductive storage 17 p0008 A78-10701
- LEISING, C. J.
Utilization of waste heat in trucks for increased fuel economy
[NASA-CR-157292] 19 p0458 N78-27532
- LELOUP, C.
Poloidal field for a 1.7 MA Tokamak - Comparison between an iron core and an air core transformer 17 p0039 A78-11170
- LEHASOV, B. I.
Experimental study of the joint operation of wind- and solar-plants 19 p0336 A78-37948
- LEMPERT, J.
Development, testing, and evaluation of MHD materials and component designs
[PB-2248-15] 19 p0436 N78-26217
- LEHART, R. R.
A dynamic energy optimization model under uncertainty 19 p0456 N78-27516
- LENC, J.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 N78-23604
- LEON, R.
The formation of Cu₂S thin films for CdS solar cells by sulfurization of copper with thiourea 17 p0018 A78-10980
- LEONARD, B. R., JR.
A tokamak hybrid blanket design 19 p0355 A78-39982
- LEONARD, R. L.
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials
[PB-271753/6] 17 p0144 N78-13617
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis
[PB-271754/4] 17 p0144 N78-13618
Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices
[PB-272243/7] 17 p0144 N78-13619
- LEONARD, S. L.
Major terrestrial applications for photovoltaic solar energy conversion in the 1980-2000 period 17 p0020 A78-11006
- LEONHARD, W.
Technical alternatives for a maglev system 19 p0292 A78-32653
- LEPERA, M. R.
A review of diesel fuel deterioration and related problems
[AD-A043566] 17 p0109 N78-10308
- LEPPERT, G.
Implications of the 1977 Clean Air Act amendments for energy research and development
[CONF-7710101-2] 19 p0450 N78-26642
- LESCARRET, A.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 N78-23604
- LESK, I. A.
Ribbon-to-ribbon crystal growth 17 p0014 A78-10929
Phase 1 of the automated array assembly task of the low cost silicon solar array project
[NASA-CR-155935] 18 p0255 N78-18516
- LEUNG, P.
Power system economics - On selection of engineering alternatives
[ASME PAPER 77-JPGC-PWR-7] 19 p0310 A78-34080

- LEVENTAL, G. B.
The efficiency of half-peak MHD electric power plant
18 p0166 A78-21034
Technicoeconomic estimates of a possible
thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
- LEVI, E.
MHD's target - Payoff by 2000
19 p0316 A78-35444
- LEVI, J.
Further studies with a hydrogen engine
[SAE PAPER 780233]
19 p0307 A78-33381
- LEVINE, A. L.
Parabolic collector for total energy systems
application
17 p0059 A78-11376
An automatic alignment system for a multibeam
laser system
19 p0359 A78-40222
- LEVINOV, B. M.
Investigation of the thermionic emission of some
advanced cathode materials
19 p0328 A78-36563
- LEVINSON, R. J.
Orbital power generation
18 p0193 A78-26826
- LEVITT, J. A.
Materials for luminescent greenhouse solar
collectors
17 p0002 A78-10171
- LEVITZ, N. M.
Performance and testing of a stationary
concentrating collector
[CONF-770953-7]
19 p0429 A78-25627
- LEVY, R. B.
New materials for coal liquefaction
18 p0190 A78-26581
- LEWIS, A. E.
Experimental work on oil shale at Lawrence
Livermore Laboratory and predictions of
retorting characteristics of oil shales
19 p0367 A78-41518
- LEWIS, R.
Coal pressurization and feeding: Use of a lock
hopper system
17 p0131 A78-13244
- LEWIS, R. A.
The biological effects of air pollution from
fossil fuel burning power plants in the
Northcentral Great Plains
[APCA PAPER 77-15,4]
18 p0185 A78-25438
- LEYERLE, R. W.
Optimization of PtDoped Kocite: Electrodes in
H3PO4 fuel cells
[AD-A053300]
19 p0422 A78-25562
- LI, D. J.
Artificial upwelling induced by ocean currents -
Theory and experiment
19 p0326 A78-36274
- LI, H.-W.
Natural convection in compound parabolic
concentrators - A finite-element solution
19 p0337 A78-38269
- LI, K. W.
A parametric study of hot water storage for peak
power generation
19 p0309 A78-34076
- LI, S. S.
Theoretical analysis of a novel NPN gallium
arsenide Schottky barrier solar cell
18 p0227 A78-31385
- LI, V. V.
Thin-film black-white coatings for the receivers
of solar energy installations
18 p0215 A78-28897
- LI, Y. H.
Two-stage coal gasification to high-BTU gas
18 p0238 A78-16422
- LIANG, N. K.
Artificial upwelling induced by ocean currents -
Theory and experiment
19 p0326 A78-36274
- LIANG, N. T.
Artificial upwelling induced by ocean currents -
Theory and experiment
19 p0326 A78-36274
- LIBOFF, R. L.
Hydroelectric solar energy conversion
19 p0368 A78-41813
- LICHTIN, N. N.
Photogalvanic processes
18 p0202 A78-27893
- LIDORENKO, N. S.
Prospects for using Fresnel lenses for
concentrating systems of solar energy equipment
17 p0064 A78-12388
Methods of energy conversion /Some results of the
International Electrotechnology Congress -
Moscow, 1977/
19 p0325 A78-36126
Prospect for using Fresnel lenses for the
concentrating systems of solar installations
19 p0331 A78-36865
- LIDSKY, L. M.
Economic analysis of EBT reactor
19 p0350 A78-39895
- LIEB, D. P.
Performance of a thermionic converter module
utilizing emitter and collector heat pipes
[NASA-TN-78941]
19 p0454 A78-27174
- LIEBERMAN, M. A.
Two-component, multiple-mirror reactor with
depressed ion temperature
19 p0380 A78-42263
- LIEBERMAN, D.
Process variable effects in the conversion of
methanol to gasoline in a fluid bed reactor
19 p0365 A78-41223
- LIEBPETER, I. A.
Integral characteristics of an induction MHD
device at large parameters of electromagnetic
interaction
18 p0204 A78-28087
- LIEB, S.
Mutational analysis of *Chlamydomonas reinhardtii* -
Application to biological solar energy conversion
18 p0207 A78-28357
- LIENESCH, J. H.
Performance evaluation of a Stirling cycle heat pump
[GMR-2690-SECT-7.110]
19 p0441 A78-26336
- LIETZKE, R. H.
Kinetic model for predicting the composition of
chlorinated water discharged from power plant
cooling systems
[CONF-771070-1]
19 p0411 A78-24695
- LILLEHENT, L. U.
Heat transfer analysis of a system for annual
collection and storage of solar energy
19 p0296 A78-33038
Design and operational influences on thermal
performance of 'Solaris' solar collector
[ASME PAPER 77-WA/SOL-2]
19 p0299 A78-33190
Annual collection and storage of solar energy for
the heating of buildings
[ORO-5136-76/1]
17 p0152 A78-14649
- LILLEY, G. H.
The aerodynamic efficiency of windmills
18 p0229 A78-31834
- LIN, C. J.
Polycrystalline silicon p-n junctions
19 p0334 A78-37467
- LIN, C. Y.
Available work energy and coal conversion processes
17 p0159 A78-15558
- LIN, L. B.
Development of a numerical ocean model of the Gulf
of Mexico for OTEC environmental impact and
resource availability studies
19 p0302 A78-33320
- LIN, R. J. H.
Optimization of coatings for flat plate solar
collectors, phase 2
[COO-2930-4]
17 p0152 A78-14648
Optimization of coatings for flat plate solar
collectors, phase 2
[COO-2930-12]
19 p0444 A78-26565
- LIN, S. H.
Biogasification using NaOH treated pig faeces
18 p0194 A78-27550
- LINDAL, B.
Ocean energy industrial complexes
19 p0301 A78-33311
- LINDENUTH, I. R.
Initial numerical studies of the behaviour of
Z-pinch plasma under liner implosion conditions
19 p0380 A78-42260

- LINDEN, L. B.
Alternative automotive engines and energy conservation 18 p0257 N78-18534
Issues in Federally supported research on advanced automotive power systems [PB-278124/3] 19 p0442 N78-26457
- LINDGREEN, R. R.
Two-phase Hartmann flows in the MHD generator configuration [AD-A051450] 19 p0401 N78-23927
- LINDHOLM, P. A.
Experimental determination of series resistance of p-n junction diodes and solar cells 18 p0228 A78-31731
Silicon solar cell designs based on physical behavior in concentrated sunlight 19 p0334 A78-37462
Measurement of material parameters that limit the open-circuit voltage in P-N-junction silicon solar cells 17 p0136 N78-13532
Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C] 19 p0410 N78-24685
- LINDLEY, D.
Wind energy research in New Zealand 18 p0171 A78-22249
- LINDMAYER, J.
New developments in vertical-junction solar cells 17 p0012 A78-10907
Developments in vertical-junction silicon solar cells 17 p0137 N78-13540
Nonreflecting vertical junction silicon solar cell optimization [AD-A046150] 17 p0151 N78-14636
Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 N78-18519
Energy requirement for the production of silicon solar arrays [NASA-CR-157074] 19 p0407 N78-24642
Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
Development of an improved high efficiency thin silicon solar cell [NASA-CR-157058] 19 p0408 N78-24654
- LING, R.
High efficiency, long life terrestrial solar panel [NASA-CR-157060] 19 p0407 N78-24649
- LING, R. C.
The coil winder for the magnet of the Mirror Fusion Test Facility 19 p0350 A78-39901
- LINKINOKER, C. L.
General Electric conceptual design of a test coil for the large coil program 19 p0351 A78-39928
- LINSCOTT, B. S.
Approximate method for calculating free vibrations of a large-wind-turbine tower structure [NASA-TM-73754] 18 p0240 N78-16434
Experimental data and theoretical analysis of an operating 100 kW wind turbine [NASA-TM-73883] 18 p0267 N78-19642
- LINSENBARDT, T. L.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- LIOR, N.
Optimized spacing between rows of solar collectors 17 p0043 A78-11229
- LIPIŃSKI, R. S.
Using sugar crops to capture solar energy 18 p0208 A78-28365
- LIPPMAN, M. J.
Modeling underground storage in aquifers of hot water from solar power systems 17 p0050 A78-11298
- LIPPS, P. W.
An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328
- A cellwise method for the optimization of large central receiver systems 17 p0053 A78-11330
A cellwise method for the optimization of large central receiver systems 19 p0314 A78-34937
- LISSAHAN, P. B. S.
General performance theory for crosswind axis turbines 18 p0170 A78-22236
- LITKA, A.
Application of solar energy to a solvent reclamation system 19 p0338 A78-38426
- LITTAUER, E. L.
Current efficiency in the lithium-water battery 17 p0095 A78-18410
- LITTLE, T. B.
Cold water transport, cold water pipe, and deep water mooring line analysis - A parametric approach 19 p0303 A78-33327
- LITTLEJOHN, M. A.
Solar cell design study [AD-A048042] 18 p0251 N78-17489
- LITTLER, J. G. F.
Economic considerations in the energy supply of Autarkic dwellings 17 p0005 A78-10621
- LITTLES, J. W.
Design and operation of a solar heating and cooling system for a residential size building [NASA-TM-78169] 19 p0420 N78-25546
- LITZ, D. C.
S.C. magnet design for 10 MJ homopolar machine 19 p0348 A78-39840
Superconducting energy storage coils 19 p0356 A78-40010
- LIU, H.
Hydraulic container pipelining - A future transportation system to conserve energy 17 p0030 A78-11091
- LIU, K. T.
Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811
- LIUBCHIK, G. W.
Gasdynamic calculation of gas-turbine combustion chambers with successive air injection 19 p0342 A78-39196
- LIUBINOV, G. A.
Influence of the nonuniformity of the field of force on the flow in an MHD channel 18 p0216 A78-28951
- LIVINGSTONE, P. M.
Si/CdS heterojunction solar cells 17 p0002 A78-10485
- LIZDAS, D. J.
Solid waste utilization: Pyrolysis [ANL/CES/TE-77-15] 19 p0435 N78-26038
- LIZLOVS, E. A.
The application of stainless steel to solar collectors 17 p0045 A78-11238
- LJUNGSTROM, O.
Recent developments in wind turbines 18 p0210 A78-28563
- LOCHMANN, W. J.
Materials problems in coal gasification and liquefaction 18 p0183 A78-25053
- LOCKNER, T. R.
Intense relativistic electron-beam trajectories and their effect on beam heating of toroidally confined plasma 19 p0310 A78-34237
- LODWIG, E.
A solar powered desiccant air conditioning system 17 p0046 A78-11245
- LOEBL, A. S.
Transportation energy conservation data book, supplement-3 [ORNL-5248] 17 p0121 N78-11508
Data needs in transportation energy conservation research 18 p0259 N78-18554
- LOEF, G. O. G.
Flat plate air-heater improvements 17 p0043 A78-11221

- The estimation of daily, clear-sky solar radiation intercepted by a tilted surface 17 p0044 A78-11230
- Maintenance costs of solar air heating systems 17 p0047 A78-11264
- Evaluation of a residential solar heating and cooling system with high performance evacuated tubular collectors 17 p0048 A78-11280
- LOESCH, H.
Comparison of foldout and rollout solargenerators in the multi-kW-range 17 p0017 A78-10966
- LOESCH, H. R.
Status of the West German terrestrial photovoltaic program 17 p0020 A78-11002
- LOFERSKI, J. J.
Characteristics of chalcocite /Cu₂S/ films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977
- Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038
- Tandem photovoltaic solar cells and increased tandem energy conversion efficiency 17 p0027 A78-11059
- LOGAN, B. G.
Plasma-wall charge-exchange interactions in the 2XIIIB magnetic mirror experiment 19 p0377 A78-42207
- LOHRENTZ, J.
Data-base management system for spatial display of federal offshore oil and gas lease data [LA-UR-77-2779] 19 p0467 N78-27791
- LOHAS, P. J.
Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- LONDERGAN, R. J.
Time-variable air pollutant emission strategies for individual power plants [EPRI-EA-418] 17 p0146 N78-13645
- LONGO, J. T.
Infrared focal planes in intrinsic semiconductors 18 p0204 A78-28139
- LONGWELL, J. P.
Alternative hydrocarbon fuels for aviation 17 p0077 A78-15400
- Synthetic fuels and combustion 17 p0082 A78-16637
- Alternative aircraft fuels [NASA-TN-73836] 18 p0247 N78-17229
- LONTAL, L. H.
Inductor network development for aircraft high power supplies [AD-A052750] 19 p0413 N78-25096
- LOO, R.
GaAs solar cell development 17 p0138 N78-13544
- LOPUKHIN, V. H.
Space solar power stations 18 p0194 A78-27442
- LOBAN, B. I.
Oil/gas complex conceptual design/economic analysis: Oil and SHG production [FE-1775-8] 17 p0161 N78-15575
- LORENZ, S.
Studies related to Zn_x/Cd_{1-x}/S-Cu₂S solar cells 17 p0018 A78-10982
- LORING, C. H.
The design philosophy and use of high voltage power systems for multi-megawatt ion beam accelerators 19 p0354 A78-39974
- LOESCH, J. G.
Solar collection at different temperatures by different collector types under various orientation methods 17 p0043 A78-11228
- The application of solar energy to boiler feedwater heating in steam-electric power plants 17 p0052 A78-11320
- LOSEY, R.
Performance evaluation of two black nickel and two black chrome solar collectors [NASA-CR-150497] 18 p0249 N78-17470
- MSFC hot air collectors. Phase 1: Test report [NASA-CR-150495] 18 p0249 N78-17471
- Thermal performance of honeywell double covered liquid solar collector [NASA-CR-150505] 18 p0249 N78-17472
- LOSEY, R. E.
Economic trade-offs between the performance of collector thermal performance tests on a Solar Simulator as opposed to outdoor testing 17 p0058 A78-11369
- LOTH, J. L.
Innovative wind turbines 17 p0031 A78-11101
- Betz type limitation of vortex wind machines 17 p0093 A78-18090
- Wind power limitations associated with vortices [AIAA PAPER 78-278] 18 p0166 A78-20785
- WVU wind energy concentrators 18 p0171 A78-22244
- LOUIE, W. C.
Evacuated-tube solar collector - Effect of control on efficiency at high operating temperatures 19 p0317 A78-35560
- LOVINS, A.
Which way to go? Observations based on discussion on global perspectives and energy strategies [IIASA-PP-77-9] 19 p0399 N78-23600
- LOWNDES, D. H.
Time integrated calculation of the insolation collected by a reflector-collector system 19 p0323 A78-35799
- LU, D. C.
Cost-effectiveness study of heat pipe heat exchangers [ASME PAPER 77-WA/HT-5] 19 p0298 A78-33171
- LUBELL, R. S.
Symposium on Engineering Problems of Fusion Research, 7th, Knoxville, Tenn., October 25-28, 1977, Proceedings. Volumes 1 & 2 19 p0345 A78-39783
- LUCCI, A. D.
Hydrogen turbine power conversion system assessment [NASA-CR-135298] 18 p0276 N78-20621
- LUCKOW, W. K.
Evaluation of coal feed systems being developed by the Energy Research and Development Administration [NASA-CR-155267] 17 p0124 N78-12419
- Evaluation of ERDA-sponsored coal feed system development 17 p0132 N78-13252
- LUE, J. T.
An optimum thickness indicator for evaporating metals on Schottky barrier solar cells 18 p0182 A78-24967
- LUSSSI, E. B.
Study of test methods for large flexible solar arrays (VELSA) [ESA-CR(P)-1016] 19 p0411 N78-24688
- LUFT, W.
Concentrator solar arrays for space power 17 p0017 A78-10970
- LUHMANN, H. C., JR.
Applications of submillimeter waves in plasma physics and controlled fusion research 19 p0360 A78-40241
- LUKACHEV, V. P.
Influence of combustion chamber geometry on toxic compound emissions 17 p0067 A78-13169
- LUKASH, V. E.
Processing the results of experiments on the U-25 unit by means of an information measuring system 17 p0002 A78-10246
- LUKENS, L. L.
Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations [SAND-77-1403] 19 p0428 N78-25620
- LUKIANOV, A. V.
Film reflectors in space 17 p0078 A78-15423
- LUKIN, B. V.
Oxide ceramics for electrodes on open-cycle MHD generators 19 p0328 A78-36556
- LUHANNICK, S.
Baseline tests of the power-train electric delivery van [NASA-TN-73765] 18 p0252 N78-17936

- Performance of conventionally powered vehicles tested to an electric vehicle test procedure [NASA-TN-73768] 18 p0271 N78-20022
- LUNA, R. E.
Environmental issues associated with solar heating and cooling of residential dwellings [SAND-77-0172] 17 p0161 N78-15581
- LUNDEBERG, L. B.
High temperature heat pipes for terrestrial applications [AIAA 78-435] 19 p0318 A78-35615
- LUNDE, P. J.
Prediction of the monthly and annual performance of solar heating systems 17 p0047 A78-11255
Seasonal solar collector performance with maximum storage 17 p0078 A78-15410
Prediction of average collector efficiency from climatic data 17 p0084 A78-16834
Prediction of the monthly and annual performance of solar heating systems 18 p0220 A78-30270
- LUPO, G.
The transformer design for a proposed technical feasibility Tokamak reactor 17 p0039 A78-11171
- LUPTON, W. H.
Application of homopolar generators for high voltage plasma experiments 19 p0348 A78-39848
- LUQUE, A.
Solar cell behaviour under variable surface recombination velocity and proposal of a novel structure 19 p0334 A78-37469
- LURIE, N. A.
Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858
- LUTHER, G.
Cost-effective electricity rates - A stronger incentive to rational energy use 18 p0176 A78-23919
- LUZ, H.
The gas turbine as an advantageous propulsion unit for high-performance rail traffic 17 p0096 A78-18713
- LUZZI, G.
First wall surface treating in the Frascati Tokamak FT 19 p0380 A78-42245
- LYDORF, J.
Development status of the ultralightweight solar array ULP 17 p0017 A78-10967
- LYON, J. P.
Magnetics design for ripple-assisted beam injection into the ISI-B and TFTR tokamaks 19 p0356 A78-40013
- LYON, R. J. P.
Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission [E78-10092] 18 p0263 N78-19570
- LYON, R. H.
An outline for optimizing and evaluating proposed OTEC systems 19 p0304 A78-33333
Outline for optimizing and evaluating proposed OTEC systems [CONF-770331-2] 17 p0153 N78-14660
- LYTLE, J. H.
Residence time measurements in a coal hydrogenation process 19 p0337 A78-38405
- M**
- MACK, J.
Mathematical model for the gasification of coal under pressure 18 p0184 A78-25323
- MACEBACKEN, M. C.
MAP3S - An investigation of atmospheric, energy related pollutants in the northeastern United States 19 p0366 A78-41284
- MACEDO, I. C.
Experimental evaluation of natural convection solar air heaters 19 p0323 A78-35795
- MACHUREV, IU. I.
Thermal deformations of solar concentrators 19 p0335 A78-37945
- MACIE, T. W.
Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7] 17 p0123 N78-11894
- MACIOCE, L. E.
Design approaches to more energy efficient engines [NASA-TN-78893] 19 p0441 N78-26442
- MACIOLEK, R. B.
Dip-coated sheet silicon solar cells 17 p0014 A78-10926
Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-155613] 18 p0248 N78-17464
Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- MACK, W. A.
The use of twin screw extruders for feeding coal against pressures of up to 1500 PSI 17 p0134 N78-13269
- MACKINTOSH, G. B.
Thrust computing system applications to increase engine life and provide fuel conservation 18 p0227 A78-31311
- MACHABE, R. C.
Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide [PB-268850/5] 17 p0116 N78-10599
- MADDOX, J. D.
Solar hybrid repowering 17 p0055 A78-11343
- MADDOX, R.
First order estimates of energy requirements for pollution control [PB-278274/6] 19 p0465 N78-27608
- MAEDA, K.
Desulfurization of petroleum residues and their carbonization properties 19 p0337 A78-38406
- MAEJIMA, Y.
Plan and design of ETL TPE-2 experiment 17 p0040 A78-11180
- MAENO, M.
Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- MAGID, L. H.
The current status of the U.S. photovoltaic conversion program 17 p0020 A78-10998
- MAHABALA, R. A.
Power increase from solar cells under pyramidal-horn type concentrator 19 p0372 A78-42125
- MAHALINGAM, L. H.
Studies of biofouling in Ocean Thermal Energy Conversion plants 19 p0305 A78-33342
- MAHDJOURI, F.
Analysis and optimization of solar hot water systems 17 p0075 A78-14689
- MAHONEY, J. R.
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry [PB-273019/0] 18 p0244 N78-16476
- MAIDARIK, IU. P.
Design of a heat pipe with separate ducts for vapor and fluid 19 p0383 A78-42638
- MAIDEN, B.
Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems 18 p0232 A78-32112
- HAJONE, G.
Technology assessment in a dialectic key [IIASA-PP-77-1] 17 p0123 N78-11896

- MAKAROV, I. V.
The effect of the properties of the working fluid
on the choice of electrode-surface temperature
for an MHD generator channel 19 p0341 A78-38969
- MAKAROV, S. A.
Study of the driving forces of heat and mass
transfer in a nozzle reflux device for heating
air by water 18 p0172 A78-22543
- MAKOWITZ, R.
High temperature blankets for the production of
synthetic fuels 19 p0359 A78-40093
- MAKSIMENKO, V. I.
The U-25B MHD-facility intended for research in
strong electric and magnetic fields 19 p0293 A78-32716
The MHD generator channel No. 1 of the U-25B
facility intended for research in strong
electric and magnetic fields 19 p0293 A78-32717
- MAKSUDOV, T. M.
An absorption solar refrigerator having periodic
operation 18 p0187 A78-25739
- MALECHA, J.
Mathematical model for the gasification of coal
under pressure 18 p0184 A78-25323
- MAJIC, D.
Exergy of gas fuels and their combustion gases 17 p0088 A78-17425
- MAJIK, W.
Application analysis of solar total energy to the
residential sector [TID-28103] 19 p0429 A78-25624
Application analysis of solar total energy to the
residential sector [TID-28104] 19 p0431 A78-25643
- MAJIKOV, G. K.
Study of the behavior of periclase materials in
gas flows containing alkali additions 19 p0328 A78-36578
- MAJIZHONOK, G. P.
Processing the results of experiments on the U-25
unit by means of an information measuring system 17 p0002 A78-10246
Investigation of the temperature dependence of the
electrical conductivity of the working fluid of
large MHD generators 18 p0194 A78-27136
- MALLAN, G. M.
Pyrolysis of industrial wastes for oil and
activated carbon recovery [PB-270961/6] 17 p0147 A78-13967
- MALLETTE, L. A.
Modeling solar cells for use as optical detectors
- Background illumination effects 19 p0333 A78-37189
- MALLOCK, I.
LSSA (low-cost Silicon Solar Array) project
[NASA-CR-155944] 18 p0264 A78-19614
- MALONUZH, I. A.
Optimum testing period for new thermomechanical
equipment 18 p0225 A78-31245
- MALTE, P. C.
Modelling and experimentation of sample probe
effects on pollutant gases drawn from flame zones
[WSS/CI PAPER 77-6] 17 p0081 A78-16340
Inorganic pollutants from pulverized coal
combustion /A review/
[WSS/CI PAPER 77-48] 18 p0230 A78-31957
- MALYGIN, E. A.
The role of macrorelief of semiconductor branches
during their commutation in thermoelements 18 p0187 A78-25736
- MAKHEDNIAZOV, S. O.
A comparative analysis of models describing the
formation of irradiance fields in wide-aperture
optical systems 18 p0187 A78-25733
Equalizing an irradiance field on the surface of a
receiver 18 p0187 A78-25734
- MAJULA, W., JR.
Remote-sensing methods for monitoring surface coal
mining in the northern Great Plains 18 p0206 A78-28247
- MAHAGAN, W. W.
Instrumentation and process control for fossil
demonstration plants [ANL/FE-49622-9] 19 p0430 A78-25640
- MAHASSER, J.
Photoelectrochemical storage cells - The
importance of the second and third electrodes 19 p0343 A78-39455
- MAHCINI, T. R.
Preliminary performance evaluation of the New
Mexico State University solar house 19 p0295 A78-33032
- MAHDA, H.
Electron emission from nickel-alloy surfaces in
cesium vapor 18 p0188 A78-26112
- MAHDEL, T.
Transportation in America's future: Potentials
for the next half century. Part 2.
Transportation forecasts [PB-270468/2] 17 p0129 A78-12909
Transportation in America's future: Potentials
for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 A78-12910
- MAHARELLA, P.-A.
Three ocean sited natural energy systems 17 p0009 A78-10735
- MAHGLICK, A.
Temperature sheaths on probes or electrodes in MHD
plasmas 19 p0336 A78-38108
- MAHJI, A.
Radiation measurements for solar energy utilization 19 p0370 A78-42109
- MAHNIKOWSKI, A. P.
A design and producibility study of heat
exchangers for Ocean Thermal Energy Conversion
systems 19 p0304 A78-33340
- MAHISTA, E. J.
Preliminary results on the conversion of laser
energy into electricity 19 p0313 A78-34631
A review of the thermoelectronic laser energy
converter (TELEC) program at Lewis Research Center
[NASA-TM-73888] 18 p0281 A78-21441
- MAHMAN, K. D.
Experimental studies of selective coatings for
solar energy collectors 19 p0375 A78-42151
Experimental investigation of circular cylindrical
solar heat collector of stationary type 19 p0375 A78-42154
Air conditioning using ocean thermal gradients 19 p0376 A78-42160
A new design of organic vapour engine for solar
systems 19 p0376 A78-42161
- MAHNE, A. S.
Health and economic costs of alternative energy
sources [IAEA-CN-36/448] 19 p0390 A78-22484
ETA-MACRO: A model of energy-economy interactions
[EPRI-EA-592] 19 p0449 A78-26612
- MAHNELLA, G.
ERDA funding in transportation energy conservation
area and research plans 18 p0259 A78-18553
- MAHOS, P.
MASTRAN use for cyclic response and fatigue
analysis of wind turbing towers 17 p0125 A78-12459
- MAHNSFIELD, T. A.
Generation of air pollutants from kerosene
combustion in commercial and domestic glasshouses 17 p0105 A78-20075
- MAHNOVANI, S.
Thin Pt and Pd silicide Schottky barriers for
silicon solar cells 18 p0171 A78-22267
- MAH, R. W.
Thermochemical energy storage systems: A review
[SAND-77-8051] 19 p0460 A78-27557

- MARATHE, B. R.
Effects of temperature on the performance of
silicon solar cells
19 p0371 A78-42117
- MARCHI, D. L.
A novel square Fresnel lens design for
illuminating circular solar cells
19 p0342 A78-39369
- MARCHUSE, W.
Energy modeling and data support for the Electric
Power Research Institute
[BNL-50696]
19 p0425 N78-25595
- MARCINIAR, T. J.
Potential energy savings in commercial/residential
communities based on integrated systems design
[CONF-771120-21]
19 p0464 N78-27592
- MARCUS, G.
Assessing near-term technologies for solar heating
and air-conditioning systems
17 p0074 A78-14540
- MARCUS, G. R.
Hierarchal modeling of solar heating and air
conditioning systems
19 p0340 A78-38790
- MARCUSE, W.
Residential energy demand analysis: Data and
methodology
[BNL-21920]
17 p0140 N78-13573
- MAREK, C. J.
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1]
19 p0453 N78-27122
- MARGOLIN, J.
Analysis of policy options for accelerating
commercialization of solar heating and cooling
systems
[TID-27597]
19 p0428 N78-25615
- MARIANOWSKI, L. G.
Molten salt thermal energy storage systems
[NASA-CR-135419]
19 p0405 N78-24618
- MARRHAM, D. H.
A numerical solution to the unsteady,
quasi-three-dimensional, turbulent heat transfer
problem in an MHD channel
[ASME PAPER 77-HT-90]
17 p0091 A78-17506
- MARRIEWICZ, W. D.
General Electric conceptual design of a test coil
for the large coil program
19 p0351 A78-39928
- MARRUS, D. R.
Simulation study of a flywheel powered electric
vehicle utilizing the modern high energy density
energy storage flywheel
19 p0385 A78-43044
- MARLAND, G.
Net energy analysis of in situ oil shale processing
18 p0173 A78-22840
Net energy analysis of an Ocean Thermal Energy
Conversion (OTEC) system
[ORAU/IEA (M)-77-1]
18 p0288 N78-21652
- MARONI, V. A.
Tritium handling trade studies and design options
for the GA/ANL TNS
19 p0355 A78-39983
Thermal hydraulic analyses of two fusion reactor
first wall/blanket concepts
[CONF-771029-178]
19 p0434 N78-25930
- MARSCHALL, E.
The efficiency of solar flat-plate collectors
19 p0323 A78-35798
- MARSHALL, B. W.
Status of the ERDA photovoltaic systems definition
project
17 p0021 A78-11009
Solar photovoltaic power stations
17 p0054 A78-11335
- MARSHALL, K. H.
An approximate equation for predicting the solar
transmittance of transparent honeycombs
17 p0044 A78-11231
- MARSHALL, W. F.
Performance characteristics of automotive engines
in the United States. Report no. 8: Mitsubishi
Model 6DS7 diesel engine
[PB-274374/8]
18 p0254 N78-18437
Performance characteristics of automotive engines
in the United States. Report no. 9: Chrysler
(1975) 225-CID 1-bbl engine
[PB-274375/5]
18 p0254 N78-18438
- Performance characteristics of automotive engines
in the United States. Report no. 10: Chevrolet
(1975) 250 CID 1-bbl engine
[PB-274376/3]
18 p0254 N78-18439
Performance characteristics of automotive engines
in the United States. Report no. 11: Chrysler
(1975) 318-CID 2-bbl engine
[PB-274377/1]
18 p0254 N78-18440
Experiments with novel fuels for diesel engines.
[BERC/TPR-77/8]
19 p0436 N78-26225
- MARSTON, C. H.
Coal fired non-equilibrium, Closed Cycle MHD/steam
power generation
[ASME PAPER 77-WA/ENER-8]
19 p0298 A78-33146
- MARTE, J. E.
Applications of aerospace technology to petroleum
extraction and reservoir engineering
[NASA-CR-157167]
19 p0414 N78-25233
- MARTENS, H.
Toxicological aspects of the use of hydrogen in
the future as main energy source
17 p0101 A78-18855
- MARTIN, C.
Investigation of plasma-wall interaction by the
aid of a plasma accelerator
19 p0379 A78-42218
- MARTIN, C. L.
Organic compounds in turbine combustor exhaust
[AD-A045582]
17 p0129 N78-13065
- MARTIN, G. B.
Reactions of fuel-nitrogen compounds under
conditions of inert pyrolysis
18 p0173 A78-22822
Evaluation of NO_x/ emission characteristics of
alcohol fuels for use in stationary combustion
systems
19 p0321 A78-35705
- MARTIN, J. R.
Relationships among observed short-term maximum
sulfur dioxide concentrations near coal-fired
power plants
[APCA PAPER 77-29,5]
18 p0185 A78-25443
- MARTIN, L. S.
Computer aided preliminary energy analysis and
energy use options for architectural students
17 p0057 A78-11359
- MARTIN, H.
Effects of solar data accuracy on the performance
and economics of solar energy systems
17 p0058 A78-11366
- MARTIN, P. J.
An estimate of the impact of OTEC operation on the
vertical distribution of heat in the Gulf of
Mexico
19 p0302 A78-33317
- MARTIN, T. H.
Pulsed power for fusion
17 p0007 A78-10696
- MARTIN, W. J.
Refuse incineration with heat recovery - Typical
design and practical experience
17 p0037 A78-11147
- MARTINELLI, R. H.
Extended performance solar electric propulsion
thrust system study. Volume 4: Thruster
technology evaluation
[NASA-CR-135281-VOL-4]
18 p0237 N78-16090
- MARTINEZ-SANCHEZ, H.
Effects of slagging in MHD generator ducts
[ASME PAPER 77-HT-59]
17 p0089 A78-17491
Potential effects of coal slag condensation on
plasma conductivity in MHD generators
18 p0188 A78-26109
Dynamics of drive systems for wind energy conversion
18 p0266 N78-19633
Characterization of open-cycle coal-fired MHD
generators, revision A
[FE-2478-4-REV-A]
19 p0422 N78-25566
- MARTINEZ, B.
Selecting optimum tilts for solar collectors as a
function of cloudiness
17 p0043 A78-11226
- MARTINI, P. S.
Energy optimization of a cycled Tokamak
17 p0087 A78-17133
- MARTINI, W. R.
Space electric power design study
[NASA-CR-152031]
18 p0282 N78-21590

- HARTO, P. J.
Augmenting the condenser heat transfer performance
of rotating heat pipes
[AIAA 78-409] 19 p0318 A78-35597
- HARTONE, R.
The transformer design for a proposed technical
feasibility Tokamak reactor 17 p0039 A78-11171
- HARU, H. C.
Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 A78-24618
Molten-salt thermal-energy storage systems
[CONF-770955-3] 19 p0460 A78-27556
- HARUCCI, J.
CDS sprayed thin films - Electrical and optical
properties 17 p0018 A78-10981
- HARVIN, H. H.
Overview of the Federal solar energy program
[AIAA PAPER 78-290] 18 p0177 A78-24001
ERDA's Solar Energy Research and Development Program
18 p0180 A78-24753
- HASDEN, G. W.
The potential for increasing the efficiency of
photovoltaic systems by using multiple cell
concepts 17 p0026 A78-11058
- HASLAN, P.
Capital and electrical production costs for
geothermal power plants 17 p0010 A78-10744
- HASLOWSKI, E. A.
Baseline tests of the Zagato Elcar electric
passenger vehicle
[NASA-TM-73764] 18 p0252 A78-17934
Baseline tests of the EVA change-of-pace coupe
electric passenger vehicle
[NASA-TM-73763] 18 p0253 A78-17938
Baseline tests of the batronic Minivan electric
delivery van
[NASA-TM-73761] 18 p0253 A78-17940
Baseline tests of the EPC Hummingbird electric
passenger vehicle
[NASA-TM-73760] 18 p0279 A78-21010
- HASSEY, C. L.
Technical and economic impacts of the application
of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- HASSEY, R. S.
Effect of Paraday rotation on stimulated Brillouin
backscattering 19 p0369 A78-41909
- MASTERS, L. W.
Solar energy systems. Survey of materials
performance
[PB-273305/3] 18 p0244 A78-16475
- MASTERS, R. H.
Solar energy meter
[NASA-TM-73791] 17 p0150 A78-14630
- MASTERSON, K. D.
High temperature, stable, spectrally selective
solar absorbers for thermochemical hydrogen
production 17 p0080 A78-16049
- MASTRONARDE, T. P.
A study of solar water heating for existing homes
in Southern New England 19 p0295 A78-33034
- MASUDA, H.
Superconducting magnetic energy storage
17 p0074 A78-14649
- MASUDA, T.
Cold wall Paraday type generating channel
17 p0106 A78-20199
- MASUZAKI, H.
Formation of a high-current
relativistic-electron-beam ring for plasma
confinement 17 p0012 A78-10887
- MATHEWS, P. S.
Potential of open cycle OTEC - A general survey
19 p0305 A78-33347
- MATHUR, A. K.
Study of treatment methods for geothermal fluids
[LBL-6337] 18 p0285 A78-21622
Study of brine treatment
[EPRI-BR-476] 19 p0430 A78-25633
- MATHUR, H. B.
Investigations into the suitability of methanol
and methanol gasoline blends as s.i. engine fuels
18 p0199 A78-27828
- MATLICK, J. S.
Summary of 1977 geothermal drilling - Western
United States 19 p0362 A78-40534
- MATLOFF, G. L.
The Leboest Wind Turbine - Laboratory tests and
data analysis 19 p0364 A78-40824
- MATOKA, H.
Thermo-nuclear fusion plasma produced by CO₂ laser
19 p0362 A78-40385
- MATSON, L.
Seals for geothermal roller drill bits
[ASME PAPER 77-PET-53] 17 p0077 A78-15081
- MATSUBAYA, O.
Stable isotopic studies of Japanese geothermal
systems 17 p0062 A78-11493
- MATSUNOTO, K.
A large scale heat exchanger with polygonally
configured heat pipe units
[AIAA 78-393] 19 p0317 A78-35588
- MATSUNOTO, S.
Improvement of efficiency in Si Schottky barrier
solar cells 17 p0026 A78-11051
- MATSUNAMI, H.
Improvement of efficiency in Si Schottky barrier
solar cells 17 p0026 A78-11051
- MATSUOKA, S.
Development of a flow-model for energies and
products 18 p0187 A78-25946
- MATSUSHITA, T.
Anomalous temperature dependence observed on the
photovoltage of Se-based amorphous thin
film-SnO₂ heterostructures 18 p0222 A78-30644
- MATSUURA, K.
Biological conversion of light energy into
electrochemical potential 18 p0208 A78-28360
- MATTAVI, J. H.
Thermal energy storage-Stirling engine powerplants
for road vehicles
[GHR-2690-SECT-7.111] 19 p0441 A78-26337
- MATTIOLI, H.
Ionization equilibrium and radiative cooling of a
high temperature plasma 18 p0227 A78-31423
Ionization and recombination rate coefficients of
highly ionized molybdenum ions from spectroscopy
of tokamak plasmas 19 p0369 A78-42015
- MATTON, G.
Research in a pre-vaporization combustion chamber
on natural gas in liquid and gaseous states
19 p0323 A78-35897
- MATTSON, L.
Evaluation of coal feed systems being developed by
the Energy Research and Development administration
[NASA-CR-155267] 17 p0124 A78-12419
Evaluation of ERDA-sponsored coal feed system
development 17 p0132 A78-13252
- MATULA, R. A.
Present status and research needs in energy
recovery from wastes; Proceedings of the
Conference, Oxford, Ohio, September 19-24, 1976
17 p0005 A78-10626
- MATVEEV, V. P.
Converter of solar radiation to thermal energy.
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings 19 p0335 A78-37946
- MAUGH, T. H., II
Underground gasification - An alternate way to
exploit coal 17 p0087 A78-17261
- MAURI, G.
How do alternative powerplant costs compare
19 p0313 A78-34677

- MAWARDI, O. K.
Pulsed superconducting inductive storage system
17 p0008 A78-10702
- MAIWELL, C. D.
A numerical solution to the unsteady,
quasi-three-dimensional, turbulent heat transfer
problem in an MHD channel
[ASME PAPER 77-HT-90] 17 p0091 A78-17506
- MAY, W. B., JR.
Design and operational influences on thermal
performance of 'Solaris' solar collector
[ASME PAPER 77-WA/SOL-2] 19 p0299 A78-33190
- MAYER-SCHWINNING, W.
Maximum wind energy utilization by means of a
single-unit wind turbine
18 p0211 A78-28572
- MAYER, E.
Selecting optimum tilts for solar collectors as a
function of cloudiness
17 p0043 A78-11226
- MAYER, H. H.
Neutral particle emission of the pulsator plasma
during high-density discharges
19 p0379 A78-42216
- MAYHALL, D. J.
Circuit and magnetic analysis for a system of
Faraday rotator coils driven by a two-spool,
four-rotor homopolar generator
[CONF-771029-119] 19 p0467 N78-27927
- MAYNARD, C. W.
The use and performance of graphite and metal
ISSECs in tokamak fusion reactors
18 p0195 A78-27579
- MAYO, L. H.
Legal-institutional arrangements facilitating
offshore Wind Energy Conversion Systems (WECS)
utilization
[DOE/NSF/19137-77/3] 19 p0435 N78-25982
- MAYS, R. A.
Fuels outlook I - Transportation and the U.S.
petroleum resource, an aviation perspective
[AIAA PAPER 78-357] 18 p0178 A78-24032
- MAZZOCCO, W. J.
Experience in feeding coal into a liquefaction
process development unit
17 p0131 N78-13242
- MAZZONE, A. H.
Computer aided two-dimensional analysis of
junction type solar cells
19 p0383 A78-42807
- MCALLISTER, A. J.
Materials for fuel cells
[PB-269518/7] 17 p0113 N78-10573
- MCALPINE, D. B.
Studies on the separation of coal extract from
solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 N78-23590
- MCBETH, R.
HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- MCBREEN, J.
Hydrogen-chlorine energy storage system
[BWL-23670] 19 p0460 N78-27558
- MCBRIDE, A. C.
Mutational analysis of *Chlamydomonas reinhardtii* -
Application to biological solar energy conversion
18 p0207 A78-28357
- MCBRIEN, E. P.
Baseline tests of the C. H. Waterman Renault 5
electric passenger vehicle
[NASA-TM-73759] 18 p0245 N78-16928
- MCCALL, M. T.
Shock-tube combustion of high density hydrocarbon
fuels
18 p0222 A78-30512
- MCCANN, R. A.
Structural analysis of a two-component torus /TCT/
hybrid reactor first wall
19 p0358 A78-40072
- MCCARTHY, J. E.
Startup and operation of the
Research-Cottrell/Bahco scrubber for removal of
SO₂ and particulates from flue gas at
Rickenbacker Air Force Base, Columbus, Ohio
18 p0232 A78-32108
- MCCARTY, M., JR.
Shock-tube combustion of high density hydrocarbon
fuels
18 p0222 A78-30512
- MCCLEUNEY, W. R.
Gulf Stream OTEC resource potential
19 p0291 A78-32535
- MCCLURE, J. D.
Performance analysis and experience for flat plate
collector with absorber operating in a vacuum
17 p0042 A78-11215
- MCCLURE, T. A.
Using sugar crops to capture solar energy
18 p0208 A78-28365
- MCCOMIS, C.
Reduction of nitrogen oxide emissions from field
operating package boilers, phase 3
[PB-269277/0] 17 p0121 N78-11526
- MCCONNELL, R. D.
A performance evaluation of a solar house in Quebec
17 p0048 A78-11277
- MCCORNICK, J.
Hydrodynamic air lubricated compliant surface
bearing for an automotive gas turbine engine.
1: Journal bearing performance
[NASA-CR-135368] 18 p0281 N78-21472
- MCCORNICK, J. R.
Silicon solar cells from transition metal doped
Czochralski and web crystals
17 p0013 A78-10922
- Production of solar-grade silicon from purified
metallurgical silicon
17 p0013 A78-10925
- Silicon materials task of the low cost solar array
project, phase 2
[NASA-CR-157082] 19 p0406 N78-24622
- Solar silicon via the Dow Corning process
[NASA-CR-157065] 19 p0406 N78-24637
- MCCORRICK, M. E.
Wind-wave power available to a wave energy
converter array
19 p0326 A78-36272
- MCCORNICK, P. O.
Preliminary environmental assessment of solar
energy systems
[PB-272352/6] 18 p0243 N78-16465
- MCCORNICK, R. E.
Subsystem research experiments on a central
receiver collector
17 p0053 A78-11327
- MCCORNICK, S. P.
A microprocessor-based control system for solar
heated/cooled residential dwellings
18 p0176 A78-23896
- MCCRACKEN, G. H.
A review of work on plasma-wall interactions and
divertor experiments on DITE
19 p0377 A78-42204
- MCCREARY, W. J.
Possible selective solar photothermal absorber -
Ni dendrites formed on Al surfaces by the CVD of
Ni /CO/4
18 p0221 A78-30302
- MCCULLOUGH, R. W.
Design of high efficiency flat plate solar
collectors for space and water heating
[ASME PAPER 78-DE-7] 19 p0345 A78-39776
- MCCUTCHEAN, D. A.
Evaluation of a photovoltaic central power station
[CONF-770403-8] 17 p0141 N78-13582
- MCDANIELS, D. K.
Finite size corrections for a reflector-collector
system
17 p0043 A78-11227
- Time integrated calculation of the insolation
collected by a reflector-collector system
19 p0323 A78-35799
- MCDERMITT, J. H.
Optical design of solar concentrators
[AIAA PAPER 78-904] 19 p0324 A78-36022
- MCDONALD, C. P.
Large closed-cycle gas turbine plant
[GA-A-14311] 17 p0152 N78-14652
- MCDONALD, C. L.
GEOCITY: A computer code for calculating costs of
district heating using geothermal resources
[BWL-2208] 17 p0151 N78-14644

- Geothermal energy potential for district and process heating applications in the US: An economic analysis [BNWL-2311] 18 p0288 N78-21649
- MCDONALD, G.
A low cost, portable instrument for measuring emittance 17 p0061 A78-11392
- MCDONALD, G. E.
Black chrome on commercially electroplated tin as a solar selecting coating [NASA-TN-73799] 17 p0159 N78-15562
Selective coating for solar panels [NASA-CASE-LEW-12159-1] 18 p0263 N78-19599
- MCDONALD, M. J.
Theoretical modeling of an ammonia/water absorption cycle with solar energy storage 17 p0046 A78-11250
- MCDUGALL, J.
Electric vehicles in the Bell System [EVC PAPER 7752] 17 p0086 A78-16931
- MCEEDWARDS, D. G.
Results of reservoir evaluation tests, 1976 East Mesa Geothermal Field, California [LBL-6369] 18 p0286 N78-21631
- MCELROY, J.
Energy consumption in commercial industries by census division - 1974 [PB-268851/3] 17 p0139 N78-13558
- MCFADDEN, J.
Energy supply and environmental impacts: Conventional energy sources [PB-276410/8] 18 p0289 N78-21669
- MCFARLAND, A. R.
Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555
- MCGINNIS, K. A.
Postulated weather modification effects of large energy releases [BNWL-2162] 17 p0117 N78-10672
- MCGIER, D. F.
An agenda for technology assessment in the materials field. Volume 1: Principal findings [PB-278639/0] 19 p0453 N78-27009
An agenda for technology assessment in the materials field. Volume 2: Appendices [PB-278640/8] 19 p0453 N78-27010
- MCGLAHERY, G. G.
SO₂ control technologies - Commercial availabilities and economics 19 p0310 A78-34224
- MCGOWAN, J. G.
Three ocean sited natural energy systems 17 p0009 A78-10735
Analytical performance and economic evaluation of residential wind or wind and solar heating systems 17 p0055 A78-11347
Ocean thermal energy conversion material requirements for large-scale systems 18 p0183 A78-25057
New designs and applications of medium sized wind systems 19 p0361 A78-40369
- MCGRATH, B. J.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- MCGWINESS, D.
Modular approach for emergency and stand-by electric power in Northern Canada 19 p0337 A78-38402
- MCGUIRE, C. B.
Distributed technologies in California's energy future, volume 1 [LBL-6831-VOL-1] 18 p0285 N78-21623
Distributed technologies in California's energy future: A preliminary report, volume 2 [LBL-6831-VOL-2] 18 p0286 N78-21635
- MCGUIRE, B. B., JR.
Effect of liquid waste discharges from steam generating facilities [BNWL-2393] 19 p0450 N78-26634
- MCHARGUE, C. J.
Materials requirements for fusion reactors 18 p0182 A78-25051
- MCHUGH, D.
Space industrialization - Redefining the world 18 p0193 A78-26823
- MCHUGH, J. P.
Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 N78-23563
- MCHUGH, W. E.
Energy demand modeling and forecasting [PB-274336/7] 18 p0270 N78-19676
- MCILVRIED, E. G.
Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor 19 p0365 A78-41222
- MCINTIRE, W.
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- MCINTIRE, W. R.
Performance and testing of a stationary concentrating collector [CONF-770953-7] 19 p0429 N78-25627
- MCINTOSH, R.
A thermal canister experiment for the Space Shuttle [AIAA 78-456] 19 p0319 A78-35631
- MCINTYRE, J. P.
Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920] 19 p0389 N78-22476
- MCKEEB, J. A.
Studies on the separation of coal extract from solid residue in liquefied coal [NSF/AER-75-15213] 19 p0398 N78-23590
- MCKENZIE, D. R.
Effect of substrate on graphite and other solar selective surfaces 19 p0345 A78-39637
- MCKENZIE, W. P.
Geothermal reservoir temperatures estimated from the oxygen isotope compositions of dissolved sulfate and water from hot springs and shallow drillholes 17 p0062 A78-11492
- MCKINNON, M. A.
A tokamak hybrid blanket design 19 p0355 A78-39982
- MCLALLIN, K. L.
Cold-air performance of the compressor-drive turbine of the Department of Energy baseline automobile gas-turbine engine [NASA-TN-78894] 19 p0436 N78-26098
- MCLANE, C. B.
A dynamic model for the efficient utilization of exhaustible energy resources 18 p0263 N78-19598
- MCLAUGHLIN, D. L.
Ocean thermal power plants heat exchangers [ERDA/NSP-43441/76/1] 19 p0410 N78-24681
- MCLAUGHLIN, J. L.
Practical interferometry at 1.06 microns 19 p0360 A78-40223
- MCLAUGHLIN, S. B.
Character and transformation of pollutants from major fossil-fuel energy sources [APCA PAPER 77-15,1] 18 p0185 A78-25406
Character and transformation of pollutants from major fossil fuel energy sources [ORNL/TN-5919] 17 p0156 N78-14698
- MCLURE, W. J.
Performance and NO_x emissions of spark ignited combustion engines using alternative fuels - Quasi one-dimensional modeling. I - Hydrogen fueled engines 19 p0333 A78-37299
- MCLMORE, D. E.
Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery 18 p0237 N78-16171
- MCHAHON, B.
Energy - Implications for transport 18 p0218 A78-29904

- MCILLAN, R. E.
Reduction of nitrogen oxide emissions from field
operating package boilers, phase 3
[PB-269277/0] 17 p0121 N78-11526
- MCULLAN, J. T.
Short communication on the optimum orientation of
solar collectors - An alternative approach 17 p0075 A78-14692
Energy resources 19 p0385 A78-43072
- MCNAMARA, B.
Magnetic fusion energy
[UCRL-79600] 18 p0245 N78-16872
- MCNAMARA, T. J.
A solar energy system for domestic hot water 17 p0032 A78-11106
A solar energy system for space heating and space
cooling 19 p0295 A78-33033
- MCNELIS, B.
Solar water heating - Some economic and commercial
aspects 17 p0005 A78-10620
- MCRAE, W. V.
Self-powered electric propulsion of satellite
power systems
[AIAA PAPER 78-694] 19 p0293 A78-32765
- MEADE, D. E.
Divertors for impurity control and review of
impurity effects in PPL tokamaks 19 p0377 A78-42203
- MEADOR, R.
Future energy alternatives: Long-range energy
prospects for America and the world 18 p0189 A78-26171
- MEADOWS, D.
Which way to go? Observations based on discussion
on global perspectives and energy strategies
[IIASA-PP-77-9] 19 p0399 N78-23600
- MEAKIN, J. D.
Studies related to Zn/x/Cd/1-x/S-Cu₂S solar cells
Increases in energy conversion efficiency for
thin-film polycrystalline CdS/Cu₂S photovoltaic
cells 18 p0228 A78-31730
- MEARS, D. E.
A numerical simulation of heat transfer in rock beds
17 p0050 A78-11305
- MECKLER, G.
Constraints in solar life cycle cost modeling
17 p0056 A78-11353
- MECKLER, M.
Solar energy and large building HVAC systems - Are
they compatible 17 p0078 A78-15408
- MEDIN, S. A.
Two-dimensional electrical effects in a frame-type
MHD channel 17 p0103 A78-19269
Choice of optimal configuration of frame and cross
section shape for a frame-type MHD channel 18 p0168 A78-22139
Subsonic flow in an MHD channel 19 p0341 A78-38963
- MEEKER, P.
Analysis of policy options for accelerating
commercialization of solar heating and cooling
systems
[TID-27597] 19 p0428 N78-25615
- MEEKER, M. D.
The electric locomotive opportunity in the United
States
[EVC PAPER 7781] 17 p0086 A78-16933
Electrification of railroads
problems-potentials-economic impacts 18 p0259 N78-18550
- MEGONNELL, W. E.
Efficiency and reliability of sulfur dioxide
scrubbers 19 p0384 A78-42906
- MEHTA, P. S.
Nitric oxide formation in hydrocarbon-air flames
18 p0199 A78-27834
- MEIER, D. L.
Studies of biofouling in Ocean Thermal Energy
Conversion plants 19 p0305 A78-33342
- MEINEL, A. B.
Photosynthetic and water efficiency of Salsola
pestifer 17 p0056 A78-11352
Concentrating collectors 18 p0200 A78-27859
- MEINEL, M. P.
Photosynthetic and water efficiency of Salsola
pestifer 17 p0056 A78-11352
- MEISTER, R.
Potential of wood as an energy resource in New
England
[TID-28131] 19 p0432 N78-25655
- MEITLIS, V. P.
Effect of flow inhomogeneity on plasma instability
near a channel wall 17 p0002 A78-10245
- MEKA, P. R.
Plasma engineering problems associated with
superthermal fusion products 19 p0358 A78-40081
- MELAN, C.
The Andco-Torrax process - A slagging pyrolysis
solid waste conversion system 17 p0036 A78-11142
- MELBY, M. A.
On the theory of homojunction and heterojunction
solar cells 18 p0192 A78-26616
- MELENTEV, L. A.
Principles of nuclear district heating
17 p0066 A78-13150
- MELISS, M.
Results of the German wind energy study
18 p0210 A78-28557
- MELLOR, M.
Mechanics of cutting and boring. Part 6:
Dynamics and energetics of transverse rotation
machines
[AD-A045127] 17 p0135 N78-13444
- MELNIKOV, E. V.
Conditions for the constricted discharge at
electrodes in a combustion product plasma
18 p0193 A78-27127
- MELTON, D. E.
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing
17 p0058 A78-11369
- MENHOTT, V. J.
Cold flow mixing rate data for pulverized coal
reactors 19 p0328 A78-36616
- MENABDE, R. E.
Investigation of the electrical characteristics of
low-temperature thermionic power generators
18 p0227 A78-31338
- MENDELSON, M.
HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- MENEZES, J. J.
The engineering properties of Texas lignite and
associated rocks in relation to the stability of
an in situ gasification chamber 17 p0071 A78-14072
- MENEZES, S.
CuInS₂ liquid junction solar cells 19 p0310 A78-34274
Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency
19 p0343 A78-39461
Stability and voltammetry of illuminated
semiconductor-liquid interfaces 19 p0343 A78-39464
Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells
19 p0344 A78-39469
- MENTER, M.
Energy perspectives for the year 2000
19 p0377 A78-42184
- HERCADIEN, Y.
Calculation of the geometry and performance of a
high-speed wind rotor 19 p0382 A78-42419

- MERCER, J. H.
West Antarctic ice sheet and CO2 greenhouse effect
- A threat of disaster
18 p0175 A78-23492
- MEREDITH, D.
Evaluation of a residential solar heating and
cooling system with high performance evacuated
tubular collectors
17 p0048 A78-11280
- MERKER, G. P.
Energy storage
19 p0314 A78-34972
- MERONEY, R. W.
Wind tunnel simulation of the influence of two
dimensional ridges on wind speed and turbulence
18 p0169 A78-22231
A simplified physics airflow model for evaluating
wind power sites in complex terrain
19 p0340 A78-38791
- MERRIAN, R. L.
Solar air-conditioning study
[AD-A043951]
17 p0113 A78-10575
System definition study: Phase 1 of individual
load center, solar heating and cooling
residential project
[EPRI-ER-594]
19 p0459 A78-27548
- MERRIFIELD, D. V.
A hypothetical 1000 MW(e) photovoltaic
solar-electric plant
[PB-273108/1]
18 p0243 A78-16468
- MERRILL, A. J.
Thin film heterojunction and homojunction solar
cells utilizing I-III-VI2 ternary compound
semiconductors
17 p0018 A78-10984
- MERRILL, O. B.
DOD photovoltaic energy conversion systems market
inventory and analysis, volume 1
[PB-273969/6]
18 p0243 A78-16469
DOD photovoltaic energy conversion systems market
inventory and analysis, volume 2
[PB-273970/4]
18 p0243 A78-16470
DOD photovoltaic energy conversion systems market
inventory and analysis. Summary volume
[PB-273971/2]
18 p0243 A78-16471
Preliminary analysis of an option for the Federal
photovoltaic utilization program
[PB-274220/3]
18 p0260 A78-18562
- MERRILL, W. C.
An inverter/controller subsystem optimized for
photovoltaic applications
[NASA-TN-78903]
19 p0452 A78-26995
- MERRIN, S.
Heterostructure single crystal silicon
photovoltaic cell. Type A: Semiconductor
heterojunction silicon devices
[TID-27910]
19 p0462 A78-27579
- MERRITT, B. T.
An asynchronous ac/dc/ac link for wind power
application
18 p0239 A78-16426
- MERTENS, R.
Inversion layer silicon solar cells with MIS
contact grids
17 p0026 A78-11049
Influence of bandgap narrowing on the performance
of silicon n-p solar cells
19 p0334 A78-37464
- MERTENS, R. P.
New TiO₂-MIS and SiO₂-MIS silicon solar cells
19 p0313 A78-34847
- MERZLIAKOV, E. I.
Heat transfer in a dense layer at large Biot numbers
19 p0335 A78-37912
- MESSERLE, H. K.
Temperature sheaths on probes or electrodes in MHD
plasmas
19 p0336 A78-38108
- METRY, A. A.
Methods and costs of controlling sulfur emissions
from a petroleum refinery
19 p0320 A78-35698
- METZ, W. D.
Capturing sunlight - A revolution in collector
design
19 p0365 A78-41217
- MEULENBERG, A.
Comparative testing of high efficiency silicon
solar cells
17 p0014 A78-10937
- MEULENBERG, A., JR.
The sawtooth cover slide
17 p0137 A78-13537
Ultraviolet damage in solar cell assemblies with
various UV filters
17 p0138 A78-13551
- MEYER, B.
Sulfur, energy, and environment
18 p0224 A78-31069
- MEYER, J. W.
Development of dry coal feeders
17 p0131 A78-13249
- MEYERS, A. C., III
Solar tower - Thermal collection energy component:
10 MWe pilot plant
17 p0052 A78-11322
- MEYERS, R. A.
Coal desulfurization
17 p0087 A78-17143
Chemical desulfurization of coal
19 p0320 A78-35693
- MEYERS, S.
The utilization of solid wastes for the generation
of electric power
17 p0028 A78-11074
- MICHAELIS, H.
Forty-nine theses on energy policy
17 p0074 A78-14420
- MICHAELS, H. J.
Koppers-Totzek economics and inflation
17 p0074 A78-14539
- MICHALKO, I.
Fuel cell stacks
[AD-A042315]
17 p0112 A78-10566
- MICHEL, A.
Autothermal gasification of liquid hydrocarbons by
partial oxidation
17 p0002 A78-10320
Compact gas generator for fuel gasification aboard
motor vehicles
18 p0236 A78-32509
- MICHEL, H.
Theoretical method to determine monthly efficiency
of flat plate solar collectors
17 p0029 A78-11084
Solar energy and domestic heating needs
17 p0029 A78-11085
Heat balance of a solar house: Rapid calculation
method
18 p0177 A78-23975
- MICHEL, J.
Single crystal silicon photocells for terrestrial
use - State of the art and perspectives on the
future
17 p0003 A78-10553
Black and thin silicon solar cells
17 p0019 A78-10997
Photocurrent analysis in MIS silicon solar cells
17 p0025 A78-11048
- MICHEL, J. W.
Analytical and experimental studies of OTEC heat
transfer problems at Oak Ridge National Laboratory
19 p0303 A78-33331
- MICKLE, H. H.
Modeling and simulation. Volume 8 - Proceedings of
the Eighth Annual Pittsburgh Conference,
University of Pittsburgh, Pittsburgh, Pa., April
21, 22, 1977. Parts 1 & 2
19 p0385 A78-43026
- MIDDLETON, P.
Canada's renewable energy resources: An
assessment of potential
[NP-21901]
17 p0142 A78-13588
- MIDDLETON, R. L.
The solar heating and cooling commercial
demonstration program: Some early problems and
results
[NASA-TN-78152]
18 p0240 A78-16433
- MIPPLIN, R.
An algorithm for constrained optimization with
semismooth functions
[IIASA-RR-77-3]
17 p0121 A78-11511

- HIGGE, H.**
Thermochemistry of the reactions of the metals Nb,
V, and Mo with the residual gases of a vacuum
19 p0379 A78-42227
- HIGLIORE, P. G.**
Innovative wind turbines
17 p0031 A78-11101
Experimental analysis of a straight bladed
Darrieus wind turbine
19 p0361 A78-40365
- HIMLMESTER, P. E.**
Environmental and safety implications of solar
technologies
17 p0057 A78-11360
Air pollution potential of solar technologies
[APCA PAPER 77-37,1] 18 p0185 A78-25427
- MIKHAIL, A.**
Reference wind speed statistics for wind turbine
design
17 p0051 A78-11313
- MIKHAILEVICH, V. S.**
Determination of optimal arrangement-angles for
the panels of a nonconvex solar array
18 p0178 A78-24262
- MIKHAILOV, CH. K.**
Integral characteristics of an induction MHD
device at large parameters of electromagnetic
interaction
18 p0204 A78-28087
- MIKUTONICS, W.**
Fuel and energy price forecasts. Volume 1: Report
[EPRI-EA-411-VOL-1] 17 p0142 A78-13589
Fuel and energy price forecasts. Volume 2:
Schedules
[EPRI-EA-411-VOL-2] 17 p0142 A78-13590
- MILANI, S. J.**
Development of working fluid thermodynamic
properties information for geothermal cycles;
phase 1
[ORO-5249-1] 17 p0143 A78-13600
- MILBERGS, E.**
Preliminary assessment for designing experiments
using federal innovation processes
[PB-270089/6] 17 p0122 A78-11863
- MILBY, G. H.**
Plasma engineering problems associated with
superthermal fusion products
19 p0358 A78-40081
Reversed-field pinch-burn dynamics
19 p0381 A78-42266
- MILLARD, P.**
Combustion treatment of smoke and odors of
industrial origin - Energy recovery
17 p0082 A78-16475
- MILLER, A.**
Analysis of policy options for accelerating
commercialization of solar heating and cooling
systems
[TID-27597] 19 p0428 A78-25615
- MILLER, B.**
CuInS₂ liquid junction solar cells
19 p0310 A78-34274
Photocurrent spectroscopy of semiconductor
electrodes in liquid junction solar cells
19 p0343 A78-39456
Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency
19 p0343 A78-39461
Stability and voltammetry of illuminated
semiconductor-liquid interfaces
19 p0343 A78-39464
Solar conversion efficiency of pressure sintered
cadmium selenide liquid junction cells
19 p0344 A78-39469
- MILLER, C.**
An analysis of the technical status of high level
radioactive waste and spent fuel management
systems
[NASA-CR-155313] 18 p0261 A78-18897
- MILLER, C. G.**
Portable linear-focused solar thermal energy
collecting system
[NASA-CASE-NPO-13734-1] 17 p0111 A78-10554
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] 18 p0248 A78-17460
Underground mineral extraction
[NASA-CASE-NPO-14140-1] 19 p0403 A78-24387
Low cost solar energy collection system
[NASA-CASE-NPO-13579-4] 19 p0421 A78-25559
- MILLER, C. W.**
Efficiency of paraffin wax as a thermal energy
storage system
17 p0049 A78-11295
Collection times for trough-type concentrators
having arbitrary orientation
19 p0323 A78-35797
- MILLER, D. B.**
Solar-electric residential system tests
17 p0010 A78-10741
- MILLER, D. C.**
Evacuated-tube solar collector - Effect of control
on efficiency at high operating temperatures
19 p0317 A78-35560
- MILLER, D. R.**
Wind Turbine Structural Dynamics
[NASA-CR-2034] 18 p0265 A78-19616
Summary of static load test of the Mod-0 blade
18 p0266 A78-19627
- MILLER, G.**
Engineering cost estimates for solar technologies
17 p0058 A78-11365
The use of fluidized beds for heating air for wind
tunnels
[AIAA 78-818] 18 p0234 A78-32372
- MILLER, G. I.**
STRAEC: Solar Thermal Electric Annual Energy
Calculator documentation
[SAND-77-8278] 19 p0447 A78-26588
- MILLER, J.**
Standard and solar energy exchange-heat water
installation
17 p0071 A78-14092
- MILLER, J. F.**
Coal desulfurization by the Battelle Hydrothermal
Coal Process
17 p0029 A78-11082
Solar energy and economic considerations
17 p0078 A78-15407
- MILLER, J. E.**
An apparatus to examine pulsed parallel field
losses in large conductors
19 p0355 A78-40006
- MILLER, J. W.**
Operating experience with large scale digestion of
urban refuse with sewage sludge
17 p0036 A78-11136
- MILLER, J. W., JR.**
Process feasibility study in support of silicon
material task 1
[NASA-CR-157030] 19 p0396 A78-23561
- MILLER, K.**
Solar power satellite system definition study.
Part 2, volume 5: Space operations
(construction and transportation)
[NASA-CR-151669] 18 p0271 A78-20159
- MILLER, K. H.**
Solar power satellite construction concepts
[IAS 77-203] 19 p0329 A78-36705
- MILLER, H. A.**
Air vs O₂ - Two activated sludge systems compared
19 p0292 A78-32675
- MILLER, H. P.**
Fuels outlook I - Transportation and the U.S.
petroleum resource, an aviation perspective
[AIAA PAPER 78-357] 18 p0178 A78-24032
- MILLER, B. J.**
El Dorado micellar-polymer demonstration project
report
[BERC/TPR-77/12] 19 p0413 A78-25225
- MILLER, R. L.**
Wall stabilization of axisymmetric modes in
noncircular tokamak plasmas
19 p0332 A78-37143
Organic compounds in turbine combustor exhaust
[AD-A045582] 17 p0129 A78-13065
- MILLER, S. G.**
Environmental and safety implications of solar
technologies
17 p0057 A78-11360
Air pollution potential of solar technologies
[APCA PAPER 77-37,1] 18 p0185 A78-25427
- MILLER, T. J.**
An overview of aerospace gas turbine technology of
relevance to the development of the automotive
gas turbine engine
[SAE PAPER 780075] 19 p0306 A78-33364

- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine
[NASA-TM-73849] 17 p0129 N78-13062
- HILLS, D. R.
Asymmetrical non-imaging cylindrical solar concentrators 17 p0104 A78-19831
- HILLS, R. A.
Oil/gas complex conceptual design/economic analysis: Oil and SHG production
[FE-1775-8] 17 p0161 N78-15575
- HILLS, R. G.
Tokamak reactors
[ASME PAPER 77-WA/NE-3] 19 p0299 A78-33187
- HILNE, M.
The computer-aided design of windows as passive solar collectors 17 p0048 A78-11272
- HILNE, T. A.
The microstructure of pulverized coal-air flames. I - Stabilization on small burners and direct sampling techniques 17 p0078 A78-15829
- HILNES, A. G.
Rheotaxy for large grain thin film solar cell fabrication 17 p0027 A78-11067
- HIMURA, H.
Damping of radial oscillation of a toroidal pinch plasma 18 p0192 A78-26708
- HIN, T.
Heat transfer in solar energy systems; Proceedings of the Winter Annual Meeting, Atlanta, Ga., November 27-December 2, 1977 19 p0294 A78-33026
- HINAGAWA, S.
Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- HINAMI, K.
Proposed high-power microwave source using a superconducting cavity as an energy storage
[IPPJ-T-30] 18 p0240 N78-16436
- HINARDI, J. E.
Electrofluid dynamic /EFD/ wind driven generator research
Madaras Rotor Power Plant 19 p0361 A78-40362
- HINATO, A.
Blanket structure design for JAERI Experimental Fusion Reactor 19 p0357 A78-40041
- HINEA, I.
Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite 19 p0362 A78-40457
- HINER, D. K.
The Copper Electric Town Car - Recent developments
[EVC PAPER 7756] 17 p0086 A78-16934
- HINIAEV, W. A.
Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant 17 p0066 A78-13156
- Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- HINK, L. L.
Geothermal potential of the west Boise area
[TREE-1162] 19 p0455 N78-27497
- HINNUCCI, J. A.
Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946
- Integral glass sheet encapsulation for terrestrial panel applications 17 p0016 A78-10948
- Applications of ion implantation for high efficiency silicon solar cells 17 p0137 N78-13538
- HINTZ, J. H.
Tritium handling trade studies and design options for the GA/ANL TNS 19 p0355 A78-39983
- HIRONOV, V. D.
Variation in excess oxidant factor in combustion products of MHD generator 17 p0066 A78-13155
- Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- HIROSHNICHENKO, A. A.
Refractory periclase materials and means of using them in high-temperature power plants 19 p0328 A78-36566
- HIROSHNICHENKO, V. I.
Technoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor 19 p0326 A78-36130
- HIRSAGATOV, SH. A.
Photoelectric and electric properties of nSiC-nCdS heterojunctions 19 p0330 A78-36855
- Calculation of photocurrent and limit efficiency of p-CdTe - n-CdS film-type photocells 19 p0335 A78-37944
- HIRTICH, M. J.
Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908
- HIRUS, G. I.
Fully automatic wind power plant 125/220 V 4 KVA 18 p0211 A78-28571
- HISCH, M.
Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 N78-25615
- HISKOLCZY, G.
Thermionic energy conversion topping system
[ASME PAPER 77-WA/ENER-6] 19 p0297 A78-33144
- Lithium and potassium heat pipes for thermionic converters
[NASA-TM-78946] 19 p0441 N78-26390
- Performance of a thermionic converter module utilizing emitter and collector heat pipes
[NASA-TM-78941] 19 p0454 N78-27174
- HISRA, B.
A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972
- Mechanical design and analysis for a EPR first wall/blanket/shield system 19 p0359 A78-40095
- Thermal hydraulic analyses of two fusion reactor first wall/blanket concepts
[CONF-771029-178] 19 p0434 N78-25930
- HISRA, K. A.
Flow-measurement using solar radiations 19 p0374 A78-42141
- HISRA, L. N.
Optimum solar energy collection 19 p0375 A78-42150
- HISTRY, D. K.
Dry coal feeder development program at Ingersoll-Band Research, Incorporated 17 p0132 N78-13250
- HISULIN, A. V.
Prospects of using superconducting dc lines
[BNL-TR-637] 17 p0115 N78-10589
- HITCHELL, A.
Transportation in America's future: Potentials for the next half century. Part 2. Transportation forecasts
[PB-270468/2] 17 p0129 N78-12909
- Transportation in America's future: Potentials for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910
- HITCHELL, G. D.
A petrographic classification of solid residues derived from the hydrogenation of bituminous coals 18 p0192 A78-26592
- HITCHELL, J. T. D.
Reactor costs and maintenance, with reference to the Culham Mark II conceptual Tokamak reactor design 17 p0011 A78-10872

- MITCHELL, J. W.
Natural convection characteristics of flat plate collectors
17 p0044 A78-11235
Natural convection characteristics of flat plate collectors
19 p0294 A78-33028
- MITCHELL, K. W.
Recent results on II-VI heterojunctions for photovoltaic solar energy conversion
17 p0018 A78-10983
Evaluation of the CdS/CdTe heterojunction solar cell
17 p0062 A78-11815
- MITCHELL, R. C.
Dual-medium thermal storage system for solar thermal power plants
17 p0051 A78-11310
- MITCHELL, T. O.
Short contact time coal liquefaction - Techniques and product distributions
18 p0191 A78-26586
- MITCHELL, T. P.
Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada
[GJBX-74(77)]
19 p0391 N78-22534
- MITCHNER, J. L.
Approach for evaluating alternative future energy systems: A dynamic net energy analysis
[SAND-77-0489]
17 p0155 N78-14670
- MITCHNER, M.
Probe-tube microphone for pressure-fluctuation measurements in harsh environments
17 p0077 A78-15155
High magnetic field MHD generator program
[FE-2341-1]
18 p0245 N78-16874
- MITRA, R. N.
Solar energy reflector using metallised polystyrene
19 p0371 A78-42110
- MITROFANOV, A. S.
The utilization of LaNi5 as a hydrogen-storage medium for heat engines
18 p0233 A78-32193
- MITSAK, D. N.
Koppers-Totzek economics and inflation
17 p0074 A78-14539
- MITSUMI, A.
Biological solar energy conversion; Proceedings of the Conference, University of Miami, Miami, Fla., November 15-18, 1976
18 p0207 A78-28351
Hydrogen production by marine photosynthetic organisms as a potential energy resource
18 p0207 A78-28353
- MITTAL, J. P.
Photochemical and photoelectrochemical routes and solar energy conversion
19 p0373 A78-42135
- MITTAL, M. L.
Heat-transfer allowing for ion slip in an MHD channel
17 p0063 A78-12346
Heat exchange in an MHD channel with allowance for the ion slippage
19 p0291 A78-32570
- MITTAL, R. K.
Effects of Energy Constraints on Transportation Systems
18 p0256 N78-18529
Intercity rail energy intensity for passenger movement
18 p0258 N78-18546
Energy intensity of various transportation modes
18 p0260 N78-18555
- MITTLEMAN, S. D.
Thin film heterojunction and homojunction solar cells utilizing I-III-VI2 ternary compound semiconductors
17 p0018 A78-10984
- NIXON, W. R.
Solid waste utilization: Pyrolysis
[ANL/CES-77-15]
19 p0435 N78-26038
- NIYACHI, S.
Biological solar energy conversion; Proceedings of the Conference, University of Miami, Miami, Fla., November 15-18, 1976
18 p0207 A78-28351
- NIYAKAWA, Y.
Experimental study on house cooling and heating with solar energy using flat plate collector
17 p0083 A78-16831
- NIYATA, K.
Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624
- MLADEJOVSKY, H. G.
Residence time measurements in a coal hydrogenation process
19 p0337 A78-38405
- MLAVSKY, A. I.
The tubular silicon solar cell - A new concept for photovoltaic power generation
17 p0014 A78-10927
- NOCHIDA, I.
Desulfurization of petroleum residues and their carbonization properties
19 p0337 A78-38406
- NOCHIZUKI, N.
Hydrogen photoproduction from water
18 p0207 A78-28358
- NOCHIZUKI, T.
Thermo-nuclear fusion study by glass laser 'Gekko II'
19 p0362 A78-40384
- MODEST, M. P.
Economic feasibility of solar heating systems in the northeastern United States
19 p0295 A78-33035
- MODRESKI, P. J.
Magma - A potential source of fuels
19 p0311 A78-34398
Potential fuel production from magma
[SAND-77-0509]
19 p0403 N78-24383
- MODY, K. J.
Solar energy storage subsystem utilizing latent heat of phase change
18 p0255 N78-18513
- MOGGI, L.
Photochemical production of a fuel
18 p0202 A78-27894
- MOHAN, N.
Superconductive inductor storage and converters for pulsed power loads
17 p0008 A78-10703
- MOHL, C.
Geothermal systems
19 p0457 N78-27524
- MOHRI, A.
Formation of a high-current relativistic-electron-beam ring for plasma confinement
17 p0012 A78-10887
- MOIR, R. W.
Mirror reactor studies
17 p0011 A78-10874
Experimental and computational results on direct energy conversion for mirror fusion reactors
17 p0064 A78-12486
Computer simulation of the periodic electrostatic focusing converter
17 p0095 A78-18392
Design of an electrostatic end-plugged plasma-confinement device
19 p0347 A78-39806
Engineering of beam direct conversion for a 120-kV, 1-MW ion beam
19 p0348 A78-39834
- MOISEV, S. S.
Collapse of Alfvén waves
18 p0224 A78-31008
- MOLDENHAUER, W.
Use of gas turbines in natural gas transport systems /pipelines/
19 p0327 A78-36372
- MOLLY, J. P.
Possibilities for demand-oriented delivery of wind energy
18 p0211 A78-28565
- MOLT, W.
A variable conductance heat pipe for terrestrial applications
[AIAA 78-377]
19 p0317 A78-35578
- HOLVIG, K.
Mechanism for the omega/pe radiation in Tokamaks
18 p0225 A78-31215

- HOLVIK, A. W.
Plasma-wall charge-exchange interactions in the
2XIIIB magnetic mirror experiment 19 p0377 A78-42207
- HOLYET, R. G.
Impact of domestic solar heating systems utilizing
off peak storage on electric utilities 17 p0055 A78-11344
- HOLZ, F. J.
Subsurface waste-heat storage: Experimental study
[ORS-5003-1] 19 p0459 A78-27554
- HOMENTY, A. H.
Liquid hydrogen flash vaporizer
[NASA-CASE-LAR-12159-1] 17 p0120 A78-11260
- HOMOTA, H.
Destruction of magnetic surfaces near a separatrix
of a stellarator attributed to perturbations of
magnetic fields 18 p0217 A78-29433
- HONYER, W. R.
Current efficiency in the lithium-water battery 17 p0095 A78-18410
- HONASTYRSKAYA, A. R.
The efficiency of half-peak MHD electric power plant 18 p0166 A78-21034
- HONDINO, P. L.
Analysis of various field programming to produce
the RPP configuration 17 p0039 A78-11174
- HONDT, J. R.
Stirling engine regenerator performance analysis
[GMR-2690-SECT-6.003] 19 p0439 A78-26321
- HONETTA, D. J.
Energy conservation R and D objectives workshop.
Volume 2: Summary
[CONF-770305-PT-2] 17 p0140 A78-13569
- HONEY, W. T.
Ocean energy resources; Proceedings of the Energy
Technology Conference, Houston, Tex., September
18-23, 1977 17 p0006 A78-10651
- Ocean energy from salinity gradients 17 p0006 A78-10654
- Ocean geothermal energy 17 p0006 A78-10656
- HONTAGNA, J.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 A78-23604
- HONTAGNA, J. C.
The role of a carbon burnup cell in reducing SO₂
emissions from fluidized-bed coal combustion
plants
[USS/CI PAPER 77-30] 18 p0230 A78-31968
- HONTGONERY, B.
The Alcator C magnetic coil systems 19 p0346 A78-39791
- HOON, R. L.
Progress report on a 1-kW terrestrial array of
AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
- HOONEY, L. J.
System design for the new TMI machine 19 p0349 A78-39888
- HOORE, A. R.
Optimum shape of the bus bar on solar cells of
arbitrary shape 18 p0176 A78-23638
- HOORE, B. J.
Analyses of natural gases, 1976
[PB-272735/2] 18 p0238 A78-16419
- HOORE, D. G.
HCNM energy budget data as a model input for
assessing regions of high potential groundwater
pollution
[E78-10111] 18 p0282 A78-21516
- HOORE, E. O., JR.
Progress report on a 1-kW terrestrial array of
AlGaAs/GaAs concentrator solar cells 17 p0023 A78-11025
- HOORE, G. L.
The design of passive solar heating systems 17 p0030 A78-11094
- HOORE, J.
Preliminary assessment of nontechnical issues
related to industrial application of
solar-thermal-energy systems 18 p0232 A78-32112
- HOORE, J. R.
Toroidal field ripple effects in TNS design 19 p0347 A78-39810
- HOORE, M. D.
Fume formation in ammonia scrubbers
[ASME PAPER 77-WA/APC-2] 19 p0297 A78-33127
- HOORTHY, P. W.
Thermophotovoltaic cells for solar energy
conversion 18 p0205 A78-28169
- Photochemical and photoelectrochemical routes and
solar energy conversion 19 p0373 A78-42135
- HORHOUSE, J. H.
A 'no-flow' method for measuring solar collector
performance
[ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193
- HOREL, D. L.
High-efficiency organic solar cells 18 p0223 A78-30646
- HORETTI, A.
A lower hybrid heating system for an ignition
tokamak 19 p0354 A78-39972
- HORETTI, P. H.
Evaluation of wind generator economics in a load
duration context 17 p0028 A78-11073
- Economic analysis of wind generation and energy
storage for electric utility systems 17 p0031 A78-11100
- HORETTI, V. C.
Potential for cogeneration of heat and electricity
in California industry, phase 1
[NASA-CR-157168] 19 p0419 A78-25536
- HORGAN, G. B.
Energy resource development - The monitoring
components 17 p0104 A78-19616
- HORGAN, G. K.
Thin film heterojunction and homojunction solar
cells utilizing I-III-VI₂ ternary compound
semiconductors 17 p0018 A78-10984
- HORGAN, G. R.
Dual-medium thermal storage system for solar
thermal power plants 17 p0051 A78-11310
- HORGAN, J. D.
Energy crisis: An evaluation of our resource
potential; Proceedings of the Third Annual
UMR-MEC Conference on Energy, University of
Missouri-Rolla, Rolla, Mo., October 12-14, 1976
17 p0030 A78-11089
- HORGAN, R.
Short communication on the optimum orientation of
solar collectors - An alternative approach
Energy resources 17 p0075 A78-14692
- 19 p0385 A78-43072
- HORI, H.
Computer simulation of ion extraction 18 p0188 A78-25947
- HORI, S.
The progress and the development program of fusion
technology in Japan 17 p0038 A78-11162
- HORI, Y.
Analysis of the seeded combustion gas boundary
layer near a cold electrode 17 p0083 A78-16814
- HORI, Y. H.
Heat transfer from a horizontal plate facing
upward to superposed liquid-layers with change
of phase
[ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057
- HORIARTY, J. J.
The evolution of pulsed power 17 p0008 A78-10709
- HORIKAWA, J.
Computer simulation of ion extraction 18 p0188 A78-25947
- HORLOK, E. K.
Energy use in intercity freight transport and
policy implications 18 p0257 A78-18536

- MOROZOV, I. P.**
Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity
18 p0172 A78-22537
- MORRIS, J. F.**
High-temperature, high-power-density thermionic energy conversion for space
[NASA-TM-73844] 17 p0147 N78-13890
Optimize out-of-core thermionic energy conversion for nuclear electric propulsion
[NASA-TM-73892] 18 p0252 N78-17856
Performance of a thermionic converter module utilizing emitter and collector heat pipes
[NASA-TM-78941] 19 p0454 N78-27174
- MORRISON, A.**
Energy requirement for the production of silicon solar arrays
[NASA-CR-155932] 18 p0255 N78-18519
Energy requirement for the production of silicon solar arrays
[NASA-CR-157071] 19 p0407 N78-24643
- MORRISON, C. A.**
Theoretical analysis and design - A solar powered ammonia/water absorption air conditioning system
17 p0446 A78-11246
- MORRISON, D. J.**
Effects of phase-change energy storage on the performance of air-based and liquid-based solar heating systems
17 p0104 A78-19832
- MOSKALEV, A. N.**
Output power and lifetime of high-voltage, low-temperature thermoelectric batteries
19 p0330 A78-36854
- MOTOJIMA, O.**
Ignition of catalyzed-D reactor from D-T burning
19 p0358 A78-40083
- MOTSCHKEIN, B. I.**
Automated complex electromechanical systems in industry and new types of electric equipment /Some results of the International Electrotechnology Congress - Moscow, 1977/
19 p0325 A78-36128
- MOTTET, S.**
Photon degradation of electron and proton irradiated silicon solar cells
17 p0015 A78-10940
- MOUNTZ, J. H.**
Photo-galvano-voltaic cell - A new approach to the use of solar energy
19 p0333 A78-37174
- MOURAD, A. G.**
Applications of Seasat to the offshore oil, gas and mining industries
[AIAA 77-1583] 17 p0069 A78-13666
- MOUSSALLI, G. M.**
Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S
17 p0018 A78-10979
- MOYERS, J. C.**
Annual cycle energy system concept and application
[CONF-770870-1] 18 p0288 N78-21647
- MOYNIHAN, P. I.**
Solar Stirling power generation - Systems analysis and preliminary tests
17 p0052 A78-11321
- MOZEICO, E. V.**
Employing static excitation control and tie line reactance to stabilize wind turbine generators
[NASA-CR-135344] 18 p0274 N78-20603
- MRBA, J.**
Investigation of polymeric iron phthalocyanine as an electrocatalyst of oxygen reduction in acid electrolytes
19 p0363 A78-40618
- MUELLER, J.**
Thin silicon film p-i-n photodiodes with internal reflection
18 p0205 A78-28142
- MUELLER, K. G.**
Investigation of plasma-wall interaction by the aid of a plasma accelerator
19 p0379 A78-42218
- MUELLER, L. J.**
Energy consumption in commercial industries by census division - 1974
[PB-268851/3] 17 p0139 N78-13558
Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639
- MUELLER, R. L.**
A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-3] 19 p0421 N78-25560
- MUELLER, W.**
The biogas facility at Benediktbeuern
18 p0221 A78-30323
- MUENZEL, W. D.**
Technical applications of heat pipes
[AIAA 78-396] 19 p0318 A78-35589
Lifetests of the telecommunications satellite heat pipes
[ESA-CR(P)-997] 17 p0135 N78-13398
- MUKHERJEE, M. K.**
Response of a solar cell partially illuminated by a nonuniform light source
18 p0192 A78-26614
Two-dimensional analysis for Cu/x/S-CdS solar cells with nonuniform skin region
18 p0228 A78-31726
Investigation on the non-uniform thickness of the skin region of a CdS solar cell
19 p0372 A78-42121
Failure analysis of cadmium sulphide solar cells
19 p0372 A78-42124
- MUKHERJEE, S.**
A note on the performance of a Si solar cell under partial illumination
19 p0371 A78-42119
- MUKHERJEE, T.**
Photochemical and photoelectrochemical routes and solar energy conversion
19 p0373 A78-42135
- MUKHIN, V. V.**
Collapse of Alfvén waves
16 p0224 A78-31008
- MULHERKAR, S.**
Residential energy demand analysis: Data and methodology
[BNL-21920] 17 p0140 N78-13573
- MULHOLLAND, R. J.**
Modeling the effect of atmospheric carbon dioxide on the global radiative heat balance
17 p0068 A78-13447
- MULLER, J.-P.**
Research in a pre-vaporization combustion chamber on natural gas in liquid and gaseous states
19 p0323 A78-35897
- MULLER, R. M.**
In orbit manufacture of solar reflector satellites
[AAS 77-24-1] 19 p0330 A78-36718
- MULLINS, J. C.**
Fundamental studies of direct contact latent heat energy storage
17 p0051 A78-11306
- MUNCHMEYER, P. C.**
Studies of biofouling in Ocean Thermal Energy Conversion plants
19 p0305 A78-33342
- MURGU, D.**
Heat pipes for sun energy conversion
[AIAA 78-457] 19 p0319 A78-35632
- MURGU, Z.**
Heat pipes for sun energy conversion
[AIAA 78-457] 19 p0319 A78-35632
- MURLIDHAR, M.**
A non-tracking heat concentrator capable of giving concentration factor of the order of 20
19 p0371 A78-42112
- MUROKI, T.**
Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo
[SAE PAPER 780417] 19 p0308 A78-33389
- MURPHY, E. G.**
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 MWt MHD power plant
[ASME PAPER 77-HT-64] 17 p0090 A78-17496
- MURPHY, E.**
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry
[PB-273019/0] 18 p0244 N78-16476
Solar energy and the heat pump in a northern climate
[EPRI-BA-407] 19 p0462 N78-27583
- MURPHY, E. G.**
Some design aspects of computer based control systems for pulsed fusion experiments
19 p0355 A78-39991

- MURPHY, H. D.
Downhole measurements of thermal conductivity in
geothermal reservoirs
[ASME PAPER 77-PET-23] 17 p0076 A78-15079
- MURPHY, J. H.
Superconducting energy storage coils 19 p0356 A78-40010
- MURPHY, L. H.
Tower design considerations for the solar thermal
central receiver systems
[SAND-77-8243] 18 p0242 A78-16459
- MURRAY, C.
Environmental assessment of high-BTU gasification
[PB-278175/5] 19 p0450 A78-26646
- MURRAY, D. A.
The impact of solar central electric technology on
the regulated utility 17 p0033 A78-11119
- MURRAY, E. H.
A monolithic series-array solar-cell system 17 p0103 A78-19374
- MURRAY, E.
The TPT neutral beam power system 19 p0354 A78-39976
- MURRAY, R.
Commercial space: Policy analysis of
profitability of retrofit for energy conservation
[PB-269189/7] 17 p0115 A78-10591
- MURRAY, R. B.
Short communication on the optimum orientation of
solar collectors - An alternative approach 17 p0075 A78-14692
- Energy resources 19 p0385 A78-43072
- MURRAY, T. H.
The University of Louisville Dual Solar Energy
Research Center 17 p0091 A78-17551
- MURRAY, T. H., JR.
The microprocessor controlled and instrumented
solar energy project 17 p0091 A78-17556
- MURTHY, B. S.
Investigation of some factors affecting the
performance of an alcohol-diesel oil dual fuel
engine 18 p0199 A78-27829
- MURTHY, K. S.
Environmental assessment of the fluidized-bed
combustion of coal - Methodology and initial
results 18 p0206 A78-28271
- MUSGROVE, P. J.
The variable geometry vertical axis windmill 18 p0170 A78-22241
- MUSILOVA, H.
Investigation of polymeric iron phthalocyanine as
an electrocatalyst of oxygen reduction in acid
electrolytes 19 p0363 A78-40618
- MUSSULMAN, B. L.
Analysis of a new concept for a high temperature
direct coal-fired falling particle air
pre-heater for MHD power generation
[ASME PAPER 77-HT-60] 17 p0089 A78-17492
- MUSTAFAEV, A. S.
Optimization of the parameters of a Knudsen
thermionic converter with Cs-Ba filler 19 p0340 A78-38933
- MUTHUVEERAPPAN, V.
Calculation procedure for determining the thermal
performance of solar domestic hot water and
space heating systems 19 p0375 A78-42149
- Flat-plate solar collector design for industrial
air heating using design data hand book 19 p0375 A78-42157
- MUYSKEN, H.
Parameter study of a screw-pinch reactor 17 p0041 A78-11187
- MYERS, D.
Advanced fossil fuel and the environment: An
executive report
[PB-274541/2] 18 p0261 A78-18587
- MYLES, K. H.
Materials requirements for high performance
secondary batteries 18 p0183 A78-25054
- MYRABO, L. H.
Solar-powered global aerospace transportation
[AIAA PAPER 78-689] 19 p0293 A78-32761
- MYSEKOWSKI, A.
The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell Theory 18 p0192 A78-26717

N

- NAAIJEE, G.-J.
Problems in adapting photocells to terrestrial
applications 17 p0003 A78-10555
- NABAVI, H.
Natural convection in groove-like geometries - The
overall heat transfer coefficient
[AIAA PAPER 78-896] 19 p0323 A78-36016
- NABIULLIN, P. KH.
Prospects for using Fresnel lenses for
concentrating systems of solar energy equipment 17 p0064 A78-12388
- Prospect for using Fresnel lenses for the
concentrating systems of solar installations 19 p0331 A78-36865
- NABOZHNY, R. L.
ROCKBED - A computer program for thermal storage 17 p0050 A78-11304
- NACHTSHEIN, C. J.
Crop residues as energy sources - Assessing the
cost and energy feasibility of direct firing 19 p0368 A78-41818
- NACK, H.
Syngas process converts waste to SHG 17 p0035 A78-11134
- Pipeline gas from solid wastes by the Syngas
recycling process 18 p0197 A78-27805
- Pyrolytic gasification of Kraft black liquors 18 p0198 A78-27811
- Environmental assessment of the fluidized-bed
combustion of coal - Methodology and initial
results 18 p0206 A78-28271
- NACK, H.
Coal desulfurization by the Battelle Hydrothermal
Coal Process 17 p0029 A78-11082
- NADZHIP, A. E.
Output power and lifetime of high-voltage,
low-temperature thermoelectric batteries 19 p0330 A78-36854
- NAG, P. K.
Effect of buoyancy on heat transfer rates in a
solar collector 19 p0375 A78-42153
- NAGEL, A. L.
Studies of advanced transport aircraft
[NASA-TN-78697] 19 p0413 A78-25047
- NAIL, J. B.
A MHD simulation test facility for investigating
the thermal properties of a slag/seed coated
radiant boiler and superheater for a 2000 MW
MHD power plant
[ASME PAPER 77-HT-64] 17 p0090 A78-17496
- NAIWIGER, J. J.
Performance potential of combined cycles
integrated with low-Btu gasifiers for future
electric utility applications
[NASA-TN-73775] 19 p0395 A78-23557
- NAIR, K.
Solar electric-energy market penetration 17 p0057 A78-11362
- NAITO, S.
The efficiency improvement of electric vehicles by
regenerative braking
[SAE PAPER 780291] 19 p0307 A78-33383
- NAKAGAMI, T.
Development of a new combustion system /MCA-jet/
in gasoline engine 19 p0386 A78-43296
- NAKAGAWA, S.
Control system of plasma position and
cross-sectional shape in large tokamak device 19 p0346 A78-39800

- NAKABARA, H.
Experimental study on house cooling and heating
with solar energy using flat plate collector
17 p0083 A78-16831
- NAKAI, S.
Thermo-nuclear fusion plasma produced by CO₂ laser
19 p0362 A78-40385
- NAKAMURA, H.
Fabrication and characterization of solar cells
using dendritic silicon thin films grown on
alumina ceramic
17 p0013 A78-10916
- NAKAMURA, T.
Computer simulation of ion extraction
18 p0188 A78-25947
- NAKAMURA, Y.
Development of a new combustion system /MCA-jet/
in gasoline engine
19 p0386 A78-43296
- NAKASHIMA, H.
Heliotron as a D-D fusion reactor - Preliminary
analysis
18 p0220 A78-30226
- NAKSUDIAN, A. S.
Analytic determination of the fuel effect of air
storage gas turbine electric power stations
18 p0227 A78-31364
- NALOS, E. J.
New developments in electromagnetic energy beaming
18 p0224 A78-30883
- NAHER, I.
Catalyzed combustion in a flat plate boundary
layer. I - Experimental measurements and
comparison with numerical calculations
[LBL-6841]
18 p0230 A78-31953
- WANG, T. T.
Anomalous temperature dependence observed on the
photovoltage of Se-based amorphous thin
film-SnO₂ heterostructures
18 p0222 A78-30644
- NAKABARI, S.
Energy budget of single crystal silicon solar
cells with the present state-of-art
19 p0371 A78-42116
- NAKASINHAN, T. H.
Results of reservoir evaluation tests, 1976 East
Mesa Geothermal Field, California
[LBL-6369]
18 p0286 A78-21631
- NAKAYANAN, P.
A solar economic performance model for residential
applications
17 p0056 A78-11354
- WARDI, J. C.
High energy density pelletized aluminum chloride
thermal batteries. Part 2: Cathode screening
[AD-A043659]
17 p0120 A78-11502
- NARINARA, K.
Formation of a high-current
relativistic-electron-beam ring for plasma
confinement
17 p0012 A78-10887
- NASBY, R. D.
Structure and morphology of chemical-sprayed CdS
films
19 p0325 A78-36036
- Structural effects in chemically sprayed
CdS/Cu/sub x/S photovoltaic cells
[SAND-76-0737]
17 p0161 A78-15573
- NASH, J. H.
Application of solar energy to air conditioning
systems
[NASA-CR-150532]
18 p0250 A78-17483
- NASH, H.
Wake characteristics of a tower for the DOE-NASA
MOD-1 wind turbine
[NASA-TN-78853]
19 p0395 A78-23558
- NASH, T. H.
Degradation of SnO₂/Si heterojunction solar cells
17 p0027 A78-11063
- NATARAJAN, H.
Investigation of sulfur based thermochemical
cycles for hydrogen production by water
decomposition
17 p0123 A78-12160
- NATH, J. H.
Screens for the OTEC plants
19 p0303 A78-33329
- NATH, P.
Evaporated CdS film based heterojunction solar cells
19 p0372 A78-42122
- Sprayed CdS thin film solar cells
19 p0372 A78-42123
- NATHAN, C. A.
Learning to build large structures in space
17 p0082 A78-16698
- NATHAN, G. K.
A study on the use of windmills in Singapore
18 p0169 A78-22230
- NATHANS, R.
Planner's energy workbook: A manual for exploring
relationships between land use and energy
utilization
[BNL-50633]
18 p0286 A78-21634
- Energy information and analytic system for New
York State
[BNL-22677]
19 p0397 A78-23579
- NATHANSON, D.
Preferred residential solar heating and cooling
systems compatible with electric utility operation
17 p0055 A78-11345
- NATION, J. A.
International Topical Conference on High Power
Electron and Ion Beam Research and Technology,
2nd, Cornell University, Ithaca, N.Y., October
3-5, 1977, Proceedings. Volumes 1 & 2
18 p0189 A78-26173
- NATUSCH, D. F. S.
Hydrogen sulfide as an air pollutant
19 p0337 A78-38245
- NAY, M. W., JR.
A survey of considerations for solar energy
facility applications
[AD-A089490]
18 p0277 A78-20630
- NAZAROV, A.
Thermal deformations of solar concentrators
19 p0335 A78-37945
- NAZAROV, SH. A.
Temperature operating conditions of the energy
storage device of a solar heating system
19 p0319 A78-35646
- NAZIMOWITZ, W.
Evaluation of two industrial boilers with
combustion modifications for reduced pollutant
emissions
[ASME PAPER 77-WA/APC-1]
19 p0297 A78-33126
- NAZLI, H.
Heat transfer in solar energy storage
[ASME PAPER 77-HT-38]
17 p0089 A78-17487
- NEBGEN, J. W.
Evaluation of sulfate-bearing waste material from
fluidized bed combustion of coals for soil
stabilization
[PB-278031/0]
19 p0451 A78-26657
- NEDOSPASOV, A. V.
Technoeconomic estimates of a possible
thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
- NEELY, W. C.
High pressure liquid chromatographic studies of
coal liquefaction kinetics
18 p0192 A78-26591
- NEFERDOV, A. P.
Investigation of the temperature dependence of the
electrical conductivity of the working fluid of
large NHD generators
18 p0194 A78-27136
- NEGAS, T.
Development, testing, and evaluation of
NHD-materials
[FE-6010-9]
19 p0441 A78-26380
- NEILL, J. E.
The Gas Turbine HTGR plant with a binary cycle
17 p0029 A78-11083
- NEISS, J.
Ground as a heat source
17 p0097 A78-18816
- NEKHANIN, H. H.
Investigation of combustion stability in an
NHD-generator combustion chamber
19 p0292 A78-32715
- NELSON, A. C.
Preliminary evaluation of sulfur variability in
low-sulfur coals from selected mines
[PB-275000/8]
18 p0261 A78-18566

- NELSON, B. E.
Pulse coil concepts for the LCP facility
19 p0352 A78-39935
- NELSON, E.
Cogeneration - A systematic analysis of combined
steam and power generation
18 p0188 A78-26108
- NELSON, H. C.
Some studies on a solid-state sulfur probe for
coal gasification systems
19 p0310 A78-34273
- NELSON, L. A.
Application of heat pipes in electronic modules
[AIAA 78-449]
19 p0319 A78-35625
Direct heat pipe cooling of semiconductor devices
[AIAA 78-450]
19 p0319 A78-35626
- NELSON, P. A.
Geothermal energy in the Western United States:
Innovation versus monopoly
19 p0322 A78-35768
Advanced fuel cell development
[ANL-77-79]
19 p0445 A78-26571
- NELSON, R. L.
Mechanical engineering department
[UCRL-50016-77-3]
19 p0431 A78-25645
- NELSON, T. P.
Hydrocarbon pollutants from stationary sources
[PB-272784/0]
17 p0163 A78-15605
- NEHAT-NASSER, S.
Geothermal energy - Heat extraction from hot dry
rock masses
[ASME PAPER 77-PET-41]
17 p0076 A78-15080
- NEMEČEK, J. J.
Demand sensitive energy storage in molten salts
18 p0220 A78-30264
Application of chemical engineering to large scale
solar energy,
18 p0220 A78-30265
- NERO, A. V.
Health and safety impacts of nuclear, geothermal,
and fossil-fuel electric generation in
California. Volume 2: Radiological health and
related standards for nuclear power plants
[LBL-5285-VOL-2]
18 p0278 A78-20769
- NESTLER, J.
Stationary and dynamic behavior of heat pipes
19 p0364 A78-40864
- NEUFELD, R. D.
Ozonation of coal gasification plant wastewater
18 p0222 A78-30560
- NEUGROSCHEL, A.
Experimental determination of series resistance of
p-n junction diodes and solar cells
18 p0228 A78-31731
Measurement of material parameters that limit the
open-circuit voltage in p-n-junction silicon
solar cells
17 p0136 A78-13532
- NEUMAN, C. P.
The OTEC program at Carnegie-Mellon University -
Heat transfer research and power cycle transient
modeling
19 p0304 A78-33335
Dynamic models of falling film evaporators for
ocean thermal energy conversion plants
[COO-2641-3]
19 p0447 A78-26591
- NEUMANN, K.-K.
Study of the thermodynamics of coal gasification
19 p0337 A78-38200
- NEUSTADTER, H. E.
DOE/NASA Mod-0A wind turbine performance
[NASA-TN-78916]
19 p0443 A78-26553
- NEVEZHIN, O. A.
Converter of solar radiation to thermal energy
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings
19 p0335 A78-37946
- NEVILLE, R. C.
Solar energy collector orientation and tracking mode
17 p0104 A78-19827
- NEWBY, R. A.
What's new in high temperature sulfur removal
systems for fluidized-bed coal gasification
18 p0233 A78-32217
- NEWLIN, J.
Conference proceedings: A critical economic
balance: Water, land, energy, people
[PB-274089/2]
18 p0253 A78-17944
- NEWMAN, J. E.
Establishment of a space manufacturing facility
17 p0087 A78-17190
- NEWMAN, J. O. H.
Coagulation and filtration of solids from
liquefied coal of SYNTHOIL process
18 p0191 A78-26587
- NEWMAN, V. G.
Renewable energy sources and storage
18 p0233 A78-32249
- NEISEN, W. E.
Plasma-wall charge-exchange interactions in the
2XIIB magnetic mirror experiment
19 p0377 A78-42207
- NEZER, C.
Safety in hydrogen transport and storage
installations
17 p0101 A78-18856
- NG, A.
Evolution of stimulated Brillouin to stimulated
ion Compton scattering in a CO2 laser-plasma
interaction experiment
18 p0235 A78-32425
- NGIAN, K. F.
Biogasification using NaOH treated pig faeces
18 p0194 A78-27550
- NGIAN, M. F.
Biogasification using NaOH treated pig faeces
18 p0194 A78-27550
- NICHOLLS, J. A.
Analysis of spray combustion in a research gas
turbine combustor
19 p0333 A78-37297
- NICHOLLS, B. L.
Optimal proportioning of an insulated earth
cylinder for storage of solar heat
17 p0084 A78-16836
Optimal sizing of solar heating components by
equating marginal costs of suboptimal investment
paths
17 p0084 A78-16840
Comparisons of deep well and insulated shallow
earth storage of solar heat
18 p0205 A78-28164
- NICHOLS, D. H.
High energy density, long life energy storage
capacitor dielectric system
19 p0359 A78-40099
- NICHOLS, G.
Particulate control highlights: Research on
electrostatic precipitator technology
[PB-276643/4]
19 p0391 A78-22495
- NICHOLS, M. C.
Direct contact heat exchange for latent
heat-of-fusion energy storage systems
[SAND-77-8665]
19 p0464 A78-27595
- NICHOLS, R. L.
Owens-Illinois liquid solar collector materials
assessment
[NASA-TN-78163]
18 p0283 A78-21597
- NICHOLSON, E. W.
Storage of off-peak thermal energy in oil
17 p0029 A78-11078
- NICHOLSON, E. W. S.
Production economics for hydrogen, ammonia and
methanol during the 1980-2000 period
[BNL-50663]
19 p0415 A78-25243
- NICOL, J.
Electrical energy transmission for OTEC power plants
19 p0301 A78-33310
- NIEDERMEYER, H.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- NIELSEN, R. R.
Geothermal drill bit improvement - Specific
application to the Geysers
[ASME PAPER 77-PET-67]
17 p0077 A78-15082
- NIESSEN, W. R.
Combustion and incineration processes
19 p0300 A78-33212
- NISEI, H.
Computer simulation of ion extraction
18 p0188 A78-25947
- NIKLAISON, G. A.
Selective absorption of solar energy in ultrafine
chromium particles
17 p0070 A78-13785

- Ultrafine chromium particles for photothermal conversion of solar energy 19 p0339 A78-38553
- NIKOLAEVA, T. A.
Indices and areas of application of gas-turbine-driven thermal power plants 18 p0193 A78-27096
- NIKUEV, IU. A.
'Local' breakdown criterion for a highly ionized gas stream 19 p0292 A78-32707
- NILES, P. W.
Design and performance of an air collector for industrial crop dehydration 17 p0104 A78-19828
- NILLES, J. H.
Economic incentives for the commercialization of OTEC 19 p0301 A78-33307
- NINHO, B.
Analytical and experimental study of thermosiphon solar water heaters 17 p0045 A78-11237
Application of solar energy to a solvent reclamation system 19 p0338 A78-38426
- NINOHATA, H.
Control system of plasma position and cross-sectional shape in large tokamak device 19 p0386 A78-39800
- NISHIHARA, H.
A small tokamak 'Nova II' 19 p0327 A78-36319
- NISHIHARA, K.
Computer simulation on laser plasma compression 19 p0362 A78-40386
- NISHIMURA, H.
Thermo-nuclear fusion plasma produced by CO₂ laser 19 p0362 A78-40385
- NISHIMURA, H.
Biological conversion of light energy into electrochemical potential 18 p0208 A78-28360
- NISTOR, I.
Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite 19 p0362 A78-40457
- NITSCH, J.
Estimation of the characteristic time required for construction of energy delivery systems 17 p0088 A78-17424
Future peak-power plants based on hydrogen-oxygen rocket steam generators 17 p0100 A78-18846
Concepts for the intermediate storage of wind-generated secondary energy 18 p0211 A78-28567
- NIXON, J.
HYCOSOS: A chemical heat pump and energy system based on metal hydrides [ANL-77-39] 18 p0238 A78-16334
- NOCHTI, R. P.
Viscosity of coal-derived liquids 19 p0363 A78-40595
- NOEL, G. T.
Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells 17 p0014 A78-10928
- NOGUCHI, T.
The role of advanced transit in the implementation of the polycentric city concept 19 p0329 A78-36697
- NOJO, K.
Nitric acid cycle process for extracting thermal energy from low-level heat sources 19 p0315 A78-35171
- NOLL, P.
CODAS - The proposed control and data acquisition system for JET 19 p0355 A78-39986
- NOLL, S.
Impacts of the national energy programme on solar economics [LA-UR-78-131] 19 p0444 A78-26567
Prospects for solar energy: The impact of the National Energy Plan [LA-7064-MS] 19 p0447 A78-26595
- BOMURA, Y.
Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields 18 p0217 A78-29433
- BONGERI, G.
The role of solvent in the solvent refined coal process 18 p0190 A78-26577
- BORER, D. L.
ACEB propulsion overview 19 p0453 A78-27048
Fuel conservative aircraft engine technology [NASA-TN-78962] 19 p0454 A78-27127
- BORER, J.
A lower hybrid heating system for an ignition tokamak 19 p0354 A78-39972
- BORINATSU, T.
Thermo-nuclear fusion study by glass laser 'Gekko II' 19 p0362 A78-40384
- BORLING, C. D.
Demand for gasoline 17 p0110 A78-10551
- BORMAN, C. E.
Inversion layer silicon solar cells with 10-12% AM1 efficiencies 17 p0027 A78-11066
- BORMAN, T. A.
Electric vehicle test and evaluation program of the U.S. Postal Service [EVC PAPER 7747] 17 p0086 A78-16935
Electric-flywheel vehicle for postal service applications [SAE PAPER 780297] 19 p0308 A78-33387
- BORTH, G. G.
Design and test of a series switch/regulator system for a 40-kV, 80-A, 10-ms, neutral-beam power supply 19 p0353 A78-39965
- BORTH, W. J.
Possibilities of biomass from the ocean - The Marine Farm Project 18 p0208 A78-28362
- BORTHROP, D. A.
Instrumentation for in situ coal gasification. I - Background and overview 19 p0367 A78-41522
- BORTHROP, C. J. H., JR.
Magma - A potential source of fuels 19 p0311 A78-34398
Potential fuel production from magma [SAND-77-0509] 19 p0403 A78-24383
- BOUFI, R. H.
Semiconductor electrodes. IV - Photoelectrochemical cells with mixed polycrystalline n-type CdS-CdSe electrodes 18 p0233 A78-32233
- BOVAK, R. G.
Prospects of energy recovery from the incineration of chemical plant wastes 17 p0006 A78-10635
- BOVIKOV, E. I.
Processing the results of experiments on the U-25 unit by means of an information measuring system 17 p0002 A78-10246
- BOVIKOV, V. M.
Sybiotic system of a fusion and a fission reactor with very simple fuel reprocessing 19 p0380 A78-42257
- BOVOSADOV, V. B.
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136
- BOYES, R.
Offshore and underground power plants 19 p0317 A78-35574
- BUCKOLLS, J. H.
Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- MUESCH, P. C.
Energy from refuse - Theoretical and practical results 17 p0037 A78-11149

- NUMANO, M.
Electrical dissipation effects on propagation of
magneto-hydrodynamic waves in anisotropic media
19 p0327 A78-36321
- NUNES, P.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 A78-23604
- NUNALLY, W. C.
Design of the ZT-40 power crowbar system
19 p0353 A78-39957
- NUNOPAROV, S. M.
A study of the formation of unpumpable residues of
crude oil on tankers for the purpose of
preventing marine pollution 17 p0093 A78-18050
- NUSBAUM, W. J.
Cold-air performance of free-power turbine,
designed for 112-kilowatt automotive gas-turbine
engine. 1: Design Stator-vane-chord setting
angle of 35 deg
[NASA-TP-1007] 18 p0237 A78-16053
- NUTTALL, L. J.
An electrochemically regenerative
hydrogen-chlorine energy storage system for
electric utilities 17 p0095 A78-18412
- Conceptual design of large scale water
electrolysis plant using solid polymer
electrolyte technology 18 p0174 A78-22869
- NYHART, J. D.
Legal, political, and environmental aspects of
Ocean Thermal Energy Conversion - A report on an
ASIL/ERDA study 19 p0301 A78-33308
- Ocean thermal energy conversion: Legal,
political, and institutional aspects
[PB-274123/9] 18 p0261 A78-18568
- NYHAN, L. J.
Ball to separator contact forces in angular
contact ball bearings under thrust and radial
loads
[NASA-CR-2976] 18 p0281 A78-21469
- OBERBECK, G.
Research toward improved flywheel suspension and
energy conversion systems
[PB-271413/7] 17 p0139 A78-13564
- OBERLE, R. D.
Riser cracking of coal to oil and gas
[CONF-770814-10] 19 p0392 A78-23250
- Research and development of rapid hydrogenation
for coal conversion to synthetic motor fuels
(riser cracking of coal)
[FE-2307-17] 19 p0403 A78-24382
- OBERMAN, F. M.
Investigation of the temperature dependence of the
electrical conductivity of the working fluid of
large MHD generators 18 p0194 A78-27136
- OBERSON, R.
Development of fast neutral beam injectors at
Fontenay-aux-Roses 17 p0012 A78-10879
- OBERTI, A.
Improved energy efficiency for small CTOL
transport aircraft 18 p0226 A78-31305
- OBLOW, E. M.
Sensitivity theory for general nonlinear algebraic
equations with constraints
[ORNL/TM-5815] 17 p0118 A78-10814
- OCARPO, A.
Deactivation of hydrosulfurization catalysts
under coal liquids. I - Loss of hydrogenation
activity due to carbonaceous deposits 18 p0203 A78-27919
- OCRS, R.-J.
Dust removal in energy generating plants
17 p0063 A78-11965
- OCORROR, T. P.
Data needs in transportation energy conservation
research 18 p0259 A78-18554
- ODA, S.
Thermo-nuclear fusion study by glass laser 'Gekko
II' 19 p0362 A78-40384
- ODAJIMA, K.
Mode mixing of large scale fluctuations in JFT-2
tokamak 19 p0332 A78-37147
- ODDEN, C. R.
An Early Ocean Test Platform Conversion
19 p0300 A78-33302
- ODEA, S.
Research toward improved flywheel suspension and
energy conversion systems
[PB-271413/7] 17 p0139 A78-13564
- ODONWELL, D. T.
Characteristics of solar cells designed for
concentrator systems 17 p0054 A78-11337
- ODONWELL, K.
Chemical and physical properties of refined
petroleum products
[PB-277100/4] 18 p0279 A78-21312
- ODONWELL, P.
The Redox Flow System for solar photovoltaic
energy storage 17 p0022 A78-11019
- ODONWELL, T.
Compatibility studies of various refractory
materials in contact with molten silicon
[NASA-CR-156181] 19 p0387 A78-22184
- OTTINGER, P. E.
Experiments with enhanced mode thermionic converters
18 p0218 A78-29636
- OFFANT, P.
Modeling the sectors of production and energy
transformation - The situation in France
19 p0385 A78-43270
- OFFENBERGER, A. A.
Evolution of stimulated Brillouin to stimulated
ion Compton scattering in a CO₂ laser-plasma
interaction experiment 18 p0235 A78-32425
- OGALLAGHER, J.
Non-evacuated solar collectors with compound
parabolic concentrators 17 p0059 A78-11378
- OGATA, A.
Control system of plasma position and
cross-sectional shape in large tokamak device
19 p0346 A78-39800
- OGLESBY, S., JR.
Particulate control highlights: Research on
electrostatic precipitator technology
[PB-276643/4] 19 p0391 A78-22495
- OGREW, J. A.
Oxidant measurements in western power plant
plumes. Volume 1: Technical analysis
[EPRI-EA-421-VOL-1] 19 p0400 A78-23614
- OHANESSIAN, P.
Theoretical performance of a passive solar energy
collection system for house heating
18 p0165 A78-20622
- Thermal simulation of a passive solar house using
a Trombe-Michel wall structure 18 p0220 A78-30269
- OHARA, J. B.
Oil/gas complex conceptual design/economic
analysis: Oil and SHG production
[FE-1775-8] 17 p0161 A78-15575
- ORINOUE, T.
Development of a new combustion system /MCA-jet/
in gasoline engine 19 p0386 A78-43296
- ORLEMILLER, T. J.
Optimization of pyrolytic conversion of coal to
clean fuel
[FE-2253-5] 19 p0427 A78-25609
- OHNISHI, M.
Ignition of catalyzed-D reactor from D-T burning
19 p0358 A78-40083
- OHYA, M.
Heliotron as a D-D fusion reactor - Preliminary
analysis 18 p0220 A78-30226
- OHYAKE, K.
Analysis of the seeded combustion gas boundary
layer near a cold electrode 17 p0083 A78-16814

- OHTSUKA, T.
Thermoelectric power of tin films at low temperatures
18 p0217 A78-29427
- OJEFOSS, L.
An iron-air vehicle battery
18 p0174 A78-23241
- OKABAYASHI, M.
Magnet conceptual design for a high field tokamak reactor
19 p0349 A78-39884
- OKAZAKI, K.
Analysis of the seeded combustion gas boundary layer near a cold electrode
17 p0083 A78-16814
- OKKEK, C. E.
Investigation of the topographical features of surface carrier concentrations in silicon solar cell material using electrolyte electroreflectance
17 p0136 N78-13535
- OKHOTIN, A. S.
On some new criteria of efficiency of thermoelectric materials
17 p0106 A78-20200
- OKUDA, M.
Anomalous temperature dependence observed of the photovoltage of Se-based amorphous thin film-SnO₂ heterostructures
18 p0222 A78-30644
- OLAH, S.
High efficiency, long life terrestrial solar panel [NASA-CR-157060]
19 p0407 N78-24649
- OLDHAM, R. G.
Assessment, selection, and development of procedures for determining the environmental acceptability of synthetic fuel plants based on coal, appendix 2 [FF-1795-3-PT-2-RBV]
19 p0433 N78-25674
- OLEARY, J.
Optimized spacing between rows of solar collectors
17 p0043 A78-11229
- OLEISEY, R. A.
Improving sludge incineration and vacuum filtration with pulverized coal
17 p0095 A78-18498
- OLIKER, I.
Application of direct contact heat exchangers in geothermal systems [ASME PAPER 77-HT-3]
17 p0089 A78-17478
- OLINGER, B. W.
Gas stimulation studies at LASL [LA-UR-77-1937]
19 p0410 N78-24678
- OLIVER, D. A.
A numerical solution to the unsteady, quasi-three-dimensional, turbulent heat transfer problem in an MHD channel [ASME PAPER 77-HT-90]
17 p0091 A78-17506
- OLIVER, R. L.
Improved Helios cell output
17 p0019 A78-10995
- OLIVER, T. K.
Cost-effective energy from humid air
19 p0361 A78-40363
- OLKHOVSKAYA, N. I.
Investigating the efficiency of gas turbines in off-design operation
19 p0335 A78-37860
- OLKHOVSKII, G. G.
Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator
17 p0066 A78-13157
Investigating the efficiency of gas turbines in off-design operation
19 p0335 A78-37860
- OLLENDORF, S.
Heat pipes in space and on earth [AIAA PAPER 78-295]
18 p0178 A78-24005
Heat pipes in space and on earth [AIAA 78-439]
19 p0318 A78-35619
A thermal canister experiment for the Space Shuttle [AIAA 78-456]
19 p0319 A78-35631
- OLNER, L. J.
Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881]
17 p0155 N78-14676
- OLSEN, H. L.
Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships
19 p0304 A78-33339
- OLSEN, L. C.
HIS solar cell calculations
17 p0024 A78-11039
- OLSON, D. B.
Silicon monoxide antireflection coatings for InP/CdS solar cells
18 p0221 A78-30305
- OLSON, K. R.
Solar architecture; Proceedings of the Aspen Energy Forum, Aspen, Colo., May 27-29, 1977
19 p0336 A78-38051
- OLSON, W. T.
Making aerospace technology work for the automotive industry - Introduction
19 p0306 A78-33359
- OLSZEWSKI, M.
Power plant reject heat utilization: An assessment of the potential for wide-scale implementation [ORNL/TR-5841]
19 p0449 N78-26613
- ONAN, H.
Cost of earth power from photovoltaic power satellite
17 p0024 A78-11035
Radiation tests of SEP solar cells
17 p0138 N78-13548
- ONAN, R.
Diffuser augmentation of wind turbines
19 p0312 A78-34512
Aerodynamic augmentation of wind turbines
19 p0361 A78-40366
Investigation of diffuser-augmented wind turbines. Part 1: Executive summary [COO-2616-2-PT-1]
17 p0154 N78-14668
Investigation of diffuser-augmented wind turbines. Part 2: Technical report [COO-2616-2-PT-2]
17 p0154 N78-14669
- ONANI, T.
Hydrogen photoproduction from water
18 p0207 A78-28358
- ONDOV, J. H.
Physical and morphological studies of size-classified coal fly ash
18 p0222 A78-30555
- OMEGA, R. J.
Energy optimization of a cycled Tokamak
17 p0087 A78-17133
- ONEILL, E. P.
What's new in high temperature sulfur removal systems for fluidized-bed coal gasification
18 p0233 A78-32217
- ONEILL, G. K.
Directions for research
18 p0203 A78-27930
- ONEILL, H. J.
Fixed mirror/distributed focus solar thermal electric power systems development
17 p0053 A78-11331
Optical analysis of the Fixed Mirror/Distributed Focus/FMDP/ solar energy collector
17 p0059 A78-11377
Analytical and experimental study of total internal reflection prismatic panels for solar energy concentrators
17 p0060 A78-11389
- ONEILL, P.
The dependence of optical properties on the structural composition of solar absorbers
17 p0044 A78-11232
Structural composition and optical properties of solar blacks - Gold black
17 p0070 A78-13908
- ONG, E.
Molten salt thermal energy storage systems [NASA-CR-135419]
19 p0405 N78-24618
- OOKI, R. L.
Prototype solar heating and cooling systems, including potable hot water [NASA-CR-150576]
18 p0263 N78-19601
- OPENSHAW, P.
Preliminary system analysis of a fixed mirror solar power central station [EPRI-ER-434(6-77)]
18 p0241 N78-16452

- OPJORDEN, R. W.
Advanced interconnect for use with ultrasonic seam welding on solar cells
17 p0016 A78-10958
Project STOP (Spectral Thermal Optimization Program)
17 p0137 A78-13541
- OPPOLZER, G.
Novel wind turbine: Invention of a Viennese engineer - 'Fan principle' yields severalfold the current effective power
18 p0211 A78-28566
- OQUIDAN, B.
Calculation of the energy delivered by a collector with the method of average direct optical output
18 p0165 A78-20620
- ORDA, E. P.
Some results of an experimental study of the Stirling engine
17 p0064 A78-12391
Some results of an experimental investigation of a Stirling engine
19 p0331 A78-36868
- ORDWAY, F. I.
Energy's challenge to aerospace
19 p0291 A78-32533
- ORGILL, M. H.
Postulated weather modification effects of large energy releases
[BNWL-2162]
17 p0117 A78-10672
- ORLOV, A. V.
Processing the results of experiments on the U-25 unit by means of an information measuring system
17 p0002 A78-10246
- ORTABASI, U.
An internal cusp reflector for an evacuated tubular heat pipe solar thermal collector
17 p0060 A78-11384
- ORTIZ, R. R.
Impact of solar heating and cooling on electric utilities
[PB-271415/2]
17 p0145 A78-13621
- OSBORNE, O. D.
Simulating Oregon's future electrical energy demand
[PB-276970/1]
19 p0399 A78-23603
- OSMEYER, W. E.
Selenide isotope generators
[CONF-770302-1]
17 p0114 A78-10581
- OSSIO, E. A.
Anaerobic fermentation of simulated in-situ oil shale retort water
[LBL-6855]
19 p0431 A78-25646
- OSTOJIC, B.
Coal dryer emission control with the energy saving centripetal vortex wet scrubber
[APCA PAPER 77-17,5]
18 p0185 A78-25424
- OSTROWSKI, R.
Multi-organizational strategies: An analytic framework and case illustrations
[NASA-BN-77-4]
17 p0122 A78-11864
- OSULLIVAN, G.
An inverter/controller subsystem optimized for photovoltaic applications
[NASA-TN-78903]
19 p0452 A78-26995
- OSWALD, W. J.
A systems analysis of bioconversion with microalgae
17 p0034 A78-11124
Solar energy conversion with microalgal sewage treatment ponds
17 p0056 A78-11351
A critical analysis of bioconversion with microalgae
18 p0208 A78-28364
Solar energy conversion with hydrogen producing algae
[SAN/0034-77/1]
19 p0460 A78-27565
- OTHMER, D. F.
Energy - Fluid fuels from solids
17 p0069 A78-13625
- OTT, W.
Effect of neutral injection heating on the impurity level in the W VII A Stellarator
19 p0378 A78-42208
- OTTENJANN, K.
Lipinites and lipid substances in an oil source rock
17 p0061 A78-11458
- OTTE, D.
Evaluation of coal feed systems being developed by the Energy Research and Development Administration
[NASA-CR-155267]
17 p0124 A78-12419
- Evaluation of ERDA-sponsored coal feed system development
17 p0132 A78-13252
- OVCHARENKO, V. A.
Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities
17 p0009 A78-10734
Large superconducting magnets - A key issue in commercialization of MHD
19 p0362 A78-40509
- OWEN, H. L.
Hydrocarbon pollutants from stationary sources
[PB-272784/0]
17 p0163 A78-15605
- OWEN, W. A.
Applications of aerospace technology to petroleum extraction and reservoir engineering
[NASA-CR-157167]
19 p0414 A78-25233
- OWENS, J. W.
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant
17 p0001 A78-10062
- OWENS, W. L.
Comments on sea water side enhancement for OTEC heat exchangers
19 p0304 A78-33338
- OWZARSKI, P. C.
Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion
19 p0305 A78-33345
Two-phase working fluids for the temperature range 50 to 350 C
[NASA-CR-135255]
18 p0238 A78-16329
- OXLEY, J. H.
Coal desulfurization by the Battelle Hydrothermal Coal Process
17 p0029 A78-11082
Pyrolytic gasification of Kraft black liquors
18 p0198 A78-27811
- OZAWA, Y.
Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma
18 p0192 A78-26622
Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624

P

- PACK, G. J.
Advanced interconnect for use with ultrasonic seam welding on solar cells
17 p0016 A78-10958
- PADIA, A. S.
The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions
17 p0079 A78-15834
- PAGE, V. J.
Estimated highway fuel savings in 1975
18 p0257 A78-18539
- PAGEL, L. L.
Evaluation of a large capacity heat pump concept for active cooling of hypersonic aircraft structure
[NASA-CR-145301]
18 p0248 A78-17339
- PALENEBO, P. F.
Planner's energy workbook: A manual for exploring relationships between land use and energy utilization
[BNL-50633]
18 p0286 A78-21634
- PALLOTTINO, G. V.
Photovoltaic solar panels and solar modules
[LPS-77-12]
17 p0156 A78-14685
- PALNEBO, P. F.
Integrated environmental analysis and the development of new energy technologies
[BNL-22676]
17 p0117 A78-10614
Energy systems analysis and development
[BNL-22969]
18 p0286 A78-21633
Energy information and analytic system for New York State
[BNL-22677]
19 p0397 A78-23579
- PALNEBO, P. F.
Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions
[ORNL/TN-6098-VOL-1]
19 p0442 A78-26524

- PALOWITCH, E. B.
Some opportunities in teleoperated mining
18 p0222 A78-30507
- PALUMBO, D.
Fusion research in the European Community
17 p0001 A78-10102
- PALZ, W.
French activities in the field of photovoltaic power conversion for terrestrial use
17 p0020 A78-11001
Solar electricity - An economic approach to solar energy
18 p0174 A78-22942
- PANAYOTATOS, P.
The effects of illumination on the depletion-region recombination currents in Schottky-barrier solar cells
17 p0026 A78-11052
- PANCHAPAKESAN, K. R.
Investigation of some factors affecting the performance of an alcohol-diesel oil dual fuel engine
18 p0199 A78-27829
- PANCHENKO, V. IA.
Gas laser with solar excitation
19 p0308 A78-33395
- PANCHENKO, V. P.
Investigation of the efficiency of a Faraday MHD-generator coupled to a thermonuclear reactor
17 p0063 A78-12348
Effectiveness of using a pulsed Faraday MHD generator in combination with a thermonuclear reactor
18 p0194 A78-27140
Efficiency of a Faraday MHDG in a scheme with a thermonuclear reactor
19 p0291 A78-32572
- PANDOLFINI, F. P.
Experiments on and design of low-cost aluminum heat exchangers for OTEC plant ships
19 p0304 A78-33339
- PANICKER, N. N.
Energy from ocean surface waves
17 p0006 A78-10655
- PANTALONE, D. K.
Effects of large interconnected wind generators on the electric power system
19 p0388 A78-22462
- PANUNZIO, S.
The use of fluidized beds for heating air for wind tunnels
[AIAA 78-818]
18 p0234 A78-32372
- PAO, S. C.
Experimental determination of series resistance of p-n junction diodes and solar cells
18 p0228 A78-31731
- PAO, Y.-P.
Classical diffusion in large-aspect toroidal plasmas
19 p0382 A78-42482
- PAPAGNO, L.
First wall surface treating in the Frascati Tokamak FT
19 p0380 A78-42245
- PAPPAS, J.
Methanol-gasoline blends - Performance and emissions
19 p0321 A78-35702
Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics
[PB-277135/0]
19 p0393 A78-23261
- PAPADIS, L. B.
Parabolic collector for total energy systems application
17 p0059 A78-11376
- PAPASKOS, J. A.
Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor
19 p0365 A78-41222
- PARDUE, W. H.
Heat source component development program
[BRI-I-679]
17 p0141 A78-13580
- PAREKH, B. K.
A simple test for determining a best flow rate through solar collectors
[AIAA PAPER 78-900]
19 p0324 A78-36020
- PARIENTE, S.
Poloidal field for a 1.7 MA Tokamak - Comparison between an iron core and an air core transformer
17 p0039 A78-11170
- PARIKH, J. K.
Mobilization and impacts of bio-gas technologies
17 p0067 A78-13345
- PARIKH, R. S.
Mobilization and impacts of bio-gas technologies
17 p0067 A78-13345
Scope for energy substitution policy in India
18 p0196 A78-27780
- PARIKH, S. C.
The Stanford pilot energy/economic model
[AD-A044908]
17 p0126 A78-12537
- PARK, E. L.
Biomass as an energy mechanism
17 p0033 A78-11116
- PARKER, B. F.
A solar panel for residential use
17 p0043 A78-11223
- PARKER, P. A.
Sources of alcohol fuels for vehicle fleet tests
[CONS/2693-1]
19 p0415 A78-25242
- PARKER, T.
Advanced fossil fuel and the environment: An executive report
[PB-274541/2]
18 p0261 A78-18587
- PARKER, W. G.
Solar hybrid repowering
17 p0055 A78-11343
- PARKES, M. E.
Wind power installations for water pumping in developing countries
18 p0171 A78-22247
- PARKMAN, P.
Energy conservation via solar energy applications to multi-family and commercial structures. Volume 3: An energy, engineering and economic analysis of heating and cooling systems for multi-family structures
[PB-276131/0]
18 p0289 A78-21657
- PARLANGE, F.
TTHP heating studies on Petula Tokamak
19 p0354 A78-39969
- PARR, A.
Development of surfaces optically suitable for flat solar panels
[NASA-CR-150539]
18 p0250 A78-17477
- PARRISH, W. B.
Studies of hydrogen liquefier efficiency and the recovery of the liquefaction energy
[PB-274058/7]
18 p0237 A78-16199
- PARROTT, J. B.
Cost factors in photovoltaic energy conversion with solar concentration
17 p0004 A78-10619
- PARSONS, J.
Coal fired non-equilibrium, Closed Cycle MHD/steam power generation
[ASME PAPER 77-WA/ENER-8]
19 p0298 A78-33146
- PASER, B. J.
High-temperature desulfurization of low-Btu-gas
[PB-271008/5]
17 p0124 A78-12246
- PASHKOV, S. A.
The U-25B MHD-facility intended for research in strong electric and magnetic fields
19 p0293 A78-32716
The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields
19 p0293 A78-32717
- PASK, J. A.
Ceramic microstructures '76: With emphasis on energy related applications; Proceedings of the Sixth International Materials Symposium, University of California, Berkeley, Calif., August 24-27, 1976
17 p0088 A78-17451
- PASOTTI, G.
Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system
19 p0350 A78-39897
- PASQUETTI, B.
Determination of the geometrical concentration of a solar collector using a spherical mirror
18 p0203 A78-27922
- PASUPATHY, C. S.
A simple technique of fabrication of paraboloidal concentrators
19 p0375 A78-42148

- PACHE, R. W.
Effluent characterization from a conical
pressurized fluid bed 19 p0300 A78-33221
Effluent characterization from a conical
pressurized fluid bed
[NASA-TM-73897] 18 p0283 A78-21596
- PATE, R. A.
Mass and energy transfer in a hot liquid energy
storage system 17 p0050 A78-11302
- PATEFIELD, W.
Techniques for the determination of ohmic drop in
half-cells and full cells - A review 17 p0095 A78-18408
- PATEL, H. P.
International Symposium on Wind Energy Systems,
St. John's College, Cambridge, England,
September 7-9, 1976, Proceedings 18 p0168 A78-22226
- PATEL, V. P.
Effects of alternative new source performance
standards on flue gas desulfurization system
supply and demand
[PB-279080/6] 19 p0467 A78-27661
- PATIL, P. B.
Analysis of spray combustion in a research gas
turbine combustor 19 p0333 A78-37297
- PATRICK, R.
The petroleum industry in the Delaware estuary
[PB-277962/7] 19 p0451 A78-26653
- PATRICK, S. L.
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing 17 p0058 A78-11369
- PATTEN, D. T.
Solar energy conversion: An analysis of impacts
on desert ecosystems
[COO-4339-1] 19 p0427 A78-25612
- PATTERSON, D. E.
Sulfur budget of a power plant plume 19 p0366 A78-41275
- PATTERSON, G. K.
Application of special fluidized bed techniques to
coal gasification 17 p0031 A78-11096
- PATTERSON, G. W.
Theory of wind turbines with contrarotation
[UTIAS-218] 18 p0260 A78-18556
- PATTERSON, H. G.
Learning to build large structures in space 17 p0082 A78-16698
- PATTON, J. T.
Energy and protein production from pulp mill wastes
[COO-2983-3] 17 p0157 A78-14952
Energy and protein production from pulp mill wastes
[COO-2983-6] 19 p0428 A78-25617
- PAUL, B.
Compact gas generator for fuel gasification aboard
motor vehicles 18 p0236 A78-32509
- PAUL, J. W. E.
A review of work on plasma-wall interactions and
divertor experiments on DITE 19 p0377 A78-42204
Electron and ion heating by neutral injection in
the DITE tokamak 19 p0381 A78-42268
- PAUL, L.
Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 A78-28618
- PAUVELS, H. J.
The influence of interface states and energy
barriers on the efficiency of heterojunction
solar cells 19 p0309 A78-34008
The influence of tunneling effects on the
efficiency of heterojunction solar cells 19 p0309 A78-34048
Influence of an insulating layer on the efficiency
of a semiconductor-insulator-semiconductor /SIS/
heterojunction solar cell 19 p0316 A78-35287
Analysis of generation in space charge regions of
solar cells 19 p0334 A78-37466
- PAYNE, P. A.
Improved Helios cell output 17 p0019 A78-10995
- PEARCE, G. B.
Biogasification using NaOH treated pig faeces 18 p0194 A78-27550
- PEARCE, J.
Analytical and experimental study of thermosyphon
solar water heaters 17 p0045 A78-11237
- PEARLSTEIN, L. D.
Finite Larmor radius equations in an arbitrary
near-theta pinch geometry 19 p0382 A78-42491
- PEARSON, C. V.
Coal feed component testing for CDIF 17 p0133 A78-13262
- PEARSON, J.
Modular incinerator energy recovery systems - The
Silos Springs experience 17 p0033 A78-11114
- PEARSON, R. O.
Planning and design of additional East Mesa
geothermal test facilities, phase 1B. Volume 3:
Appendices
[SAM/1140-1/3-VOL-3-APP] 17 p0127 A78-12545
- PEATFIELD, C. E.
Photovoltaic applications in the southwest for the
National Park Service
[COO-4094-3] 17 p0161 A78-15578
- PEAVY, B. A.
A method of testing for rating thermal storage
devices based on thermal performance 17 p0084 A78-16838
- PEBLER, A.
Experimental determination of alkali impurity
release from various dolomites 17 p0073 A78-14218
- PECORARO, J. M.
Potential of wood as an energy resource in New
England
[TID-28131] 19 p0432 A78-25655
- PEDESEN, H. F.
A practical approach to vortex augmentation of
wind turbines 17 p0052 A78-11315
- PELL, H.
High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 A78-12246
- PELOPSKY, A. H.
Heavy oil gasification 17 p0087 A78-17184
- PENCZYNSKI, P.
Which way to go? Observations based on discussion
on global perspectives and energy strategies
[IIASA-PP-77-9] 19 p0399 A78-23600
- PERG, Y.-K. H.
Hybrid equilibrium field coils for the ORNL TNS
Advantages of iron core in a tokamak 19 p0347 A78-39812
19 p0347 A78-39814
- PENIMOV, J. J.
Losses in a coil where the multifilamentary
composite is subjected to simultaneous
orthogonal and parallel induction variations 19 p0356 A78-40008
- PENN, L. S.
Fiber-composite systems for energy-storage flywheels 17 p0085 A78-16901
Fiber-composite systems for energy-storage flywheels
[UCRL-78610] 17 p0114 A78-10587
- PENNER, P. S.
Net energy effects and resource depletion: An
all-oil economy
[COO-2865-6] 17 p0142 A78-13592
- PENNY, H. H.
Development status and environmental hazards of
several candidate advanced energy systems
[PB-272759/2] 17 p0162 A78-15588
A hypothetical 1000 MW(e) photovoltaic
solar-electric plant
[PB-273108/1] 18 p0243 A78-16468
- PERCIVAL, W. H.
Thermal energy storage for road vehicle propulsion
[GBR-2690-SECT-7.103] 19 p0440 A78-26329

- PEREKALSKII, A. F.**
Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant
17 p0066 A78-13156
- PERRINO, A. E.**
Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations [SAND-77-1403]
19 p0428 A78-25620
- PERKINS, B. L.**
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant
17 p0001 A78-10062
- PERKINS, G. S.**
A low cost high temperature sun tracking solar energy collector
18 p0262 A78-19041
- PERKINS, R. A.**
Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres [EPRI-PP-539]
19 p0445 A78-26574
- PERRIN, M.**
CDS sprayed thin films - Electrical and optical properties
17 p0018 A78-10981
- PERRIGO, L. D.**
Ocean thermal energy conversion system biofouling and corrosion problems [BNWL-SA-5970]
17 p0154 A78-14662
- PERRIOD, P.**
The storage of hydrogen in the form of metal hydrides - An application to thermal engines
17 p0100 A78-18845
- PERRY, A. E.**
Net energy analysis of in situ oil shale processing
18 p0173 A78-22840
- PERRY, A. E.**
Net energy analysis of an Ocean Thermal Energy Conversion (OTEC) system [ORAU/IEA(M)-77-1]
18 p0288 A78-21652
- PERRY, R. E.**
Heat losses from solar energy absorbers enclosed in glass tubes
17 p0044 A78-11234
- PERRY, J. E., JR.**
Enhancement of flat plate solar collector performance through the use of planar reflectors
17 p0060 A78-11388
- PERRY, J. E., JR.**
Assessment of solar heating and cooling technology [LA-6379-MS]
18 p0269 A78-19667
- PERRY, R. T.**
A tokamak hybrid blanket design
19 p0355 A78-39982
- PERSHING, D. W.**
Physical mechanisms governing the oxidation of volatile fuel nitrogen in pulverized coal flames
17 p0078 A78-15828
- PESCHKA, W.**
Hydrogen cryogenic storage - Liquid for automotive applications and cryoadsorbents for pipeline distribution systems
17 p0100 A78-18844
- PESCHIN, V. B.**
Calculation of porous-particle combustion
19 p0315 A78-35052
- PETRE, S.**
Catalytic gasification of coal with high-pressure steam
18 p0227 A78-31497
- PETERS, B. C.**
Chemicals from coal: USBM Synthoil [PE-1534-49]
18 p0280 A78-21320
- PETERS, W.**
Bergbau-Forschung process for the desulfurization of flue gas
18 p0223 A78-30708
- PETERSEN, E. E.**
Characterization of substances in products, effluents and wastes from synthetic fuel development processes [BNWL-2224]
19 p0410 A78-24683
- PETERSON, E. W.**
On the use of power laws for estimates of wind power potential
18 p0234 A78-32410
- PETERSON, H. A.**
Superconductive inductor storage and converters for pulsed power loads
17 p0008 A78-10703
- PETERSON, J. L.**
Preliminary performance evaluation of the New Mexico State University solar house
19 p0295 A78-33032
- PETERSON, P. W.**
Evaluation of an energy conserving research house involving multi-modal operation of solar and heat pump systems
17 p0046 A78-11244
- PETERSON, R. L.**
Ammonia synthesis gas and petrochemicals from cattle feedlot manure
17 p0035 A78-11132
- PETIT, G.**
Helicopters and energy savings
17 p0076 A78-15020
- PETIT, G.**
Helicopters and energy savings [AAAF-NT-77-25]
19 p0401 A78-24128
- PETRENKO, A. S.**
Significance of the space imagery for studies of the petroleum platform areas
19 p0313 A78-34877
- PETRICK, H.**
Experimental two-phase liquid-metal magnetohydrodynamic generator program [AD-A046951]
18 p0240 A78-16444
- PETRICK, H.**
Experimental two-phase liquid-metal magnetohydrodynamic generator program [AHL-HMD-77-3]
19 p0432 A78-25651
- PETRIE, T.**
Plasma engineering problems associated with superthermal fusion products
19 p0358 A78-40081
- PETRIE, T. W.**
Effect of carbon monoxide on the reaction of hydrogen sulfide and calcium oxide [ASME PAPER 77-WA/APC-6]
19 p0297 A78-33129
- PETROSOV, O. E.**
Estimating the deformation process in the formation of the reflecting surface of solar concentrators
18 p0187 A78-25735
- PETROVA, L. I.**
Study of diffusion processes in low-temperature thermal elements
19 p0326 A78-36135
- PETROVIC, L. J.**
The use of oxygen/water for removal of sulfur from coals
19 p0320 A78-35694
- PETTIT, R. E.**
Evaluation of portable optical property measurement equipment for solar selective surfaces [ASME PAPER 77-WA/SOL-1]
19 p0299 A78-33189
- PETTIT, R. E.**
Laser ray trace and bi-directional reflectometry measurements of various solar concentrators [SAND-77-1466C]
19 p0444 A78-26564
- PETTY, S.**
Open-cycle MHD energy conversion - Prospects and developments for central station power generation
19 p0385 A78-43176
- PEUBE, J.-L.**
Solar power stations
17 p0092 A78-17673
- PEVETZ, D.**
A procedure for comparing the economy of different electrical space heating systems
17 p0068 A78-13451
- PEYCHES, I.**
New energy sources - Are they a substitute or a supplement
17 p0001 A78-10131
- PFANNKUCH, H. O.**
Rock properties for thermal energy storage systems in the 0 to 500 C range
17 p0051 A78-11308
- PFHIFPER, W.**
The Redox Flow System for solar photovoltaic energy storage
17 p0022 A78-11019
- PFISTER, A.**
Economic feasibility of solar heating systems in the northeastern United States
19 p0295 A78-33035

- PFISTERER, P.
Post-fabrication treatments, surface properties,
and front contact of Cu/x-S-CdS solar cells
17 p0018 A78-10978
- PFLUGER, A. B.
A design and producibility study of heat
exchangers for Ocean Thermal Energy Conversion
systems
19 p0304 A78-33340
- PFUDERER, H. A.
Environmental, health, and control aspects of coal
conversion, an information overview, volume 1
[ORNL/EIS-94-VOL-1] 19 p0411 A78-24696
Environmental, health, and control aspects of coal
conversion: An information overview, volume 2
[ORNL/EIS-95-VOL-2] 19 p0411 A78-24697
- PHEW, R. L.
Evaluation of coal feed systems being developed by
the Energy Research and Development administration
[NASA-CR-155267] 17 p0124 A78-12419
Evaluation of ERDA-sponsored coal feed system
development
17 p0132 A78-13252
- PHILLION, D. W.
Laser-fusion experiments utilizing a 4/pi/
illumination system
18 p0235 A78-32434
- PHILLIPS, G. A.
Inverters for commercial fuel cell power generation
17 p0009 A78-10733
- PHILLIPS, G. C.
Fossil energy research meeting
[CONF-7706100] 19 p0398 A78-23585
- PHILLIPS, E.
Data-base management system for spatial display of
federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 A78-27791
- PHILLIPS, E. L.
Modeling solar cells for use as optical detectors
- Background illumination effects
19 p0333 A78-37189
- PHILLIPS, S. L.
Study of treatment methods for geothermal fluids
[LBL-6337] 18 p0285 A78-21622
Study of brine treatment
[EPRI-ER-476] 19 p0430 A78-25633
- PHILLIPS, W. F.
Mass and energy transfer in a hot liquid energy
storage system
17 p0050 A78-11302
- PHILP, R. P.
Isoprenoid hydrocarbons produced by thermal
alteration of *Nostoc muscorum* and
Rhodospseudomonas spheroides
18 p0167 A78-22008
- PICARD, J.-J.
Energy economy in the investment policy of French
companies. I - The industrial attitude
17 p0069 A78-13469
- PICKLESIMER, E. A.
Thermal energy storage
[NASA-CR-150563] 18 p0255 A78-18520
- PICKRELL, R. L.
An inverter/controller subsystem optimized for
photovoltaic applications
[NASA-TN-78903] 19 p0452 A78-26995
- PIDGORNII, A. M.
The utilization of LaNi5 as a hydrogen-storage
medium for heat engines
18 p0233 A78-32193
- PIEPER, J. W.
The use of thermal oils for energy transfer in the
primary cycle of solar heating systems and solar
power plants
18 p0213 A78-28588
- PIEPERS, G. G.
The Netherlands National Research Programme on
Wind Energy
18 p0209 A78-28553
- PIERCE, N.
The Alcator C magnetic coil systems
19 p0346 A78-39791
- PIERRE, D. A.
Dynamic modeling and control of
magnetohydrodynamic/steam systems
17 p0028 A78-11070
- PIERSON, E. S.
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[AD-A046951] 18 p0240 A78-16444
Experimental two-phase liquid-metal
magnetohydrodynamic generator program
[ANL-MHD-77-3] 19 p0432 A78-25651
- PIETRZYK, Z. A.
Effect of Faraday rotation on stimulated Brillouin
backscattering
19 p0369 A78-41909
- PILLAI, N. E.
Failure analysis of cadmium sulphide solar cells
19 p0372 A78-42124
- PILLER, W.
The block heating power station - Characteristics
and first experience
17 p0103 A78-19247
- PILLSTICKER, M.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX
19 p0345 A78-39789
- PINKHASIK, D. S.
The U-25B MHD-facility intended for research in
strong electric and magnetic fields
19 p0293 A78-32716
- PINKHASIK, M. S.
Variation in excess oxidant factor in combustion
products of MHD generator
17 p0066 A78-13155
Experimental investigation of pulsating modes of
combustion in the combustion chambers of the
U-25 plant
17 p0066 A78-13156
Some results of applying the MHD method in power
engineering
18 p0204 A78-28086
Fuel-combustion control in the combustion chamber
of an MHD generator
19 p0385 A78-42978
- PINTER, G.
Cryogenic supplies for the TPR neutral beam line
cryopanel
19 p0352 A78-39951
- PISHCHIKOV, S. I.
Some results of research carried out at the Soviet
U-02 and U-25 open-cycle MHD facilities
17 p0009 A78-10734
Some results of applying the MHD method in power
engineering
18 p0204 A78-28086
The U-25B MHD-facility intended for research in
strong electric and magnetic fields
19 p0293 A78-32716
- PITT, W. W., JR.
Organics in aqueous process streams of a coal
conversion bench-scale unit using the
hydrocarbonization process - HPLC and GC/MS
analysis
18 p0232 A78-32104
- PITTMAN, L. C.
Large-scale cryopumping for controlled fusion
[UCRL-79381] 18 p0271 A78-19957
- PITTSAN, P. F.
Technical and economic results of solar
photovoltaic power systems analyses
17 p0021 A78-11012
Solar photovoltaic power stations
17 p0054 A78-11335
Evaluation of a photovoltaic central power station
[CONF-770403-8] 17 p0141 A78-13582
- PITTS, W. S.
Effect of coal minerals on reaction rates during
coal liquefaction
18 p0190 A78-26579
Kinetics and solubility of hydrogen in coal
liquefaction reactions
18 p0191 A78-26585
- PITULKO, S. E.
The utilization of LaNi5 as a hydrogen-storage
medium for heat engines
18 p0233 A78-32193
- PIVIROTTO, D. S.
Process heat in California: Applications and
potential for solar energy in the industrial,
agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 A78-25535

- PIVOT, J.
Experimental determination of optimal operating conditions for circular-profile solar concentrators
19 p0384 A78-42895
- PLASS, H. J., JR.
A detailed analysis of the environmental effects of energy utilization in the U.S. economy
17 p0031 A78-11102
- PLASS, S. B.
Operational limitations of direct contact boilers for geothermal applications
[ASME PAPER 77-HT-5]
17 p0089 A78-17480
- PLATON-ZYBERG, J.
Methods and costs of controlling sulfur emissions from a petroleum refinery
19 p0320 A78-35698
- PLAVINSKII, A. I.
Variation in excess oxidant factor in combustion products of MHD generator
17 p0066 A78-13155
Fuel-combustion control in the combustion chamber of an MHD generator
19 p0385 A78-42978
- PLOTNIKOV, I. IA.
Simplest physical model of a magnetohydrodynamic generator
19 p0339 A78-38634
- PLOYANT, R.
The theoretical and experimental performance of a solar heater equipped with flat plate collectors
19 p0384 A78-42893
- POBER, K. W.
The nature of pyrolytic oil from municipal solid waste
18 p0197 A78-27806
- POBEREZHSKII, L. P.
Processing the results of experiments on the U-25 unit by means of an information measuring system
17 p0002 A78-10246
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators
18 p0194 A78-27136
Development of a mathematical model for interelectrode breakdown in an MHD generator
19 p0341 A78-38968
- POESCHEL, R. L.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation
[NASA-CR-135281-VOL-4]
18 p0237 A78-16090
- POGANY, D. Z.
The Illinois program for comprehensive solar energy legislation
[PB-275565/0]
18 p0277 A78-20648
- POHL, G.
Implementation of extreme-purity specifications in the case of solar generators, taking into account, as an example, the satellites GEOS and ISEE-B
17 p0085 A78-16852
- POHL, J. G.
Design and performance of an air collector for industrial crop dehydration
17 p0104 A78-19828
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-WFO-13734-1]
17 p0111 A78-10554
- POLEY, W. A.
Photovoltaic highway applications: Assessment of the near-term market
[NASA-TN-73863]
18 p0252 A78-17935
Photovoltaic village power application: Assessment of the near-term market
[NASA-TN-73893]
18 p0267 A78-19643
Photovoltaic water pumping applications: Assessment of the near-term market
[NASA-TN-78847]
18 p0268 A78-19644
Photovoltaic remote instrument applications: Assessment of the near-term market
[NASA-TN-73881]
18 p0271 A78-19710
Impact of Balance Of System (BOS) costs on photovoltaic power systems
[NASA-TN-78939]
19 p0443 A78-26550
- POLLAY, P. H.
Investigation of the topographical features of surface carrier concentrations in silicon solar cell material using electrolyte electroreflectance
17 p0136 A78-13535
- POLTAVETS, V. H.
Two-dimensional temperature distribution in a ceramic-based electrode
18 p0173 A78-22806
- POWDER, W. H.
SO2 control technologies - Commercial availabilities and economics
19 p0310 A78-34224
- POBOHARRY-STEPHON, H. H.
Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474
- POPFOR, J. P.
Interface study of MIS silicon solar cells
17 p0025 A78-11047
- POPTE, W. S.
Neutral beam injector research and development work in the USA
17 p0012 A78-10878
The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators
19 p0354 A78-39974
- POPA, I.
The analysis of superconducting magnet systems for the M.H.D. energy conversion
18 p0229 A78-31752
- POPA, H.
Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite
19 p0362 A78-40457
- POPE, D. P.
Experiments to evaluate high-temperature rolling as a low-cost process for silicon solar cells
17 p0014 A78-10928
Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-155934]
18 p0255 A78-18517
- POPEL, O. S.
Limiting values of the energy generated by pulsed MHD converters
17 p0103 A78-19268
- POPOV, A. G.
Determination of the thermodynamic parameters of a thermal compressor
19 p0331 A78-36856
- POPPENDIEK, R. P.
Heat transfer enhancement for evaporators
19 p0304 A78-33337
- PORIAS, R.
Report to the Advisory Committee of IASA's Energy Program
[IASA-RN-77-42]
19 p0399 A78-23601
- PORTNOV, G. G.
Investigation of the energy capacity of wound composite flywheels
19 p0311 A78-34331
- POSPISECKY, A.
A review of work on plasma-wall interactions and divertor experiments on DITE
19 p0377 A78-42204
- POSTLE, D. J.
Electric utility fleet applications of electric vehicles
[EVC PAPER 7751]
17 p0086 A78-16940
- POSTLETHWAITE, A. W.
Heat transfer problem associated with an MHD power generation system - An overview
[ASME PAPER 77-HT-62]
17 p0090 A78-17494
- POSTON, R. W.
Environmental and energy considerations for electric vehicles in urban use
[EVC PAPER 7753]
17 p0086 A78-16941
- POTTER, R. W., II
Models for calculating density and vapor pressure of geothermal brines
18 p0206 A78-28249

- POUBEAU, P. C.
Development of satellite flywheels utilizing magnetic bearings with passive radial centering - Concepts and results [AIAA 78-571] 19 p0294 A78-32912
- POUDER, R.
Energy information and analytic system for New York State [BNL-22677] 19 p0397 N78-23579
- POULAKOS, W.
Illinois energy contingency plan, executive summary [PB-278714/1] 19 p0465 N78-27605
- POULOS, N.-E.
A 400 kW high temperature solar test facility 19 p0384 A78-42894
- POULSON, R. E.
Anaerobic fermentation of simulated in-situ oil shale retort water [LBL-6855] 19 p0431 N78-25646
- POVOLOTSKII, L. B.
Thermal testing of the GT-35 gas turbine plant in the steam turbine-gas turbine plant with a high-head steam generator 17 p0066 A78-13157
- POWDERLY, J. D.
Oil shale, FY 1977 [EDP/P-01(77)] 19 p0411 N78-24694
- POWE, J. S.
Project STOP (Spectral Thermal Optimization Program) 17 p0137 N78-13541
- POWE, R. E.
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 Mwt MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496
A wind energy conversion system based on the tracked vehicle airfoil concept 18 p0169 A78-22234
- POWELL, B. A.
Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- POWELL, J.
Aspects of safety and reliability of superconducting magnet systems for fusion power reactors 17 p0038 A78-11167
Prospects for the utilization of waste heat in large scale district heating systems [BNL-22559] 17 p0152 N78-14651
- POWELL, J. C.
Solar central electric power generation - A baseline design 17 p0010 A78-10742
- POWELL, J. R.
Waste management considerations for fusion power reactors 18 p0176 A78-23588
High temperature blankets for the production of synthetic fuels 19 p0359 A78-40093
A survey of applications of fusion power technology for the chemical and material processing industries 19 p0368 A78-41812
- POWERS, T. R.
Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Elend of total hydrocarbon emissions [PB-273219/6] 18 p0244 N78-16483
- PRABG, W. F.
Energy storage and transfer system for Experimental Power Reactor 19 p0348 A78-39855
- PRATAP, V.
Thermoelectric power and ac conductivity of A-type Nd2O3 19 p0322 A78-36964
- PRATHER, J. W.
Effect of coal minerals on reaction rates during coal liquefaction 18 p0190 A78-26579
Kinetics and solubility of hydrogen in coal liquefaction reactions 18 p0191 A78-26585
High pressure liquid chromatographic studies of coal liquefaction kinetics 18 p0192 A78-26591
- Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal 18 p0229 A78-31870
- PRATT, A. P.
Design, construction and operation of the DITE divertor field system 17 p0039 A78-11175
- PREBLE, D. H.
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface, and, part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1 [E78-10121] 19 p0394 N78-23498
Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology [E78-10124] 19 p0394 N78-23500
- PRELAT, A. R.
Geological and geothermal data use investigations for application explorer mission-A: Heat capacity mapping mission [E78-10092] 18 p0263 N78-19570
- PRENTICE, B. A.
Physical and morphological studies of size-classified coal fly ash 18 p0222 A78-30555
- PRENTICE, R.
Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- PRESTON, B. H.
The biological effects of air pollution from fossil fuel burning power plants in the Northcentral Great Plains. [APCA PAPER 77-15,4] 18 p0185 A78-25438
- PRESTON, G. T.
Pyrolysis of industrial wastes for oil and activated carbon recovery [PB-270961/6] 17 p0147 N78-13967
- PRI, B. Y.
Noble-gas closed-cycle system of magnetohydrodynamic power generation [R-2128-ERDA] 19 p0422 N78-25570
- PRICE, B.
An investigation of coal solubility in anthracene oils 18 p0195 A78-27745
- PRIEN, R. J.
Effluent characterization from a conical pressurized fluid bed 19 p0300 A78-33221
Effluent characterization from a conical pressurized fluid bed [NASA-TN-73897] 18 p0283 N78-21596
- PRIVER, D. C.
Synthoil hydrodynamics [COO-0056-4] 18 p0273 N78-20473
- PRINODKO, B. F.
Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537
- PHILL, R. L.
Analysis of a new concept for a high temperature direct coal-fired falling particle air pre-heater for MHD power generation [ASME PAPER 77-HT-60] 17 p0089 A78-17492
- PRINEAUX, B. W.
Coal gasification - Better late than never 19 p0310 A78-34223
- PRINCIOTTA, F. T.
Sulfur control for coal combustion 18 p0182 A78-24762
- PRIVALOV, N. P.
Experimental investigation of pulsating modes of combustion in the combustion chambers of the U-25 plant 17 p0066 A78-13156
The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- PROBERT, D.
Development of small-scale benign sources of energy in France 18 p0216 A78-29291
- PROBSTEIN, B. F.
Water in synthetic fuel production: The technology and alternatives 19 p0365 A78-41000

- PROCTOR, D.
Solar and wind induced external coefficients -
Solar collectors 18 p0165 A78-20625
- PRODELL, A.
Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors 17 p0038 A78-11167
- PROKHORENKO, I. A.
Study of the driving forces of heat and mass
transfer in a nozzle reflux device for heating
air by water 18 p0172 A78-22543
- PROTSENKO, A. N.
Survey of atomic energy planning taking into
account the production of energy in addition to
electricity 18 p0227 A78-31474
- PROVENZANO, G.
A linear programming model for assessing the
regional impacts of energy development on water
resources [PB-273022/4] 18 p0251 A78-17491
- PRUCE, L. M.
Waste pyrolysis - Alternative fuel source
19 p0333 A78-37172
- PRUDENZIALI, M.
Semiconductor materials for photovoltaic conversion
Thin Pt and Pd silicide Schottky barriers for
silicon solar cells 17 p0080 A78-16128
18 p0171 A78-22267
- PRUSOVA, N. M.
Method for taking account of the effect of
chemical kinetics on the thermodynamic
properties of the working fluid in a supersonic
MHD generator 18 p0168 A78-22137
- PRYOR, D. V.
A microprocessor-based control system for solar
heated/cooled residential dwellings 18 p0176 A78-23896
- PRYOR, R. A.
Processing ramifications of textured surfaces
A novel solar cell interconnection design
Phase 1 of the automated array assembly task of
the low cost silicon solar array project
[NASA-CR-155935] 17 p0016 A78-10949
17 p0017 A78-10959
18 p0255 A78-18516
- PRYOR, T. L.
Measurements of the behaviour of adsorbent energy
storage beds 18 p0205 A78-28166
- PSCHUNDER, W.
Low cost solar cells based on large area
unconventional silicon 17 p0013 A78-10918
- PSHEVICHNOV, N. N.
Method for taking account of the effect of
chemical kinetics on the thermodynamic
properties of the working fluid in a supersonic
MHD generator 18 p0168 A78-22137
- PULFREY, D. L.
The structure and Schottky barrier diode
properties of polycrystalline GaAs films grown
by the close spaced vapour transport technique
on Mo substrates 17 p0027 A78-11060
On the fill factor of solar cells 19 p0292 A78-32691
- PULSIFER, A. H.
Electrofluid gasification of coal with nuclear
energy 19 p0338 A78-38407
- PUNCHARD, W. F. B.
TFTR Toroidal Field coil design 19 p0345 A78-39785
- PURCELL, J. B.
Controllable homopolar motor-generator energy
storage for application in a fusion power reactor
Time dependent study of eddy current loss in a
superconducting composite 17 p0007 A78-10680
19 p0355 A78-40007
- PURI, J. S.
Development of selective solar surfaces 19 p0375 A78-42152
- PURICA, I. I.
Nonconventional alternatives for conversion of
nuclear energy 18 p0229 A78-31772
- PUROHIT, G. P.
Utilization of waste heat in trucks for increased
fuel economy [NASA-CR-157292] 19 p0458 A78-27532
- PURWIN, F. E.
High-efficiency organic solar cells 18 p0223 A78-30646
- PUSHKARSKII, A. S.
On some new criteria of efficiency of
thermoelectric materials 17 p0106 A78-20200
- PYE, E. K.
Enzymes show promise for biomass conversion 19 p0327 A78-36443
- PYLE, R. V.
Performance of a developmental 120-keV, 10-A
deuterium /14-A hydrogen/ neutral beam system 19 p0357 A78-40027
- Q**
- QADER, S. A.
Catalytic hydrosolvation process converts coal to
low-sulfur liquid fuel 19 p0368 A78-41817
- QUADE, R. H.
HTS thermal storage peaking plant
[ORNL/SUB-4188-2] 18 p0277 A78-20645
- QUAREBY, R.
Control of volatile organic emissions from storage
of petroleum liquids in fixed roof tanks
[PB-276749/9] 19 p0391 A78-22500
- QUAY, R.
General Electric conceptual design of a test coil
for the large coil program 19 p0351 A78-39928
- QUICK, R.
Preliminary assessment for designing experiments
using federal innovation processes
[PB-270089/6] 17 p0122 A78-11863
- QUINBY, D. C.
A high thermal efficiency X-ray energy conversion
scheme for advanced fusion reactors 19 p0354 A78-39978
- QUINN, H. E.
The new electric locomotives 18 p0179 A78-24378
- QUIRT, J.
Union Oil gets up steam for geothermal energy 19 p0383 A78-42773
- R**
- RABE, D.
Heat pipe mirrors for high power lasers
[AIAA 78-391] 19 p0317 A78-35586
- RABL, A.
Lens-mirror combinations with maximal concentration
Radiation transfer through specular passages - A
simple approximation 17 p0001 A78-10170
19 p0369 A78-42030
- RACCAH, P. M.
Investigation of the topographical features of
surface carrier concentrations in silicon solar
cell material using electrolyte electroreflectance 17 p0136 A78-13535
- RADCHENKO, E. D.
Increasing the resources of jet fuels 17 p0062 A78-11699
- RADOVANOVIC, D.
Exergy of gas fuels and their combustion gases 17 p0088 A78-17425
- RADU, D.
The analysis of superconducting magnet systems for
the M.R.D. energy conversion 18 p0229 A78-31752
- BAGALINI, R. C.
Physical and morphological studies of
size-classified coal fly ash 18 p0222 A78-30555

- BAGHAVEN, B.
Pulse test analysis of vertically fractured wells
[ORO-8036-5] 19 p0418 A78-25511
- BAGLAND, P. C.
Tectonic atlas of uranium potential in crystalline
rocks of the eastern US
[GJBX-69(77)] 19 p0400 A78-23666
- BAHALKAR, C. G.
Solar energy for use as a source of power
19 p0370 A78-42104
Spectral distribution of global solar radiation at
Poona 19 p0370 A78-42106
- BAHILLY, W. P.
A Review of Air Force space photovoltaic
development efforts 17 p0136 A78-13530
- BAI-CHOUDHURY, P.
Silicon solar cells from transition metal doped
Czochralski and web crystals 17 p0013 A78-10922
Silicon materials task of the low cost solar array
project, phase 2
[NASA-CR-157082] 19 p0406 A78-24622
- BAI, C.
Air pollution control and clean energy
17 p0066 A78-12999
- BAINEAULT, P. A.
Development of fast neutral beam injectors at
Fontenay-aux-Roses 17 p0012 A78-10879
- BAINONDI, T.
The mechanical structure of the Joint European Torus
17 p0040 A78-11182
- BAITBY, G. D.
Studies on methods of reducing heat losses from
flat plate solar collectors, phase 2
[COO-2597] 18 p0285 A78-21624
- BAJAN, S.
Characterization of methanol/gasoline blends as
automotive fuel: Performance and emissions
characteristics
[PB-277135/0] 19 p0393 A78-23261
- BAJASOORIA, G. P. D.
A study on the use of windmills in Singapore
18 p0169 A78-22230
- BAJENDRAW, H.
Investigation of some factors affecting the
performance of an alcohol-diesel oil dual fuel
engine 18 p0199 A78-27829
- BAKACHANDRAN, A.
Key-note address - Solar energy research and
development 19 p0370 A78-42102
- BAKAKUNAR, B.
Technical and socio-economic aspects of solar
energy and rural development in developing
countries 17 p0083 A78-16829
Wind-electric conversion utilizing field modulated
generator systems 18 p0205 A78-28163
- BAKALINGAN, H.
Flat-plate solar collector design for industrial
air heating using design data bank 19 p0375 A78-42157
- BAHAN, H.
Primary lithium organic electrolyte battery BA -
5598 ()/U
[AD-A042799] 17 p0112 A78-10568
- BAKAWATHAN, A.
Calculation procedure for determining the thermal
performance of solar domestic hot water and
space heating systems 19 p0375 A78-42149
- BAKAPRASAD, M. S.
Solar sea power plants - Prospects and problems
19 p0376 A78-42163
- BAKAPRASAD, V. R.
The experimental MHD power plant of India
18 p0162 A78-22138
- BAKBERGER, B.
Optimization of the current profile in MHD
generators 19 p0364 A78-40834
- BANOS BEEJANO, P.
Evaluation of the energy provided for a solar
collector 18 p0165 A78-20621
- BANSDILL, J. V.
Wind shear downwind of large surface roughness
elements 17 p0076 A78-14957
Postulated weather modification effects of large
energy releases
[BNWL-2162] 17 p0117 A78-10672
- BARSEY, W. J.
Energy and Resource Planning Group
[UCRL-50029-77] 19 p0448 A78-26611
- BANCITELLI, L. A.
Fusion-neutron-induced nuclear recoil emission
probabilities 17 p0062 A78-11814
- BANDALL, C. E.
Hourly direct-normal solar radiation data tapes
for the United States 17 p0049 A78-11288
- BANDALL, K. E.
Natural convection characteristics of flat plate
collectors 17 p0044 A78-11235
Natural convection characteristics of flat plate
collectors 19 p0294 A78-33028
Natural convection in compound parabolic
concentrators - A finite-element solution
19 p0337 A78-38269
- BANGARAJAN, S.
Solar energy for use as a source of power
19 p0370 A78-42104
Spectral distribution of global solar radiation at
Poona 19 p0370 A78-42106
- BANGI, R. S.
Magdalen Islands wind turbine hybrid computer model
19 p0340 A78-38781
- BANKS, W. A.
High temperature heat pipes for terrestrial
applications
[AIAA 78-435] 19 p0318 A78-35615
Heat pipe nuclear reactors for space applications
[AIAA 78-454] 19 p0319 A78-35629
Heat pipe reactors for space power applications
[LA-UR-77-296] 17 p0153 A78-14653
- BAO, B. B.
Nitric oxide formation in hydrocarbon-air flames
18 p0199 A78-27834
- BAO, C. S. B.
Fluidized-bed combustion technology - A review
17 p0079 A78-15836
- BAO, D. B.
Some studies on a solid-state sulfur probe for
coal gasification systems 19 p0310 A78-34273
- BAO, H.
An analysis of factors influencing the efficiency
of EFG silicon ribbon solar cells 17 p0014 A78-10930
- BAO, H. V.
Solar energy operated oscillating heat engine
19 p0376 A78-42162
- BAO, S. A.
Investigation of international energy economics
[BNWL-2134] 17 p0140 A78-13571
- BAPP, D.
Estimation of availability of solar energy
17 p0049 A78-11285
Design options in solar total energy systems
17 p0055 A78-11346
On the relation between insolation and
climatological variables. III - The relation
between normal incidence solar intensity, total
insolation, and weather at Fort Hood, Texas. IV
- Construction of a model year of solar
intensity and climate 19 p0322 A78-35781
- BAPPE, G. E.
Constructing the vacuum vessel for J.E.T. /Joint
European Torus/ 19 p0352 A78-39947
- BARICK, T.
Typical vehicle diurnal
[PB-270690/1] 17 p0145 A78-13633

- BARIDON, R. J.
Pathways of trace elements in the environment
[CONF-770210-3] 17 p0146 N78-13644
- BARING, L. E.
Materials engineering and development for coal
fired MHD power generators 18 p0182 A78-25052
- BASCH, R.
Methane production from waste 17 p0037 A78-11144
Combined refuse and sludge incineration 17 p0037 A78-11151
Thermal refuse treatment 19 p0315 A78-34973
- BASK, D. R.
Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639
- RASTOGI, S. C.
Performance of the novel solar cell 19 p0372 A78-42120
- RASULOV, D. T.
Photoelectric and electric properties of nSiC-nCdS
heterojunctions 19 p0330 A78-36855
Calculation of photocurrent and limit efficiency
of p-CdTe - n-CdS film-type photocells 19 p0335 A78-37944
- RATAJCZAK, A. F.
Description and status of NASA-LeRC/DOE
photovoltaic applications systems
[NASA-TM-78936] 19 p0444 N78-26554
- RATH, J.
Development of a multi-kW roll-out solar generator 17 p0017 A78-10965
- RATHMANN, C. E.
Long-time-scale simulation of resonant particle
effects in Langmuir and whistler waves 18 p0231 A78-32068
- RATZEL, A. C.
Techniques for reducing thermal conduction and
natural convection heat losses in annular
receiver geometries 19 p0294 A78-33029
- RAUCH, H. W.
Improved ceramic heat exchanger material
[NASA-CR-135292] 17 p0130 N78-13209
- RAUT, P. K.
Experimental and analytical comparisons of the
performance and combustion characteristics of
gasoline, methane, and methanol in a Wankel engine 17 p0158 N78-15487
- RAVI, K. V.
An analysis of factors influencing the efficiency
of EFG silicon ribbon solar cells 17 p0014 A78-10930
Observations of anisotropic diffused layer sheet
resistance in EFG silicon ribbon solar cells 18 p0223 A78-30648
- RAY, D. C.
Inexpensive solar collectors for agricultural
requirements 17 p0105 A78-19837
- RAYL, G. J.
Solar array conceptual design for the Halley's
Comet ion drive mission, phase 2
[NASA-CR-155594] 18 p0240 N78-16438
Conceptual approach study of a 200 watt per
kilogram solar array, phase 1
[NASA-CR-155614] 18 p0248 N78-17465
- READ, W. R. W.
Advances in solar water heating for domestic use
in Australia 17 p0105 A78-19834
- REDDY, G. W.
Modifications and costs of converting to low
sulfur western coals
[CONF-771024-3] 19 p0392 N78-23249
- REDFIELD, D.
Procedure for minimizing the cost per watt of
photovoltaic systems 18 p0176 A78-23636
Optimization of solar cell contacts by system
cost-per-watt minimization 18 p0176 A78-23637
- REDMOND, J. D.
The application of stainless steel to solar
collectors 17 p0045 A78-11238
- REED, J. W.
Energy storage needs for wind power systems
[SAND-76-9058] 17 p0143 N78-13603
New details on wind power climatology
[SAND-77-0696C] 17 p0163 N78-15657
- REED, K. A.
CPC thermal collector test plan
[CONF-770953-6] 19 p0429 N78-25628
- REED, W. E.
Heat pipes, volume 2. Citations from the
engineering index data base
[NTIS/PS-78/0303] 19 p0417 N78-25382
Heat pipes, volume 3. Citations from the
engineering index data base
[NTIS/PS-78/0304] 19 p0417 N78-25383
Heat pipes, volume 3. Citations from the NTIS
data base
[NTIS/PS-78/0302] 19 p0417 N78-25384
- REES, D. B.
The regulation, storage, and conversion of wind
produced electrical energy at the level of a few
hundred watts 18 p0171 A78-22248
- REES, D. P.
Pollutant measurements in laboratory pulverized
coal combustor and gasifier 17 p0081 A78-16348
- REESE, D. R.
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing 17 p0058 A78-11369
- REEVES, B. W.
Relationships among observed short-term maximum
sulfur dioxide concentrations near coal-fired
power plants
[APCA PAPER 77-29,5] 18 p0185 A78-25443
- REICH, R.
Aspects of safety and reliability of
superconducting magnet systems for fusion power
reactors 17 p0038 A78-11167
- REICHENBERGER, J.
Procedures for the production of hydrogen from
natural gas and oil fractions 18 p0209 A78-28475
- REID, B.
Test and analysis of a Northrup collector controller
[NASA-TM-78153] 18 p0240 N78-16432
- REID, R. S.
Calibration standards and field instruments for
the precision measurement of insolation 19 p0312 A78-34517
- REID, B.
Improving the emission performance of vehicles in
the field
[APCA PAPER 77-3,4] 18 p0184 A78-25386
- REID, R. L.
A feasibility study of a combined wind-solar
system for space and domestic hot water heating
17 p0052 A78-11319
Effect of tax-credits on the economics of solar
heating for homeowners 17 p0057 A78-11356
Measurements on the effect of planar reflectors on
the flux received by flat-plate collectors 17 p0060 A78-11387
Economics of tokamak power systems 19 p0350 A78-39894
Commercial feasibility of fusion power based on
the Tokamak concept
[CONF-771109-55] 19 p0391 N78-22915
- REIHMAN, T. C.
Particulate deposition in direct-fired MHD air
preheaters
[ASME PAPER 77-HT-65] 17 p0090 A78-17497
- REILLY, J. J.
Metal hydride development program at Brookhaven
National Library
[BNL-23574] 19 p0461 N78-27568
- REILLY, J. P.
High-power lasers 19 p0382 A78-42446
- REILY, J. C.
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing 17 p0058 A78-11369

- REINHERT, R.
Comparative description of coal feeding systems
for fixed bed pressure gasification
17 p0131 N78-13247
- REINHARDT, T. E.
Photon energy storage in organic materials - The
case of linked anthracenes
18 p0220 A78-30267
Photoisomerization of bis 9-anthryl methane and
other linked anthracenes: The role of excimers
and biradicals in photodimerization
[AD-A051336]
19 p0408 N78-24665
- REINHARTZ, K. K.
Qualification of European high efficiency solar
cells for future ESA satellites
17 p0014 A78-10936
- REINKENHOP, E.
Future peak-power plants based on hydrogen-oxygen
rocket steam generators
17 p0100 A78-18846
- REINTJES, B.
The Petrocarb pneumatic feeding system: A proven
method for feeding particulate solids at
controlled rates
17 p0131 N78-13243
- REISTAD, G. M.
An evaluation of uses for low to intermediate
temperature geothermal fluids in the Klamath
Basin, Oregon
[BULL-55]
19 p0396 N78-23568
- REISTER, D. E.
Net energy analysis of in situ oil shale processing
18 p0173 A78-22840
Energy embodied in goods
[ORAU/IEA (S)-77-6]
17 p0127 N78-12542
- REKLAITIS, G. V.
Systems studies of coal conversion processes using
a reference simulator
[FE-2275-4]
19 p0390 N78-22480
- REKOV, A. I.
High-temperature materials for MHD generators
19 p0328 A78-36551
Oxide ceramics for electrodes on open-cycle MHD
generators
19 p0328 A78-36556
Investigation of the thermionic emission of some
advanced cathode materials
19 p0328 A78-36563
- RENNÉ, D. S.
Postulated weather modification effects of large
energy releases
[BNWL-2162]
17 p0117 N78-10672
- REPCI, D. J.
An attitudinal study of the home market for solar
devices
[AD-A045082]
17 p0126 N78-12535
- REPP, H.
Screening property of the limiter shadow region
for heavy wall impurities
19 p0378 A78-42213
- REUBENS, J. E.
Oil Shale Symposium, 10th, Colorado School of
Mines, Golden, Colo., April 21, 22, 1977,
Proceedings
18 p0183 A78-25225
- REUCROFT, P. J.
Surface structure and mechanisms of gasification
catalyst deactivation
[FE-2229-5]
19 p0398 N78-23589
- REUSSENS, P.
Analysis of generation in space charge regions of
solar cells
19 p0334 A78-37466
- REUTER, R. C., JR.
Vertical axis wind turbine tie-down design with an
example
[SAND-77-1919]
19 p0429 N78-25631
- REVELL, J. D.
Fuel conservation merits of advanced turboprop
transport aircraft
[NASA-CR-152096]
18 p0279 N78-21095
- REX, D.
Properties of a solar cell array with mirrors and
radiators
[DGLR PAPER 77-011]
18 p0179 A78-24405
- REYNOLDS, T. W.
Alternative fuels
17 p0118 N78-11074
- REZNIK, A. I.
Measurement of the flow properties and capillary
pressure relationships of certain coals
pertaining to underground coal gasification
[COO-4129-3]
19 p0410 N78-24680
- RHEE, K. T.
Time- and space-resolved species determination in
diesel combustion using continuous flow gas
sampling
18 p0279 N78-21227
- RHEES, T. R.
An attitudinal study of the home market for solar
devices
[AD-A045082]
17 p0126 N78-12535
- RBODENIZER, R. L.
General Electric conceptual design of a test coil
for the large coil program
19 p0351 A78-39928
- RIABIKOV, S. V.
Converter of solar radiation to thermal energy
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings
19 p0335 A78-37946
- RIABININ, A. I.
Kinetics of chemical processes involved in the
decontamination of seawater with respect to oil
hydrocarbons
18 p0193 A78-26818
- RIABTSEV, V. A.
Some results of investigation of pressure
fluctuations in a condensing injector
17 p0066 A78-13154
- RIAZ, M.
Gravel-filled trenches in earth for annual thermal
energy storage
17 p0050 A78-11297
- RIBANDO, R. J.
Geothermal energy-related problems of natural
convection in porous media
19 p0393 N78-23378
- RIBBANS, R. C., III
Teflon FEP fluorocarbon film for flat plate solar
collectors
17 p0042 A78-11218
- RIBCATS, J. P.
Thermodynamics of thermochemical cycles in the
decomposition of water
17 p0098 A78-18833
- RIBE, F. L.
Plasma stabilization requirements of the Reference
Theta-Pinch Reactor /RTPR/
17 p0041 A78-11193
- RIBESSE, J.
The manufacture of synthetic natural gas by
hydrogenation of fossil fuel residuals
17 p0099 A78-18840
- RICCI, R. L.
How do alternative powerplant costs compare
19 p0313 A78-34677
- RICE, H. S.
Ultra clean heat exchangers - A critical OTEC
requirement
19 p0305 A78-33341
- RICE, W. L. R.
Solar energy and Congress
17 p0083 A78-16828
- RICHARDS, P. C.
Air pollution by coal dust
17 p0065 A78-12995
- RICHARDS, T. R.
ERDA/NASA 100 kilowatt mod-o wind turbine
operations and performance
[NASA-TN-73825]
17 p0159 N78-15563
DOE/NASA mod-0A wind turbine performance
[NASA-TN-78916]
19 p0443 N78-26553
- RICHARDSON, A. S.
Energy oriented study of industrial cyclone
separators
[TREC-1174]
18 p0287 N78-21642
- RICHARDSON, D.
Some design aspects of computer based control
systems for pulsed fusion experiments
19 p0355 A78-39991
- RICHTER, P.
Performance of a turbomolecular pump in a pulsed
magnetic field
19 p0352 A78-39938

- RICKER, C. W.
Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance
[CONF-770902-5] 18 p0282 A78-21483
- RIDER, H.
Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence 18 p0169 A78-22231
- RIDGWAY, S. L.
The Mist Flow OTEC Plant 19 p0306 A78-33352
- RIEMERSMA, H.
S.C. magnet design for 10 MJ homopolar machine 19 p0348 A78-39840
- RIEPE, K.
Pulsed power systems for the LASL high energy gas laser facility 17 p0007 A78-10691
- RIEPE, K. B.
Design of the energy storage system for the high energy gas laser facility at LASL 19 p0353 A78-39955
- RIES, G.
Studies on design and tests of superconductors for Tokamaks 17 p0039 A78-11176
- RIKKERS, R. P.
A computer model for large-scale offshore wind-power systems 17 p0093 A78-18089
- RINDE, J. A.
Fiber composite flywheel program
[UCL-50033-77-3] 19 p0425 A78-25592
- RING, L. B.
MHD generators for baseload power stations 17 p0032 A78-11108
- RIPPERTON, L. A.
Literature survey of emissions associated with emerging energy technologies
[PB-272550/5] 17 p0163 A78-15606
- RITCHIE, I. T.
Improvements in the design of solar selective thin film absorbers 18 p0168 A78-22018
- RITTENHOUSE, E. C.
Clean fuels from coal - Finding the right combination 17 p0065 A78-12604
- RIVOLTA, B.
On the discharge mechanism of silver/alkylammonium polyiodide solid state cells 19 p0363 A78-40621
- ROACH, F.
Impacts of the national energy programme on solar economics
[LA-UR-78-131] 19 p0444 A78-26567
Prospects for solar energy: The impact of the National Energy Plan
[LA-7064-MS] 19 p0447 A78-26595
- ROBB, S. P.
Characteristics of solar cells designed for concentrator systems 17 p0054 A78-11337
- ROBBEN, P.
Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations
[LBL-6841] 18 p0230 A78-31953
- ROBBINS, J. E.
Cogeneration - A systematic analysis of combined steam and power generation 18 p0188 A78-26108
- ROBBINS, H.
CuInS₂ liquid junction solar cells 19 p0310 A78-38274
Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells 19 p0344 A78-39469
- ROBENS, E.
Characterization of catalysts for fuel-cell electrodes with the aid of vacuum microbalances 19 p0367 A78-41795
- ROBERTS, C. C., JR.
A non-tracking moderately focusing heat pipe solar collector
[AIAA 78-402] 19 p0318 A78-35592
- ROBERTS, E. B.
Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California
[UCL-13784] 19 p0460 A78-27559
- ROBERTS, G. O.
Stratified turbulence modeling for the near field external flow 19 p0302 A78-33316
An estimate of the impact of OTEC operation on the vertical distribution of heat in the Gulf of Mexico 19 p0302 A78-33317
- ROBERTS, H. L.
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-3] 19 p0421 A78-25557
- ROBERTS, P. O.
A study of the energy consequences of alternative transport policies in intercity freight markets 18 p0258 A78-18547
- ROBERTS, R.
Cost comparison of selected OTEC power plant designs 19 p0301 A78-33305
- ROBERTSON, E. B.
Bioconversion: Fuels from biomass 18 p0167 A78-21700
- ROBIN, A.
A short summary of present applications and hopes for the development of heat pumps in France 18 p0197 A78-27789
- ROBIN, J.
Experimental determination of optimal operating conditions for circular-profile solar concentrators 19 p0384 A78-42895
- ROBINSON, A. C.
Applications of Seasat to the offshore oil, gas and mining industries
[AIAA 77-1583] 17 p0069 A78-13666
- ROBINSON, C. A., JR.
Aerospace aids fusion power concept 19 p0339 A78-38775
- ROBINSON, D. C.
Shaping and compression experiments in a Tokamak 17 p0011 A78-10778
Tearing-mode-stable diffuse-pinch configurations 19 p0380 A78-42261
- ROBINSON, E. K.
Partial oxidation of refuse using the Purox system 17 p0036 A78-11143
- ROBINSON, G.
OCS analytical model
[SDC/HRI-2345-017] 19 p0451 A78-26832
- ROBINSON, H.
Development of a high-temperature/high-pressure electrostatic precipitator
[PB-276626/9] 19 p0391 A78-22497
- ROBINSON, P. H.
The role of defects on the performance of epitaxial and diffused solar cells fabricated on EFG 'ribbon' silicon 17 p0012 A78-10905
- ROBSON, A. E.
Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- ROBSON, P. L.
A low-risk approach to the high-temperature turbine
[ASME PAPER 77-WA/ENER-10] 19 p0298 A78-33148
- ROCKENSINS, J. W.
TTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075
- RODRICK, H. P.
Intensity dependence of inverse bremsstrahlung absorption in an inhomogeneous standing wave 19 p0332 A78-37139
- RODGERS, L. W.
Mechanical energy storage systems - Compressed air and underground pumped hydro
[AIAA PAPER 78-281] 18 p0166 A78-20788
- RODOT, H.
French activities in the field of photovoltaic power conversion for terrestrial use 17 p0020 A78-11001
Solar power stations 17 p0092 A78-17673

- ROELEN, O.
Stoichiometric calculations concerning the
Fischer-Tropsch synthesis 19 p0077 A78-15101
- ROELKE, R. J.
Cold-air performance of the compressor-drive
turbine of the Department of Energy baseline
automobile gas-turbine engine
[NASA-TM-78894] 19 p0436 N78-26098
- ROELS, O. ...
Potential mariculture yield of sea thermal power
plants. II - Food chain efficiency 19 p0301 A78-33309
- ROGER, J.-A.
Experimental determination of optimal operating
conditions for circular-profile solar
concentrators 19 p0384 A78-42895
- ROGERS, C.
Utilization of waste cellulose for production of
chemical feedstocks via acid hydrolysis 17 p0035 A78-11129
- ROGERS, D. A.
Coal fired non-equilibrium, Closed Cycle MHD/steam
power generation
[ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- ROGERS, J. J. W.
Tectonic atlas of uranium potential in crystalline
rocks of the eastern US
[GJBX-69(77)] 19 p0400 N78-23666
- ROGERS, V. C.
Application of laser fusion to the radiolytic
production of hydrogen 19 p0383 A78-42858
- ROGERS, W. E.
Focusing solar collector development
[PB-275042/0] 18 p0260 N78-18561
- ROGISTER, A.
On toroidal divertors for tokamaks 19 p0379 A78-42242
- ROGOFF, P.
Stress and deflection analysis of the PLT-coil
using ANSYS computer code 19 p0346 A78-39792
- ROHATGI-HUKHERJEE, K. K.
Photochemical conversion and storage of solar
energy /An overview/ 19 p0373 A78-42136
- ROHATGI, A.
Silicon materials task of the low cost solar array
project, phase 2
[NASA-CR-157082] 19 p0406 N78-24622
- ROHATGI, V. K.
Study of a collisional plasma rotating between two
cylinders 19 p0293 A78-32718
- ROLLEHLE, R. J.
Effluent characterization from a conical
pressurized fluid bed 19 p0300 A78-33221
- Effluent characterization from a conical
pressurized fluid bed
[NASA-TM-73897] 18 p0283 N78-21596
- ROLLE, S.
Transistor inverters for satellite onboard
networks of higher power 19 p0365 A78-40865
- ROLLINS, R.
A continuous monitoring system for sulfur dioxide
mass emissions from stationary sources
[APCA PAPER 77-27,5] 18 p0185 A78-25400
- ROLLO, A. J.
Effect of fuel bound nitrogen on oxides of
nitrogen emission from a gas turbine engine.
[AD-A048382] 18 p0262 N78-19162
- ROLLWITZ, W. L.
Coal thickness gauge using BRAS techniques, part 1
[NASA-CR-150625] 18 p0273 N78-20573
- ROMANKEVICH, A. V.
Converter of solar radiation to thermal energy
designed on the basis of coaxial evacuated
tubular elements with multilayer and selective
coatings 19 p0335 A78-37946
- ROMANOV, A. I.
High-temperature materials for MHD generators
19 p0328 A78-36551
- ROME, J. A.
Magnetics design for ripple-assisted beam
injection into the ISX-B and TFTR tokamaks
19 p0356 A78-40013
- ROMEO, N.
Low-resistivity ZnCdS films for use as windows in
heterojunction solar cells 19 p0369 A78-41913
- ROOP, B. D.
Energy from biomass: An overview of environmental
aspects.
[CONF-780109-3] 19 p0446 N78-26585
- ROSBOROUGH, W. W.
Material handling systems for the fluidized-bed
combustion boiler at Rivesville, West Virginia
17 p0133 N78-13265
- ROSE, P. W.
Determination of design and operational criteria
for offshore facilities
[AIAA 77-1577] 17 p0069 A78-13663
- ROSE, B.
The technical evaluation of transport drive systems
17 p0067 A78-13422
- ROSE, P. B.
Fusion reactor development scenarios for the laser
solenoid concept 19 p0349 A78-39881
- ROSEMAN, E.
Analysis of policy options for accelerating
commercialization of solar heating and cooling
systems
[TID-27597] 19 p0428 N78-25615
- ROSEN, L. C.
Review of air quality modeling techniques. Volume
8: health and safety impacts of nuclear,
geothermal, and fossil-fuel electric generation
in California
[LBL-5998] 17 p0117 N78-10615
- ROSENBLUM, L.
Photovoltaic highway applications: Assessment of
the near-term market
[NASA-TM-73863] 18 p0252 N78-17935
- Photovoltaic village power application:
Assessment of the near-term market
[NASA-TM-73893] 18 p0267 N78-19643
- Photovoltaic water pumping applications:
Assessment of the near-term market
[NASA-TM-78847] 18 p0268 N78-19644
- Photovoltaic remote instrument applications:
Assessment of the near-term market
[NASA-TM-73881] 18 p0271 N78-19710
- Cost of photovoltaic energy systems as determined
by balance-of-system costs
[NASA-TM-78957] 19 p0458 N78-27539
- ROSENFELD, T.
Energy requirement for the production of silicon
solar arrays
[NASA-CR-157071] 19 p0407 N78-24643
- ROSENWALD, G. W.
El Dorado micellar-polymer demonstration project
report
[BERC/TPR-77/12] 19 p0413 N78-25225
- ROSENWASSER, S. W.
Mechanical and thermal design of a gas-cooled
fusion blanket module 19 p0357 A78-40040
- ROSS, D. S.
Hydroconversion of a bituminous coal with CO-H₂O
19 p0342 A78-39125
- ROSS, R. G., JR.
Interface design considerations for terrestrial
solar cell modules 17 p0023 A78-11030
- ROSS, R. S.
Research of low cost wind generator rotors
18 p0267 N78-19639
- ROSS, R. T.
Limits on the yield of photochemical solar energy
conversion 17 p0079 A78-15847
- ROSSING, B. R.
MHD electrode-insulator micro- and macro-structure
17 p0088 A78-17464
- Development, testing, and evaluation of MHD
materials and component designs
[PB-2248-15] 19 p0436 N78-26217

- ROST, D. F.
A solar collector for industrial and commercial applications 17 p0058 A78-11371
- ROTH, R.
Meteorology and wind energy utilization 18 p0210 A78-28558
- ROTHENBERG, M. J.
Priority treatment for high occupancy vehicles:
Project status report [PB-270529/1] 17 p0129 A78-12907
- ROTHFUS, R. E.
The OTEC program at Carnegie-Mellon University -
Heat transfer research and power cycle transient modeling 19 p0304 A78-33335
- ROTHMAN, A. J.
Experimental work on oil shale at Lawrence Livermore Laboratory and predictions of retorting characteristics of oil shales 19 p0367 A78-41518
- ROTTIGNI, G. A.
Concentration of the sun's rays using catenary curves 18 p0214 A78-28843
- ROTHMAN, J. W.
Volcanoes as a source of geothermal energy 17 p0067 A78-13346
- ROTTY, R. E.
Present and future production of CO₂ from fossil fuels: A global appraisal [ORAU/IEA (O)-77-15] 18 p0245 A78-16495
Thermodynamics and energy policy [ORAU/IEA (H)-77-18] 18 p0287 A78-21643
- ROULSTON, D. J.
Spectral responses limitation mechanisms of a shallow junction n+/p photodiode 18 p0205 A78-28141
- ROUSE, G.
Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico 17 p0075 A78-14815
- ROUSSEL, A.
The detection of hydrocarbon sheets on the sea 18 p0209 A78-28395
- ROUTE, D. E.
Method of construction of a multi-cell solar array [NASA-CASE-NFS-23540-1] 18 p0249 A78-17468
- ROY, G. D.
On pressure and heat flux distribution along magnetohydrodynamic generator channel-diffuser systems 17 p0128 A78-12837
- ROY, R. P.
Molten salt energy storage system - A feasibility study 19 p0296 A78-33119
- ROYERE, C.
One MWth solar cavity steam generator solar test program 17 p0053 A78-11329
- ROZENBLAT, M. SE.
Some results of investigation of pressure fluctuations in a condensing injector 17 p0066 A78-13154
- ROZHKOV, I. V.
Increasing the resources of jet fuels 17 p0062 A78-11699
- ROZNO, IU. B.
Properties of a collectorless motor fed from a three-phase current-source 18 p0235 A78-32430
- ROZNEV, B.
Choice of the optimal parabolocylindrical concentrator with a tubiform receiver 17 p0107 A78-20424
- ROBERTO, R. G.
Kinetics of thermal liquefaction of Belle Ayr subbituminous coal 19 p0365 A78-41221
- RUBIN, I.
Hexagon solar power panel [NASA-CASE-NPO-12148-1] 19 p0456 A78-27515
- RUDASILL, C. L.
Coal and nuclear generating costs [EPRI-PS-455-SR] 17 p0155 A78-14674
- RUDEY, R. A.
Impact of future fuel properties on aircraft engines and fuel systems [NASA-TN-78866] 19 p0402 A78-24369
Characteristics and combustion of future hydrocarbon fuels [NASA-TN-78865] 19 p0403 A78-24370
- RUDIGER, C. E., JR.
Application of aerospace engineering to Ocean Thermal Energy Conversion and offshore petroleum production [AIAA PAPER 78-292] 18 p0177 A78-24003
- RUDOLPH, R.
Unconventional types of power-heat coupling 17 p0102 A78-19246
- RUDOLPH, R. R.
Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential [ANL-77-70] 19 p0412 A78-24920
- RURDA, F.
The formation of Cu₂S thin films for Cds solar cells by sulfurization of copper with thiourea 17 p0018 A78-10980
- RURTH, R.
A solid waste package deal - Energy and materials from garbage 17 p0092 A78-17671
- RUGG, B.
Utilization of waste cellulose for production of chemical feedstocks via acid hydrolysis 17 p0035 A78-11129
- RUGG, B. A.
The Lebest Wind Turbine - Laboratory tests and data analysis 19 p0364 A78-40824
- RULE, T. T.
The testing of specially designed silicon solar cells under high sunlight illumination 17 p0022 A78-11021
- RUMIANTSEV, V. D.
Photocells with intermediate conversion of radiation and which operate at an increased concentration /2500-fold/ of solar radiation 18 p0172 A78-22795
Photocells with intermediate radiation conversion and enhanced concentration of solar radiation /K=2500/ 19 p0381 A78-42415
- RUP, R.
Dynamics of a pistonless engine capable of utilizing solar energy 19 p0339 A78-38554
- RUPAR, C. B.
Aviation fuels - A supplier's perspective 18 p0226 A78-31308
- RUPERT, F. R.
A 25 megajoule energy storage and delivery system for the Shiva laser 19 p0351 A78-39920
- RUPERT, V. C.
Laser-fusion experiments utilizing a $4/\pi$ illumination system 18 p0235 A78-32434
- RUSCHAK, G. C., JR.
Evaluation of a photovoltaic central power station [CONF-770403-8] 17 p0141 A78-13582
- RUSCITTO, D.
Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine. 1: Journal bearing performance [NASA-CR-135368] 18 p0281 A78-21472
- RUSSEL, B. G.
The structure and Schottky barrier diode properties of polycrystalline GaAs films grown by the close spaced vapour transport technique on Mo substrates 17 p0027 A78-11060
- RUSSELL, J. A.
Bibliography of New Mexico geology and mineral technology, 1971-1975 [PB-278348/8] 19 p0451 A78-26699
- RUSSELL, J. L., JR.
Preliminary system analysis of a fixed mirror solar power central station [EPRI-EE-434(6-77)] 18 p0241 A78-16452

- RUSSELL, L. J.
Computer aided aerogenerator analysis and performance
18 p0169 A78-22229
- RUSSELL, P. G.
Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881]
17 p0155 N78-14676
- RUSSO, A.
A cylindrical dioptrics, nonfocalising solar collector
17 p0102 A78-19225
- RUSSO, A. J.
Numerical codes for MHD flows [SAND-77-1658]
19 p0448 N78-26604
- RUSSO, G.
A cylindrical dioptrics, nonfocalising solar collector
17 p0102 A78-19225
- RUTH, J.
Modular solar energy satellite - Project proposal and development strategy
18 p0180 A78-24452
The modular solar energy satellite. Project proposal and development strategy
19 p0399 N78-23598
- RUTMAN, G.
Deep sea oil - Myth, reality of today, or future necessity
18 p0196 A78-27787
- RUTNER, L. E.
Application of heat pipes in electronic modules [AIAA 78-449]
19 p0319 A78-35625
- RYAN, J. W.
The hydrogen energy economy: A realistic appraisal of prospects and impacts
19 p0336 A78-38055
- RYAN, P. B.
Neutral beam injector research and development work in the USA
17 p0012 A78-10878
- RYAN, P. W.
Characterization of substances in products, effluents and wastes from synthetic fuel development processes [BNWL-2224]
19 p0410 N78-24683
- RYAN, T.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5]
19 p0464 N78-27596
Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3]
19 p0464 N78-27597
Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1]
19 p0464 N78-27598
Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9]
19 p0465 N78-27599
- RYASON, P. R.
Improved solar photolysis of water [NASA-CASE-NPO-14126-1]
17 p0120 N78-11500
Coal extrusion in the plastic state
17 p0132 N78-13256
- RYKOWSKI, B. A.
Shift schedules for emissions and fuel economy testing [PB-278665/5]
18 p0261 N78-18594
- RYLANDER, H. G.
System engineering and design of a pulsed homopolar generator power supply for the Texas Experimental Tokamak
19 p0351 A78-39921
Homopolar generator development at the University of Texas [ORO-5594-7]
19 p0467 N78-27922
Test data on electrical contacts at high surface velocities and high current densities for homopolar generators [CONF-771029-121]
19 p0467 N78-27924
Circuit and magnetic analysis for a system of Faraday rotor coils driven by a two-spool, four-rotor homopolar generator [CONF-771029-119]
19 p0467 N78-27927

- RYON, B. W.
Removal of silica from spent geothermal brine [UCID-17702]
19 p0430 N78-25636
- RYSHAN, S.
The Garrett pyrolysis process
17 p0036 A78-11141
- RYTHER, J. H.
Mass production of algae - Bioengineering aspects
18 p0208 A78-28363
- RYSHENKO, I. A.
Heat transfer in a dense layer at large Biot numbers
19 p0335 A78-37912
- RZHEVSKII, S. V.
Determination of optimal arrangement-angles for the panels of a nonconvex solar array
18 p0178 A78-24262

S

- SAASKI, E. W.
Compatibility studies for the ammonia-titanium-seawater system as related to Ocean Thermal Energy Conversion
19 p0305 A78-33345
Two-phase working fluids for the temperature range 50 to 350 C [NASA-CR-135255]
18 p0238 N78-16329
- SABBAGH, J. A.
Heat transfer for solar energy utilization
18 p0200 A78-27855
- SABIN, C. H.
Heat transfer enhancement for evaporators
19 p0304 A78-33337
- SABNIS, A. G.
Junction potentials of strongly illuminated n/+/-p-p/+/- solar cells
19 p0292 A78-32693
- SABZEVARI, A.
Performance characteristics of concentrator-augmented Savonius wind rotors
17 p0094 A78-18092
Potential of wind as an energy source in Iran
17 p0094 A78-18223
- SADLER, J. W.
Development, testing, and evaluation of MHD materials and component designs [FE-2248-15]
19 p0436 N78-26217
- SADOVNIK, I.
Effects of slagging in MHD generator ducts [ASME PAPER 77-HT-59]
17 p0089 A78-17491
- SADYKOV, T. A.
Calculation of the drag of a cylindrical pebble-type heat retainer
18 p0215 A78-28899
- SAEMAN, J. F.
Energy and materials from the forest biomass
17 p0034 A78-11126
- SAGE, W. L.
Evaluation of devolatilization concept [EPRI-AP-608]
19 p0430 N78-25639
Characteristics of solvent refined coal: Dual register burner tests [EPRI-PP-628]
19 p0437 N78-26232
- SAGER, P.
Engineering features of an upgradable ignition test reactor
19 p0349 A78-39878
- SAH, C. T.
Measurement of material parameters that limit the open-circuit voltage in P-N junction silicon solar cells
17 p0136 N78-13532
Physics underlying improved efficiency of high-low-junction emitter silicon solar cells [SAND-77-1610C]
19 p0410 N78-24685
- SAHA, A. R.
Two-dimensional analysis for Cu/x/S-CdS solar cells with nonuniform skin region
18 p0228 A78-31726
A plausible scheme to improve stability, life and efficiency of thermoelectric energy converters
19 p0373 A78-42134
- SAHA, B.
Performance characteristics of a solar battery concentrator system using Si and CdS cells
19 p0372 A78-42126
Back-wall Schottky barrier solar cells - with and without an interfacial layer
19 p0373 A78-42130

- Parametric study of rock pile thermal storage for solar heating and cooling phase 1
[NASA-CN-155336] 17 p0138 N78-13552
- SABAI, R.
High efficiency thin window Ga/1-x/Al/x/As/GaAs solar cells 17 p0027 A78-11065
- SAHLIN, H. L.
Measurements of high-energy deuterons in the plasma-focus device 18 p0235 A78-32439
- SAINT PIERRE, J. A.
Solar cells based on tunnel metal-insulator-semiconductor structures 17 p0024 A78-11038
- SAITOH, T.
Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- SAJIKI, A.
Onset of oscillation of a gas-column in a tube due to the existence of heat-conduction field - A problem of generating mechanical energy from heat 17 p0077 A78-15115
- SAJUS, L.
Improving production from petroleum reserves - Enhanced recovery 18 p0196 A78-27786
- SAKAI, H.
Stable isotopic studies of Japanese geothermal systems 17 p0062 A78-11493
- SAKAIDA, R.
Economic analysis of vapor recovery systems on small bulk plants [PB-269884/3] 17 p0117 N78-10636
- SAKISAKA, H.
Options of long-term energy strategy of Japan 18 p0195 A78-27778
- SAKO, K.
Blanket structure design for JAERI Experimental Fusion Reactor 19 p0357 A78-40041
- SAKURAI, T.
Solar furnaces 18 p0200 A78-27861
- SALAMA, H.
Material and design considerations of encapsulants for photovoltaic arrays in terrestrial applications 17 p0016 A78-10951
- SALAHON, K.
Lead-acid battery-operated electric street vehicles - New constructions from Germany 19 p0322 A78-35764
- SALEEM, Z. A.
Mechanical energy storage systems - Compressed air and underground pumped hydro [AIAA PAPER 78-281] 18 p0166 A78-20788
- SALGE, J.
Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device 19 p0381 A78-42265
- SALIEVA, R. E.
Classification of methods for controlling the productivity of wind and solar power stations 18 p0187 A78-25737
Selection of a method for calculating parameters of storage devices used at wind and solar installations 19 p0326 A78-36138
Development of a solar-power cadaster 19 p0331 A78-36862
- SALMI, E. W.
Heat pipe reactors for space power applications [LA-UR-77-296] 17 p0153 N78-14653
- SALVINI, G.
Use of the gravity field to shape large linear solar concentrators with fixed focal axis 17 p0082 A78-16633
- SALZANO, P. J.
An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412
Solid electrolyte and elevated temperature water electrolysis 17 p0098 A78-18832
- Electrolysis based hydrogen storage system [BNL-50760] 19 p0462 N78-27580
- SAMANS, C. H.
Current progress in materials development for coal conversion 17 p0073 A78-14399
- SAMANTA, U.
Photochemical conversion and storage of solar energy /An overview/ 19 p0373 A78-42136
- SAMBUCO, R.
The external flow induced by an Ocean Thermal Energy Conversion /OTEC/ power plant 19 p0302 A78-33319
- SANPATH, V.
Molten salt thermal energy storage systems [NASA-CN-135419] 19 p0405 N78-24618
- SAMPSON, H.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596
Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3] 19 p0464 N78-27597
Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1] 19 p0464 N78-27598
Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9] 19 p0465 N78-27599
- SAMPSON, E. E.
Application of airborne infrared technology to monitor building heat loss 17 p0075 A78-14853
- SAMUELS, G.
The energy of near-surface internal waves in the Strait of Georgia 17 p0092 A78-17948
Power conversion system of the 21st century [CONF-770448-1] 17 p0155 N78-14672
Coal-fired alkali metal power system design study [ORNL-TM-6000] 19 p0423 N78-25576
- SAMUELS, P. E.
Issues in Federally supported research on advanced automotive power systems [PB-278124/3] 19 p0442 N78-26457
- SAN PIETRO, A.
Biological solar energy conversion; Proceedings of the Conference, University of Miami, Miami, Fla., November 15-18, 1976 18 p0207 A78-28351
Mutational analysis of *Chlamydomonas reinhardtii* - Application to biological solar energy conversion 18 p0207 A78-28357
- SANBORN, G. A.
Thin film heterojunction and homojunction solar cells utilizing I-III-VI₂ ternary compound semiconductors 17 p0018 A78-10984
- SANBORN, J.
Land use-energy simulation model: A computer-based model for exploring land use and energy relationships [BNL-50634] 18 p0241 N78-16450
- SANCHEZ-MONTELL, H.
Microprocessor-based solar cell measurement system 19 p0365 A78-40919
- SANCHEZ, J. A.
Impact of solar heating and cooling on electric utilities [PB-271415/2] 17 p0145 N78-13621
- SANDBORN, V. A.
Wind tunnel simulation of the influence of two dimensional ridges on wind speed and turbulence 18 p0169 A78-22231
- SANDE, C. E.
Particulate deposition in direct fired MHD air preheaters [ASME PAPER 77-HT-65] 17 p0090 A78-17497
- SANDE, W. E.
The Syncrude Project and the future of heavy oil development 18 p0196 A78-27785

- SANDRELL, C. G.
Fundamental studies of direct contact latent heat energy storage
17 p0051 A78-11306
- SANDERS, B. C.
Design, construction and operation of the DITE divertor field system
17 p0039 A78-11175
- SANDERS, J. A.
Residential photovoltaic prototype system definition study
17 p0054 A78-11338
- SANTANATA, E.
Shadows' effect in a large scale solar power plant
17 p0084 A78-16843
- SANTORE, B. B.
Coal pressurization and feeding: Use of a lock hopper system
17 p0131 A78-13244
- SANTOS, E. A., JR.
A suboptimal controller for a domestic solar heating system utilizing a time varying price for electricity
17 p0047 A78-11262
- SAPRE, A. R.
An evaluation of geothermal energy potential
18 p0274 A78-20601
- SAPRE, A. V.
Photochemical and photoelectrochemical routes and solar energy conversion
19 p0373 A78-42135
- SAPRYKIN, G. S.
Optimum testing period for new thermomechanical equipment
18 p0225 A78-31245
- SARADA, T.
Definition of chemical and electrochemical properties of a fuel cell electrolyte [AD-A050920]
19 p0389 A78-22476
- SARREN, S. S.
The use of oxygen/water for removal of sulfur from coals
19 p0320 A78-35694
- SARGENT, G. A.
Surface structure and mechanisms of gasification catalyst deactivation [FE-2229-5]
19 p0398 A78-23589
- SARGENT, W. B.
Baseline tests of the C. B. Waterman Renault 5 electric passenger vehicle [NASA-TN-73759]
18 p0245 A78-16928
Baseline tests of the AM General DJ-5E electruck electric delivery van [NASA-TN-73758]
18 p0252 A78-17933
Baseline tests of the Zagato Elcar electric passenger vehicle [NASA-TN-73764]
18 p0252 A78-17934
Baseline tests of the EPC Hummingbird electric passenger vehicle [NASA-TN-73760]
18 p0279 A78-21010
- SARIDAKIS, W.
On the relationship between gross vehicle weight, payload, effective range, and cost of electric vehicles. [SAB PAPER 780220]
19 p0307 A78-33379
- SARIN, R. K.
Solar electric-energy market penetration
17 p0057 A78-11362
- SARKANEN, K. V.
Fuels and energy from renewable resources; Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977
17 p0107 A78-20524
- SARKAR, S. K.
Photochemical and photoelectrochemical routes and solar energy conversion
19 p0373 A78-42135
- SARNOUSKI, E. V.
Electric levitated inter-city vehicles [EVC PAPER 7782]
17 p0085 A78-16928
- SAROFIM, A. F.
The physical transformation of the mineral matter in pulverized coal under simulated combustion conditions
17 p0079 A78-15834
- SASAKI, A.
Solar cells by ionized-cluster beam deposition and epitaxial techniques
17 p0013 A78-10912
- SASAKI, T.
Thermo-nuclear fusion study by glass laser 'Gekko II'
19 p0362 A78-40384
- SASSCER, D.
Feasibility of integrated ocean thermal gradient-nuclear plants for the production of electrical power
17 p0032 A78-11110
- SASSE, W. H. F.
Organic molecular energy storage reactions
18 p0203 A78-27896
- SASSER, D. W.
System dynamics model of national energy usage [SAND-76-0415]
17 p0141 A78-13577
- SASSIN, W.
Which way to go? Observations based on discussion on global perspectives and energy strategies [IIASA-PP-77-9]
19 p0399 A78-23600
- SATER, B. L.
Characteristics of high intensity /HI/ edge-illuminated multijunction silicon solar cells - Experimental results and theory
17 p0023 A78-11026
- SATHYANARAYAN, B. G.
Solar energy - Architectural imperative and problem of collectors
19 p0375 A78-42158
- SATKIEWICZ, P. G.
Vacuum deposited polycrystalline silicon solar cells
17 p0013 A78-10921
- SAUDI, H. A. H.
Gasification and residence time of hard-coal particles in a cyclone reaction chamber
19 p0369 A78-41931
- SAUER, H. J., JR.
Comparative residential energy consumption and fuel costs with various types of systems - Oil, gas-, electric-furnaces and heat pumps
17 p0033 A78-11118
- SAULLO, A.
Energy savings from solid urban waste disposal systems in Italy
18 p0228 A78-31744
- SAUNDERS, B. T.
Design approaches to more energy efficient engines [NASA-TN-78893]
19 p0441 A78-26442
- SAUZE, F.
Algae cultures and methanization - The role of these techniques in the bioconversion of solar energy
19 p0384 A78-42896
- SAVAGE, S. B.
Solar pond
18 p0200 A78-27860
- SAVCHENKO, I. G.
Experimental study of the joint operation of wind- and solar-plants
19 p0336 A78-37948
- SAVELLI, E.
Influence of Cd and Zn doping on the electrical and optical properties of bulk Cu₂S
17 p0018 A78-10979
CdS sprayed thin films - Electrical and optical properties
17 p0018 A78-10981
- SAVINELL, R. F.
Development of a Ti/Fe redox couple flow battery system
19 p0388 A78-22458
- SAVINO, J. E.
Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine [NASA-TN-78853]
19 p0395 A78-23558
- SAVINI, V. L.
Space solar power stations
18 p0194 A78-27442
- SAVIER, B. F.
Pollutant measurements in a methanol furnace [HSS/CI PAPER 77-8]
17 p0081 A78-16339
- SAXENA, B.
Use of methanol in diesel engine - An experimental study of engine performance
18 p0199 A78-27827
- SAXENA, B. P.
Dynamics of a pistonless engine capable of utilizing solar energy
19 p0339 A78-38554

- SAYIGH, A. A. M.
Solar energy engineering 18 p0199 A78-27852
Solar energy availability prediction from climatological data 18 p0199 A78-27854
The economics of solar energy 18 p0202 A78-27870
- SAZONOV, B. V.
Indices and areas of application of gas-turbine-driven thermal power plants 18 p0193 A78-27096
- SBERVEGLIERT, G.
Low-resistivity ZnCdS films for use as windows in heterojunction solar cells 19 p0369 A78-41913
- SCARNOZZINO, R.
Shadows' effect in a large scale solar power plant 17 p0084 A78-16843
- SCHAEFER, G.
Building rights, apartment- and residence-designing in the light of solar energy utilization 18 p0214 A78-28594
- SCHANTZ, R.
Fuel and energy price forecasts. Volume 2: Schedules [EPRI-EA-411-VOL-2] 17 p0142 N78-13590
- SCHANTZ, R. E.
Fuel and energy price forecasts. Volume 1: Report [EPRI-EA-411-VOL-1] 17 p0142 N78-13589
- SCHAEFFOW, M. D.
Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams 19 p0435 N78-26007
- SCHARY, F.
Trithem heating 17 p0074 A78-14421
- SCHARLACK, R. S.
All-dielectric compound parabolic concentrator 17 p0001 A78-10152
- SCHAUDE, G. E.
Scenarios for chemical technology [BNFT-PB-T-77-01] 17 p0123 N78-11897
- SCHECHTER, D. E.
Neutral beam injector research and development work in the USA 17 p0012 A78-10878
- SCHIEFER, R.
Catalyzed combustion in a flat plate boundary layer. I - Experimental measurements and comparison with numerical calculations [LBL-6841] 18 p0230 A78-31953
- SCHIEI, A.
High-purity silicon for solar cell applications 19 p0344 A78-39567
- SCHIEININE, A.
Nonreflecting vertical junction silicon solar cell optimization [AD-A046150] 17 p0151 N78-14636
Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 N78-18519
Energy requirement for the production of silicon solar arrays [NASA-CR-157074] 19 p0407 N78-24642
Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
- SCHILLER, W. A.
The use of ethanol-gasoline mixtures for automotive fuel 17 p0034 A78-11128
- SCHIEPELE, S. E.
Mass spectrometric analytical services and research activities to support coal-liquid characterization research [COO-0020-8] 19 p0427 N78-25607
- SCHIEBTZ, W.
Estimated cost of electricity produced by four types of compound parabolic concentrators 17 p0055 A78-11342
- SCHERTZ, W. W.
Novel versions of the compound parabolic concentrator for photovoltaic power generation 17 p0023 A78-11024
Performance and testing of a stationary concentrating collector [CONF-770953-7] 19 p0429 N78-25627
- Conceptual design of a 5x CPC for solar total energy systems [CONF-770953-5] 19 p0429 N78-25629
- SCHERZER, B. U. U.
Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations 19 p0379 A78-42221
- SCHETZ, J. A.
Experimental and analytical studies of the aerodynamic performance of windmills [AIAA PAPER 78-277] 18 p0172 A78-22612
- SCHILLER, J. E.
Effect of solvent on molecular composition in coal liquefaction 18 p0173 A78-22823
- SCHILLING, G.
The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974
- SCHLAG, J. H.
Inexpensive solar collectors for agricultural requirements 17 p0105 A78-19837
- SCHLESINGER, R. J.
Preliminary comparison of proportional and full on-off control systems for solar energy applications 17 p0047 A78-11261
- SCHLOTHANN, W.
Combination of refuse incineration with electric power generation 17 p0037 A78-11148
- SCHNIDT, E. P.
The thermodynamics of a fuel cell aggregate involving thermal-catalytic-methanol decomposition 17 p0074 A78-14497
- SCHNIDT, F. W.
Baseline gas turbine development program [COO-2749-16] 17 p0120 N78-11405
Baseline gas turbine development program [COO-2749-17] 17 p0135 N78-13455
Baseline gas turbine development program [COO-2749-18] 18 p0281 N78-21479
- SCHNIDT, E. A.
Mechanical properties of oil shale of importance to in-situ rubblelization [SAND-77-0499C] 19 p0411 N78-24731
- SCHNIDT, W. L.
Determination of optimum arrays of wind energy conversion devices 19 p0364 A78-40821
- SCHNISSEUR, W. E.
An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon [BULL-55] 19 p0396 N78-23568
- SCHNITT, R.
Technical and economic aspects of hydrogen storage in metal hydrides 17 p0099 A78-18842
- SCHNITT, R. W.
Unrealities in the energy R & D program 19 p0385 A78-43276
- SCHNITTER, K. H.
Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977 19 p0381 A78-42269
- SCHNOKER, J. W.
Borehole gravity survey to determine density variations in the Devonian shale sequence of Lincoln County [MERC/CR-77/7] 17 p0157 N78-14729
- SCHNOLL, D.
Study of the performance of flat plate collectors in the transient regime 19 p0384 A78-42892
- SCHNUCKER, R.
Safety aspects of a widespread hydrogen energy economy 17 p0101 A78-18857
- SCHNEIDER, J.
The role of advanced transit in the implementation of the polycentric city concept 19 p0329 A78-36697

- SCHNEIDER, J. B.
Design of a large solar heating system for a
campus complex of buildings 17 p0032 A78-11105
- SCHNEIDER, S. J.
Materials research for clean utilization of coal
[FE-6010-11] 19 p0426 N78-25603
Development, testing, and evaluation of MHD
materials and component designs
[FE-2248-15] 19 p0436 N78-26217
Development, testing, and evaluation of
MHD-materials
[FE-6010-9] 19 p0441 N78-26380
- SCHNEIDER, T. B.
Assessment of storage systems - The device utility
interface 17 p0009 A78-10730
- SCHOCK, R.-W.
Post-fabrication treatments, surface properties,
and front contact of Cu/x/S-CdS solar cells
17 p0018 A78-10978
- SCHOEN, B.
Utilization requirements. A southern California
Gas Company project SAGE report: Utilization
requirements
[NASA-CR-155948] 18 p0264 N78-19612
- SCHOENE, T. W.
The Gas Turbine HTGR plant with a binary cycle
17 p0029 A78-11083
- SCHOENEWEIS, R. P.
Lock hopper valves for coal gasification plant
service 17 p0134 N78-13270
- SCHOLES, W.
Solar progress Down Under 18 p0206 A78-28199
- SCHORE, J. R.
Study of heat transfer through refractory lined
gasifier vessel walls
[FE-2210-20] 19 p0417 N78-25376
- SCHRAEDER, L.
Hydrogen production from coal gasification
17 p0098 A78-18829
- SCHRAAG, H. P.
Emissions of trace elements from the continued
firing of coal and RDF in a utility boiler
[APCA PAPER 77-37,6] 18 p0185 A78-25404
Environmental assessment of waste-to-energy
processes: Source assessment document
[PB-272646/1] 17 p0163 N78-15956
- SCHRECK, B.
Hybrid drive for motor vehicles with a
preponderantly intermittent method of operation
[NASA-TN-75215] 17 p0124 N78-12418
- SCHREIBER, C. B.
Effect of carbon monoxide on the reaction of
hydrogen sulfide and calcium oxide
[ASME PAPER 77-WA/APC-6] 19 p0297 A78-33129
- SCHREIBER, F.
HYCSOS: A chemical heat pump and energy system
based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334
- SCHREIBER, H., JR.
Research guidance studies to assess gasoline from
coal by methanol-to-gasoline and sasol-type
Fischer-Tropsch technologies
[FE-2447-12] 19 p0415 N78-25251
- SCHRODT, J. T.
Deactivation of hydrodesulfurization catalysts
under coal liquids. I - Loss of hydrogenation
activity due to carbonaceous deposits
18 p0203 A78-27919
Deactivation of hydrodesulfurization catalysts
under coal liquids. II - Loss of hydrogenation
activity due to adsorption of metallics
18 p0203 A78-27920
- SCHROEDER, J.
Properties of some salt hydrates for latent heat
storage 17 p0075 A78-14691
- SCHROEDER, T. A.
Air flow in the central valley of Maui, Hawaii
19 p0386 A78-43287
- SCHUELER, D. G.
Status of the ERDA photovoltaic systems definition
project 17 p0021 A78-11009
- SCHULDT, S. B.
Silicon on ceramic process. Silicon sheet growth
development for the large-area silicon sheet
task of the low-cost silicon solar array project
[NASA-CR-155613] 18 p0248 N78-17464
Dip-coating process: Silicon sheet growth
development for the large-area silicon sheet
task of the low-cost silicon solar array project
[NASA-CR-157072] 19 p0406 N78-24627
- SCHULER, H. P.
A solar collector for industrial and commercial
applications 17 p0058 A78-11371
- SCHULER, K. W.
Mechanical properties of oil shale of importance
to in-situ rubblelization
[SAND-77-0499C] 19 p0411 N78-24731
- SCHULTZ, S. C.
GEOCITY: A computer code for calculating costs of
district heating using geothermal resources
[BNWL-2208] 17 p0151 N78-14644
- SCHULTZ, J. H.
Electrical design of TNS 19 p0351 A78-39918
A comparison between an air core and an iron core
Ohmic Heating system for The Next Step
19 p0358 A78-40065
- SCHULTZ, H.
Simple solar technology for applications in rural
areas 18 p0221 A78-30321
The German research and technology program
concerning advanced tracked
ground-transportation systems 19 p0329 A78-36700
New concepts and results concerning the mechanism
of carbon monoxide hydrogenation. I - Organic
oxygen compounds produced during medium-pressure
synthesis with iron catalysts. II - Evolution of
reaction steps on the basis of detailed product
composition and other data 19 p0337 A78-38404
- SCHULZ, H. W.
Energy from municipal refuse 18 p0182 A78-24763
- SCHULZE, W.
Impacts of the national energy programme on solar
economics
[LA-UR-78-131] 19 p0444 N78-26567
Prospects for solar energy: The impact of the
National Energy Plan
[LA-7064-MS] 19 p0447 N78-26595
- SCHUSTER-WOLFF, A.
Scenarios for chemical technology
[BNFT-FE-T-77-01] 17 p0123 N78-11897
- SCHUURMAN, W.
Parameter study of a screw-pinch reactor
17 p0041 A78-11187
- SCHWAGER, I.
Coal-liquefaction products from major
demonstration processes. I - Separation and
analysis 18 p0180 A78-24625
Separation of coal liquids from major liquefaction
processes to meaningful fractions 18 p0191 A78-26590
- SCHWALL, R. B.
Fast ramp superconductor for ohmic heating coils
19 p0356 A78-40009
- SCHWARTZ, B.
Stable semiconductor liquid junction cell with 9%
solar to electrical conversion efficiency
19 p0343 A78-39461
- SCHWARTZ, E. J.
New batteries and their impact on electric vehicles
17 p0085 A78-16923
- SCHWARTZ, K.
Interaction between collector and consumer
17 p0071 A78-14095
- SCHWARZENAU, R.
Investigations concerning direct-current operated
local-traffic vehicles with low reactive effects
19 p0365 A78-40866
- SCHWEIG, H.
Prospects for the development of solar houses
18 p0212 A78-28582

- SCHWEIGHARDT, F. E.
Combined gas chromatographic-mass spectrometric analyses of nitrogen bases in light oil from a coal liquefaction product 19 p0363 A78-40594
- SCHWENDINAW, D. P.
Use of transition metal compounds to sensitize a photochemical energy storage reaction 17 p0083 A78-16830
- SCHWERTZEL, R. E.
Optimal electrode properties and the selection of stabilizing electrolytes 19 p0344 A78-39470
- SCHWIEGER, B.
Refuse-derived fuel wins out over oil and coal at new industrial power plant 19 p0315 A78-34974
- SCOTT-MONCK, J.
Textured surface cell performance characteristics 17 p0019 A78-10996
High efficiency solar panel (HESP) [AD-A043382] 17 p0112 A78-10572
- SCOTT-MONCK, J. A.
Advanced high efficiency wraparound contact solar cell [AIAA-PAPER-77-521] 17 p0137 A78-13536
- SCOTT, B. C.
Postulated weather modification effects of large energy releases [BNWL-2162] 17 p0117 A78-10672
- SCOTT, D. R.
Test and analysis of a Northrup collector controller [NASA-TN-78153] 18 p0240 A78-16432
- SCOTT, P. H.
Underground hydroelectric pumped storage - A practical option 17 p0063 A78-12221
- SCOTT, F. R.
The present status of fusion power 17 p0028 A78-11075
- SCOTT, J.
Solar energy and the heat pump in a northern climate [EPRI-PA-407] 19 p0462 A78-27583
- SCOTT, J. E.
Consumer demand analysis: Solar heating and cooling of buildings [COO-2598-1] 17 p0153 A78-14655
- SCOTT, J. L.
Materials requirements for fusion reactors 18 p0182 A78-25051
- SCOTT, H. H.
The effect of coherent structures on open-cycle generators [AIAA PAPER 78-1173] 19 p0368 A78-41870
- SCOTT, H. W.
Dip-coated sheet silicon solar cells 17 p0014 A78-10926
- SCOTT, R.
An economic comparison of three technologies - Photovoltaics, nuclear power, co-generating engines 19 p0321 A78-35752
- SCROSATI, B.
A lithium solid-state cell based on the Li₃75S0.75P0.25O₄ electrolyte 19 p0363 A78-40620
- SCUDDER, L. B.
Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947
Photovoltaic highway applications: Assessment of the near-term market [NASA-TN-73863] 18 p0252 A78-17935
Photovoltaic village power application: Assessment of the near-term market [NASA-TN-73893] 18 p0267 A78-19643
Photovoltaic water pumping applications: Assessment of the near-term market [NASA-TN-78847] 18 p0268 A78-19644
Photovoltaic remote instrument applications: Assessment of the near-term market [NASA-TN-73881] 18 p0271 A78-19710
- SEABAUGH, P. W.
Interactive data management and analysis system for the Eastern Gas Shale Program [MLN-2469(OP)] 19 p0401 A78-23988
- SEANANS, R. C., JR.
Energy's challenge to aerospace 19 p0291 A78-32533
- SEARS, D. B.
Assessment of large-scale photovoltaic materials production [PB-272604/0] 17 p0162 A78-15589
Preliminary environmental assessment of solar energy systems [PB-272352/6] 18 p0243 A78-16465
A hypothetical 1000 MW(e) photovoltaic solar-electric plant [PB-273108/1] 18 p0243 A78-16468
- SEDIK, H. V.
Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range 19 p0336 A78-37950
- SEELINGER, J.
Forecast markets, economics and shipbuilding program for OTEC/industrial plant-ships in tropical oceans 17 p0056 A78-11349
Market definition, commercial development plan, and OTEC financing - A summary of 1976 APL work for the U.S. Maritime Administration 19 p0302 A78-33313
- SEGA, G.
Researches and experiments concerning the parameters influencing the application of the fluidized bed as burning technique of low-grade lignite 19 p0362 A78-40457
- SEIDEL, R. C.
Power oscillation of the Mod-0 wind turbine 18 p0266 A78-19629
- SEIDENSTICKER, B. G.
Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 A78-23563
- SEIFERT, B.
Progress in the utilization of solar energy in Chile 19 p0370 A78-42105
- SEIFRITZ, W.
The role of nuclear energy in the more efficient exploitation of fossil fuel resources 19 p0311 A78-34399
- SEKHON, K. S.
Application of heat pipes in electronic modules [AIAA 78-449] 19 p0319 A78-35625
Direct heat pipe cooling of semiconductor devices [AIAA 78-450] 19 p0319 A78-35626
- SEKI, T.
Thermo-nuclear fusion plasma produced by CO₂ laser 19 p0362 A78-40385
- SELCHUK, H. K.
Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
Solar air heaters and their applications 18 p0200 A78-27858
Experimental evaluation of a fixed collector employing vee-trough concentrator and vacuum tube receivers 19 p0295 A78-33030
A fixed tilt solar collector employing reversible vee-trough reflectors and vacuum tube receivers for solar heating and cooling systems [NASA-CR-155426] 17 p0160 A78-15567
- SELF, S. A.
High magnetic field MHD generator program [PB-2341-1] 18 p0245 A78-16874
- SELIBER, J.
Environmental and energy considerations for electric vehicles in urban use [EVC PAPER 7753] 17 p0086 A78-16941
- SELIN, K. I.
Large Tokamak power supplies - A survey of problems and solutions 17 p0041 A78-11205
- SELZER, B.
Mode of operation and characteristics of Darrieus rotors 18 p0210 A78-28560
- SENE, A.
Sulphur emissions in Europe 19 p0366 A78-41267
- SEHNA, H. G.
Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes 19 p0308 A78-33573

- SEMEROV, V. D.
The U-25B MHD-facility intended for research in strong electric and magnetic fields
19 p0293 A78-32716
The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields
19 p0293 A78-32717
- SEMET, A.
Applications of submillimeter waves in plasma physics and controlled fusion research
19 p0360 A78-40241
- SEMLER, E. G.
Advancing technologies
18 p0225 A78-31151
- SENNANS, H. G.
DOD photovoltaic energy conversion systems market inventory and analysis, volume 1
[PB-273969/6] 18 p0243 N78-16469
DOD photovoltaic energy conversion systems market inventory and analysis, volume 2
[PB-273970/4] 18 p0243 N78-16470
DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471
- SEN, A.
Non-resonant pump field modification of the sidescatter threshold
19 p0381 A78-42264
- SEN, R. K.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505] 19 p0423 N78-25578
- SENGUPTA, U.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/ABR-75-15213] 19 p0398 N78-23590
- SERAPHIN, B. O.
Optical performance of absorber-reflector combinations for photothermal solar energy conversion
19 p0316 A78-35411
- SERREZE, H. E.
The tubular silicon solar cell - A new concept for photovoltaic power generation
17 p0014 A78-10927
Observations of anisotropic diffused layer sheet resistance in EFG silicon ribbon solar cells
18 p0223 A78-30648
- SESTERO, A.
Protection of walls from hard disruptions in large tokamaks
19 p0379 A78-42214
- SETHIAN, J. D.
Reversed-field configuration generated by a rotating relativistic electron beam
19 p0382 A78-42492
- SEVASTIANOV, A. P.
Some results of investigation of pressure fluctuations in a condensing injector
17 p0066 A78-13154
- SEVIAN, W. A.
Data bank for the geographical allocation of future US energy supply facilities by county
[BNL-50754] 19 p0463 N78-27590
- SEXTON, F. W.
Thermophotovoltaic systems for electrical energy conversion
17 p0023 A78-11031
- SFORZA, P. E.
Vortex augmentation of wind energy
17 p0094 A78-18091
An experimental facility for wind engineering research
[AIAA 78-813] 18 p0234 A78-32367
Vortex augmented wind energy conversion
19 p0361 A78-40361
- SHAFER, C. J.
Floating power optimization studies for the cooling system of a geothermal power plant
[TREE-1164] 18 p0277 N78-20646
- SHAFER, R. J.
LLL gas stimulation program
[UCRL-50036-77-3] 19 p0445 N78-26575
- SHAPIZADEH, F.
Fuels from wood waste
18 p0198 A78-27810
- SHAH, P.
High performance, inexpensive solar cell process capable of a high degree of automation
17 p0015 A78-10944
- SHAH, R. D.
Steam reforming of methyl fuel, phase 1
[AD-A044787] 19 p0403 N78-24375
- SHAH, R. K.
Performance study of spray-type solar water heater
19 p0374 A78-42147
- SHAH, R. P.
Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal
[ASME PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- SHAH, Y. H.
Inspection manual for the enforcement of new source performance standards: Coal preparation plants
[PB-274262/5] 18 p0270 N78-19683
- SHAH, Y. T.
Kinetics of thermal liquefaction of Belle Ayr subbituminous coal
19 p0365 A78-41221
Kinetics of catalytic liquefaction of Big Horn coal in a segmented bed reactor
19 p0365 A78-41222
- SHANROCK, P.
Remote sensing of earth resources. Volume 5 - Annual Remote Sensing of Earth Resources Conference, 5th, Tullahoma, Tenn., March 29-31, 1976, Technical Papers
18 p0198 A78-27823
The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2
[E78-10032] 17 p0125 N78-12506
- SHAKHPAROHIAN, V. V.
Investigation of the dynamics of melting processes in a solar furnace
19 p0336 A78-37949
- SHANKLIN, R. V.
National program for MHD power generation
17 p0010 A78-10745
- SHAW, E. E.
Environmental effects of burning solid waste as fuel
[IS-M-124] 19 p0466 N78-27637
- SHAWON, D. W.
Corrosion of iron-base alloys versus alternate materials in geothermal brines
[PNL-2456] 19 p0454 N78-27264
Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes
[EPRI-ER-635-VOL-2] 19 p0462 N78-27578
- SHAWON, L. J.
Emissions of trace elements from the combined firing of coal and BDF in a utility boiler
[APCA PAPER 77-37,6] 18 p0185 A78-25404
Environmental assessment of waste-to-energy processes: Source assessment document
[PB-272646/1] 17 p0163 N78-15956
- SHANTZIS, S.
A solar economic performance model for residential applications
17 p0056 A78-11354
- SHAPIRO, H. E.
A performance evaluation of a solar house in Quebec
17 p0048 A78-11277
- SHARAN, H. N.
Research and Product Development programme in the area of solar thermal energy
19 p0370 A78-42108
- SHARAN, H.
Effect of minority carrier diffusion length on efficiency of Schottky barrier solar cell
19 p0373 A78-42129
- SHARBER, L. A.
The application of LANDSAT-1 imagery for monitoring strip mines in the new river watershed in northeast Tennessee, part 2
[E78-10032] 17 p0125 N78-12506
- SHARMA, B. N.
Performance of the novel solar cell
19 p0372 A78-42120
- SHARP, D. J.
An aerodynamic performance theory for the Darrieus wind turbine
18 p0171 A78-22250

- SHARPE, H. H.**
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-NPS-23518-3] 19 p0421 N78-25557
- SHATALOV, G. E.**
Technoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130
A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project) 18 p0278 N78-20942
- SHAUGHNESSY, T. S.**
Silicon solar cells by ion implantation and pulsed energy processing 17 p0015 A78-10946
- SHAW, L. E.**
Flat plate air-heater improvements 17 p0043 A78-11221
- SHAW, R. P.**
High-efficiency organic solar cells 18 p0223 A78-30646
Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices [TID-27910] 19 p0462 N78-27579
- SHAW, R. W., JR.**
A solar economic performance model for residential applications 17 p0056 A78-11354
- SHAY, J. L.**
InP/CdS solar cells 17 p0018 A78-10985
A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850
n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- SHAY, J. R.**
An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon [BULL-55] 19 p0396 N78-23568
- SHECHGOLEV, G. E.**
Energy characteristics of an MHD generator cycle with internal cooling of the channel 18 p0172 A78-22531
- SHECHERBAKOV, I. O. K.**
The development and use of the moire method in solar engineering problems 18 p0187 A78-25731
- SHERBER, J.**
Supportive studies in fluidized-bed combustion [PB-276974/3] 19 p0399 N78-23604
- SHERMAN, R. G.**
Energy from solid waste - Appraisal of alternatives 17 p0011 A78-10746
- SHERTS, H. E.**
OTEC - A survey of the state of the art 17 p0008 A78-10723
- SHERTT, I.**
HYCSOS: A chemical heat pump and energy system based on metal hydrides [ANL-77-39] 18 p0238 N78-16334
- SHERLEY, D. W.**
Inorganic-organic separators for alkaline batteries [NASA-CASE-LEN-12649-1] 19 p0419 N78-25530
- SHERINBAUM, I.**
Geothermal well stimulation with a secondary fluid 17 p0104 A78-19625
- SHERINDLIN, A. E.**
Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734
Some results of investigations on the U-25 pilot plant to attain its design parameters 17 p0066 A78-13153
The use of MHD generators in the nuclear energy field 17 p0072 A78-14130
The U-25B MHD-facility intended for research in strong electric and magnetic fields 19 p0293 A78-32716
- SHERKOLIAN, H. G.**
Investigation of the dynamics of melting processes in a solar furnace 19 p0336 A78-37949
- SHELDON, R. E.**
Selected wind tunnel test results for the Darrieus wind turbine 17 p0094 A78-18099
Wind tunnel performance data for two- and three-bucket Savonius rotors 19 p0364 A78-40822
Free-air performance tests of a 5-metre-diameter Darrieus turbine [SAND-77-1063] 19 p0430 N78-25632
- SHELDON, R. C.**
The utilization of high temperature gas turbines in integrated coal-derived fuel combined cycles [ASME PAPER 77-WA/ENER-12] 19 p0298 A78-33150
- SHELKOV, N. N.**
Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities 17 p0009 A78-10734
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136
Some results of applying the MHD method in power engineering 18 p0204 A78-28086
- SHELOVSKII, B. I.**
Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525
- SHELLY, P. E.**
Sampling of water and wastewater [PB-272664/4] 17 p0163 N78-15957
- SHELFUK, B.**
Solar driven air conditioning system [COO-2938-77/1] 17 p0153 N78-14654
Double-sided solar cell package [NASA-CASE-NPO-14199-1] 19 p0389 N78-22470
- SHELTON, E. H.**
Diesel fuel oils, 1977 [BERC/PPS-77/5] 18 p0281 N78-21324
Motor gasolines, summer 1977 [BERC/PPS-78/1] 19 p0454 N78-27287
- SHERIAKIN, V. IA.**
Processing the results of experiments on the U-25 unit by means of an information measuring system 17 p0002 A78-10246
- SHER, C. W.**
Operational dynamics of coupled flat plate solar collector and adsorption cycle heat pump system with energy storage 19 p0295 A78-33037
- SHER, S. S.**
An apparatus to examine pulsed parallel field losses in large conductors 19 p0355 A78-40006
- SHERPARD, B. P., JR.**
The conceptual design and analysis of a photovoltaic powered experimental residence 17 p0022 A78-11015
- SHERPARD, W. S.**
A MHD simulation test facility for investigating the thermal properties of a slag/seed coated radiant boiler and superheater for a 2000 HWT MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496
- SHERPHEED, A. D.**
Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions [ORNL/TH-6098-VOL-1] 19 p0442 N78-26524
- SHEPPARD, A. P.**
Inexpensive solar collectors for agricultural requirements 17 p0105 A78-19837
- SHER, A.**
LaP3 solar cell 17 p0027 A78-11068
- SHERBIN, W. C.**
Application of solar energy to schools and residences 18 p0181 A78-24759
- SHERENETEVSKII, N. N.**
Specialized complex electromechanical systems - Computer and microelectronics technology in control systems /Some results of the International Electrotechnology Congress - Moscow, 1977/ 19 p0325 A78-36129

- SHERMANN, B. L.
Molten carbonate fuel cell research at ORNL. 2:
Theoretical and experimental transport studies,
thermochemistry, and electron microscopy
[ORNL/TM-6168/V2] 19 p0448 A78-26601
- SHETH, P. R.
Specifics of heat exchanger design for a 2000-MWt
dual cycle, MHD Topping-Steam Bottoming power
plant
[ASME PAPER 77-HT-61] 17 p0090 A78-17493
- SHEVCHUK, E. B.
Study of liquid-metal heat pipes characteristics
at start-up and operation under gravitation
[AIAA 78-434] 19 p0318 A78-35614
- SHEVCHUK, J.
Solar cells based on tunnel
metal-insulator-semiconductor structures
17 p0024 A78-11038
- SHEVCHUK, J.
Characteristics of chalcocite /Cu₂S/ films
produced by different methods and some
properties of solar cells made from such films
17 p0018 A78-10977
- Low cost, high efficiency solar cells using
indium-tin oxide on semiconductor /OSOS/ solar
cells
17 p0054 A78-11334
- The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell Theory
18 p0192 A78-26717
- SHIBATA, T.
The efficiency improvement of electric vehicles by
regenerative braking
[SAE PAPER 780291] 19 p0307 A78-33383
- SHIB, K.
Indoor test for thermal performance evaluation of
Libbey-Owens-Ford solar collector
[NASA-CR-150508] 18 p0249 A78-17474
- Indoor test for thermal performance evaluation of
Lenox-Honeywell solar collector
[NASA-CR-150510] 18 p0250 A78-17481
- Indoor test for thermal performance evaluation of
Sunworks (liquid) solar collector
[NASA-CR-150573] 18 p0268 A78-19650
- SHIH, K., SR.
Indoor thermal performance evaluation of Daystar
solar collector
[NASA-CR-150511] 18 p0255 A78-18521
- Thermal performance of MSFC hot air collectors
under natural and simulated conditions
[NASA-CR-150506] 18 p0256 A78-18525
- SHIH, W. C. L.
Hydrodynamic loads on the cold water pipe
19 p0303 A78-33326
- SHIL, S. K.
Non-tracking solar concentration for solar cell
19 p0371 A78-42111
- SHILLITO, K. B.
A survey of the use of ceramics in battery and
fuel cell applications
[AD-A044888] 17 p0126 A78-12534
- SHINADA, Y.
Heat transfer from a horizontal plate facing
upward to superposed liquid-layers with change
of phase
[ASME PAPER 76-WA/HT-1] 17 p0076 A78-15057
- SHINIZU, B.
Biological conversion of light energy into
electrochemical potential
18 p0208 A78-28360
- SHINOZONO, G. S.
A parametric study of a heat exchanger designed
for geothermal power plant application
[ASME PAPER 77-HT-1] 17 p0088 A78-17476
- SHINURA, I.
Formation and growth of thermal NOx in hydrocarbon
combustion
18 p0227 A78-31498
- SHINGARKINA, V. A.
Stability of nonequilibrium plasmas
17 p0063 A78-12352
- Stability of nonequilibrium plasma
19 p0291 A78-32575
- SHINTONI, T.
Superconducting magnetic energy storage
17 p0074 A78-14649
- SHIPPEE, P.
Thermal mass and headwalls in two new buildings
17 p0048 A78-11276
- SHIRLAND, P. A.
An automatable integrated thin film solar cell array
17 p0017 A78-10972
- SHITZER, A.
Solar absorption system for space cooling and
heating
17 p0078 A78-15409
- The natural circulation solar heater-models with
linear and nonlinear temperature distributions
19 p0369 A78-42064
- SHIWALKAR, B. D.
Solar ponds for power production
19 p0376 A78-42164
- SHLOSINGER, A. P.
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] 18 p0248 A78-17336
- SHWER, I. I.
Gas turbines. Part 2 - Aerodynamic processes,
regenerators, combustion chambers, and
construction /2nd revised and enlarged edition/
18 p0219 A78-30200
- SHOFFSTALL, D. R.
Burner design criteria for NOx control from
low-Btu gas combustion. Volume 1: Ambient fuel
temperature
[PB-272614/9] 17 p0163 A78-15607
- SHORT, R. E.
Energy and remote sensing
17 p0075 A78-14805
- Energy and remote sensing
17 p0149 A78-14497
- SHOU, J. K.
Clean coal combustion through coal washing and
blending
[PB-274406/8] 18 p0260 A78-18560
- SHPIILRAIN, E. E.
Some results of investigation of pressure
fluctuations in a condensing injector
17 p0066 A78-13154
- SHRINER, D. S.
Character and transformation of pollutants from
major fossil-fuel energy sources
[APCA PAPER 77-15,1] 18 p0185 A78-25406
- Character and transformation of pollutants from
major fossil fuel energy sources
[ORNL/TM-5919] 17 p0156 A78-14698
- SHRIVASTAVA, V.
Illinois energy contingency plan
[PB-278715/8] 19 p0465 A78-27606
- SHITALMAN, S. G.
Reducing nitrogen oxides in the flue gases from
gas/oil-fired boilers at high-capacity power
stations
19 p0335 A78-37862
- SHUCK, L. Z.
Stress response investigations related to in-situ
gasification of coal
[ASME PAPER 77-PET-25] 17 p0077 A78-15083
- SHULGINA, V. S.
The efficiency of half-peak MHD electric power plant
18 p0166 A78-21034
- SHULTZ, J. L.
Combined gas chromatographic-mass spectrometric
analyses of nitrogen bases in light oil from a
coal liquefaction product
19 p0363 A78-40594
- SHUPP, D. S.
Update - Automobile fuel economy
17 p0092 A78-17672
- SHUR, B. S.
Frequency limitations of transferred electron
devices related to quality of contacts
19 p0334 A78-37468
- SHURCHKOV, A. V.
Investigation of hydrodynamic flows of a heat
transfer fluid in zones of artificial porosity
18 p0172 A78-22537
- SHVETSOV, G. A.
Coaxial, explosive-type MHD generator
18 p0166 A78-21387
- SHVETSOV, V. S.
Technoeconomic estimates of a possible
thermonuclear power plant with a tokamak reactor
19 p0326 A78-36130

- SHWARTS, I.
Solar absorption system for space cooling and heating
17 p0078 A78-15409
- SIBERT, J. L.
Mapping offshore oil leases
[LA-UR-77-2892] 19 p0456 N78-27500
Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791
- SIBIRUDE, F.
Use of solar energy for direct and two-step water decomposition cycles
17 p0080 A78-16048
- SICHEL, H.
Analysis of spray combustion in a research gas turbine combustor
19 p0333 A78-37297
- SICKLES, J. E., II
Literature survey of emissions associated with emerging energy technologies
[PB-272550/5] 17 p0163 N78-15606
- SIDDIQI, T. A.
Energy resources of the developing countries and some priority markets for the use of solar energy
18 p0179 A78-24400
- SIDORENKO, V. I.
Survey of atomic energy planning taking into account the production of energy in addition to electricity
18 p0227 A78-31474
- SIDOROV, V. S.
The U-25B MHD-facility intended for research in strong electric and magnetic fields
19 p0293 A78-32716
- SIEBBS, D. L.
Analysis of the thermal fatigue induced by DNB oscillations in the MDAC Rocketdyne pilot and commercial plant solar receiver designs
[SAND-77-8283] 19 p0421 N78-25642
- SIEBKEN, H.
Outline for a hydrogen economy in 1985-2000
17 p0100 A78-18848
- SIEGEL, R. D.
A modeling analysis of the impact of the energy shortage on ambient air quality
19 p0320 A78-35683
- SIEGLER, P.
The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Parts 1 & 2
19 p0329 A78-36701
- SIEGWART, J. D.
Cryogenic fluids density reference system: Provisional accuracy statement
[PB-275450/5] 18 p0272 N78-20376
- SIERAWSKI, D. A.
The use of silicone gel for potting photovoltaic arrays
17 p0054 A78-11336
- SIFFERT, P.
Interface study of MIS silicon solar cells
17 p0025 A78-11047
- SIGL, A. B.
Variance analysis of wind characteristics for energy conversion
17 p0092 A78-17653
Probability models of wind velocity magnitude and persistence
19 p0314 A78-34935
- SIN, G. C.
Recent advances in engineering science; Proceedings of the Fourteenth Annual Meeting, Lehigh University, Bethlehem, Pa., November 14-16, 1977
19 p0360 A78-40301
- SINKENS, H.
Radiation heat losses in solar collectors with plastic covers
19 p0316 A78-35362
- SILBERMAN, D.
Physical and morphological studies of size-classified coal fly ash
18 p0222 A78-30555
- SILPVAST, W. T.
Direct conversion of CO2 laser energy to high-voltage electrical energy using a laser-produced plasma
17 p0078 A78-15788
- SILVERMAN, J.
Coal conversion to liquid and gaseous fuels - Aerospace technology in a new role
[AIAA PAPER 78-293] 18 p0177 A78-24004
- SILVERMAN, H. D.
Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power
[ORNL/TM-5821] 17 p0115 N78-10588
- SILVESTRI, G.
Solar energy for industrial processes - A simplified design method
19 p0383 A78-42891
- SIN, J. W.
Advanced fuel cell development
[ANL-77-79] 19 p0445 N78-26571
- SIMCOX, G. K.
The evolution of pulsed power
17 p0008 A78-10709
- SINKOVITS, H. R.
Control and dynamic analysis of a wind energy conversion and storage system operating at constant velocity ratio
17 p0028 A78-11076
- SIMMONS, D. E.
Demand sensitive energy storage in molten salts
18 p0220 A78-30264
Application of chemical engineering to large scale solar energy
18 p0220 A78-30265
- SIMMONS, G.
Microcrack technology for geothermal exploration and assessment
[PB-271940/9] 17 p0157 N78-14725
- SIMMONS, G. M.
Economics and projections for geothermal development in the Northwest
17 p0082 A78-16769
- SIMMONS, M.
Performance of an experimental solar-driven absorption air conditioner
[LBL-5911] 17 p0161 N78-15579
Distributed technologies in California's energy future, volume 1
[LBL-6831-VOL-1] 18 p0285 N78-21623
Distributed technologies in California's energy future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 N78-21635
- SIMMONS, M. K.
Annual review of energy. Volume 2
17 p0007 A78-10675
- SIMON, H. F.
Theoretical method to determine monthly efficiency of flat plate solar collectors
17 p0029 A78-11084
Solar energy and domestic heating needs
17 p0029 A78-11085
Heat balance of a solar house: Rapid calculation method
18 p0177 A78-23975
- SIMONEN, T. C.
Plasma-wall charge-exchange interactions in the 2XIIB magnetic mirror experiment
19 p0377 A78-42207
- SINOWET, H.
A European energy policy - Distant mirage or tomorrow's reality
18 p0195 A78-27777
- SINONS, H.
Solar cell design study
[AD-A048042] 18 p0251 N78-17489
- SIMPSON, C. A.
Upgrading of coal liquids for use as power generation fuels
[BPRI-AP-444] 19 p0427 N78-25608
- SIMPSON, J. G.
An improved solar concentrator
[NASA-CASE-MFS-23727-1] 17 p0139 N78-13556
- SINS, A. V.
Geothermal direct contact heat exchange
[SAB/1116-1] 18 p0277 N78-20638
- SINCLAIR, J. H.
NASTRAN use for cyclic response and fatigue analysis of wind turbing towers
17 p0125 N78-12459
- SINEGUBOVA, O. V.
The utilization of LaNi5 as a hydrogen-storage medium for heat engines
18 p0233 A78-32193

- SINGAL, C. H.
Non-tracking solar concentration for solar cell
19 p0371 A78-42111
- SINGEB, J. H.
Coal pyrolysis at fire-level heat flux
17 p0079 A78-15835
- SINGH, D.
Design and evaluation of an inexpensive heat pipe
19 p0374 A78-42145
Air conditioning using ocean thermal gradients
19 p0376 A78-42160
- SINGH, J.
A study of biochemical fuel cells utilizing animal
and kitchen waste as fuel
19 p0374 A78-42137
- SINGH, K.
Experimental studies of selective coatings for
solar energy collectors
19 p0375 A78-42151
Experimental investigation of circular cylindrical
solar heat collector of stationary type
19 p0375 A78-42154
- SINGH, P.
Cheap packed-bed solar air heaters
19 p0374 A78-42144
- SINGH, R.
Solar cells based on tunnel
metal-insulator-semiconductor structures
17 p0024 A78-11038
The operation of the
semiconductor-insulator-semiconductor /SIS/
solar cell theory
18 p0192 A78-26717
- SINHA, A. K.
Evaluation and targeting of geothermal energy
resources in the southeastern United States
[VPI-SU-5103-3]
17 p0162 A78-15585
- SINKOVICH, O. A.
Limiting values of the energy generated by pulsed
MHD converters
17 p0103 A78-19268
- SINHAWALLA, A. H.
The external flow induced by an Ocean Thermal
Energy Conversion /OTEC/ power plant
19 p0302 A78-33319
- SINOB, J. B.
Evaluation of background data relating to new
source performance standards for Lurgi
gasification
[PB-269557/5]
17 p0117 A78-10631
- SIRKIS, H.
Cds sprayed thin films - Electrical and optical
properties
17 p0018 A78-10981
- SISCHIN, E.
Researches and experiments concerning the
parameters influencing the application of the
fluidized bed as burning technique of low-grade
lignite
19 p0362 A78-40457
- SISTERSON, D. L.
Nocturnal boundary-layer wind maxima and the
problem of wind power assessment
18 p0179 A78-24314
- SITES, J. B.
Fabrication of OSOS cells by neutral ion beam
sputtering
17 p0027 A78-11062
- SITNOV, V. I.
Optimization of the parameters of a Knudsen
thermionic converter with Cs-Ba filler
19 p0340 A78-38933
- SITTON, O. C.
Biomass as an energy mechanism
17 p0033 A78-11116
- SIV, W. C.
Cu_x/S/CdS thin-film solar cells using chemically
sprayed CdS films
19 p0309 A78-34009
- SIVAK, L. D.
Gulf Stream OTEC resource potential
19 p0291 A78-32535
- SIVASUBARAN, S.
Design parameters affecting the performance of
resistance-type, vertical-axis windrotors - An
experimental investigation
17 p0094 A78-18093
- An experimental investigation of a class of
resistance-type, direction-independent wind
turbines
18 p0173 A78-22839
- Secondary parameters affecting the performance of
resistance-type vertical-axis wind rotors
19 p0382 A78-42420
- SKALNEKO, A. K.
Study of the driving forces of heat and mass
transfer in a nozzle reflux device for heating
air by water
18 p0172 A78-22543
- SKELLET, S.
Design aspects of a large toroidal stabilizing
shell and vacuum liner assembly
17 p0040 A78-11184
- SKINNER, R. E.
Paratransit prospects - Filling a gap
17 p0084 A78-16848
- SKODA, L. F.
Solar energy systems. Survey of materials
performance
[PB-273305/3]
18 p0244 A78-16475
- SKOTHEIM, T.
Dye sensitization of Schottky barrier solar cells
17 p0055 A78-11340
- SKOWBO, H.
Conceptual design of OTEC platforms
17 p0008 A78-10724
- SLADE, E. C.
Report of survey of valve industry capabilities
[CONF-771145-2]
19 p0393 A78-23440
- SLATER, S. H.
Electricity generation by utilities - 1974
nationwide emissions estimates
19 p0320 A78-35701
- SLATT, B. J.
Hydrogen sulfide as an air pollutant
19 p0337 A78-38245
- SLATTERY, J. C.
Interfacial effects in the recovery of residual
oil by displacement: Studies at Northwestern
University
[COO-0039-5]
18 p0244 A78-16494
- SLAVICK, R. J.
Baseline tests of the Zagato Elcar electric
passenger vehicle
[NASA-TN-73764]
18 p0252 A78-17934
Baseline tests of the EVA contractor electric
passenger vehicle
[NASA-TN-73762]
18 p0253 A78-17939
- SLAVIK, R. J.
Baseline tests of the C. H. Waterman Renault 5
electric passenger vehicle
[NASA-TN-73759]
18 p0245 A78-16928
Performance of conventionally powered vehicles
tested to an electric vehicle test procedure
[NASA-TN-73768]
18 p0271 A78-20022
Baseline tests of the EPC Hummingbird electric
passenger vehicle
[NASA-TN-73760]
18 p0279 A78-21010
- SLIBECHEVICH, C. H.
Development of working fluid thermodynamic
properties information for geothermal cycles;
phase 1
[ORC-5249-1]
17 p0143 A78-13600
- SLIPER, L. W.
The Goddard Space Flight Center high efficiency
cell development and evaluation program
17 p0136 A78-13529
- SLIPER, L. W., JR.
ATS-6 solar cell flight experiment through 2 years
in orbit
17 p0014 A78-10932
- SLIVINSKY, V. W.
Implosion experiments with D₂, He-3 filled
microspheres
18 p0235 A78-32440
- SLOWIN, H. A.
Electromagnetic processes in ac/dc power
converters. II - Symmetrical transient processes
in power converters. III - Nonsymmetrical
transient processes
18 p0217 A78-29625
- SLOWSKI, H. L.
Potential for cogeneration of heat and electricity
in California industry, phase 1
[NASA-CR-157168]
19 p0419 A78-25536

- SLUYTER, H. H.
Heat transfer problem associated with an MHD power generation system - An overview [ASME PAPER 77-HT-62] 17 p0090 A78-17494
- SLUYTERS, T.
Acceleration of one ampere negative ion beams to energies up to 120 keV 19 p0348 A78-39832
- SNAGA, J. A.
Materials requirements for high performance secondary batteries 18 p0183 A78-25054
- SMALL, H.
Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems 18 p0232 A78-32112
- SHALLEY, W.
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596
Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3] 19 p0464 N78-27597
Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1] 19 p0464 N78-27598
Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9] 19 p0465 N78-27599
- SMART, D. L.
The poloidal field circuit in the Joint European Torus /JET/ 17 p0039 A78-11177
- SHELTZER, G. S.
Electrical design of TWS 19 p0351 A78-39918
- SHIRNOV, A. S.
Hall effect on an rf induction discharge 17 p0070 A78-13857
- SHIRNOVA, A. W.
Experimental study of the joint operation of wind- and solar-plants 19 p0336 A78-37948
- SHIT, P. P. A.
Air pollution by coal dust 17 p0065 A78-12995
- SMITH, A. L.
Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TM-73780] 17 p0129 N78-13056
- SMITH, B. G.
Aviation fuel usage - Economy and conservation 18 p0223 A78-30698
- SMITH, C. A.
Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3 [AD-A053106] 19 p0414 N78-25239
- SMITH, D. V.
Photovoltaic power in less developed countries [COO-40984-1] 17 p0141 N78-13581
- SMITH, D. W.
Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures 17 p0070 A78-13907
- SMITH, R. L.
Engine development toward lower energy consumption and reduced environmental impact [AIAA PAPER 78-307] 18 p0178 A78-24008
- SMITH, G.
Application analysis of solar total energy to the residential sector [TID-28104] 19 p0431 N78-25643
- SMITH, G. E.
TFTR Toroidal Field coil design 19 p0345 A78-39785
- SMITH, J. C.
The battery energy storage test /BEST/ facility - Its purposes and description 17 p0029 A78-11079
- SMITH, J. B.
Gravity flow rate of solids through orifices and pipes 17 p0133 N78-13260
- SMITH, J. L.
Summary of 1977 geothermal drilling - Western United States 19 p0362 A78-40534
Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2 [NASA-CR-156185] 19 p0388 N78-22464
- SMITH, J. W.
Conceptual design of a coal-fueled, fluid bed combined cycle power plant [ASME PAPER 77-WA/ENEB-11] 19 p0298 A78-33149
- SMITH, M. C.
The prospect for geothermal power 17 p0010 A78-10740
- SMITH, M. J.
An Early Ocean Test Platform for testing cycle components 19 p0300 A78-33303
- SMITH, P. A. S.
Studies on the separation of coal extract from solid residue in liquefied coal [NSP/AEE-75-15213] 19 p0398 N78-23590
- SMITH, P. R.
Efficiency of Fresnel lens solar collector 18 p0232 A78-32113
Preliminary performance evaluation of the New Mexico State University solar house 19 p0295 A78-33032
- SMITH, R. D.
Pilot plant study of conversion of coal to low sulfur fuel [PB-274113/0] 18 p0260 N78-18565
- SMITH, R. P.
Argonne national laboratory energy storage and transfer experimental program 19 p0353 A78-39956
- SMITH, R. S.
Analysis of a high-temperature coal combustor according to a one-dimensional flow model [ANL/MHD-77-2] 19 p0422 N78-25568
- SMITH, T. E.
Engineering features of ISI-B 19 p0347 A78-39802
- SMITH, T. P.
Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216
- SMITH, W. P.
Performance of Lexan vs. ordinary glass as glazing materials for flat-plate solar collectors 17 p0042 A78-11219
- SMITH, W. K.
A monolithic series-array solar-cell system 17 p0103 A78-19374
- SMITH, W. L.
Energy and remote sensing 17 p0075 A78-14805
Energy and remote sensing 17 p0149 N78-14497
- SMITHRICK, J. J.
Rapid, efficient charging of lead-acid and nickel-zinc traction cells [NASA-TM-78901] 19 p0405 N78-24616
- SMITHSON, G. R., JR.
Utilization of energy from organic wastes through fluidized-bed combustion 18 p0198 A78-27813
- SHOLIYAKOV, I. I.
Utilization of exhaust-gas heat from gas turbine power plants 17 p0103 A78-19525
- SHOOT, L. D.
Pollutant measurements in laboratory pulverized coal combustor and gasifier 17 p0081 A78-16348
Cold flow mixing rate data for pulverized coal reactors 19 p0328 A78-36616
- SHULYAN, H. H.
The hydrogen energy economy: A realistic appraisal of prospects and impacts 19 p0336 A78-38055
- SHY, P. R.
Collection of ions by electric probes in combustion MHD plasmas - An overview 18 p0188 A78-26111

- SNOW, R. V.
Assessment of storage systems - The device utility interface
17 p0009 A78-10730
- SNYDER, B. K.
Coal feed component testing for CDIF
17 p0133 A78-13262
- SNYDER, R.
Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 A78-23604
- SNYDER, R. B.
Synthetic SO₂ sorbents for fluidized-bed coal combustors
17 p0003 A78-10503
- The role of a carbon burnup cell in reducing SO₂ emissions from fluidized-bed coal combustion plants
[WSS/CI PAPER 77-30] 18 p0230 A78-31968
- SO, B. M. C.
Lift on a rotating porous cylinder
18 p0167 A78-21633
- On vortex wind power
[ASHE PAPER 77-WA/FE-20] 18 p0218 A78-30035
- SOBIROV, O. I.
Study of physicochemical processes in fabrication of reflectors from polymer materials
18 p0215 A78-28895
- SOCLOP, S. I.
Design factors for transparent conducting layers in solar cells
17 p0027 A78-11064
- SOPIA, A. J.
Development program for MHD power generation. Volume 4: Superconducting magnet study
[FE-2015-16-VOL-4] 19 p0455 A78-27447
- SOPTLEY, D.
Closed gas turbine heater program
[TID-28200] 19 p0455 A78-27441
- SOHN, J. C.
Possibilities for improving the electrolysis of water in alkaline solutions
17 p0098 A78-18831
- SOKIRKO, I. D.
The U-25B MHD-facility intended for research in strong electric and magnetic fields
19 p0293 A78-32716
- SOKOLOV, B. A.
Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam
18 p0222 A78-30571
- SOKOLOV, E. V.
Thermal deformations of solar concentrators
19 p0335 A78-37945
- SOKOLOV, I. U.
Some results of research carried out at the Soviet U-02 and U-25 open-cycle MHD facilities
17 p0009 A78-10734
- The MHD generator channel No. 1 of the U-25B facility intended for research in strong electric and magnetic fields
19 p0293 A78-32717
- SOKOLOV, O. B.
Output power and lifetime of high-voltage, low-temperature thermoelectric batteries
19 p0330 A78-36854
- SOKOLOVA, V. B.
Study of diffusion processes in low-temperature thermal elements
19 p0326 A78-36135
- SOLBES, A.
Open-cycle MHD energy conversion - Prospects and developments for central station power generation
19 p0385 A78-43176
- SOLODOVNIKOVA, L. A.
Thermal deformations of solar concentrators
19 p0335 A78-37945
- SOLOMON, P. B.
The evolution of pollutants during the rapid devolatilization of coal
[PB-278496/5] 19 p0466 A78-27617
- SOLOMON, S.
Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems
18 p0232 A78-32112
- SOLTIS, R. F.
Baseline tests of the Zagato Elcar electric passenger vehicle
[NASA-TN-73764] 18 p0252 A78-17934
- Baseline tests of the batronic Minivan electric delivery van
[NASA-TN-73761] 18 p0253 A78-17940
- Baseline tests of the Kordesh hybrid passenger vehicle
[NASA-TN-73769] 19 p0443 A78-26551
- SOM, P.
Solar energy for tractors
19 p0376 A78-42168
- SOMERS, B. V.
Evaluation of offshore site for wind energy generation
17 p0029 A78-11080
- SOMMERLAND, B. E.
Quality and characteristics of steam produced from wastes
17 p0005 A78-10630
- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3
[PB-269277/0] 17 p0121 A78-11526
- SOMMEREGGER, R. C.
Dynamic models of house heating based on equivalent thermal parameters
19 p0456 A78-27517
- SONDREAL, E. A.
Ash fouling in the combustion of low rank Western U.S. coals
17 p0078 A78-15827
- SORJU, O. K.
Study of high power, high performance portable MHD generator power supply systems
[AD-A040381] 17 p0111 A78-10560
- Inductor network development for aircraft high power supplies
[AD-A052750] 19 p0413 A78-25096
- SORNERUP, L.
The mechanical structure of the Joint European Torus
17 p0040 A78-11182
- SORRINO, T.
The flat solar collector - An approach to its evaluation
18 p0220 A78-30261
- Guidelines for forecasting energy demand
[IA-1327] 17 p0114 A78-10582
- SORRE, B.
A computer analysis of Ga/1-x/Al/x/As-GaAs solar cells with multilayered window structure
19 p0313 A78-34850
- SOOD, B.
Systems studies of coal conversion processes using a reference simulator
[FE-2275-4] 19 p0390 A78-22480
- SOPORI, B.
Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[DOE/JPL-954376-78/1] 19 p0406 A78-24630
- SORENSEN, B.
On the fluctuating power generation of large wind energy converters, with and without storage facilities
19 p0312 A78-34514
- SOSIN, A.
European developments in the Na/S high temperature battery for automobile propulsion and energy storage
[AD-A042541] 17 p0120 A78-11501
- SOTTER, J. G.
Evaluation of two industrial boilers with combustion modifications for reduced pollutant emissions
[ASHE PAPER 77-WA/APC-1] 19 p0297 A78-33126
- SOULE, D. E.
Infrared spectral emittance profiles of spectrally selective solar absorbing layers at elevated temperatures
17 p0070 A78-13907
- SOUTH, P.
Some design aspects of high-speed vertical-axis wind turbines
18 p0169 A78-22235

- SOUTHWORTH, P. H.**
Bundle divertor designs for the ILB advanced fuel tokamaks 19 p0355 A78-39985
- SOUTO, J.**
Exploration for geothermal energy on Oahu, Hawaii [AD-A046954] 18 p0241 N78-16445
- SOVEY, J. S.**
Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908
- SPACKMAN, W.**
A petrographic classification of solid residues derived from the hydrogenation of bituminous coals 18 p0192 A78-26592
- SPADONI, H.**
Superconducting magnets for fusion reactors - The problem of a reliable and effective cooling system 19 p0350 A78-39897
- SPALDING, D.**
Assessing near-term technologies for solar heating and air-conditioning systems 17 p0074 A78-14540
Hierarchical modeling of solar heating and air conditioning systems 19 p0340 A78-38790
- SPARROW, E. H.**
Forced convection heat transfer at an inclined and yawed square plate - Application to solar collectors 17 p0076 A78-15053
- SPARROW, T.**
Analysis of policy options for accelerating commercialization of solar heating and cooling systems [TID-27597] 19 p0428 N78-25615
- SPAW, S. W.**
Pollution abatement energy usage of gas treating and processing plants 17 p0073 A78-14161
- SPECTOR, D. H.**
Reversed-field configuration generated by a rotating relativistic electron beam 19 p0382 A78-42492
- SPEIGHT, K. H.**
Solar array conceptual design for the Halley's Comet ion drive mission, phase 2 [NASA-CR-155594] 18 p0240 N78-16438
Conceptual approach study of a 200 watt per kilogram solar array, phase 1 [NASA-CR-155614] 18 p0248 N78-17465
- SPEISMAN, C.**
Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596
Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3] 19 p0464 N78-27597
Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1] 19 p0464 N78-27598
Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9] 19 p0465 N78-27599
- SPENCER, D. F.**
Nominal cost and performance objectives for photovoltaic panels in nonconcentrating central station applications 17 p0021 A78-11007
- SPENCER, D. L.**
Experimental performance study of a 40 sq m vacuum flow flat plate solar collector array 17 p0042 A78-11216
- SPENCER, S. G.**
Making use of moderate temperature geothermal resources 18 p0232 A78-32117
- SPEER, D. A.**
Effects of rotor location, coning, and tilt on critical loads in large wind turbines 17 p0107 A78-20476
Comparison of computer codes for calculating dynamic loads in wind turbines 18 p0265 N78-19617
- Effects of rotor location, coning, and tilt on critical loads in large wind turbines 18 p0267 N78-19636
- Comparison of computer codes for calculating dynamic loads in wind turbines [NASA-TN-73773] 19 p0395 N78-23556
- SPEERBERG, E.**
Freedom and constraints in solar power satellite design [AAS 77-200] 19 p0329 A78-36702
- SPETH, E.**
Effect of neutral injection heating on the impurity level in the W VII A Stellarator 19 p0378 A78-42208
- SPEWAK, P.**
Engineering cost estimates for solar technologies 17 p0058 A78-11365
- SPEWAK, P. C.**
Projected market penetration of solar heating and cooling in the United States 17 p0005 A78-10622
- SPIELMAN, L. A.**
Air pollution control and clean energy 17 p0066 A78-12999
- SPIGHT, L. D.**
Solar insolation measurements at Las Vegas, Nevada 18 p0206 A78-28173
- SPINOLA, A. S.**
Ozonation of coal gasification plant wastewater 18 p0222 A78-30560
- SPIRIDONOV, E. G.**
Investigation of the thermionic emission of some advanced cathode materials 19 p0328 A78-36563
- SPONGBERG, R.**
Analysis of policy options for accelerating commercialization of solar heating and cooling systems [TID-27597] 19 p0428 N78-25615
- SPOONER, G.**
Analysis of policy options for accelerating commercialization of solar heating and cooling systems [TID-27597] 19 p0428 N78-25615
- SPRINGER, T.**
Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design [ORO-5178-78/1] 19 p0447 N78-26594
- SPRINGER, T. E.**
Gas stimulation studies at LASL [LA-UR-77-1937] 19 p0410 N78-24678
- SPROUSE, K. H.**
Hydrogasifier development for the Hydrane process [PB-2518-4] 19 p0415 N78-25244
- SQUIRE, W.**
Innovative wind turbines 17 p0031 A78-11101
- SRINIVASAN, N.**
A simple technique of fabrication of paraboloidal concentrators 19 p0375 A78-42148
- SRINIVASAN, S.**
An electrochemically regenerative hydrogen-chlorine energy storage system for electric utilities 17 p0095 A78-18412
- Solid electrolyte and elevated temperature water electrolysis 17 p0098 A78-18832
- Fuel cells: Applied research fuel cell materials and electrocatalysis [BNL-50652] 19 p0447 N78-26597
- Hydrogen-chlorine energy storage system [BNL-23670] 19 p0460 N78-27558
- SRIVASTAVA, G. S.**
Flow-measurement using solar radiations 19 p0374 A78-42141
- SRIVASTAVA, K. H.**
The effect of electric field in the divertor scrape-off layer 19 p0379 A78-42215
- SRIVASTAVA, P. K.**
Dynamics of a pistonless engine capable of utilizing solar energy 19 p0339 A78-38554

- SRIVASTAVA, S.
Dependence of Schottky barrier solar cell efficiency on the thickness of the interfacial layer
19 p0373 A78-42128
- SRIVASTAVA, S. K.
Trap induced photovoltage in thin films of gold-cadmium sulphide-indium diodes
19 p0373 A78-42131
- STACEY, M. J.
Petroleum fuel additives - A case for recognition
18 p0216 A78-29290
- STACEY, W. M., JR.
Tokamak fusion power reactors
17 p0103 A78-19600
Fusion reactor design. II - Report on the Second IAEA Technical Committee Meeting and Workshop, Madison, Wisconsin, USA, 10-21 October 1977
19 p0381 A78-42269
- STACY, E.
Physicochemical characterization of Devonian gas shale
[MLM-2466 (OP)]
19 p0434 N78-25720
- STADTLANDER, G.
An automatic alignment system for a multibeam laser system
19 p0359 A78-40222
- STAFFORD, J. L.
ROEMHC subscript R Burner - High ash solid fuel combustion system
17 p0032 A78-11111
- STAHLE, C. V., JR.
MOD-1 WTG dynamic analysis
18 p0265 N78-19618
- STALCUP, H. C.
Resource assessment of a high potential OTEC site near Puerto Rico
19 p0302 A78-33323
- STALEY, J. L.
Information system for transportation energy
18 p0194 A78-27545
- STALKAMP, J. A.
Alternative concepts for underground rapid transit systems, executive summary
[PB-270102/7]
17 p0123 N78-11894
- STALLARD, E. W.
Plasma-wall charge-exchange interactions in the XXIB magnetic mirror experiment
19 p0377 A78-42207
- STANBAUGH, E. P.
Coal desulfurization by the Battelle Hydrothermal Coal Process
17 p0029 A78-11082
Pyrolytic gasification of Kraft black liquors
18 p0198 A78-27811
- STANBROVSKII, V. D.
Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation
[AIAA 78-434]
19 p0318 A78-35614
- STANHA, U.
Wind energy techniques of the past and present
17 p0072 A78-14103
- STANPER, K. R.
Performance characteristics of automotive engines in the United States. Report no. 8: Mitsubishi Model 6DS7 diesel engine
[PB-274374/8]
18 p0254 N78-18437
Performance characteristics of automotive engines in the United States. Report no. 10: Chevrolet (1975) 250 CID 1-bbl engine
[PB-274376/3]
18 p0254 N78-18439
- STANGELAND, B. E.
Catalytic hydroprocessing of shale oil to produce distillate fuels
[CONF-770814-9]
19 p0423 N78-25579
- STANHOUSE, R. W.
Solar array conceptual design for the Halley's Comet ion drive mission, phase 2
[NASA-CR-155594]
18 p0240 N78-16438
Conceptual approach study of a 200 watt per kilogram solar array, phase 1
[NASA-CR-155614]
18 p0248 N78-17465
- STANSHILL, T. A., JR.
Positioning and navigation by satellite
[AIAA 77-1553]
17 p0069 A78-13684
- STANTON, W.
Research toward improved flywheel suspension and energy conversion systems
[PB-271413/7]
17 p0139 N78-13564
- STARLING, K. E.
Preliminary analysis of the effects of sea water leakage on the performance of the ammonia cycle
19 p0306 A78-33351
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1.
[ORO-5249-1]
17 p0143 N78-13600
- STARNER, F. L.
Madaras Rotor Power Plant
19 p0361 A78-40367
- STARF, P. J.
Crop residues as energy sources - Assessing the cost and energy feasibility of direct firing
19 p0368 A78-41818
- STASI, W.
An experimental facility for wind engineering research
[AIAA 78-813]
18 p0234 A78-32367
- STASIEK, J.
Gasification and residence time of hard-coal particles in a cyclone reaction chamber
19 p0369 A78-41931
- STATENFIELD, D. B.
Trucking and fuel economy
18 p0257 N78-18538
- STAUB, H. L.
Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase F
[SAN/1395-14]
19 p0418 N78-25519
- STAVINOKA, L. L.
A review of diesel fuel deterioration and related problems
[AD-A043566]
17 p0109 N78-10308
- STEARNS, E. V. B.
The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Parts 1 & 2
19 p0329 A78-36701
- STEEGER, E. J.
Prediction of thermoelectric battery power and voltage for a 15 year lifetime MB-75 mW (F) battery
[GA-A-14718]
19 p0446 N78-26576
- STEEN, P.
Solar Sweden
19 p0315 A78-35281
- STEPUN, B.
Closed gas turbine heater program
[TID-28200]
19 p0455 N78-27441
- STEIGER, P.
Buildings design with reference to the natural utilization of solar energy
18 p0212 A78-28580
- STEIGERWALD, R. L.
Pulse battery charger employing 1000 ampere transistor switches
18 p0231 A78-31974
- STEIN, C.
Research design construction and evaluation of a low energy utilization school, phase 2
[PB-269407/3]
17 p0112 N78-10569
- STEIN, G.
Photochemical conversion and storage of solar energy
18 p0202 A78-27890
- STEIN, R. E.
Legal, political, and environmental aspects of Ocean Thermal Energy Conversion - A report on an ASIL/ERDA study
19 p0301 A78-33308
Ocean thermal energy conversion: Legal, political, and institutional aspects
[PB-274123/9]
18 p0261 N78-18568
- STEIN, R. G.
Research design construction and evaluation of a low energy utilization school, phase 2
[PB-269407/3]
17 p0112 N78-10569
- STEIN, T. E.
Upgrading of coal liquids for use as power generation fuels
[EPRI-AP-444]
19 p0427 N78-25608
- STEINBERG, M.
Production of synthetic methanol from air and water using controlled thermonuclear reactor power. I - Technology and energy requirement
18 p0174 A78-22846

- Production of synthetic methanol from air and water using controlled thermonuclear reactor power. II - Capital investment and production costs
19 p0322 A78-35778
- High temperature blankets for the production of synthetic fuels
19 p0359 A78-40093
- A survey of applications of fusion power technology for the chemical and material processing industries
19 p0368 A78-41812
- Regenerative process for desulfurization of high temperature combustion and fuel gases
[BNL-50706] 19 p0427 N78-25610
- STEINBORN, G.
Experimental and theoretical investigation of thermochemical hydrogen production
19 p0383 A78-42859
- STEINER, D.
The tokamak - Model T fusion reactor
18 p0217 A78-29620
- Economics of tokamak power systems
19 p0350 A78-39894
- Commercial feasibility of fusion power based on the Tokamak concept
[CONP-771109-55] 19 p0391 N78-22915
- STEINER, J. C.
Stirling thermal engine regenerator cost reduction program outline
[GMR-2690-SECT-6.001] 19 p0439 N78-26319
- Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials
[GMR-2690-SECT-6.002] 19 p0439 N78-26320
- Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status
[GMR-2690-SECT-6.004] 19 p0439 N78-26322
- Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 45/8V12C stirling engine regenerators
[GMR-2690-SECT-6.005] 19 p0439 N78-26323
- Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials
[GMR-2690-SECT-6.006] 19 p0440 N78-26324
- Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies
[GMR-2690-SECT-7.104] 19 p0440 N78-26330
- STEINHAUER, L. C.
Fusion reactor development scenarios for the laser solenoid concept
19 p0349 A78-39881
- STELIAN, J.
Coal gasification: New challenge for the Beaumont rotary feeder
17 p0131 N78-13245
- STELLA, P.
Textured surface cell performance characteristics
17 p0019 A78-10996
- High efficiency solar panel (HESP)
[AD-A043382] 17 p0112 N78-10572
- STELLER, G.
Prototype testing of a rotary current train in the Berlin transit system
18 p0194 A78-27171
- STEPANOV, I. B.
The energy problem of the North
17 p0071 A78-13989
- STEPHAN, W.
Electric vehicles in Germany - Present and future
[SAE PAPER 780087] 19 p0307 A78-33368
- STEPHENS, J. B.
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] 18 p0248 N78-17460
- STEPHENS, D. R.
Highlights of the LLL Hce Creek No. 2 underground coal gasification experiment
19 p0367 A78-41524
- STEPHENS, E. S.
International Symposium on Wind Energy Systems, St. John's College, Cambridge, England, September 7-9, 1976, Proceedings
18 p0168 A78-22226
- STEPHENS, J. B.
Underground mineral extraction
[NASA-CASE-NPO-14140-1] 19 p0403 N78-24387
- Low cost solar energy collection system
[NASA-CASE-NPO-13579-4] 19 p0421 N78-25559
- STEPHENS, J. B.
Materials technology assessment for stirling engines
[NASA-TN-73789] 18 p0247 N78-17187
- STEPHENS, R. H.
Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-2] 19 p0402 N78-24326
- STEPKA, P. S.
Liquid-cooling technology for gas turbines review and status
[NASA-TN-78906] 19 p0436 N78-26145
- STERN, J. A.
The challenge of advanced fuel-conservative aircraft - A manufacturer's view
[AIAA PAPER 78-362] 18 p0178 A78-24034
- STERN, R.
Planner's energy workbook: A manual for exploring relationships between land use and energy utilization
[BNL-50633] 18 p0286 N78-21634
- STERN, R. D.
SO2 control technologies - Commercial availabilities and economics
19 p0310 A78-34224
- STERNFELD, H.
Future peak-power plants based on hydrogen-oxygen rocket steam generators
17 p0100 A78-18846
- STEVENS, H.
A lower hybrid heating system for an ignition tokamak
19 p0354 A78-39972
- STEVENS, H. C.
Mechanical design and analysis for a FFB first wall/blanket/shield system
19 p0359 A78-40095
- STEWART, H. J.
Wind energy systems
19 p0457 N78-27528
- STEWART, L. D.
Neutral beam injector research and development work in the USA
17 p0012 A78-10878
- STEWART, H.
The role of solvent in the solvent refined coal process
18 p0190 A78-26577
- STEWART, O. W.
Clean coal combustion through coal washing and blending
[FB-274406/8] 18 p0260 N78-18560
- STEWART, P. J.
Unrealities in the energy R & D program
19 p0385 A78-43276
- STEWART, B.
Solar energy and the heat pump in a northern climate
[EPRI-BA-407] 19 p0462 N78-27583
- STHAPAK, B. K.
Effect of buoyancy on heat transfer rates in a solar collector
19 p0375 A78-42153
- STICKLER, D.
Open-cycle MHD energy conversion - Prospects and developments for central station power generation
19 p0385 A78-43176
- STICKLEY, C. H.
Laser fusion
19 p0314 A78-34953
- STILLMAN, D. I.
Analysis of two methods used to generate climatological data for design of solar energy buildings
17 p0049 A78-11289
- Economic evaluation of solar cooling and heating of buildings
17 p0057 A78-11355
- STIMPSON, H. R.
Reversed-field pinch-burn dynamics
19 p0381 A78-42266
- STIRLING, J. A.
Studies on the separation of coal extract from solid residue in liquefied coal
[NSF/AER-75-15213] 19 p0398 N78-23590

- STERN, R. J.
Single crystal and polycrystalline GaAs solar cells using AMOS technology 17 p0025 A78-11044
High voltage, high current Schottky barrier solar cell [NASA-CASE-NPO-13482-1] 17 p0135 N78-13526
- STOCKEL, J. P.
NTS-2 nickel hydrogen battery performance [AIAA 78-536] 19 p0294 A78-32885
- STODDARD, P. S.
Momentum theory and flow states for windmills 18 p0234 A78-32420
- STODDART, W. C. T.
Bending free toroidal shells for tokamak fusion reactors 19 p0351 A78-39915
- STOGBY, E. L.
High-efficiency organic solar cells 18 p0223 A78-30646
- STOIANOV, V. E.
Thin film CdS-CuI heterojunction photocells 19 p0333 A78-37260
- STOLL, P.
Completion of the fuel cycle in small countries [CONF-770323-5] 19 p0451 N78-26906
- STOLT, S.
Empirical and theoretical statistics of windcharger home heating potential 18 p0236 A78-32506
- STOLWIJK, J. A. J.
Energy conservation and thermal comfort in a New York City high rise office building 19 p0311 A78-34380
- STONE, R. G.
Mechanical engineering department [UCBL-50016-77-3] 19 p0431 N78-25645
- STORK, A.
Air as a heat-transfer fluid 18 p0213 A78-28589
- STORN, R. K.
Laser-fusion experiments utilizing a 4/pi/illumination system 18 p0235 A78-32434
Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- STORMONT, R. W.
The tubular silicon solar cell - A new concept for photovoltaic power generation 17 p0014 A78-10927
- STORTI, G.
The relationships between preparation parameters, operating characteristics and physical processes in Cu₂S-CdS thin film solar cells 17 p0017 A78-10971
- STORTI, G. E.
Increases in energy conversion efficiency for thin-film polycrystalline CdS/Cu₂S photovoltaic cells 18 p0228 A78-31730
- STOTT, P. E.
A review of work on plasma-wall interactions and divertor experiments on DITE 19 p0377 A78-42204
Electron and ion heating by neutral injection in the DITE tokamak 19 p0381 A78-42268
- STOUDT, B. A.
Specifics of heat exchanger design for a 2000-Mwt dual cycle, MHD Topping-Steam Bottoming power plant [ASME PAPER 77-HT-61] 17 p0090 A78-17493
- STOUT, H. D.
Oil shale retorting - Effects of particle size and heating rate on oil evolution and intraparticle oil degradation 19 p0367 A78-41521
- STOVER, D. P.
Geothermal energy in the Western United States: Innovation versus monopoly 19 p0322 A78-35768
- STRADONSKII, N. V.
The emission characteristics of liquid-fuel flames 18 p0222 A78-30496
- STRAUSS, P.
Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- STREBNOV, D. S.
Photoelectric radiation-density meter 18 p0215 A78-28892
- STREETS, D. G.
Implications of the 1977 Clean Air Act amendments for energy research and development [CONF-7710101-2] 19 p0450 N78-26642
- STREHL, Y.
Combustion treatment of smoke and odors of industrial origin - Energy recovery 17 p0082 A78-16475
- STREHLOW, R. A.
Catalysis and unconventional energy systems 18 p0183 A78-25055
- STRICKLAND, G.
Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies [BNL-50667] 19 p0409 N78-24676
- STRICKLAND, J. H.
A performance prediction model for the Darrieus turbine 18 p0170 A78-22237
- STRICKLER, D. J.
Hybrid equilibrium field coils for the ORNL TNS 19 p0347 A78-39812
- STRINBECK, D. C.
High pressure rotary piston coal feeder 17 p0133 N78-13261
High pressure rotary piston coal feeder [HEBC/SP-77/6] 19 p0417 N78-25443
- STROBEL, G. L.
Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape 17 p0104 A78-19829
Flat-sided rectilinear trough as a solar concentrator - An analytical study 19 p0344 A78-39636
- STRONG, R. E.
Combined cycles for operation on coal derived fuels with high temperature combustion turbines [ASME PAPER 77-WA/ENER-14] 19 p0298 A78-33152
- STROUD, H. J. F.
The production of substitute natural gas by oil gasification 18 p0225 A78-31272
- STRUB, A.
The solar energy research programme of the Commission of the European Communities 17 p0020 A78-11000
Solar energy research in the European Economic Community 18 p0212 A78-28578
- STRUCK, R. T.
Consol stack gas process for SO₂ removal 19 p0320 A78-35697
- STUCK, R.
Interface study of MIS silicon solar cells 17 p0025 A78-11047
- STUDER, P. A.
Energy storage apparatus [NASA-CASE-GSC-12030-1] 19 p0404 A78-24608
- STUBKE, C.
Potential of GaAs solar cells for Air Force space power systems 17 p0019 A78-10994
- STYLES, G. A.
Effect of coal minerals on reaction rates during coal liquefaction 18 p0190 A78-26579
- STYS, Z. S.
Air Storage System Energy Transfer /ASSET/ plants - A utility's evaluation 17 p0029 A78-11081
- SUBRAMANIAN, A. K.
The effect of ambient temperature and humidity on the carbon monoxide emissions of an idling gas turbine 17 p0065 A78-12557
- SUCKEWEBER, S.
Plasma edge cooling during RF heating 19 p0342 A78-39389

- SUCOV, R. W.
Impurity and gas throughput control for INS
19 p0348 A78-39822
- SUDAN, R. H.
International Topical Conference on High Power
Electron and Ion Beam Research and Technology,
2nd, Cornell University, Ithaca, N.Y., October
3-5, 1977, Proceedings. Volumes 1 & 2
18 p0189 A78-26173
- SUE, B.
TFTR tritium valve for pulsed gas feed, test results
19 p0358 A78-40075
- SUBMITSU, H.
A small tokamak 'Nova II'
19 p0327 A78-36319
- SUBTSUGU, Y.
Desulfurization of petroleum residues and their
carbonization properties
19 p0337 A78-38406
- SUGIYAMA, S.
Formation and growth of thermal NOx in hydrocarbon
combustion
18 p0227 A78-31498
- SUKHOV, V. N.
Experimental investigation of pulsating modes of
combustion in the combustion chambers of the
U-25 plant
17 p0066 A78-13156
- SULLIVAN, R. E.
Combustor development for Stirling ground power
units, GPU-2 and GPU-3
[GNR-2690-SECT-1.204]
19 p0438 N78-26254
- SULLIVAN, R. P.
Catalytic hydroprocessing of shale oil to produce
distillate fuels
[CONF-770814-9]
19 p0423 N78-25579
- SULLIVAN, T. L.
Wind turbine generator rotor blade concepts with
low cost potential
[NASA-TN-73835]
18 p0249 N78-17466
Simplified modeling for wind turbine modal
analysis using NASTRAN
18 p0265 N78-19619
- SULLIVAN, W. H.
Engineering of wind energy systems
18 p0234 A78-32423
- SULOWAY, M.
Chicago's new refuse disposal installation
17 p0035 A78-11133
- SULZBERGER, V. T.
Evaluation of offshore site for wind energy
generation
17 p0029 A78-11080
The potential for application of energy storage
capacity on electric utility systems in the
United States. II
17 p0030 A78-11087
An off-peak energy storage concept for electric
utilities. II - The water battery concept
17 p0068 A78-13449
- SUMNERFIELD, M.
Optimization of pyrolytic conversion of coal to
clean fuel
[FE-2253-5]
19 p0427 N78-25609
- SUNNERS, D. D. R.
Electron and ion heating by neutral injection in
the DITE tokamak
19 p0381 A78-42268
- SUNNERS, R. A.
Energy and remote sensing
17 p0075 A78-14805
Energy and remote sensing
17 p0149 N78-14497
- SUNDARAN, T. R.
The external flow induced by an Ocean Thermal
Energy Conversion /OTEC/ power plant
19 p0302 A78-33319
- SUNDARAN, V.
Utilization of solar energy by thermoelectric
generators
19 p0373 A78-42133
- SUNG, T. Y.
The use and performance of graphite and metal
ISSECs in tokamak fusion reactors
18 p0195 A78-27579
- SUPER, T. L.
Environmental and safety implications of solar
technologies
17 p0057 A78-11360
- Air pollution potential of solar technologies
[APCA PAPER 77-37,1]
18 p0185 A78-25427
- SURATT, W. B.
Testing of direct contact heat exchangers for
geothermal brines
[ASME PAPER 77-HT-4]
17 p0089 A78-17479
- SURFACE, M. O.
Exotic power and energy storage
17 p0095 A78-18624
- SURIANARAYANA, C. V.
Utilization of solar energy by thermoelectric
generators
19 p0373 A78-42133
- USSMAN, D. B.
The utilization of solid wastes for the generation
of electric power
17 p0028 A78-11074
- SUTHERLAND, J. E.
Computer analysis of heterojunction and graded
bandgap solar cells
17 p0026 A78-11056
A computer analysis of heterojunction and graded
bandgap solar cells
18 p0254 N78-18512
- SUTHERLAND, L. R.
Natural gas technology
18 p0180 A78-24752
- SUZUKI, A.
Anomalous temperature dependence observed on the
photovoltage of Se-based amorphous thin
film-SnO2 heterostructures
18 p0222 A78-30644
- SUZUKI, H.
Thermo-nuclear fusion study by glass laser 'Gekko
II'
19 p0362 A78-40384
- SUZUKI, Y.
Control system of plasma position and
cross-sectional shape in large tokamak device
19 p0346 A78-39800
Review of the work on plasma-wall interaction in
tokamak plasma confinement at JAERI
19 p0378 A78-42209
- SVEI, D.
Energy information and analytic system for New
York State
[BNL-22677]
19 p0397 N78-23579
- SVIATOSLAVSKIY, I. N.
Structural and mechanical design of tokamaks
[ASME PAPER 77-WA/NE-2]
19 p0299 A78-33186
- SWABE, L. E., JR.
Liquid fuels from coal - From R & D to an industry
18 p0175 A78-23561
- SWAIN, J. E.
Laser-fusion experiments utilizing a $4/\pi$ /
illumination system
18 p0235 A78-32434
- SWAIN, J. W.
Assessment in industrial hazardous waste
management petroleum re-refining industry
[PB-272267/6]
17 p0157 N78-14951
- SWAIN, M.
Characterization of methanol/gasoline blends as
automotive fuel: Performance and emissions
characteristics
[PB-277135/0]
19 p0393 N78-23261
- SWAIN, R. H.
Methanol-gasoline blends - Performance and emissions
19 p0321 A78-35702
- SWANI, M. K.
Dependence of Schottky barrier solar cell
efficiency on the thickness of the interfacial
layer
19 p0373 A78-42128
- SWAMY, H. V. C.
Aerodynamic studies on vertical-axis wind turbine
18 p0170 A78-22239
Aerodynamic characteristics of a cylindrical type
of wind turbine with inclined blades
19 p0291 A78-32536
- SWANSON, J. L.
System definition study: Phase 1 of individual
load center, solar heating and cooling
residential project
[EPRI-ER-594]
19 p0459 N78-27548
- SWANSON, R. H.
Silicon photovoltaic cells in thermophotovoltaic
conversion
[EPRI-ER-478]
18 p0242 N78-16460

- Silicon photovoltaic cells in TPV conversion
[EPRI-ER-633] 19 p0461 N78-27567
- SWAROOP, R.
Advanced fuel cell development
[ANL-77-79] 19 p0445 N78-26571
- SWARTZBAUGH, J. T.
Operating experience with large scale digestion of
urban refuse with sewage sludge 17 p0036 A78-11136
- SWEET, L. B.
Optimal control of flywheel hybrid transmissions
[ASME PAPER 77-WA/AUT-3] 18 p0229 A78-31828
- SWEETSER, D.
Energy conservation via solar energy applications
to multi-family and commercial structures.
Volume 3: An energy, engineering and economic
analysis of heating and cooling systems for
multi-family structures
[PB-276131/0] 18 p0289 N78-21657
- SWIFT, A. B. P., JR.
Computer aided design of a continuous duty energy
system 17 p0030 A78-11093
- SWIFT, G. B.
Bundle divertor designs for the ILB advanced fuel
tokamaks 19 p0355 A78-39985
- SYKES, K. W., III
Remote monitoring of the Gravelly Run thermal
plume at Hopewell and the thermal plume at the
Surry nuclear power plant on the James River
19 p0313 A78-34905
- SILVAN, C. L.
Methanol-air fuel cell with hydrophilic air
electrodes 18 p0174 A78-22844
- SYBETT, B. C.
Materials problems in hydrogen energy systems
17 p0099 A78-18839
- SZABO, E. V.
Compact gas generator for fuel gasification aboard
motor vehicles 18 p0236 A78-32509
- SZABO, H. F.
Control of fine particulate from coal-fired
utility boilers
[APCA PAPER 77-14,1] 18 p0185 A78-25410
Operation and maintenance of particulate control
devices on coal-fired utility boilers
[PB-274104/9] 18 p0251 N78-17505
- SZETO, L. B.
Direct conversion of CO₂ laser energy to
high-voltage electrical energy using a
laser-produced plasma 17 p0078 A78-15788
- T**
- TABAROV, T. S.
Photocells employing smooth AlGaAs-GaAs
heterojunctions to extend the spectral response
range 17 p0062 A78-11668
AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum 19 p0300 A78-33271
Photocells based on AlGaAs heterostructure with a
transition layer 19 p0341 A78-38941
- TABET, B.
Health and environmental aspects of energy
development
[ISS-P-77/2] 19 p0399 N78-23599
- TABI, R.
Cogeneration - A systematic analysis of combined
steam and power generation 18 p0188 A78-26108
- TABONY, J. B.
Inhibitor analysis for a solar heating and cooling
system
[NASA-CR-150513] 18 p0249 N78-17475
- TABOR, H.
Testing of solar collectors 19 p0312 A78-34511
- TACINA, B. B.
Experimental evaluation of fuel preparation
systems for an automotive gas turbine catalytic
combustor
[NASA-TN-78856] 19 p0387 N78-22243
- TADA, H. Y.
Solar cell radiation handbook
[NASA-CN-155554] 17 p0160 N78-15566
- TADZHIKOV, P. B.
Photocells employing smooth AlGaAs-GaAs
heterojunctions to extend the spectral response
range 17 p0062 A78-11668
AlGaAs-GaAs graded-heterostructure photocells with
expanded sensitivity spectrum 19 p0300 A78-33271
- TAPT, J. B.
Mathematical modelling of topographic effects on
wind energy systems 18 p0169 A78-22228
- TAGUCHI, T.
Computer simulation on laser plasma compression
19 p0362 A78-40386
- TAIROVA, I. P.
The development and use of the moire method in
solar engineering problems 18 p0187 A78-25731
- TAKABE, H.
Computer simulation on laser plasma compression
19 p0362 A78-40386
- TAKAGI, T.
Solar cells by ionized-cluster beam deposition and
epitaxial techniques 17 p0013 A78-10912
- TAKAHASHI, U.
Biological conversion of light energy into
electrochemical potential 18 p0208 A78-28360
- TAKEDA, S.
Plan and design of ETL TPE-2 experiment
17 p0040 A78-11180
- TAKESHITA, K.
Desulfurization of petroleum residues and their
carbonization properties 19 p0337 A78-38406
- TAKETANI, H.
Mirrors for solar energy application
17 p0045 A78-11242
- TALAT, H. B.
A pressurized-liquid concept for solar-thermal
energy storage 19 p0364 A78-40819
- TALAY, T. A.
Remote monitoring of the Gravelly Run thermal
plume at Hopewell and the thermal plume at the
Surry nuclear power plant on the James River
19 p0313 A78-34905
- TALIB, A.
Alternative forms of energy transmission from OTEC
plants 19 p0301 A78-33312
Alternative energy transmission systems from OTEC
plants, Project 8980
[DSE/2426-8] 17 p0153 N78-14658
Alternative forms of energy transmission from OTEC
plants
[CONF-770331-5] 18 p0241 N78-16453
Optimization study of OTEC delivery systems based
on chemical-energy carriers
[ERDA/HSP-00033/76/TI] 19 p0409 N78-24677
- TAN, S. S.
Coal desulfurization by the Battelle Hydrothermal
Coal Process 17 p0029 A78-11082
- TAMBURINI, P.
'T-System' - Proposal of a new concept heat
transport system
[AIAA 78-444] 19 p0319 A78-35623
- TANCHIMA, B.
The draft of a law for changing energy-law
regulations 17 p0088 A78-17350
- TANURA, S.
Biological solar energy conversion; Proceedings of
the Conference, University of Miami, Miami,
Fla., November 15-18, 1976 18 p0207 A78-28351
- TAN, K. C.
A study on the use of windmills in Singapore
18 p0169 A78-22230
- TAN, K. J.
Stochastic modeling and forecasting of solar
radiation data 17 p0084 A78-16842

- TAN, T. L.
A study on the use of windmills in Singapore
18 p0169 A78-22230
- TANAKA, K.
Thermo-nuclear fusion study by glass laser 'Gekko II'
19 p0362 A78-40384
- TANAKA, T.
Improvement of efficiency in Si Schottky barrier solar cells
17 p0026 A78-11051
- TANIGUCHI, H.
Polycrystalline thin film CdS/CdTe solar cells
18 p0225 A78-31210
- TANIS, P. J.
Application of airborne infrared technology to monitor building heat loss
17 p0075 A78-14853
- TANJO, H.
Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624
- TANNER, W.
Technical concepts and economic prospects for thermal hydrogen power plants for peak load generation
17 p0100 A78-18847
- TARAFDAR, R.
Photochemical conversion and storage of solar energy /An overview/
19 p0373 A78-42136
- TARNAN, P. B.
Slurry pumping techniques for feeding high-pressure coal gasification reactors
17 p0131 A78-13248
Status of steam-iron pilot plant operations [CONF-771092-5]
19 p0415 A78-25250
- TARNIZHEVSKII, B. V.
A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators
19 p0326 A78-36137
Experimental study of the joint operation of wind- and solar-plants
19 p0336 A78-37948
- TARRER, A. B.
Effect of coal minerals on reaction rates during coal liquefaction
18 p0190 A78-26579
Kinetics and solubility of hydrogen in coal liquefaction reactions
18 p0191 A78-26585
High pressure liquid chromatographic studies of coal liquefaction kinetics
18 p0192 A78-26591
Effects of coal minerals on the hydrogenation, desulfurization, and solvent extraction of coal
18 p0229 A78-31870
A dispersion model for the Solvent Refined Coal process
18 p0230 A78-31871
- TARRICONE, L.
Low-resistivity ZnCdS films for use as windows in heterojunction solar cells
19 p0369 A78-41913
- TAUC, J.
Silicon films as selective absorbers for solar energy conversion
17 p0070 A78-13905
- TAUSSIG, R. T.
Fusion reactor development scenarios for the laser solenoid concept
19 p0349 A78-39881
A high thermal efficiency X-ray energy conversion scheme for advanced fusion reactors
19 p0354 A78-39978
- TAYLOR, A. S.
The tubular silicon solar cell - A new concept for photovoltaic power generation
17 p0014 A78-10927
- TAYLOR, G. D.
Adaptive curve fitting for chemical processes [AD-A046456]
17 p0158 A78-15213
- TAYLOR, J. A.
Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States [APCA PAPER 77-39,1]
18 p0185 A78-25412
- TAYLOR, J. G.
Numerical codes for MHD flows [SAND-77-1658]
19 p0448 A78-26604
- TAYLOR, E.
Utilities put the sun to work
18 p0223 A78-30744
- TAYLOR, W. E.
Array automated assembly, phase 2 [NASA-CR-157057]
19 p0407 A78-24650
- TAYLOR, W. F.
Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3 [AD-A053106]
19 p0414 A78-25239
Alternate fuels nitrogen chemistry [AD-A053299]
19 p0414 A78-25240
- TE RINLE, P. H. H.
Air pollution by coal dust
17 p0065 A78-12995
- TEAGAN, W. F.
Conceptual design of a 5x CPC for solar total energy systems [CONF-770953-5]
19 p0429 A78-25629
- TEEPLE, E. V.
Oil/gas complex conceptual design/economic analysis: Oil and SNG production [FE-1775-8]
17 p0161 A78-15575
- TEGGEBBS, H.
Hydrogen production from coal gasification
17 p0098 A78-18829
- TEICHMÄLLER, H.
Lipinites and lipid substances in an oil source rock
17 p0061 A78-11458
- TEPLIN, E. J.
Some design aspects of high-speed vertical-axis wind turbines
18 p0169 A78-22235
Magdalen Islands wind turbine hybrid computer model
19 p0340 A78-38781
- TENKO, J.
Inductor network development for aircraft high power supplies [AD-A052750]
19 p0413 A78-25096
- TEHNANT, J. S.
Hydrodynamic control of biofouling in OTEC heat exchangers
19 p0305 A78-33346
- TESO, J.
Study of high power, high performance portable MHD generator power supply systems [AD-A040381]
17 p0111 A78-10560
- TEOPILLO, V. L.
A tokamak hybrid blanket design
19 p0355 A78-39982
- TEPLIAKOV, D. I.
Heat optimization for solar power plants - Concentration of radiation and the temperature of the working medium
17 p0064 A78-12392
Thermal optimization of solar power plants - Radiation concentration and working-fluid temperature
19 p0332 A78-36869
- TEREKHOVSKII, B. I.
Refractory periclase materials and means of using them in high-temperature power plants
19 p0328 A78-36566
- TEREKOV, A. IA.
Output power and lifetime of high-voltage, low-temperature thermoelectric batteries
19 p0330 A78-36854
- TERICHOW, O. H.
Underground coal gasification via the LVW process
18 p0182 A78-24775
- TERRY, R. E.
DOD photovoltaic energy conversion systems market inventory and analysis, volume 1 [PB-273969/6]
18 p0243 A78-16469
DOD photovoltaic energy conversion systems market inventory and analysis, volume 2 [PB-273970/4]
18 p0243 A78-16470
DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume [PB-273971/2]
18 p0243 A78-16471
- TERUMICHI, Y.
A small tokamak 'Nova II'
19 p0327 A78-36319

- TEST, P. L.
Performance characteristics of air-cooled solar collectors as determined by computer simulation
19 p0294 A78-33027
- TEWARY, J. P.
Flow-measurement using solar radiations
19 p0374 A78-42141
- TEWARY, V. K.
A non-tracking heat concentrator capable of giving concentration factor of the order of 20
19 p0371 A78-42112
Design of a non-tracking solar heat concentrator/collector system
19 p0371 A78-42113
Design of a non-tracking concentrator which will distribute sunlight in a uniform manner over a flat receiving surface
19 p0371 A78-42114
- TEWHEY, J. D.
Subsurface structure of the southern portion of the Salton Sea geothermal field
[UCRL-52354]
19 p0467 A78-27695
- THEKAKABA, W. P.
Solar irradiance, total and spectral
18 p0199 A78-27853
- THEYSKENS, A.
Aspects relative to security and environment in the production and use of hydrogen in the new Esso refinery at Antwerp
17 p0101 A78-18854
- THIAGARAJAN, V.
Study of a collisional plasma rotating between two cylinders
19 p0293 A78-32718
- THIRBAUT, B.
Contribution to the global analysis of an energy system - Optimum operation of solar electric-energy production
19 p0336 A78-38068
- THIEL, P. A.
CuInS₂ liquid junction solar cells
19 p0310 A78-34274
- THORREN, K. E.
Energy recovery by the incineration of solid waste - Development, present status, and experiences in Germany /James Clayton Lecture/
18 p0221 A78-30373
- THOMAS, C. L.
Shaping and compression experiments in a Tokamak
17 p0011 A78-10778
- THOMAS, J. P.
A model for solar radiation conversion to algae in a shallow pond
18 p0205 A78-28167
Anaerobic fermentation of simulated in-situ oil shale retort water
[LBL-6855]
19 p0431 A78-25646
- THOMAS, H. T.
Fusion-neutron-induced nuclear recoil emission probabilities
17 p0062 A78-11814
- THOMAS, R. A.
Dielectric relaxation in polymers at low temperatures
17 p0148 A78-14170
- THOMAS, R. B.
Economic considerations in the energy supply of Autarkic dwellings
17 p0005 A78-10621
- THOMAS, R. E.
Inversion layer silicon solar cells with MIS contact grids
17 p0026 A78-11049
Inversion layer silicon solar cells with 10-12% AM1 efficiencies
17 p0027 A78-11066
Characterization of terrestrial service environments - The simultaneous occurrence of combined conditions of solar insolation and climatic variables
17 p0049 A78-11283
New TiO_x-MIS and SiO₂-MIS silicon solar cells
19 p0313 A78-34847
- THOMAS, R. L.
ERDA/NASA 100 kilowatt mod-o wind turbine operations and performance
[NASA-TN-73825]
17 p0159 A78-15563
- THOMAS, S. R., JR.
THI - A new facility
19 p0347 A78-39805
- THOMAS, W. A.
Environmental issues associated with solar heating and cooling of residential dwellings
[SAND-77-0172]
17 p0161 A78-15581
- THOMAS, W. C.
Environmental assessment of low/medium BTU gasification
[PP-276580/8]
18 p0281 A78-21325
Analysis of data and results for the roundrobin flat-plate collector test program
[PB-275576/7]
18 p0289 A78-21655
- THOMASIAN, J. B.
Environmental and safety implications of solar technologies
17 p0057 A78-11360
Air pollution potential of solar technologies
[APCA PAPER 77-37,1]
18 p0185 A78-25427
- THOMASSEN, K. I.
Fusion applications of fast discharging homopolar machines
[EPRI-PR-625]
19 p0468 A78-27934
- THOMPSON, C. J.
Analyzing liquid products derived from coal conversion processes
18 p0191 A78-26589
- THOMPSON, E.
Design and performance of large cryopumps for high power neutral injectors
19 p0359 A78-40108
- THOMPSON, J. D.
Development of a numerical ocean model of the Gulf of Mexico for OTEC environmental impact and resource availability studies
19 p0302 A78-33320
- THOMPSON, J. E.
Organics in aqueous process streams of a coal conversion bench-scale unit using the hydrocarbonization process - HPIC and GC/MS analysis
18 p0232 A78-32104
- THOMPSON, R. W.
Preliminary results on the conversion of laser energy into electricity
19 p0313 A78-34631
A review of the thermoelectronic laser energy converter (TELEC) program at Lewis Research Center
[NASA-TN-73888]
18 p0281 A78-21441
- THOMPSON, S. L.
Numerical methods for studying compressed magnetic field generators
17 p0102 A78-18908
- THOMPSON, T. W.
The engineering properties of Texas lignite and associated rocks in relation to the stability of an in situ gasification chamber
17 p0071 A78-14072
- THOMPSON, W. G.
Electrical and photovoltaic characteristics of indium-tin oxide/silicon heterojunctions
19 p0315 A78-35282
- THOMSON, J., JR.
CuInS₂ liquid junction solar cells
19 p0310 A78-34274
Solar conversion efficiency of pressure sintered cadmium selenide liquid junction cells
19 p0344 A78-39469
- THONGPHASERT, M.
A solar adsorption cooling system: An analytical and experimental study
18 p0272 A78-20269
- THORNHILL, J. W.
Advanced high efficiency wraparound contact solar cell
[AIAA-PAPER-77-521]
17 p0137 A78-13536
- THORNTON, B. S.
Optimum design of wideband selective absorbers with provision for specified included layers
19 p0323 A78-35796
- THORNTON, J. A.
Indium phosphide films deposited by cylindrical magnetron reactive sputtering
17 p0019 A78-10987
- THORNTON, J. P.
Results of experiments with heliostats for central receiver power plants
17 p0053 A78-11326

- THORNSNESS, C. B.**
Highlights of the LLL Hce Creek No. 2 underground coal gasification experiment 19 p0367 A78-41524
- THUPVONGSA, C.**
Investigation of an ejector heat pump 17 p0124 N78-12361
- TIEDEMANN, T. P.**
Solar energy commercialization at the state level: The Florida solar energy water heater program [PB-270158/9] 17 p0128 N78-12551
- TIEN, H. T.**
Ultrathin barriers and solar energy conversion 18 p0203 A78-27895
Photo-galvano-voltaic cell - A new approach to the use of solar energy 19 p0333 A78-37174
- TIEN, K. K.**
Forced convection heat transfer at an inclined and yawed square plate - Application to solar collectors 17 p0076 A78-15053
- TIERNEY, W. T.**
Optimization of the vehicle-fuel-refinery system 18 p0257 N78-18533
- TIKHONOV, B. A.**
Acceleration nozzles of MHD generators with deformation of supersonic flow 17 p0002 A78-10244
- TIKHONOV, L. I.**
Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range 19 p0336 A78-37950
- TIKHOTSKII, A. S.**
Cathode spots on metallic electrodes under the conditions of the channel of an MHD generator 17 p0002 A78-10243
- TILL, C. E.**
Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential [ANL-77-70] 19 p0412 N78-24920
- TILLMAN, D. A.**
Comparison of two government reports as to their approaches to recycling 17 p0106 A78-20248
Fuels and energy from renewable resources: Proceedings of the Symposium, Chicago, Ill., August 29-September 2, 1977 17 p0107 A78-20524
Fuels from waste 18 p0197 A78-27801
Energy from wastes - An overview of present technologies and programs 18 p0197 A78-27803
- TIMBERMAN, P.**
Solar system cost/performance analysis 17 p0047 A78-11257
- TIMOFEEV, A. V.**
Cyclotron oscillations of a large-Larmor-radius plasma 19 p0380 A78-42262
- TINAUT, D.**
Evaluation of the energy provided for a solar collector 18 p0165 A78-20621
- TIRSELL, K. G.**
Implosion experiments with D₂, He-3 filled microspheres 18 p0235 A78-32440
- TITKOV, A. S.**
The problem of optimizing the output characteristics of an ideal thermionic converter 19 p0341 A78-38934
- TITMAN, B. H.**
Development and fabrication of a diffusion welded Columbian alloy heat exchanger [AIME PAPER A78-61] 18 p0228 A78-31500
- TODD, C. J.**
Cost-effective electrical power generation from the wind 17 p0052 A78-11316
Cost-effective electric power generation from the wind - A system linking wind-power with hydroelectric storage and long-distance transmission 19 p0381 A78-42418
- Cost-effective electric power generation from the wind [PB-273582/7] 18 p0251 N78-17639
- TODD, T. R., JR.**
Heat losses from solar energy absorbers enclosed in glass tubes 17 p0044 A78-11234
- TOEPFEL, B. B.**
Effect of diesel fuel on Stirling engine ground power unit components [GHR-2690-SECT-1.201] 19 p0437 N78-26251
Manual cranking tests of the Stirling engine ground power unit [GHR-2690-SECT-1.202] 19 p0437 N78-26252
The GPU-3 Stirling engine ground power unit ignition system [GHR-2690-SECT-1.203] 19 p0438 N78-26253
STIR-LEC 2 Stirling engine performance [GHR-2690-SECT-1.207] 19 p0438 N78-26257
- TOFFOLO, W. E.**
Controllable homopolar motor-generator energy storage for application in a fusion power reactor 17 p0007 A78-10680
Time dependent study of eddy current loss in a superconducting composite 19 p0355 A78-40007
- TOGASAKI, R. K.**
Nutational analysis of Chlamydomonas reinhardtii - Application to biological solar energy conversion 18 p0207 A78-28357
- TOKAREVA, O. N.**
Determination of optimal arrangement-angles for the panels of a nonconvex solar array 18 p0178 A78-24262
- TOKUYAMA, T.**
Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- TOLK, K. H.**
Test data on electrical contacts at high surface velocities and high current densities for homopolar generators [CONF-771029-121] 19 p0467 N78-27924
Circuit and magnetic analysis for a system of Faraday rotator coils driven by a two-spool, four-rotor homopolar generator [CONF-771029-119] 19 p0467 N78-27927
- TOLUBINSKII, V. I.**
Study of liquid-metal heat pipes characteristics at start-up and operation under gravitation [AIAA 78-434] 19 p0318 A78-35614
- TOHAZINIS, A. R.**
A study of efficiency indicators of urban public transportation systems [PB-270940/0] 17 p0147 N78-13970
- TONITA, Y.**
Destruction of magnetic surfaces near a separatrix of a stellarator attributed to perturbations of magnetic fields 18 p0217 A78-29433
- TONKOVOGII, IV. L.**
Selection of the thermal modes of operation for the reactor/condenser system of electrochemical current generators 19 p0315 A78-35091
- TOPOUZIAN, A.**
Ford/ERDA sodium-sulfur battery development, phase 2 [COO-2566-30] 19 p0463 N78-27585
- TORBET, W.**
LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth [NASA-CN-157135] 19 p0408 N78-24656
- TORRES, W.**
Impact of solar heating and cooling on electric utilities [PB-271415/2] 17 p0145 N78-13621
- TOTH, J. L.**
Experimental determination of alkali impurity release from various dolomites 17 p0073 A78-14218
- TOUCHAIS, H.**
Solar heating - Solar collectors for heating purposes 19 p0308 A78-33801
- TOURYAN, K. J.**
Numerical codes for MHD flows [SAND-77-1658] 19 p0448 N78-26604

- TOWER, L. K.
High temperature heat pipe research at NASA Lewis
Research Center
[NASA-TM-78832] 19 p0393 N78-23384
- TOWNER, H. H.
Magnetics design for ripple-assisted beam
injection into the ISX-B and TFTR tokamaks
19 p0356 A78-40013
- TOWNES, H. W.
Particulate deposition in direct fired MHD air
preheaters
[ASME PAPER 77-HT-65] 17 p0090 A78-17497
- TOYODA, K.
Hydrogen photoproduction from water
18 p0207 A78-28358
- TRACEY, T. R.
One MWth solar cavity steam generator solar test
program
17 p0053 A78-11329
- TRACY, J. H.
Infrared focal planes in intrinsic semiconductors
18 p0204 A78-28139
- TRAN, Q. H.
Optimum design of wideband selective absorbers
with provision for specified included layers
19 p0323 A78-35796
- TRAVERSE, J.-P.
A fluidized bed solar reactor - A thermochemical
application
18 p0165 A78-20623
- TREADWELL, T. K.
Development and coordination of a program of
energy-related oceanographic research and the
continental shelves of the Gulf of Mexico
[ORO-5017-3] 19 p0434 N78-25742
- TREAT, N. L.
Net energy from municipal solid waste
[ORAU/IEA(N)-77-5] 18 p0288 N78-21653
- TREBING, W.
Refuse without imperfection - Refuse combustion
with combined sediment processing
19 p0316 A78-35297
- TREBLE, F. C.
Terrestrial solar cell R & D in the UK
17 p0020 A78-11003
- TREMBLAY, G. O.
Qualitative and quantitative studies of volatiles
from coal pyrolysis using mass spectrometry and
gas chromatography
17 p0119 N78-11207
- TRENKLER, H.
Securing energy production and protecting the
environment
18 p0177 A78-23941
- TRENTLEMAN, J.
Performance analysis of a black liquid absorbing
collector /BLAC/
17 p0042 A78-11217
- TRESVIATSKII, S. G.
Refractory periclase materials and means of using
them in high-temperature power plants
19 p0328 A78-36566
- TRIABO, A. R.
Solar cells using Schottky barriers on amorphous
silicon
17 p0025 A78-11045
- TRIVICH, D.
Cuprous oxide Schottky barrier photovoltaic cells
17 p0025 A78-11042
- TROADEC, J.-P.
Current and future fuels for transport aircraft
17 p0096 A78-18669
- TRONER, P.
Use of solar energy for direct and two-step water
decomposition cycles
17 p0080 A78-16048
- TROST, T. P.
Pulse power systems employing inductive energy
storage
17 p0007 A78-10698
- TROVILLION, T. A.
Two-phase Hartmann flows in the MHD generator
configuration
[AD-A051450] 19 p0401 N78-23927
- TRUEDELL, A. H.
Geothermal reservoir temperatures estimated from
the oxygen isotope compositions of dissolved
sulfate and water from hot springs and shallow
drillholes
17 p0062 A78-11492
- TRUKHOV, V. S.
Some results of an experimental study of the
Stirling engine
17 p0064 A78-12391
Effect of heat treatment on optical properties of
collectors for solar energy installations
18 p0215 A78-28696
Thin-film black-white coatings for the receivers
of solar energy installations
18 p0215 A78-28897
Determination of the thermodynamic parameters of a
thermal compressor
19 p0331 A78-36856
Some results of an experimental investigation of a
Stirling engine
19 p0331 A78-36668
- TRUMBULL, H. E.
A novel dry coal feeding concept for high-pressure
gasifiers
17 p0132 N78-13257
- TRUONG, H. V.
The compound trapezoidal collector /an optimized
stationary concentrator/
17 p0060 A78-11383
- TRUSCELLO, V. C.
Large-scale thermal energy storage using sodium
hydroxide /NaOH/
17 p0051 A78-11309
Solar thermal systems
19 p0457 N78-27526
- TRYON, H. B.
Baseline tests of the AM General DJ-5F electric
delivery van
[NASA-TM-73758] 18 p0252 N78-17933
Baseline tests of the EVA contractor electric
passenger vehicle
[NASA-TM-73762] 18 p0253 N78-17939
- TSAI, K. C.
Current efficiency in the lithium-water battery
17 p0095 A78-18410
- TSAKADZE, L. H.
Investigation of the electrical characteristics of
low-temperature thermionic power generators
18 p0227 A78-31338
- TSANG, C. F.
Modeling underground storage in aquifers of hot
water from solar power systems
17 p0050 A78-11298
- TSANG, K. T.
Toroidal field ripple effects in TWS design
19 p0347 A78-39810
Turbulence theory for the dissipative trapped
electron instability
19 p0382 A78-42487
- TSANG, W. H.
Si/CdS heterojunction solar cells
17 p0002 A78-10485
- TSAO, K.
Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 N78-25637
- TSCHOPPE, E.
OTEC implementation problems for specific missions
19 p0302 A78-33315
- TSKANAKIA, V. K.
Investigation of the electrical characteristics of
low-temperature thermionic power generators
18 p0227 A78-31338
- TSOU, P.
Evaluation of coal feed systems being developed by
the Energy Research and Development Administration
[NASA-CR-155267] 17 p0124 N78-12419
Evaluation of ERDA-sponsored coal feed system
development
17 p0132 N78-13252
- TSUKAMOTO, Y.
Development of a new combustion system /MCA-jet/
in gasoline engine
19 p0386 A78-43296
- TSUZUKI, H.
Control system of plasma position and
cross-sectional shape in large tokamak device
19 p0346 A78-39800

- TSUZUKI, T.
Formation of a high-current relativistic-electron-beam ring for plasma confinement
17 p0012 A78-10887
- TSYRULNIKOV, A. S.
Heat transfer in a dense layer at large Eiot numbers
19 p0335 A78-37912
- TUCKER, H. L.
The energy efficiency of urban transit systems
18 p0258 N78-18541
- TUCKER, W. K.
Terawatt pulse power systems utilizing inductive storage
17 p0008 A78-10701
Pulsed power conversion with inductive storage
19 p0353 A78-39954
- TUCZEK, B.
Investigation of plasma-wall interaction by the aid of a plasma accelerator
19 p0379 A78-42218
- TUFTE, P. B.
Ash fouling in the combustion of low rank Western U.S. coals
17 p0078 A78-15827
- TULLIS, R. H.
Fuel conservation merits of advanced turboprop transport aircraft
[NASA-CR-152096]
18 p0279 N78-21095
- TUNHAM, B. G.
Computer model for refinery operations with emphasis on jet fuel production. Volume 2: Data and technical bases
[NASA-CR-135334]
18 p0262 N78-19326
Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description
[NASA-CR-135333]
18 p0272 N78-20350
Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation
[NASA-CR-135335]
19 p0414 N78-25235
- TURAGA, B.
A performance evaluation of a solar house in Quebec
17 p0048 A78-11277
- TURCHI, P. J.
Application of homopolar generators for high voltage plasma experiments
19 p0348 A78-39848
- TURNER, A. B.
Development, testing, and evaluation of MHD materials and component designs
[FE-2248-15]
19 p0436 N78-26217
- TURNER, L. R.
Computational model for superconducting toroidal-field magnets for a tokamak reactor
19 p0350 A78-39905
- TURNER, R. D.
Superconducting energy storage development for electric utility systems
17 p0032 A78-11109
- TURNER, R. H.
Large-scale thermal energy storage using sodium hydroxide /NaOH/
17 p0051 A78-11309
High temperature thermal energy storage, including a discussion of TES integrated into power plants
19 p0311 A78-34468
Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000
[NASA-CR-155427]
17 p0160 N78-15568
- TURNER, W. C.
Plasma-wall charge-exchange interactions in the ZIIE magnetic mirror experiment
19 p0377 A78-42207
- TURONSKI, B.
The significance of domestic refuse recycling for raw material requirements and energy consumption of the nonferrous metals industry
19 p0332 A78-36945
- TURSUBAEV, I. A.
Some results of an experimental study of the Stirling engine
17 p0064 A78-12391
Some results of an experimental investigation of a Stirling engine
19 p0331 A78-36868
- TVARDOCHLIEB, E.
Heat pipes for sun energy conversion
[AIAA 78-457]
19 p0319 A78-35632
- TVETIANOVICH, E. V.
Prospects for using Fresnel lenses for concentrating systems of solar energy equipment
17 p0064 A78-12388
A device with a sectioned photodetector and a laser transmitter for determining the precision characteristics of solar energy concentrators
19 p0326 A78-36137
Prospect for using Fresnel lenses for the concentrating systems of solar installations
19 p0331 A78-36865
- TYSON, T. J.
Reduction of nitrogen oxide emissions from field operating package boilers, phase 3
[PB-269277/0]
17 p0121 N78-11526
- TEIVELERAS, I.
Stationary and dynamic behavior of heat pipes
19 p0364 A78-40864
- U**
- UCAR, H.
Solar building energy use analysis
17 p0045 A78-11243
- UCHIDA, T.
Computer simulation of ion extraction
18 p0188 A78-25947
- UCKAN, B. A.
Toroidal field ripple effects in TMS design
19 p0347 A78-39810
Economic analysis of EBT reactor
19 p0350 A78-39895
- UDA, H.
Polycrystalline thin film CdS/CdTe solar cells
18 p0225 A78-31210
- UEDA, H.
H-Gas process for production of fuel gas from heavy oil
18 p0225 A78-31273
- UENG, T.-S.
Experiments on flat-plate solar energy collectors
19 p0342 A78-39179
- UEHO, I.
Sequences of neutron and X-ray flashes during a long-lasting current in a plasma focus device
19 p0381 A78-42265
- UIBLACKER, K.
A heating oil tank as a solar energy reservoir
17 p0072 A78-14105
- ULLMAN, J. E.
Estimated highway fuel savings in 1975
18 p0257 N78-18539
- ULHAUIS, L. IA.
Integral characteristics of an induction MHD device at large parameters of electromagnetic interaction
18 p0204 A78-28087
- ULRICH, G. D.
Investigation of the mechanism of fly-ash formation in coal-fired utility boilers
[FE-2205-8]
19 p0433 N78-25671
- ULRICH, W. C.
Evaluation of in situ coal gasification processes on a regional basis
[ORNL-5279]
19 p0431 N78-25647
- UNAROV, G. IA.
Some results of an experimental study of the Stirling engine
17 p0064 A78-12391
Study of physicochemical processes in fabrication of reflectors from polymer materials
18 p0215 A78-28895
Some results of an experimental investigation of a Stirling engine
19 p0331 A78-36868
- UNOTO, J.
Two-dimensional analysis of a diagonal-type nonequilibrium plasma MHD generator
17 p0073 A78-14274
Two-dimensional analysis of diagonal MHD generator via equivalent circuit
19 p0293 A78-32833
Analysis of end effects in diagonal type MHD generator by means of equivalent circuit
19 p0327 A78-36320

- UNNY, T. E.
Studies on methods of reducing heat losses from flat plate solar collectors, phase 2
[COO-2597] 18 p0285 N78-21624
- UNO, F. H.
High efficiency solar panel (HESP)
[AD-A043382] 17 p0112 N78-10572
Advanced high efficiency wraparound contact solar cell
[AIAA-PAPER-77-521] 17 p0137 N78-13536
- UNTERBERG, W.
Dual-medium thermal storage system for solar thermal power plants 17 p0051 A78-11310
- URBANER, A.
Solar energy installations in Germany 17 p0068 A78-13455
Solar energy economizes on heat pump current 17 p0071 A78-14091
The Tritherm House of Bosch-Junkers in Wernau 17 p0072 A78-14097
A sheet-metal roof as a solar absorber 18 p0179 A78-24344
Solar-array installations operating in Germany 18 p0212 A78-28579
Europe's largest solar facility dries animal feed 18 p0221 A78-30322
- URSENBACH, W. O.
Conversion rates of SO₂ to submicron sulfate in the plume of a coal-fired power plant in the western United States
[APCA PAPER 77-39,1] 18 p0185 A78-25412
- URSU, I.
Nonconventional alternatives for conversion of nuclear energy 18 p0229 A78-31772
- USAMI, A.
Epitaxial silicon solar cells with uniformly doped layer 18 p0228 A78-31732
A computer analysis of Ga/1-x/Al/x/As-GaAs solar cells with multilayered window structure 19 p0313 A78-34850
- USSELMANN, E.
Performance of a turbomolecular pump in a pulsed magnetic field 19 p0352 A78-39938
- UTTER, S.
Developing an experimental oil shale mine 17 p0032 A78-11107
- UTTON, A. E.
On the right to sunshine 17 p0105 A78-19836
- UZBERG, L. V.
Study of the behavior of periclase materials in gas flows containing alkali additions 19 p0328 A78-36578

V

- VAALE, L. E.
Mathematical model for the design of grids for electric vehicle batteries
[SAE PAPER 780221] 19 p0307 A78-33380
- VACHON, R. I.
A 'no-flow' method for measuring solar collector performance
[ASME PAPER 77-WA/SOL-5] 19 p0299 A78-33193
- VADINSKY, R. G.
CuInS₂ liquid junction solar cells 19 p0310 A78-34274
- VAGELATOS, N.
Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858
- VAHALA, G.
Turbulence theory for the dissipative trapped electron instability 19 p0382 A78-42487
- VAILLANT, J. E.
Uses and prospects of solar energy /2nd revised and enlarged edition/ 18 p0224 A78-31068
- VAINSTEIN, S. I.
Some results of investigation of pressure fluctuations in a condensing injector 17 p0066 A78-13154
- VAIROGS, J.
El Dorado micellar-polymer demonstration project report
[BERC/TPR-77/12] 19 p0413 N78-25225
- VAKHIDOV, A. T.
An absorption solar refrigerator having periodic operation 18 p0187 A78-25739
- VAKILIAN, H.
Study of some recent advances in the concept and design of MHD generators
[AE01-26] 18 p0289 N78-21662
- VALAIS, H.
Modeling the sectors of production and energy transformation - The situation in France. 19 p0385 A78-43270
- VALBY, L. E.
Cryopumping system for TFTR neutral beam injectors 19 p0352 A78-39952
- VALCKY, P. P. G.
Development of fast neutral beam injectors at Fontenay-aux-Roses 17 p0012 A78-10879
- VALDMANE, R. A.
Integral characteristics of an induction MHD device at large parameters of electromagnetic interaction 18 p0204 A78-28087
- VALENT, P. J.
Anchor systems 19 p0303 A78-33328
- VALENT, V.
Exergy of gas fuels and their combustion gases 17 p0088 A78-17425
- VALETTE, L.
Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- VALETTE, P.
Outline for a hydrogen economy in 1985-2000 17 p0100 A78-18848
- VALLER, E. C.
Parabolic collector for total energy systems application 17 p0059 A78-11376
- VALLET, C. E.
Molten carbonate fuel cell research at ORNL [ORNL/TN-5886] 17 p0151 N78-14639
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TN-6168/V2] 19 p0448 N78-26601
- VAN BASSHUYSEN, E.
An update of the development on the new Audi NSU rotary engine generation
[SAE PAPER 780418] 19 p0308 A78-33390
- VAN DE LAAN, P. J. E.
Wind power installations for water pumping in developing countries 18 p0171 A78-22247
- VAN DER LAAN, P. C. T.
Parameter study of a screw-pinch reactor 17 p0041 A78-11187
- VAN DER LEEDE, G. A.
Purification and characterization of metallurgical silicon 18 p0219 A78-30191
Polycrystalline silicon p-n junctions 19 p0334 A78-37467
- VAN HALEN, P.
Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049
New TiO_x-MIS and SiO₂-MIS silicon solar cells 19 p0313 A78-34847
- VAN HEERLECK, L.
Sea thermal power cycles 19 p0306 A78-33348
- VAN HOLTEN, T.
Windmills with diffuser effect induced by small tipvanes 18 p0171 A78-22245
- VAN HORN, H.
School and factory installations demonstrate solar energy in US northeast 18 p0193 A78-26950
- VAN HEERBERGEN, J.
New TiO_x-MIS and SiO₂-MIS silicon solar cells 19 p0313 A78-34847

- Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- VAN OVERSTRAETEN, B.
The solar energy research programme of the Commission of the European Communities 17 p0020 A78-11000
Inversion layer silicon solar cells with MIS contact grids 17 p0026 A78-11049
Influence of bandgap narrowing on the performance of silicon n-p solar cells 19 p0334 A78-37464
- VAN OVERSTRAETEN, B. J.
New TiO_x-MIS and SiO₂-MIS silicon solar cells 19 p0313 A78-34847
- VAN PATTEN, B. A.
The industrialization of space; Proceedings of the Twenty-third Annual Meeting, San Francisco, Calif., October 18-20, 1977. Parts 1 & 2 19 p0329 A78-36701
- VAN RYSELBERGE, H.
Inventory of world energy resources 17 p0098 A78-18827
- VAN SCIVER, S. W.
Cryostabilization of large superconducting magnets using pool boiled helium II 19 p0350 A78-39896
- VANABKOUDE, J. C.
Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system [NASA-CR-137925] 17 p0109 N78-10035
- VANARTSDALEN, E. R.
Thermodynamics and energy policy [ORAU/IEA (M)-77-18] 18 p0287 N78-21643
- VANBUIJTENEN, C. J. P.
Dispersion and analysis of methane in the atmosphere [CL-1976-16] 19 p0450 N78-26644
- VANDERBOEGH, N. E.
Gas stimulation studies at LASL [LA-UR-77-1937] 19 p0410 N78-24678
- VANDERHAETEN, E. J.
Some aspects of offshore operations in the Netherlands 18 p0262 N78-19135
- VANDERHOFF, J. H.
Diffraction analysis for multiple-beam pellet irradiance 19 p0360 A78-40225
- VANDERPLAATS, G. H.
Land contouring to optimize wind power [AIAA PAPER 78-279] 18 p0166 A78-20786
- VANDERPOL, A. H.
Oxidant measurements in western power plant plumes. Volume 1: Technical analysis [EPRI-PA-421-VOL-1] 19 p0400 N78-23614
- VANDEBREE, R.
Survey of research and development activities in the Netherlands on heat pumps for residential heating [CTI-76-09497] 17 p0156 N78-14684
- VANDEVENDER, S. G.
Solar irrigation program plan, revision [SAND-77-0730-REV] 17 p0151 N78-14642
Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations [SAND-77-1403] 19 p0428 N78-25620
- VANFOSSSEN, G. J., JR.
Liquid-cooling technology for gas turbines review and status [NASA-TN-78906] 19 p0436 N78-26145
- VANHOOTTE, G.
The influence of interface states and energy barriers on the efficiency of heterojunction solar cells 19 p0309 A78-34008
- VANKE, V. A.
Space solar power stations 18 p0194 A78-27442
- VANT-HULL, L. L.
A liquid sodium cooled solar tower system 17 p0053 A78-11325
A cellwise method for the optimization of large central receiver systems 17 p0053 A78-11330
Development of solar tower program in the United States 18 p0173 A78-22819
- A cellwise method for the optimization of large central receiver systems 19 p0314 A78-34937
- Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design [ORO-5178-78/1] 19 p0447 N78-26594
- VARANI, P. T.
The conversion of feedlot wastes into pipeline gas 18 p0197 A78-27807
- VARDIASHVILI, A. B.
Calculation of the drag of a cylindrical pebble-type heat retainer 18 p0215 A78-28899
- VARLJEN, T. C.
An approach to decision modeling for an ignition test reactor 19 p0346 A78-39797
Design related R&D assessment for TNS 19 p0349 A78-39877
- VARNA, B.
Merits of ion-implantation processes in conjunction with appropriate annealing procedure for fabrication of silicon solar cells 17 p0015 A78-10945
- VARNADO, S. G.
Approach for evaluating alternative future energy systems: A dynamic net energy analysis [SAND-77-0489] 17 p0155 N78-14670
- VABPETIAN, V. S.
Research on battery-operated electric road vehicles [NASA-TN-75142] 17 p0122 N78-11889
- VARSHAVSKII, I. L.
Some problems in the operational analysis of a hydrogen-fueled gas turbine 18 p0186 A78-25637
The utilization of LaW5 as a hydrogen-storage medium for heat engines 18 p0233 A78-32193
- VASILEV, E. P.
The emission characteristics of liquid-fuel flames 18 p0222 A78-30496
- VASILEV, IO. S.
Design and cost analysis of turbine penstocks for hydroelectric power plants located at the bottom of the dam 18 p0222 A78-30571
- VASILEV, L. L.
Investigation of gas-controlled cryogenic heat pipes 18 p0221 A78-30495
- VASILEV, N. H.
Technicoeconomic estimates of a possible thermonuclear power plant with a tokamak reactor 19 p0326 A78-36130
- VASILEVA, I. A.
Investigation of the temperature dependence of the electrical conductivity of the working fluid of large MHD generators 18 p0194 A78-27136
- VASILEVA, R. V.
Stability of nonequilibrium plasmas 17 p0063 A78-12352
Stability of nonequilibrium plasma 19 p0291 A78-32575
- VASILIEV, N. H.
A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project) 18 p0278 N78-20942
- VASILYEV, L.
Heat pipes and their use in technology [NASA-TN-75148] 18 p0254 N78-18357
- VASSBOTN, T.
Offshore oil pollution [STP21-A76054] 17 p0122 N78-11535
- VECCHIA, P.
Health and environmental aspects of energy development [ISS-P-77/2] 19 p0399 N78-23599
- VELIKANOV, D. P.
Achievements of scientific and technological progress in the development of transport and its energetics in the USSR 17 p0073 A78-14131
- VENDOLSKY, I.
Possibilities for wind energy applications in nations of the Third World 18 p0211 A78-28569

- VENOLIA, C.
Community leaders workshop on solar energy assessment
[BLO/2230/T5-1] 19 p0446 A78-26586
- VENTOSA, J.
Microprocessor-based solar cell measurement system 19 p0365 A78-40919
- VERBOVETSKII, E. KH.
The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture 19 p0335 A78-37861
- VERHOLEK, M. G.
A note on vertical extrapolation formulas for Weibull velocity distribution parameters 18 p0234 A78-32413
Flow field analysis 18 p0265 A78-19623
- VERHA, B. K.
Thermoelectric power and ac conductivity of A-type Nd2O3 19 p0332 A78-36964
- VERHA, M. L.
Effect of buoyancy on heat transfer rates in a solar collector 19 p0375 A78-42153
- VERNICKEL, E.
Relative importance of different impurity sources in tokamak reactors as estimated from particle balance equations 19 p0379 A78-42221
- VERWEIJ, A.
Dispersion and analysis of methane in the atmosphere [CL-1976-16] 19 p0450 A78-26644
- VEYO, S. E.
Investigation of methods to improve heat pump performance and reliability in a northern climate. Volume 3: Appendices B, C, D [EPRI-EH-319-VOL-3-APP-B] 17 p0139 A78-13565
Investigation of methods to improve heat pump performance and reliability in a northern climate. Final report, volume 1 [EPRI-EH-319-VOL-1] 17 p0139 A78-13567
- VEZIROGLU, T. N.
Solar production of hydrogen 18 p0201 A78-27868
- VIELEBER, K.
Air source heat pumps 17 p0068 A78-13453
- VIEHE, G. L.
Analysis of closed cycle Brayton systems for solar electric power generation 17 p0053 A78-11324
- VILKOVA, S. B.
Study of physicochemical processes in fabrication of reflectors from polymer materials 18 p0215 A78-28895
- VILLANUEVA, J.
The compound trapezoidal collector /an optimized stationary concentrator/ 17 p0060 A78-11383
- VILNITIS, A. IA.
Problem of end effect in a linear induction MHD machine at arbitrary load current 18 p0167 A78-21395
- VINCENT, C. B.
Study of test methods for large flexible solar arrays (VELSA) [ESA-CR(P)-1016] 19 p0411 A78-24688
- VINCENT, R. K.
Landsat detection of hydrothermal alteration in the Mogal Canyon Cauldron, New Mexico 17 p0075 A78-14815
- VINOGRADOVA, E. B.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134
- VIRKLER, H. B.
Federal policy and the electric vehicle 17 p0092 A78-17568
- VIRNIK, A. M.
Conditions for the constricted discharge at electrodes in a combustion product plasma 18 p0193 A78-27127
- VISETTIN, E.
Use of the gravity field to shape large linear solar concentrators with fixed focal axis 17 p0082 A78-16633
- Shadows' effect in a large scale solar power plant 17 p0084 A78-16843
- VITALE, A.
The use of natural resources - Solar energy applied to the construction of human habitats 17 p0065 A78-12908
- VITERNA, L. A.
Fixed pitch wind turbines 18 p0267 A78-19638
- VITKOVITSKY, I. B.
Development of inductive storage for generation of high voltage pulses 17 p0007 A78-10699
Application of homopolar generators for high voltage plasma experiments 19 p0348 A78-39848
- VITTITOE, C. M.
Parameter study for a central-receiver power station [SAND-77-0667C] 17 p0154 A78-14664
HELIOS: A computational model for solar concentrators [SAND-77-0642C] 17 p0154 A78-14665
- VLADIMIROVA, L. B.
Comparative analysis of the geometrical characteristics of solar power plant boilers 17 p0064 A78-12393
Comparative analysis of geometric characteristics of solar power plant boilers 19 p0332 A78-36870
- VOECKS, G. E.
Steam reforming of methyl fuel, phase 1 [AD-A044787] 19 p0403 A78-24375
- VOGEL, G.
Supportive studies in fluidized-bed combustion [PB-276974/3] 19 p0399 A78-23604
- VOGEL, H. F.
Parametric study of plasma startup systems for tokamaks 19 p0354 A78-39971
- VOGEL, J.
The role of a carbon burnup cell in reducing SO2 emissions from fluidized-bed coal combustion plants [WSS/CI PAPER 77-30] 18 p0230 A78-31968
- VOGT, J. B.
Inverters for commercial fuel cell power generation 17 p0009 A78-10733
- VOGT, B. G.
Modeling and simulation. Volume 8 - Proceedings of the Eighth Annual Pittsburgh Conference, University of Pittsburgh, Pittsburgh, Pa., April 21, 22, 1977. Parts 1 & 2 19 p0385 A78-43026
- VOGTLIN, G. B.
System design for the new THX machine 19 p0349 A78-39888
- VOGULKIN, B. P.
Some results of an experimental study of the Stirling engine 17 p0064 A78-12391
Some results of an experimental investigation of a Stirling engine 19 p0331 A78-36868
- VOLTE, S. E.
Process variable effects in the conversion of methanol to gasoline in a fluid bed reactor 19 p0365 A78-41223
- VONHOBIDIS, J. L.
Long-time-scale simulation of resonant particle effects in Langmuir and whistler waves 18 p0231 A78-32068
- VON KOENIG, F.
How to build wind wheels: Construction and calculation 18 p0231 A78-32075
- VON BOOS, O.
A simple theory of back surface field (BSF) solar cells 19 p0338 A78-38552
- VONPUTTKANER, J.
The next 25 years: Industrialization of space: Rationale for planning [NASA-TN-79360] 18 p0253 A78-18091
- VOSBURGH, K. G.
Heat transfer effects in compressed air energy storage 19 p0296 A78-33120

- VOSS, J. H.
Albedo contribution to satellite solar array performance 17 p0019 A78-10990
- VOTH, R. O.
Studies of hydrogen liquefier efficiency and the recovery of the liquefaction energy [PB-274058/7] 18 p0237 N78-16199
- VRABLE, D.
Engineering features of an upgradable ignition test reactor 19 p0349 A78-39878
- VRABLE, D. L.
Mechanical and thermal design of a gas-cooled fusion blanket module 19 p0357 A78-40040
BTS thermal storage peaking plant [ORNL/SUB-4188-2] 18 p0277 N78-20645
- VRON, D. A.
Application of laser fusion to the radiolytic production of hydrogen 19 p0383 A78-42858
- W**
- WADDINGTON, D.
Results of experiments with heliostats for central receiver power plants 17 p0053 A78-11326
- WADE, J. E.
Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B [SAN/1395-14] 19 p0418 N78-25519
Pilot demonstration of enhanced oil recovery by micellar polymer waterflooding, phase B [SAN/1395-15] 19 p0455 N78-27498
- WADE, W. H.
Evaluation of stresses in tubes with external heat flux and internal pressurization [GMB-2690-SECT-3.204] 19 p0439 N78-26294
- WAGNER, L. E.
Establishment of design and performance requirements using cost and systems analysis 19 p0346 A78-39793
Impact of confinement physics on reactor design and economics 19 p0346 A78-39794
- WAGENET, R. J.
Environmental transport model of heavy metals 18 p0215 A78-28946
- WAGENSEIL, L. L.
Augmenting the condenser heat transfer performance of rotating heat pipes [AIAA 78-409] 19 p0318 A78-35597
- WAGNER, C. E.
Baseline gas turbine development program [COO-2749-16] 17 p0120 N78-11405
Baseline gas turbine development program [COO-2749-17] 17 p0135 N78-13455
Baseline gas turbine development program [COO-2749-18] 18 p0281 N78-21479
- WAGNER, P.
Neutral particle emission of the pulsator plasma during high-density discharges 19 p0379 A78-42216
- WAGNER, G.
Water-storage in a solar-heating system - Cost effectiveness, realization and requirements 18 p0213 A78-28590
- WAGNER, L. H.
Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine [NASA-TN-78853] 19 p0395 N78-23558
- WAGNER, S.
InP/CdS solar cells 17 p0018 A78-10985
A simple measurement of absolute solar-cell efficiency 17 p0079 A78-15850
n-CdS/n-GaAs voltage-enhanced photoanode 19 p0344 A78-39467
- WAHL, E. F.
Geothermal energy utilization 18 p0198 A78-27824
- WAHLIG, H.
Nitinol engine development 17 p0056 A78-11348
- Effects of solar data accuracy on the performance and economics of solar energy systems 17 p0058 A78-11366
- Performance of an experimental solar-driven absorption air conditioner [LBL-5911] 17 p0161 N78-15579
- WAKAO, N.
Nitric acid cycle process for extracting thermal energy from low-level heat sources 19 p0315 A78-35171
- WAKATANI, M.
Mode mixing of large scale fluctuations in JFT-2 tokamak 19 p0332 A78-37147
- WAKEFIELD, G. W.
Solar cells from zone-refined metallurgical silicon 18 p0219 A78-30190
- WALD, P. V.
An analysis of factors influencing the efficiency of EFG silicon ribbon solar cells 17 p0014 A78-10930
- WALDHERR, G.
Construction physics for solar houses 17 p0071 A78-14094
- WALKER, C. L.
Research needs for U.S. Army aircraft propulsion [AIAA PAPER 78-45] 18 p0172 A78-22558
- WALKER, G. H.
Annealing of GaAs solar cells damaged by electron irradiation 18 p0219 A78-30192
High efficiency GaAs solar cells 17 p0137 N78-13542
Status of photoelectrochemical production of hydrogen and electrical energy 19 p0451 N78-26865
- WALKER, H. S.
Three-phase induction motor loads on a variable frequency wind electric generator 18 p0231 A78-32050
- WALKER, H. H.
Optimization of solar heating in residential buildings using a stochastic performance model 17 p0046 A78-11252
- WALKER, H. S.
Fast ramp superconductor for ohmic heating coils 19 p0356 A78-40009
- WALKER, P. L., JR.
Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808-C 17 p0079 A78-15831
- WALKER, S. H.
Performance-optimized horizontal-axis wind turbines 18 p0169 A78-22232
- WALKER, W.
Preliminary system analysis of a fixed mirror solar power central station [EPRI-ER-434(6-77)] 18 p0241 N78-16452
- WALLIN, M. J.
An evaluation of residential heating methods in terms of energy conservation, environmental impact and life-cycle economics 17 p0057 A78-11357
An analysis of alternative residential heating systems in terms of three criteria: Energy conservation, environmental impact and life-cycle economics 18 p0239 N78-16423
- WALLS, R.
TFTR tritium valve for pulsed gas feed, test results 19 p0358 A78-40075
- WALSH, B.
Advances in aircraft efficiency 17 p0093 A78-18022
- WALTER, H.
A novel square Fresnel lens design for illuminating circular solar cells 19 p0342 A78-39369
- WALTERS, B. E.
Innovative wind turbines 17 p0031 A78-11101
- WALTERS, B. B.
Fixed mirror/distributed focus solar thermal electric power systems development 17 p0053 A78-11331
- WALTHERS, C. R.
Remote leak detection for the TFTR 19 p0352 A78-39939

- WALTON, B. L.
Synthetic liquid fuels development: Assessment of critical factors 18 p0257 W78-18535
- WALTON, J. D.
A 400 kW high temperature solar test facility 19 p0384 W78-42894
- WALTON, J. W.
Inverters for commercial fuel cell power generation 17 p0009 A78-10733
- WALTON, J.-D.
Development of a ceramic receiver for a Brayton cycle solar electric power plant 18 p0165 A78-20624
- WALTON, M. B.
Radiative cooling of TiO₂ white paint 18 p0206 A78-28171
- WALTZ, D. H.
A road map to space products [AAS 77-239] 19 p0329 A78-36716
- WALTZ, R. E.
Transport calculations for a wall-confined liner-compressed plasma 19 p0380 A78-42258
- WALZEL, M. D.
An analytic evaluation of the flux density due to sunlight reflected from a flat mirror having a polygonal boundary 17 p0053 A78-11328
- WALZER, P.
High-temperature ceramics for automobile gas turbines [DGLR PAPER 77-073] 17 p0096 A78-18708
- WAN, P. K.
Ambient air quality in complex terrain 18 p0167 A78-21833
- WANG, C. C.
Infrared focal planes in intrinsic semiconductors 18 p0204 A78-28139
- WANG, E. Y.
Cuprous oxide Schottky barrier photovoltaic cells 17 p0025 A78-11042
- WANG, K.-C.
Hydrogenation of phenanthrene over a commercial cobalt molybdenum sulfide catalyst under severe reaction conditions 18 p0190 A78-26580
- WANG, M.
Plasma engineering problems associated with superthermal fusion products 19 p0358 A78-40081
- WANGEN, L. E.
Comparison of levels of trace elements extracted from fly ash and levels found in effluent waters from a coal-fired power plant 17 p0001 A78-10062
- WARABISAKO, T.
Fabrication and characterization of solar cells using dendritic silicon thin films grown on alumina ceramic 17 p0013 A78-10916
- WARD, D. S.
Design considerations for residential solar heating and cooling systems utilizing evacuated tube solar collectors 17 p0047 A78-11265
- WARD, J. C.
Re-evaluation of flat plate solar panels in use for twenty years 17 p0043 A78-11225
Maintenance costs of solar air heating systems 17 p0047 A78-11264
Design considerations for residential solar heating and cooling systems utilizing evacuated tube solar collectors 17 p0047 A78-11265
- WARD, E. P.
Fuels and chemicals from crops 18 p0197 A78-27808
- WARMAN, J. C.
Subsurface waste-heat storage: Experimental study [ORC-5003-1] 19 p0459 W78-27554
- WARNE, D. P.
Generation of electricity from the wind 17 p0080 A78-16053
- WARNER, E. H., JR.
A monolithic series-array solar-cell system 17 p0103 A78-19374
- WARREN, A. W.
A simulation model for wind energy storage systems. Volume 1: Technical report [NASA-CR-135283] 18 p0278 W78-20802
A simulation model for wind energy storage systems. Volume 2: Operation manual [NASA-CR-135284] 18 p0278 W78-20803
A simulation model for wind energy storage systems. Volume 3: Program descriptions [NASA-CR-135285] 18 p0278 W78-20804
- WARREN, J. L.
Reactor technology [LA-6937-PR] 19 p0400 W78-23899
- WARRINGTON, B. O., JR.
Analysis of a new concept for a high temperature direct coal-fired falling particle air pre-heater for MHD power generation [ASME PAPER 77-HT-60] 17 p0089 A78-17492
- WARSCHAUER, D. M.
Status of the ERDA photovoltaic material and device studies 17 p0020 A78-10999
- WARSHAY, H.
ECAS Phase I fuel cell results 18 p0188 A78-26110
- WASHON, B. J.
Economic incentives for the commercialization of OTEC 19 p0301 A78-33307
- WATANABE, T.
Competitive oxidation at semiconductor photoanodes 19 p0344 A78-39466
- WATANABE, Y.
Formation and growth of thermal NO_x in hydrocarbon combustion 18 p0227 A78-31498
- WATERMAN, W. W.
Biomass as a long range source of hydrocarbons 17 p0034 A78-11122
- WATKINS, G. A.
Preliminary assessment of nontechnical issues related to industrial application of solar-thermal-energy systems 18 p0232 A78-32112
- WATKINS, L.
Colorado energy impact assistance plan [PB-276587/3] 19 p0390 W78-22483
- WATHUFF, J. H.
Solar and wind induced external coefficients - Solar collectors 18 p0165 A78-20625
- WATSON, G. K.
Materials technology assessment for stirling engines [NASA-TN-73789] 18 p0247 W78-17187
- WATSON, J.
Energy consumption of environmental controls: Fossil fuel, steam electric generating industry [PB-273019/0] 18 p0244 W78-16476
- WATSON, J. S.
Vacuum pumping for controlled thermonuclear reactors 17 p0038 A78-11163
Tritium systems preliminary design for TWS 19 p0346 A78-39798
Tritium removal from liquid metals by sorption on yttrium 19 p0358 A78-40074
Cryosorption pumping of 95% deuterium-5% helium on molecular sieve-5A at 4.2 K 19 p0359 A78-40112
- WATT, A. D.
Potential role of solar thermal electric power in the U.S. 17 p0010 A78-10743
Potential of open cycle OTEC - A general survey 19 p0305 A78-33347
- WATTS, G.
Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy [ORNL/TN-6168/V2] 19 p0448 W78-26601
- WATTS, H. L.
Advantages of iron core in a tokamak 19 p0347 A78-39814
- WAVERMAN, L.
Dynamic models of the industrial demand for energy [EPRI-EA-560] 19 p0425 W78-25596

- WEARE, H. H.
Physiological studies of nitrogen fixation by
blue-green algae 17 p0128 N78-12647
- WEATHERFORD, W. D., JR.
Corrective action program for
bromochloromethane-containing fire-safe diesel
fuel [AD-A043323] 17 p0119 N78-11253
- WEATHERLEY, H.-L.
Estimates of smoke and sulphur dioxide pollution
from fuel combustion in the United Kingdom for
1975 and 1976 17 p0097 A78-18819
- WEBER, W. H.
Materials for luminescent greenhouse solar
collectors 17 p0002 A78-10171
- WEDDELL, J. B.
Self-powered electric propulsion of satellite
power systems [AIAA PAPER 78-694] 19 p0293 A78-32765
- WEDEL, R. K.
A detailed model of flat plate solar collectors 17 p0042 A78-11213
An approximate equation for predicting the solar
transmittance of transparent honeycombs 17 p0044 A78-11231
Experimental performance of flat plate solar
collectors with various cover materials with and
without transparent plastic honeycomb [AIAA PAPER 78-899] 19 p0324 A78-36018
- WEDLER, H.
Manufacture, assembly and test of the toroidal and
poloidal magnetic field coils of ASDEX 19 p0345 A78-39789
- WEERTMAN, J.
Heat extraction from hot, dry rock masses
[PB-271411/1] 17 p0139 N78-13560
- WEGGEL, C.
The Alcator C magnetic coil system 19 p0346 A78-39791
- WEHR, A. G.
A MHD simulation test facility for investigating
the thermal properties of a slag/seed coated
radiant boiler and superheater for a 2000 MW
MHD power plant [ASME PAPER 77-HT-64] 17 p0090 A78-17496
- WEHRLE, R. B.
Argonne national laboratory energy storage and
transfer experimental program 19 p0353 A78-39956
- WEIAND, H.
Refuse incineration with heat recovery - Typical
design and practical experience 17 p0037 A78-11147
- WEICHSEL, H.
Waste heat utilization in industrial processes
[NASA-TN-75210] 19 p0413 N78-25012
- WEIDLICH, B.
Heating costs and rentability - Projection of
growth of demand in the housing market 18 p0214 A78-28597
- WEIGERT, D.
Building rights, apartment- and
residence-designing in the light of solar energy
utilization 18 p0214 A78-28594
- WEINER, L. D.
Effective control of secondary water pollution
from flue gas desulfurization systems [PB-278373/6] 19 p0450 N78-26645
- WEIN, D.
Development and fabrication of a diffusion welded
Columbium alloy heat exchanger [AIME PAPER A78-61] 18 p0228 A78-31500
- WEINBERG, A. H.
Reflections on the energy wars 18 p0221 A78-30297
- WEINBERG, I.
Impurity concentrations and surface charge
densities on the heavily doped face of a silicon
solar cell 17 p0136 N78-13534
- WEINER, H.
Computer program for design and performance
analysis of navigation-aid power systems.
Program documentation. Volume 1: Software
requirements document [AD-A047925] 18 p0260 N78-18558
Computer program for design and performance
analysis of navigation-aid power systems program
documentation. Volume 2: User's manual
[AD-A047356] 19 p0409 N78-24667
- WEINGART, J. H.
Systems aspects of large-scale solar energy
conversion [IIASA-RN-77-23] 19 p0423 N78-25581
- WEINSTEIN, A.
Application of solar energy to schools and
residences 18 p0181 A78-24759
- WEINSTEIN, B. W.
Implosion experiments with D₂, He-3 filled
microspheres 18 p0235 A78-32440
- WEINSTEIN, H.
Gas core reactors for coal gasification 19 p0451 N78-26669
- WEINTRAUB, H.
Filterability of a coal-derived liquid 18 p0191 A78-26588
- WEISBRICH, A. L.
Toroidal accelerator rotor platforms for wind
energy conversion 18 p0235 A78-32505
- WEISMAN, Y. C.
Extended performance solar electric propulsion
thrust system study. Volume 4: Thruster
technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- WEISS, R. B.
Regimes for the ocean, outer space, and weather 18 p0189 A78-26399
- WEISS, H.
Metering low-quality steam-water flows
[UCRL-52271] 18 p0263 N78-19455
- WEISS, H. J.
Filterability of a coal-derived liquid 18 p0191 A78-26588
- WEISS, R. S.
Characterization of solar cells for space
applications. Volume 1: Electrical
characteristics of OCLI violet solar cells as a
function of intensity and temperature [NASA-CR-156162] 18 p0283 N78-21601
- WEISS, T. A.
The estimation of daily, clear-sky solar radiation
intercepted by a tilted surface 17 p0044 A78-11230
- WEISSMAN, J. C.
A systems analysis of bioconversion with microalgae 17 p0034 A78-11124
Solar energy conversion with microalgal sewage
treatment ponds 17 p0056 A78-11351
Solar energy conversion with hydrogen producing
algae [SAN/0034-77/1] 19 p0460 N78-27565
- WEIST, W.
Fusion and fast breeder reactors [IIASA-RN-77-8] 18 p0278 N78-20941
- WEIZER, V. G.
Photon degradation effects in terrestrial solar
cells [NASA-TN-78924] 19 p0421 N78-25551
- WELCH, B. L.
Photovoltaic electricity - On the way. I - An
optimistic view. II - Solar cell arrays too
expensive . . . but interesting 19 p0327 A78-36444
- WELDON, W. P.
System engineering and design of a pulsed
homopolar generator power supply for the Texas
Experimental Tokamak 19 p0351 A78-39921
Homopolar generator development at the University
of Texas [ORO-5594-7] 19 p0467 N78-27922
Test data on electrical contacts at high surface
velocities and high current densities for
homopolar generators [CONF-771029-121] 19 p0467 N78-27924

- Circuit and magnetic analysis for a system of
Paraday rotator coils driven by a two-spool,
four-rotor homopolar generator
[CONF-771029-119] 19 p0467 N78-27927
- WELLESLEY-MILLER, S.
Lightweight building materials for the storage of
solar energy
[PB-275684/9] 18 p0273 N78-20380
- WELLS, D. B.
Production of fusion energy by vortex structure
compression
19 p0338 A78-38419
- WELLS, W. L.
Technical and economic impacts of the application
of environmental control technology options
[APCA PAPER 77-56,4] 18 p0186 A78-25447
- WELSH, L. B.
Optimization of PtDoped Kocite: Electrodes in
H3PO4 fuel cells
[AD-A053300] 19 p0422 N78-25562
- WEN, C. Y.
Analysis and scale-up consideration of bituminous
coal liquefaction rate processes
18 p0184 A78-25322
- WEN, L.
Thermal optical surface properties and
high-temperature solar energy conversion
[ATAA PAPER 78-903] 19 p0324 A78-36021
- WENDT, J. O. L.
Physical mechanisms governing the oxidation of
volatile fuel nitrogen in pulverized coal flames
17 p0078 A78-15828
- WENTINK, T., JR.
Wind power potential of Alaska. Part 2: Wind
duration curve fits and output power estimates
for typical windmills
[BLO/2229/T12-76/1-PT-2] 17 p0113 N78-10578
- WENTWORTH, R. L.
Fuel gas production from selected biomass via
anaerobic fermentation
18 p0208 A78-28366
- Multi-stage digestion of municipal solid waste to
fuel gas
18 p0218 A78-29868
- Fuel gas production from animal waste, phase 1
[COO-2991-17] 18 p0280 N78-21321
- Fuel gas production from animal waste, phase 1
[COO-2991-23] 19 p0415 N78-25248
- WENTWORTH, W. E.
An ionic model for the systematic selection of
chemical decomposition reactions for energy
storage
17 p0051 A78-11307
- WERES, O.
Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 N78-25637
- WESSEBERG, D. L.
Terawatt pulse power systems utilizing inductive
storage
17 p0008 A78-10701
- WESSELMAN, J. B.
Computer techniques to aid in the interpretation
of subsurface fluid-pressure gradients
[PB-268603/8] 17 p0110 N78-10546
- WEST, B. S.
Madaras Rotor Power Plant
19 p0361 A78-40367
- WESTBERG, J. B.
The application of wind energy systems to
desalination
[PB-276174/0] 18 p0285 N78-21620
- WESTBROOK, R. D.
Transmutation doping of silicon solar cells
17 p0137 N78-13539
- WESTFIELD, J. D.
First order estimates of energy requirements for
pollution control
[PB-278274/6] 19 p0465 N78-27608
- WESTMORELAND, J. S.
A low-risk approach to the high-temperature turbine
[ASME PAPER 77-WA/ENR-10] 19 p0298 A78-33148
- WESTPHAL, W.
Modular solar energy satellite - Project proposal
and development strategy
18 p0180 A78-24452
- The modular solar energy satellite. Project
proposal and development strategy
19 p0399 N78-23598
- WETHEROLD, R. G.
Assessment, selection, and development of
procedures for determining the environmental
acceptability of synthetic fuel plants based on
coal, appendix 2
[FF-1795-3-PT-2-REV] 19 p0433 N78-25674
- WEYSS, H.
Some aspects of the solar case study in Austria
illustrated by the example of hybrid power plants
18 p0183 A78-25256
- WHALEY, T.
Application analysis of solar total energy to the
residential sector
[TID-28103] 19 p0429 N78-25624
- Application analysis of solar total energy to the
residential sector
[TID-28104] 19 p0431 N78-25643
- WHARTON, L.
Non-evacuated solar collectors with compound
parabolic concentrators
17 p0059 A78-11378
- WHEELLOCK, T. D.
Electrofluid gasification of coal with nuclear
energy
19 p0338 A78-38407
- WHITBY, K. T.
Nuclei formation rates in a coal-fired power plant
plume
19 p0366 A78-41253
- Aerosol size distributions and aerosol volume
formation for a coal-fired power plant plume
19 p0366 A78-41254
- WHITE, C. H.
Combined gas chromatographic-mass spectrometric
analyses of nitrogen bases in light oil from a
coal liquefaction product
19 p0363 A78-40594
- WHITE, P. B.
Thin film heterojunction and homojunction solar
cells utilizing I-III-VI2 ternary compound
semiconductors
17 p0018 A78-10984
- WHITE, H.
Hybrid vehicle technology constraints and
application assessment study. Volume 1: Summary
[PB-278118/5] 19 p0464 N78-27596
- Hybrid vehicle technology constraints and
application assessment study. Volume 2:
Sections 1 through 4
[PB-278119/3] 19 p0464 N78-27597
- Hybrid vehicle technology constraints and
application assessment study. Volume 3:
Sections 5 through 9
[PB-278120/1] 19 p0464 N78-27598
- Hybrid vehicle technology constraints and
application assessment study. Volume 4:
Sections 10, 11, and appendix
[PB-278121/9] 19 p0465 N78-27599
- WHITE, I. L.
Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 2: Detailed analysis and
supporting materials
[PB-271753/6] 17 p0144 N78-13617
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 3: Preliminary policy
analysis
[PB-271754/4] 17 p0144 N78-13618
- Energy from the west: A progress report of a
technology assessment of western energy resource
development. Volume 4: Appendices
[PB-272243/7] 17 p0144 N78-13619
- WHITE, K. E.
A digital computer program for simulating electric
vehicle performance
[SAE PAPER 780216] 19 p0307 A78-33377
- WHITE, P. C.
Fossil energy research program of the Energy
Research and Development Administration, FY 1978
[ERDA-77-33] 17 p0127 N78-12544
- WHITE, W. H.
NOx-O3 photochemistry in power plant plumes -
Comparison of theory with observation
17 p0001 A78-10059

- WHITED, T. L.
Performance analysis of a modified internal
combustion engine
[AD-A045378] 17 p0135 N78-13442
- WHITBURN, D. D.
Short contact time coal liquefaction - Techniques
and product distributions 18 p0151 A78-26586
- WHITFORD, D. B.
Madaras Rotor Power Plant 19 p0361 A78-40367
- WHITHAM, K.
A 25 megajoule energy storage and delivery system
for the Shiva laser 19 p0351 A78-39920
- WHITLATCH, E. E., JR.
Coal gasification and water resources development 17 p0097 A78-18775
- WHITMIRE, C., JR.
Symposium on Engineering Problems of Fusion
Research, 7th, Knoxville, Tenn., October 25-28,
1977, Proceedings. Volumes 1 & 2 19 p0345 A78-39783
- WHITMORE, W. F.
Application of aerospace engineering to Ocean
Thermal Energy Conversion and offshore petroleum
production
[AIAA PAPER 78-292] 18 p0177 A78-24003
- WHITSON, B. E., JR.
Hourly direct-normal solar radiation data tapes
for the United States 17 p0049 A78-11288
- WHITTLE, H. B.
Some design aspects of computer based control
systems for pulsed fusion experiments 19 p0355 A78-39991
- WICHNER, B.
Temperature dependence of the photovoltaic
performance of Si cells under blue, white and
near-bandgap irradiation 17 p0012 A78-10909
- WICK, G. L.
Salt domes - Is there more energy available from
their salt than from their oil 18 p0217 A78-29623
- WIDRIG, B. D.
Our energy future: Where is reality
[BNWL-SA-6029] 17 p0140 N78-13574
- WIEDHANN, W.
The use of twin screw extruders for feeding coal
against pressures of up to 1500 PSI 17 p0134 N78-13269
- WIEGARD, K.
Recent developments in heat exchangers for vehicle
gas turbines
[DGLR PAPER 77-075] 17 p0096 A78-18711
- WIENKE, C. L.
Comparison of levels of trace elements extracted
from fly ash and levels found in effluent waters
from a coal-fired power plant 17 p0001 A78-10062
- WIESENER, K.
Investigation of polymeric iron phthalocyanine as
an electrocatalyst of oxygen reduction in acid
electrolytes 19 p0363 A78-40618
- Effect of active-layer composition on the
catalytic efficacy of two-layer diffusion
electrodes for the reduction of oxygen in acid
electrolytes 19 p0363 A78-40619
- WIGGIN, P. T. F.
Experience at Edmonton /GLC/ of generating
electricity using refuse as fuel 18 p0186 A78-25504
- WIBL, B.
Energy requirement for the production of silicon
solar arrays
[NASA-CR-155932] 18 p0255 N78-18519
- Energy requirement for the production of silicon
solar arrays
[NASA-CR-157074] 19 p0407 N78-24642
- Energy requirement for the production of silicon
solar arrays
[NASA-CR-157071] 19 p0407 N78-24643
- WIJEYSUNDEBA, B. E.
Geometric factors for plane specular reflectors 17 p0105 A78-19835
- WILBUR, P. J.
Solar cooling 18 p0167 A78-21699
- WILBURN, J. T.
Studies to define the role of coal cleaning in an
SO₂ control strategy for TVA
[APCA PAPER 77-14,4] 18 p0186 A78-25446
- WILCOCK, D.
First order estimates of energy requirements for
pollution control
[PB-278274/6] 19 p0465 N78-27608
- WILCOX, B. A.
The U.S. Navy's Ocean Food and Energy Farm Project 17 p0007 A78-10657
- WILDE, G. L.
The design and performance of high temperature
turbines in turbofan engines 17 p0093 A78-18023
- WILDI, P.
Design of the TEXT toroidal and poloidal field coils 19 p0345 A78-39790
- A metallic contact, fast-closing, high current
switch 19 p0359 A78-40096
- WILEN, R. T.
Kine-Pak: A self-contained, electrical power
generator system
[NASA-CASE-LAR-11551-1] 19 p0389 N78-22468
- WILES, C. C.
Densified refuse derived fuels - An alternative
concept 17 p0005 A78-10634
- Operating experience with large scale digestion of
urban refuse with sewage sludge 17 p0036 A78-11136
- WILKE, D. A.
A solar powered desiccant air conditioning system 17 p0046 A78-11245
- WILLEN, B. A.
Cylindrical arrays of vertical-axis wind turbines 17 p0107 A78-20477
- WILLIAMS, C.
Preliminary assessment for designing experiments
using federal innovation processes
[PB-270089/6] 17 p0122 N78-11863
- WILLIAMS, J.
Commercial space: Policy analysis of
profitability of retrofit for energy conservation
[PB-269189/7] 17 p0115 N78-10591
- WILLIAMS, J. E. C.
Magnet conceptual design for a high field tokamak
reactor 19 p0349 A78-39884
- WILLIAMS, J. E.
Shenandoah Solar Recreational Center - An overview 17 p0049 A78-11281
- A novel gas adsorption cycle for solar thermal
power generation 17 p0052 A78-11323
- WILLIAMS, K. E.
The value of solar heating 17 p0004 A78-10616
- WILLIAMS, L. J.
Air transportation energy efficiency 18 p0257 N78-18540
- WILLIAMS, L., JR.
Innovations in microelectronics and solid state at
North Carolina Agricultural and Technical State
University 18 p0237 N78-16280
- WILLIAMS, O. H.
Thermochemical energy transport costs for a
distributed solar power plant 19 p0312 A78-34515
- WILLIAMS, R. J.
Parametric performance of a spiral-artery,
liquid-trap-diode heat pipe
[NASA-TN-78448] 17 p0134 N78-13368
- WILLIAMS, R. O.
Energy for agriculture and the gasification of
crop residues 19 p0368 A78-41815
- WILLIAMS, T.
Energy losses in heavy commercial vehicles
[PB-277354] 19 p0417 N78-25434

- WILLIAMS, W. B.
Comparison tests on the 100-GPM electrokinetic
fuel decontaminator and a 100-GPM military
standard filter/separator
[AD-A048655] 18 p0253 N78-18226
- WILLIAMSON, B. B.
Energy modeling and forecasting at the U.S. Energy
Research and Development Administration
19 p0316 A78-35420
- WILLIAMSON, W. B.
The application of wind energy systems to
desalination
[PB-276174/0] 18 p0285 N78-21620
The application of wind energy systems to
desalination
[PB-276174/0] 18 p0285 N78-21620
- WILLIS, E. A.
General aviation energy-conservation research
programs at NASA-Lewis Research Center
18 p0216 A78-29330
General aviation energy-conservation research
programs at NASA-Lewis Research Center
[NASA-TP-73884] 18 p0247 N78-17060
- WILMERS, G.
An update of the development on the new Audi NSU
rotary engine generation
[SAE PAPER 780418] 19 p0308 A78-33390
- WILSON, C. L.
World energy prospects to the year 2000
18 p0172 A78-22545
Energy: Global prospects, 1985-2000
19 p0312 A78-34520
- WILSON, D. G.
Alternative automobile engines
19 p0367 A78-41466
- WILSON, G. B.
Typical vehicle diurnal
[PB-270690/1] 17 p0145 N78-13633
- WILSON, I.
The role of a carbon burnup cell in reducing SO₂
emissions from fluidized-bed coal combustion
plants
[WSS/CI PAPER 77-30] 18 p0230 A78-31968
- WILSON, J. V.
Value of energy storage for direct-replacement
solar thermal power plants
[CONF-780216-2] 19 p0446 N78-26584
- WILSON, J. W.
Power deposition in volumetric /U-235/P6-He
fission-pumped nuclear lasers
18 p0235 A78-32436
- WILSON, B.
Short communication on the optimum orientation of
solar collectors - An alternative approach
17 p0075 A78-14692
- WILSON, B. B.
Performance-optimized horizontal-axis wind turbines
18 p0169 A78-22232
The effect of hub fairings on wind turbine rotor
performance
18 p0219 A78-30039
- WILSON, B. P.
Optimization of the vehicle-fuel-refinery system
18 p0257 N78-18533
- WILSON, R. H.
A model for the current-voltage curve of
photoexcited semiconductor electrodes
19 p0343 A78-39457
- WILSON, S. R.
High energy density, long life energy storage
capacitor dielectric system
19 p0359 A78-40099
- WILSON, W. B., JR.
Sulfur budget of a power plant plume
19 p0366 A78-41275
- WILSON, W. I.
Synthetic SO₂ sorbents for fluidized-bed coal
combustors
17 p0003 A78-10503
- WILTSEE, K. W., JR.
A modeling analysis of the impact of the energy
shortage on ambient air quality
19 p0320 A78-35683
- WINDHEIM, R.
Program for wind energy utilization in the
framework of nonnuclear energy research
18 p0210 A78-28556
- WINEGARNER, R. B.
Near term commercial uses for terrestrial
photovoltaics
17 p0057 A78-11361
- WINEHILLER, J. B.
NASTRAN use for cyclic response and fatigue
analysis of wind turbing towers
17 p0125 N78-12459
- WINTER, B. M.
Electrical energy transmission for OTEC power plants
19 p0301 A78-33310
Impacts and benefits of a satellite power system
on the electric utility industry
[NASA-CR-157157] 19 p0402 N78-24255
- WINJE, B.
The IPTF neutral beam power system
19 p0354 A78-39976
- WINKENS, B. P.
The construction of long-distance thermal-energy
supply systems in Mannheim within the framework
of a demonstration project
17 p0102 A78-19245
- WINKLEMAN, B.
The effect of coherent structures on open-cycle
generators
[ATAA PAPER 78-1173] 19 p0368 A78-41870
- WINN, C. B.
Simplified techniques for sizing residential solar
heating systems
17 p0047 A78-11256
Evaluation of a residential solar heating and
cooling system with high performance evacuated
tubular collectors
17 p0048 A78-11280
- WINSTON, R.
Lens-mirror combinations with maximal concentration
17 p0001 A78-10170
Novel versions of the compound parabolic
concentrator for photovoltaic power generation
17 p0023 A78-11024
Estimated cost of electricity produced by four
types of compound parabolic concentrators
17 p0055 A78-11342
Non-evacuated solar collectors with compound
parabolic concentrators
17 p0059 A78-11378
Ideal flux concentrators with reflector gaps
19 p0333 A78-37177
Non-imaging concentrators for wide angle
collection of solar energy, 2
[COC-2446-8] 17 p0160 N78-15570
- WINTER, E. R. F.
Ground as a heat source
17 p0097 A78-18816
- WINZENRIED, R. W.
Seals for geothermal roller drill bits
[ASME PAPER 77-PET-53] 17 p0077 A78-15081
- WIRTH, R.
Energy from refuse - Theoretical and practical
results
17 p0037 A78-11149
- WISANDEB, D. W.
Friction and wear of several compressor gas-path
seal movements
[NASA-TP-1128] 17 p0158 N78-15229
Friction and wear of selected metals and alloys in
sliding contact with AISI 440 C stainless steel
in liquid methane and in liquid natural gas
[NASA-TP-1150] 18 p0273 N78-20512
- WISE, D. L.
Biomass - Progress and plans
18 p0182 A78-24764
Fuel gas production from selected biomass via
anaerobic fermentation
18 p0208 A78-28366
Multi-stage digestion of municipal solid waste to
fuel gas
18 p0218 A78-29868
Investigation of converting the product of coal
gasification to methane by the action of
microorganisms, phase 1
[FE-2203-16] 18 p0280 N78-21319
Fuel gas production from animal waste, phase 1
[COC-2991-17] 18 p0280 N78-21321
Fuel gas production from animal waste, phase 1
[COC-2991-23] 19 p0415 N78-25248
- WISE, J. A.
Ribbon-to-ribbon crystal growth
17 p0014 A78-10929

- WISE, J. J.
Process variable effects in the conversion of
methanol to gasoline in a fluid bed reactor
19 p0365 A78-41223
- WISER, R. L.
Physiochemical characterization of Devonian gas
shale
[HLN-2466(OP)] 19 p0434 N78-25720
- WISER, W. H.
Residence time measurements in a coal
hydrogenation process
19 p0337 A78-38405
- WISHART, R. S.
Industrial energy in transition - A petrochemical
perspective
18 p0175 A78-23560
- WITCOWSKI, R. D.
Hydrogen fueled subsonic aircraft - A prospective
17 p0100 A78-18843
Progress on coal-derived fuels for aviation systems
[NASA-TM-78696] 19 p0420 N78-25545
- WITHERSPOON, P. A.
Modeling underground storage in aquifers of hot
water from solar power systems
17 p0050 A78-11298
Results of reservoir evaluation tests, 1976 East
Mesa Geothermal Field, California
[LBL-6369] 18 p0286 N78-21631
- WITKE, W. R.
Materials technology assessment for stirling engines
[NASA-TM-73789] 18 p0247 N78-17187
- WOHLGEMUTH, J.
Developments in vertical-junction silicon solar
cells
17 p0137 N78-13540
Nonreflecting vertical junction silicon solar cell
optimization
[AD-A046150] 17 p0151 N78-14636
- WOJCIECHOWSKI, P. R.
Performance analysis of a black liquid absorbing
collector /ELAC/
17 p0042 A78-11217
- WOLAR, J. C.
Molten salt thermal energy storage systems
[NASA-CR-135419] 19 p0405 N78-24618
- WOLF, D. A.
Heat pipe central solar receiver
[COO-2839-1] 17 p0114 N78-10579
- WOLF, H.
The near-term prospectives for photovoltaic solar
energy conversion
17 p0003 A78-10558
Experiments to evaluate high-temperature rolling
as a low-cost process for silicon solar cells
17 p0014 A78-10928
Hot forming of silicon sheet, silicon sheet growth
development for the large area silicon sheet
task of the low cost silicon solar array project
[NASA-CR-155934] 18 p0255 N78-18517
- WOLFE, H. G.
GSSPS - Taking a new approach to the space solar
power station
17 p0066 A78-13072
- WOLFE, W. P.
Experimental analysis of a straight bladed
Darrieus wind turbine
19 p0361 A78-40365
- WOLFF, U.
The block heating power station - Characteristics
and first experience
17 p0103 A78-19247
- WOLGAST, R.
Performance of an experimental solar-driven
absorption air conditioner
[LBL-5911] 17 p0161 N78-15579
- WONG, C.
Mechanical and thermal design of a gas-cooled
fusion blanket module
19 p0357 A78-40040
- WONG, G. S.
Rocketdyne's advanced coal slurry pumping program
17 p0133 N78-13266
- WONG, Y. C.
Health and safety impacts of nuclear, geothermal,
and fossil-fuel electric generation in
California. Volume 2: Radiological health and
related standards for nuclear power plants
[LBL-5285-VOL-2] 18 p0278 N78-20769
- WOOD, J. T.
Economic analysis of EBT reactor
19 p0350 A78-39895
- WOOD, B.
Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 N78-25637
- WOOD, B. D.
Solar energy measuring equipment
18 p0201 A78-27869
- WOOD, B. E.
Augmented solar energy collection using different
types of planar reflective surfaces -
Theoretical calculations and experimental results
17 p0060 A78-11386
- WOOD, D. O.
Annual review of energy. Volume 2
17 p0007 A78-10675
- WOOD, J.
Annotated bibliography of natural resource
information: Northwestern New Mexico
[PB-276024/7] 18 p0273 N78-20597
- WOOD, J. H.
Inexpensive solar collectors for agricultural
requirements
17 p0105 A78-19837
- WOOD, H. A.
Hydrodynamic control of biofouling in OTEC heat
exchangers
19 p0305 A78-33346
- WOOD, R. E.
Residence time measurements in a coal
hydrogenation process
19 p0337 A78-38405
- WOOD, R. F.
Transmutation doping of silicon solar cells
17 p0137 N78-13539
- WOOD, V. E.
Optimal electrode properties and the selection of
stabilizing electrolytes
19 p0344 A78-39470
- WOODALL, J. H.
Improved GaAs solar cells with very thin junctions
17 p0026 A78-11057
State of the art homojunction cells
19 p0343 A78-39454
- WOODARD, J. B.
STAEAC: Solar Thermal Electric Annual Energy
Calculator documentation
[SAND-77-8278] 19 p0447 N78-26588
- WOODS, J. E.
Evaluation of an energy conserving research house
involving multi-modal operation of solar and
heat pump systems
17 p0046 A78-11244
- WOODS, J. H.
Systems studies of coal conversion processes using
a reference simulator
[FE-2275-4] 19 p0390 N78-22480
- WOODS, T.
Engineering features of an upgradable ignition
test reactor
19 p0349 A78-39878
- WOODSON, H. H.
System engineering and design of a pulsed
homopolar generator power supply for the Texas
Experimental Tokamak
19 p0351 A78-39921
Homopolar generator development at the University
of Texas
[ORO-5594-7] 19 p0467 N78-27922
Test data on electrical contacts at high surface
velocities and high current densities for
homopolar generators
[CONF-771029-121] 19 p0467 N78-27924
Circuit and magnetic analysis for a system of
Faraday rotator coils driven by a two-spool,
four-rotor homopolar generator
[CONF-771029-119] 19 p0467 N78-27927
- WOOTTON, A. J.
Shaping and compression experiments in a Tokamak
17 p0011 A78-10778
- WORMHOUDT, J.
Characterization of open-cycle coal-fired MHD
generators, revision A
[FE-2478-4-REV-A] 19 p0422 N78-25566
- WORMSER, E. H.
Solar design and installation experience
18 p0181 A78-24761

- WOUK, V.
Decreasing on-board fuel consumption in heat engine/battery electric hybrids by battery depletion
[SAE PAPER 780295] 19 p0308 A78-33386
- WOYKE, G.
Catalytic gasification of coal with high-pressure steam 18 p0227 A78-31497
- WOZNIAK, E. J., JR.
Impact of domestic solar heating systems utilizing off peak storage on electric utilities 17 p0055 A78-11344
- WRIGHT, B. R.
Corrective action program for bromochloromethane-containing fire-safe diesel fuel
[AD-A043323] 17 p0119 A78-11253
- WRIGHT, D. E.
Hydrogen turbine power conversion system assessment
[NASA-CR-135298] 18 p0276 A78-20621
- WRIGHT, J. K.
Renewable energy sources and storage 18 p0233 A78-32249
- WRIGHT, J. R.
Bibliography of New Mexico geology and mineral technology, 1971-1975
[PB-278348/8] 19 p0451 A78-26699
- WRIGHT, R. E.
The design philosophy and use of high voltage power systems for multimegawatt ion beam accelerators 19 p0354 A78-39974
- WRIGHT, R. S.
Literature survey of emissions associated with emerging energy technologies
[PB-272550/5] 17 p0163 A78-15606
- WRIGHT, T. P.
Pulsed power conversion with inductive storage 19 p0353 A78-39954
- WRIGHT, W. H.
Shunt regulation electric power system
[NASA-CASR-GSC-10135] 18 p0247 A78-17296
- WRIGHTON, M. S.
Photoelectrolysis of water at high current density - Use of ultraviolet laser excitation 17 p0062 A78-11927
- Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes 19 p0343 A78-39462
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems 19 p0344 A78-39465
- WRIGLEY, C.
New developments in vertical-junction solar cells 17 p0012 A78-10907
- WRIGLEY, C. Y.
High efficiency solar cells 17 p0016 A78-10953
- Developments in vertical-junction silicon solar cells 17 p0137 A78-13540
- Energy requirement for the production of silicon solar arrays
[NASA-CR-157071] 19 p0407 A78-24643
- WRONSKI, C. E.
Solar cells using Schottky barriers on amorphous silicon 17 p0025 A78-11045
- WU, C. C.
Characteristics of chalcocite Cu_2S films produced by different methods and some properties of solar cells made from such films 17 p0018 A78-10977
- WU, C. L.
Artificial upwelling induced by ocean currents - Theory and experiment 19 p0326 A78-36274
- WU, E. H.
Optimal design of anisotropic/fiber-reinforced/flywheels 17 p0092 A78-17789
- WU, Y.-C.
Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
- WUESTER, G.
Experimental and theoretical investigation of thermochemical hydrogen production 19 p0383 A78-42859
- WURN, J.
Application analysis of solar total energy to the residential sector
[TID-28104] 19 p0431 A78-25643
- WYDLER, R.
Helium heaters of the helium turbine unit of the Oberhausen energy supply 19 p0455 A78-27440
- WYETH, N. C.
Variation of short-circuit current spectral response with $\text{Cu}/2-x/\text{S}$ composition in thin film $\text{Cu}/2-x/\text{S}/\text{CdS}$ photovoltaic cells 17 p0017 A78-10973
- Y
YA HSANALA, H.
Studies on coal reactivity - Kinetics of lignite pyrolysis in nitrogen at 808 C 17 p0079 A78-15831
- YADAV, K. S.
Effects of temperature on the performance of silicon solar cells 19 p0371 A78-42117
- YAGI, T.
Use of an enzymic electric cell and immobilized hydrogenase in the study of the biophotolysis of water to produce hydrogen 18 p0207 A78-28355
- YAHADA, I.
Solar cells by ionized-cluster beam deposition and epitaxial techniques 17 p0013 A78-10912
- YAHADA, M. H.
Economic analysis of vapor recovery systems on small bulk plants
[PB-269884/3] 17 p0117 A78-10636
- YAHADA, Y.
Ionic thermoelectric power of superionic conductors 18 p0192 A78-26705
- YANAGISHI, T.
Control system of plasma position and cross-sectional shape in large tokamak device 19 p0346 A78-39800
- YANAGUCHI, I.
Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050
- YANANOTO, K.
The progress and the development program of fusion technology in Japan 17 p0038 A78-11162
- Development on exhaust emissions and fuel economy of the rotary engine at Toyo Kogyo
[SAE PAPER 780417] 19 p0308 A78-33389
- YANANOTO, M.
Experimental study on house cooling and heating with solar energy using flat plate collector 17 p0083 A78-16831
- YANANOTO, Y.
Biological conversion of light energy into electrochemical potential 18 p0208 A78-28360
- YANAWAKA, C.
Computer simulation on laser plasma compression 19 p0362 A78-40386
- YANAWAKA, K.
Formation of a high-current relativistic-electron-beam ring for plasma confinement 17 p0012 A78-10887
- YANANE, K.
Combustion improvement in a hydrogen fueled engine 17 p0080 A78-16050
- YANASHITA, T.
Polycrystalline thin film CdS/CdTe solar cells 18 p0225 A78-31210
- YANASE, Y.
Thermo-nuclear fusion plasma produced by CO_2 laser 19 p0362 A78-40385

- YANG, E. S.
The effects of illumination on the depletion-region recombination currents in Schottky-barrier solar cells
17 p0026 A78-11052
- YANG, R. T.
Regenerative process for desulfurization of high temperature combustion and fuel gases
[BNI-50706] 19 p0427 N78-25610
- YANG, S. T.
Two-component, multiple-mirror reactor with depressed ion temperature
19 p0380 A78-42263
- YANKURA, E. S.
Coal dryer emission control with the energy saving centripetal vortex wet scrubber
[APCA PAPER 77-17,5] 18 p0185 A78-25424
- YANNOPOULOS, L. N.
Experimental determination of alkali impurity release from various dolomites
17 p0073 A78-14218
- YANOW, G.
Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors
[NASA-CR-157169] 19 p0419 N78-25535
- YASUI, R. K.
A solar array strip and a method for forming the same
[NASA-CASE-WFO-13652-3] 19 p0421 N78-25560
- YASUTOMO, Y.
Measurement of a theta-pinch plasma by holographic interferometry
18 p0192 A78-26624
- YATROV, S. H.
Methods of forecasting of scientific and technical progress in the production and consumption of fuel and energy resources
[DOE-TB-24] 19 p0461 N78-27573
- YATSU, S.
Electrical and thermal instabilities and their suppression in thermally equilibrium MHD plasma
18 p0192 A78-26622
- YAUERBAUM, L.
Fluidized bed combustion of coal and waste materials
19 p0309 A78-33803
- YAVORSKY, P. H.
Coagulation and filtration of solids from liquefied coal of SYNTHOIL process
18 p0191 A78-26587
Filterability of a coal-derived liquid
18 p0191 A78-26588
Experience in feeding coal into a liquefaction process development unit
17 p0131 N78-13242
- YAWS, C. L.
Process feasibility study in support of silicon material task 1
[NASA-CR-157030] 19 p0396 N78-23561
- YRAGER, E. B.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505] 19 p0423 N78-25578
- YEARGAN, J. B.
Thermophotovoltaic systems for electrical energy conversion
17 p0023 A78-11031
- YEE, S. T.
Influence of wind turbine foundation
18 p0266 N78-19626
- YEH, Y. C. H.
Single crystal and polycrystalline GaAs solar cells using AMOS technology
17 p0025 A78-11044
- YELLOTT, J. I.
Passive solar heating and cooling systems
18 p0175 A78-23425
Solar heating and cooling of homes
18 p0201 A78-27867
- YEN, J. T.
Harnessing the wind
18 p0216 A78-29222
Aerodynamic augmentation of wind turbines
19 p0361 A78-40366
- YEN, T. P.
Coal-liquefaction products from major demonstration processes. I - Separation and analysis
18 p0180 A78-24625
- Separation of coal liquids from major liquefaction processes to meaningful fractions
18 p0191 A78-26590
- YENETCHI, G.
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135244] 17 p0150 N78-14632
Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135245] 17 p0150 N78-14633
- YEO, B. S.
Hydrogen-chlorine energy storage system
[BNI-23670] 19 p0460 N78-27558
- YESAVAGE, V. P.
Enthalpy measurement of coal-derived liquids
[FE-2035-10] 19 p0452 N78-26962
- YOO, H. I.
Silicon solar cells on metallurgical silicon substrates
17 p0013 A78-10915
Purification and characterization of metallurgical silicon
18 p0219 A78-30191
- YORK, G. W.
Sodium vapor heat pipe laser cell
[AIAA 78-392] 19 p0317 A78-35587
- YOSHIDA, H.
Polycrystalline thin film CdS/CdTe solar cells
18 p0225 A78-31210
Two-dimensional analysis of diagonal MHD generator via equivalent circuit
19 p0293 A78-32833
Analysis of end effects in diagonal type MHD generator by means of equivalent circuit
19 p0327 A78-36320
- YOSHIDA, S.
Efficiency of Drude mirror-type selective transparent filters for solar thermal conversion
17 p0105 A78-19893
- YOSHIDA, T.
Desulfurization of petroleum residues and their carbonization properties
19 p0337 A78-38406
- YOSHIMAWA, S.
Shear stabilization of collisional drift instability
19 p0369 A78-42022
- YOSHIN, S. J.
Production of low-Btu gas from wastes, using molten salts
18 p0197 A78-27804
- YOU, H.-Z.
A reactive-heat-pipe for combined heat generation and transport
[AIAA 78-440] 19 p0318 A78-35620
- YOUNG, D. W.
Petroleum fuel additives - A case for recognition
18 p0216 A78-29290
- YOUNG, J. E.
Laboratory support for in situ gasification reaction kinetics
[ANL/CEN/FE-77-2] 19 p0423 N78-25575
- YOUNG, J. P.
Limitation of 3547 to 1182 Å conversion efficiency in Xe
18 p0215 A78-28924
- YOUNG, L. E.
Status of wraparound contact solar cells and arrays
[NASA-TM-78911] 19 p0443 N78-26543
High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1
[NASA-CR-157264] 19 p0457 N78-27530
High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2
[NASA-CR-157265] 19 p0457 N78-27531
- YOUNG, R. T.
Transmutation doping of silicon solar cells
17 p0137 N78-13539
- YOUNG, W. C.
The UWEAK-II study and magnet design
17 p0038 A78-11169
Structural and mechanical design of tokamaks
[ASME PAPER 77-WA/NE-2] 19 p0299 A78-33186

- YOUNG, W. E.
Development, testing, and evaluation of MHD materials and component designs [FE-2248-15] 19 p0436 N78-26217
- YOUNG, W. S.
Quenching of nitric-oxide formation in methane-air flames by secondary-air injection 17 p0081 A78-16338
- YOUNGDAHL, C. K.
Mechanical design and analysis for a PPE first wall/blanket/shield system 19 p0359 A78-40095
- YOUNGLOVE, B. A.
Cryogenic fluids density reference system: Provisional accuracy statement [PB-275450/5] 18 p0272 N78-20376
- YOUSSEFIAN, V.
Characterization of open-cycle coal-fired MHD generators, revision A [FE-2478-4-REV-A] 19 p0422 N78-25566
- YU, W. S.
Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies [BNL-50667] 19 p0409 N78-24676
- YUAN, S. W.
Heat transfer in solar energy storage [ASME PAPER 77-HT-38] 17 p0089 A78-17487
- YUDOW, B.
Alternative forms of energy transmission from OTEC plants 19 p0301 A78-33312
Alternative energy transmission systems from OTEC plants, Project 8980. [DSE/2426-8] 17 p0153 N78-14658
Alternative forms of energy transmission from OTEC plants [CONF-770331-5] 18 p0241 N78-16453
Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-12] 18 p0242 N78-16454
Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSF-00033/76/TI] 19 p0409 N78-24677
Application analysis of solar total energy to the residential sector [TID-28103] 19 p0429 N78-25624
Application analysis of solar total energy to the residential sector [TID-28104] 19 p0431 N78-25643
- YUEN, S. Y.
Mechanism for the omega/pe/ radiation in Tokamaks 18 p0225 A78-31215
- YUKO, H. J.
Measurements on the effect of planar reflectors on the flux received by flat-plate collectors 17 p0060 A78-11387
- YUNG, D.
Water conservation and pollution control in coal conversion processes [PB-269568/2] 17 p0128 N78-12556
- YUSOFF, H. B.
The effects of air leaks on solar air collector behaviour 19 p0313 A78-34932
- Z**
- ZABARNYI, G. H.
Investigation of hydrodynamic flows of a heat transfer fluid in zones of artificial porosity 18 p0172 A78-22537
- ZACHARIAS, P.
Further Stirling engine development work. II 17 p0093 A78-18049
- ZADGAONKAR, A. S.
A suggestion for improving the heat transfer from solar heaters 19 p0374 A78-42146
- ZADIRANOV, I. U. H.
Photocells based on AlGaAs heterostructure with a transition layer 19 p0341 A78-38941
- ZAGAL, J.
Improved cathodes for phosphoric acid fuel cells [EPRI-EH-505] 19 p0423 N78-25578
- ZAITSEVA, A. K.
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base 19 p0326 A78-36134
- ZAKARIA, V.
Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding [FE-2600-1] 19 p0402 N78-24325
- ZAKHABIYA, B.
Self-supporting active solar energy system 17 p0078 A78-15411
- ZAKHARKO, I. U. A.
Variation in excess oxidant factor in combustion products of MHD generator 17 p0066 A78-13155
Some results of applying the MHD method in power engineering 18 p0204 A78-28086
Fuel-combustion control in the combustion chamber of an MHD generator 19 p0385 A78-42978
- ZAKHIDOV, B. A.
Analysis and classification of methods for calculating concentrating systems 17 p0064 A78-12386
Estimating the deformation process in the formation of the reflecting surface of solar concentrators 18 p0187 A78-25735
Engineering estimate of the quality of facets obtained by a deformation method of form giving 18 p0214 A78-28890
General principles of calculating multielement concentrating systems 19 p0326 A78-36136
Technique of testing silazane coatings 19 p0331 A78-36859
Radiative heat transfer in axially symmetric hollow collectors of high-temperature solar installations 19 p0331 A78-36860
Analysis and classification of concentrating-system design methods 19 p0331 A78-36863
- ZAKKAY, V.
The use of fluidized beds for heating air for wind tunnels [AIAA 78-818] 18 p0234 A78-32372
- ZAKS, H. B.
Analysis of the characteristics of semiconductor photocells in the 100-400 K temperature range 19 p0336 A78-37950
- ZALKIND, V. I.
Cathode spots on metallic electrodes under the conditions of the channel of an MHD generator 17 p0002 A78-10243
- ZANIO, K.
Indium phosphide/cadmium sulfide thinfilm terrestrial solar cells [AL0/3717-1] 19 p0462 N78-27581
- ZAR, J.
Design of superconducting magnets for full scale MHD generators 18 p0183 A78-25108
- ZARIPOV, V. K.
Investigation of the effective thermal conductivity of metal-fiber wicks in low-temperature heat pipes 19 p0308 A78-33573
- ZATELEPIN, V. M.
Influence of the nonuniformity of the field of force on the flow in an MHD channel 18 p0216 A78-28951
- ZAUDERER, B.
Coal fired non-equilibrium, Closed Cycle MHD/steam power generation [ASME PAPER 77-WA/ENER-8] 19 p0298 A78-33146
- ZAWIERUCHA, B.
Ocean thermal power plants heat exchangers [ERDA/NSF-43441/76/1] 19 p0410 N78-24681
- ZBASNIK, J. P.
Mechanical engineering department [UCRL-50016-77-3] 19 p0431 N78-25645
- ZEDDT, E.
Energy resources offered by natural photosynthesis 18 p0197 A78-27790

- ZEIGNER, V. L.**
Design of the power amplifier for the HEGF at LASL
19 p0349 A78-39861
- ZEIN EL DEEN, A.**
New concepts and results concerning the mechanism of carbon monoxide hydrogenation. I - Organic oxygen compounds produced during medium-pressure synthesis with iron catalysts. II - Evolution of reaction steps on the basis of detailed product composition and other data
19 p0337 A78-38404
- ZEITIAN, B. A.**
General Electric conceptual design of a test coil for the large coil program
19 p0351 A78-39928
- ZEITLIN, B. A.**
Fast ramp superconductor for ohmic heating coils
19 p0356 A78-40009
- ZELBY, L. W.**
Net energy analysis of an Ocean Thermal Energy Conversion (OTEC) system
[ORAU/IEA (M)-77-1]
18 p0288 N78-21652
- ZELENER, B. V.**
Universal formula for the electroconductivity of a plasma formed from the combustion products of a hydrocarbon fuel
18 p0204 A78-28120
Electrical conductivity of a plasma composed of the combustion products of hydrocarbon fuels with alkali additions
19 p0341 A78-38965
- ZEMKOSKI, J.**
The potential for application of energy storage capacity on electric utility systems in the United States. II
17 p0030 A78-11087
- ZEMP, K. L.**
Development of working fluid thermodynamic properties information for geothermal cycles; phase 1
[ORO-S249-1]
17 p0143 N78-13600
- ZENER, C.**
A comparison of two generic OTEC systems and missions
19 p0300 A78-33304
The foam OTEC system - A proposed alternative to the closed cycle OTEC system
19 p0306 A78-33350
- ZHELEZKO, IU. S.**
Voltage-regulation requirements in power-supply centers in the case of nonuniform user-loads
18 p0189 A78-26265
- ZHELININ, V. A.**
Two-dimensional electrical effects in a frame-type MHD channel
17 p0103 A78-19269
- ZHIDKOVA, E. V.**
Spectral characteristics of photoconverters with nonuniform distribution of defects in the base
19 p0326 A78-36134
- ZHILINSKII, A. P.**
Hall effect on an rf induction discharge
17 p0070 A78-13857
- ZHOLUBOV, IA. S.**
Investigation of combustion stability in an MHD-generator combustion chamber
19 p0292 A78-32715
- ZHOLUDOV, IA. I.**
Refractory periclase materials and means of using them in high-temperature power plants
19 p0328 A78-36566
- ZHUKOV, I. T.**
The effect of burner design and operational factors on the emission of nitrogen oxides when burning an anthracite/slurry mixture
19 p0335 A78-37861
- ZHUKOV, K. V.**
Prospects for using Fresnel lenses for concentrating systems of solar energy equipment
17 p0064 A78-12388
Prospect for using Fresnel lenses for the concentrating systems of solar installations
19 p0331 A78-36865
- ZIAJKA, P.**
Production of fusion energy by vortex structure compression
19 p0338 A78-38419
- ZIEGENBEIN, B.**
The BBC solar house - Design and operating experience
17 p0068 A78-13454
The sun satisfies two thirds of the heat requirements
17 p0072 A78-14098
- ZIEGENBEIN, K.**
The further development of the Spacelab/Space Shuttle system - A first step towards a space station
[DGLR PAPER 77-041]
18 p0180 A78-24430
- ZIEGER, W. H.**
Environmental assessment of coal liquefaction.
[PB-278333/0]
19 p0451 N78-26654
- ZIEGLER, A.**
Investigation of wind energy
17 p0072 A78-14102
- ZIEGMAN, B.**
Characteristics of high intensity HI/edge-illuminated multijunction silicon solar cells - Experimental results and theory
17 p0023 A78-11026
- ZIELINSKI, B. E.**
Interactive data management and analysis system for the Eastern Gas Shale Program
[MLH-2469 (OP)]
19 p0401 N78-23988
Geochemical characterization of Devonian gas shale
[MLH-2467 (OP)]
19 p0434 N78-25719
Physicochemical characterization of Devonian gas shale
[MLH-2466 (OP)]
19 p0434 N78-25720
- ZIMMER, P. B.**
Optimization of coatings for flat plate solar collectors, phase 2
[COO-2930-12]
19 p0444 N78-26565
- ZIMMERMAN, W. F.**
Development and fabrication of a diffusion welded Columbian alloy heat exchanger
[AIME PAPER A78-61]
18 p0228 A78-31500
- ZIMMERHANN, D.**
CODAS - The proposed control and data acquisition system for JET
19 p0355 A78-39986
- ZIMMERHANN, K. J.**
Study of test methods for large flexible solar arrays (VELSA)
[ESA-CR(P)-1016]
19 p0411 N78-24688
- ZINN, K. G.**
Augmented solar energy collection using different types of planar reflective surfaces - Theoretical calculations and experimental results
17 p0060 A78-11386
- ZIPKIN, S. A.**
Evolution of the aircraft gas turbine engine
18 p0220 A78-30257
- ZIPURSKY, H.**
Freedom and constraints in solar power satellite design
[AAS 77-200]
19 p0329 A78-36702
- ZHENER, G. S.**
Estimating the deformation process in the formation of the reflecting surface of solar concentrators
18 p0187 A78-25735
- ZOLDAK, F. D.**
Reduction of nitrogen oxide emissions from field operating package boilers, phase 3
[PB-269277/0]
17 p0121 N78-11526
- ZOOK, J. D.**
Dip-coated sheet silicon solar cells
17 p0014 A78-10926
Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project
[NASA-CR-155613]
18 p0248 N78-17464
Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project
[NASA-CR-157072]
19 p0406 N78-24627
- ZORICH, I.**
Prospects for power generation from space
19 p0468 N78-28039
- KOUTENDYK, J. A.**
Development of low-cost silicon crystal growth techniques for terrestrial photovoltaic solar energy conversion
18 p0220 A78-30268

ZUCCHETTO, J.

PERSONAL AUTHOR INDEX

ZUCCHETTO, J.

Comparison of the fossil fuel energy requirements
for solar, natural gas, and electrical water
heating systems

17 p0106 A78-20244

ZUSHI, H.

A small tokamak 'Nova II'

19 p0327 A78-36319

ZUVERS, H. E.

The Princeton neutral injection power supply system

19 p0354 A78-39975

ZVIRIN, Y.

The natural circulation solar heater-models with
linear and nonlinear temperature distributions

19 p0369 A78-42064

ZWERDLING, S.

Merits of ion-implantation processes in
conjunction with appropriate annealing procedure
for fabrication of silicon solar cells

17 p0015 A78-10945

Novel versions of the compound parabolic
concentrator for photovoltaic power generation

17 p0023 A78-11024

ZYCH, L. J.

Limitation of 3547 to 1182 Å conversion efficiency
in Xe

18 p0215 A78-28924

ZYGIELBAUM, P. S.

National program for MHD power generation

17 p0010 A78-10745

ZYKOVA, N. N.

Conditions for the constricted discharge at
electrodes in a combustion product plasma


18 p0193 A78-27127

CORPORATE SOURCE INDEX

ENERGY / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Corporate Source Index Listing



The title of the document is used to provide a brief description of the subject matter. The issue, page number and NASA or AIAA accession number are included in each entry to assist the user in locating the abstract in the abstract section of an individual supplement of *Energy*. If applicable, a report number is also included as an aid in identifying the document.

A

- ACADEMY OF SCIENCES (USSR), MOSCOW.**
A Tokamak reactor and an MHD energy conversion system (the TVE-2500 project) 18 p0278 N78-20942
- ACTON CORP., CLEVELAND, OHIO.**
Acton mass flow system applied to PFBC feed 17 p0133 N78-13267
- ACUREX CORP., MOUNTAIN VIEW, CALIF.**
Application of solar energy to the supply of industrial process hot water: Preliminary design and performance report. Volume 1: Technical report [SAN/1218-3-VOL-1] 19 p0422 N78-25569
- AD HOC COMMITTEE ON THE USE OF HYDROGEN AS A SUPPLEMENT TO NATURAL GAS.**
Evaluation of the use of hydrogen as a supplement to natural gas [TID-27747] 18 p0281 N78-21323
- ADDIS TRANSLATIONS INTERNATIONAL, PORTOLA VALLEY, CALIF.**
High-voltage high-current breaker and closer for power systems with inductive storage devices [UCRL-TRANS-11310] 19 p0454 N78-27344
- AERODYNE RESEARCH, INC., BEDFORD, MASS.**
Characterization of open-cycle coal-fired MHD generators, revision A [FE-2478-4-REV-A] 19 p0422 N78-25566
- AEROSPACE CORP., EL SEGUNDO, CALIF.**
High efficiency solar photovoltaic power module concept [NASA-CR-157002] 19 p0395 N78-23555
- Hybrid vehicle technology constraints and application assessment study. Volume 1: Summary [PB-278118/5] 19 p0464 N78-27596**
- Hybrid vehicle technology constraints and application assessment study. Volume 2: Sections 1 through 4 [PB-278119/3] 19 p0464 N78-27597**
- Hybrid vehicle technology constraints and application assessment study. Volume 3: Sections 5 through 9 [PB-278120/1] 19 p0464 N78-27598**
- Hybrid vehicle technology constraints and application assessment study. Volume 4: Sections 10, 11, and appendix [PB-278121/9] 19 p0465 N78-27599**
- AEROSPACE CORP., LOS ANGELES, CALIF.**
Intercity rail energy intensity for passenger movement 18 p0258 N78-18546
- Energy intensity of various transportation modes 18 p0260 N78-18555**
- AEROSPACE ENGINEERING OFFICE, ZURICH (SWITZERLAND).**
Study of test methods for large flexible solar arrays (VELSA) [ESA-CR(P)-1016] 19 p0411 N78-24688
- AEROVIRONMENT, INC., PASADENA, CALIF.**
Air quality analysis of the Southern California Bight in relation to potential impact of offshore oil and gas development [PB-279088/9] 19 p0467 N78-27665
- AIR FORCE ACADEMY, COLO.**
High energy density pelletized aluminum chloride thermal batteries. Part 2: Cathode screening [AD-A043659] 17 p0120 N78-11502
- AIR FORCE AERO PROPULSION LAB., WRIGHT-PATTERSON AFB, OHIO.**
A Review of Air Force space photovoltaic development efforts 17 p0136 N78-13530
- AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER, SCOTT AFB, ILL.**
Estimates of satellite-to-earth microwave attenuation by cloud, rain, oxygen, and water vapor [AD-A052581] 19 p0404 N78-24431
- AIR FORCE INST. OF TECH., WRIGHT-PATTERSON AFB, OHIO.**
Net energy analysis model for the evaluation of a solar heating, ventilation and air conditioning system [AD-A047433] 18 p0251 N78-17487
- Solar electric generating system resource requirements and the feasibility of orbiting solar reflectors [AD-A048908] 18 p0269 N78-19663**
- The determinants of the demand for residual fuel oil in the U.S. east coast market, 1960-1976 [AD-A051131] 19 p0403 N78-24372**
- AIRESEARCH MFG. CO., PHOENIX, ARIZ.**
Ceramic technology readiness program [FE-2664-3] 19 p0454 N78-27279
- Closed gas turbine heater program [TID-28200] 19 p0455 N78-27441**
- AIRESEARCH MFG. CO., TORRANCE, CALIF.**
Engineering tests for energy storage cars at the Transportation Test Center. Volume 1: Program description and test summary [PB-269400/8] 17 p0109 N78-10483
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 2: Performance power consumption and radio frequency interference tests [PB-269401/6] 17 p0110 N78-10484**
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 3: Noise tests [PB-269402/4] 17 p0110 N78-10485**
- Engineering tests for energy storage cars at the Transportation Test Center. Volume 4: Ride Roughness tests [PB-269403/2] 17 p0110 N78-10486**
- Prototype solar heating and cooling systems [NASA-CR-150570] 18 p0268 N78-19655**
- Preliminary design package for solar heating and cooling systems [NASA-CR-150674] 19 p0456 N78-27519**
- Preliminary design activities for solar heating and cooling systems [NASA-CR-150673] 19 p0458 N78-27537**
- AKRON UNIV., OHIO.**
Research of low cost wind generator rotors 18 p0267 N78-19639

ALABAMA A & M UNIV., HUNTSVILLE.

Parametric study of rock pile thermal storage for solar heating and cooling phase 1
[NASA-CR-155336] 17 p0138 N78-13552

ALABAMA UNIV., HUNTSVILLE.

Solar Heating and Cooling Demonstration Program Contractor's Review. Summary and analysis of workshop and panel sessions
[CONF-771229-SUMM] 19 p0448 N78-26608

ALABAMA UNIV., UNIVERSITY.

Development of surfaces optically suitable for flat solar panels
[NASA-CR-150539] 18 p0250 N78-17477

ALASKA UNIV., FAIRBANKS.

Wind power potential of Alaska. Part 2: Wind duration curve fits and output power estimates for typical windmills
[BLO/2229/T12-76/1-PT-2] 17 p0113 N78-10578

AMERICAN ENERGY RESEARCH CO., MCLEAN, VA.

Sources of alcohol fuels for vehicle fleet tests
[CONS/2693-1] 19 p0415 N78-25242

AMERICAN MATHEMATICAL SOCIETY, PROVIDENCE, R.I.

Mathematical aspects of production and distribution of energy: Proceedings of symposia in applied mathematics of the American Mathematical Society, volume 21
[PB-278350/4] 19 p0449 N78-26619

AMERICAN SOCIETY OF INTERNATIONAL LAW, WASHINGTON, D. C.

Ocean thermal energy conversion: Legal, political, and institutional aspects
[PB-274123/9] 18 p0261 N78-18568

AMERICAN UNIV., WASHINGTON, D. C.

Definition of chemical and electrochemical properties of a fuel cell electrolyte
[AD-A050920] 19 p0389 N78-22476

AMES LAB., IOWA.

Environmental effects of burning solid waste as fuel
[IS-M-124] 19 p0466 N78-27637

ANALYTICAL AND COMPUTATIONAL MATHEMATICS, INC., HOUSTON, TEX.

Effects of solar radiation pressure on the orbit of the Solar Power Satellite
18 p0230 N78-31916

Orbital motion of the solar power satellite
[NASA-CR-151603] 17 p0158 N78-15148

ARCO SOLAR, INC., CHATSWORTH, CALIF.

Terrestrial solar cell module automated array assembly, task 4
[NASA-CR-156982] 19 p0396 N78-23565

ARGONNE NATIONAL LAB., ILL.

Design and cost study of nickel-zinc batteries for electric vehicle
[ANL-R-76-3541-1] 17 p0114 N78-10585

Coal feed component testing for CDIP
17 p0133 N78-13262

HYCOSOS: A chemical heat pump and energy system based on metal hydrides
[ANL-77-39] 18 p0238 N78-16334

Experimental two-phase liquid-metal magnetohydrodynamic generator program
[AD-A046951] 18 p0240 N78-16444

Proceedings of the Energy Research and Development Administration Conference on Cogeneration and Integrated Energy/Utility Systems
[CONF-770632] 18 p0287 N78-21644

Modifications and costs of converting to low sulfur western coals
[CONF-771024-3] 19 p0392 N78-23249

Transition to decentralized energy systems
[CONF-7710101-1] 19 p0397 N78-23582

Long-term availability of water resources for energy development in the central United States
[CONF-7710101-5] 19 p0397 N78-23584

Supportive studies in fluidized-bed combustion
[PB-276974/3] 19 p0399 N78-23604

EBV ball-valve stem failure: Synthane coal-gasification pilot plant, failure analysis report
[ANL/MSD/FE-77-4] 19 p0404 N78-24559

Alternative fuel cycle options: Performance characteristics and impact on nuclear power growth potential
[ANL-77-70] 19 p0412 N78-24920

Central heating: Package boilers
[ANL/CES/FE-77-6] 19 p0422 N78-25564

Analysis of a high-temperature coal combustor according to a one-dimensional flow model
[ANL/MSD-77-2] 19 p0422 N78-25568

Laboratory support for in situ gasification reaction kinetics
[ANL/CEN/FE-77-2] 19 p0423 N78-25575

High-performance batteries for stationary energy storage and electric-vehicle propulsion
[ANL-77-68] 19 p0425 N78-25593

Nondestructive evaluation needs for coal liquefaction
[ANL-77-61] 19 p0426 N78-25606

Battery storage performance requirements for terrestrial solar photovoltaic power systems
[ANL/OEPH-77-3] 19 p0428 N78-25614

Performance and testing of a stationary concentrating collector
[CONF-770953-7] 19 p0429 N78-25627

CPC thermal collector test plan
[CONF-770953-6] 19 p0429 N78-25628

Conceptual design of a 5x CPC for solar total energy systems
[CONF-770953-5] 19 p0429 N78-25629

Instrumentation and process control for fossil demonstration plants
[ANL/FE-49622-9] 19 p0430 N78-25640

Experimental two-phase liquid-metal magnetohydrodynamic generator program
[ANL-MSD-77-3] 19 p0432 N78-25651

Plasma driving system requirements for commercial Tokamak fusion reactors
[CONF-771029-191] 19 p0434 N78-25923

Thermal hydraulic analyses of two fusion reactor first wall/blanket concepts
[CONF-771029-178] 19 p0434 N78-25930

Solid waste utilization: Pyrolysis
[ANL/CES/TE-77-15] 19 p0435 N78-26038

Advanced fuel cell development
[ANL-77-79] 19 p0445 N78-26571

Implications of the 1977 Clean Air Act amendments for energy research and development
[CONF-7710101-2] 19 p0450 N78-26642

Studies on two-phase flow mixing pertaining to liquid-metal magnetohydrodynamic power generation
[CONF-771098-1] 19 p0452 N78-26933

Potential energy savings in commercial/residential communities based on integrated systems design
[CONF-771120-21] 19 p0464 N78-27592

ARIZONA STATE UNIV., TEMPE.

Electron emission from nickel-alloy surfaces in cesium vapor
18 p0188 N78-26112

Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment
[AD-A042389] 17 p0112 N78-10563

Solar energy conversion: An analysis of impacts on desert ecosystems
[COO-4339-1] 19 p0427 N78-25612

ARKANSAS UNIV., LITTLE ROCK.

Effects of environmental protection regulation on regional economic development
[PB-278918/8] 19 p0468 N78-28015

ARMY COLD REGIONS RESEARCH AND ENGINEERING LAB., HANOVER, N. H.

Mechanics of cutting and boring. Part 6: Dynamics and energetics of transverse rotation machines
[AD-A045127] 17 p0135 N78-13444

ARMY CONSTRUCTION ENGINEERING RESEARCH LAB., CHAMPAIGN, ILL.

Technology evaluation of Army-scale waste-to-energy systems
[AD-A042578] 17 p0112 N78-10567

ARMY MOBILITY EQUIPMENT RESEARCH AND DEVELOPMENT CENTER, FORT BELVOIR, VA.

Comparison tests on the 100-GPM electrokinetic fuel decontaminator and a 100-GPM military standard filter/separator
[AD-A048655] 18 p0253 N78-18226

ASL ENGINEERING, GOLETA, CALIF.

Near-term electric vehicle program, phase 1
[SAN/1295-1] 18 p0273 N78-20448

ASSOCIATION AERONAUTIQUE ET ASTRONAUTIQUE DE FRANCE, PARIS.

Helicopters and energy savings
[AAAF-WT-77-25] 19 p0401 N78-24128

- Supersonic transportation faced with energy savings
[AAAF-NT-77-28] 19 p0402 N78-24131
- ATOMIC ENERGY ORGANIZATION OF IRAN, TEHERAN.
Study of some recent advances in the concept and design of MHD generators
[AEOI-26] 18 p0289 N78-21662
- ATOMICS INTERNATIONAL, CANOGA PARK, CALIF.
Commercial applications of solar total energy systems
[AI-ERDA-13203] 19 p0427 N78-25613
- AUBURN UNIV., ALA.
Subsurface waste-heat storage: Experimental study
[ORO-5003-1] 19 p0459 N78-27554
- AUTOMATION INDUSTRIES, INC., SILVER SPRING, MD.
Energy/environment 2. Proceeding of 2nd National Conference on the Interagency R and D Program
[PB-277917] 19 p0433 N78-25678
- AVCO-EVERETT RESEARCH LAB., EVERETT, MASS.
MHD generator component development
[FE-2519-1] 19 p0447 N78-26596
- Development program for MHD power generation. Volume 4: Superconducting magnet study
[FE-2015-16-VOL-4] 19 p0455 N78-27447

B

- BABCOCK AND WILCOX CO., ALLIANCE, OHIO.
Evaluation of devolatilization concept
[EPRI-AP-608] 19 p0430 N78-25639
- Characteristics of solvent refined coal: Dual register burner tests
[EPRI-PP-628] 19 p0437 N78-26232
- BABCOCK AND WILCOX CO., BARBERTON, OHIO.
Babcock and Wilcox's experience with two-phase flow mixtures of coal and gas
17 p0132 N78-13254
- BALL STATE UNIV., MUNCIE, IND.
The linear Fresnel lens - Solar optical analysis of tracking error effects
17 p0059 A78-11375
- BARRY (THEODORE) AND ASSOCIATES, LOS ANGELES, CALIF.
SANICS support study. Volume 1: Cost account catalog
[NASA-CR-157131] 19 p0412 N78-24974
- BATTELLE COLUMBUS LABS., OHIO.
Characterization of terrestrial service environments - The simultaneous occurrence of combined conditions of solar insolation and climatic variables
17 p0049 A78-11283
- Applications of Seasat to the offshore oil, gas and mining industries
[AIAA 77-1583] 17 p0069 A78-13666
- A survey of the use of ceramics in battery and fuel cell applications
[AD-A044888] 17 p0126 N78-12534
- A novel dry coal feeding concept for high-pressure gasifiers
17 p0132 N78-13257
- Heat source component development program
[BNI-X-679] 17 p0141 N78-13580
- Survey of the applications of solar thermal energy systems to industrial process heat. Volume 1: Summary
[TID-27348/1-VOL-1] 17 p0153 N78-14656
- Agglomerating burner gasification process: Design, installation, and operation of a 25-ton-a-day process development unit
[FE-1513-64] 19 p0409 N78-24675
- Study of heat transfer through refractory lined gasifier vessel walls
[FE-2210-20] 19 p0417 N78-25376
- Agglomerating burner gasification process: design, installation, and operation of a 25-ton-a-day process development unit.
[FE-1513-69] 19 p0426 N78-25600
- An agenda for technology assessment in the materials field. Volume 1: Principal findings
[PB-278639/0] 19 p0453 N78-27009
- An agenda for technology assessment in the materials field. Volume 2: Appendices
[PB-278640/8] 19 p0453 N78-27010
- BATTELLE INST., FRANKFURT AM MAIN (WEST GERMANY).
Scenarios for chemical technology
[BHPT-PB-T-77-01] 17 p0123 N78-11897
- BATTELLE PACIFIC NORTHWEST LABS., RICHLAND, WASH.
Approach to valuing visual pollution from western electricity production
[BNWL-2103] 17 p0117 N78-10613
- Postulated weather modification effects of large energy releases
[BNWL-2162] 17 p0117 N78-10672
- Investigation of international energy economics
[BNWL-2134] 17 p0140 N78-13571
- Our energy future: Where is reality
[BNWL-SA-6029] 17 p0140 N78-13574
- GEOCITY: A computer code for calculating costs of district heating using geothermal resources
[BNWL-2208] 17 p0151 N78-14644
- Ocean thermal energy conversion system biofouling and corrosion problems
[BNWL-SA-5970] 17 p0154 N78-14662
- Analysis of electricity production costs from the geopressured geothermal resource
[BNWL-2192] 18 p0241 N78-16449
- Flow field analysis
18 p0265 N78-19623
- Geothermal energy potential for district and process heating applications in the US: An economic analysis
[BNWL-2311] 18 p0288 N78-21649
- Description and comparison of energy impact assessment models
[BNWL-2107] 18 p0290 N78-21671
- Development, characterization, and evaluation of materials for open cycle MHD
[BNWL-2004-6] 19 p0397 N78-23583
- Effect of generalized wind characteristics on annual power estimates from wind turbine generators
[PWL-2436] 19 p0399 N78-23597
- Characterization of substances in products, effluents and wastes from synthetic fuel development processes
[BNWL-2224] 19 p0410 N78-24683
- Effect of liquid waste discharges from steam generating facilities
[BNWL-2393] 19 p0450 N78-26634
- Corrosion of iron-base alloys versus alternate materials in geothermal brines
[PWL-2456] 19 p0454 N78-27264
- Brine chemistry and combined heat/mass transfer. Volume 2: Appendixes
[EPRI-ER-635-VOL-2] 19 p0462 N78-27578
- Management of social and economic impacts associated with the construction of large-scale projects: Experiences from the Western coal development communities
[BNWL-RAP-16] 19 p0468 N78-27975
- BDM CORP., MCLEAN, VA.
A technology assessment of offshore industry. The United States offshore industry. Current status, trends and forecast 1976 - 2000, volume 1
[PB-272983/8] 18 p0246 N78-16947
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000, volume 2
[PB-272984/6] 18 p0246 N78-16948
- A technology assessment of offshore industry and its impact on the maritime industry 1976 - 2000. Executive summary
[PB-272985/3] 18 p0246 N78-16949
- BDM CORP., VIENNA, VA.
DOD photovoltaic energy conversion systems market inventory and analysis, volume 1
[PB-273969/6] 18 p0243 N78-16469
- DOD photovoltaic energy conversion systems market inventory and analysis, volume 2
[PB-273970/4] 18 p0243 N78-16470
- DOD photovoltaic energy conversion systems market inventory and analysis. Summary volume
[PB-273971/2] 18 p0243 N78-16471
- Preliminary analysis of an option for the Federal photovoltaic utilization program
[PB-274220/3] 18 p0260 N78-18562
- BEAUMONT BIRCH CO., PITTSBURGH, PA.
Coal gasification: New challenge for the Beaumont rotary feeder
17 p0131 N78-13245
- BECHTEL CORP., SAN FRANCISCO, CALIF.
Coal gasification study handbook
[AD-A042385] 17 p0112 N78-10561

- Injection of coal by screw feed 17 p0133 N78-13264
- Conceptual design of a battery Energy Storage Test (BEST) facility [EPRI-255-TR-2] 17 p0143 N78-13597
- Definition of requirements for geothermal power conversion system studies [UCRL-13751] 18 p0288 N78-21650
- Battery storage performance requirements for terrestrial solar photovoltaic power systems [ANL/OEPM-77-3] 19 p0428 N78-25614
- BENDIX FIELD ENGINEERING CORP., GRAND JUNCTION, COLO.
- Preliminary study of the favorability for uranium in selected areas in the Basin and Range Province, Nevada [GJBX-74(77)] 19 p0391 N78-22534
- BERNISCHE KRAFTWERKE A. G. (SWITZERLAND).
- Completion of the fuel cycle in small countries [CONP-770323-5] 19 p0451 N78-26906
- BITUMINOUS COAL RESEARCH, INC., MONROEVILLE, PA.
- Gas generator research and development: Bi-gas process [FE-1207-29] 18 p0241 N78-16447
- BLALOCK (S. D., JR.), KINGSPORT, TENN.
- Heat extraction system of the Fern thermal electric power plant [ORNL-TR-4492] 19 p0426 N78-25599
- BOEING AEROSPACE CO., SEATTLE, WASH.
- Solar power satellite construction concepts [AAS 77-203] 19 p0329 A78-36705
- Solar power satellite: System definition study. Part 1, volume 1: Executive summary [NASA-CR-151554] 17 p0129 N78-13099
- Solar power satellite: System definition study. Part 1, volume 2: System requirements and energy conversion options [NASA-CR-151555] 17 p0129 N78-13100
- Solar power satellite: System definition study. Part 1, volume 4: SPS transportation system requirements [NASA-CR-151557] 17 p0130 N78-13102
- Solar power satellite: System definition study. Part 1, volume 5: SPS transportation. Representative system descriptions [NASA-CR-151558] 17 p0130 N78-13103
- Radiation tests of SEP solar cells 17 p0138 N78-13548
- Solar power satellite system definition study. Part 1 and part 2, volume 2: Technical summary [NASA-CR-151666] 18 p0271 N78-20156
- Solar power satellite, system definition study. Part 2, volume 3: SPS satellite systems [NASA-CR-151667] 18 p0271 N78-20157
- Solar power satellite system definition study. Part 2, volume 4: Microwave power transmission systems [NASA-CR-151668] 18 p0271 N78-20158
- Solar power satellite system definition study. Part 2, volume 5: Space operations (construction and transportation) [NASA-CR-151669] 18 p0271 N78-20159
- Solar power satellite system definition study. Part 2, volume 6: Evaluation data book [NASA-CR-151670] 18 p0271 N78-20160
- Solar power satellite system definition study, volume 7 [NASA-CR-151671] 18 p0271 N78-20161
- Solar power satellite system definition study. Part 1 and part 2, volume 1: Executive summary [NASA-CR-151665] 18 p0272 N78-20162
- Solar power satellite system definition study. Part 2, volume 8: SPS launch vehicle ascent and entry sonic overpressure and noise effects [NASA-CR-151672] 18 p0272 N78-20163
- Solar power satellite system definition study, Part 3 [NASA-CR-151673] 18 p0272 N78-20164
- BOEING CO., SEATTLE, WASH.
- Technical and economic assessment of phase change and thermochemical advanced thermal Energy Storage (TES) systems. Volume 2: Phase change TES sizing computer program [EPRI-EN-256-VOL-2] 17 p0162 N78-15586
- Technical and economic assessment of phase change and thermochemical advanced thermal Energy Storage (TES) systems. Volume 3: Thermochemical TES sizing computer program [EPRI-EN-256-VOL-3] 17 p0162 N78-15587
- Technical and economic assessment of phase change and thermochemical advanced thermal energy storage (TES) systems. Volume 4: Solar Power Plant Operation, analysis computer program [EPRI-EN-256-VOL-4] 18 p0242 N78-16462
- Fatigue load spectra for upwind and downwind rotors 18 p0267 N78-19635
- Central receiver solar thermal power system pilot plant preliminary design report. Volume 3: Collector subsystem [SAN/1111-8/2] 19 p0422 N78-25565
- BOEING COMMERCIAL AIRPLANE CO., SEATTLE, WASH.
- Fuel saving potential of Mach 0.8 twin engine prop-fan transports 18 p0226 A78-31306
- Liquid hydrogen flash vaporizer [NASA-CASE-LAR-12159-1] 17 p0120 N78-11260
- BOEING COMPUTER SERVICES, INC., SEATTLE, WASH.
- A simulation model for wind energy storage systems. Volume 1: Technical report [NASA-CR-135283] 18 p0278 N78-20802
- A simulation model for wind energy storage systems. Volume 2: Operation manual [NASA-CR-135284] 18 p0278 N78-20803
- A simulation model for wind energy storage systems. Volume 3: Program descriptions [NASA-CR-135285] 18 p0278 N78-20804
- BOEING ENGINEERING AND CONSTRUCTION, SEATTLE, WASH.
- Central receiver solar thermal power system: Collector subsystem [SAN/1111-76-7] 19 p0448 N78-26609
- BOISE STATE UNIV. IDAHO.
- Geothermal potential of the west Boise area [TREE-1162] 19 p0455 N78-27497
- BOOZ-ALLEN AND HAMILTON, INC., BETHESDA, MD.
- Transit bus propulsion systems alternate power plant installation [PB-276612/9] 19 p0387 N78-22385
- Interaction of land-use patterns and residential energy conservation [TID-28058] 19 p0418 N78-25513
- Project acquisition and evaluation process for atmospheric fluidized bed combustion demonstration plant [FE-2343-1] 19 p0459 N78-27550
- Viewpoints on key issues and evaluation criteria for assessing the potential of alternative nuclear energy systems for improving proliferation resistance [TID-28078] 19 p0464 N78-27594
- BOSTON UNIV., MASS.
- Photoisomerization of bis 9-anthryl methane and other linked anthracenes: The role of excimers and biradicals in photodimerization [AD-A051336] 19 p0408 N78-24665
- BRANDYWINE ASSOCIATES, BELLPORT, N. Y.
- Land use configurations and the utilization of distributed energy technology [UCRL-13773] 19 p0418 N78-25512
- BROOKHAVEN NATIONAL LAB., UPTON, N. Y.
- Prospects of using superconducting dc lines [BNL-TR-637] 17 p0115 N78-10589
- Integrated environmental analysis and the development of new energy technologies [BNL-22676] 17 p0117 N78-10610
- Residential energy demand analysis: Data and methodology [BNL-21920] 17 p0140 N78-13573
- Prospects for the utilization of waste heat in large scale district heating systems [BNL-22559] 17 p0152 N78-14651
- Regional reference energy systems [EPRI-RA-462] 17 p0155 N78-14675
- Electrochemical characteristics of Zr O₂-Y₂O₃ solid electrolytes for fuel cells [BNL-22881] 17 p0155 N78-14676
- Land use-energy simulation model: A computer-based model for exploring land use and energy relationships [BNL-50634] 18 p0241 N78-16450
- Overview of technological-economic models for energy policy analysis [BNL-22730] 18 p0241 N78-16451
- Energy systems analysis and development [BNL-22969] 18 p0286 N78-21633

CORPORATE SOURCE INDEX

CALIFORNIA UNIV., BERKELEY. LAWRENCE

- Planner's energy workbook: A manual for exploring relationships between land use and energy utilization
[BNL-50633] 18 p0286 N78-21634
- Health and economic costs of alternative energy sources
[IAEA-CN-36/448] 19 p0390 N78-22484
- Energetics of the United States of America: An atlas
[BNL-50501-R] 19 p0397 N78-23578
- Energy information and analytic system for New York State
[BNL-22677] 19 p0397 N78-23579
- Some rate and modeling studies on the use of iron-titanium hydride as an energy storage medium for electric utility companies
[BNL-50667] 19 p0409 N78-24676
- Production economics for hydrogen, ammonia and methanol during the 1980-2000 period
[BNL-50663] 19 p0415 N78-25243
- Energy modeling and data support for the Electric Power Research Institute
[BNL-50696] 19 p0425 N78-25595
- Regenerative process for desulfurization of high temperature combustion and fuel gases
[BNL-50706] 19 p0427 N78-25610
- Exploratory studies of high-efficiency advance fuel fusion reactors
[EPRI-ER-581] 19 p0435 N78-25938
- Fuel cells: Applied research fuel cell materials and electrocatalysis
[BNL-50652] 19 p0447 N78-26597
- Hydrogen-chlorine energy storage system
[BNL-23670] 19 p0460 N78-27558
- Metal hydride development program at Brookhaven National Library
[BNL-23574] 19 p0461 N78-27568
- Electrolysis based hydrogen storage system
[BNL-50760] 19 p0462 N78-27580
- Role of wind power in electric utilities
[BNL-50736] 19 p0462 N78-27582
- Data bank for the geographical allocation of future US energy supply facilities by county
[BNL-50754] 19 p0463 N78-27590
- Impact of selected energy conservation technologies on baseline demands
[BNL-50745] 19 p0463 N78-27591
- Facilitating data interchange with ERDA
[BNL-22595] 19 p0468 N78-27988
- BROWN UNIV., PROVIDENCE, R. I.
Tandem photovoltaic solar cells and increased solar energy conversion efficiency
17 p0027 A78-11059
- A study of copper-sulfide/cadmium-sulfide photovoltaic cells based on sulfurization and other processes
17 p0111 N78-10556
- BUREAU OF ECONOMIC ANALYSIS, WASHINGTON, D. C.
Measuring the impact on scheduled air lines operations of restrictions in fuel availability
18 p0259 N78-18549
- BUREAU OF LAND MANAGEMENT, WASHINGTON, D. C.
Proposed increase in oil and gas leasing on the outer continental shelf, volume 1
[PB-273700/5] 18 p0254 N78-18506
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 2
[PB-273701/3] 18 p0254 N78-18507
- Proposed increase in oil and gas leasing on the outer continental shelf, volume 3
[PB-273702/1] 18 p0254 N78-18508
- BUREAU OF MINES, ANARILLO, TEX.
Analyses of natural gases, 1976
[PB-272735/2] 18 p0238 N78-16419
- BUREAU OF MINES, COLLEGE PARK, MD.
Metals in the combustible fraction of municipal solid waste
[PB-272946/5] 18 p0245 N78-16499
- BUREAU OF MINES, PITTSBURGH, PA.
Some opportunities in teleoperated mining
18 p0222 A78-30507
- Geology and gas content of coalbeds in vicinity of bureau of mines, Bruceton, Pa.
[PB-271875/7] 17 p0145 N78-13624
- BUREAU OF MINES, WASHINGTON, D. C.
Fuels and energy data: United States by states and census divisions, 1974
[PB-271093/7] 17 p0124 N78-12245
- The United States energy scene 1976-1985
18 p0256 N78-18530
- Energy consumption in the transportation sector
18 p0256 N78-18531
- Advancing coal mining technology research, development, and demonstration in fiscal year 1977
[PB-278001/3] 19 p0456 N78-27511
- BUREAU OF RECLAMATION, DENVER, COLO.
Digital load control for hydroelectric powerplants
[PB-274027/2] 18 p0251 N78-17492
- Cost-effective electric power generation from the wind
[PB-273582/7] 18 p0251 N78-17639
- BUREAU OF THE CENSUS, WASHINGTON, D. C.
Annual survey of manufactures, 1975. Fuels and electric energy consumed. Statistics for the United States
[PB-275772/2] 18 p0289 N78-21659
- C**
- CALIFORNIA STATE DEPT. OF HOUSING AND COMMUNITY DEVELOPMENT, SACRAMENTO.
California residential energy standards: Problems and recommendations relating to implementation, enforcement, design
[SAN/1178-1] 18 p0287 N78-21640
- CALIFORNIA STATE DIV. OF OIL AND GAS, SACRAMENTO.
Economic study of low temperature geothermal energy in Lassen and Modoc Counties, California
[PB-270256/1] 17 p0127 N78-12549
- CALIFORNIA STATE UNIV., NORTHBIDGE.
Ball to separator contact forces in angular contact ball bearings under thrust and radial loads
[NASA-CR-2976] 18 p0281 N78-21469
- CALIFORNIA UNIV., BERKELEY.
Isoprenoid hydrocarbons produced by thermal alteration of *Nostoc muscorum* and *Rhodospseudomonas spheroides*
18 p0167 A78-22008
- Some studies on a solid-state sulfur probe for coal gasification systems
19 p0310 A78-34273
- The thermochemical dissociation of water
17 p0123 N78-12163
- Coal energy and the environment: Analysis of economic and energy efficiency implications of environmental and resource constraints on the utilization of coal to produce electricity
18 p0274 N78-20600
- Solar energy conversion with hydrogen producing algae
[SAN/0034-77/1] 19 p0460 N78-27565
- CALIFORNIA UNIV., BERKELEY. LAWRENCE BERKELEY LAB.
Some studies on a solid-state sulfur probe for coal gasification systems
19 p0310 A78-34273
- Review of air quality modeling techniques.
Volume 8: health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California
[LBL-5998] 17 p0117 N78-10615
- Investigation of the feasibility of a dual model electric transportation system
[LBL-6301] 17 p0157 N78-14954
- Performance of an experimental solar-driven absorption air conditioner
[LBL-5911] 17 p0161 N78-15579
- Health and safety impacts of nuclear, geothermal, and fossil-fuel electric generation in California. Volume 2: Radiological health and related standards for nuclear power plants
[LBL-5285-VOL-2] 18 p0278 N78-20769
- Study of treatment methods for geothermal fluids
[LBL-6337] 18 p0285 N78-21622
- Distributed technologies in California's energy future, volume 1
[LBL-6831-VOL-1] 18 p0285 N78-21623
- Results of reservoir evaluation tests, 1976 East Mesa Geothermal Field, California
[LBL-6369] 18 p0286 N78-21631
- Distributed technologies in California's energy future: A preliminary report, volume 2
[LBL-6831-VOL-2] 18 p0286 N78-21635

- Analysis of the bipole-dipole resistivity method for geothermal exploration
[LBL-6332] 18 p0290 N78-21710
- ERDA Geothermal Component Test Facility (GCTF), East Mesa, Imperial Valley, California. Test operations management plan
[TID-28010] 19 p0397 N78-23577
- Study of brine treatment
[EPRI-ER-476] 19 p0430 N78-25633
- Resource, technology, and environment at the geysers
[LBL-5231] 19 p0430 N78-25637
- Anaerobic fermentation of simulated in-situ oil shale retort water
[LBL-6855] 19 p0431 N78-25646
- CALIFORNIA UNIV., DAVIS.
Energy requirements of alternatives in water supply, use, and conservation, and water quality control in California
[UCRL-13784] 19 p0460 N78-27559
- CALIFORNIA UNIV., LIVERMORE. LAWRENCE LIVERMORE LAB.
Fiber-composite systems for energy-storage flywheels
[UCRL-78610] 17 p0114 N78-10587
- Performance tests of a total flow impulse turbine for geothermal applications
[UCID-17411] 17 p0127 N78-12546
- Bibliography of earth science reports for 1976
[UCID-17476-76] 17 p0149 N78-14451
- Wind studies in complex terrain
[UCRL-79430] 17 p0157 N78-14762
- Generalized numerical model for predicting energy transfers and performance of large solar ponds
[UCRL-13722] 17 p0161 N78-15576
- Magnetic fusion energy
[UCRL-79600] 18 p0245 N78-16872
- Metering low-quality steam-water flows
[UCRL-52271] 18 p0263 N78-19455
- Electrostatic direct energy converter performance and cost scaling laws
[UCID-17560] 18 p0269 N78-19665
- Large-scale cryopumping for controlled fusion
[UCRL-79381] 18 p0271 N78-19957
- Alternative fuels for transportation:
Implications of the broad-cut option
[UCRL-52313] 18 p0281 N78-21322
- Decision making with interactive access to integrated administrative and technological data bases. An illustrated conceptual overview
[UCRL-80353] 18 p0290 N78-21986
- Materials evaluation for geothermal applications: Turbine materials
[UCRL-79360] 19 p0392 N78-23238
- Alternative fuels utilization program
[UCID-17645] 19 p0414 N78-25241
- Fiber composite flywheel program
[UCRL-50033-77-3] 19 p0425 N78-25592
- Preliminary tests using a laser particle-size analyzer on geothermal brine
[UCID-17637] 19 p0430 N78-25634
- Potential growth of electric power production from Imperial Valley geothermal resources
[UCRL-52252] 19 p0430 N78-25635
- Removal of silica from spent geothermal brine
[UCID-17702] 19 p0430 N78-25636
- Mechanical engineering department
[UCRL-50016-77-3] 19 p0431 N78-25645
- Hydrogeochemical and stream-sediment survey of the National Resource Evaluation (NURE) program: Western United States
[UCID-16911-77-2] 19 p0434 N78-25722
- Exploratory studies of high-efficiency advance fuel fusion reactors
[EPRI-ER-581] 19 p0435 N78-25938
- Study of future heat engine vehicle systems
[UCRL-13781] 19 p0436 N78-26039
- LLI gas stimulation program
[UCRL-50036-77-3] 19 p0445 N78-26575
- Summary of the metal-air fuel cell research program
[UCID-17591] 19 p0446 N78-26580
- Energy and Resource Planning Group
[UCRL-50029-77] 19 p0448 N78-26611
- High-voltage high-current breaker and closer for power systems with inductive storage devices
[UCRL-TRANS-11310] 19 p0454 N78-27344
- Subsurface structure of the southern portion of the Salton Sea geothermal field
[UCRL-52354] 19 p0467 N78-27695
- CALIFORNIA UNIV., LOS ANGELES.
Thermal alteration experiments on organic matter in recent marine sediments as a model for petroleum genesis
17 p0097 A78-18784
- European developments in the recovery of energy and materials from municipal solid waste.
[PB-270219/9] 17 p0122 N78-11892
- CALIFORNIA UNIV., RIVERSIDE.
Heat flow in a geothermally active area: The Geysers, California
18 p0261 N78-18602
- CALMAC MFG. CO., ENGLEWOOD, W. J.
Liquid flat plate collector and pump for solar heating and cooling systems: A collection of quarterly reports
[NASA-CR-150599] 18 p0275 N78-20614
- Preliminary design package for solar collector and solar pump
[NASA-CR-150630] 19 p0389 N78-22472
- CANERON ENGINEERS, INC., DENVER, COLO.
Evaluation of background data relating to new source performance standards for Lurgi gasification
[PB-269557/5] 17 p0117 N78-10631
- Oil shale research overview
[PB-278159/9] 19 p0442 N78-26529
- CANADA CENTRE FOR REMOTE SENSING, OTTAWA (ONTARIO).
Use of aerial thermography in Canadian energy conservation programs
17 p0149 N78-14566
- CAPITAL SYSTEMS GROUP, ROCKVILLE, MD.
Applied science and research applications, recent research reports, February 1978
[PB-278530/1] 19 p0452 N78-26986
- CARNEGIE-MELLON UNIV., PITTSBURGH, PA.
Synthoil hydrodynamics
[COO-0056-4] 18 p0273 N78-20473
- Dynamic models of falling film evaporators for ocean thermal energy conversion plants
[COO-2641-3] 19 p0447 N78-26591
- CASE WESTERN RESERVE UNIV., CLEVELAND, OHIO.
Improved cathodes for phosphoric acid fuel cells
[EPRI-EM-505] 19 p0423 N78-25578
- A dynamic energy optimization model under uncertainty
19 p0456 N78-27516
- CENTRAL ELECTRICITY GENERATING BOARD, LONDON (ENGLAND).
UK experience of planning the nuclear contribution to the UK power programme
[IAEA-CN-36/53] 17 p0116 N78-10605
- CENTRAL TECHNICAL INST. TWO, APPELDOORN (NETHERLANDS).
Survey of research and development activities in the Netherlands on heat pumps for residential heating
[CTI-76-09497] 17 p0156 N78-14684
- CHARLES RIVER ASSOCIATES, INC., CAMBRIDGE, MASS.
Methodology for predicting the demand for new electricity using goods
[EPRI-RA-593] 19 p0445 N78-26570
- CHARNELL (GORDON S.) AND ASSOCIATES, VANCOUVER (BRITISH COLUMBIA).
Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers
[NP-22159/2] 19 p0393 N78-23253
- CHASE MANHATTAN BANK, NEW YORK.
US oil and natural gas finding costs. Volume 2: Statistical appendix
[FRA/G-77/357-VOL-2] 19 p0398 N78-23588
- CHEMICAL LAB. RVO-TWO, RIJSWIJK (NETHERLANDS).
Dispersion and analysis of methane in the atmosphere
[CL-1976-16] 19 p0450 N78-26644
- CHEVRON RESEARCH CO., RICHMOND, CALIF.
Catalytic hydroprocessing of shale oil to produce distillate fuels
[CONF-770814-9] 19 p0423 N78-25579
- CHICAGO UNIV., ILL.
Non-imaging concentrators for wide angle collection of solar energy, 2
[COO-2446-8] 17 p0160 N78-15570
- CHRYSLER CORP., DETROIT, MICH.
Baseline gas turbine development program
[COO-2749-16] 17 p0120 N78-11405

- Baseline gas turbine development program
[COO-2749-17] 17 p0135 N78-13455
- Baseline gas turbine development program
[COO-2749-18] 18 p0281 N78-21479
- CH2M/HILL, BELLLEVUE, WASH.
Market analysis of recovered materials and
energy from solid waste, executive summary
[PB-277143/4] 19 p0392 N78-22979
- CINCINNATI UNIV., OHIO.
The effect of ambient temperature and humidity
on the carbon monoxide emissions of an idling
gas turbine 17 p0065 A78-12557
- CITIES SERVICE OIL CO., TULSA, OKLA.
El Dorado micellar-polymer demonstration project
report
[BERC/TPR-77/12] 19 p0413 N78-25225
- CITY OF DAVIS, CALIF.
Davis energy conservation report, practical use
of the sun
[PB-276616/0] 19 p0390 N78-22478
- CITY OF LONG BEACH, CALIF.
Pilot demonstration of enhanced oil recovery by
micellar polymer waterflooding, phase B
[SAN/1395-14] 19 p0418 N78-25519
- Pilot demonstration of enhanced oil recovery by
micellar polymer waterflooding, phase B
[SAN/1395-15] 19 p0455 N78-27498
- CITY OF TRENTON, N. J.
Trenton ICES, volume 1, phase 1
[COO-4212-1/1-VOL-1] 18 p0287 N78-21639
- CIVIL AND ENVIRONMENTAL ENGINEERING DEVELOPMENT
OFFICE, TYNDALL AFB, FLA.
A survey of considerations for solar energy
facility applications
[AD-A049490] 18 p0277 N78-20630
- CLEMSON UNIV., S.C.
Feasibility evaluation: Solar heated textile
process water
[SRO-0885-75/1] 19 p0428 N78-25621
- COAST GUARD RESEARCH AND DEVELOPMENT CENTER,
GROTON, CONN.
Field infrared method to discriminate natural
seeps from non-seeps, Santa Barbara,
California area
[AD-A042861] 17 p0116 N78-10608
- COLORADO DEPT. OF LOCAL AFFAIRS, DENVER.
Colorado energy impact assistance plan
[PB-276587/3] 19 p0390 N78-22483
- COLORADO DIV. OF WATER RESOURCES, DENVER.
Analyses of methods for the determination of
water availability for energy development
[FEA/G-77/059] 18 p0282 N78-21580
- COLORADO SCHOOL OF MINES, GOLDEN.
Research on the physical properties of
geothermal reservoir rocks. Summary report on
collection of samples of volcanic rocks for
petrophysical studies
[COO-2908-1] 17 p0141 N78-13584
- Clean solid and liquid fuels from coal
[FE-2047-2] 17 p0160 N78-15571
- Exploration for geothermal energy on Oahu, Hawaii
[AD-A046954] 18 p0241 N78-16445
- Enthalpy measurement of coal-derived liquids
[FE-2035-10] 19 p0452 N78-26962
- COLORADO STATE UNIV., FORT COLLINS.
Fabrication of OSOS cells by neutral ion beam
sputtering 17 p0027 A78-11062
- Adaptive curve fitting for chemical processes
[AD-A046456] 17 p0158 N78-15213
- Analyses of methods for the determination of
water availability for energy development
[FEA/G-77/059] 18 p0282 N78-21580
- COLT, INC. OF SOUTHERN CALIFORNIA, RANCHO MIRAGE.
Prototype solar heating and hot water systems
[NASA-CR-150525] 18 p0250 N78-17482
- COLUMBIA GAS TRANSMISSION CORP., CHARLESTON, W. VA.
Tertiary oil recovery by CO2 injection
[ORO-5302-20] 19 p0455 N78-27499
- COMBUSTION ENGINEERING, INC., WINDSOR, CONN.
Sampling and analysis requirements for low-Btu
gasification of coal for electric power
generation
[FE-1545-38] 19 p0431 N78-25648
- COMMITTEE OF THE WHOLE HOUSE ON THE STATE OF THE
UNION (U. S. HOUSE).
Energy Transportation Security Act of 1977
[H-REPT-95-589] 19 p0392 N78-22968
- COMMITTEE ON AGRICULTURE, NUTRITION, AND FORESTRY
(U. S. SENATE).
Energy policy and strategy for rural
development, part 1
[GPO-94-275] 19 p0397 N78-23569
- Energy policy and strategy for rural
development, part 2
[GPO-97-394] 19 p0397 N78-23570
- COMMITTEE ON BANKING, HOUSING AND URBAN AFFAIRS (U.
S. SENATE).
National Energy Conservation Policy Act
[GPO-94-843] 19 p0401 N78-23992
- COMMITTEE ON ENERGY AND NATURAL RESOURCES (U. S.
SENATE).
Economic impact of President Carter's energy
program
[GPO-91-295] 18 p0239 N78-16429
- Impact of the national energy plan
[GPO-91-909] 18 p0239 N78-16430
- Alaska natural resource issues
[GPO-95-110] 19 p0404 N78-24601
- Petroleum industry involvement in alternative
sources of energy
[GPO-93-800] 19 p0408 N78-24661
- Solar energy
[GPO-94-910] 19 p0408 N78-24662
- COMMITTEE ON FINANCE (U. S. SENATE).
Incentives for developing new energy sources
[GPO-93-810] 18 p0284 N78-21613
- The fuel efficiency incentive tax proposal: Its
impact upon the future of the US passenger
automobile industry
[GPO-93-188] 19 p0412 N78-25002
- COMMITTEE ON INTERSTATE AND FOREIGN COMMERCE (U.
S. HOUSE).
National Energy Act, part 4
[GPO-96-231] 19 p0412 N78-25000
- National Energy Act, part 5
[GPO-98-577] 19 p0412 N78-25001
- COMMITTEE ON PUBLIC WORKS AND TRANSPORTATION (U. S.
HOUSE).
Use of solar energy in Federal Building
[GPO-94-365] 18 p0284 N78-21610
- COMMITTEE ON SCIENCE AND TECHNOLOGY (U. S. HOUSE).
NASA authorization, 1979, program review, volume
2, part 1
[GPO-98-932] 18 p0252 N78-17932
- The 1978 ERDA authorization; the Clinch River
breeder reactor program, volume 4
[GPO-92-462] 19 p0413 N78-25006
- COMMONWEALTH RESEARCH CORP., CHICAGO, ILL.
Gasification combined cycle test facility,
Pekin, Illinois
[FE-2352-03] 18 p0286 N78-21632
- COMMUNICATIONS SATELLITE CORP., WASHINGTON, D.C.
The sawtooth cover slide 17 p0137 N78-13537
- Ultraviolet damage in solar cell assemblies with
various UV filters 17 p0138 N78-13551
- COMPTROLLER GENERAL OF THE UNITED STATES,
WASHINGTON, D.C.
An evaluation of the national energy plan
[EMO-77-48] 19 p0396 N78-23566
- CONGRESSIONAL BUDGET OFFICE, WASHINGTON, D. C.
President Carter's automobile related energy
conservation proposals 18 p0258 N78-18542
- CONSOLIDATED CONTROLS CORP., EL SEGUNDO, CALIF.
Coal gasification valves, phase 2
[FE-2355-2-REV-D] 19 p0394 N78-23441
- CONSOLIDATION COAL CO., LIBRARY, PA.
High-temperature desulfurization of low-Btu-gas
[PB-271008/5] 17 p0124 N78-12246
- CONTEMPORARY SYSTEMS, INC., JAFFREY, N. H.
Design data brochure for CSI series V solar
heating system
[NASA-CR-150600] 18 p0275 N78-20615
- Preliminary design package for prototype solar
heating system
[NASA-CR-150615] 19 p0405 N78-24610
- CORNELL UNIV., ITHACA, N. Y.
Enhanced oil recovery: The impact of policy
options
[PB-276763/0] 19 p0388 N78-22451
- Geothermal energy-related problems of natural
convection in porous media 19 p0393 N78-23378

COTTRELL ENVIRONMENTAL SYSTEMS, INC., BOUND BROOK, N. J.
Development of a high-temperature/high-pressure electrostatic precipitator
[PB-276626/9] 19 p0391 N78-22497

COUNCIL ON ENVIRONMENTAL QUALITY, WASHINGTON, D.C.
Oil and gas in coastal lands and waters
19 p0404 N78-24597

CULP/WESNER/CULP CLEAN WATER CONSULTANTS, SANTA ANA, CALIF.
Energy requirements for municipal pollution control facilities
[PB-276989/1] 19 p0401 N78-24003

CUMMINS ENGINE CO., INC., COLUMBUS, IND.
Trucking and fuel economy
18 p0257 N78-18538

CURTISS-WRIGHT CORP., WOOD-RIDGE, N.J.
High temperature turbine technology program.
Phase 1: Combined cycle electric power plant with coal derived low Btu gas or coal-liquid fuel, book 2
[FE-2291-18-BK-2] 19 p0417 N78-25442

D

DAMES AND MOORE, PHOENIX, ARIZ.
Annotated bibliography of natural resource information: Northwestern New Mexico
[PB-276024/7] 18 p0273 N78-20597

DAYSTAR CORP., BURLINGTON, MASS.
Solar energy in high-rise buildings
[DSE/1963-1] 19 p0431 N78-25641

DAYTON UNIV., OHIO.
Automobile exhaust emission surveillance analysis of the FY 1974 program
[PB-268782/0] 17 p0117 N78-10622

DE HAVILLAND AIRCRAFT CO. LTD., DOWSVIEW (ONTARIO).
Some aspects of powerplant airframe integration affecting fuel conservation
18 p0226 A78-31304

DE LAUREAL ENGINEERS, INC., NEW ORLEANS, LA.
Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary
[COO-4214-1/1-VOL-1] 18 p0287 N78-21641

DECISIONS AND DESIGNS, INC., MCLEAN, VA.
An attitudinal study of the home market for solar devices
[AD-A045082] 17 p0126 N78-12535

DELAWARE UNIV., NEWARK.
Consumer demand analysis: Solar heating and cooling of buildings
[COO-2598-1] 17 p0153 N78-14655

DENVER FEDERAL EXECUTIVE BOARD, COLO.
Conference proceedings: A critical economic balance: Water, land, energy, people
[PB-274089/2] 18 p0253 N78-17944

DENVER RESEARCH INST., COLO.
Information and data flows in societal problem areas: Focus-energy
[PB-269497/4] 17 p0118 N78-10965

DEPARTMENT OF ENERGY, BARTLESVILLE, OKLA.
Experiments with novel fuels for diesel engines
[BERC/TPR-77/8] 19 p0436 N78-26225

Review of petroleum oil saturation and its determination
[BERC/RI-77/15] 19 p0442 N78-26525

Motor gasolines, summer 1977
[BERC/PPS-78/1] 19 p0454 N78-27287

DEPARTMENT OF ENERGY, MORGANTOWN, W. VA.
High pressure rotary piston coal feeder
[BERC/SP-77/6] 19 p0417 N78-25443

DEPARTMENT OF ENERGY, WASHINGTON, D. C.
Energy emergency planning guide: Winter 1977 - 1978
[DOE/ERA-0031] 19 p0397 N78-23580

Perspectives on the development of fusion power by magnetic confinement, 1977
[DOE/ET-0002] 19 p0401 N78-23900

Tokamak impurity report
[DOE/ET-0001] 19 p0434 N78-25920

Approach to liquefied natural gas (LNG) safety and environmental control research
[DOE/EV-0002] 19 p0437 N78-26227

Development and fabrication of a concentrating solar collector subsystem
[NASA-CR-150713] 19 p0444 N78-26558

Fossil energy demonstration plants
[TID-28182] 19 p0445 N78-26573

Helium heaters of the helium turbine unit of the Oberhausen energy supply
[DOE-TR-35] 19 p0455 N78-27440

Utilization of waste heat in trucks for increased fuel economy
[NASA-CR-157292] 19 p0458 N78-27532

Analysis of the current economic feasibility of solar water and space heating
[DOE/CS-0023] 19 p0460 N78-27560

Methods of forecasting of scientific and technical progress in the production and consumption of fuel and energy resources
[DOE-TR-24] 19 p0461 N78-27573

DoE facilities solar design handbook
[DOE/AD-0006/1] 19 p0463 N78-27586

DEUTSCHE FORSCHUNGS- UND VERSUCHSANSTALT FUER LUFT- UND RAUMFAHRT, COLOGNE (WEST GERMANY).
Some experimental results on selective absorbing surfaces for low temperature solar collectors
[DLR-FB-77-23] 17 p0156 N78-14686

DEVELOPMENT SCIENCES, INC., SAGAMORE, MASS.
First order estimates of energy requirements for pollution control
[PB-278274/6] 19 p0465 N78-27608

DORNIER-SYSTEM G.M.B.H., FRIEDRICHSHAFEN (WEST GERMANY).
Scenarios for chemical technology
[BNFT-PB-T-77-01] 17 p0123 N78-11897

DOUGLAS AIRCRAFT CO., INC., LONG BEACH, CALIF.
Cost/benefit tradeoffs for reducing the energy consumption of the commercial air transportation system
[NASA-CR-137925] 17 p0109 N78-10035

DOW CHEMICAL CO., MIDLAND, MICH.
Chemicals from coal: USMB Synthoil
[FE-1534-49] 18 p0280 N78-21320

Energy from in situ processing of antrim oil shale
[FE-2346-16] 19 p0432 N78-25649

Energy from in situ processing of antrim oil shale
[FE-2346-19] 19 p0432 N78-25652

DOW CORNING CORP., HEMLOCK, MICH.
Silicon solar cells from transition metal doped Czochralski and web crystals
17 p0013 A78-10922

Production of solar-grade silicon from purified metallurgical silicon
17 p0013 A78-10925

DOW CORNING CORP., MIDLAND, MICH.
High-purity silicon for solar cell applications
19 p0344 A78-39567

Solar silicon via the Dow Corning process
[NASA-CR-157065] 19 p0406 N78-24637

DRAPER (CHARLES STARK) LAB., INC., CAMBRIDGE, MASS.
Research toward improved flywheel suspension and energy conversion systems
[PB-271413/7] 17 p0139 N78-13564

Research toward improved flywheel suspension and energy conversion systems
[PB-278679/6] 19 p0458 N78-27544

DREXEL UNIV., PHILADELPHIA, PA.
Selective paints for solar absorbers
18 p0237 N78-16177

An analysis of alternative residential heating systems in terms of three criteria: Energy conservation, environmental impact and life-cycle economics
18 p0239 N78-16423

DUKE UNIV., DURHAM, N. C.
A theory of control for a class of electronic power processing systems: Energy-storage dc-to-dc converters
18 p0262 N78-19382

DYNATECH R/D CO., CAMBRIDGE, MASS.
Investigation of converting the product of coal gasification to methane by the action of microorganisms, phase 1
[FE-2203-16] 18 p0280 N78-21319

Fuel gas production from animal waste, phase 1
[COO-2991-17] 18 p0280 N78-21321

Fuel gas production from animal waste, phase 1
[COO-2991-23] 19 p0415 N78-25248

DYNATHERM CORP., COCKEYSVILLE, MD.
Heat pipe central solar receiver
[COO-2839-1] 17 p0114 N78-10579

Heat pipe development
[NASA-CR-156669] 18 p0238 N78-16327

E

- EAGLE-PICHER CO., JOPLIN, MO.**
Electric vehicle propulsion batteries: Design and cost study for nickel/zinc battery manufacture, task A
[ANL-K-77-3542-1] 17 p0142 N78-13594
- EASTLUND (BEM) FUSION SYSTEMS CO., ROCKVILLE, MD.**
Workshop on Synthetic Fuels from Fusion
[EPRI-ER-439-SR] 17 p0131 N78-13239
- ECOLOGY CONSULTANTS, INC., FORT COLLINS, COLO.**
Annotated bibliography of natural resource information: Northwestern New Mexico
[PB-276024/7] 18 p0273 N78-20597
- ECON, INC., PRINCETON, N. J.**
A study of some economic factors relating to the development and implementation of a satellite power system
[NASA-CR-150602] 18 p0268 N78-19654
Political and legal implications of developing and operating a satellite power system
[NASA-CR-157077] 19 p0412 N78-25003
- ECONOMICS RESEARCH GROUP LTD., TORONTO (ONTARIO).**
Dynamic models of the industrial demand for energy
[EPRI-ER-580] 19 p0425 N78-25596
- EDGEHON, GEBHESHAUSEN AND GRIER, INC., IDAHO FALLS, IDAHO.**
Floating power optimization studies for the cooling system of a geothermal power plant
[TREE-1164] 18 p0277 N78-20646
Energy oriented study of industrial cyclone separators
[TREE-1174] 18 p0287 N78-21642
- EG AND G WASHINGTON ANALYTICAL SERVICES CENTER, INC., ROCKVILLE, MD.**
Sampling of water and wastewater
[PB-272664/4] 17 p0163 N78-15957
- EDIGERHOESSISCHES FLUGZEUGWERK, EMMEN (SWITZERLAND).**
Design study of an experiment cooling system with liquid/air heat exchanger for Spacelab payloads (ECLA)
[P+W-PO-1378] 19 p0404 N78-24511
- ELCAN, INC., SANTA BARBARA, CALIF.**
Prototype solar heated hot water systems and double-walled heat exchangers: A collection of quarterly reports
[NASA-CR-150591] 18 p0282 N78-21591
Preliminary design package for Sunspot Domestic Hot Water Heating System
[NASA-CR-150605] 19 p0456 N78-27518
- ELECTRIC POWER RESEARCH INST., PALO ALTO, CALIF.**
Coal and nuclear generating costs
[EPRI-PS-455-SR] 17 p0155 N78-14674
Four Workshops in Alternate Concepts in Controlled Fusion. Part A: Executive summaries. Part B: Extended summaries. Part C: CTR using the P-B-11 reaction
[EPRI-ER-429-SR-PT-A] 18 p0290 N78-21927
Dynamic models of the industrial demand for energy
[EPRI-ER-580] 19 p0425 N78-25596
Forecasting and modeling time-of-day and seasonal electricity demands
[EPRI-ER-578-SR] 19 p0425 N78-25598
Perspectives on utility central station photovoltaic applications
[EPRI-ER-589-SR] 19 p0447 N78-26592
- ELECTROCHEMICAL TECHNOLOGY CORP., SEATTLE, WASH.**
Improvements in energy efficiency of industrial electrochemical processes
[ANL/ORPH-77-2] 17 p0114 N78-10584
- ENERGY, INC., IDAHO FALLS, IDAHO.**
Energy supply and environmental impacts: Conventional energy sources
[PB-276410/8] 18 p0289 N78-21669
- ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, ALBUQUERQUE, N. MEX.**
Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design
[ALO/3987-1/2-VOL-2] 19 p0409 N78-24672
Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3
[ALO/3987-1/3-VOL-3] 19 p0409 N78-24673
Solar total energy system: Large scale experiment, Shenandoah, Georgia. Volume 1, Section 1: Conclusions and recommendations. Section 2: Systems requirements
[ALO/3987-1/1-VOL-1] 19 p0431 N78-25644
- ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, BARTLESVILLE, OKLA.**
Performance characteristics of automotive engines in the United States. Report no. 8: Mitsubishi Model 6DS7 diesel engine
[PB-274374/8] 18 p0254 N78-18437
Performance characteristics of automotive engines in the United States. Report no. 9: Chrysler (1975) 225-CID 1-bbl engine
[PB-274375/5] 18 p0254 N78-18438
Performance characteristics of automotive engines in the United States. Report no. 10: Chevrolet (1975) 250 CID 1-bbl engine
[PB-274376/3] 18 p0254 N78-18439
Performance characteristics of automotive engines in the United States. Report no. 11: Chrysler (1975) 318-CID 2-bbl engine
[PB-274377/1] 18 p0254 N78-18440
Diesel fuel oils, 1977
[BERC/PFS-77/5] 18 p0281 N78-21324
GLC analysis of n-paraffin distributions in crude oils and topped crude oils for oil identification
[BERC/RI-77/12] 19 p0402 N78-24324
- ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, MORGANTOWN, W. VA.**
Development of coal-feeding systems at the Morgantown Energy Research Center
17 p0131 N78-13246
Gravity flow rate of solids through orifices and pipes
17 p0133 N78-13260
High pressure rotary piston coal feeder
17 p0133 N78-13261
- ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, PITTSBURGH, PA.**
Experience in feeding coal into a liquefaction process development unit
17 p0131 N78-13242
Coal pressurization and feeding: Use of a lock hopper system
17 p0131 N78-13244
Research in coal-based magnetohydrodynamics
[TID-27893] 19 p0432 N78-25650
- ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION, WASHINGTON, D. C.**
Energy and remote sensing
17 p0075 N78-14805
Solar energy in America's future: A preliminary assessment
[DSE/115-1] 17 p0113 N78-10576
Solar program assessment: Environmental factors
[ERDA-77-47/5] 17 p0113 N78-10577
Solar program assessment: Environmental factors. Fuel from biomass
[ERDA-77-47/7] 17 p0120 N78-11506
Management plan for enhanced oil recovery. Volume 2: Appendices
[ERDA-77-15/2-VOL-2-APP] 17 p0127 N78-12543
Fossil energy research program of the Energy Research and Development Administration, FY 1978
[ERDA-77-33] 17 p0127 N78-12544
Energy conservation R and D objectives workshop. Volume 1: Working papers
[CONF-770305-PT-1] 17 p0139 N78-13568
Energy conservation R and D objectives workshop. Volume 2: Summary
[CONF-770305-PT-2] 17 p0140 N78-13569
Interim policy options for commercialization of solar heating and cooling systems
[ERDA-77-62] 17 p0142 N78-13585
Solar program assessment: Environmental factors. Photovoltaics
[ERDA-77-47/3] 17 p0142 N78-13593
Proceedings of a Seminar on International Energy
[ERDA-79] 17 p0145 N78-13620
Modeling and analysis of industrial energy usage
[NTR-7329] 17 p0151 N78-14641
Program Research and Development Announcement (PRDA). Solar collector materials and fluids for solar heating and cooling applications
[ERDA-EG-77-D-29-0003] 17 p0151 N78-14643
Solar program assessment: Environmental factors. Solar heating and cooling of buildings
[ERDA-77-47/1] 17 p0155 N78-14680
Solar program assessment: Environmental factors
[ERDA-77-47/4] 17 p0156 N78-14681

- Solar program assessment: Environmental factors. Wind energy conversion
[ERDA-77-47/6] 17 p0156 N78-14682
- Solar program assessment: Environmental factors. Ocean thermal energy conversion
[ERDA-77-47/8] 17 p0156 N78-14683
- Underground coal gasification program
[ERDA-77-51] 18 p0241 N78-16446
- ERDA funding in transportation energy conservation area and research plans
18 p0259 N78-18553
- Hot dry rock geothermal energy: Status of exploration and assessment. Report no. 1: Of the hot dry rock assessment panel
[ERDA-77-74] 18 p0270 N78-19671
- Introduction to the ERDA electric and hybrid demonstration project
[ERHQ-0008] 18 p0279 N78-21016
- Low-Btu coal gasification
[ERHQ-0015] 18 p0280 N78-21318
- Possil energy research meeting
[CONF-7706100] 19 p0398 N78-23585
- Oil shale, FY 1977
[EDP/F-01(77)] 19 p0411 N78-24694
- Alternative fuels demonstration program, volume 1 of 2
[ERDA-1547-VOL-1] 19 p0415 N78-25245
- Report on ERDA workshop with southeastern states and cities on improving coordination in energy RD and D especially for solar programs
[TID-27778] 19 p0423 N78-25571
- Possil energy program report
[ERDA-77-70] 19 p0424 N78-25582
- Models and methodologies for assessing the impact of energy development
[ERDA-77-91] 19 p0463 N78-27587
- Assistance from energy developers: A negotiating guide for communities
[ERDA-77-90] 19 p0463 N78-27588
- Managing the socio-economic impacts of energy development: A guide for the small community
[ERDA-77-79] 19 p0463 N78-27589
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year, 1976, volume 1
[ERDA-77-104/1-VOL-1] 19 p0466 N78-27635
- Environmental monitoring at major US Energy Research and Development Administration contractor sites: Calendar year 1976, volume 2
[ERDA-77-104/2-VOL-2] 19 p0466 N78-27636
- ENERGY RESEARCH CORP., DANBURY, CONN.
- Fuel cell stacks
[AD-A042315] 17 p0112 N78-10566
- New materials for fluorosulfonic acid electrolyte fuel cells
[AD-A044414] 17 p0126 N78-12531
- ENERGY RESOURCES CO., INC., CAMBRIDGE, MASS.
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-1] 19 p0402 N78-24325
- Study to determine the technical and economic feasibility of reclaiming chemicals used in micellar polymer and low tension surfactant flooding
[FE-2600-2] 19 p0402 N78-24326
- ENERGY TASK FORCE, INC., NEW YORK.
- Windmill power for city people
[PB-275658/3] 18 p0288 N78-21654
- ENVIRONMENTAL PROTECTION AGENCY, ANN ARBOR, MICH.
- Ford-EPA emission laboratory correlation study
[PB-270699/2] 17 p0145 N78-13631
- EPA-BWV correlation program
[PB-270559/8] 17 p0145 N78-13632
- Typical vehicle diurnal
[PB-270690/1] 17 p0145 N78-13633
- Shift schedules for emissions and fuel economy testing
[PB-274865/5] 18 p0261 N78-18594
- ENVIRONMENTAL PROTECTION AGENCY, DENVER, COLO.
- Federally sponsored energy research in the northern Great Plains, North Dakota, fiscal year 1976
[PB-278132/6] 19 p0465 N78-27607
- ENVIRONMENTAL PROTECTION AGENCY, RESEARCH TRIANGLE PARK, N.C.
- Instrumental sensing of stationary source emissions
17 p0001 A78-10056
- Compilation of air pollutant emission factors, supplement no. 7
[PB-270281/9] 17 p0122 N78-11541
- Control of volatile organic emissions from storage of petroleum liquids in fixed roof tanks
[PB-276749/9] 19 p0391 N78-22500
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for petroleum refinery sulfur recovery plants
[PB-278163/1] 19 p0450 N78-26648
- Standards support and environmental impact statement. Volume 2: Promulgated standards of performance for lignite-fired steam generators
[PB-279008/7] 19 p0466 N78-27621
- Control of emissions from Lurgi coal gasification plants
[PB-279012/9] 19 p0466 N78-27623
- ENVIRONMENTAL PROTECTION AGENCY, SEATTLE, WASH.
- The Alaskan oil disposition study: Potential air quality impact of a major off-loading terminal in the Pacific Northwest
[PB-271261/0] 17 p0147 N78-13657
- ENVIRONMENTAL RESEARCH AND TECHNOLOGY, INC., CONCORD, MASS.
- Energy consumption of environmental controls: Fossil fuel, steam electric generating industry
[PB-273019/0] 18 p0244 N78-16476
- EREST AND EREST, WASHINGTON, D. C.
- The long-run incremental cost of electric utilities
[PB-276082/5] 18 p0289 N78-21660
- EUROPEAN SPACE AGENCY, PARIS (FRANCE).
- Some experimental results on selective absorbing surfaces for low temperature solar collectors
[ESA-TT-432] 19 p0390 N78-22482
- EXION RESEARCH AND ENGINEERING CO., FLORHAM PARK, N. J.
- EDS coal liquefaction process development, phase 3 B
[FE-2893-6] 19 p0459 N78-27549
- EXION RESEARCH AND ENGINEERING CO., LINDEN, N. J.
- Effect of hydrocarbon composition on oxidant-hydrocarbon relationships. Phase 2. Blend of total hydrocarbon emissions
[PB-273219/6] 18 p0244 N78-16483
- Evaluation of methods to produce aviation turbine fuels from synthetic crude oils, phase 3, volume 3
[AD-A053106] 19 p0414 N78-25239
- Alternate fuels nitrogen chemistry
[AD-A053299] 19 p0414 N78-25240
- Production economics for hydrogen, ammonia and methanol during the 1980-2000 period
[BNL-50663] 19 p0415 N78-25243
- Heterostructure single crystal silicon photovoltaic cell. Type A: Semiconductor heterojunction silicon devices
[TID-27910] 19 p0462 N78-27579

F

- FAUCETT (JACK) ASSOCIATES, INC., CHEVY CHASE, MD.
- State-of-the-art of functional use data measuring energy consumption in the commercial sector
[PB-269906/4] 17 p0115 N78-10592
- Energy consumption in commercial industries by census division - 1974
[PB-268851/3] 17 p0139 N78-13558
- FEDERAL ENERGY ADMINISTRATION, WASHINGTON, D. C.
- Project Independence Evaluation System (PIES) documentation. Volume 14: A users guide
[PB-268850/5] 17 p0116 N78-10599
- Petroleum supply alternatives for the northern tier states through 1980
[PB-269809/0] 17 p0116 N78-10600
- Strategic petroleum reserve: Supplement to final environmental impact statement for bayou choctaw salt dome
[PB-270435/1] 17 p0119 N78-11254
- Strategic petroleum reserve: Central Rock Mine
[PB-270447/6] 17 p0119 N78-11255

- Strategic petroleum reserve: Byronound salt dome, draft supplement
[PB-270108/4] 17 p0119 N78-11256
- Future refinery capacity needs, construction incentives, and processing configurations
[PB-271099/4] 17 p0124 N78-12244
- Cumulative production/consumption effects of the crude oil price incentive rulemakings
[PB-271319/6] 17 p0124 N78-12247
- State energy conservation program sourcebook. Volume 2: State energy conservation plan handbook
[PB-271799/9] 17 p0143 N78-13610
- State energy conservation program sourcebook. Volume 3: Grants-in aid management handbook
[PB-271800/5] 17 p0144 N78-13611
- Strategic petroleum reserve
[PB-273487/9] 18 p0237 N78-16198
- Report to Congress on the economic impact of energy actions
[PB-272080/3] 18 p0243 N78-16467
- Allocation of petroleum feedstocks to synthetic natural gas plants
[PB-273098/4] 18 p0251 N78-17490
- Federal policy options to effect fuel conservation in the air industry
18 p0259 N78-18548
- Other storage reserve report
[PB-273474/7] 18 p0260 N78-18564
- Strategic petroleum reserve: Final environmental impact statement for Kleer Mine
[FES-77-2] 19 p0387 N78-22439
- Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 1: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FBA/S-77/323-VOL-1] 19 p0390 N78-22487
- Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 2, appendices A and B: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FBA/S-77/323-VOL-2] 19 p0391 N78-22488
- Strategic petroleum reserve. Texoma group salt domes. Draft environmental impact statement. Volume 4, appendices D-S: West Hackberry expansion, Black Bayou, Vinton, Big Hill
[FBA/S-77/323-VOL-4] 19 p0391 N78-22490
- FEDERAL ENERGY REGULATORY COMMISSION, WASHINGTON, D. C.
Electric utilities use of flue gas desulfurization technology in the United States
[PB-274120/5] 18 p0251 N78-17514
- Projected 1977 - 1978 winter electric load-supply situation, contiguous United States
[PB-276269/8] 18 p0285 N78-21621
- FEDERAL HIGHWAY ADMINISTRATION, WASHINGTON, D. C.
Estimated highway fuel savings in 1975
18 p0257 N78-18539
- FEDERAL POWER COMMISSION, WASHINGTON, D. C.
The status of flue gas desulfurization applications in the United States: A technological assessment, highlights
[PB-271361/8] 17 p0128 N78-12560
- The status of flue gas desulfurization applications in the United States: A technological assessment, report in full
[PB-271362/6] 17 p0128 N78-12561
- FEDERAL RAILROAD ADMINISTRATION, WASHINGTON, D. C.
Outline of the energy-related projects sponsored by the Federal Railroad Administration, DOT
18 p0258 N78-18544
- FLORIDA SOLAR ENERGY CENTER, CAPE CANAVERAL.
Solar energy commercialization at the state level: The Florida solar energy water heater program
[PB-270158/9] 17 p0128 N78-12551
- FLORIDA UNIV., GAINESVILLE.
Experimental determination of series resistance of p-n junction diodes and solar cells
18 p0228 N78-131731
- Transport processes in Teflon-bonded fuel cell electrodes
17 p0135 N78-13524
- Measurement of material parameters that limit the open-circuit voltage in P-N-junction silicon solar cells
17 p0136 N78-13532
- Heavy metal interactions with natural organics in aquatic environments
18 p0244 N78-16479
- Two-phase Hartmann flows in the MHD generator configuration
[AD-A051450] 19 p0401 N78-23927
- FLUIDDYNE ENGINEERING CORP., MINNEAPOLIS, MINN.
Support testing and design study evaluation of regenerative air heaters
[PB-2254-5] 19 p0441 N78-26398
- FORD MOTOR CO., DEARBORN, MICH.
Potential for automotive fuel economy improvement
18 p0258 N78-18543
- Automotive Stirling engine development program
[NASA-CR-135331] 19 p0392 N78-22970
- Stirling engine feasibility study of an 80 to 100 hp engine of improvement potential for emissions and fuel economy
[COO-2631-22] 19 p0394 N78-23442
- Ford/ERDA sodium-sulfur battery development, phase 2
[COO-2566-30] 19 p0463 N78-27585
- FOSTER ASSOCIATES, INC., WASHINGTON, D. C.
Impact of natural gas shortage on major industrial fuel-burning installations. Volume 1: Text
[PB-269365/3] 17 p0115 N78-10596
- Impact of natural gas shortage on major industrial fuel-burning installations. Volume 2: Schedules (data and tables)
[PB-269366/1] 17 p0116 N78-10597
- Impact of natural gas shortage on major industrial fuel burning installations. Volume 3: Appendix: Summary and analysis of fuel-burning characteristics of NFBS
[PB-269367/9] 17 p0116 N78-10598
- Fuel and energy price forecasts. Volume 1: Report
[EPRI-EA-411-VOL-1] 17 p0142 N78-13589
- Fuel and energy price forecasts. Volume 2: Schedules
[EPRI-EA-411-VOL-2] 17 p0142 N78-13590
- FOSTER-MILLER ASSOCIATES, INC., WALTHAM, MASS.
Foster-Miller's development of dry coal feed systems
17 p0132 N78-13251
- FOSTER WHEELER CORP., LIVINGSTON, N. J.
Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 12: Cold-flow model testing of a two-stage entrained-flow slagging coal gasifier
[FE-1521-31] 19 p0426 N78-25601
- Development work for an advanced coal gasification system for electric power generation from coal directed toward a commercial gasification generating plant, phase 2. Volume 14: System analysis
[FE-1521-33] 19 p0426 N78-25602
- G
GARD, INC., NILES, ILL.
Continuous high pressure lump coal feeder design study
17 p0132 N78-13253
- GARDINER (S. G.) ENGINEERING SERVICES LTD., VANCOUVER (BRITISH COLUMBIA).
Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers
[NP-22159/2] 19 p0393 N78-23253
- GARY OPERATING CO., ENGLEWOOD, COLO.
Bell Creek Field micellar-polymer pilot demonstration
[BERC/TPR-77/13] 19 p0413 N78-25226
- Pilot demonstration-enhanced oil recovery by micellar-polymer waterflooding Bell Creek Field
[COO-4207-14] 19 p0418 N78-25510
- GCA CORP., BEDFORD, MASS.
Filtration model for coal fly ash with glass fabrics
[PB-276489/2] 18 p0289 N78-21667
- GELLMAN RESEARCH ASSOCIATES, INC., JENKINTOWN, PA.
The role of scientific and technical information in critical period management, volume 1
[PB-272178/5] 17 p0157 N78-14939

- The role of scientific and technical information in critical period management, volume 2
[PB-272179/3] 17 p0157 N78-14940
- GENERAL ACCOUNTING OFFICE, WASHINGTON, D. C.
Outer continental shelf sale 40: Inadequate data used to select and evaluate lands to lease: Department of The Interior
[PB-269865/2] 17 p0110 N78-10550
- Domestic energy resource and reserve estimates: Uses, limitations, and needed data
[PB-268966/9] 17 p0115 N78-10590
- Environmental protection issues facing the nation
[PB-269748/0] 17 p0117 N78-10633
- Rocky Mountain energy resource development: Status, potential, and socioeconomic issues
[PB-269969/2] 17 p0126 N78-12533
- An evaluation of the national energy plan
[PB-270172/0] 17 p0127 N78-12548
- Effective fuel conservation programs could save millions of gallons of aviation fuel
[PB-271249/5] 17 p0128 N78-12552
- More attention should be paid to making the U.S. less vulnerable to foreign oil price and supply decisions
[PB-275309/3] 18 p0276 N78-20625
- Evaluation of the plan to conserve energy in federal buildings through retrofit programs
[PB-275311/9] 18 p0276 N78-20627
- Emergency natural gas purchases: Actions needed to correct program abuses and consumer inequities
[PB-275876/1] 18 p0280 N78-21313
- US energy conservation could benefit from experiences of other countries
[PB-276006/4] 18 p0284 N78-21619
- The magnitude of the Federal solar energy program and the effects of different levels of funding
[PB-277018/8] 19 p0400 N78-23605
- GENERAL ATOMIC CO., SAN DIEGO, CALIF.
Solar collector field subsystem program on the fixed mirror solar concentrator
[GA-A-14209-REV] 17 p0141 N78-13583
- Large closed-cycle gas turbine plant
[GA-A-14311] 17 p0152 N78-14652
- Preliminary system analysis of a fixed mirror solar power central station
[EPRI-ER-434(6-77)] 18 p0241 N78-16452
- Gas turbine HTGR: A total energy utilization option
[GA-A-14484] 18 p0270 N78-19670
- HTS thermal storage peaking plant
[ORNL/SUB-4188-2] 18 p0277 N78-20645
- Prediction of thermoelectric battery power and voltage for a 15 year lifetime MB-75 mW (B) battery
[GA-A-14718] 19 p0446 N78-26576
- GENERAL ELECTRIC CO., CINCINNATI, OHIO.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] 17 p0109 N78-10467
- GENERAL ELECTRIC CO., ERIE, PA.
Electrification of railroads
problems-potentials-economic impacts
18 p0259 N78-18550
- GENERAL ELECTRIC CO., EVENDALE, OHIO.
Development and fabrication of a diffusion welded Columbia alloy heat exchanger
[AIHE PAPER A78-61] 18 p0228 A78-31500
- GENERAL ELECTRIC CO., FAIRFIELD, CONN.
Energy efficient engine preliminary design and integration studies
19 p0453 N78-27054
- GENERAL ELECTRIC CO., PHILADELPHIA, PA.
Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 1: Summary report
[NASA-CR-134934] 17 p0125 N78-12529
- Improved ceramic heat exchanger material
[NASA-CR-135292] 17 p0130 N78-13209
- Wind energy mission analysis, executive summary
[COO-2578-1-1] 17 p0152 N78-14645
- Wind energy mission analysis
[COO-2578-1-2] 17 p0152 N78-14646
- Wind energy mission analysis, appendices A-J
[COO-2578-1-3] 17 p0152 N78-14647
- Solar array conceptual design for the Halley's Comet ion drive mission, phase 2
[NASA-CR-155594] 18 p0240 N78-16438
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 2: Analysis and design
[NASA-CR-134935] 18 p0248 N78-17462
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications. Volume 3: Supplementary design and analysis tasks
[NASA-CR-135121] 18 p0248 N78-17463
- Conceptual approach study of a 200 watt per kilogram solar array, phase 1
[NASA-CR-155614] 18 p0248 N78-17465
- MOD-1 WTG dynamic analysis
18 p0265 N78-19618
- Mod-1 wind turbine generator analysis
18 p0266 N78-19631
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150686] 19 p0420 N78-25537
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150687] 19 p0420 N78-25538
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150691] 19 p0420 N78-25540
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150692] 19 p0420 N78-25541
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150693] 19 p0420 N78-25542
- Prototype solar heating and combined heating and cooling systems
[NASA-CR-150694] 19 p0420 N78-25543
- Solar total energy: large scale experiment. No. 2, phase 2: Conceptual design
[TID-27995] 19 p0428 N78-25618
- Solar heating and cooling system design and development
[NASA-CR-150705] 19 p0444 N78-26556
- GENERAL ELECTRIC CO., SCHENECTADY, N. Y.
Pulse battery charger employing 1000 ampere transistor switches
18 p0231 A78-31974
- Design and calculated performance and cost of the ECAS Phase II open cycle MHD power generation system
[ASME PAPER 77-WA/ENER-5] 19 p0297 A78-33143
- Open-Cycle Gas Turbine/Steam Turbine Combined Cycles with synthetic fuels from coal
[ASME PAPER 77-WA/ENER-9] 19 p0298 A78-33147
- Performance and economics of advanced energy conversion systems for coal and coal-derived fuels
19 p0309 A78-34078
- Development of high temperature turbine subsystem technology to technology readiness status: phase 1
[FE-1806-6] 17 p0124 N78-12425
- Pressurized feeding on the GEGAS system
17 p0132 N78-13255
- Demonstration of an inductor motor/alternator/flywheel energy storage system
[COO-4010-2] 17 p0141 N78-13579
- Study of practical cycles for geothermal power plants
[COO-2619-1] 18 p0288 N78-21651
- CFCC development program
[FE-2357-19] 19 p0464 N78-27593
- GENERAL ELECTRIC CO., WILMINGTON, MASS.
SPE water electrolysis technology development for large scale hydrogen production
[COO-2675-6] 19 p0415 N78-25249
- GENERAL MOTORS RESEARCH LABS., WARREN, MICH.
A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.1: Model 3 ground power units design, construction and testing. Government contract reports
[GMR-2690-PT-1.1] 19 p0437 N78-26237
- Stirling engine ground power unit
[GMR-2690-SECT-1.108] 19 p0437 N78-26245
- Stirling engine Ground Power Unit model GPU 3 acceptance test report
[GMR-2690-SECT-1.110] 19 p0437 N78-26247
- US Army Engineer Research and Development Laboratories five hundred hour engineering evaluation of the Stirling GPU 2-1
[GMR-2690-SECT-1.112] 19 p0437 N78-26249

- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 1.2: Model 3 ground power units design, construction, and testing, General Motors research studies
[GMR-2690-PT-1.2] 19 p0437 N78-26250
- Effect of diesel fuel on Stirling engine ground power unit components
[GMR-2690-SECT-1.201] 19 p0437 N78-26251
- Manual cranking tests of the Stirling engine ground power unit
[GMR-2690-SECT-1.202] 19 p0437 N78-26252
- The GPU-3 Stirling engine ground power unit ignition system
[GMR-2690-SECT-1.203] 19 p0438 N78-26253
- Combustor development for Stirling ground power units, GPU-2 and GPU-3
[GMR-2690-SECT-1.204] 19 p0438 N78-26254
- Preliminary performance tests of a GPU-3 Stirling engine on hydrogen, helium, and nitrogen
[GMR-2690-SECT-1.206] 19 p0438 N78-26256
- STIR-LEC 2 Stirling engine performance
[GMR-2690-SECT-1.207] 19 p0438 N78-26257
- Method of tests and instructions (generator sets, Stirling engine drive)
[GMR-2690-SECT-1.208] 19 p0438 N78-26258
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 2: Stirling cycle analysis and engine design studies
[GMR-2690-PT-2] 19 p0438 N78-26262
- Stirling engine heater tube failures
[GMR-2690-SECT-3.101] 19 p0438 N78-26285
- Stirling engine heater tube failure
[GMR-2690-SECT-3.102] 19 p0438 N78-26286
- Examination of Stirling engine regenerator screens
[GMR-2690-SECT-3.105] 19 p0439 N78-26289
- Evaluation of stresses in tubes with external heat flux and internal pressurization
[GMR-2690-SECT-3.204] 19 p0439 N78-26294
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 6: Regenerators
[GMR-2690-PT-6] 19 p0439 N78-26318
- Stirling thermal engine regenerator cost reduction program outline
[GMR-2690-SECT-6.001] 19 p0439 N78-26319
- Stirling thermal engine regenerator cost reduction program report 1: Wire cloth matrix materials
[GMR-2690-SECT-6.002] 19 p0439 N78-26320
- Stirling engine regenerator performance analysis
[GMR-2690-SECT-6.003] 19 p0439 N78-26321
- Stirling thermal engine regenerator cost reduction program. Report 2: June 1965 status
[GMR-2690-SECT-6.004] 19 p0439 N78-26322
- Stirling thermal engine regenerator cost reduction program. Report 3: Manufacturing the electro-motive division 4S/8V12C Stirling engine regenerators
[GMR-2690-SECT-6.005] 19 p0439 N78-26323
- Stirling thermal engine regenerator cost reduction program. Report 4: NET NET fluid friction heat transfer test results, engine test for four regeneration materials
[GMR-2690-SECT-6.006] 19 p0440 N78-26324
- A collection of Stirling engine reports from General Motors' research, 1958 to 1970. Part 7: Thermal energy storage and publication list, 7.1 Thermal energy storage, 7.2 List of general motors Stirling engine publications
[GMR-2690-PT-7] 19 p0440 N78-26326
- Thermal energy storage for road vehicle propulsion
[GMR-2690-SECT-7.103] 19 p0440 N78-26329
- Thermal energy storage Stirling engine power plants 1: Calculated heat transfer and pressure drop across ground power unit heater assemblies
[GMR-2690-SECT-7.104] 19 p0440 N78-26330
- Analysis of the failure of the nickel tank used for LiOH thermal energy storage for the Calvar automobile
[GMR-2690-SECT-7.106] 19 p0440 N78-26332
- Energy storage systems complement the Stirling engine
[GMR-2690-SECT-7.107] 19 p0440 N78-26333
- Thermal energy storage--Stirling engine power plants 2. Calculated energy transfer rates from solidifying lithium fluoride to a plain-tube heater
[GMR-2690-SECT-7.108] 19 p0440 N78-26334
- Metallurgical studies of high temperature alloy capsules after long time cyclic corrosion tests as containers for lithium fluoride
[GMR-2690-SECT-7.109] 19 p0440 N78-26335
- Performance evaluation of a Stirling cycle heat pump
[GMR-2690-SECT-7.110] 19 p0441 N78-26336
- Thermal energy storage-Stirling engine powerplants for road vehicles
[GMR-2690-SECT-7.111] 19 p0441 N78-26337
- GENERAL RESEARCH CORP., MCLEAN, VA.
Solar sail-solar electric technology readiness and transfer assessment
[NASA-CR-157239] 19 p0436 N78-26154
- GENERAL RESEARCH CORP., SANTA BARBARA, CALIF.
Electric car technology for demonstration and development
18 p0259 N78-18551
- Urban applications and energy impacts of future electric cars
18 p0259 N78-18552
- GEOLOGICAL SURVEY, BAY SAINT LOUIS, MISS.
Computer techniques to aid in the interpretation of subsurface fluid-pressure gradients
[PB-268603/8] 17 p0110 N78-10546
- GEOLOGICAL SURVEY, DENVER, COLO.
Borehole gravity survey to determine density variations in the Devonian shale sequence of Lincoln County
[NERC/CR-77/7] 17 p0157 N78-14729
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 3: Heat discharge from Mount St. Helens, Washington
[E78-10122] 19 p0387 N78-22435
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Preface and part 1: The Surtsey, Iceland, temperature data relay experiment via LANDSAT-1
[E78-10121] 19 p0394 N78-23498
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 4: Lassen volcanic region
[E78-10123] 19 p0394 N78-23499
- Thermal surveillance of active volcanoes using the LANDSAT-1 data collection system. Part 5: Electronic thermal sensor and data collection platform technology
[E78-10124] 19 p0394 N78-23500
- GEORGE WASHINGTON UNIV., WASHINGTON, D. C.
Performance potential of the energy separator without mechanical energy recovery
[PB-269721/7] 17 p0116 N78-10601
- Legal-institutional implications of Wind Energy Conversion Systems (WECS), executive summary
[PB-273006/7] 18 p0244 N78-16472
- Analysis of policy options for accelerating commercialization of solar heating and cooling systems
[TID-27597] 19 p0428 N78-25615
- Legal-institutional arrangements facilitating offshore Wind Energy Conversion Systems (WECS) utilization
[DOE/NSF/19137-77/3] 19 p0435 N78-25982
- Legal-institutional implications of Wind Energy Conversion Systems (WECS)
[NSF/RA-770204] 19 p0435 N78-25983
- Summary of proceedings of Solar Heating and Cooling Commercialization workshop
[DSE/4017-1] 19 p0445 N78-26568
- Solar energy incentives analysis: Psycho-economic factors affecting the decision making of consumers and the technology delivery system
[HCP/H2534] 19 p0463 N78-27584
- GEORGETOWN UNIV., WASHINGTON, D.C.
Industrial application of fluidized-bed combustion
[FE-2461-5] 19 p0436 N78-26190
- GEORGIA INST. OF TECH., ATLANTA.
Experimental and analytical comparisons of the performance and combustion characteristics of gasoline, methane, and methanol in a Wankel engine
17 p0158 N78-15487

A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 1: Project overview
[PB-278078/1] 19 p0449 N78-26616

A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 2: Case study and technical assistance
[PB-278079/9] 19 p0449 N78-26617

A project to reduce the impact of energy shortages and cost increases on industrial production in the southeast. Volume 3: Transfer package
[PB-278080/7] 19 p0449 N78-26618

GEORGIA SOUTHWESTERN COLL., AMERICUS.
Introductory workshops on remote sensing as related to geological problems in Georgia
[E78-10152] 19 p0455 N78-27482

GEORGIA UNIV., ATHENS.
Irradiance for skew rays incident upon a trough-like solar collector of arbitrary shape
17 p0104 A78-19829

Flat-sided rectilinear trough as a solar concentrator - An analytical study
19 p0344 A78-39636

The energy question: A case study in major public policy development in a quasi-free enterprise society
18 p0274 N78-20599

Development of a practical photochemical energy storage system
[SRO-893-6] 18 p0285 N78-21626

Development of a practical photochemical energy storage system
[SRO-893-8] 18 p0285 N78-21627

Development of a practical photochemical energy storage system
[SRO-893-9] 18 p0285 N78-21628

Development of a practical photochemical energy storage system
[SRO-893-10] 18 p0285 N78-21629

GORDIAN ASSOCIATES, INC., NEW YORK.
Computer model for refinery operations with emphasis on jet fuel production. Volume 2: Data and technical bases
[NASA-CR-135334] 18 p0262 N78-19326

Computer model for refinery operations with emphasis on jet fuel production. Volume 1: Program description
[NASA-CR-135333] 18 p0272 N78-20350

Computer model for refinery operations with emphasis on jet fuel production. Volume 3: Detailed systems and programming documentation
[NASA-CR-135335] 19 p0414 N78-25235

Small refiner bias analysis
[HCP/B70258-01] 19 p0416 N78-25253

Overcoming institutional barriers to solid waste utilization as an energy source
[HCP/L50172-01] 19 p0452 N78-27005

Overcoming institutional barriers to solid waste utilization as an energy source: Executive summary
[HCP/L50172-02] 19 p0453 N78-27006

GOULD, INC., ROLLING MEADOWS, ILL.
Develop nickel-zinc battery suitable for electronic vehicle propulsion. Task A: Design and cost study
[ANL-K-77-3558-1] 17 p0143 N78-13607

State-of-the-art lead-acid vehicle
[ANL-K-77-3639-1] 19 p0459 N78-27547

GRUMMAN AEROSPACE CORP., BETHPAGE, N.Y.
Learning to build large structures in space
17 p0082 A78-16698

Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135244] 17 p0150 N78-14632

Thermal energy storage heat exchanger: Molten salt heat exchanger design for utility power plants
[NASA-CR-135245] 17 p0150 N78-14633

Investigation of diffuser-augmented wind turbines. Part 1: Executive summary
[COO-2616-2-PT-1] 17 p0154 N78-14668

Investigation of diffuser-augmented wind turbines. Part 2: Technical report
[COO-2616-2-PT-2] 17 p0154 N78-14669

GROY FEDERAL, INC., ARLINGTON, VA.
Pricing effects on frontier oil production
[PB-269807/4] 17 p0115 N78-10593

Oil and gas replacement cost: Development and production. Volume 1: Discussion of methodology, exhibits, and projections
[TID-28043/1] 19 p0418 N78-25514

Oil and gas replacement cost: Development and production. Volume 2: Exhibits
[TID-28043/2] 19 p0418 N78-25515

H

HANFORD ENGINEERING DEVELOPMENT LAB., RICHLAND, WASH.
Tribology: Research and development needs in advanced energy technology
[HEDL-SA-1191-REV] 19 p0442 N78-26450

HAWAII UNIV., HONOLULU.
Synchronization of wind turbine generators against an infinite bus under gusting wind conditions
[IEEE PAPER P 77 675-2] 18 p0219 A78-30196

Employing static excitation control and tie line reactance to stabilize wind turbine generators
[NASA-CR-135344] 18 p0274 N78-20603

HEALTH EDUCATION AUTHORITY OF LOUISIANA, NEW ORLEANS.
Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary
[COO-4214-1/1-VOL-1] 18 p0287 N78-21641

HITMAN ASSOCIATES, INC., COLUMBIA, MD.
Environmental assessment of coal liquefaction
[PB-278333/0] 19 p0451 N78-26654

HOLT (BEN) CO., PASADENA, CALIF.
Geothermal direct contact heat exchange
[SAN/1116-1] 18 p0277 N78-20638

HONEYWELL CORPORATE RESEARCH CENTER, BLOOMINGTON, MINN.
Dip-coated sheet silicon solar cells
17 p0014 A78-10926

HONEYWELL, INC., BLOOMINGTON, MINN.
Silicon on ceramic process. Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project
[NASA-CR-155613] 18 p0248 N78-17464

HONEYWELL, INC., MINNEAPOLIS, MINN.
Solar central electric power generation - A baseline design
17 p0010 A78-10742

Optimization of coatings for flat plate solar collectors, phase 2
[COO-2930-4] 17 p0152 N78-14648

Survey of the applications of solar thermal energy systems to industrial process heat. Volume 1: Summary
[TID-27348/1-VOL-1] 17 p0153 N78-14656

Solar heating and cooling systems design and development
[NASA-CR-150542] 18 p0263 N78-19603

Low-cost solar air heater
[COO-2929-6] 18 p0277 N78-20639

Solar heating and cooling system design and development
[NASA-CR-150640] 19 p0388 N78-22467

Solar pilot plant, phase 1, preliminary design report. Volume 2, book 2: Central receiver optical model users manual, CDRL item 2
[SAN/1109-8/3-VOL-2-BK-2] 19 p0424 N78-25583

Solar pilot plant, phase 1, preliminary design report. Volume 2, book 3: Dynamic simulation model and computer program descriptions, CDRL item 2
[SAN/1109-8/4-VOL-2-BK-3] 19 p0424 N78-25584

Solar pilot plant, phase 1, preliminary design report. Volume 3: Collector subsystem, CDRL item 2
[SAN/1109-8/5-VOL-3] 19 p0424 N78-25585

Solar pilot plant, phase 1, preliminary design report. Volume 6: Electrical power generation; master control subsystems; balance of plant CDRL item 2
[SAN/1109-8/8-VOL-6] 19 p0424 N78-25586

Optimization of coatings for flat plate solar collectors, phase 2
[COO-2930-12] 19 p0444 N78-26565

- Mixed strategies for energy conservation and alternative energy utilization (solar) in buildings, volume 1. Executive summary [SAM/1234-1/1] 19 p0448 N78-26598
- HONEYWELL CORPORATE MATERIAL SCIENCES CENTER, BLOOMINGTON, MINN.
Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- HOUSTON CHEMICAL CO., CORPUS CHRISTI, TEX.
Solar heat transport fluid [NASA-CR-150612] 18 p0283 N78-21592
- HOUSTON CHEMICAL CO., PITTSBURGH, PA.
Solar heat transport fluids for solar energy collection systems: A collection of quarterly reports [NASA-CR-150560] 18 p0274 N78-20606
- Preliminary design package for noncorrosive fluid subsystem, solar heating and cooling [NASA-CR-150698] 19 p0421 N78-25549
- HOUSTON UNIV., TEX.
A pilot system for the Texas energy data bank and information retrieval system 17 p0118 N78-10957
- Liquid metal cooled solar central receiver feasibility study and heliostat field analysis. Part 1: Liquid sodium cooled central receiver system conceptual design [ORO-5178-78/1] 19 p0447 N78-26594
- HUDSON INST., INC., CROTON-ON-HUDSON, N. Y.
Suggestions for a phase-2 national energy policy [PE-2660-1] 19 p0397 N78-23581
- HUGHES AIRCRAFT CO., CULVER CITY, CALIF.
Project STOP (Spectral Thermal Optimization Program) 17 p0137 N78-13541
- HUGHES AIRCRAFT CO., EL SEGUNDO, CALIF.
ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932
- HUGHES RESEARCH LABS., HALIBU, CALIF.
GaAs solar cell development 17 p0138 N78-13544
- Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- Indian phosphide/cadmium sulfide thinfilm terrestrial solar cells. [ALO/3717-1] 19 p0462 N78-27581
- HUGHES SPACE AND COMMUNICATIONS GROUP, LOS ANGELES, CALIF.
Extended performance solar electric propulsion thrust system study. Volume 4: Thruster technology evaluation [NASA-CR-135281-VOL-4] 18 p0237 N78-16090
- IBM FEDERAL SYSTEMS DIV., HUNTSVILLE, ALA.
Site-dependent factors affecting the economic feasibility of solar powered absorption cooling 17 p0046 A78-11247
- Application of solar energy to air conditioning systems [NASA-CR-150532] 18 p0250 N78-17483
- SIMS prototype system 1: Design data brochure [NASA-CR-150534] 18 p0250 N78-17484
- Installation package - SIMS prototype system 1a [NASA-CR-150524] 18 p0255 N78-18523
- Site dependent factors affecting the economic feasibility of solar powered absorption cooling [NASA-CR-150533] 18 p0255 N78-18524
- SIMS prototype system 1 test results: Engineering analysis [NASA-CR-150522] 18 p0256 N78-18527
- Site selection for HSFC operational tests of solar heating and cooling systems [NASA-CR-150537] 18 p0263 N78-19602
- Sims Prototype System 2 test results: Engineering analysis [NASA-CR-150544] 18 p0263 N78-19604
- Site selection feasibility for a solar energy system on the Fairbanks Federal Building [NASA-CR-150559] 18 p0268 N78-19645
- Design data brochure: SIMS prototype system 2 [NASA-CR-150558] 18 p0268 N78-19649
- Preliminary design review package for the solar heating and cooling central data processing system [NASA-CR-150594] 18 p0274 N78-20604
- Subsystem design package for Mod 2 site data acquisition system: Solar heating and cooling [NASA-CR-150588] 18 p0274 N78-20609
- Design review package for the on-site monitor for solar heating and cooling systems [NASA-CR-150590] 18 p0275 N78-20611
- System design package for IBM system one: solar heating and domestic hot water [NASA-CR-150614] 18 p0282 N78-21589
- Central Data Processing System (CDPS) user's manual: Solar heating and cooling program [NASA-CR-150580] 18 p0283 N78-21595
- System design package for SIMS prototype system 2, solar hot water [NASA-CR-150521] 19 p0388 N78-22465
- Indoor test for thermal performance evaluation on life sciences engineering (air) solar collector [NASA-CR-150665] 19 p0420 N78-25547
- Design data brochure: SIMS prototype system 3 [NASA-CR-150707] 19 p0421 N78-25552
- IBM WATSON RESEARCH CENTER, YORKTOWN HEIGHTS, N.Y.
Improved GaAs solar cells with very thin junctions 17 p0026 A78-11057
- ICF, INC., WASHINGTON, D. C.
Project Independence Evaluation System (PIES) documentation. Volume 11: Finance submodel for the FEA oil and gas supply model [PB-269948/6] 17 p0126 N78-12540
- Project Independence Evaluation System (PIES) documentation. Volume 10: Automation of finding rate and discount rates in the FEA gas supply model [PB-269947/8] 17 p0127 N78-12541
- Project Independence Evaluation System (PIES) documentation. Volume 4: FEA model of oil and gas supply: Data validation and update [PB-270385/8] 17 p0139 N78-13559
- IIT RESEARCH INST., CHICAGO, ILL.
Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650
- ILLINOIS DEPT. OF BUSINESS AND ECONOMIC DEVELOPMENT, SPRINGFIELD.
The Illinois program for comprehensive solar energy legislation [PB-275565/0] 18 p0277 N78-20648
- Illinois energy contingency plan, executive summary [PB-278714/1] 19 p0465 N78-27605
- Illinois energy contingency plan [PB-278715/8] 19 p0465 N78-27606
- ILLINOIS INST. FOR ENVIRONMENTAL QUALITY, CHICAGO.
Cyanide removal from petroleum refinery wastewater using powdered activated carbon [PB-270862/6] 17 p0146 N78-13650
- The Illinois program for comprehensive solar energy legislation [PB-275565/0] 18 p0277 N78-20648
- ILLINOIS INST. OF TECH., CHICAGO.
Gas core reactors for coal gasification 19 p0451 N78-26869
- ILLINOIS UNIV., URBANA.
Structural descriptions of alternative energy futures [COO-2865-7] 17 p0114 N78-10580
- Net energy effects and resource depletion: An all-oil economy [COO-2865-6] 17 p0142 N78-13592
- Exploratory studies of high-efficiency advance fuel fusion reactors [EPRI-ER-581] 19 p0435 N78-25938
- ILLINOIS UNIV., URBANA-CHAMPAIGN.
A linear programming model for assessing the regional impacts of energy development on water resources [PB-273022/4] 18 p0251 N78-17491
- INDIANA UNIV., BLOOMINGTON.
Carbonaceous shales of Indiana as sources of energy, petrochemicals, and ceramic materials [TID-28179] 19 p0418 N78-25518

INDUSTRIAL ENVIRONMENTAL RESEARCH LAB., RESEARCH TRIANGLE PARK, N. C.

Proceedings of the 2d Stationary Source Combustion Symposium. Volume 5: Addendum [PB-274897/8] 18 p0261 N78-18590

INGERSOLL-RAND RESEARCH, INC., PRINCETON, N. J.
Dry coal feeder development program at Ingersoll-Rand Research, Incorporated 17 p0132 N78-13250

INSTITUT FUER SYSTEMTECHNIK UND INNOVATIONSPORSCHUNG, KARLSRUHE (WEST GERMANY).

Scenarios for chemical technology [BNFT-PB-T-77-01] 17 p0123 N78-11897

INSTITUTE FOR ENERGY ANALYSIS, OAK RIDGE, TENN.

Energy embodied in goods [ORAU/IEA (M)-77-6] 17 p0127 N78-12542

Present and future production of CO₂ from fossil fuels: A global appraisal [ORAU/IEA (O)-77-15] 18 p0245 N78-16495

Thermodynamics and energy policy [ORAU/IEA (M)-77-18] 18 p0287 N78-21643

Net energy analysis of an Ocean Thermal Energy Conversion (OTEC) system [ORAU/IEA (M)-77-1] 18 p0288 N78-21652

Net energy from municipal solid waste [ORAU/IEA (M)-77-5] 18 p0288 N78-21653

INSTITUTE OF GAS TECHNOLOGY, CHICAGO, ILL.

Slurry pumping techniques for feeding high-pressure coal gasification reactors 17 p0131 N78-13248

Development of an industry-government cooperative energy conservation program for small manufacturers, phase 1. Project 8978 [COO-2852-2] 17 p0140 N78-13572

Alternative energy transmission systems from OTEC plants, Project 8980 [DSE/2426-8] 17 p0153 N78-14658

Burner design criteria for NO_x control from low-Btu gas combustion. Volume 1: Ambient fuel temperature [PB-272614/9] 17 p0163 N78-15607

Alternative forms of energy transmission from OTEC plants [CONF-770331-5] 18 p0241 N78-16453

Alternative energy transmission systems from OTEC plants, project 8980 [DSE/2426-12] 18 p0242 N78-16454

Pilot plant study of conversion of coal to low sulfur fuel [PB-274113/0] 18 p0260 N78-18565

Riser cracking of coal to oil and gas [CONF-770814-10] 19 p0392 N78-23250

Preparation of a coal conversion systems technical data book [FE-2286-21] 19 p0398 N78-23591

Research and development of rapid hydrogenation for coal conversion to synthetic motor fuels (riser cracking of coal) [FE-2307-17] 19 p0403 N78-24382

Molten salt thermal energy storage systems [NASA-CR-135419] 19 p0405 N78-24618

Optimization study of OTEC delivery systems based on chemical-energy carriers [ERDA/NSP-00033/76/II] 19 p0409 N78-24677

Status of steam-iron pilot plant operations [CONF-771092-5] 19 p0415 N78-25250

Development of the steam-iron process for hydrogen production [FE-2435-12] 19 p0416 N78-25254

Application analysis of solar total energy to the residential sector [TID-28103] 19 p0429 N78-25624

Application analysis of solar total energy to the residential sector [TID-28104] 19 p0431 N78-25643

Molten-salt thermal-energy storage systems [CONF-770955-3] 19 p0460 N78-27556

Transmission of energy by open-loop chemical energy pipeline [CONF-770955-4] 19 p0461 N78-27576

INSTITUTO DE PESQUISAS ESPACIAIS, SAO JOSE DOS CAMPOS (BRAZIL).

Application of remote sensing to geothermal anomaly mapping in the Caldas Novas County, Golas [INPE-1129-TPT/070] 17 p0149 N78-14610

INTERGROUP CONSULTING ECONOMISTS LTD., WINNIPEG (MANITOBA).

Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers [NP-22159/2] 19 p0393 N78-23253

INTERNATIONAL ATOMIC ENERGY AGENCY, VIENNA (AUSTRIA).

Energy in developing countries: Prospects and problems [IAEA-CN-36/581] 17 p0116 N78-10603

INTERNATIONAL INSTITUTE FOR APPLIED SYSTEMS ANALYSIS, LAXENBURG (AUSTRIA).

An algorithm for constrained optimization with semismooth functions [IIASA-RR-77-3] 17 p0121 N78-11511

Multi-organizational strategies: An analytic framework and case illustrations [IIASA-RM-77-4] 17 p0122 N78-11864

Technology assessment in a dialectic key [IIASA-PP-77-1] 17 p0123 N78-11896

Fusion and fast breeder reactors [IIASA-RR-77-8] 18 p0278 N78-20941

Which way to go? Observations based on discussion on global perspectives and energy strategies [IIASA-PP-77-9] 19 p0399 N78-23600

Report to the Advisory Committee of IIASA's Energy Program [IIASA-RM-77-42] 19 p0399 N78-23601

Systems aspects of large-scale solar energy conversion [IIASA-RM-77-23] 19 p0423 N78-25581

INTERTECHNOLOGY CORP., WARRENTON, VA.

Intertechnology Corporation report of solar energy systems installation costs for selected commercial buildings [COO-2688-76-13] 17 p0143 N78-13606

Institutional applications of solar total energy systems [TID-22782] 19 p0429 N78-25625

IOWA STATE UNIV. OF SCIENCE AND TECHNOLOGY, AMES.

Devolatilization and desulfurization of Iowa coal 17 p0125 N78-12525

Enhanced single-phase heat transfer for ocean thermal energy conversion systems [ORNL/SUB-77/14216/1] 17 p0153 N78-14657

Effects of large interconnected wind generators on the electric power system 19 p0388 N78-22462

ISRAEL ATOMIC ENERGY COMMISSION, TEL AVIV.

Guidelines for forecasting energy demand [IA-1327] 17 p0114 N78-10582

ISTITUTO SUPERIORE DI SANITA, ROME (ITALY).

Health and environmental aspects of energy development [ISS-P-77/2] 19 p0399 N78-23599

J

JBF SCIENTIFIC CORP., WASHINGTON, D. C.

Summary of current cost estimates of large wind energy systems [DSE/2521-1] 17 p0152 N78-14650

JENIKE AND JOHNSON, INC., BILLERICA, MASS.

Storage and feeding of coal 17 p0133 N78-13263

JET PROPULSION LAB., CALIF. INST. OF TECH., PASADENA.

Material and design considerations of encapsulants for photovoltaic arrays in terrestrial applications 17 p0016 A78-10951

SAHIS - A simulation of the solar array manufacturing industry 17 p0016 A78-10955

Interface design considerations for terrestrial solar cell modules 17 p0023 A78-11030

Economic analysis of low cost silicon sheet produced from Czochralski grown material 17 p0024 A78-11036

Single crystal and polycrystalline GaAs solar cells using AMOS technology 17 p0025 A78-11044

Characterization of terrestrial service environments - The simultaneous occurrence of combined conditions of solar insolation and climatic variables 17 p0049 A78-11283

- Large-scale thermal energy storage using sodium hydroxide /NaOH/ 17 p0051 A78-11309
- Solar Stirling power generation - Systems analysis and preliminary tests 17 p0052 A78-11321
- Solar photovoltaic power stations. 17 p0054 A78-11335
- The impact of H₂S emissions on future geothermal power generation - The Geysers region, California [IEEE PAPER A 77 816-2] 17 p0071 A78-14077
- Finite-element solutions for geothermal systems 17 p0094 A78-18097
- Solar air heaters and their applications 18 p0200 A78-27858
- Development of low-cost silicon crystal growth techniques for terrestrial photovoltaic solar energy conversion 18 p0220 A78-30268
- Engineering aspects of geothermal development with emphasis on the Imperial Valley of California 18 p0228 A78-31742
- Experimental evaluation of a fixed collector employing vee-trough concentrator and vacuum tube receivers 19 p0295 A78-33030
- Aerospace technology can be applied to exploration 'back on earth' 19 p0297 A78-33123
- High temperature thermal energy storage, including a discussion of TES integrated into power plants 19 p0311 A78-34468
- Calibration standards and field instruments for the precision measurement of insolation 19 p0312 A78-34517
- Thermal optical surface properties and high-temperature solar energy conversion [AIAA PAPER 78-903] 19 p0324 A78-36021
- A simple theory of back surface field /BSF/ solar cells 19 p0338 A78-38552
- The beamed power microwave transmitting antenna 19 p0340 A78-38841
- Weight propagation and equivalent horsepower for alternate-engined cars [SAE PAPER 780348] 19 p0366 A78-41225
- California's geothermal resource potential 19 p0368 A78-41816
- Catalytic hydrosolvation process converts coal to low-sulfur liquid fuel 19 p0368 A78-41817
- Portable linear-focused solar thermal energy collecting system [NASA-CASE-NPO-13734-1] 17 p0111 N78-10554
- A thermodynamic analysis of a solar-powered jet refrigeration system 17 p0118 N78-11154
- Dynamic modeling and sensitivity analysis of solar thermal energy conversion systems 17 p0118 N78-11156
- Improved solar photolysis of water [NASA-CASE-NPO-14126-1] 17 p0120 N78-11500
- Alternative concepts for underground rapid transit systems, executive summary [PB-270102/7] 17 p0123 N78-11894
- Evaluation of coal feed systems being developed by the Energy Research and Development administration [NASA-CR-155267] 17 p0124 N78-12419
- Building application of solar energy. Study no. 2: Representative buildings for solar energy performance analysis and market penetration [NASA-CR-155325] 17 p0125 N78-12527
- Building application of solar energy. Study no. 4: Scenarios for the utilization of solar energy in southern California buildings, change 1 [NASA-CR-155326] 17 p0125 N78-12528
- An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 1 [NASA-CR-155319] 17 p0128 N78-12823
- An analysis of the back end of the nuclear fuel cycle with emphasis on high-level waste management, volume 2 [NASA-CR-155320] 17 p0128 N78-12824
- Proceedings of the conference on Coal Feeding Systems [NASA-CR-155331] 17 p0131 N78-13241
- Evaluation of ERDA-sponsored coal feed system development 17 p0132 N78-13252
- Coal extrusion in the plastic state 17 p0132 N78-13256
- High voltage, high current Schottky barrier solar cell [NASA-CASE-NPO-13482-1] 17 p0135 N78-13526
- Piping design considerations in a solar-Rankine power plant 17 p0158 N78-15085
- Solar cell radiation handbook [NASA-CR-155554] 17 p0160 N78-15566
- A fixed tilt solar collector employing reversible vee-trough reflectors and vacuum tube receivers for solar heating and cooling systems [NASA-CR-155426] 17 p0160 N78-15567
- Projection of distributed-collector solar-thermal electric power plant economics to years 1990-2000 [NASA-CR-155427] 17 p0160 N78-15568
- Laser-zone growth in a Ribbon-To-Ribbon, RTE, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155586] 18 p0240 N78-16437
- Solar array conceptual design for the Halley's Comet ion drive mission, phase 2 [NASA-CR-155594] 18 p0240 N78-16438
- Costs and energy efficiency of a dual-mode system [PB-272714/7] 18 p0246 N78-16936
- Low cost solar energy collection system [NASA-CASE-NPO-13579-1] 18 p0248 N78-17460
- Phase 1 of the automated array assembly task of the low cost silicon solar array project [NASA-CR-155935] 18 p0255 N78-18516
- Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-155934] 18 p0255 N78-18517
- Energy requirement for the production of silicon solar arrays [NASA-CR-155932] 18 p0255 N78-18519
- Analysis of requirements for accelerating the development of geothermal energy resources in California [NASA-CR-155782] 18 p0256 N78-18528
- Computer program for design and performance analysis of navigation-aid power systems. Program documentation. Volume 1: Software requirements document [AD-A047925] 18 p0260 N78-18558
- An analysis of the technical status of high level radioactive waste and spent fuel management systems [NASA-CR-155313] 18 p0261 N78-18897
- A low cost high temperature sun tracking solar energy collector 18 p0262 N78-19041
- Microwave power converter [NASA-CASE-NPO-14068-1] 18 p0264 N78-19609
- An overview of US energy options: Supply- and demand-side history and prospects [NASA-CR-155946] 18 p0264 N78-19610
- The diffusion of the use of new energy technology as a context for an overview of solar energy technologies [NASA-CR-155942] 18 p0264 N78-19611
- Utilization requirements. A southern California Gas Company project SAGE report: Utilization requirements [NASA-CR-155948] 18 p0264 N78-19612
- Public policy issues. A Southern California Gas Company project SAGE report [NASA-CR-155945] 18 p0264 N78-19613
- LSSA (low-cost Silicon Solar Array) project [NASA-CR-155944] 18 p0264 N78-19614
- Proceedings of Small Power Systems' Solar Electric Workshop. Volume 2: Invited papers [NASA-CR-155940] 18 p0264 N78-19615
- The goldstone energy project [NASA-CR-156133] 18 p0275 N78-20618

- Solar energy for process heat: Design/cost studies of four industrial retrofit applications [NASA-CR-156139] 18 p0276 N78-20619
- Multi-wire slurry wafering demonstrations [JPL-PUB-78-37] 18 p0276 N78-20620
- Small Power Systems Solar Electric Workshop Proceedings. Volume 1: Executive report. Volume 2: Invited papers [NASA-CR-156165] 18 p0283 N78-21599
- Characterization of solar cells for space applications. Volume 1: Electrical characteristics of OCLI violet solar cells as a function of intensity and temperature [NASA-CR-156162] 18 p0283 N78-21601
- Compatibility studies of various refractory materials in contact with molten silicon [NASA-CR-156181] 19 p0387 N78-22184
- Historical evidence of importance to the industrialization of flat-plate silicon photovoltaic systems, volume 2 [NASA-CR-156185] 19 p0388 N78-22464
- Double-sided solar cell package [NASA-CASE-NPO-14199-1] 19 p0389 N78-22470
- Low cost silicon solar array project large area silicon sheet task: Silicon web process development [NASA-CR-156984] 19 p0396 N78-23563
- Terrestrial solar cell module automated array assembly, task 4 [NASA-CR-156982] 19 p0396 N78-23565
- Development of a unified criterion for solar collector selection 19 p0402 N78-24237
- Impacts and benefits of a satellite power system on the electric utility industry [NASA-CR-157157] 19 p0402 N78-24255
- Steam reforming of methyl fuel, phase 1 [AD-A044787] 19 p0403 N78-24375
- Underground mineral extraction [NASA-CASE-NPO-14140-1] 19 p0403 N78-24387
- Silicon materials task of the low cost solar array project, phase 2 [NASA-CR-157082] 19 p0406 N78-24622
- Dip-coating process: Silicon sheet growth development for the large-area silicon sheet task of the low-cost silicon solar array project [NASA-CR-157072] 19 p0406 N78-24627
- Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-157080] 19 p0406 N78-24629
- Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [DOE/JPL-954376-78/1] 19 p0406 N78-24630
- Investigation of test methods, material properties, and processes for solar cell encapsulants. Encapsulation task of the low-cost silicon solar array project [NASA-CR-157149] 19 p0406 N78-24636
- Solar silicon via the Dow Corning process [NASA-CR-157065] 19 p0406 N78-24637
- Silicon solar cells with a total power capacity of 30 kilowatts [NASA-CR-157066] 19 p0407 N78-24639
- Low cost silicon solar array project silicon materials task [NASA-CR-157092] 19 p0407 N78-24640
- Energy requirement for the production of silicon solar arrays [NASA-CR-157074] 19 p0407 N78-24642
- Energy requirement for the production of silicon solar arrays [NASA-CR-157071] 19 p0407 N78-24643
- Solar thermoelectric generators [NASA-CR-157097] 19 p0407 N78-24645
- High efficiency, long life terrestrial solar panel [NASA-CR-157060] 19 p0407 N78-24649
- Array automated assembly, phase 2 [NASA-CR-157057] 19 p0407 N78-24650
- Automated array assembly, phase 2 [NASA-CR-157134] 19 p0407 N78-24653
- Development of an improved high efficiency thin silicon solar cell [NASA-CR-157058] 19 p0408 N78-24654
- LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth [NASA-CR-157135] 19 p0408 N78-24656
- Computer program for design and performance analysis of navigation-aid power systems program documentation. Volume 2: User's manual [AD-A047356] 19 p0409 N78-24667
- SAMICS support study. Volume 1: Cost account catalog [NASA-CR-157131] 19 p0412 N78-24974
- Political and legal implications of developing and operating a satellite power system [NASA-CR-157077] 19 p0412 N78-25003
- Applications of aerospace technology to petroleum extraction and reservoir engineering [NASA-CR-157167] 19 p0414 N78-25233
- Surfactant-assisted liquefaction of particulate carbonaceous substances [NASA-CASE-NPO-13904-1] 19 p0414 N78-25237
- Proceedings of the DOE Chemical Energy Storage and Hydrogen Energy Systems Contracts Review [NASA-CR-157164] 19 p0419 N78-25532
- Coal desulfurization by low temperature chlorinolysis, phase 1 [NASA-CR-157172] 19 p0419 N78-25533
- Process heat in California: Applications and potential for solar energy in the industrial, agricultural and commercial sectors [NASA-CR-157169] 19 p0419 N78-25535
- Potential for cogeneration of heat and electricity in California industry, phase 1 [NASA-CR-157168] 19 p0419 N78-25536
- Low cost solar energy collection system [NASA-CASE-NPO-13579-4] 19 p0421 N78-25559
- A solar array strip and a method for forming the same [NASA-CASE-NPO-13652-3] 19 p0421 N78-25560
- Low-cost silicon solar array project environmental hail model for assessing risk to solar collectors [NASA-CR-157225] 19 p0442 N78-26541
- Proceedings of the Alternate Energy Systems Seminar [NASA-CR-157255] 19 p0457 N78-27522
- Solar photovoltaic systems 19 p0457 N78-27523
- Geothermal systems 19 p0457 N78-27524
- Cogeneration power systems 19 p0457 N78-27525
- Solar thermal systems 19 p0457 N78-27526
- Wind energy systems 19 p0457 N78-27528
- System considerations 19 p0457 N78-27529
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 1 [NASA-CR-157264] 19 p0457 N78-27530
- High-power, ultralow-mass solar arrays: FY-77 solar arrays technology readiness assessment report, volume 2 [NASA-CR-157265] 19 p0457 N78-27531
- Utilization of waste heat in trucks for increased fuel economy [NASA-CR-157292] 19 p0458 N78-27532
- A market survey of geothermal wellhead power generation systems [NASA-CR-157262] 19 p0458 N78-27533
- JHK AND ASSOCIATES, ALEXANDRIA, VA.
Priority treatment for high occupancy vehicles: Project status report [PB-270529/1] 17 p0129 N78-12907
- JOHNS HOPKINS UNIV., BALTIMORE, MD.
Physiological studies of nitrogen fixation by blue-green algae 17 p0128 N78-12647
- JOHNSON (BERNARD), INC., ROUSTON, LA.
Report on emergency electrical power supply systems for nuclear fuel cycle and reactor facilities security systems [Y/SUB-77-14263/1] 19 p0416 N78-25340
- JOINT CENTER FOR GRADUATE STUDY, RICHLAND, WASH.
Space electric power design study [NASA-CR-152031] 18 p0282 N78-21590

JOINT ECONOMIC COMMITTEE (U. S. CONGRESS).

- The impact of the President's energy plan on the northeast
[GPO-97-013] 19 p0405 N78-24619
- JOINT PUBLICATIONS RESEARCH SERVICE, ARLINGTON, VA.
Translations on eastern Europe: Scientific affairs, no. 566 17 p0147 N78-13849
- Translations on USSR resources, no. 768
[JPRS-70524] 17 p0159 N78-15557
- Prospects for power generation from space 19 p0468 N78-28039

K

KAMAN AEROSPACE CORP., BLOOMFIELD, CONN.

- Analytical testing techniques 18 p0266 N78-19625
- Drive train dynamic analysis 18 p0266 N78-19630
- Design study of wind turbines, 50 kW to 3000 kW for electric utility applications: Executive summary
[NASA-CR-134936] 19 p0395 N78-23559
- Design study of wind turbines 50 kW to 3000 kW for electric utility applications: Analysis and design
[NASA-CR-134937] 19 p0395 N78-23560
- KAMAN SCIENCES CORP., COLORADO SPRINGS, COLO.
Systems approach to solar heating and cooling systems
[CONF-770359-1] 18 p0242 N78-16455

KANYR, INC., GLEN FALLS, N. Y.

- Comparative description of coal feeding systems for fixed bed pressure gasification 17 p0131 N78-13247

KENTUCKY DEPT. OF NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION, FRANKFORT.

- Onsite control of sedimentation utilizing the modified block-cut method of surface mining
[PB-272244/5] 17 p0159 N78-15552

KENTUCKY UNIV., LEXINGTON.

- Production of ammonia using coal as a source of hydrogen
[PB-271916/9] 17 p0130 N78-13237
- Clean coal combustion through coal washing and blending
[PB-274406/8] 18 p0260 N78-18560
- Surface structure and mechanisms of gasification catalyst deactivation
[PE-2229-5] 19 p0398 N78-23589

KEWAWEE OIL CO., TULSA, OKLA.

- North Stanley polymer demonstration project
[COO-0029-1] 19 p0394 N78-23539
- KINGSTON, REYNOLDS, THOM AND ALLARDICE LTD., AUCKLAND (NEW ZEALAND).

- Hawaii geothermal project. Well completion report, HGP-A
[TID-27312] 18 p0269 N78-19668

KLM NORTH SEA HELICOPTERS, AMSTERDAM (NETHERLANDS).

- Some aspects of offshore operations in the Netherlands 18 p0262 N78-19135

KUSKO (ALEXANDER), INC., NEEDHAM HEIGHTS, MASS.

- Flywheel propulsion simulation
[PB-272259/3] 17 p0149 N78-14426

L

LABORATORIO DI RICERCA E TECNOLOGIA PER LO STUDIO

- DEL PLASMA NELLO SPAZIO, FRASCATI (ITALY).
Photovoltaic solar panels and solar modules
[LPS-77-12] 17 p0156 N78-14685

LANIER UNIV., BEAUMONT, TEX.

- Process feasibility study in support of silicon material task 1
[NASA-CR-157030] 19 p0396 N78-23561

LIFE SCIENCES ENGINEERING, MORRISON, COLO.

- Collation of quarterly reports on air flat plate collectors
[NASA-CR-150514] 18 p0250 N78-17479
- Installation package for air flat plate collector
[NASA-CR-150536] 18 p0263 N78-19605
- Preliminary design review package on air flat plate collector for solar heating and cooling system
[NASA-CR-150601] 18 p0275 N78-20616
- Subsystem design package for Solar II collector
[NASA-CR-150611] 18 p0283 N78-21602

LINCOLN LAB., MASS. INST. OF TECH., LEXINGTON.

- Photovoltaic power in less developed countries
[COO-4094-1] 17 p0141 N78-13581
- Photovoltaic applications in the southwest for the National Park Service
[COO-4094-3] 17 p0161 N78-15578

LITTLE (ARTHUR D.), INC., CAMBRIDGE, MASS.

- Solar air-conditioning study
[AD-A043951] 17 p0113 N78-10575
- Energy contingency planning
[PB-275371/3] 18 p0276 N78-20626
- Evaluation of a seafloor nuclear power supply and its potential applications
[COO-4123-1] 18 p0277 N78-20643
- Impacts and benefits of a satellite power system on the electric utility industry
[NASA-CR-157157] 19 p0402 N78-24255
- Study of future heat engine vehicle systems
[UCRL-13781] 19 p0436 N78-26039
- Evaluation of solar cells and arrays for potential solar power satellite applications
[NASA-CR-151740] 19 p0458 N78-27538
- System definition study: Phase 1 of individual load center, solar heating and cooling residential project
[EPRI-ER-594] 19 p0459 N78-27548

LOCKHEED-CALIFORNIA CO., BURBANK.

- Wind energy mission analysis, appendix
[SAN/1075-1/2] 18 p0269 N78-19669
- Fuel conservation merits of advanced turboprop transport aircraft
[NASA-CR-152096] 18 p0279 N78-21095

LOCKHEED MISSILES AND SPACE CO., HUNTSVILLE, ALA.

- Development status and environmental hazards of several candidate advanced energy systems
[PB-272759/2] 17 p0162 N78-15588
- Assessment of large-scale photovoltaic materials production
[PB-272604/0] 17 p0162 N78-15589
- Preliminary environmental assessment of solar energy systems
[PB-272352/6] 18 p0243 N78-16465
- A hypothetical 1000 MW(e) photovoltaic solar-electric plant
[PB-273108/1] 18 p0243 N78-16468
- Thermal energy storage
[NASA-CR-150563] 18 p0255 N78-18520
- LOCKHEED MISSILES AND SPACE CO., PALO ALTO, CALIF.
Experience in utilizing an adsorption Solar Cooling Plant (ASCP) with open regenerator of the solution 17 p0138 N78-13555

- Use of the method of one-dimensional nonlinear transformations to forecast the natural model of an oil stratum 18 p0290 N78-21693

- Thermodynamic phase stability diagrams for the analysis of corrosion reactions in coal gasification/combustion atmospheres
[EPRI-PP-539] 19 p0445 N78-26574

LOCKHEED MISSILES AND SPACE CO., SUNNYSVALE, CALIF.

- Ocean thermal Energy Conversion (OTEC) test facilities study program, volume 1
[SAN/1156-77/1-VOL-1] 17 p0120 N78-11507
- Development of dry coal feeders 17 p0131 N78-13249

LOS ALAMOS SCIENTIFIC LAB., N. MEX.

- Use of brackish ground water resources for regional energy center development, Tularosa Basin, New Mexico: Preliminary evaluation
[PB-269898/3] 17 p0116 N78-10602
- Synthetic fuel production from solid wastes
[PB-272423/5] 17 p0148 N78-14182
- Heat pipe reactors for space power applications
[LA-UR-77-296] 17 p0153 N78-14653
- Energy flow patterns for 1975
[LA-6770] 18 p0242 N78-16456
- Assessment of solar heating and cooling technology
[LA-6379-MS] 18 p0269 N78-19667
- PACER: Short cut solution to fusion energy production
[TID-27687] 18 p0270 N78-19674
- Conceptual design of a heat pipe radiator
[LA-6939-MS] 18 p0273 N78-20471
- Fusion energy applied to synthetic fuel production: A report to the DOE Division of Magnetic Fusion Energy based on a preliminary study by an ad-hoc advisory group
[CONF-770593] 19 p0393 N78-23251

- Reactor technology
[LA-6931-PR] 19 p0400 N78-23899
- Gas stimulation studies at LASL
[LA-UR-77-1937] 19 p0410 N78-24678
- Development of a low cost, 10 kV capacitor
[LA-UR-77-2408] 19 p0416 N78-25335
- Impacts of the national energy programme on solar economics
[LA-UR-78-131] 19 p0444 N78-26567
- Status of European thermochemical hydrogen programs
[LA-UR-77-2985] 19 p0446 N78-26583
- Prospects for solar energy: The impact of the National Energy Plan
[LA-7064-MS] 19 p0447 N78-26595
- Mapping offshore oil leases
[LA-UR-77-2892] 19 p0456 N78-27500
- Data-base management system for spatial display of federal offshore oil and gas lease data
[LA-UR-77-2779] 19 p0467 N78-27791
- General-purpose heat source project, space nuclear safety program, and radioisotopic terrestrial safety program
[LA-7184-PR] 19 p0467 N78-27898
- Fusion applications of fast discharging homopolar machines
[EPRI-ER-625] 19 p0468 N78-27934
- Probability distribution of bids on outer continental shelf oil and gas leases
[LA-7190-MS] 19 p0468 N78-27982
- LUNNUS CO., BLOOMFIELD, N. J.
Prototype pilot plant operation, synthane process
[COO-0003-10] 18 p0280 N78-21317
- LUNNUS CO., NEW YORK.
Prototype pilot plant operation: Synthane process
[COO-0003-8] 18 p0280 N78-21316
- LUNAR SCIENCE INST., HOUSTON, TEX.
Demandite, lunar materials and space industrialization
18 p0204 A78-27933
- M**
- MAINE DEPT. OF TRANSPORTATION, BANGOR.
Energy use and other comparisons between diesel and gasoline pickup trucks
[PB-277464] 19 p0404 N78-24564
- MAINE UNIV., OROHO.
Ternary compound thin film solar cells-2
[PB-270029/2] 17 p0121 N78-11515
- MALLOY BATTERY CO., TARRYTOWN, N. Y.
Primary lithium organic electrolyte battery BA - 5598 ()/U
[AD-A042799] 17 p0112 N78-10568
- MARCONI COMMUNICATION SYSTEMS LTD., CHELMSFORD (ENGLAND).
Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 1
[CWJ1/C-640003-VOL-1] 17 p0134 N78-13308
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 2
[CWJ1/C-640003-VOL-2] 17 p0134 N78-13309
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 3
[CWJ1/C-640003-VOL-3] 17 p0134 N78-13310
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas, volume 4
[CWJ1/C-640003-VOL-4] 17 p0134 N78-13311
- Study of satellite communications system serving off-shore oil and gas exploitation activities in European sea areas. Volume 5: Summary
[CWJ1/C-640003-VOL-5-SUMM] 17 p0134 N78-13312
- MARTIN MARIETTA CORP., DENVER, COLO.
Central receiver solar thermal power system, phase 1
[SAN/1110-76/3] 17 p0161 N78-15583
- MARYLAND UNIV., COLLEGE PARK.
Modeling of Rankine cycle/vapor compression cycle cooling systems for solar energy applications
18 p0282 N78-21587
- MASSACHUSETTS INST. OF TECH., CAMBRIDGE.
Photoelectrolysis of water at high current density - Use of ultraviolet laser excitation
17 p0062 A78-11927
- Stabilization of n-type semiconductors to photoanodic dissolution by competitive electron transfer processes
19 p0343 A78-39462
- Thermodynamic potential for the anodic dissolution of n-type semiconductors - A crucial factor controlling durability and efficiency in photoelectrochemical cells and an important criterion in the selection of new electrode/electrolyte systems
19 p0344 A78-39465
- Solar energy dehumidification experiment on the Citicorp Center building
[PB-271174/5] 17 p0144 N78-13615
- Microcrack technology for geothermal exploration and assessment
[PB-271940/9] 17 p0157 N78-14725
- Nonlinear dynamic response of wind turbine rotors
17 p0160 N78-15565
- Alternative automotive engines and energy conservation
18 p0257 N78-18534
- A study of the energy consequences of alternative transport policies in intercity freight markets
18 p0258 N78-18547
- Aeroelastic analysis of wind energy conversion systems
18 p0265 N78-19621
- Flutter of Darrieus wind turbine blades
18 p0265 N78-19624
- Dynamics of drive systems for wind energy conversion
18 p0266 N78-19633
- Lightweight building materials for the storage of solar energy
[PB-275684/9] 18 p0273 N78-20380
- Issues in Federally supported research on advanced automotive power systems
[PB-278124/3] 19 p0442 N78-26457
- MASSACHUSETTS UNIV., AMHERST.
Solar and wind home heating and domestic hot water systems: Energy and economics study
17 p0111 N78-10555
- The UMass wind furnace blade design
18 p0267 N78-19641
- MATHEMATICA, INC., WASHINGTON, D. C.
Estimating household energy expenditures in the phase 1 comprehensive human resources data system, task 2
[HCP/160901-01] 19 p0461 N78-27575
- MATHEMATICAL SCIENCES NORTHWEST, INC., BELLEVUE, WASH.
Energy demand modeling and forecasting
[PB-274336/7] 18 p0270 N78-19676
- MAXWELL LABS., INC., WOBURN, MASS.
Study of high power, high performance portable MHD generator power supply systems
[AD-A040381] 17 p0111 N78-10560
- Inductor network development for aircraft high power supplies
[AD-A052750] 19 p0413 N78-25096
- MCDONWELL AIRCRAFT CO., ST. LOUIS, MO.
Evaluation of a large capacity heat pump concept for active cooling of hypersonic aircraft structure
[NASA-CR-145301] 18 p0248 N78-17339
- MCDONWELL-DOUGLAS ASTRONAUTICS CO., HUNTINGTON BEACH, CALIF.
Space station systems analysis study. Part 3: Documentation. Volume 7: SCB alternate EPS evaluation, task 10
[NASA-CR-151535] 17 p0109 N78-10185
- Industrial applications of solar energy
[SAN/1132-1] 18 p0242 N78-16457
- Central receiver solar thermal power system. Phase 1, CRDL Item 2: Pilot plant preliminary design report. Volume 3, book 2: Collector subsystem
[SAN/1108-8/3] 19 p0398 N78-23587
- Industrial applications of solar total energy. Volume 1: Summary
[SAN/1132-2/1-VOL-1] 19 p0424 N78-25587
- Industrial applications of solar total energy. Volume 2: Technical
[SAN/1132-2/2-VOL-2] 19 p0424 N78-25588
- Industrial applications of solar total energy. Volume 3: Market penetration
[SAN/1132-2/3-VOL-3] 19 p0424 N78-25589

- Industrial applications of solar total energy.
Volume 5: Catalog of conceptual designs
[SAN/1132-2/5-VOL-5] 19 p0425 N78-25590
- MCDONNELL-DOUGLAS ASTRONAUTICS CO., RICHLAND, WASH.
Implanted energy conversion system
[PB-272609/9] 18 p0243 N78-16464
- MCDONNELL-DOUGLAS ASTRONAUTICS CO., ST. LOUIS, MO.
Major features of D-T Tokamak fusion reactor systems
[EPRI-472-1] 17 p0147 N78-13903
- Economic impact of using refractory metals for fusion reactors, phase 1
[COO-4247-1] 19 p0435 N78-25939
- MCDONNELL-DOUGLAS CORP., ST. LOUIS, MO.
Solar total energy system, large scale experiment, Shenandoah, Georgia. Volume 2, Section 3: Facility concept design
[ALO/3987-1/2-VOL-2] 19 p0409 N78-24672
- Solar total energy system, large scale experiment, Shenandoah, Georgia, volume 3
[ALO/3987-1/3-VOL-3] 19 p0409 N78-24673
- MECHANICAL TECHNOLOGY, INC., LATHAM, N. Y.
Hydrodynamic air lubricated compliant surface bearing for an automotive gas turbine engine. 1: Journal bearing performance
[NASA-CR-135368] 18 p0281 N78-21472
- Design study for high-pressure high-flow oxygen centrifugal compressor, phase 1
[MTI-77TR17] 19 p0417 N78-25439
- Design, develop, and manufacture process gas lubricated hot recycle gas circulators
[COO-0004-1] 19 p0423 N78-25573
- MECHANICS RESEARCH, INC., MCLEAN, VA.
OCS analytical model
[SDC/MRI-2345-017] 19 p0451 N78-26832
- METEOROLOGY RESEARCH, INC., ALTADENA, CALIF.
Oxidant measurements in western power plant plumes. Volume 1: Technical analysis
[EPRI-PA-421-VOL-1] 19 p0400 N78-23614
- METROSTUDY CORP., WASHINGTON, D. C.
Commercial space: Policy analysis of profitability of retrofit for energy conservation
[PB-269189/7] 17 p0115 N78-10591
- MIAMI UNIV., CORAL GABLES, FLA.
Three-region world dynamics of fossil/hydrogen energy system
18 p0239 N78-16427
- Characterization of methanol/gasoline blends as automotive fuel: Performance and emissions characteristics
[PB-277135/0] 19 p0393 N78-23261
- NICHAUD, COOLEY, HALLBURG, ERICKSON, AND ASSOCIATES, INC., MINNEAPOLIS, MINN.
Evaluation of computerized energy programs for the calculation of energy use in new and existing buildings
[PB-272337/7] 18 p0243 N78-16466
- MICHIGAN TECHNOLOGICAL UNIV., HOUGHTON.
Energy and protein production from pulp mill wastes
[COO-2983-3] 17 p0157 N78-14952
- Energy and protein production from pulp mill wastes
[COO-2983-6] 19 p0428 N78-25617
- MICHIGAN UNIV., ANN ARBOR.
Synthetic fuel and electric cars: A cost effectiveness comparison of alternatives for substituting coal for oil
17 p0110 N78-10552
- World sources of energy and new energy resource development in Iran
17 p0111 N78-10553
- An examination of small wind electric systems in Michigan
18 p0239 N78-16428
- Studies on the separation of coal extract from solid residue in liquefied coal
[NSP/AER-75-15213] 19 p0398 N78-23590
- MIDDLETON ASSOCIATES, TORONTO (ONTARIO).
Canada's renewable energy resources: An assessment of potential
[NP-21901] 17 p0142 N78-13588
- MIDWEST RESEARCH INST., KANSAS CITY, MO.
Environmental assessment of waste-to-energy processes: Source assessment document
[PB-272646/1] 17 p0163 N78-15956
- Evaluation of sulfate-bearing waste material from fluidized bed combustion of coals for soil stabilization
[PB-278031/0] 19 p0451 N78-26657
- MINNESOTA ENERGY AGENCY, ST. PAUL.
Energy emergency conservation and allocation plan
[PB-274492/8] 18 p0270 N78-19675
- MINNESOTA UNIV., MINNEAPOLIS.
Demand for gasoline
17 p0110 N78-10551
- Grid-connected integrated community energy system, executive summary, phase 1
[COO-4210-1-SUM] 18 p0286 N78-21638
- MISSISSIPPI STATE UNIV., MISSISSIPPI STATE.
Testing and evaluation of NHD materials and substructures
[FE-2246-3-REV-A] 19 p0446 N78-26581
- MISSISSIPPI UNIV., UNIVERSITY.
The conversion of model coal liquids compounds to Naphtha species
[PB-275891/0] 18 p0272 N78-20291
- MISSOURI UNIV., ROLLA.
Energy System Analysis Procedure (ESAP)
[AD-A044131] 17 p0126 N78-12532
- NITRE CORP., MCLEAN, VA.
Material handling systems for the fluidized-bed combustion boiler at Rivesville, West Virginia
17 p0133 N78-13265
- Alaskan oil transportation issues
[PB-276449/6] 18 p0289 N78-21661
- MOBIL RESEARCH AND DEVELOPMENT CORP., PAULSBORO, N. J.
Fluid bed process studies on selective conversion of methanol to high octane gasoline
[FE-2490-8] 18 p0272 N78-20356
- Upgrading of coal liquids for use as power generation fuels
[EPRI-AP-444] 19 p0427 N78-25608
- Development studies on selected conversion of synthesis gas from coal to high octane gasoline
[FE-2276-20] 19 p0454 N78-27289
- MOBIL RESEARCH AND DEVELOPMENT CORP., PRINCETON, N. J.
Research guidance studies to assess gasoline from coal by methanol-to-gasoline and asol-type Fischer-Tropsch technologies
[FE-2447-12] 19 p0415 N78-25251
- MOTOROLA, INC., PHOENIX, ARIZ.
Laser-zone growth in a Ribbon-To-Ribbon, RTR, process silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-155586] 18 p0240 N78-16437
- Phase 1 of the automated array assembly task of the low cost silicon solar array project
[NASA-CR-155935] 18 p0255 N78-18516
- Laser-zone growth in a Ribbon-To-Ribbon (RTR) process. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[DOE/JPL-954376-78/1] 19 p0406 N78-24630
- MOUND LAB., MARIETTA, OHIO.
Interactive data management and analysis system for the Eastern Gas Shale Program
[MLM-2469(OP)] 19 p0401 N78-23988
- Geochemical characterization of Devonian gas shale
[MLM-2467(OP)] 19 p0434 N78-25719
- Physicochemical characterization of Devonian gas shale
[MLM-2466(OP)] 19 p0434 N78-25720
- MUNICIPALITY OF METROPOLITAN SEATTLE, WASH.
Magic Carpet evaluation study
[PB-271214/9] 17 p0148 N78-13975
- N**
- NAGOYA UNIV. (JAPAN).
Proposed high-power microwave source using a superconducting cavity as an energy storage
[IPJP-T-30] 18 p0240 N78-16436
- NATIONAL ACADEMY OF PUBLIC ADMINISTRATION, WASHINGTON, D. C.
Institutional aspects of the energy centers concept
[ANE-3086-1] 18 p0270 N78-19672

NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH
COUNCIL, WASHINGTON, D. C.

The quality of NOAA's ocean research and development program: An evaluation
[PB-277095/6] 18 p0290 N78-21980

OCS oil and gas: An assessment of the Department of the Interior Environmental Studies Program
[PB-277493] 19 p0419 N78-25526

Development: schedules for vehicle energy storage systems
[TID-28030] 19 p0435 N78-26036

Assessment of technology for the liquefaction of coal: Summary
[PE-1216-2] 19 p0445 N78-26572

Assessment of advanced technology for direct combustion of coal
[HCP/T1216-0001] 19 p0446 N78-26578

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, WASHINGTON, D. C.

Learning to build large structures in space 17 p0082 A78-16698

Next steps in space transportation and operations 17 p0103 A78-19543

High temperature materials for space power systems 18 p0218 A78-29954

The NASA Aircraft Energy Efficiency Program 18 p0226 A78-31302

Hybrid drive for motor vehicles with a preponderantly intermittent method of operation
[NASA-TM-75215] 17 p0124 N78-12418

A home central electric system
[NASA-TM-75084] 17 p0159 N78-15561

Considerations on coal gasification
[NASA-TM-75233] 18 p0239 N78-16431

The next 25 years: Industrialization of space: Rationale for planning
[NASA-TM-79360] 18 p0253 N78-18091

Heat pipes and their use in technology
[NASA-TM-75148] 18 p0254 N78-18357

Space solar power. Description of concept, results of preliminary studies, requirements for evaluation
[NASA-TM-79436] 18 p0284 N78-21611

Novel silicon crystals and method for their preparation
[NASA-TM-75195] 18 p0290 N78-21957

Patent application. Variable-volume engine
[NASA-TM-75094] 19 p0408 N78-24660

Waste heat utilization in industrial processes
[NASA-TM-75210] 19 p0413 N78-25012

Aviation fuels beyond the 1980's
[NASA-TM-79510] 19 p0436 N78-26223

Overview of NASA CTOL program 19 p0453 N78-27047

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. AMES RESEARCH CENTER, MOFFETT FIELD, CALIF.

Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273

Satellite mirror systems for providing terrestrial power - System concept
[AAS 77-240] 19 p0330 A78-36717

Parametric performance of a spiral-artery, liquid-trap-diode heat pipe
[NASA-TM-78448] 17 p0134 N78-13368

Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] 18 p0248 N78-17336

Air transportation energy efficiency 18 p0257 N78-18540

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

ATS-6 solar cell flight experiment through 2 years in orbit 17 p0014 A78-10932

Energy and remote sensing 17 p0075 A78-14805

Economical photovoltaic power generation with heat recovery 17 p0091 A78-17552

Heat pipes in space and on earth
[AIAA PAPER 78-295] 18 p0178 A78-24005

Heat pipes in space and on earth
[AIAA 78-439] 19 p0318 A78-35619

A thermal canister experiment for the Space Shuttle
[AIAA 78-456] 19 p0319 A78-35631

In orbit manufacture of solar reflector satellites
[AAS 77-241] 19 p0330 A78-36718

The Goddard Space Flight Center high efficiency cell development and evaluation program 17 p0136 N78-13529

Energy and remote sensing 17 p0149 N78-14497

Shunt regulation electric power system
[NASA-CASE-GSC-10135] 18 p0247 N78-17296

Energy storage apparatus
[NASA-CASE-GSC-12030-1] 19 p0404 N78-24608

Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] 19 p0405 N78-24609

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LINDON B. JOHNSON SPACE CENTER, HOUSTON, TEX.

Learning to build large structures in space 17 p0082 A78-16698

Solar power satellite status report 17 p0097 A78-18750

Solar power satellite concept evaluation. Volume 1: Summary
[NASA-TM-74820] 17 p0111 N78-10559

Solar power satellite: Concept evaluation. Activities report. Volume 1: Summary. Volume 2: Detailed report
[NASA-TM-74944] 17 p0123 N78-12116

Construction in space: A proposed experiment in support of the space solar power concept and other large space systems
[NASA-TM-79435] 18 p0279 N78-21179

Solar power satellites
[NASA-TM-79434] 18 p0284 N78-21612

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LANGLEY RESEARCH CENTER, HAMPTON, VA.

Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391

Hydrogen fueled subsonic aircraft - A prospective 17 p0100 A78-18843

Annealing of GaAs solar cells damaged by electron irradiation 18 p0219 A78-30192

Power deposition in volumetric /U-235/P6-He fission-pumped nuclear lasers 18 p0235 A78-32436

Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River 19 p0313 A78-34905

Comparative radiation resistance calculation for graded- and constant-composition n Al_x/Ga_{1-x}/As-p Al_z/Ga_{1-z}/As solar cells 19 p0338 A78-38551

Air terminals and liquid hydrogen commercial air transports 19 p0383 A78-42860

The Liquid Hydrogen Option for the Subsonic Transport: A status report
[NASA-TM-74089] 17 p0109 N78-10306

Liquid hydrogen flash vaporizer
[NASA-CASE-LAR-12159-1] 17 p0120 N78-11260

High efficiency GaAs solar cells 17 p0137 N78-13542

Theoretical studies of a new double graded band-gap Al sub x Ga sub 1-x As-Al sub y Ga sub 1-y As 17 p0138 N78-13543

Solar heating system
[NASA-CASE-LAR-12009-1] 17 p0159 N78-15560

Kine-Pak: A self-contained, electrical power generator system
[NASA-CASE-LAR-11551-1] 19 p0389 N78-22468

Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] 19 p0396 N78-23567

Studies of advanced transport aircraft
[NASA-TM-78697] 19 p0413 N78-25047

Progress on coal-derived fuels for aviation systems
[NASA-TM-78696] 19 p0420 N78-25545

Status of photoelectrochemical production of hydrogen and electrical energy 19 p0451 N78-26865

CTOL transport technology, 1978
[NASA-CP-2036-PR-1] 19 p0453 N78-27046

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LEWIS RESEARCH CENTER, CLEVELAND, OHIO.

Analysis of epitaxial drift field N on P silicon solar cells 17 p0012 A78-10904

- Application of thick-film technology to solar cell fabrication 17 p0015 A78-10947
- Status of the ERDA/NASA Photovoltaic Tests and Applications Project 17 p0022 A78-11014
- The Redox Flow System for solar photovoltaic energy storage 17 p0022 A78-11019
- Evaluation of initial collector field performance at the Langley Solar Building Test Facility 17 p0061 A78-11391
- A low cost, portable instrument for measuring emittance 17 p0061 A78-11392
- New batteries and their impact on electric vehicles 17 p0085 A78-16923
- Effects of rotor location, coning, and tilt on critical loads in large wind turbines 17 p0107 A78-20476
- Energy resources of the developing countries and some priority markets for the use of solar energy 18 p0179 A78-24400
- Optical and electrical properties of ion beam textured Kapton and Teflon 18 p0182 A78-24908
- ECAS Phase I fuel cell results 18 p0188 A78-26110
- General aviation energy-conservation research programs at NASA-Lewis Research Center 18 p0216 A78-29330
- Status of the DOE /STOR/-sponsored national program on hydrogen production from water via thermochemical cycles 18 p0217 A78-29331
- Synchronization of wind turbine generators against an infinite bus under gusting wind conditions [IEEE PAPER P 77 675-2] 18 p0219 A78-30196
- Development and fabrication of a diffusion welded Columbian alloy heat exchanger [ATME PAPER A78-61] 18 p0228 A78-31500
- Effluent characterization from a conical pressurized fluid bed 19 p0300 A78-33221
- Making aerospace technology work for the automotive industry. - Introduction 19 p0306 A78-33359
- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [SAE PAPER 780075] 19 p0306 A78-33364
- Test and evaluation of 23 electric vehicles for state-of-the-art assessment [SAE PAPER 780290] 19 p0307 A78-33382
- Preliminary results on the conversion of laser energy into electricity 19 p0313 A78-34631
- Engineering of beam direct conversion for a 120-kV, 1-MW ion beam 19 p0348 A78-39834
- Potential damage to dc superconducting magnets due to high frequency electromagnetic waves 19 p0350 A78-39902
- Comment on 'Heat-pipe reactors for space power applications' 19 p0364 A78-40826
- Oil cooling system for a gas turbine engine [NASA-CASE-LEW-12321-1] 17 p0109 N78-10467
- Aircraft engine emissions [NASA-CP-2021] 17 p0118 N78-11063
- Alternative fuels 17 p0118 N78-11074
- WASTRAN use for cyclic response and fatigue analysis of wind turbing towers 17 p0125 N78-12459
- Effect of fuel properties on performance of single aircraft turbojet combustor at simulated idle, cruise, and takeoff conditions [NASA-TN-73780] 17 p0129 N78-13056
- An overview of aerospace gas turbine technology of relevance to the development of the automotive gas turbine engine [NASA-TN-73849] 17 p0129 N78-13062
- Hydrocarbon group type determination in jet fuels by high performance liquid chromatography [NASA-TN-73829] 17 p0130 N78-13233
- Solar Cell High Efficiency and Radiation Damage [NASA-CP-2020] 17 p0136 N78-13527
- Summary of the NASA space photovoltaic research and technology program 17 p0136 N78-13528
- Impurity concentrations and surface charge densities on the heavily doped face of a silicon solar cell 17 p0136 N78-13534
- High-temperature, high-power-density thermionic energy conversion for space [NASA-TN-73844] 17 p0147 N78-13890
- Performance and emissions of a catalytic reactor with propane, diesel, and Jet A fuels [NASA-TN-73786] 17 p0148 N78-14177
- In-situ laser retorting of oil shale [NASA-CASE-LEW-12217-1] 17 p0149 N78-14452
- Real-time and accelerated outdoor endurance testing of solar cells [NASA-TN-73743] 17 p0150 N78-14628
- US terrestrial solar cell calibration and measurement procedures [NASA-TN-73788] 17 p0150 N78-14629
- Solar energy meter [NASA-TN-73791] 17 p0150 N78-14630
- The ERDA/LeRC photovoltaic systems test facility [NASA-TN-73787] 17 p0157 N78-15059
- Friction and wear of several compressor gas-path seal movements [NASA-TP-1128] 17 p0158 N78-15229
- Black chrome on commercially electroplated tin as a solar selecting coating [NASA-TN-73799] 17 p0159 N78-15562
- ERDA/NASA 100 kilowatt mod-o wind turbine operations and performance [NASA-TN-73825] 17 p0159 N78-15563
- Cold-air performance of free-power turbine designed for 112-kilowatt automotive gas-turbine engine. 1: Design Stator-vane-chord setting angle of 35 deg [NASA-TP-1007] 18 p0237 N78-16053
- Approximate method for calculating free vibrations of a large-wind-turbine tower structure [NASA-TN-73754] 18 p0240 N78-16434
- Baseline tests of the C. H. Waterman Renault 5 electric passenger vehicle [NASA-TN-73759] 18 p0245 N78-16928
- General aviation energy-conservation research programs at NASA-Lewis Research Center [NASA-TN-73884] 18 p0247 N78-17060
- Materials technology assessment for stirling engines [NASA-TN-73789] 18 p0247 N78-17187
- Alternative aircraft fuels [NASA-TN-73836] 18 p0247 N78-17229
- Wind turbine generator rotor blade concepts with low cost potential [NASA-TN-73835] 18 p0249 N78-17466
- Synchronization of the DOE/NASA 100-kilowatt wind turbine generator with a large utility network [NASA-TN-73861] 18 p0249 N78-17467
- Technical and economic feasibility study of solar/fossil hybrid power systems [NASA-TN-73820] 18 p0250 N78-17486
- Optimize out-of-core thermionic energy conversion for nuclear electric propulsion [NASA-TN-73892] 18 p0252 N78-17856
- Bibliography of Lewis Research Center technical contributions announced in 1976 [NASA-TN-73860] 18 p0252 N78-17921
- Baseline tests of the AM General DJ-5B electruck electric delivery van [NASA-TN-73758] 18 p0252 N78-17933
- Baseline tests of the Zagato Elcar electric passenger vehicle [NASA-TN-73764] 18 p0252 N78-17934
- Photovoltaic highway applications: Assessment of the near-term market [NASA-TN-73863] 18 p0252 N78-17935
- Baseline tests of the power-train electric delivery van [NASA-TN-73765] 18 p0252 N78-17936

- Test and evaluation of 23 electric vehicles for state-of-the-art assessment
[NASA-TM-73850] 18 p0252 N78-17937
- Baseline tests of the EVA change-of-pace coupe electric passenger vehicle
[NASA-TM-73763] 18 p0253 N78-17938
- Baseline tests of the EVA contractor electric passenger vehicle
[NASA-TM-73762] 18 p0253 N78-17939
- Baseline tests of the batronic Minivan electric delivery van
[NASA-TM-73761] 18 p0253 N78-17940
- State-of-the-art assessment of electric vehicles and hybrid vehicles
[NASA-TM-73756] 18 p0262 N78-18988
- Selective coating for solar panels
[NASA-CASE-LEW-12159-1] 18 p0263 N78-19599
- Wind Turbine Structural Dynamics
[NASA-CP-2034] 18 p0265 N78-19616
- Comparison of computer codes for calculating dynamic loads in wind turbines
18 p0265 N78-19617
- Simplified modeling for wind turbine modal analysis using NASTRAN
18 p0265 N78-19619
- Influence of wind turbine foundation
18 p0266 N78-19626
- Summary of static load test of the Mod-0 blade
18 p0266 N78-19627
- DOE/NASA Mod-0 100KW wind turbine test results
18 p0266 N78-19628
- Power oscillation of the Mod-0 wind turbine
18 p0266 N78-19629
- Methods of attenuating wind turbine ac generator output variations
18 p0266 N78-19632
- Effects of rotor location, coning, and tilt on critical loads in large wind turbines
18 p0267 N78-19636
- Fixed pitch wind turbines
18 p0267 N78-19638
- Experimental data and theoretical analysis of an operating 100 kW wind turbine
[NASA-TM-73883] 18 p0267 N78-19642
- Photovoltaic village power application:
Assessment of the near-term market
[NASA-TM-73893] 18 p0267 N78-19643
- Photovoltaic water pumping applications:
Assessment of the near-term market
[NASA-TM-78847] 18 p0268 N78-19644
- Redox flow cell development and demonstration project, calendar year 1976
[NASA-TM-73873] 18 p0268 N78-19656
- Photovoltaic remote instrument applications:
Assessment of the near-term market
[NASA-TM-73881] 18 p0271 N78-19710
- Performance of conventionally powered vehicles tested to an electric vehicle test procedure
[NASA-TM-73768] 18 p0271 N78-20022
- Friction and wear of selected metals and alloys in sliding contact with AISI 440 C stainless steel in liquid methane and in liquid natural gas
[NASA-TP-1150] 18 p0273 N78-20512
- Baseline tests of the RHC Hummingbird electric passenger vehicle
[NASA-TM-73760] 18 p0279 N78-21010
- A review of the thermoelectronic laser energy converter (TELEC) program at Lewis Research Center
[NASA-TM-73888] 18 p0281 N78-21441
- Effluent characterization from a conical pressurized fluid bed
[NASA-TM-73897] 18 p0283 N78-21596
- Closed loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] 19 p0387 N78-22149
- Experimental evaluation of fuel preparation systems for an automotive gas turbine catalytic combustor
[NASA-TM-78856] 19 p0387 N78-22243
- High temperature heat pipe research at NASA Lewis Research Center
[NASA-TM-78832] 19 p0393 N78-23384
- Comparison of computer codes for calculating dynamic loads in wind turbines
[NASA-TM-73773] 19 p0395 N78-23556
- Performance potential of combined cycles integrated with low-Btu gasifiers for future electric utility applications
[NASA-TM-73775] 19 p0395 N78-23557
- Wake characteristics of a tower for the DOE-NASA MOD-1 wind turbine
[NASA-TM-78853] 19 p0395 N78-23558
- Impact of future fuel properties on aircraft engines and fuel systems
[NASA-TM-78866] 19 p0402 N78-24369
- Characteristics and combustion of future hydrocarbon fuels
[NASA-TM-78865] 19 p0403 N78-24370
- Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] 19 p0404 N78-24545
- Rapid, efficient charging of lead-acid and nickel-zinc traction cells
[NASA-TM-78901] 19 p0405 N78-24616
- Energy Conversion Alternatives Study (ECAS)
[NASA-TM-73871] 19 p0408 N78-24659
- Solar cell collector
[NASA-CASE-LEW-12552-1] 19 p0419 N78-25527
- Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] 19 p0419 N78-25529
- Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] 19 p0419 N78-25530
- Photon degradation effects in terrestrial solar cells
[NASA-TM-78924] 19 p0421 N78-25551
- Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] 19 p0421 N78-25553
- Cold-air performance of the compressor-drive turbine of the Department of Energy baseline automobile gas-turbine engine
[NASA-TM-78894] 19 p0436 N78-26098
- Liquid-cooling technology for gas turbines review and status
[NASA-TM-78906] 19 p0436 N78-26145
- Lithium and potassium heat pipes for thermionic converters
[NASA-TM-78946] 19 p0441 N78-26390
- Design approaches to more energy efficient engines
[NASA-TM-78893] 19 p0441 N78-26442
- Transient response to three-phase faults on a wind turbine generator
[NASA-TM-78902] 19 p0442 N78-26542
- Status of wraparound contact solar cells and arrays
[NASA-TM-78911] 19 p0443 N78-26543
- Variation of solar cell sensitivity and solar radiation on tilted surfaces
[NASA-TM-78921] 19 p0443 N78-26547
- DOE LeRC photovoltaic systems test facility
[NASA-TM-78923] 19 p0443 N78-26549
- Impact of Balance Of System (BOS) costs on photovoltaic power systems
[NASA-TM-78939] 19 p0443 N78-26550
- Baseline tests of the Kordesh hybrid passenger vehicle
[NASA-TM-73769] 19 p0443 N78-26551
- Design and operating experience on the US Department of Energy experimental Mod-0 100-kW wind turbine
[NASA-TM-78915] 19 p0443 N78-26552
- DOE/NASA Mod-0A wind turbine performance
[NASA-TM-78916] 19 p0443 N78-26553
- Description and status of NASA-LeRC/DOE photovoltaic applications systems
[NASA-TM-78936] 19 p0444 N78-26554
- An inverter/controller subsystem optimized for photovoltaic applications
[NASA-TM-78903] 19 p0452 N78-26995
- ACEE propulsion overview
19 p0453 N78-27048
- Impact of broad-specification fuels on future jet aircraft
19 p0453 N78-27059
- Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] 19 p0453 N78-27122
- Fuel conservative aircraft engine technology
[NASA-TM-78962] 19 p0454 N78-27127
- Performance of a thermionic converter module utilizing emitter and collector heat pipes
[NASA-TM-78941] 19 p0454 N78-27174
- Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] 19 p0456 N78-27520

- Cost of photovoltaic energy systems as determined by balance-of-system costs
[NASA-TM-78957] 19 p0458 N78-27539
- NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, ALA.
Marshall Space Flight Center development program for solar heating and cooling systems
17 p0058 A78-11368
- Economic trade-offs between the performance of collector thermal performance tests on a Solar Simulator as opposed to outdoor testing
17 p0058 A78-11369
- An analytical and experimental investigation of a 1.8 by 3.7 meter Fresnel lens solar concentrator.
17 p0059 A78-11373
- Some opportunities in teleoperated mining
18 p0222 A78-30507
- Candidate locations for SPS rectifying antennas
[NASA-TM-78146] 17 p0138 N78-13553
- Solar energy bibliography
[NASA-TM-X-73398] 17 p0138 N78-13554
- An improved solar concentrator
[NASA-CASE-MPS-23727-1] 17 p0139 N78-13556
- Test and analysis of a Northrup collector controller
[NASA-TM-78153] 18 p0240 N78-16432
- The solar heating and cooling commercial demonstration program: Some early problems and results
[NASA-TM-78152] 18 p0240 N78-16433
- Method of construction of a multi-cell solar array
[NASA-CASE-MPS-23540-1] 18 p0249 N78-17468
- AIAA/MSFC Symposium on Space Industrialization: Proceedings
[NASA-CP-2026] 18 p0253 N78-18088
- Owens-Illinois liquid solar collector materials assessment
[NASA-TM-78163] 18 p0283 N78-21597
- Use of the Marshall Space Flight Center solar simulator in collector performance evaluation
[NASA-TM-78165] 18 p0284 N78-21605
- Wind wheel electric power generator
[NASA-CASE-MPS-23515-1] 19 p0389 N78-22469
- Hardware problems encountered in solar heating and cooling systems
[NASA-TM-78172] 19 p0420 N78-25539
- Design and operation of a solar heating and cooling system for a residential size building
[NASA-TM-78169] 19 p0420 N78-25546
- Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MPS-23518-3] 19 p0421 N78-25557
- NATIONAL AERONAUTICS AND SPACE ADMINISTRATION.
PASADENA OFFICE, CALIF.
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] 17 p0111 N78-10554
- Improved solar photolysis of water
[NASA-CASE-NPO-14126-1] 17 p0120 N78-11500
- High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] 17 p0135 N78-13526
- Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] 18 p0248 N78-17460
- Microwave power converter
[NASA-CASE-NPO-14068-1] 18 p0264 N78-19609
- Double-sided solar cell package
[NASA-CASE-NPO-14199-1] 19 p0389 N78-22470
- Underground mineral extraction
[NASA-CASE-NPO-14140-1] 19 p0403 N78-24387
- Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] 19 p0414 N78-25237
- Low cost solar energy collection system
[NASA-CASE-NPO-13579-4] 19 p0421 N78-25559
- A solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-3] 19 p0421 N78-25560
- Hexagon solar power panel
[NASA-CASE-NPO-12148-1] 19 p0456 N78-27515
- NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.
Studies of hydrogen liquefier efficiency and the recovery of the liquefaction energy
[PB-274058/7] 18 p0237 N78-16199
- NATIONAL BUREAU OF STANDARDS, WASHINGTON, D. C.
Materials for fuel cells
[PB-269518/7] 17 p0113 N78-10573
- Measurements and standards for recycled oil
[PB-271562/1] 17 p0130 N78-13212
- Intermediate standards for solar domestic hot water systems/HUD initiative
[PB-271758/5] 17 p0139 N78-13563
- Provisional flat plate solar collector testing procedures
[PB-272500/0] 18 p0243 N78-16463
- Solar energy systems. Survey of materials performance
[PB-273305/3] 18 p0244 N78-16475
- State solar energy legislation of 1976: A review of statutes relating to buildings
[PB-273899/5] 18 p0261 N78-18567
- Estimating the energy conservation potential of ventilation control through weather data analysis
[PB-273949/8] 18 p0261 N78-18655
- Cryogenic fluids density reference system: Provisional accuracy statement
[PB-275450/5] 18 p0272 N78-20376
- Materials research for clean utilization of coal
[FE-6010-11] 19 p0426 N78-25603
- Development, testing, and evaluation of MHD-materials
[FE-6010-9] 19 p0441 N78-26380
- NATIONAL CENTER FOR SCIENTIFIC AND TECHNICAL DOCUMENTATION, BRUSSELS (BELGIUM).
Unconventional energy sources. A select bibliography
[NCWTD-CNDST-BIB-6] 17 p0150 N78-14626
- Wind power systems. A select bibliography
[NCWTD-CNDST-BIB-7] 17 p0150 N78-14627
- NATIONAL CONSUMER RESEARCH INST., WASHINGTON, D. C.
Proceedings of the Energy Research and Development Administration Conference on Cogeneration and Integrated Energy/Utility Systems
[CONF-770632] 18 p0287 N78-21644
- NATIONAL FIELD RESEARCH CENTER, INC., IOWA CITY, IOWA.
A national environmental/energy workforce assessment, business and industry, phase 1
[PB-277904/9] 19 p0452 N78-26968
- A national environmental/energy workforce assessment, national legislation, phase 1
[PB-277905/6] 19 p0452 N78-26969
- A national environmental/energy workforce assessment, national abstract
[PB-277906/4] 19 p0452 N78-26970
- NATIONAL GOVERNORS' CONFERENCE, WASHINGTON, D. C.
Federal energy conservation programs, a state perspective
[PB-271283/4] 17 p0144 N78-13614
- NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION, WASHINGTON, D. C.
The automotive fuel economy standards for model year 1981-1984 passenger cars
[PB-275827/4] 18 p0280 N78-21314
- Rulemaking support paper concerning the 1981-1984 passenger auto average fuel economy standards
[PB-275895/1] 18 p0280 N78-21315
- NATIONAL INST. FOR OCCUPATIONAL SAFETY AND HEALTH, CINCINNATI, OHIO.
Occupational exposure to refined petroleum solvents. Criteria for a recommended standard
[DHEW/PUB/HIOSH-77/192] 19 p0412 N78-24790
- NATIONAL MATERIALS ADVISORY BOARD, WASHINGTON, D. C.
Erosion control in energy systems
[PB-275105/5] 18 p0278 N78-20649
- NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, BOULDER, COLO.
Chemical and physical properties of refined petroleum products
[PB-277100/4] 18 p0279 N78-21312
- NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, WASHINGTON, D. C.
Analysis of brine disposal in the Gulf of Mexico. 3: Capline sector
[PB-271292/5] 17 p0146 N78-13648
- NATIONAL PHYSICAL LAB., TEDDINGTON (ENGLAND).
Industrial energy thrift scheme
[NPL-CHEM-68-PR-1] 17 p0121 N78-11510
- Energy audit scheme
[NPL-CHEM-72] 19 p0399 N78-23602

NATIONAL SCIENCE COUNCIL, DUBLIN (IRELAND).

- Analysis of the impact of heat pump technology on the Irish energy system to the year 2000. Energy case study series: no. 2 [CONF-770956-2] 19 p0448 N78-26599
- NATIONAL SCIENCE FOUNDATION, WASHINGTON, D. C.
Proceedings of a Seminar on International Energy [ERDA-79] 17 p0145 N78-13620
- RANN: Research Applied to National Needs. Wind Energy Conversion Research [PB-271942/5] 18 p0270 N78-19677
- NATIONAL SOLAR HEATING AND COOLING INFORMATION CENTER, ROCKVILLE, MD.
A Forum on Solar Access 18 p0264 N78-19607
- NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VA.
Offshore pipelines. A bibliography with abstracts [NTIS/PS-78/0179/8] 19 p0393 N78-23263
- Fluidized bed combustion, volume 2. Citations from the NTIS data base [NTIS/PS-78/0195/4] 19 p0400 N78-23607
- Fluidized bed combustion, volume 1. Citations from the engineering index data base [NTIS/PS-78/0196/2] 19 p0400 N78-23608
- Fluidized bed combustion, volume 2. Citations from the engineering index data base [NTIS/PS-78/0197/0] 19 p0400 N78-23609
- Automobile air pollution: New automotive engines and engine improvements. A bibliography with abstracts [NTIS/PS-78/0208/5] 19 p0400 N78-23623
- Automobile air pollution: Automotive fuels. A bibliography with abstracts [NTIS/PS-78/0235/8] 19 p0400 N78-23627
- Petroleum exploration, production, and recovery methods. Citations from the NTIS data base [NTIS/PS-78/0277] 19 p0411 N78-24689
- Heat pipes, volume 2. Citations from the engineering index data base [NTIS/PS-78/0303] 19 p0417 N78-25382
- Heat pipes, volume 3. Citations from the engineering index data base [NTIS/PS-78/0304] 19 p0417 N78-25383
- Heat pipes, volume 3. Citations from the NTIS data base [NTIS/PS-78/0302] 19 p0417 N78-25384
- Total energy systems for buildings. Citations from the engineering index data base [NTIS/PS-78/0306] 19 p0432 N78-25657
- Total energy systems for buildings. Citations from the NTIS data base [NTIS/PS-78/0305] 19 p0433 N78-25658
- Petroleum recovery. Volume 2: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0278] 19 p0433 N78-25659
- Petroleum recovery. Volume 3: Reservoir engineering and recovery methods. Citations from the engineering index data base [NTIS/PS-78/0279] 19 p0433 N78-25660
- Waste heat utilization. Citations from the NTIS data base [NTIS/PS-78/0294] 19 p0433 N78-25661
- Waste heat utilization, volume 3. Citations from the engineering index data base [NTIS/PS-78/0296] 19 p0433 N78-25662
- Waste heat utilization, volume 2. Citations from the engineering index data base [NTIS/PS-78/0295] 19 p0433 N78-25663
- Pollution and environmental aspects of fuel conversion. A bibliography with abstracts [NTIS/PS-78/0314] 19 p0434 N78-25701
- Wind power, volume 1. Citations from the NTIS data base [NTIS/PS-78/0415/6] 19 p0465 N78-27600
- Wind power, volume 2. Citations from the NTIS data base [NTIS/PS-78/0416/4] 19 p0465 N78-27601
- Wind power. Citations from the engineering index data base [NTIS/PS-78/0417/2] 19 p0465 N78-27602
- Coal gasification and liquefaction technology, volume 3. A bibliography with abstracts [NTIS/PS-78/0345/5] 19 p0466 N78-27609

NATO COMMITTEE ON THE CHALLENGES OF MODERN SOCIETY, BRUSSELS (BELGIUM).

- CCMS solar energy pilot study: Report of the annual meeting [PB-271797/3] 17 p0145 N78-13623
- NATURAL DYNAMICS, DES MOINES, IOWA.
Fast production of methane by anaerobic digestion [COO-2900-11] 19 p0416 N78-25252
- NAVAL ACADEMY, ANNAPOLIS, MD.
Performance analysis of a modified internal combustion engine [AD-A045378] 17 p0135 N78-13442
- NAVAL AIR PROPULSION TEST CENTER, TRENTON, N.J.
Effect of fuel bound nitrogen on oxides of nitrogen emission from a gas turbine engine [AD-A048382] 18 p0262 N78-19162
- NAVAL POSTGRADUATE SCHOOL, MONTEREY, CALIF.
Nature of primary organic films in the marine environment and their significance for Ocean Thermal Energy Conversion (OTEC) heat exchange surfaces [BNWL-2283] 17 p0154 N78-14663
- Solar energy for the Naval Shore Establishment [AD-A050026] 18 p0284 N78-21616
- NAVAL WEAPONS CENTER, CHINA LAKE, CALIF.
Coso geothermal corrosion studies [AD-A045511] 17 p0147 N78-13681
- NEBRASKA UNIV., LINCOLN.
Applications of remote sensing in resource management in Nebraska [E78-10099] 18 p0273 N78-20567
- NETHERLAND, SEWELL AND ASSOCIATES, INC., DALLAS, TEX.
Preliminary study of the present and possible future oil and gas development of areas immediately surrounding the Interior Salt Domes Upper Gulf Coast Salt Dome basins of east Texas, north Louisiana, and Mississippi [ORNL/SUB-75/87988] 17 p0110 N78-10545
- NEW ENGLAND FEDERAL REGIONAL COUNCIL.
Potential of wood as an energy resource in New England [TID-28131] 19 p0432 N78-25655
- NEW HAMPSHIRE UNIV., DURHAM.
Investigation of the mechanism of fly-ash formation in coal-fired utility boilers [FE-2205-8] 19 p0433 N78-25671
- NEW MEXICO STATE BUREAU OF MINES AND MINERAL RESOURCES, SOCORRO.
Bibliography of New Mexico geology and mineral technology, 1971-1975 [PB-278348/8] 19 p0451 N78-26699
- NEW MEXICO UNIV., ALBUQUERQUE.
Investigation of sulfur based thermochemical cycles for hydrogen production by water decomposition 17 p0123 N78-12160
- Investigation of an ejector heat pump 17 p0124 N78-12361
- NEW ORLEANS PUBLIC SERVICE, INC., LA.
Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary [COO-4214-1/1-VOL-1] 18 p0287 N78-21641
- NEW YORK STATE DEPT. OF TRANSPORTATION, ALBANY.
Long range transportation planning under energy constraints: A critical review of current capability 18 p0256 N78-18532
- NEW YORK UNIV., N. Y.
Consequences of new energy patterns [PB-273259/2] 18 p0244 N78-16474
- Magnetic confinement fusion energy research [COO-3077-143] 18 p0270 N78-19673
- NORTH CAROLINA AGRICULTURAL AND TECHNICAL STATE UNIV., GREENSBORO.
Innovations in microelectronics and solid state at North Carolina Agricultural and Technical State University 18 p0237 N78-16280
- NORTH CAROLINA STATE UNIV., RALEIGH.
A study of improvements in silicon solar cell efficiency due to various geometrical and doping modifications 17 p0012 A78-10906
- Computer analysis of heterojunction and graded bandgap solar cells 17 p0026 A78-11056
- Impurity gradients and high efficiency solar cells 17 p0136 N78-13531

- A computer analysis of heterojunction and graded bandgap solar cells
18 p0254 N78-18512
- Solar energy storage subsystem utilizing latent heat of phase change
18 p0255 N78-18513
- NORTH CAROLINA UNIV., CHAPEL HILL.
Tectonic atlas of uranium potential in crystalline rocks of the eastern US
[GJBX-69(77)] 19 p0400 N78-23666
- NORTH DAKOTA LEGISLATIVE COUNCIL, BISMARCK.
Legislative handbook on energy-related topics
[PB-276766/3] 19 p0390 N78-22477
- NORTH DAKOTA STATE UNIV., FARGO.
Ultrafiltration and hyperfiltration of phenolic compounds in coal gasification wastewater streams
19 p0435 N78-26007
- NORTHEASTERN LEGISLATIVE LEADERS ENERGY RESEARCH PROJECT.
Energy policy making in the Northeast: A directory of state programs and institutions
[PB-277503/9] 19 p0449 N78-26621
- NORTHERN ARIZONA UNIV., FLAGSTAFF.
Generalized numerical model for predicting energy transfers and performance of large solar ponds
[UCRL-13722] 17 p0161 N78-15576
- NORTHRUP, INC., HUTCHINS, TEX.
Development and fabrication of a concentrating solar collector subsystem
[NASA-CR-150712] 19 p0444 N78-26557
- Development and fabrication of a concentrating solar collector subsystem
[NASA-CR-150713] 19 p0444 N78-26558
- Concentrating solar collector subsystem: Preliminary design package
[NASA-CR-150714] 19 p0444 N78-26559
- NORTHWESTERN TECHNOLOGICAL INST., EVANSTON, ILL.
Heat extraction from hot, dry rock masses
[PB-271411/1] 17 p0139 N78-13560
- NORTHWESTERN UNIV., EVANSTON, ILL.
Interfacial effects in the recovery of residual oil by displacement: Studies at Northwestern University
[COO-0039-5] 18 p0244 N78-16494
- NOTRE DAME UNIV., IND.
Potential damage to dc superconducting magnets due to high frequency electromagnetic waves
19 p0350 A78-39902
- NUCLEAR REGULATORY COMMISSION, WASHINGTON, D. C.
Report to congress on abnormal occurrences July - September 1977
[PB-278534] 19 p0412 N78-24923
- O
OAK RIDGE ASSOCIATED UNIVERSITIES, TENN.
Environmental effects of energy
[PB-278169/8] 19 p0449 N78-26620
- OAK RIDGE NATIONAL LAB., TENN.
Boiling heat transfer in a bench-scale molten-salt thermal energy storage device
[ORNL/TM-5689] 17 p0114 N78-10586
- Assessment of high temperature nuclear energy storage systems for the production of intermediate and peak-load electric power
[ORNL/TM-5821] 17 p0115 N78-10588
- Sensitivity theory for general nonlinear algebraic equations with constraints
[ORNL/TM-5815] 17 p0118 N78-10814
- Transportation energy conservation data book, supplement-3
[ORNL-5248] 17 p0121 N78-11508
- Transmutation doping of silicon solar cells
17 p0137 N78-13539
- Consensus forecast of US energy supply and demand to the year 2000
[ORNL/TM-5369] 17 p0140 N78-13576
- Consensus forecast of US electricity supply and demand to the year 2000
[ORNL/TM-5370] 17 p0141 N78-13578
- Coal technology program
[ORNL/TM-5883] 17 p0142 N78-13586
- Energy sources of polycyclic aromatic hydrocarbons
[CONF-770130-2] 17 p0148 N78-14181
- Molten carbonate fuel cell research at ORNL
[ORNL/TM-5886] 17 p0151 N78-14639
- Outline for optimizing and evaluating proposed OTEC systems
[CONF-770331-2] 17 p0153 N78-14660
- Analytical and experimental studies of OTEC heat transfer problems at Oak Ridge National Laboratory
[CONF-770331-1] 17 p0153 N78-14661
- Power conversion system of the 21st century
[CONF-770448-1] 17 p0155 N78-14672
- Character and transformation of pollutants from major fossil fuel energy sources
[ORNL/TM-5919] 17 p0156 N78-14698
- Energy conservation and the environment
[PB-272428/4] 17 p0162 N78-15590
- Data needs in transportation energy conservation research
18 p0259 N78-18554
- Loose-parts monitoring: Present status of the technology, its implementation in US reactors, and some recommendations for achieving improved performance
[CONF-770902-5] 18 p0282 N78-21483
- Annual cycle energy system concept and application
[CONF-770870-1] 18 p0288 N78-21647
- Conservation and the contributions from advanced energy source
[CONF-770870-2] 18 p0288 N78-21648
- Commercial feasibility of fusion power based on the Tokamak concept
[CONF-771109-55] 19 p0391 N78-22915
- Report of survey of valve industry capabilities
[CONF-771145-2] 19 p0393 N78-23440
- Kinetic model for predicting the composition of chlorinated water discharged from power plant cooling systems
[CONF-771070-1] 19 p0411 N78-24695
- Environmental, health, and control aspects of coal conversion, an information overview, volume 1
[ORNL/EIS-94-VOL-1] 19 p0411 N78-24696
- Environmental, health, and control aspects of coal conversion: An information overview, volume 2
[ORNL/EIS-95-VOL-2] 19 p0411 N78-24697
- Central heating: Package boilers
[ANL/CES/TE-77-6] 19 p0422 N78-25564
- Coal-fired alkali metal power system design study
[ORNL-TM-6000] 19 p0423 N78-25576
- Heat extraction system of the Pera thermal electric power plant
[ORNL-TR-4492] 19 p0426 N78-25599
- Coal technology program
[ORNL-TM-6137] 19 p0426 N78-25605
- Experimental study of heat transfer enhancement for ammonia condensing on vertical fluted tubes
[ORNL-5356] 19 p0429 N78-25623
- Evaluation of in situ coal gasification processes on a regional basis
[ORNL-5279] 19 p0431 N78-25647
- Solid waste utilization: Pyrolysis
[ANL/CES/TE-77-15] 19 p0435 N78-26038
- Impact of alternate fuels on refractories and refractory insulations
[ORNL-TM-5895-ADD] 19 p0436 N78-26226
- Nationwide assessment of water quantity impacts of the National Energy Plan. Volume 1: Summary and conclusions
[ORNL/TM-6098-VOL-1] 19 p0442 N78-26524
- Value of energy storage for direct-replacement solar thermal power plants
[CONF-780216-2] 19 p0446 N78-26584
- Energy from biomass: An overview of environmental aspects
[CONF-780109-3] 19 p0446 N78-26585
- Molten carbonate fuel cell research at ORNL. 2: Theoretical and experimental transport studies, thermochemistry, and electron microscopy
[ORNL/TM-6168/V2] 19 p0448 N78-26601
- Power plant reject heat utilization: An assessment of the potential for wide-scale implementation
[ORNL/TM-5841] 19 p0449 N78-26613
- OCCIDENTAL RESEARCH CORP., LA VERNE, CALIF.
Pyrolysis of industrial wastes for oil and activated carbon recovery
[PB-270961/6] 17 p0147 N78-13967

OFFICE OF NAVAL RESEARCH, LONDON (ENGLAND).

European developments in the Na/S high temperature battery for automobile propulsion and energy storage
[AD-A042541] 17 p0120 N78-11501

OFFICE OF TECHNOLOGY ASSESSMENT, WASHINGTON, D. C.

Analysis of the proposed National Energy Plan
[PB-273148/7] 18 p0244 N78-16473

Enhanced oil recovery potential in the United States
[PB-276594/9] 19 p0388 N78-22452

Task reports: Slurry coal pipelines, volume 2, part 1
[PB-278676/2] 19 p0465 N78-27603

Task reports: Slurry coal pipelines, volume 2, part 2
[PB-278677/0] 19 p0465 N78-27604

OKLAHOMA STATE UNIV., STILLWATER.

An evaluation of geothermal energy potential
18 p0274 N78-20601

Mass spectrometric analytical services and research activities to support coal-liquid characterization research
[COO-0020-8] 19 p0427 N78-25607

OKLAHOMA UNIV., NORMAN.

Development of working fluid thermodynamic properties information for geothermal cycles; phase 1
[ORO-5249-1] 17 p0143 N78-13600

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 1: Summary report
[PB-271752/8] 17 p0144 N78-13616

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 2: Detailed analysis and supporting materials
[PB-271753/6] 17 p0144 N78-13617

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 3: Preliminary policy analysis
[PB-271754/4] 17 p0144 N78-13618

Energy from the west: A progress report of a technology assessment of western energy resource development. Volume 4: Appendices
[PB-272243/7] 17 p0144 N78-13619

OLD DOMINION UNIV., NORFOLK, VA.

Remote monitoring of the Gravelly Run thermal plume at Hopewell and the thermal plume at the Surry nuclear power plant on the James River
19 p0313 A78-34905

OPEN UNIV., HILTON (ENGLAND).

Combined heat and power: A discussion of Energy Paper 20
[ERG-018] 18 p0284 N78-21608

OPTICAL COATING LAB., INC., CITY OF INDUSTRY, CALIF.

High efficiency, long life terrestrial solar panel
[NASA-CR-157060] 19 p0407 N78-24649

OREGON STATE UNIV., CORVALLIS.

Remote sensing applications in hydro-geothermal exploration of the northern basin and range province
18 p0238 N78-16405

Heat transfer effects in forced geohat recovery systems
19 p0395 N78-23554

An evaluation of uses for low to intermediate temperature geothermal fluids in the Klamath Basin, Oregon
[BULL-55] 19 p0396 N78-23568

Simulating Oregon's future electrical energy demand
[PB-276970/1] 19 p0399 N78-23603

OREGON UNIV., EUGENE.

Community leaders workshop on solar energy assessment
[ELO/2230/T5-1] 19 p0446 N78-26586

ORGANIZATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT, PARIS (FRANCE).

International energy trends: Monthly supplement on oil trends
[BP-22885] 19 p0462 N78-27577

ORE-SCHLEIN-MAYERSON AND ASSOCIATES, INC., MINNEAPOLIS, MINN.

Grid-connected ICES preliminary feasibility analysis and evaluation. Volume 1: Executive summary
[COO-4214-1/1-VOL-1] 18 p0287 N78-21641

OWENS-ILLINOIS, INC., TOLEDO, OHIO.

Application of thick-film technology to solar cell fabrication
17 p0015 A78-10947

Development of prototype air/liquid solar collector subsystem
[NASA-CR-150627] 18 p0283 N78-21604

Air-liquid solar collector for solar heating, combined heating and cooling, and hot water subsystems
[NASA-CR-150569] 19 p0389 N78-22475

Development of prototype air/liquid solar collector subsystem
[NASA-CR-150703] 19 p0421 N78-25550

P

PACIFIC ENVIRONMENTAL SERVICES, INC., SANTA MONICA, CALIF.

Economic analysis of vapor recovery systems on small bulk plants
[PB-269884/3] 17 p0117 N78-10636

PACIFIC NORTHWEST ENVIRONMENTAL RESEARCH LAB., CORVALLIS, ORE.

Energy consumption of advanced wastewater treatment at Ely, Minnesota
[PB-278270/4] 19 p0452 N78-26998

PARAGON PACIFIC, INC., EL SEGUNDO, CALIF.

Plans for wind energy system simulation
18 p0267 N78-19640

PARSONS (RALPH M.) CO., PASADENA, CALIF.

Oil/gas complex conceptual design/economic analysis: Oil and SNG production
[PE-1775-8] 17 p0161 N78-15575

PAYNE, INC., ANNAPOLIS, MD.

Water pulsejet research
[AD-A046533] 17 p0158 N78-15497

PEAT, HAWICK, MITCHELL AND CO., WASHINGTON, D. C.

Energy and economic impacts of projected freight transportation improvements
18 p0257 N78-18537

PEDCO-ENVIRONMENTAL SPECIALISTS, INC., CINCINNATI, OHIO.

Operation and maintenance of particulate control devices on coal-fired utility boilers
[PB-274104/9] 18 p0251 N78-17505

Preliminary evaluation of sulfur variability in low-sulfur coals from selected mines
[PB-275000/8] 18 p0261 N78-18566

Inspection manual for the enforcement of new, source performance standards: Coal preparation plants
[PB-274262/5] 18 p0270 N78-19683

EPA utility PGD (Flue Gas Desulfurization) survey: December 1977 - January 1978
[PB-279011/1] 19 p0466 N78-27622

Flue gas desulfurization system capabilities for coal-fired steam generators. Volume 2: Technical report
[PB-279417/0] 19 p0467 N78-27659

Effects of alternative new source performance standards on flue gas desulfurization system supply and demand
[PB-279080/6] 19 p0467 N78-27661

PENNSYLVANIA STATE UNIV., UNIVERSITY PARK.

M-I-S solar cell - Theory and experimental results
17 p0025 A78-11040

Qualitative and quantitative studies of volatiles from coal pyrolysis using mass spectrometry and gas chromatography
17 p0119 N78-11207

High-temperature linear radiation-cavity solar collector with a Fresnel concentrator
[AD-A049982] 18 p0276 N78-20628

PENNSYLVANIA UNIV., PHILADELPHIA.

A study of efficiency indicators of urban public transportation systems
[PB-270940/0] 17 p0147 N78-13970

Hot forming of silicon sheet, silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project
[NASA-CR-155934] 18 p0255 N78-18517

Energy use in intercity freight transport and policy implications
18 p0257 N78-18536

- PETROCARB, INC., N. Y.
The Petrocarb pneumatic feeding system: A proven method for feeding particulate solids at controlled rates 17 p0131 N78-13243
- PHILIPS LABS., BRIARCLIFF MANOR, NEW YORK.
Stirling total energy systems study [HCP/T2947-1] 19 p0461 N78-27570
- PHILLIPS PETROLEUM CO., HOMER CITY, PA.
Gas generator research and development: Bi-gas process [PE-1207-29] 18 p0241 N78-16447
- PILATUS AIRCRAFT LTD., STANS (SWITZERLAND).
Study of test methods for large flexible solar arrays (VELSA) [ESA-CR(P)-1016] 19 p0411 N78-24688
- PITTSBURGH AND MIDWAY COAL MINING CO., HERRIAN, KANS.
Solvent Refined Coal (SRC) process [PE-496-138] 19 p0410 N78-24679
- PITTSBURGH UNIV., PA.
Development of a Ti/Fe redox couple flow battery system 19 p0388 N78-22458
- Measurement of the flow properties and capillary pressure relationships of certain coals pertaining to underground coal gasification [COO-4129-3] 19 p0410 N78-24680
- POLISH ACADEMY OF SCIENCES, WARSAW.
Generalization of the description of energy conversion in CO₂ impulse lasers 17 p0109 N78-10444
- Energy management as a scientific discipline 17 p0111 N78-10558
- POLYSET, INC., MANCHESTER, MASS.
Development of a freeze-tolerant solar water heater using crosslinked polyethylene as a material of construction [COO-2956-5] 17 p0162 N78-15584
- PRATT AND WHITNEY AIRCRAFT GROUP, EAST HARTFORD, CONN.
Energy efficient engine: Preliminary design and integration studies 19 p0453 N78-27053
- PRICE WATERHOUSE AND CO., WASHINGTON, D. C.
Digest of federal registers [PB-270153/0] 17 p0113 N78-10574
- Reference guide to changes in reseller pricing regulations and rulings [PB-270152/2] 17 p0115 N78-10594
- Reference guide to changes in refiner and reseller pricing regulations and rulings [PB-270151/4] 17 p0115 N78-10595
- PRINCETON UNIV., N. J.
Optimization of pyrolytic conversion of coal to clean fuel [PE-2253-5] 19 p0427 N78-25609
- Dynamic models of house heating based on equivalent thermal parameters 19 p0456 N78-27517
- PUERTO RICO WATER RESOURCES AUTHORITY, SAN JUAN.
Impact of solar heating and cooling on electric utilities [PB-271415/2] 17 p0145 N78-13621
- PURDUE UNIV., LAFAYETTE, IND.
Material selection considerations for fluoride thermal energy storage containment in a sodium heat pipe environment [AD-A042389] 17 p0112 N78-10563
- Dynamic oil shale fracture experiments [PB-269258/0] 17 p0122 N78-11559
- Systems studies of coal conversion processes using a reference simulator [PE-2275-4] 19 p0390 N78-22480
- R**
- R AND D ASSOCIATES, MARINA DEL REY, CALIF.
Proceedings of a Seminar on International Energy [ERDA-79] 17 p0145 N78-13620
- RADIAN CORP., AUSTIN, TEX.
Hydrocarbon pollutants from stationary sources [PB-272784/0] 17 p0163 N78-15605
- Environmental assessment of low/medium BTU gasification [PB-276580/8] 18 p0281 N78-21325
- Assessment, selection, and development of procedures for determining the environmental acceptability of synthetic fuel plants based on coal, appendix 2 [FP-1795-3-PT-2-REV] 19 p0433 N78-25674
- RAND CORP., SANTA MONICA, CALIF.
Noble-gas closed-cycle system of magnetohydrodynamic power generation [R-2128-ERDA] 19 p0422 N78-25570
- RASOR ASSOCIATES, INC., SUNNYVALE, CALIF.
TELEC laser experiment [NASA-CR-152077] 18 p0247 N78-17251
- RCA ADVANCED TECHNOLOGY LABS., CAMDEN, N. J.
Solar driven air conditioning system [COO-2938-77/1] 17 p0153 N78-14654
- RCA LABS., PRINCETON, N. J.
Procedure for minimizing the cost per watt of photovoltaic systems 18 p0176 A78-23636
- Optimization of solar cell contacts by system cost-per-watt minimization 18 p0176 A78-23637
- RENSSELAER POLYTECHNIC INST., TROY, N. Y.
Focusing solar collector development [PB-275042/0] 18 p0260 N78-18561
- RESEARCH CORP. OF NEW ENGLAND, WETHERSFIELD, CONN.
Time-variable air pollutant emission strategies for individual power plants [EPRI-EA-418] 17 p0146 N78-13645
- RESEARCH TRIANGLE INST., RESEARCH TRIANGLE PARK, N. C.
Literature survey of emissions associated with emerging energy technologies [PB-272550/5] 17 p0163 N78-15606
- Solar cell design study [AD-A048042] 18 p0251 N78-17489
- RESOURCE PLANNING ASSOCIATES, INC., CAMBRIDGE, MASS.
Western energy resources and the environment: Geothermal energy [PB-271561/3] 17 p0156 N78-14687
- RESOURCE PLANNING ASSOCIATES, INC., PARIS (FRANCE).
European waste-to-energy systems. An overview [CONS/2103-6] 18 p0245 N78-16931
- European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France) [CONS/2103-1] 18 p0245 N78-16932
- RESOURCE PLANNING ASSOCIATES, INC., WASHINGTON, D. C.
State energy conservation program sourcebook. Volume 1: Overview and guide [PB-271798/1] 17 p0143 N78-13609
- State energy conservation program sourcebook. Volume 4: Program measures and abstracts [PB-271801/3] 17 p0144 N78-13612
- State energy conservation program sourcebook. Volume 6: Bibliography [PB-271802/1] 17 p0144 N78-13613
- European waste-to-energy systems. An overview [CONS/2103-6] 18 p0245 N78-16931
- European waste-to-energy systems: Case study of the thermal complex of Toulouse-Le Mirail (France) [CONS/2103-1] 18 p0245 N78-16932
- European waste-to-energy systems: Case study of Munich: Munich North IA and IB, Munich North II, Munich South IV and V [CONS/2103-4] 18 p0245 N78-16933
- European waste-to-energy systems: Case study of Korsor, Denmark [CONS/2103-3] 18 p0246 N78-16934
- European waste-to-energy systems: Case study of Geneva-Cheneviers (Switzerland) [CONS/2103-2] 18 p0246 N78-16935
- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 1 [HCP/M3879-VOL-1] 19 p0398 N78-23594
- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development, volume 2 [HCP/M3879-1-VOL-2] 19 p0399 N78-23595
- Comprehensive community planning for energy management and conservation: Developing and applying a coordinated approach to energy-related community development: Executive summary [HCP/M3879-0003] 19 p0399 N78-23596

- Institutional applications of solar total energy systems
[ALO/3786-1] 19 p0428 N78-25619
- Institutional applications of solar total energy systems
[TID-22782] 19 p0429 N78-25625
- RESOURCES CONSERVATION CO., REWTON, WASH.
Effective control of secondary water pollution from flue gas desulfurization systems
[PB-278373/6] 19 p0450 N78-26645
- RESOURCES FOR THE FUTURE, INC., WASHINGTON, D. C.
The energy/real gross domestic product ratio: An analysis of changes during the 1966-1970 period in relation to long-run trends
[PB-277235] 19 p0411 N78-24690
- How industrial societies use energy
[EPRI-BA-707-SY] 19 p0461 N78-27572
- RHO SIGMA, INC., NORTH HOLLYWOOD, CALIF.
Preliminary design package for RS600 microprocessor control subsystem
[NASA-CR-150628] 19 p0405 N78-24611
- ROCKETDYNE, CANOGA PARK, CALIF.
Hydrogen turbine power conversion system assessment
[NASA-CR-135298] 18 p0276 N78-20621
- ROCKWELL INTERNATIONAL CORP., ANAHEIM, CALIF.
Advanced semiconductor technology for alternate energy sources: dc to ac inverters
[AD-A048806] 18 p0269 N78-19662
- ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CALIF.
Rocketdyne's advanced coal slurry pumping program
[PB-277235] 17 p0133 N78-13266
- Hydrogasifier development for the Hydrane process
[FE-2518-4] 19 p0415 N78-25244
- ROCKWELL INTERNATIONAL CORP., DOWNEY, CALIF.
Self-powered electric propulsion of satellite power systems
[AIAA PAPER 78-694] 19 p0293 A78-32765
- Industries in space to benefit mankind: A view over the next 30 years
[NASA-CR-155203] 17 p0118 N78-10973
- ROCKWELL INTERNATIONAL CORP., PITTSBURG, PA.
Lock hopper values for coal gasification plant service
[PB-274041/3] 17 p0134 N78-13270
- ROCKY MOUNTAIN CENTER ON ENVIRONMENT, DENVER, COLO.
Energy conservation and state legislatures. Based on the Energy Conservation Workshop for Region 8 State Legislators
[PB-270428/6] 17 p0128 N78-12550
- RUTGERS - THE STATE UNIV., NEW BRUNSWICK, N. J.
The petroleum industry in the Delaware estuary
[PB-277962/7] 19 p0451 N78-26653
- RUTGERS - THE STATE UNIV., PISCATAWAY, N. J.
Silicon Schottky photovoltaic diodes for solar energy conversion
[PB-274041/3] 18 p0251 N78-17493
- S**
- SAN DIEGO GAS AND ELECTRIC CO., CALIF.
Geothermal environmental studies, Heber region, Imperial Valley, California. Environmental baseline data acquisition
[EPRI-ER-352] 18 p0286 N78-21630
- SANDIA CORP., ALBUQUERQUE, N. MEX.
PVSS: A photovoltaic system simulation program manual
[SAND-77-0814] 19 p0398 N78-23593
- SANDIA CORP., LIVERMORE, CALIF.
BUCKS: Economic analysis model of solar electric power plants
[SAND-77-8279] 19 p0460 N78-27564
- Direct contact heat exchange for latent heat-of-fusion energy storage systems
[SAND-77-8665] 19 p0464 N78-27595
- SANDIA LABS., ALBUQUERQUE, N. MEX.
Solar photovoltaic power stations
[SAND-77-8216] 17 p0054 A78-11335
- Diagnostic assessment for advanced power systems
[SAND-77-8216] 17 p0121 N78-11509
- System dynamics model of national energy usage
[SAND-76-0415] 17 p0141 N78-13577
- Energy storage needs for wind power systems
[SAND-76-9058] 17 p0143 N78-13603
- Control system for wind-powered generators
[SAND-77-0287] 17 p0143 N78-13604
- Optimum operating conditions for a cylindrical parabolic focusing collector/Rankine power generation cycle system
[SAND-75-6132] 17 p0151 N78-14634
- Solar irrigation program plan, revision
[SAND-77-0730-REV] 17 p0151 N78-14642
- Parameter study for a central-receiver power station
[SAND-77-0667C] 17 p0154 N78-14664
- HELIOS: A computational model for solar concentrators
[SAND-77-0642C] 17 p0154 N78-14665
- Approach for evaluating alternative future energy systems: A dynamic net energy analysis
[SAND-77-0489] 17 p0155 N78-14670
- Structural effects in chemically sprayed CdS/Cu/sub x/S photovoltaic cells
[SAND-76-0737] 17 p0161 N78-15573
- Environmental issues associated with solar heating and cooling of residential dwellings
[SAND-77-0172] 17 p0161 N78-15581
- Solar irrigation program
[SAND-77-0380] 17 p0161 N78-15582
- New details on wind power climatology
[SAND-77-0696C] 17 p0163 N78-15657
- Tower design considerations for the solar thermal central receiver systems
[SAND-77-8243] 18 p0242 N78-16459
- Methodology for site selection of a solar total energy large scale experiment
[SAND-77-0248] 18 p0277 N78-20644
- Potential fuel production from algae
[SAND-77-0509] 19 p0403 N78-24383
- Physics underlying improved efficiency of high-low-junction emitter silicon solar cells
[SAND-77-1610C] 19 p0410 N78-24685
- Modal analysis of the first production design heliostat used at the Solar Thermal Test Facility (STTF)
[SAND-77-1393] 19 p0410 N78-24686
- Mechanical properties of oil shale of importance to in-situ rubblelization
[SAND-77-0499C] 19 p0411 N78-24731
- Preliminary economic analysis of Solar Irrigation Systems (SIS) for selected locations
[SAND-77-1403] 19 p0428 N78-25620
- Vertical axis wind turbine tie-down design with an example
[SAND-77-1919] 19 p0429 N78-25631
- Free-air performance tests of a 5-metre-diameter Darrieus turbine
[SAND-77-1063] 19 p0430 N78-25632
- Oil shale programs
[SAND-77-1497] 19 p0432 N78-25653
- Laser ray trace and bi-directional reflectometry measurements of various solar concentrators
[SAND-77-1466C] 19 p0444 N78-26564
- Numerical codes for MHD flows
[SAND-77-1658] 19 p0448 N78-26604
- Thermochemical energy storage systems: A review
[SAND-77-6051] 19 p0460 N78-27557
- Factors affecting market initiation of solar total energy
[SAND-78-0148C] 19 p0460 N78-27561
- Master control and data system for the 5MW solar thermal test facility
[SAND-78-0205C] 19 p0460 N78-27562
- Brake system for the 17 meter vertical axis wind turbine
[SAND-77-1331] 19 p0461 N78-27569
- SANDIA LABS., LIVERMORE, CALIF.
Analysis of the thermal fatigue induced by DNB oscillations in the MDAC Rocketdyne pilot and commercial plant solar receiver designs
[SAND-77-8283] 19 p0431 N78-25642
- Effectiveness of spectrally selective surfaces for exposed, high-temperature solar absorbers
[SAND-77-8300] 19 p0444 N78-26563
- STEARC: Solar Thermal Electric Annual Energy Calculator documentation
[SAND-77-8278] 19 p0447 N78-26588
- SCATTERGOOD SCHOOL, WEST BRANCH, IOWA.
Solar heating system for recreation building at Scattergood School
[NASA-CR-150553] 18 p0274 N78-20605
- SCHOOL OF AEROSPACE MEDICINE, BROOKS AFB, TEX.
Organic compounds in turbine combustor exhaust
[AD-A045582] 17 p0129 N78-13065

- SCIENTIFIC TRANSLATION SERVICE, SANTA BARBARA, CALIF.
Research on battery-operated electric road vehicles
[NASA-TN-75142] 17 p0122 N78-11889
- SEATTLE DEPT. OF LIGHTING, WASH.
Office of conservation
[TID-27998] 19 p0423 N78-25572
- SELSKAPET FOR INDUSTRIELL OG TEKNISK FORSKNING, TRONDHEIM (NORWAY).
Offshore oil pollution
[STP21-A76054] 17 p0122 N78-11535
- SHEPHERD (R.) ASSOCIATES, PARSIPPANY, N. J.
US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 1
[PB-274000/9] 18 p0238 N78-16413
US oil and natural gas findings costs. A study for the Federal Energy Administration, Volume 2: Statistical appendix
[PB-274001/7] 18 p0238 N78-16414
- SIGMA RESEARCH, INC., RICHLAND, WASH.
Two-phase working fluids for the temperature range 50 to 350 C
[NASA-CR-135255] 18 p0238 N78-16329
Installation package maxi-therm S-101 heating module
[NASA-CR-150512] 18 p0274 N78-20602
Preliminary design package for maxi-therm heat exchanger module
[NASA-CR-150620] 19 p0389 N78-22473
- SINAI, HELLIESEN AND EICHNER, INC., NEWTON CENTER, MASS.
LSSA large area silicon sheet task: Continuous liquid feed Czochralski growth
[NASA-CR-157135] 19 p0408 N78-24656
- SIMULATION PHYSICS, INC., BEDFORD, MASS.
Silicon solar cells by ion implantation and pulsed energy processing
17 p0015 A78-10946
Integral glass sheet encapsulation for terrestrial panel applications
17 p0016 A78-10948
- SIMULATION PHYSICS, INC., FOXBOROUGH, MASS.
Applications of ion implantation for high efficiency silicon solar cells
17 p0137 N78-13538
- SWC, INC., MONTREAL (QUEBEC).
Economic pre-feasibility study: Large-scale methanol fuel production from surplus Canadian forest biomass. Part 2: Working papers
[NP-22159/2] 19 p0393 N78-23253
- SOLAFLERN LTD., BOURNE, MASS.
Solaflern solar system design brochure
[NASA-CR-150515] 18 p0256 N78-18526
Prototype solar heating and hot water systems
[NASA-CR-150592] 18 p0275 N78-20612
- SOLAR CONTROL CORP., BOULDER, COLO.
Modular control subsystems for use in solar heating systems for multi-family dwellings
[NASA-CR-150593] 18 p0275 N78-20613
- SOLAR ENGINEERING AND EQUIPMENT CO., METAIRIE, LA.
Quarterly and monthly reports for solar heating and cooling systems
[NASA-CR-150589] 18 p0275 N78-20610
Design data brochure: Solar hot air heater
[NASA-CR-150697] 19 p0421 N78-25548
- SOLAR ENGINEERING AND MFG. CO., DEERFIELD BEACH, FLA.
Preliminary design package for solar hot water system
[NASA-CR-150617] 18 p0283 N78-21603
- SOLAR ENGINEERING AND MFG. CO., FT. LAUDERDALE, FLA.
Prototype solar domestic hot water systems
[NASA-CR-150545] 18 p0264 N78-19606
- SOLARIX CORP., ROCKVILLE, MD.
Developments in vertical-junction silicon solar cells
17 p0137 N78-13540
Nonreflecting vertical junction silicon solar cell optimization
[AD-A046150] 17 p0151 N78-14636
Energy requirement for the production of silicon solar arrays
[NASA-CR-155932] 18 p0255 N78-18519
Silicon solar cells with a total power capacity of 30 kilowatts
[NASA-CR-157066] 19 p0407 N78-24639
Energy requirement for the production of silicon solar arrays
[NASA-CR-157074] 19 p0407 N78-24642
- Energy requirement for the production of silicon solar arrays
[NASA-CR-157071] 19 p0407 N78-24643
Development of an improved high efficiency thin silicon solar cell
[NASA-CR-157058] 19 p0408 N78-24654
- SOLABON CORP., DENVER, COLO.
Prototype solar heating and cooling systems, including potable hot water
[NASA-CR-150576] 18 p0263 N78-19601
- SOLIDS FLOW CONTROL CORP., WEST CALDWELL, N. J.
Feeding the feeder
17 p0132 N78-13258
- SOUTH AFRICAN BUREAU OF STANDARDS, PRETORIA.
Code of practice for the petroleum industry. Part 1: The handling, storage, and distribution of petroleum products
[SABS-089-1977-PT-1] 19 p0402 N78-24366
- SOUTH DAKOTA STATE UNIV., BROOKINGS.
HCMM energy budget data as a model input for assessing regions of high potential groundwater pollution
[E78-10111] 18 p0282 N78-21516
- SOUTHERN CALIFORNIA EDISON CO., ROSEBUD.
Integration of solar thermal power plants into electric utility systems
[TID-27627/1] 17 p0154 N78-14666
Integration of solar thermal power plants into electric utility systems
[TID-27627/2] 17 p0154 N78-14667
- SOUTHERN METHODIST UNIV., DALLAS, TEX.
Diffusion lengths in amphoteric GaAs heteroface solar cells
18 p0216 A78-29195
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] 19 p0405 N78-24609
- SOUTHERN RESEARCH INST., BIRMINGHAM, ALA.
Particulate control highlights: Research on electrostatic precipitator technology
[PB-276643/4] 19 p0391 N78-22495
- SOUTHERN UNIV., BATON ROUGE, LA.
Inhibitor analysis for a solar heating and cooling system
[NASA-CR-150513] 18 p0249 N78-17475
- SOUTHWEST RESEARCH INST., SAN ANTONIO, TEX.
A review of diesel fuel deterioration and related problems
[AD-A043566] 17 p0109 N78-10308
Corrective action program for bromochloromethane-containing fire-safe diesel fuel
[AD-A043323] 17 p0119 N78-11253
Coal thickness gauge using RRAS techniques, part 1
[NASA-CR-150625] 18 p0273 N78-20573
- SPECTROLAB, INC., SYLMAR, CALIF.
High efficiency solar panel (HESP)
[AD-A043382] 17 p0112 N78-10572
Advanced high efficiency wraparound contact solar cell
[AIAA-PAPER-77-521] 17 p0137 N78-13536
Array automated assembly, phase 2
[NASA-CR-157057] 19 p0407 N78-24650
- SPRINGBORN LABS., INC., ENFIELD, CONN.
Investigation of test methods, material properties, and processes for solar cell encapsulants. Encapsulation task of the low-cost silicon solar array project
[NASA-CR-157149] 19 p0406 N78-24636
- SRI INTERNATIONAL CORP., MENLO PARK, CALIF.
Synthetic liquid fuels development: Assessment of critical factors
18 p0257 N78-18535
Fuel and energy price forecasts: Quantities and long-term marginal prices, volume 1
[EPRI-EA-433-VOL-1] 18 p0286 N78-21637
- STANFORD RESEARCH INST., MENLO PARK, CALIF.
Preliminary assessment for designing experiments using federal innovation processes
[PB-270089/6] 17 p0122 N78-11863
Transportation in America's future: Potentials for the next half century. Part 2. Transportation forecasts
[PB-270468/2] 17 p0129 N78-12909
Transportation in America's future: Potentials for the next half century. Part 1: Societal
[PB-270467/4] 17 p0129 N78-12910

Fuel and energy price forecasts. Volume 2:
 Data base
 [EPRI-BA-433-VOL-2] 17 p0140 N78-13575
 Advanced fossil fuel and the environment: An
 executive report
 [PB-274541/2] 18 p0261 N78-18587

STANFORD UNIV., CALIF.
 Limitation of 3547 to 1182 Å conversion
 efficiency in Xe 18 p0215 A78-28924
 The Stanford pilot energy/economic model
 [AD-A044908] 17 p0126 N78-12537
 Dielectric relaxation in polymers at low
 temperatures 17 p0148 N78-14170
 Silicon photovoltaic cells in thermophotovoltaic
 conversion [EPRI-ER-478] 18 p0242 N78-16460
 High magnetic field MHD generator program
 [FE-2341-1] 18 p0245 N78-16874
 Geological and geothermal data use
 investigations for application explorer
 mission-A: Heat capacity mapping mission
 [E78-10092] 18 p0263 N78-19570
 Use of asymptotic methods in vibration analysis
 18 p0265 N78-19620
 Superconducting power transmission line
 materials research and conductor development
 [SAN/0326-1] 19 p0416 N78-25342
 ETA-MACRO: A model of energy-economy interactions
 [EPRI-BA-592] 19 p0449 N78-26612
 Silicon photovoltaic cells in TPV conversion
 [EPRI-ER-633] 19 p0461 N78-27567

STATE UNIV. OF NEW YORK, ALBANY.
 Energy conservation via solar energy
 applications to multi-family and commercial
 structures. Volume 3: An energy, engineering
 and economic analysis of heating and cooling
 systems for multi-family structures
 [PB-276131/0] 18 p0289 N78-21657
 Solar energy and the heat pump in a northern
 climate [EPRI-BA-407] 19 p0462 N78-27583

STATE UNIV. OF NEW YORK, STONY BROOK.
 Land use-energy simulation model: A
 computer-based model for exploring land use
 and energy relationships [BNL-50634] 18 p0241 N78-16450
 Planner's energy workbook: A manual for
 exploring relationships between land use and
 energy utilization [BNL-50633] 18 p0286 N78-21634
 Energy information and analytic system for New
 York State [BNL-22677] 19 p0397 N78-23579

STEARNS-ROGER CORP., DENVER, COLO.
 Solar total energy system, large scale
 experiment, Shenandoah, Georgia. Volume 2,
 Section 3: Facility concept design
 [ALO/3987-1/2-VOL-2] 19 p0409 N78-24672
 Solar total energy system, large scale
 experiment, Shenandoah, Georgia, volume 3
 [ALO/3987-1/3-VOL-3] 19 p0409 N78-24673

STEIN (RICHARD G.) AND ASSOCIATES, NEW YORK.
 Research design construction and evaluation of a
 low energy utilization school, phase 2
 [PB-269407/3] 17 p0112 N78-10569

STUTTGART UNIV. (WEST GERMANY).
 Lifetests of the telecommunications satellite
 heat pipes [ESA-CR(P)-997] 17 p0135 N78-13398
 Energetic evaluation of the hybrid tunnel
 principle and possibilities of efficiency
 improvement 18 p0246 N78-17011

SWAIN (JOHN W.), WELLESLEY, MASS.
 Assessment in industrial hazardous waste
 management petroleum re-refining industry
 [PB-272267/6] 17 p0157 N78-14951

SYNICAL CORP., SUNNYVALE, CALIF.
 Solar thermoelectric generators.
 [NASA-CR-157097] 19 p0407 N78-24645

SYSTEMS CONSULTANTS, INC., WASHINGTON, D. C.
 Application of near-term fossil technologies to
 the energy supply/demand profiles of the U.S.
 states and regions [FE-2442-1] 17 p0155 N78-14679

T

TECHNISCHE UNIV., BERLIN (WEST GERMANY).
 Comparison of several computation methods for
 inductive MHD channel and free jet converters
 with nonmagnetic liquid metals as working fluids
 [SPB-MHD-27] 17 p0121 N78-11512
 Situation of air traffic in comparison to ground
 transportation noting especially energetic
 problems [ILR-20] 19 p0392 N78-23072
 The modular solar energy satellite. Project
 proposal and development strategy 19 p0399 N78-23598

TELEDYNE C&E, TOLEDO, OHIO.
 The status of small, cooled, axial-flow turbines.
 18 p0279 N78-21123

TELEDYNE ENERGY SYSTEMS, TIMONIUM, MD.
 Selenide isotope generators [CONF-770302-1] 17 p0114 N78-10581

TENNESSEE TECHNOLOGICAL UNIV., COOKEVILLE.
 Pump/control system minimum operating cost testing
 [NASA-CR-150604] 18 p0275 N78-20617

TENNESSEE UNIV., KNOXVILLE.
 On pressure and heat flux distribution along
 magnetohydrodynamic generator channel-diffuser
 systems 17 p0128 N78-12837
 Energy conservation in the home: An energy
 education/conservation curriculum guide for
 home economics teachers [EDM-1028] 18 p0284 N78-21607
 In situ conversion of coal [COO-0066-2] 19 p0448 N78-26610

TENNESSEE UNIV. SPACE INST., TULLAHOOMA.
 The application of LANDSAT-1 imagery for
 monitoring strip mines in the new river
 watershed in northeast Tennessee, part 2
 [E78-10032] 17 p0125 N78-12506

TEXACO, INC., BEACON, N. Y.
 Optimization of the vehicle-fuel-refinery system
 18 p0257 N78-18533

TEXAS A&M UNIV., COLLEGE STATION.
 Development and coordination of a program of
 energy-related oceanographic research and the
 continental shelves of the Gulf of Mexico
 [ORO-5017-3] 19 p0434 N78-25742

TEXAS INSTRUMENTS, INC., DALLAS.
 High performance, inexpensive solar cell process
 capable of a high degree of automation 17 p0015 A78-10944
 Automated array assembly task, phase 1
 [NASA-CR-156985] 19 p0396 N78-23562
 Automated array assembly, phase 2
 [NASA-CR-157134] 19 p0407 N78-24653

TEXAS TECHNOLOGICAL UNIV., LUBBOCK.
 Optical analysis of spherical segment solar
 collectors 18 p0239 N78-16425
 A solar adsorption cooling system: An
 analytical and experimental study 18 p0272 N78-20269

TEXAS UNIV., AUSTIN.
 Thermodynamic potential for the anodic
 dissolution of n-type semiconductors - A
 crucial factor controlling durability and
 efficiency in photoelectrochemical cells and
 an important criterion in the selection of new
 electrode/electrolyte systems 19 p0344 A78-39465
 A dynamic model for the efficient utilization of
 exhaustible energy resources 18 p0263 N78-19598
 Circuit and magnetic analysis for a system of
 Faraday rotator coils driven by a two-spool,
 four-rotor homopolar generator
 [CONF-771029-119] 19 p0467 N78-27927

TEXAS UNIV. AT AUSTIN.
 Homopolar generator development at the
 University of Texas [ORO-5594-7] 19 p0467 N78-27922
 Test data on electrical contacts at high surface
 velocities and high current densities for
 homopolar generators [CONF-771029-121] 19 p0467 N78-27924

THERMO ELECTRON CORP., WALTHAM, MASS.

- Experiments with enhanced mode thermionic converters 18 p0218 A78-29636
- ERDA/NASA advanced thermionic technology program [COO-3056-20] 17 p0120 N78-11504
- Thermodynamic analysis of a tin-steamed LHMED system [AD-A052395] 19 p0409 N78-24669
- ERDA/NASA advanced thermionic technology program [NASA-CR-157117] 19 p0409 N78-24674
- THERMO ELECTRON ENGINEERING CORP., WALTHAM, MASS.**
- Advanced Thermionic Technology Program [NASA-CR-155299] 17 p0143 N78-13599
- TOLEDO UNIV., OHIO.**
- Aeroelastic stability of wind turbine blades 18 p0265 N78-19622

TORONTO UNIV. (ONTARIO).

- Some studies on a solid-state sulfur probe for coal gasification systems 19 p0310 A78-34273
- Theory of wind turbines with contrarotation [UTIAS-218] 18 p0260 N78-18556
- Solar space heating systems using annual heat storage [COO-2939] 18 p0287 N78-21645
- Design method for heat loss calculation for in-ground heat storage tanks [COO-2939-3] 19 p0441 N78-26402

TRANS SYSTEMS CORP., VIENNA, VA.

- Assessment of battery buses [PB-271321/2] 17 p0148 N78-13976
- TRANSPORT AND ROAD RESEARCH LAB., CROWTHORNE (ENGLAND).**

- Energy losses in heavy commercial vehicles [PB-277354] 19 p0417 N78-25434
- TRANSPORTATION SYSTEMS CENTER, CAMBRIDGE, MASS.**
- Methanol as an automotive fuel with special emphasis on methanol-gasoline blends [PB-270401/3] 17 p0123 N78-12243
- Measurement and simulation of fuel consumption in rail freight service 18 p0258 N78-18545

TRW DEFENSE AND SPACE SYSTEMS GROUP, REDONDO BEACH, CALIF.

- Planning and design of additional East Mesa geothermal test facilities, phase 1B. Volume 3: Appendices [SAN/1140-1/3-VOL-3-APP] 17 p0127 N78-12545
- TRW, INC., REDONDO BEACH, CALIF.**
- Shunt regulation electric power system [NASA-CASE-GSC-10135] 18 p0247 N78-17296
- Heat pipe with dual working fluids [NASA-CASE-ARC-10198] 18 p0248 N78-17336
- Environmental assessment of high-BTU gasification [PB-278175/5] 19 p0450 N78-26646
- TULSA UNIV., OKLA.**
- Pulse test analysis of vertically fractured wells [ORO-8036-5] 19 p0418 N78-25511

U**ULTRASYSTEMS, INC., IRVINE, CALIF.**

- Reduction of nitrogen oxide emissions from field operating package boilers, phase 3 [PB-269277/0] 17 p0121 N78-11526

UNION CARBIDE CORP., OAK RIDGE, TENN.

- Pathways of trace elements in the environment [CONF-770210-3] 17 p0146 N78-13644

UNION CARBIDE CORP., TONAWANDA, N.Y.

- Study of the potential for improving the economics of hydrogen liquefaction through the use of centrifugal compressors and the addition of a heavy water plant [NASA-CR-145282] 17 p0159 N78-15564
- Ocean thermal power plants heat exchangers [ERDA/NSF-43441/76/1] 19 p0410 N78-24681

UNION COLL., SCHENECTADY, N.Y.

- Effects of Energy Constraints on Transportation Systems 18 p0256 N78-18529

UNITED TECHNOLOGIES CORP., SOUTH WINDSOR, CONN.

- Advanced technology fuel cell program [EPRI-EM-576] 19 p0459 N78-27553

UNITED TECHNOLOGIES RESEARCH CENTER, EAST HARTFORD, CONN.

- Comparison of blade loads of fixed and free yawing wind turbine 18 p0267 N78-19637

Venture analysis case study of combined gas and steam power systems for the generation of utility electric power

- [APAE-2483-5] 19 p0416 N78-25337
- The evolution of pollutants during the rapid devolatilization of coal [PB-278496/5] 19 p0466 N78-27617
- UNIVERSITY OF SOUTHERN MISSISSIPPI, HATTIESBURG.**
- Investigations of the effects of shear degradation on the rheological behavior of ultra-high molecular weight water soluble polymers as applied to enhance oil recovery 18 p0237 N78-16171

UOP, INC., DES PLAINES, ILL.

- Optimization of PdDoped Kocite: Electrodes in H3PO4 fuel cells [AD-A053300] 19 p0422 N78-25562

URBAN MASS TRANSPORTATION ADMINISTRATION, WASHINGTON, D.C.

- The energy efficiency of urban transit systems 18 p0258 N78-18541

UTAH UNIV., SALT LAKE CITY.

- Theoretical and experimental investigation of reaction mechanisms of explosives, corrosion, and battery and fuel technology [AD-A046641] 17 p0158 N78-15295
- Two-stage coal gasification to high-BTU gas 18 p0238 N78-16422

V**VANDERBILT UNIV., NASHVILLE, TENN.**

- Power deposition in volumetric /U-235/P6-He fission-pumped nuclear lasers 18 p0235 A78-32436

VARIAN ASSOCIATES, LEXINGTON, MASS.

- Slicing of silicon into sheet material. Silicon sheet growth development for the large area silicon sheet task of the low cost silicon solar array project [NASA-CR-157080] 19 p0406 N78-24629

VARIAN ASSOCIATES, PALO ALTO, CALIF.

- Solar power satellite 50 kW VKS-7773 cw klystron evaluation [NASA-CR-151577] 17 p0130 N78-13106

VIRGINIA POLYTECHNIC INST. AND STATE UNIV., BLACKSBURG.

- Evaluation and targeting of geothermal energy resources in the southeastern United States [VPI-SU-5103-3] 17 p0162 N78-15585
- Analysis of data and results for the round robin flat-plate collector test program [PB-275576/7] 18 p0289 N78-21655

VIRGINIA UNIV., CHARLOTTESVILLE.

- Annual collection and storage of solar energy for the heating of buildings [ORO-5136-76/1] 17 p0152 N78-14649
- Engineering analysis and testing of water-trickle solar collectors [ORO-4927-77/1] 18 p0242 N78-16461

W**WARREN SPRING LAB., STEVENAGE (ENGLAND).**

- Energy considerations in electrodymetallurgy [IS-M-83] 17 p0120 N78-11505

WASHINGTON STATE UNIV., PULLMAN.

- Energy conservation policy - opportunities and associated impacts. Study module 1-A. Volume 1, summary report [PB-274337/5] 18 p0269 N78-19661

WASHINGTON UNIV., SEATTLE.

- Kinetics of thermochemical decomposition of hydrogen sulfide for the purpose of generating hydrogen 18 p0247 N78-17166

Interdisciplinary research and development on the effects of the nature and properties of ceramic materials in the design of advanced structural components [NASA-CR-155733] 18 p0247 N78-17223

Appendix: Cook inlet coal: Economics of mining and marine slurry transport [PB-278756/2] 19 p0455 N78-27493

Feasibility study of mining Alaska coal and transportation by slurry to the west coast [PB-278755/4] 19 p0458 N78-27545

WATER PURIFICATION ASSOCIATES,

CORPORATE SOURCE INDEX

WASHINGTON UNIV., ST. LOUIS, MO.
Some alternative dynamic design configurations
for large horizontal axis WECS 18 p0266 N78-19634

WATER PURIFICATION ASSOCIATES, CAMBRIDGE, MASS.
Water conservation and pollution control in coal
conversion processes [PB-269568/2] 17 p0128 N78-12556

WATERLOO UNIV. (ONTARIO).
Studies on methods of reducing heat losses from
flat plate solar collectors, phase 2 [COO-2597] 18 p0285 N78-21624

WATKINS AND ASSOCIATES, LEXINGTON, KY.
Onsite control of sedimentation utilizing the
modified block-cut method of surface mining [PB-272244/5] 17 p0159 N78-15552

WERNER AND PFLEIDERER CORP., WALDWICK, N.J.
The use of twin screw extruders for feeding coal
against pressures of up to 1500 PSI 17 p0134 N78-13269

WEST VIRGINIA UNIV., MORGANTOWN.
Available work energy and coal conversion
processes 17 p0159 N78-15558

WESTERN MICHIGAN UNIV., KALAMAZOO.
Fundamentals of nitric oxide formation in fossil
fuel combustion [FE-2018-5] 17 p0130 N78-13175

WESTINGHOUSE ELECTRIC CORP., EAST PITTSBURGH, PA.
Solar photovoltaic power stations 17 p0054 A78-11335

WESTINGHOUSE ELECTRIC CORP., LESTER, PA.
High temperature turbine technology program.
Phase 1: Program and system definition.
Topical Report: Overall plant design
description, low Btu combined cycle electric
power plant [FE-2290-18] 17 p0148 N78-14419

High temperature turbine technology program.
Phase 1: Program and system definition.
Topical Report: Overall plant design
description liquid fuel combined cycle
electric power plant [FE-2290-19] 17 p0149 N78-14420

High temperature turbine technology program.
Phase 1: Program and system definition.
Topical report: Phase 3, preliminary turbine
subsystem technology readiness verification
program plan [FE-2290-21] 17 p0149 N78-14421

High Temperature Turbine Technology Program.
Phase 1: Program and system definition.
Topical report: Low BTU gas combustor
technology development plan [FE-2290-26] 18 p0282 N78-21480

WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA.
Study of the manufacturing costs of lead-acid
batteries for peaking power [CONS/2114-2] 17 p0114 N78-10583

Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Final report, volume 1 [EPRI-EM-319-VOL-1] 17 p0139 N78-13567

Evaluation of a photovoltaic central power station
[CONF-770403-8] 17 p0141 N78-13582

Low cost silicon solar array project large area
silicon sheet task: Silicon web process
development [NASA-CR-156984] 19 p0396 N78-23563

Silicon materials task of the low cost solar
array project, phase 2 [NASA-CR-157082] 19 p0406 N78-24622

Solar total energy; large scale experiment.
Phase 2: Fort Hood, Texas [TID-18040] 19 p0429 N78-25630

Development, testing, and evaluation of HHD
materials and component designs [FE-2248-15] 19 p0436 N78-26217

WESTINGHOUSE ELECTRIC CORP., TRAFFORD, PA.
Low cost silicon solar array project silicon
materials task [NASA-CR-157092] 19 p0407 N78-24640

WESTINGHOUSE RESEARCH LABS., PITTSBURGH, PA.
Silicon solar cells from transition metal doped
Czochralski and web crystals 17 p0013 A78-10922

Investigation of methods to improve heat pump
performance and reliability in a northern
climate. Volume 3: Appendices B, C, D
[EPRI-EM-319-VOL-3-APP-B] 17 p0139 N78-13565

WILLIAMSON ENGINEERING ASSOCIATES, INC., NAVARRE,
FLA.
The application of wind energy systems to
desalination [PB-276174/0] 18 p0285 N78-21620

WISCONSIN UNIV., MADISON.
An asynchronous ac/dc/ac link for wind power
application 18 p0239 N78-16426

Time- and space-resolved species determination
in diesel combustion using continuous flow gas
sampling 18 p0279 N78-21227

WORLD METEOROLOGICAL ORGANIZATION, GENEVA
(SWITZERLAND).
Meteorological aspects of local and urban air
pollution with special consideration of energy
production and consumption 19 p0418 N78-25484

WORMSER SCIENTIFIC CORP., STAMFORD, CONN.
Prototype solar heating and hot water system
[NASA-CR-150575] 18 p0268 N78-19653

Preliminary design package for solar heating and
hot water system [NASA-CR-150616] 19 p0458 N78-27536

WYLE LABS., INC., HUNTSVILLE, ALA.
Economic trade-offs between the performance of
collector thermal performance tests on a Solar
Simulator as opposed to outdoor testing 17 p0058 A78-11369

Performance evaluation of two black nickel and
two black chrome solar collectors [NASA-CR-150497] 18 p0249 N78-17470

MSFC hot air collectors. Phase 1: Test report
[NASA-CR-150495] 18 p0249 N78-17471

Thermal performance of honeywell double covered
liquid solar collector [NASA-CR-150505] 18 p0249 N78-17472

Indoor test for thermal performance evaluation
of Libbey-Owens-Ford solar collector [NASA-CR-150508] 18 p0249 N78-17474

Thermal performance evaluation of Solar Energy
Products Company (SEPCO) 'Solaron' collector
tested outdoors [NASA-CR-150509] 18 p0250 N78-17478

Comparison of solar system measured data for
various sample rates [NASA-CR-150496] 18 p0250 N78-17480

Indoor test for thermal performance evaluation
of Lenox-Honeywell solar collector [NASA-CR-150510] 18 p0250 N78-17481

Indoor thermal performance evaluation of Daystar
solar collector [NASA-CR-150511] 18 p0255 N78-18521

Thermal performance of MSFC hot air collectors
under natural and simulated conditions [NASA-CR-150506] 18 p0256 N78-18525

Indoor test for thermal performance evaluation
of Sunworks (liquid) solar collector [NASA-CR-150573] 18 p0268 N78-19650

Indoor test for thermal performance evaluation
of the Solaron (air) solar collector [NASA-CR-150572] 18 p0268 N78-19652

Indoor thermal performance evaluation of the
SEPCO air collector [NASA-CR-150631] 19 p0388 N78-22466

Indoor test for thermal performance evaluation
on the Sunworks (air) solar collector [NASA-CR-150666] 19 p0405 N78-24613

Outdoor thermal efficiency evaluation of the
Ying solar collector [NASA-CR-150675] 19 p0405 N78-24614

Indoor test for thermal performance evaluation
on life sciences engineering (air) solar
collector [NASA-CR-150665] 19 p0420 N78-25547

Y

YESHIVA UNIV., NEW YORK.
Investigation of the topographical features of
surface carrier concentrations in silicon
solar cell material using electrolyte
electroreflectance


17-p0136 N78-13535

CONTRACT NUMBER INDEX

ENERGY / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under that contract are arranged in ascending order with the IAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in either the IAA or STAR section. Preceding the accession number are the issue and page number in the particular supplement in which the citation may be found.

AF PROJ. 3048
19 p0414 N78-25239
AF PROJ. 3145
17 p0151 N78-14636
19 p0413 N78-25096
AF-AFOSR-74-2712
19 p0291 A78-32534
AF-AFOSR-2695-74
17 p0121 N78-11511
AF-AFOSR-2712-74
18 p0265 N78-19620
AF-AFOSR-2878-76
17 p0158 N78-15213
AT (04-3)-1018
18 p0231 A78-32066
AT (29-1)-789
17 p0007 A78-10696
19 p0311 A78-34398
19 p0362 A78-40531
BHFT-CVA-1125
17 p0123 N78-11897
BHFT-ET-45
17 p0018 A78-10978
BHFT-ET-4045
17 p0018 A78-10975
BHFT-PLB-ET-4003-A
17 p0121 N78-11512
BHFT-TV-7629-B
18 p0194 A78-27171
BNL-368150-S
19 p0415 N78-25243
CDC-99-74-31
19 p0412 N78-24790
CSA-20156
18 p0288 N78-21654
CSERCDC-4-0123
18 p0278 N78-20769
DA PROJ. 1G7-62708-AH-67
19 p0422 N78-25562
DA PROJ. 1L7-63702-DG-10
17 p0112 N78-10568
DA PROJ. 1T1-62105-AH-84
17 p0126 N78-12534
DA PROJ. 4A7-62719-AT-41
17 p0112 N78-10567
DA-44-009-AHC-250(T)
19 p0437 N78-26245
DAAB07-72-C-0288
17 p0112 N78-10568
DAAG29-0043
18 p0234 A78-32410
DAAG46-77-H-0460
17 p0126 N78-12534
DAAG53-76-C-0003
17 p0109 N78-10308

17 p0119 N78-11253
DAAG53-76-C-0014
19 p0422 N78-25562
DAAK02-74-C-0367
17 p0112 N78-10566
DAAK02-75-C-0045
17 p0126 N78-12531
DAAK70-77-C-0080
19 p0389 N78-22476
DACA23-74-C-009
17 p0036 A78-11138
DAHC04-75-G-0019
17 p0158 N78-15295
DFG-SFB-162
19 p0379 A78-42215
DI PROJECT A-042-IND
18 p0205 A78-28167
DI-AA550-CT6-30
19 p0419 N78-25526
DI-AA550-CT7-18
19 p0467 N78-27665
DI-BH-G0-264012
19 p0455 N78-27493
19 p0458 N78-27545
DI-14-16-008-1237
19 p0449 N78-26620
DI-14-16-0006-3129
18 p0273 N78-20597
DI-14-16-0008-2156
18 p0273 N78-20597
DI-14-31-0001-4174
18 p0251 N78-17491
DI-14-34-0001-7523
18 p0285 N78-21620
DOE-76-C-01-1760
18 p0177 A78-24002
DOT-AS-60019
17 p0123 N78-11894
DOT-AT-60008
18 p0246 N78-16936
DOT-FA72WAI-263
17 p0076 A78-14957
DOT-FB-11-8242
17 p0129 N78-12907
DOT-FB-11-8515
19 p0451 N78-26657
DOT-OS-30113
19 p0333 A78-37299
DOT-OS-60160
17 p0129 N78-12909
17 p0129 N78-12910
DOT-OST-50228
17 p0147 N78-13970
DOT-TSC-RA-75-10
18 p0254 N78-18437

18 p0254 N78-18438
18 p0254 N78-18439
18 p0254 N78-18440
DOT-TSC-838
17 p0109 N78-10483
17 p0110 N78-10485
17 p0110 N78-10486
DOT-TSC-838-2
17 p0110 N78-10484
DOT-TSC-1180
17 p0149 N78-14426
DOT-TSC-1299
19 p0404 N78-24564
DOT-UT-10008
19 p0387 N78-22385
DOT-UT-70056
17 p0148 N78-13976
DRDA PROJ. 013722
19 p0398 N78-23590
DSS-1505-0111
18 p0206 A78-28170
E (04-1)-5260
19 p0382 A78-42487
E (04-3)-34
17 p0034 A78-11124
17 p0056 A78-11351
E (04-3)-34-PA-215
19 p0380 A78-42263
E (04-3)-34-239
18 p0208 A78-28364
E (04-3)-118
17 p0053 A78-11330
E (04-3)-167
17 p0011 A78-10776
E (04-3)-1081
17 p0042 A78-11213
E (04-3)-1093
19 p0369 A78-42080
E (04-3)-1101
17 p0020 A78-11006
E (04-3)-1108
17 p0051 A78-11310
17 p0053 A78-11328
E (04-3)-1188
19 p0314 A78-34937
E (04-3)-1203
17 p0027 A78-11062
18 p0192 A78-26717
E (04-3)-1210
19 p0427 N78-25613
E (04-3)-1218
19 p0422 N78-25569
E (04-3)-1241
17 p0033 A78-11117
E (04-3)-1256
19 p0324 A78-36018
E (04-3)-1283
19 p0338 A78-38550
E (04-3)-1285
17 p0013 A78-10915
18 p0219 A78-30190
18 p0219 A78-30191
E (04-3)-1286
17 p0025 A78-11045
E (04-03)-1256
17 p0042 A78-11213
E (10-1)-1523
17 p0089 A78-17477
17 p0089 A78-17480
E (11-1)-GEN-10-PA-26
19 p0360 A78-40241
E (11-1)-1991
18 p0182 A78-24764
E (11-1)-2409
19 p0449 N78-26619
E (11-1)-2463
19 p0366 A78-41251
E (11-1)-2588
17 p0104 A78-19832
19 p0337 A78-38269
E (11-1)-2590
17 p0023 A78-11022

E (11-1)-2616
19 p0312 A78-34512
19 p0361 A78-40366
E (11-1)-2681
19 p0303 A78-33325
E (11-1)-2744
17 p0021 A78-11012
17 p0054 A78-11335
E (11-1)-2748
17 p0022 A78-11013
E (11-1)-3073
19 p0345 A78-39785
19 p0346 A78-39792
19 p0352 A78-39939
19 p0352 A78-39951
19 p0358 A78-40075
19 p0377 A78-42203
E (11-1)-3077
19 p0382 A78-42482
E (11-1)-4009
17 p0050 A78-11297
E (11-1)-4130
19 p0361 A78-40362
E (29-1)-3686
17 p0021 A78-11011
E (29-2)-3709
17 p0045 A78-11239
19 p0316 A78-35411
E (29-2)-3713
17 p0043 A78-11221
E (29-2)-3779
17 p0035 A78-11132
E (38-1)-893
17 p0083 A78-16830
E (40-1)-4893
17 p0089 A78-17479
E (40-1)-4918
19 p0306 A78-33351
E (40-1)-4921
17 p0053 A78-11329
E (40-1)-4924
19 p0322 A78-35781
E (40-1)-4927
19 p0299 A78-33190
E (40-1)-4976
19 p0295 A78-33036
E (40-1)-5017
19 p0434 A78-25742
E (40-1)-5088
17 p0077 A78-15083
E (40-1)-5134
18 p0228 A78-31731
17 p0136 A78-13532
E (40-1)-5135
17 p0031 A78-11101
17 p0093 A78-18090
18 p0166 A78-20785
E (40-1)-5136
19 p0296 A78-33038
E (40-1)-5190
17 p0051 A78-11306
E (40-10)-4398
17 p0106 A78-20244
E (45-1)-1830
17 p0062 A78-11814
17 p0076 A78-14957
17 p0140 A78-13574
E (49-1)-3879
19 p0398 A78-23594
19 p0399 A78-23595
19 p0399 A78-23596
E (49-18)-479
19 p0338 A78-38407
E (49-18)-1209
17 p0079 A78-15834
E (49-18)-1216
19 p0446 A78-26578
E (49-18)-1227
17 p0077 A78-15155
E (49-18)-1514
18 p0230 A78-31872
18 p0233 A78-32217

CONTRACT NUMBER INDEX

E(49-18)-1521	19 p0426 N78-25601	E(49-18)-1751	19 p0408 N78-24659	E(49-18)-1767	17 p0081 A78-16348	E(49-18)-1773	19 p0365 A78-41223	E(49-18)-1795	19 p0433 N78-25674	E(49-18)-1811	17 p0028 A78-11070	E(49-18)-1817	17 p0078 A78-15828	E(49-18)-2030	17 p0079 A78-15831	E(49-18)-2031	18 p0180 A78-24625	18 p0191 A78-26590	E(49-18)-2252	17 p0081 A78-16340	18 p0230 A78-31957	E(49-18)-2273	19 p0361 A78-40367	E(49-18)-2274	18 p0184 A78-25322	E(49-18)-2322	17 p0005 A78-10622	19 p0301 A78-33305	E(49-18)-2331	19 p0303 A78-33326	E(49-18)-2348	19 p0302 A78-33319	E(49-18)-2358	17 p0094 A78-18091	18 p0234 A78-32367	19 p0361 A78-40361	E(49-18)-2365	17 p0051 A78-11314	17 p0055 A78-11347	E(49-18)-2371	19 p0298 A78-33149	E(49-18)-2426	19 p0301 A78-33312	E(49-18)-2448	19 p0304 A78-33336	E(49-18)-2491	19 p0451 N78-26657	E(49-18)-2538	17 p0017 A78-10971	17 p0018 A78-10982	18 p0228 A78-31730	E(49-18)-2555	19 p0361 A78-40366	E(49-19)-2399	19 p0296 A78-33039	E(49-26)-1004	17 p0125 N78-12459	18 p0274 N78-20603	19 p0443 N78-26553	E(49-26)-1005	19 p0302 A78-33316	19 p0302 A78-33317	19 p0302 A78-33320	E(49-26)-1010	17 p0125 N78-12529	19 p0395 N78-23559	19 p0395 N78-23560	E(49-26)-1022	17 p0150 N78-14628	17 p0150 N78-14629	17 p0150 N78-14630	17 p0157 N78-15059	18 p0252 N78-17935	18 p0267 N78-19643	18 p0268 N78-19644	18 p0271 N78-19710	19 p0421 N78-25551	19 p0443 N78-26547	19 p0443 N78-26549	19 p0443 N78-26550	19 p0444 N78-26554	19 p0452 N78-26995	E(49-26)-1028	17 p0159 N78-15563	18 p0240 N78-16434	18 p0249 N78-17466	18 p0249 N78-17467	18 p0267 N78-19642	19 p0395 N78-23556	19 p0395 N78-23558	19 p0443 N78-26552	E(49-28)-1002	18 p0268 N78-19656	E(49-28)-1026	18 p0278 N78-20802	18 p0278 N78-20803	18 p0278 N78-20804	E-76-S-06-2229	17 p0113 N78-10578	EA-77-A-01-6010	18 p0243 N78-16463	EA-77-A-01-6010-002	19 p0426 N78-25603	EA-77-A-01-6010-035	19 p0441 N78-26380	EA-77-C-10-0037	19 p0463 N78-27587	19 p0463 N78-27588	19 p0463 N78-27589	EA-77-X-01-1963	19 p0431 N78-25641	EC-77-A-31-1011	17 p0130 N78-13209	17 p0148 N78-14177	18 p0245 N78-16928	18 p0247 N78-17187	18 p0252 N78-17933	18 p0252 N78-17934	18 p0252 N78-17936	18 p0252 N78-17937	18 p0253 N78-17938	18 p0253 N78-17939	18 p0253 N78-17940	18 p0262 N78-18988	18 p0271 N78-20022	18 p0279 N78-21010	19 p0405 N78-24616	19 p0436 N78-26098	19 p0443 N78-26551	EC-77-A-31-1035	19 p0419 N78-25532	EC-77-A-31-1040	18 p0281 N78-21472	EC-77-C-01-2103	18 p0245 N78-16932	EC-77-C-02-4210	18 p0286 N78-21638	EC-77-C-02-4212	18 p0287 N78-21639	EC-77-C-02-4214	18 p0287 N78-21641	EC-77-C-02-4396	19 p0392 N78-22970	EC-77-G-01-60-67	18 p0256 N78-18529	EC-77-G-01-5097	19 p0423 N78-25572	EC-77-S-02-4339	19 p0427 N78-25612	EC-78-C-01-4131	19 p0448 N78-26608	EDA-OER-516-G-76-7	19 p0468 N78-28015	EDA-05-09-01600	19 p0390 N78-22483	EDA-07-6-01522	17 p0127 N78-12549	EDA-78-057	19 p0449 N78-26617	EDA-99-6-09359-1	19 p0449 N78-26616	19 p0449 N78-26618	EDA-99-7-13324	19 p0468 N78-28015	EE-77-C-02-4204	19 p0437 N78-26227	EE-77-C-02-4234	19 p0437 N78-26227	19 p0461 N78-27576	EF-76-C-01-2256	18 p0234 A78-32372	EF-76-C-05-5302	19 p0455 N78-27499	EF-76-01-2202	19 p0342 A78-39125	EF-77-A-01-2893	19 p0459 N78-27549	EF-77-C-01-1207	18 p0241 N78-16447	EF-77-C-01-2352	18 p0286 N78-21632	EF-77-C-01-2447	19 p0415 N78-25251	EF-77-C-01-2518	19 p0415 N78-25244	EF-77-C-01-2519	19 p0447 N78-26596	EF-77-C-01-2600	19 p0402 N78-24325	19 p0402 N78-24326	EF-77-C-01-2611	19 p0455 N78-27441	EF-77-C-01-2660	19 p0397 N78-23581	EF-77-C-01-2664	19 p0454 N78-27279	EF-77-C-03-1395	19 p0418 N78-25519	19 p0455 N78-27498	EG-76-G-03-1426	17 p0053 A78-11325	19 p0447 N78-26594	EG-76-G-05-5178	17 p0052 A78-11322	17 p0053 A78-11330	19 p0314 A78-34937	EG-77-A-36-1021	19 p0458 N78-27533	EG-77-C-01-4017	19 p0445 N78-26568	EG-77-C-02-4247	19 p0435 N78-25939	EG-77-C-04-3786	19 p0428 N78-25619	19 p0429 N78-25625	EG-77-C-04-3787	19 p0429 N78-25624	19 p0431 N78-25643	EG-77-C-04-3987	19 p0409 N78-24672	19 p0409 N78-24673	19 p0431 N78-25644	EG-77-C-04-3988	19 p0429 N78-25630	EG-77-G-01-4108	18 p0225 A78-31215	EG-77-G-05-5363	19 p0300 A78-33301	EG-77-S-05-5594	19 p0467 N78-27922	19 p0467 N78-27924	19 p0467 N78-27927	EG-77-X-01-2693	19 p0415 N78-25242	EG-77-5-02-4151	18 p0208 A78-28363	EG-77-6-03-1617	19 p0386 A78-43287	EM-74-C-01-8022	19 p0461 N78-27575	EM-75-C-01-8403	19 p0452 N78-27005	19 p0453 N78-27006	EM-77-C-01-8758	19 p0416 N78-25253	EN-77-C-01-2644	19 p0464 N78-27594	ENG-77-C-04-3985	19 p0428 N78-25618	EPA-IAG-D5-E681	19 p0399 N78-23604	EPA-IAG-D5-0646	17 p0148 N78-14182	EPA-IAG-D6-E091	18 p0244 N78-16476	EPA-R-802925-02-2	19 p0333 A78-37297	EPA-R-803401-01-0	19 p0321 A78-35702	EPA-R-803401-01-3	19 p0393 N78-23261	EPA-R-803664-01-2	17 p0035 A78-11129	EPA-R-803851-02	19 p0366 A78-41253	19 p0366 A78-41254	EPA-R-803896	19 p0366 A78-41275	EPA-S-801202	17 p0147 N78-13967	EPA-S-802681	17 p0159 N78-15552	EPA-S-802934-01-4	17 p0035 A78-11132	EPA-T-900591-01-0	19 p0452 N78-26968	19 p0452 N78-26969	19 p0452 N78-26970	EPA-S-03-4502	17 p0122 N78-11892	EPA-6-99-3131	17 p0163 N78-15957	EPA-02-1331	17 p0162 N78-15588	EPA-68-01-1916	17 p0144 N78-13616	17 p0144 N78-13617	17 p0144 N78-13618	17 p0144 N78-13619	EPA-68-01-2934	19 p0433 N78-25678	EPA-68-01-2940	18 p0261 N78-18587	EPA-68-01-3150	18 p0270 N78-19683	EPA-68-01-3156	17 p0117 N78-10636	EPA-68-01-3188	18 p0289 N78-21661	EPA-68-01-4100	17 p0156 N78-14687	EPA-68-01-4150	19 p0465 N78-27608	EPA-68-01-4337	19 p0442 N78-26529	EPA-68-02-0222	17 p0121 N78-11526	EPA-68-02-0635	18 p0173 A78-22822	EPA-68-02-1316	19 p0320 A78-35701	EPA-68-02-1319	17 p0163 N78-15605	EPA-68-02-1321	18 p0261 N78-18566	EPA-68-02-1331	17 p0162 N78-15589	18 p0243 N78-16465	18 p0243 N78-16468	EPA-68-02-1333	17 p0124 N78-12246	EPA-68-02-1360	17 p0163 N78-15607	EPA-68-02-1366	18 p0260 N78-18565	EPA-68-02-1387	18 p0167 A78-21821	EPA-68-02-1400	18 p0185 A78-25400	EPA-68-02-1406	18 p0185 A78-25400	EPA-68-02-1438	18 p0289 N78-21667	EPA-68-02-1452	17 p0115 N78-10596	17 p0116 N78-10597	17 p0116 N78-10598	EPA-68-02-1719	18 p0244 N78-16483	EPA-68-02-1871	18 p0185 A78-25404	EPA-68-02-1919	17 p0001 A78-10059	EPA-68-02-2104	19 p0391 N78-22497	EPA-68-02-2105	18 p0185 A78-25410	18 p0251 N78-17505	EPA-68-02-2114	19 p0391 N78-22495	EPA-68-02-2138	18 p0206 A78-28271	EPA-68-02-2144	19 p0297 A78-33126	EPA-68-02-2147	18 p0281 N78-21325	EPA-68-02-2152	17 p0117 N78-10631	EPA-68-02-2162	19 p0451 N78-26654	EPA-68-02-2166	17 p0163 N78-15956
---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	---------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	--------------------	---------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	--------------------	---------------	--------------------	--------------------	--------------------	---------------	--------------------	--------------------	--------------------	---------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	--------------------	--------------------	----------------	--------------------	-----------------	--------------------	---------------------	--------------------	---------------------	--------------------	-----------------	--------------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	--------------------	-----------------	--------------------	----------------	--------------------	------------	--------------------	------------------	--------------------	--------------------	----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	---------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	--------------------	-----------------	--------------------	-----------------	--------------------	------------------	--------------------	-----------------	--------------------	-----------------	--------------------	-----------------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------	-------------------	--------------------	-----------------	--------------------	--------------------	--------------	--------------------	--------------	--------------------	--------------	--------------------	-------------------	--------------------	-------------------	--------------------	--------------------	--------------------	---------------	--------------------	---------------	--------------------	-------------	--------------------	----------------	--------------------	--------------------	--------------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	--------------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	--------------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------	----------------	--------------------

CONTRACT NUMBER INDEX

EPA-68-02-2171	EX-76-C-01-1221	EX-76-C-01-2355	17 p0152 N78-14646
19 p0450 N78-26645	19 p0392 N78-23250	19 p0394 N78-23441	17 p0152 N78-14647
EPA-68-02-2258	EX-76-C-01-1513	EX-76-C-01-2357	EX-76-C-02-2597
17 p0163 N78-15606	19 p0409 N78-24675	19 p0464 N78-27593	18 p0285 N78-21624
EPA-68-02-2566	19 p0426 N78-25600	EX-76-C-01-2366	EX-76-C-02-2598
18 p0185 A78-25400	EX-76-C-01-1521	19 p0417 N78-25439	17 p0153 N78-14655
EPA-68-02-2603	19 p0426 N78-25601	EX-76-C-01-2386	EX-76-C-02-2616
19 p0467 N78-27659	19 p0426 N78-25602	18 p0274 N78-20605	17 p0154 N78-14668
19 p0467 N78-27661	EX-76-C-01-1534	EX-76-C-01-2424	17 p0154 N78-14669
EPA-68-02-2635	18 p0280 N78-21320	19 p0303 A78-33325	EX-76-C-02-2619
19 p0450 N78-26646	EX-76-C-01-1545	EX-76-C-01-2426	18 p0288 N78-21651
EPA-68-03-2105	19 p0431 N78-25648	17 p0153 N78-14658	EX-76-C-02-2631
17 p0036 A78-11136	EX-76-C-01-1760	18 p0241 N78-16453	19 p0394 N78-23442
EPA-68-03-2186	19 p0368 A78-41870	18 p0242 N78-16454	EX-76-C-02-2675
19 p0401 N78-24003	EX-76-C-01-1775	EX-76-C-01-2435	19 p0415 N78-25249
EPA-68-03-2207	17 p0161 N78-15575	19 p0415 N78-25250	EX-76-C-02-2688
17 p0128 N78-12556	EX-76-C-01-1794	19 p0416 N78-25254	17 p0143 N78-13606
EPA-68-03-2384	17 p0132 N78-13250	EX-76-C-01-2442	EX-76-C-02-2708-012
17 p0117 N78-10622	EX-76-C-01-1795	17 p0155 N78-14679	19 p0435 N78-26036
EPRI PROJ. RP442-1	19 p0433 N78-25674	EX-76-C-01-2448	EX-76-C-02-2749
19 p0425 N78-25595	EX-76-C-01-1806	19 p0410 N78-24681	17 p0120 N78-11405
EPRI PROJ. 384	17 p0124 N78-12425	EX-76-C-01-2461	17 p0135 N78-13455
19 p0461 N78-27572	EX-76-C-01-2015	19 p0436 N78-26190	18 p0281 N78-21479
EPRI PROJ. 488-1	19 p0455 N78-27447	EX-76-C-01-2478	EX-76-C-02-2839
19 p0445 N78-26570	EX-76-C-01-2018	18 p0188 A78-26109	17 p0114 N78-10579
EPRI PROJ. 523-1	17 p0130 N78-13175	19 p0422 N78-25566	EX-76-C-02-2852
19 p0430 N78-25639	EX-76-C-01-2035	EX-76-C-01-2490	17 p0140 N78-13572
EPRI PROJ. 544-1	19 p0452 N78-26962	18 p0272 N78-20356	EX-76-C-02-2888
17 p0139 N78-13565	EX-76-C-01-2044	EX-76-C-01-2521	19 p0405 N78-24618
EPRI PROJ. 549-1	18 p0177 A78-24004	17 p0152 N78-14650	19 p0460 N78-27556
19 p0459 N78-27548	EX-76-C-01-2047	EX-76-C-10-3835	EX-76-C-02-2900
EPRI PROJ. 634-1	17 p0160 N78-15571	17 p0151 N78-14641	19 p0416 N78-25252
19 p0423 N78-25578	EX-76-C-01-2103	EX-76-C-10-3879	EX-76-C-02-2929
EPRI PROJ. 645	18 p0245 N78-16931	19 p0398 N78-23594	18 p0277 N78-20639
19 p0435 N78-25938	18 p0245 N78-16933	19 p0399 N78-23595	EX-76-C-02-2930
EPRI PROJ. 683-1	18 p0246 N78-16934	EX-76-C-16-3077	17 p0152 N78-14648
19 p0425 N78-25596	18 p0246 N78-16935	17 p0114 N78-10581	19 p0444 N78-26565
EPRI PROJ. 716-1	EX-76-C-01-2112	EX-76-C-16-3086	EX-76-C-02-2938
19 p0445 N78-26574	18 p0278 N78-20649	18 p0270 N78-19672	17 p0153 N78-14654
EPRI PROJ. 739-1	EX-76-C-01-2114	EX-76-G-01-2534	EX-76-C-02-2939
18 p0241 N78-16452	17 p0114 N78-10583	19 p0463 N78-27584	18 p0287 N78-21645
EPRI PROJ. 759-1	EX-76-C-01-2203	EX-76-S-01-2454	19 p0441 N78-26402
18 p0286 N78-21637	18 p0280 N78-21319	18 p0229 A78-31870	EX-76-C-02-2956
EPRI PROJ. 788-1	EX-76-C-01-2205	18 p0230 A78-31871	17 p0162 N78-15584
17 p0162 N78-15586	19 p0433 N78-25671	EX-76-29-1060	EX-76-C-02-2983
17 p0162 N78-15587	EX-76-C-01-2210	17 p0159 N78-15562	19 p0428 N78-25617
18 p0242 N78-16462	19 p0417 N78-25376	EX-77-C-01-2483	EX-76-C-02-2991
EPRI PROJ. 790-1	EX-76-C-01-2228	19 p0416 N78-25337	18 p0280 N78-21321
18 p0242 N78-16460	17 p0090 A78-17493	EX-76-C-01-1830	19 p0415 N78-25248
EPRI PROJ. 1235-5	EX-76-C-01-2229	17 p0154 N78-14662	EX-76-C-02-3056
19 p0437 N78-26232	19 p0398 N78-23589	EX-76-C-01-2291	17 p0120 N78-11504
ER-78-5-02-4657	EX-76-C-01-2237	19 p0417 N78-25442	17 p0143 N78-13599
19 p0333 A78-37177	19 p0418 N78-25510	EX-76-C-01-2515	19 p0409 N78-24674
ERDA PROJECT 8	EX-76-C-01-2243	17 p0154 N78-14663	EX-76-C-02-3073
17 p0020 A78-11006	17 p0091 A78-17506	EX-76-C-02-0003	19 p0299 A78-33187
ERDA PROJECT 38	EX-76-C-01-2246	18 p0280 N78-21316	19 p0325 A78-36046
17 p0011 A78-10776	17 p0090 A78-17496	18 p0280 N78-21317	19 p0342 A78-39389
19 p0355 A78-39983	19 p0446 N78-26581	EX-76-C-02-0004	19 p0351 A78-39909
19 p0357 A78-40040	EX-76-C-01-2248	19 p0423 N78-25573	19 p0354 A78-39975
ERDA PROJECT 239	19 p0436 N78-26217	EX-76-C-02-0016	19 p0357 A78-40064
17 p0056 A78-11351	EX-76-C-01-2253	17 p0117 N78-10614	19 p0380 A78-42259
ERDA TASK 85	19 p0427 N78-25609	17 p0140 N78-13573	EX-76-C-02-3077
17 p0058 A78-11370	EX-76-C-01-2254	17 p0155 N78-14675	18 p0270 N78-19673
ERDA TASK 95	19 p0441 N78-26398	17 p0155 N78-14676	EX-76-C-02-4010
19 p0344 A78-39470	EX-76-C-01-2261	18 p0241 N78-16450	17 p0141 N78-13579
ESA-1857/73-JS	19 p0422 N78-25570	18 p0241 N78-16451	EX-76-C-02-4094
17 p0135 N78-13398	EX-76-C-01-2275	18 p0286 N78-21633	17 p0141 N78-13581
ESA-2701/76-P-WMT(SC)	19 p0390 N78-22480	18 p0286 N78-21634	17 p0161 N78-15578
17 p0134 N78-13308	EX-76-C-01-2276	19 p0397 N78-23578	EX-76-C-02-4100
17 p0134 N78-13309	19 p0454 N78-27289	19 p0397 N78-23579	19 p0413 N78-25225
17 p0134 N78-13310	EX-76-C-01-2286	19 p0409 N78-24676	EX-76-C-02-4123
17 p0134 N78-13311	19 p0398 N78-23591	19 p0415 N78-25243	18 p0277 N78-20643
17 p0134 N78-13312	EX-76-C-01-2287	19 p0425 N78-25595	EX-76-C-03-0167
ESTEC-2590/75-AK	17 p0157 N78-14729	19 p0427 N78-25610	19 p0349 A78-39878
17 p0103 A78-19486	EX-76-C-01-2290	19 p0447 N78-26597	19 p0355 A78-39983
ESTEC-2886/76-NL-PP(SC)	17 p0148 N78-14419	19 p0461 N78-27568	19 p0355 A78-40007
19 p0404 N78-24511	17 p0149 N78-14420	19 p0462 N78-27580	19 p0357 A78-40040
ESTEC-2990/76-NL-BP(SC)	17 p0149 N78-14421	19 p0462 N78-27582	EX-76-C-03-0167-PA-38
19 p0411 N78-24688	18 p0282 N78-21480	19 p0463 N78-27590	19 p0332 A78-37143
ET (11-1)-3231	EX-76-C-01-2307	19 p0463 N78-27591	EX-76-C-03-0167-046
18 p0207 A78-28356	19 p0403 N78-24382	19 p0468 N78-27988	17 p0152 N78-14652
EURATOM-JET-B-GK-78	EX-76-C-01-2315	EX-76-C-02-0029	18 p0270 N78-19670
19 p0379 A78-42215	19 p0423 N78-25579	EX-76-C-02-0789	EX-76-C-03-0167-060
EX-76-A-29-1060	EX-76-C-01-2341	17 p0154 N78-14665	19 p0446 N78-26576
18 p0264 N78-19615	17 p0077 A78-15155	EX-76-C-02-2263	17 p0053 A78-11329
EX-76-C-01-0496	18 p0245 N78-16874	19 p0297 A78-33145	EX-76-C-03-1075
19 p0410 N78-24679	EX-76-C-01-2345	EX-76-C-02-2566	18 p0269 N78-19669
EX-76-C-01-1216	19 p0459 N78-27550	19 p0463 N78-27585	EX-76-C-03-1093
19 p0445 N78-26572	EX-76-C-01-2346	EX-76-C-02-2578	18 p0269 N78-19668
19 p0446 N78-26578	19 p0432 N78-25649	17 p0152 N78-14645	
	19 p0432 N78-25652		

CONTRACT NUMBER INDEX

EY-76-C-03-1108	EY-76-C-05-5204	EY-76-S-06-2438	IGT PROJ. 8987
19 p0398 N78-23587	19 p0418 N78-25518	19 p0340 A78-38791	19 p0431 N78-25643
EY-76-C-03-1109	EY-76-C-06-1830	EY-76-S-06-2439	JPL PROJ. 6072.1
19 p0424 N78-25583	18 p0234 A78-32413	17 p0051 A78-11313	19 p0406 N78-24636
19 p0424 N78-25584	17 p0117 N78-10613	EY-76-S-09-0885	JPL-954289
19 p0424 N78-25585	17 p0117 N78-10672	19 p0428 N78-25621	17 p0015 A78-10946
19 p0424 N78-25586	17 p0140 N78-13571	EY-76-S-09-0893	JPL-954331
EY-76-C-03-1110	17 p0151 N78-14644	18 p0285 N78-21626	19 p0406 N78-24622
17 p0053 A78-11326	18 p0241 N78-16449	18 p0285 N78-21627	JPL-954343
17 p0054 A78-11332	18 p0288 N78-21649	18 p0285 N78-21628	19 p0396 N78-23561
EY-76-C-03-1111	18 p0290 N78-21671	18 p0285 N78-21629	JPL-954352
19 p0422 N78-25565	19 p0357 N78-23583	EY-76-S-21-8036	18 p0176 A78-23636
19 p0448 N78-26609	19 p0359 N78-23597	19 p0418 N78-25511	18 p0176 A78-23637
EY-76-C-03-1116	19 p0410 N78-24683	EY-77-C-02-4207	JPL-954356
18 p0277 N78-20638	19 p0437 N78-26227	19 p0413 N78-25226	17 p0014 A78-10926
EY-76-C-03-1117	19 p0450 N78-26634	E9(49-18)-2421	19 p0406 N78-24627
17 p0154 N78-14666	19 p0454 N78-27264	19 p0302 A78-33315	JPL-954363
17 p0154 N78-14667	19 p0462 N78-27578	FEA-CA-05-50041-00	18 p0255 N78-18516
EY-76-C-03-1132	19 p0466 N78-27575	18 p0282 N78-21580	JPL-954374
18 p0242 N78-16457	EY-76-C-07-1570	FEA-CA-05-50053-00	19 p0406 N78-24629
19 p0424 N78-25587	18 p0277 N78-20666	17 p0128 N78-12551	JPL-954376
19 p0424 N78-25588	18 p0267 N78-21642	FEA-CG-05-50081-1	18 p0240 N78-16437
19 p0424 N78-25589	19 p0455 N78-27497	18 p0243 N78-16469	19 p0406 N78-24630
19 p0425 N78-25590	EY-76-C-08-0020	18 p0243 N78-16470	JPL-954393
EY-76-C-03-1140	19 p0437 N78-26227	18 p0243 N78-16471	18 p0240 N78-16438
17 p0127 N78-12545	EY-76-C-13-1661	FEA-CG-13-70040-00	18 p0248 N78-17465
EY-76-C-03-1156	19 p0400 N78-23666	17 p0146 N78-13648	JPL-954405
17 p0120 N78-11507	EY-76-C-13-1664	FEA-CO-03-50346-00	17 p0015 A78-10944
EY-76-C-03-1178	19 p0351 N78-22534	17 p0139 N78-13558	19 p0396 N78-23562
18 p0287 N78-21640	EY-76-C-14-2170	FEA-CO-04-50040-00	JPL-954506
EY-76-C-03-1210	19 p0442 N78-26450	18 p0243 N78-16466	17 p0014 A78-10928
19 p0427 N78-25613	EY-76-S-02-0020	FEA-CO-04-50172-00	18 p0255 N78-18517
EY-76-C-03-1218	19 p0427 N78-25607	19 p0452 N78-27005	JPL-954521
19 p0422 N78-25569	EY-76-S-02-0039	19 p0453 N78-27006	17 p0016 A78-10948
EY-76-C-03-1234	18 p0244 N78-16494	FEA-CO-04-50279	JPL-954525
19 p0448 N78-26598	EY-76-S-02-0056	17 p0115 N78-10591	17 p0025 A78-11040
EY-76-C-03-1283	18 p0273 N78-20473	FEA-CO-05-40301-00	JPL-954527
19 p0462 N78-27579	EY-76-S-02-0066	17 p0126 N78-12540	19 p0406 N78-24636
EY-76-C-03-1285	19 p0448 N78-26610	FEA-CO-05-50301-00	JPL-954559
19 p0334 A78-37467	EY-76-S-02-2200	17 p0127 N78-12541	19 p0344 A78-39567
EY-76-C-03-1295	18 p0231 A78-32068	17 p0139 N78-13559	19 p0406 N78-24637
18 p0273 N78-20448	EY-76-S-02-2446	FEA-CR-04-60802-00	JPL-954577
EY-76-C-04-0053	17 p0059 A78-11378	17 p0143 N78-13609	19 p0407 N78-24639
19 p0401 N78-23988	17 p0160 N78-15570	17 p0144 N78-13612	JPL-954589
19 p0434 N78-25719	EY-76-S-02-2456	17 p0144 N78-13613	19 p0407 N78-24640
19 p0434 N78-25720	19 p0299 A78-33185	FEA-CR-05-60731-00	JPL-954606
EY-76-C-04-0789	EY-76-S-02-2641	18 p0238 N78-16413	18 p0255 N78-18519
17 p0121 N78-11509	19 p0447 N78-26591	18 p0238 N78-16414	19 p0407 N78-24642
17 p0141 N78-13577	EY-76-S-02-2830	19 p0398 N78-23588	19 p0407 N78-24643
17 p0141 N78-13583	17 p0043 A78-11225	FEA-CR-05-60813-00	JPL-954637
17 p0143 N78-13603	17 p0047 A78-11264	17 p0115 N78-10593	19 p0407 N78-24645
17 p0143 N78-13604	EY-76-S-02-2865	19 p0418 N78-25514	JPL-954639
17 p0151 N78-14634	17 p0142 N78-13592	19 p0418 N78-25515	19 p0402 N78-24255
17 p0151 N78-14642	EY-76-S-02-2908	FEA-CR-06-77-4463-0	JPL-954652
17 p0154 N78-14664	17 p0141 N78-13584	17 p0115 N78-10595	19 p0412 N78-25003
17 p0155 N78-14670	EY-76-S-02-2983	FEA-CR-06-70002-00	JPL-954654
17 p0161 N78-15581	17 p0157 N78-14952	17 p0113 N78-10574	19 p0396 N78-23563
17 p0161 N78-15582	EY-76-S-02-4009	17 p0115 N78-10594	JPL-954800
18 p0242 N78-16459	17 p0051 A78-11308	FEA-P-03-77-4390-0	19 p0412 N78-24974
18 p0277 N78-20644	EY-76-S-02-4051	17 p0115 N78-10592	JPL-954831
19 p0398 N78-23593	18 p0218 A78-29998	F33615-73-C-4085	19 p0407 N78-24649
19 p0403 N78-24383	EY-76-S-02-4129	17 p0017 A78-10970	JPL-954853
19 p0410 N78-24685	19 p0410 N78-24680	F33615-74-C-20	19 p0407 N78-24650
19 p0410 N78-24686	EY-76-S-03-0034-239	19 p0413 N78-25096	JPL-954881
19 p0411 N78-24731	19 p0460 N78-27565	F33615-74-C-2014	19 p0407 N78-24653
19 p0428 N78-25620	EY-76-S-03-0326	17 p0112 N78-10563	JPL-954883
19 p0429 N78-25631	17 p0126 N78-12537	F33615-74-C-2036	19 p0408 N78-24654
19 p0430 N78-25632	19 p0416 N78-25342	19 p0414 N78-25239	JPL-954886
19 p0431 N78-25642	EY-76-S-03-1110	F33615-75-C-2	19 p0408 N78-24656
19 p0432 N78-25653	17 p0161 N78-15583	17 p0112 N78-10572	NA-5-38024
19 p0444 N78-26563	EY-76-S-05-4927	F33615-75-C-2006	18 p0246 N78-16947
19 p0444 N78-26564	18 p0242 N78-16461	17 p0015 A78-10946	18 p0246 N78-16948
19 p0447 N78-26588	EY-76-S-05-5003	17 p0137 N78-13538	18 p0246 N78-16949
19 p0448 N78-26604	19 p0459 N78-27554	F33615-75-C-2066	MRB-Z-70099-5-50352
19 p0460 N78-27557	EY-76-S-05-5017	17 p0015 A78-10944	19 p0409 N78-24667
19 p0460 N78-27561	19 p0434 N78-25742	F33615-75-C-2069	MOE-111911
19 p0460 N78-27562	EY-76-S-05-5049	17 p0111 N78-10560	18 p0207 A78-28355
19 p0460 N78-27564	18 p0284 N78-21607	F33615-76-C-1283	NASA ORDER A-296748
19 p0461 N78-27569	EY-76-S-05-5100	18 p0251 N78-17489	18 p0282 N78-21590
19 p0464 N78-27595	19 p0323 A78-36016	F33615-76-C-2058	NASA ORDER S-70243-AG
EY-76-C-04-2744	EY-76-S-05-5103	17 p0012 A78-10907	19 p0387 N78-22435
17 p0141 N78-13582	17 p0162 N78-15585	17 p0137 N78-13540	19 p0394 N78-23498
EY-76-C-04-3717	EY-76-S-05-5136	17 p0151 N78-14636	19 p0394 N78-23499
19 p0462 N78-27581	17 p0152 N78-14649	F33615-76-C-5384	19 p0394 N78-23500
EY-76-C-05-0033	EY-76-S-05-5249	17 p0126 N78-12532	BASW-2790
18 p0173 A78-22840	17 p0143 N78-13600	GR-25-0017-112	17 p0124 N78-12418
17 p0127 N78-12542	EY-76-S-06-2230-005	19 p0465 N78-27605	BASW-2791
18 p0245 N78-16495	19 p0446 N78-26586	19 p0465 N78-27606	17 p0122 N78-11889
18 p0287 N78-21643	EY-76-S-06-2342	HUD-B-75-S1-06-001	17 p0159 N78-15561
18 p0288 N78-21652	17 p0092 A78-17653	19 p0390 N78-22478	18 p0290 N78-21957
18 p0288 N78-21653	19 p0314 A78-34935		19 p0408 N78-24660

CONTRACT NUMBER INDEX

NASW-2800	19 p0413 N78-25012	17 p0094 A78-18097	18 p0255 N78-18523	NAS8-32481
NASW-2973	17 p0069 A78-13666	19 p0295 A78-33030	18 p0255 N78-18524	18 p0250 N78-17477
NASW-3078	19 p0436 N78-26154	19 p0297 A78-33123	18 p0256 N78-18525	NAS8-32606
NAS1-12812	19 p0395 N78-23555	19 p0312 A78-34517	18 p0256 N78-18527	18 p0273 N78-20573
NAS1-14698	17 p0026 A78-11057	19 p0324 A78-36021	18 p0263 N78-19602	NAS8-32698
NAS1-14981	17 p0159 N78-15564	19 p0340 A78-38841	18 p0263 N78-19604	18 p0268 N78-19654
NAS2-8612	18 p0248 N78-17339	19 p0368 A78-41816	18 p0268 N78-19605	NAS8-42375
NAS2-8618	18 p0279 N78-21095	17 p0120 N78-11500	18 p0268 N78-19649	19 p0293 A78-32765
NAS2-9104	17 p0109 N78-10035	17 p0124 N78-12419	18 p0268 N78-19652	NAS9-14958
NAS2-9109	18 p0226 A78-31306	17 p0128 N78-12823	18 p0274 N78-20604	17 p0109 N78-10185
NAS3-10098	18 p0247 N78-17251	17 p0128 N78-12824	18 p0275 N78-20611	18 p0230 A78-31916
NAS3-18541	19 p0395 N78-23560	17 p0131 N78-13241	18 p0282 N78-21589	17 p0158 N78-15148
NAS3-18541	18 p0228 A78-31500	17 p0160 N78-15566	18 p0283 N78-21595	NAS9-15176
NAS3-19403	17 p0125 N78-12529	17 p0160 N78-15567	19 p0388 N78-22465	17 p0130 N78-13106
NAS3-19403	18 p0248 N78-17462	18 p0240 N78-16437	19 p0388 N78-22466	NAS9-15196
NAS3-19404	18 p0248 N78-17463	18 p0240 N78-16438	19 p0405 N78-24613	19 p0329 A78-36705
NAS3-19406	19 p0395 N78-23559	18 p0248 N78-17464	19 p0405 N78-24614	17 p0129 N78-13099
NAS3-19406	19 p0297 A78-33143	18 p0248 N78-17465	19 p0420 N78-25547	17 p0129 N78-13100
NAS3-19406	19 p0298 A78-33147	18 p0255 N78-18516	19 p0421 N78-25552	17 p0130 N78-13102
NAS3-19407	19 p0309 A78-34078	18 p0255 N78-18517	NAS8-32091	17 p0130 N78-13103
NAS3-19407	19 p0298 A78-33151	18 p0255 N78-18519	18 p0268 N78-19655	18 p0271 N78-20156
NAS3-19427	18 p0281 N78-21472	18 p0256 N78-18528	19 p0456 N78-27519	18 p0271 N78-20157
NAS3-19441	17 p0015 A78-10947	18 p0261 N78-18897	19 p0458 N78-27537	18 p0271 N78-20158
NAS3-19698	17 p0130 N78-13209	18 p0262 N78-19041	NAS8-32092	18 p0271 N78-20159
NAS3-19750	18 p0231 A78-31974	18 p0264 N78-19609	19 p0420 N78-25537	18 p0271 N78-20160
NAS3-20117	17 p0150 N78-14632	18 p0264 N78-19610	19 p0420 N78-25538	18 p0271 N78-20161
NAS3-20117	17 p0150 N78-14633	18 p0264 N78-19611	19 p0420 N78-25541	18 p0272 N78-20162
NAS3-20222	18 p0238 N78-16329	18 p0264 N78-19612	19 p0420 N78-25542	18 p0272 N78-20163
NAS3-20270	19 p0441 N78-26390	18 p0264 N78-19613	19 p0420 N78-25543	18 p0272 N78-20164
NAS3-20302	19 p0454 N78-27174	18 p0264 N78-19614	19 p0444 N78-26556	NAS9-15294
NAS3-20302	18 p0218 A78-29636	18 p0264 N78-19615	NAS8-32093	19 p0458 N78-27538
NAS3-20302	17 p0143 N78-13599	18 p0275 N78-20618	18 p0263 N78-19603	NGL-05-003-003
NAS3-20302	19 p0409 N78-24674	18 p0276 N78-20619	19 p0388 N78-22467	18 p0167 A78-22008
NAS3-20385	18 p0278 N78-20802	18 p0276 N78-20620	NAS8-32149	NGL-05-020-103
NAS3-20385	18 p0278 N78-20803	18 p0283 N78-21599	19 p0344 A78-39636	18 p0215 A78-28924
NAS3-20385	18 p0278 N78-20804	18 p0283 N78-21601	NAS8-32198	NGL-28-004-020
NAS3-20388	18 p0276 N78-20621	19 p0387 N78-22184	17 p0118 N78-10973	18 p0273 N78-20567
NAS3-20395	18 p0237 N78-16090	19 p0389 N78-22470	NAS8-32242	NGL-05-007-221
NAS3-20620	18 p0262 N78-19326	19 p0396 N78-23563	18 p0250 N78-17482	NGL-40-002-093
NAS3-20620	18 p0272 N78-20350	19 p0403 N78-24387	18 p0275 N78-20615	17 p0097 A78-18784
NAS3-20620	19 p0414 N78-25235	19 p0406 N78-24622	19 p0405 N78-24610	NGL-48-002-004
NAS5-11455	18 p0238 N78-16327	19 p0406 N78-24629	NAS8-32245	18 p0247 N78-17223
NAS5-11677	17 p0014 A78-10932	19 p0406 N78-24630	18 p0282 N78-21591	NOAA PROJECT R/E-6
NAS5-22873	17 p0014 A78-10932	19 p0406 N78-24636	19 p0456 N78-27518	NOAA-04-6-158-4410
NAS5-24206	18 p0282 N78-21516	19 p0406 N78-24637	NAS8-32246	NOAA-04-6-158-44117
NAS5-24232	18 p0263 N78-19570	19 p0407 N78-24640	18 p0256 N78-18526	19 p0301 A78-33309
NAS7-100	17 p0013 A78-10922	19 p0407 N78-24642	18 p0275 N78-20612	19 p0306 A78-33348
NAS7-100	17 p0015 A78-10946	19 p0407 N78-24643	NAS8-32247	NSF AER-75-15168
NAS7-100	17 p0016 A78-10948	19 p0407 N78-24649	18 p0275 N78-20610	NSF AER-72-13645
NAS7-100	17 p0016 A78-10951	19 p0407 N78-24653	NAS8-32248	NSF AER-72-03478
NAS7-100	17 p0016 A78-10955	19 p0408 N78-24654	18 p0264 N78-19606	17 p0017 A78-10971
NAS7-100	17 p0023 A78-11030	19 p0408 N78-24656	18 p0283 N78-21603	17 p0018 A78-10982
NAS7-100	17 p0024 A78-11036	19 p0412 N78-24974	NAS8-32249	18 p0228 A78-31730
NAS7-100	17 p0025 A78-11044	19 p0414 N78-25233	18 p0263 N78-19601	NSF AER-72-03487
NAS7-100	17 p0049 A78-11283	19 p0414 N78-25237	NAS8-32250	17 p0077 A78-15155
NAS7-100	17 p0051 A78-11309	19 p0419 N78-25532	18 p0268 N78-19653	NSF AER-72-03562
NAS7-100	17 p0052 A78-11321	19 p0419 N78-25533	19 p0458 N78-27536	18 p0272 N78-20291
		19 p0419 N78-25535	19 p0444 N78-26557	NSF AER-72-03562-A02
		19 p0419 N78-25536	19 p0444 N78-26558	18 p0190 A78-26580
		19 p0421 N78-25559	19 p0444 N78-26559	NSF AER-72-03566-A02
		19 p0421 N78-25560	NAS8-32253	17 p0080 A78-16049
		19 p0442 N78-26541	18 p0275 N78-20614	NSF AER-72-03579
		19 p0457 N78-27522	19 p0389 N78-22472	18 p0202 A78-27893
		19 p0457 N78-27530	NAS8-32255	NSF AER-73-0357-A02
		19 p0457 N78-27531	19 p0444 N78-26557	17 p0112 N78-10569
		19 p0458 N78-27532	19 p0444 N78-26558	NSF AER-73-03197
		19 p0458 N78-27533	19 p0444 N78-26559	18 p0251 A78-17493
		NAS8-30884	NAS8-32256	NSF AER-73-03341
		19 p0455 N78-27482	19 p0405 N78-24611	18 p0273 N78-20380
		NAS8-31100	NAS8-32258	NSF AER-73-07843
		18 p0255 N78-18520	18 p0275 N78-20613	17 p0013 A78-10915
		NAS8-31564	NAS8-32259	18 p0219 A78-30190
		18 p0275 N78-20617	18 p0283 N78-21604	18 p0219 A78-30191
		NAS8-31670	19 p0389 N78-22475	NSF AER-74-04014-A03
		17 p0138 N78-13548	19 p0421 N78-25550	18 p0169 A78-22232
		NAS8-31980	NAS8-32260	18 p0170 A78-22236
		17 p0125 N78-12506	18 p0274 N78-20602	NSF AER-74-09139
		NAS8-32036	19 p0389 N78-22473	17 p0097 A78-18785
		17 p0046 A78-11247	NAS8-32261	NSF AER-74-15532
		18 p0249 N78-17470	18 p0250 N78-17479	17 p0012 A78-10905
		18 p0249 N78-17471	18 p0263 N78-19605	NSF AER-75-00033
		18 p0249 N78-17472	18 p0275 N78-20616	19 p0301 A78-33312
		18 p0249 N78-17474	18 p0283 N78-21602	19 p0409 N78-24677
		18 p0250 N78-17478	NAS8-32269	NSF AER-75-00187
		18 p0250 N78-17480	18 p0274 N78-20609	17 p0076 A78-15080
		18 p0250 N78-17481	NAS8-32347	17 p0139 N78-13560
		18 p0250 N78-17483	19 p0421 N78-25548	
		18 p0250 N78-17484		
		18 p0255 N78-18521		

CONTRACT NUMBER INDEX

NSP AER-75-00280-A02
 18 p0261 N78-18568
 NSP AER-75-00357
 17 p0092 A78-17653
 19 p0314 A78-34935
 NSP AER-75-00367-000
 17 p0031 A78-11101
 18 p0171 A78-22244
 NSP AER-75-00547
 18 p0168 A78-22227
 NSP AER-75-00647
 17 p0083 A78-16829
 18 p0205 A78-28163
 NSP AER-75-00826
 17 p0160 N78-15565
 NSP AER-75-00850
 17 p0094 A78-18091
 NSP AER-75-03964
 17 p0078 A78-15828
 NSP AER-75-08793
 18 p0228 A78-31742
 NSP AER-75-09588
 17 p0157 N78-14725
 NSP AER-75-11171
 18 p0207 A78-28353
 NSP AER-75-15213
 19 p0398 N78-23590
 NSP AER-75-16962
 18 p0207 A78-28357
 NSP AER-75-17247
 19 p0466 N78-27617
 NSP AER-75-18813
 17 p0139 N78-13564
 19 p0458 N78-27544
 NSP AER-75-19576-A01
 17 p0121 N78-11515
 NSP AER-76-05596
 19 p0386 A78-43287
 NSP AER-76-10809
 17 p0034 A78-11124
 17 p0056 A78-11351
 18 p0208 A78-28364
 NSP AG-398
 17 p0162 N78-15590
 NSP APR-75-18279
 19 p0301 A78-33307
 NSP APR-75-18301
 17 p0145 N78-13621
 NSP APR-75-18321-A02
 19 p0322 A78-35768
 NSP APR-75-19137
 18 p0244 N78-16472
 19 p0435 N78-25982
 19 p0435 N78-25983
 NSP APR-75-166666
 18 p0289 N78-21660
 NSP ATM-75-02797-A01
 18 p0231 A78-32068
 NSP BMS-71-00978
 18 p0207 A78-28356
 NSP BMS-72-02298
 17 p0079 A78-15847
 NSP BMS-75-03415
 18 p0207 A78-28357
 NSP BMS-75-18023
 18 p0207 A78-28352
 NSP BMS-75-19643
 18 p0207 A78-28357
 NSP C-828
 17 p0122 N78-11863
 NSP C-836
 17 p0010 A78-10744
 NSP C-1008
 19 p0301 A78-33312
 19 p0409 N78-24677
 NSP DES-75-03882
 19 p0386 A78-43291
 NSP DHR-7501267
 17 p0045 A78-11239
 NSP ENG-73-20136-A02
 17 p0081 A78-16340
 NSP ENG-74-11654
 19 p0297 A78-33129
 NSP ENG-74-018062
 19 p0298 A78-33171
 NSP ENG-75-01409
 17 p0116 N78-10601
 NSP ENG-75-02709
 19 p0380 A78-42263
 NSP ENG-75-03221
 17 p0076 A78-15053

NSP ENG-75-05341
 17 p0068 A78-13447
 NSP ENG-75-10251
 19 p0435 N78-26007
 NSP ENG-75-10313
 17 p0122 N78-11559
 NSP ENG-75-14452
 19 p0360 A78-40241
 NSP ENG-75-18074
 17 p0026 A78-11052
 NSP ENG-76-03135
 18 p0233 A78-32366
 NSP ENG-76-09256
 17 p0019 A78-10986
 NSP ENV-74-14810-A03
 19 p0451 N78-26653
 NSP EPP-75-04328
 18 p0205 A78-28167
 NSP EPP-75-04701
 17 p0023 A78-11031
 NSP ERS-73-02706
 19 p0336 A78-38055
 NSP ERS-77-17735
 19 p0453 N78-27009
 19 p0453 N78-27010
 NSP ERT-74-19063
 17 p0104 A78-19828
 NSP GAER-75-00702
 18 p0169 A78-22231
 NSP GI-36567
 18 p0272 N78-20291
 NSP GI-38103
 18 p0202 A78-27893
 NSP GI-38319
 17 p0088 A78-17476
 19 p0369 A78-42080
 NSP GI-39415
 18 p0169 A78-22234
 NSP GI-40533
 18 p0203 A78-27919
 18 p0203 A78-27920
 NSP GI-41306
 17 p0083 A78-16832
 18 p0273 N78-20380
 NSP GI-41840
 18 p0170 A78-22236
 NSP GI-44099
 17 p0020 A78-11006
 NSP ISP-74-43894
 19 p0449 N78-26621
 NSP ISP-75-22472
 19 p0452 N78-26986
 NSP ISP-76-10209
 19 p0390 N78-22477
 NSP MCS-76-10597
 19 p0449 N78-26619
 NSP MCS-76-20019
 17 p0126 N78-12537
 NSP MPS-75-13752
 17 p0083 A78-16830
 NSP OIP-74-08333-A02
 18 p0232 A78-32113
 NSP PCH-74-11747
 18 p0208 A78-28359
 NSP PCM-76-11655
 17 p0079 A78-15847
 NSP PRA-76-81015
 18 p0257 N78-18534
 19 p0442 N78-26457
 NSP PTP-75-05156
 17 p0104 A78-19830
 17 p0144 N78-13615
 NSP SIA-74-21846
 19 p0388 N78-22451
 NSP SIS-74-19324
 17 p0118 N78-10965
 NSP SHI-76-02784
 17 p0068 A78-13447
 NSP 62-3649
 18 p0234 A78-32410
 NSP 75-22556
 19 p0310 A78-34237
 NSP 76-05499
 17 p0157 N78-14939
 17 p0157 N78-14940
 NSP 36910X
 19 p0386 A78-43291
 NSP 38701
 18 p0190 A78-26579
 18 p0191 A78-26585
 18 p0192 A78-26591

NSF 43441
 19 p0304 A78-33336
 NSG-3018
 17 p0136 N78-13532
 NSG-3019
 18 p0228 A78-31731
 NSG-3045
 17 p0065 A78-12557
 NSG-3065
 18 p0281 N78-21469
 NSG-3083
 17 p0027 A78-11062
 NSG-3123
 17 p0136 N78-13535
 NSG-3132
 18 p0274 N78-20603
 NSG-7019
 18 p0188 A78-26112
 NSG-7039
 19 p0451 N78-26869
 NSG-8025
 18 p0249 N78-17475
 NSG-8041
 17 p0138 N78-13552
 NSR-09-051-001
 18 p0204 A78-27933
 NTFN-B-1810.5205
 17 p0122 N78-11535
 R01-HV-4-2901
 18 p0243 N78-16464
 N00014-75-C-0426
 17 p0126 N78-12535
 N00014-75-C-0865
 17 p0126 N78-12537
 N00014-75-C-0926
 17 p0158 N78-15497
 N00014-75-C-1175
 18 p0215 A78-28924
 N00014-75-0473
 18 p0231 A78-32068
 N00014-76-C-0030
 19 p0368 A78-41813
 N00014-76-C-0410
 19 p0401 N78-23927
 N00014-76-C-0442
 19 p0408 N78-24665
 N00014-76-C-0824
 18 p0241 N78-16445
 N00014-76-F-0026
 18 p0240 N78-16444
 N00014-76-G-0057
 19 p0342 A78-39453
 N00014-77-C-0033
 19 p0302 A78-33316
 19 p0302 A78-33317
 N00014-77-C-0523
 19 p0409 N78-24669
 N00017-72-C-4401
 17 p0013 N78-10921
 N00017-73-C-1418
 18 p0276 N78-20628
 N00019-76-C-0675
 19 p0414 N78-25240
 N62472-76-C-1068
 18 p0188 A78-26108
 N68305-76-C-0009
 17 p0112 N78-10561
 N68305-76-C-0029
 17 p0113 N78-10575
 PHS-1-R13-ES-01470-01
 18 p0244 A78-16474
 PROJ. 487-1
 17 p0146 N78-13645
 PROJ. 791-1
 19 p0430 N78-25633
 PROJ. 3246
 19 p0446 N78-26576
 PROJ. 8979
 19 p0398 N78-23591
 PROJ. 8981
 19 p0405 N78-24618
 PROJ. 9010
 19 p0416 N78-25254
 SRC-B/RG/9233.8
 18 p0170 A78-22241
 SRI PROJ. 5040
 17 p0129 N78-12909
 17 p0129 N78-12910
 USBLM-AA550-CT6-19
 17 p0065 A78-12844

USDA-12-14-7001-566
 17 p0105 A78-19837
 W-31-109-ENG-38
 17 p0114 N78-10584
 17 p0114 N78-10585
 17 p0142 N78-13594
 17 p0143 N78-13597
 17 p0143 N78-13607
 18 p0238 N78-16334
 18 p0287 N78-21644
 19 p0392 N78-23249
 19 p0397 N78-23582
 19 p0397 N78-23584
 19 p0404 N78-24559
 19 p0412 N78-24920
 19 p0422 N78-25564
 19 p0422 N78-25568
 19 p0423 N78-25575
 19 p0425 N78-25593
 19 p0426 N78-25606
 19 p0428 N78-25614
 19 p0429 N78-25627
 19 p0429 N78-25628
 19 p0429 N78-25629
 19 p0430 N78-25640
 19 p0432 N78-25651
 19 p0434 N78-25923
 19 p0434 N78-25930
 19 p0435 N78-26038
 19 p0445 N78-26571
 19 p0450 N78-26642
 19 p0452 N78-26933
 19 p0459 N78-27547
 19 p0464 N78-27592
 W-7405-ENG-26
 19 p0346 A78-39797
 19 p0348 A78-39822
 19 p0349 A78-39877
 19 p0351 A78-39916
 19 p0351 A78-39918
 19 p0382 A78-42487
 17 p0110 N78-10545
 17 p0114 N78-10586
 17 p0115 N78-10588
 17 p0118 N78-10814
 17 p0121 N78-11508
 17 p0140 N78-13576
 17 p0141 N78-13578
 17 p0142 N78-13586
 17 p0146 N78-13644
 17 p0148 N78-14181
 17 p0151 N78-14639
 17 p0153 N78-14657
 17 p0153 N78-14660
 17 p0153 N78-14661
 17 p0155 N78-14672
 17 p0156 N78-14698
 17 p0162 N78-15590
 18 p0277 N78-20645
 18 p0282 N78-21483
 18 p0288 N78-21647
 18 p0288 N78-21648
 19 p0391 N78-22915
 19 p0393 N78-23440
 19 p0411 N78-24695
 19 p0411 N78-24697
 19 p0416 N78-25340
 19 p0423 N78-25576
 19 p0426 N78-25605
 19 p0429 N78-25623
 19 p0431 N78-25647
 19 p0436 N78-26226
 19 p0442 N78-26524
 19 p0446 N78-26584
 19 p0448 N78-26601
 19 p0449 N78-26613
 W-7405-ENG-36
 17 p0001 A78-10062
 17 p0004 A78-10605
 17 p0153 N78-14653
 18 p0242 N78-16456
 18 p0269 N78-19667
 18 p0270 N78-19674
 18 p0273 N78-20471
 19 p0393 N78-23251
 19 p0400 N78-23899
 19 p0410 N78-24678
 19 p0416 N78-25335
 19 p0444 N78-26567
 19 p0446 N78-26583
 19 p0447 N78-26595

CONTRACT NUMBER INDEX

19	p0456	N78-27500
19	p0463	N78-27586
19	p0467	N78-27791
19	p0467	N78-27898
19	p0468	N78-27934
19	p0468	N78-27982
W-7405-ENG-48		
17	p0011	A78-10874
17	p0012	A78-10909
17	p0057	A78-11364
17	p0064	A78-12486
17	p0085	A78-16901
18	p0229	A78-31750
18	p0230	A78-31953
18	p0235	A78-32434
18	p0235	A78-32439
18	p0235	A78-32440
19	p0342	A78-39367
19	p0345	A78-39784
19	p0347	A78-39805
19	p0347	A78-39806
19	p0348	A78-39834
19	p0349	A78-39888
19	p0349	A78-39889
19	p0350	A78-39901
19	p0351	A78-39920
19	p0352	A78-39952
19	p0353	A78-39964
19	p0353	A78-39965
19	p0357	A78-40026
19	p0357	A78-40032
19	p0360	A78-40226
19	p0366	A78-41284
19	p0367	A78-41518
19	p0367	A78-41521
19	p0377	A78-42207
19	p0380	A78-42260
17	p0114	N78-10587
17	p0117	N78-10615
17	p0127	N78-12546
17	p0149	N78-14451
17	p0157	N78-14762
17	p0157	N78-14954
17	p0161	N78-15576
17	p0161	N78-15579
18	p0245	N78-16872
18	p0263	N78-19455
18	p0269	N78-19665
18	p0271	N78-19957
18	p0278	N78-20769
18	p0281	N78-21322
18	p0285	N78-21622
18	p0285	N78-21623
18	p0286	N78-21631
18	p0286	N78-21635
18	p0288	N78-21650
18	p0290	N78-21710
18	p0290	N78-21986
19	p0392	N78-23238
19	p0397	N78-23577
19	p0414	N78-25241
19	p0418	N78-25512
19	p0425	N78-25592
19	p0430	N78-25633
19	p0430	N78-25634
19	p0430	N78-25635
19	p0430	N78-25636
19	p0430	N78-25637
19	p0431	N78-25645
19	p0431	N78-25646
19	p0434	N78-25722
19	p0436	N78-26039
19	p0437	N78-26227
19	p0445	N78-26575
19	p0446	N78-26580
19	p0446	N78-26585
19	p0448	N78-26611
19	p0460	N78-27559
19	p0467	N78-27695
W-7405-ENG-82		
17	p0120	N78-11505
19	p0466	N78-27637
W-7405-ENG-92		
17	p0058	A78-11370
19	p0344	A78-39470
17	p0153	N78-14656
W-7405-ENG-92-TAS-98		
17	p0141	N78-13580
W-7405-ENG-048		
17	p0092	A78-17789


W-7406-ENG-26		
19	p0411	N78-24696
WA-76-3104		
17	p0006	A78-10655
ZF57571001		
17	p0113	N78-10575
ZF57571004		
18	p0262	N78-19162
505-04	17	p0158 N78-15229
505-16	18	p0273 N78-20512
506-16-31	17	p0134 N78-13368
516-50-23-01	19	p0420 N78-25545
778-11	19	p0408 N78-24659
791-40-13-01	19	p0413 N78-25047

REPORT/ACCESSION INDEX

ENERGY / A Continuing Bibliography (Issue 19)

OCTOBER 1978

Typical Report/Accession Number Index Listing



Listings in this index are arranged alphanumerically by report number. The issue and page number indicate the actual Supplement and page where the citation may be located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche. A plus sign (+) indicates a document that cannot be microfiched but for which one-to-one facsimile is available.

A-7255 17 p0134 N78-13368**

A/A-77/2 17 p0122 N78-11559 #

AAAF-NT-77-25 19 p0401 N78-24128 #

AAAF-NT-77-28 19 p0402 N78-24131 #

AAS 77-200 19 p0329 A78-36702

AAS 77-203 19 p0329 A78-36705*

AAS 77-230 19 p0330 A78-36729

AAS 77-237 19 p0329 A78-36712

AAS 77-239 19 p0329 A78-36716

AAS 77-240 19 p0330 A78-36717*

AAS 77-241 19 p0330 A78-36718*

ACH-TR-105 17 p0158 N78-15148**

AD-A040381 17 p0111 N78-10560 #

AD-A042315 17 p0112 N78-10566 #

AD-A042385 17 p0112 N78-10561 #

AD-A042389 17 p0112 N78-10563 #

AD-A042541 17 p0120 N78-11501 #

AD-A042578 17 p0112 N78-10567 #

AD-A042799 17 p0112 N78-10568 #

AD-A042861 17 p0116 N78-10608 #

AD-A043323 17 p0119 N78-11253 #

AD-A043382 17 p0112 N78-10572 #

AD-A043566 17 p0109 N78-10308 #

AD-A043659 17 p0120 N78-11502 #

AD-A043951 17 p0113 N78-10575 #

AD-A044131 17 p0126 N78-12532 #

AD-A044414 17 p0126 N78-12531 #

AD-A044787 19 p0403 N78-24375 #

AD-A044888 17 p0126 N78-12534 #

AD-A044908 17 p0126 N78-12537 #

AD-A045082 17 p0126 N78-12535 #

AD-A045127 17 p0135 N78-13444 #

AD-A045378 17 p0135 N78-13442 #

AD-A045511 17 p0147 N78-13681 #

AD-A045582 17 p0129 N78-13065 #

AD-A046150 17 p0151 N78-14636 #

AD-A046456 17 p0158 N78-15213 #

AD-A046533 17 p0158 N78-15497 #

AD-A046641 17 p0158 N78-15295 #

AD-A046951 18 p0240 N78-16444 #

AD-A046954 18 p0241 N78-16445 #

AD-A047356 19 p0409 N78-24667 #

AD-A047433 18 p0251 N78-17487 #

AD-A047925 18 p0260 N78-18558*

AD-A048042 18 p0251 N78-17489 #

AD-A048382 18 p0262 N78-19162 #

AD-A048655 18 p0253 N78-18226 #

AD-A048806 18 p0269 N78-19662 #

AD-A048908 18 p0269 N78-19663 #

AD-A049490 18 p0277 N78-20630 #

AD-A049982 18 p0276 N78-20628 #

AD-A050026 18 p0284 N78-21616 #

AD-A050920 19 p0389 N78-22476 #

AD-A051131 19 p0403 N78-24372 #

AD-A051336 19 p0408 N78-24665 #

AD-A051450 19 p0401 N78-23927 #

AD-A052395 19 p0409 N78-24669 #

AD-A052581 19 p0404 N78-24431 #

AD-A052750 19 p0413 N78-25096 #

AD-A053106 19 p0414 N78-25239 #

AD-A053299 19 p0414 N78-25240 #

AD-A053300 19 p0422 N78-25562 #

ADL-C-79679 17 p0113 N78-10575 #

AEOL-26 18 p0289 N78-21662 #

APAL-TR-77-74 18 p0251 N78-17489 #

APAPL-TR-75-10-VOL-3 19 p0414 N78-25239 #

APAPL-TR-76-87 17 p0111 N78-10560 #

APAPL-TR-77-9 17 p0112 N78-10563 #

APAPL-TR-77-15 19 p0413 N78-25096 #

APAPL-TR-77-36 17 p0112 N78-10572 #

APAPL-TR-77-38 17 p0151 N78-14636 #

AFIT-CI-78-19 19 p0403 N78-24372 #

AFIT-LSSE-32-77B 18 p0251 N78-17487 #

AFIT/GEP/PR/77D-3 18 p0269 N78-19663 #

AFRL-81 17 p0119 N78-11253 #

AFRL-88 17 p0109 N78-10308 #

AFCSB-77-1262TB 17 p0158 N78-15213 #

AI-ERDA-13203 19 p0427 N78-25613 #

AIAA PAPER 78-45 18 p0172 A78-22558 #

AIAA PAPER 78-268 18 p0165 A78-20781 #

AIAA PAPER 78-277 18 p0172 A78-22612 #

AIAA PAPER 78-278 18 p0166 A78-20785 #

AIAA PAPER 78-279 18 p0166 A78-20786 #

AIAA PAPER 78-281 18 p0166 A78-20788 #

AIAA PAPER 78-290 18 p0177 A78-24001 #

AIAA PAPER 78-291 18 p0177 A78-24002 #

AIAA PAPER 78-292 18 p0177 A78-24003 #

AIAA PAPER 78-293 18 p0177 A78-24004 #

AIAA PAPER 78-295 18 p0178 A78-24005*

AIAA PAPER 78-307 18 p0178 A78-24008 #

AIAA PAPER 78-354 18 p0178 A78-24030 #

AIAA PAPER 78-357 18 p0178 A78-24032 #

AIAA PAPER 78-362 18 p0178 A78-24034 #

AIAA PAPER 78-689 19 p0293 A78-32761 #

AIAA PAPER 78-690 19 p0293 A78-32762 #

AIAA PAPER 78-694 19 p0293 A78-32765*

AIAA PAPER 78-896 19 p0323 A78-36016 #

AIAA PAPER 78-899 19 p0324 A78-36018 #

AIAA PAPER 78-900 19 p0324 A78-36020 #

AIAA PAPER 78-901 19 p0324 A78-36019 #

AIAA PAPER 78-903 19 p0324 A78-36021*

AIAA PAPER 78-904 19 p0324 A78-36022 #

AIAA PAPER 78-1173 19 p0368 A78-41870 #

AIAA 77-1550 17 p0069 A78-13681 #

AIAA 77-1553 17 p0069 A78-13684 #

AIAA 77-1577 17 p0069 A78-13663 #

AIAA 77-1583 17 p0069 A78-13666*

AIAA 78-377 19 p0317 A78-35578 #

REPORT/ACCESSION NUMBER INDEX

ATAA 78-390	19	p0317	A78-35585 #	ASI-1277-1	19	p0396	N78-23565**
ATAA 78-391	19	p0317	A78-35586 #	ASLE PREPRINT 77-LC-58-1	18	p0209	A78-28434
ATAA 78-392	19	p0317	A78-35587 #	ASHE PAPER 76-WA/HT-1	17	p0076	A78-15057 #
ATAA 78-393	19	p0317	A78-35588 #	ASHE PAPER 77-HT-1	17	p0088	A78-17476 #
ATAA 78-396	19	p0318	A78-35589 #	ASHE PAPER 77-HT-2	17	p0089	A78-17477 #
ATAA 78-402	19	p0318	A78-35592 #	ASHE PAPER 77-HT-3	17	p0089	A78-17478 #
ATAA 78-409	19	p0318	A78-35597 #	ASHE PAPER 77-HT-4	17	p0089	A78-17479 #
ATAA 78-434	19	p0318	A78-35614 #	ASHE PAPER 77-HT-5	17	p0089	A78-17480 #
ATAA 78-435	19	p0318	A78-35615 #	ASHE PAPER 77-HT-38	17	p0089	A78-17487 #
ATAA 78-439	19	p0318	A78-35619**	ASHE PAPER 77-HT-59	17	p0089	A78-17491 #
ATAA 78-440	19	p0318	A78-35620 #	ASHE PAPER 77-HT-60	17	p0089	A78-17492 #
ATAA 78-444	19	p0319	A78-35623 #	ASHE PAPER 77-HT-61	17	p0090	A78-17493 #
ATAA 78-449	19	p0319	A78-35625 #	ASHE PAPER 77-HT-62	17	p0090	A78-17494 #
ATAA 78-450	19	p0319	A78-35626 #	ASHE PAPER 77-HT-63	17	p0090	A78-17495 #
ATAA 78-454	19	p0319	A78-35629 #	ASHE PAPER 77-HT-64	17	p0090	A78-17496 #
ATAA 78-456	19	p0319	A78-35631**	ASHE PAPER 77-HT-65	17	p0090	A78-17497 #
ATAA 78-457	19	p0319	A78-35632 #	ASHE PAPER 77-HT-66	17	p0090	A78-17498 #
ATAA 78-533	19	p0294	A78-32883 #	ASHE PAPER 77-HT-73	17	p0090	A78-17501 #
ATAA 78-536	19	p0294	A78-32885 #	ASHE PAPER 77-HT-90	17	p0091	A78-17506 #
ATAA 78-571	19	p0294	A78-32912 #	ASHE PAPER 77-JPGC-PWR-7	19	p0310	A78-34080 #
ATAA 78-812	18	p0233	A78-32366 #	ASHE PAPER 77-PET-23	17	p0076	A78-15079 #
ATAA 78-813	18	p0234	A78-32367 #	ASHE PAPER 77-PET-25	17	p0077	A78-15083 #
ATAA 78-818	18	p0234	A78-32372 #	ASHE PAPER 77-PET-41	17	p0076	A78-15080 #
ATAA-PAPER-77-521	17	p0137	N78-13536**	ASHE PAPER 77-PET-53	17	p0077	A78-15081 #
ATNE PAPER A78-61	18	p0228	A78-31500**	ASHE PAPER 77-PET-67	17	p0077	A78-15082 #
AIRSEARCH-76-12994	19	p0458	N78-27537**	ASHE PAPER 77-WA/APC-1	19	p0297	A78-33126 #
AIRSEARCH-76-13448	19	p0456	N78-27519**	ASHE PAPER 77-WA/APC-2	19	p0297	A78-33127 #
ALO/3717-1	19	p0462	N78-27581 #	ASHE PAPER 77-WA/APC-6	19	p0297	A78-33129 #
ALO/3786-1	19	p0428	N78-25619 #	ASHE PAPER 77-WA/APC-7	19	p0297	A78-33130 #
ALO/3987-1/1-VOL-1	19	p0431	N78-25644 #	ASHE PAPER 77-WA/AUT-3	18	p0229	A78-33128 #
ALO/3987-1/2-VOL-2	19	p0409	N78-24672 #	ASHE PAPER 77-WA/ENER-5	19	p0297	A78-33143**
ALO/3987-1/3-VOL-3	19	p0409	N78-24673 #	ASHE PAPER 77-WA/ENER-6	19	p0297	A78-33144 #
AMHRC-CTR-77-18	17	p0126	N78-12534 #	ASHE PAPER 77-WA/ENER-7	19	p0297	A78-33145 #
ANE-3086-1	18	p0270	N78-19672 #	ASHE PAPER 77-WA/ENER-8	19	p0298	A78-33146 #
ANL-K-76-3541-1	17	p0114	N78-10585 #	ASHE PAPER 77-WA/ENER-9	19	p0298	A78-33147**
ANL-K-77-3542-1	17	p0142	N78-13594 #	ASHE PAPER 77-WA/ENER-10	19	p0298	A78-33148 #
ANL-K-77-3558-1	17	p0143	N78-13607 #	ASHE PAPER 77-WA/ENER-11	19	p0298	A78-33149 #
ANL-K-77-3639-1	19	p0459	N78-27547 #	ASHE PAPER 77-WA/ENER-12	19	p0298	A78-33150 #
ANL-NHD-77-3	18	p0240	N78-16444 #	ASHE PAPER 77-WA/ENER-13	19	p0298	A78-33151**
ANL-NHD-77-3	19	p0432	N78-25651 #	ASHE PAPER 77-WA/ENER-14	19	p0298	A78-33152 #
ANL-77-39	18	p0238	N78-16334 #	ASHE PAPER 77-WA/FE-20	18	p0218	A78-33035 #
ANL-77-61	19	p0426	N78-25606 #	ASHE PAPER 77-WA/HT-5	19	p0298	A78-33171 #
ANL-77-68	19	p0425	N78-25593 #	ASHE PAPER 77-WA/HT-12	19	p0299	A78-33175 #
ANL-77-70	19	p0412	N78-24920 #	ASHE PAPER 77-WA/NE-1	19	p0299	A78-33185 #
ANL-77-79	19	p0445	N78-26571 #	ASHE PAPER 77-WA/NE-2	19	p0299	A78-33186 #
ANL/CEN/FE-77-2	19	p0423	N78-25575 #	ASHE PAPER 77-WA/NE-3	19	p0299	A78-33187 #
ANL/CEN/FE-77-3	19	p0399	N78-23604 #	ASHE PAPER 77-WA/SOL-1	19	p0299	A78-33189 #
ANL/CES/TE-77-6	19	p0422	N78-25564 #	ASHE PAPER 77-WA/SOL-2	19	p0299	A78-33190 #
ANL/CES/TE-77-15	19	p0435	N78-26038 #	ASHE PAPER 77-WA/SOL-3	19	p0299	A78-33191 #
ANL/FE-49622-9	19	p0430	N78-25640 #	ASHE PAPER 77-WA/SOL-4	19	p0299	A78-33192 #
ANL/NHD-77-2	19	p0422	N78-25568 #	ASHE PAPER 77-WA/SOL-5	19	p0299	A78-33193 #
ANL/USD/FE-77-4	19	p0404	N78-24559 #	ASHE PAPER 78-DE-7	19	p0345	A78-39776 #
ANL/OEPH-77-2	17	p0114	N78-10584 #	ASRC-SUNY-PUB-420	18	p0289	N78-21657 #
ANL/OEPH-77-3	19	p0428	N78-25614 #	ATL-CR-77-01	17	p0153	N78-14654 #
AP-42-SUPPL-7	17	p0122	N78-11541 #	ATR-78 (7666) -1	19	p0395	N78-23555**
APAR-2483-5	19	p0416	N78-25337 #	AV-FR-7112	19	p0467	N78-27665 #
APCA PAPER 77-3,4	18	p0184	A78-25386	AVRADCOM-TR-78-26 (PL)	19	p0436	N78-26145**
APCA PAPER 77-14,1	18	p0185	A78-25410	BCS-40180-1-VOL-1	18	p0278	N78-20802**
APCA PAPER 77-14,2	18	p0186	A78-25445	BCS-40180-2-VOL-2	18	p0278	N78-20803**
APCA PAPER 77-14,4	18	p0186	A78-25446 #	BCS-40180-3-VOL-3	18	p0278	N78-20804**
APCA PAPER 77-15,1	18	p0185	A78-25406	BDM/W-77-425-TR	18	p0246	N78-16949 #
APCA PAPER 77-15,4	18	p0185	A78-25438 #	BDM/W-77-425-TR-VOL-1	18	p0246	N78-16947 #
APCA PAPER 77-17,5	18	p0185	A78-25424	BDM/W-77-425-TR-VOL-2	18	p0246	N78-16948 #
APCA PAPER 77-27,5	18	p0185	A78-25400	BRA/SP-77/30	19	p0411	N78-24690 #
APCA PAPER 77-29,5	18	p0185	A78-25443	BERC/OP-76/33	18	p0254	N78-18437 #
APCA PAPER 77-37,1	18	p0185	A78-25427	BERC/OP-77/3	18	p0254	N78-18438 #
APCA PAPER 77-37,6	18	p0185	A78-25404	BERC/OP-77/4	18	p0254	N78-18439 #
APCA PAPER 77-39,1	18	p0185	A78-25412	BERC/OP-77/5	18	p0254	N78-18440 #
APCA PAPER 77-43,1	18	p0184	A78-25380	BERC/PPS-77/5	18	p0281	N78-21324 #
APCA PAPER 77-56,4	18	p0186	A78-25447 #	BERC/PPS-78/1	19	p0454	N78-27287 #
AR-2	17	p0130	N78-13237 #	BERC/BI-77/12	19	p0402	N78-24324 #
AR-2	18	p0248	N78-17464**	BERC/BI-77/15	19	p0442	N78-26525 #
AR-3	19	p0413	N78-25225 #	BERC/TPR-77/8	19	p0436	N78-26225 #
ARO-12367,1-C	17	p0158	N78-15295 #	BERC/TPR-77/12	19	p0413	N78-25225 #
				BERC/TPR-77/13	19	p0413	N78-25226 #
				BLM-EE-78-14-VCL-1	18	p0254	N78-18506 #

REPORT/ACCESSION NUMBER INDEX

BLM-ME-78-15-VOL-2	18	p0254	N78-18507	#	CONF-760158-1	18	p0270	N78-19673	#
BLM-ME-78-16-VOL-3	18	p0254	N78-18508	#	CONF-760254	17	p0131	N78-13239	#
BLM-ST-78-25	19	p0467	N78-27665	#	CONF-761109-12	17	p0120	N78-11505	#
BM-IC-8730	19	p0456	N78-27511	#	CONF-761167-1	17	p0140	N78-13573	#
BM-IC-8739	17	p0124	N78-12245	#	CONF-761171-1	17	p0140	N78-13574	#
BM-IC-8749	18	p0238	N78-16419	#	CONF-761246-1	19	p0423	N78-25581	#
BM-OFB-17(1)-78	19	p0458	N78-27545	#	CONF-770130-2	17	p0148	N78-14181	#
BM-OFB-17(2)-78	19	p0455	N78-27493	#	CONF-770210-3	17	p0146	N78-13644	#
BM-RI-8244	18	p0245	N78-16499	#	CONF-770210-6	17	p0143	N78-13603	#
BM-RI-8247	17	p0145	N78-13624	#	CONF-770237-1	19	p0442	N78-26450	#
BMFT-FB-T-77-01	17	p0123	N78-11897	#	CONF-770302-1	17	p0114	N78-10581	#
BHI-X-679	17	p0141	N78-13580	#	CONF-770302-2	17	p0153	N78-14653	#
BNL-TR-637	17	p0115	N78-10589	#	CONF-770305-PT-1	17	p0139	N78-13568	#
BNL-21920	17	p0140	N78-13573	#	CONF-770305-PT-2	17	p0140	N78-13569	#
BNL-22559	17	p0152	N78-14651	#	CONF-770323-5	19	p0451	N78-26906	#
BNL-22595	19	p0468	N78-27988	#	CONF-770331-1	17	p0153	N78-14661	#
BNL-22676	17	p0117	N78-10614	#	CONF-770331-2	17	p0153	N78-14660	#
BNL-22677	19	p0397	N78-23579	#	CONF-770331-5	18	p0241	N78-16453	#
BNL-22730	18	p0241	N78-16451	#	CONF-770359-1	18	p0242	N78-16455	#
BNL-22881	17	p0155	N78-14676	#	CONF-770391	19	p0425	N78-25598	#
BNL-22969	18	p0286	N78-21633	#	CONF-770403-8	17	p0141	N78-13582	#
BNL-23574	19	p0461	N78-27568	#	CONF-770407-2	17	p0114	N78-10587	#
BNL-23670	19	p0460	N78-27558	#	CONF-770440-11	19	p0411	N78-24731	#
BNL-50501-B	19	p0397	N78-23578	#	CONF-770445-2	19	p0468	N78-27988	#
BNL-50633	18	p0286	N78-21634	#	CONF-770448-1	17	p0155	N78-14672	#
BNL-50634	18	p0241	N78-16450	#	CONF-770505-72	19	p0390	N78-22484	#
BNL-50652	19	p0447	N78-26597	#	CONF-770505-235	17	p0116	N78-10603	#
BNL-50663	19	p0415	N78-25243	#	CONF-770505-243	17	p0116	N78-10605	#
BNL-50667	19	p0409	N78-24676	#	CONF-770516-2	17	p0152	N78-14651	#
BNL-50696	19	p0425	N78-25595	#	CONF-770531-9	17	p0155	N78-14676	#
BNL-50706	19	p0427	N78-25610	#	CONF-770539-1	17	p0163	N78-15657	#
BNL-50736	19	p0462	N78-27582	#	CONF-770540-1	17	p0152	N78-14652	#
BNL-50745	19	p0463	N78-27591	#	CONF-770549-1	18	p0241	N78-16451	#
BNL-50754	19	p0463	N78-27590	#	CONF-770569-2	19	p0392	N78-23238	#
BNL-50760	19	p0462	N78-27580	#	CONF-770593	19	p0393	N78-23251	#
BNWL-RAP-16	19	p0468	N78-27975	#	CONF-770609-5	18	p0285	N78-21622	#
BNWL-SA-5970	17	p0154	N78-14662	#	CONF-770622-5	18	p0185	N78-25406	#
BNWL-SA-6029	17	p0140	N78-13574	#	CONF-770630-1	17	p0154	N78-14664	#
BNWL-2004-6	19	p0397	N78-23583	#	CONF-770630-2	17	p0154	N78-14665	#
BNWL-2103	17	p0117	N78-10613	#	CONF-770632	18	p0287	N78-21644	#
BNWL-2107	18	p0290	N78-21671	#	CONF-770742-1	18	p0286	N78-21633	#
BNWL-2134	17	p0140	N78-13571	#	CONF-770801-16	18	p0271	N78-19957	#
BNWL-2162	17	p0117	N78-10672	#	CONF-770804-2	17	p0151	N78-14634	#
BNWL-2192	18	p0241	N78-16449	#	CONF-770814-9	19	p0423	N78-25579	#
BNWL-2208	17	p0151	N78-14644	#	CONF-770814-10	19	p0392	N78-23250	#
BNWL-2224	19	p0410	N78-24683	#	CONF-770824-1	18	p0270	N78-19670	#
BNWL-2283	17	p0154	N78-14663	#	CONF-770836-5	19	p0410	N78-24678	#
BNWL-2311	18	p0288	N78-21649	#	CONF-770870-1	18	p0288	N78-21647	#
BNWL-2393	19	p0450	N78-26634	#	CONF-770870-2	18	p0288	N78-21648	#
BULL-3-REV-1	18	p0270	N78-19677	#	CONF-770902-5	18	p0282	N78-21483	#
BULL-54	19	p0399	N78-23603	#	CONF-770937-3	18	p0290	N78-21986	#
BULL-55	19	p0396	N78-23568	#	CONF-770953-4	19	p0444	N78-26564	#
BULL-106	19	p0451	N78-26699	#	CONF-770953-5	19	p0429	N78-25629	#
C-80020	19	p0402	N78-24255	#	CONF-770953-6	19	p0429	N78-25628	#
CED-77-92	17	p0117	N78-10633	#	CONF-770953-7	19	p0429	N78-25627	#
CED-77-98	17	p0128	N78-12552	#	CONF-770955-3	19	p0460	N78-27556	#
CEEDO-TR-77-39	18	p0277	N78-20630	#	CONF-770955-4	19	p0461	N78-27576	#
CEL-CR-77.018	17	p0113	N78-10575	#	CONF-770956-2	19	p0448	N78-26599	#
CERL-IR-E-110	17	p0112	N78-10567	#	CONF-771024-3	19	p0392	N78-23249	#
CGR/DC-15/76	17	p0116	N78-10608	#	CONF-771029-32	19	p0416	N78-25335	#
CGR/DC-18/76-VOL-1	18	p0260	N78-18558	#	CONF-771029-119	19	p0467	N78-27927	#
CGR/DC-18/76-VOL-2	19	p0409	N78-24667	#	CONF-771029-121	19	p0467	N78-27924	#
CL-1976-16	19	p0450	N78-26644	#	CONF-771029-178	19	p0434	N78-25930	#
CN-ISSN-0082-5255	18	p0260	N78-18556	#	CONF-771029-191	19	p0434	N78-25923	#
COM-73-11582	19	p0433	N78-25661	#	CONF-771038-3	19	p0434	N78-25720	#
COM-74-10967	19	p0466	N78-27609	#	CONF-771038-4	19	p0434	N78-25719	#
COM-74-11103	19	p0465	N78-27601	#	CONF-771038-5	19	p0401	N78-23988	#
COM-74-11138	19	p0433	N78-25661	#	CONF-771070-1	19	p0411	N78-24695	#
CONF-760158-1	18	p0270	N78-19673	#	CONF-771092-5	19	p0415	N78-25250	#
CONF-760254	17	p0131	N78-13239	#	CONF-771098-1	19	p0452	N78-26933	#
CONF-761109-12	17	p0120	N78-11505	#	CONF-771109-55	19	p0391	N78-22915	#
CONF-761167-1	17	p0140	N78-13573	#	CONF-771113-13	19	p0466	N78-27637	#
CONF-761171-1	17	p0140	N78-13574	#	CONF-771120-21	19	p0464	N78-27592	#
CONF-761246-1	19	p0423	N78-25581	#	CONF-771131-2	19	p0461	N78-27568	#
CONF-770130-2	17	p0148	N78-14181	#	CONF-771131-3	19	p0446	N78-26583	#
CONF-770210-3	17	p0146	N78-13644	#	CONF-771131-4	19	p0460	N78-27558	#
CONF-770210-6	17	p0143	N78-13603	#	CONF-771132-3	19	p0467	N78-27922	#
CONF-770237-1	19	p0442	N78-26450	#	CONF-771145-2	19	p0393	N78-23440	#
CONF-770302-1	17	p0114	N78-10581	#	CONF-771201-6	19	p0410	N78-24685	#
CONF-770302-2	17	p0153	N78-14653	#	CONF-771203-7	19	p0464	N78-27595	#
CONF-770305-PT-1	17	p0139	N78-13568	#	CONF-771229-SUM	19	p0448	N78-26608	#
CONF-770305-PT-2	17	p0140	N78-13569	#	CONF-780109-3	19	p0446	N78-26585	#
CONF-770323-5	19	p0451	N78-26906	#	CONF-780114-2	19	p0444	N78-26567	#
CONF-770331-1	17	p0153	N78-14661	#	CONF-780209-1	19	p0456	N78-27500	#
CONF-770331-2	17	p0153	N78-14660	#	CONF-780216-2	19	p0446	N78-26584	#
CONF-770331-5	18	p0241	N78-16453	#	CONF-780305-6	19	p0431	N78-25646	#
CONF-770359-1	18	p0242	N78-16455	#	CONF-780311-1	19	p0467	N78-27791	#
CONF-770391	19	p0425	N78-25598	#	CONF-780413-1	19	p0460	N78-27561	#
CONF-770403-8	17	p0141	N78-13582	#					
CONF-770407-2	17	p0114	N78-10587	#					
CONF-770440-11	19	p0411	N78-24731	#					
CONF-770445-2	19	p0468	N78-27988	#					
CONF-770448-1	17	p0155	N78-14672	#					
CONF-770505-72	19	p0390	N78-22484	#					
CONF-770505-235	17	p0116	N78-10603	#					
CONF-770505-243	17	p0116	N78-10605	#					
CONF-770516-2	17	p0152	N78-14651	#					
CONF-770531-9	17	p0155	N78-14676	#					
CONF-770539-1	17	p0163	N78-15657	#					
CONF-770540-1	17	p0152	N78-14652	#					
CONF-770549-1	18	p0241	N78-16451	#					
CONF-770569-2	19	p0392	N78-23238	#					
CONF-770593	19	p0393	N78-23251	#					
CONF-770609-5	18	p0285	N78-21622	#					
CONF-770622-5	18	p0185	N78-25406	#					
CONF-770630-1	17	p0154	N78-14664	#					
CONF-770630-2	17	p0154	N78-14665	#					
CONF-770632	18	p0287	N78-21644	#					
CONF-770742-1	18	p0286	N78-21633	#					
CONF-770801-16	18	p0271	N78-19957	#					
CONF-770804-2	17	p0151	N78-14634	#					
CONF-770814-9	19	p0423	N78-25579	#					
CONF-770814-10	19	p0392	N78-23250	#					
CONF-770824-1	18	p0270	N78-19670	#					
CONF-770836-5	19	p0410	N78-24678	#					
CONF-770870-1	18	p0288	N78-21647	#					
CONF-770870-2	18	p0288	N78-21648	#					
CONF-770902-5	18	p0282	N78-21483	#					
CONF-770937-3	18	p0290	N78-21986	#					
CONF-770953-4	19	p0444	N78-26564	#					
CONF-770953-5	19	p0429	N78-25629	#					
CONF-770953-6	19	p0429	N78-25628	#					
CONF-770953-7	19	p0429	N78-25627	#					
CONF-770955-3	19	p0460	N78-27556	#					
CONF-770955-4	19	p0461	N78-27576	#					
CONF-770956-2	19	p0448	N78-26599	#					
CONF-771024-3	19	p0392	N78-23249	#					
CONF-771029-32	19	p0416	N78-25335	#					
CONF-771029-119	19	p0467	N78-27927	#					
CONF-771029-121	19	p0467	N78-27924	#					
CONF-771029-178	19	p0434	N78-25930	#					
CONF-771029-191	19	p0434	N78-25923	#					
CONF-771038-3	19	p0434	N78-25720	#					
CONF-771038-4	19	p0434	N78-25719	#					
CONF-771038-5	19	p0401	N78-23988	#					

REPORT/ACCESSION NUMBER INDEX

CONF-780503-5	19	p0460	N78-27562	*	COO-4129-3	19	p0410	N78-24680	*
CONF-7609135-1	17	p0154	N78-14662	*	COO-4207-14	19	p0418	N78-25510	*
CONF-7609156	19	p0436	N78-26226	*	COO-4207-15	19	p0413	N78-25226	*
CONF-7706100	19	p0398	N78-23585	*	COO-4210-1-SUMH	18	p0286	N78-21638	*
CONF-7710101-1	19	p0397	N78-23582	*	COO-4212-1/1-VOL-1	18	p0287	N78-21639	*
CONF-7710101-2	19	p0450	N78-26642	*	COO-4218-1/1-VOL-1	18	p0287	N78-21641	*
CONF-7710101-5	19	p0397	N78-23584	*	COO-4247-1	19	p0435	N78-25939	*
					COO-4339-1	19	p0427	N78-25612	*
CONS/0385-1	18	p0278	N78-20802**		CORR-75-2	17	p0145	N78-13632	*
CONS/0385-2	18	p0278	N78-20803**		CORR-76-2	17	p0145	N78-13631	*
CONS/0385-3	18	p0278	N78-20804**		CHREL-77-19	17	p0135	N78-13444	*
CONS/1002-3	18	p0268	N78-19656**		CSSP-4676-14	17	p0122	N78-11863	*
CONS/1011-1	18	p0262	N78-18988**		CTI-76-09497	17	p0156	N78-14684	*
CONS/1011-3	18	p0252	N78-17933**		CWJ1/C-640003-VOL-1	17	p0134	N78-13308	*
CONS/1011-4	18	p0245	N78-16928**		CWJ1/C-640003-VOL-2	17	p0134	N78-13309	*
CONS/1011-5	18	p0279	N78-21010**		CWJ1/C-640003-VOL-3	17	p0134	N78-13310	*
CONS/1011-6	18	p0253	N78-17940**		CWJ1/C-640003-VOL-4	17	p0134	N78-13311	*
CONS/1011-7	18	p0253	N78-17939**		CWJ1/C-640003-VOL-5-SUMH	17	p0134	N78-13312	*
CONS/1011-8	18	p0253	N78-17938**		DAC/PL-77/101	19	p0390	N78-22478	*
CONS/1011-9	18	p0252	N78-17934**		DES-77-7	17	p0124	N78-12247	*
CONS/1011-10	18	p0252	N78-17936**		DES-77-8	19	p0391	N78-22490	*
CONS/1011-12	18	p0237	N78-16053**		DES-77-8-VOL-1	19	p0390	N78-22487	*
CONS/1011-13	18	p0271	N78-20022**		DES-77-8-VOL-2	19	p0391	N78-22488	*
CONS/1011-14	19	p0443	N78-26551**		DGLR PAPER 77-011	18	p0179	A78-24405	*
CONS/1011-20	17	p0148	N78-14177**		DGLR PAPER 77-012	18	p0180	A78-24406	*
CONS/1011-21	18	p0252	N78-17937**		DGLR PAPER 77-041	18	p0180	A78-24430	*
CONS/1011-22	18	p0247	N78-17187**		DGLR PAPER 77-061	17	p0096	A78-18702	*
CONS/2103-1	18	p0245	N78-16932	*	DGLR PAPER 77-073	17	p0096	A78-18708	*
CONS/2103-2	18	p0246	N78-16935	*	DGLR PAPER 77-075	17	p0096	A78-18711	*
CONS/2103-3	18	p0246	N78-16934	*	DHEW/PUB/NIOSH-77/192	19	p0412	N78-24790	*
CONS/2103-4	18	p0245	N78-16933	*	DLR-FB-77-23	17	p0156	N78-14686	*
CONS/2103-6	18	p0245	N78-16931	*	DLR-FB-77-23	19	p0390	N78-22482	*
CONS/2114-2	17	p0114	N78-10583	*	DOC-76SDS4287-VOL-1	17	p0125	N78-12529**	
CONS/2693-1	19	p0415	N78-25242	*	DOC-77SDS4207	18	p0248	N78-17465**	
CONS/4396-1	19	p0392	N78-22970**		DOC-77SDS4243	18	p0240	N78-16438**	
CONS/9427-1	17	p0281	N78-21472**		DOC-78SDS4200	19	p0428	N78-25618	*
CONS/9698-1	17	p0130	N78-13209**		DOE-CONF-771148	18	p0265	N78-19616**	
COO-0003-8	18	p0280	N78-21316	*	DOE-TR-24	19	p0461	N78-27573	*
COO-0003-10	18	p0280	N78-21317	*	DOE-TR-35	19	p0455	N78-27440	*
COO-0004-1	19	p0423	N78-25573	*	DOE/AD-0006/1	19	p0463	N78-27586	*
COO-0020-8	19	p0427	N78-25607	*	DOE/CS-0023	19	p0460	N78-27560	*
COO-0029-1	19	p0394	N78-23539	*	DOE/ERRA-0031	19	p0397	N78-23580	*
COO-0039-5	18	p0244	N78-16494	*	DOE/ET-0001	19	p0434	N78-25920	*
COO-0056-4	18	p0273	N78-20473	*	DOE/ET-0002	19	p0401	N78-23900	*
COO-0066-2	19	p0448	N78-26610	*	DOE/ET-0002	19	p0437	N78-26227	*
COO-2446-8	17	p0160	N78-15570	*	DOE/EV-0002	18	p0264	N78-19614**	
COO-2566-30	19	p0463	N78-27585	*	DOE/JPL-1012-77/4	19	p0264	N78-19614**	
COO-2578-1-1	17	p0152	N78-14645	*	DOE/JPL-1012-77/6	19	p0387	N78-22184**	
COO-2578-1-2	17	p0152	N78-14646	*	DOE/JPL-1012-78/1-VOL-2	19	p0388	N78-22464**	
COO-2578-1-3	17	p0152	N78-14647	*	DOE/JPL-1060-78/1	18	p0264	N78-19615**	
COO-2597	18	p0285	N78-21624	*	DOE/JPL-1060-78/1	18	p0283	N78-21599**	
COO-2598-1	17	p0153	N78-14655	*	DOE/JPL-954376-78/1	19	p0406	N78-24630**	
COO-2616-2-PT-1	17	p0154	N78-14668	*	DOE/JPL-954431-78/1	19	p0406	N78-24622**	
COO-2616-2-PT-2	17	p0154	N78-14669	*	DOE/JPL-954559-78/1	19	p0406	N78-24637**	
COO-2619-1	18	p0288	N78-21651	*	DOE/JPL-954831-77/12	19	p0407	N78-24653**	
COO-2631-22	19	p0394	N78-23442	*	DOE/JPL-954853-78/1	19	p0407	N78-24650**	
COO-2641-3	19	p0447	N78-26591	*	DOE/JPL-954881-78-1	19	p0407	N78-24653**	
COO-2675-6	19	p0415	N78-25249	*	DOE/JPL-954886-78/1	19	p0408	N78-24656**	
COO-2688-76-13	17	p0143	N78-13606	*	DOE/NASA/1004-78/13	19	p0443	N78-26553**	
COO-2749-16	17	p0120	N78-11405	*	DOE/NASA/1011-78/23	19	p0387	N78-22243**	
COO-2749-17	17	p0135	N78-13455	*	DOE/NASA/1011-78/25	19	p0436	N78-26098**	
COO-2749-18	18	p0281	N78-21479	*	DOE/NASA/1011-78/26	19	p0405	N78-24616**	
COO-2839-1	17	p0114	N78-10579	*	DOE/NASA/1022-77/22	18	p0252	N78-17935**	
COO-2852-2	17	p0140	N78-13572	*	DOE/NASA/1022-77/24	18	p0271	N78-19710**	
COO-2865-6	17	p0142	N78-13592	*	DOE/NASA/1022-78/25	18	p0267	N78-19643**	
COO-2865-7	17	p0114	N78-10580	*	DOE/NASA/1022-78/29	18	p0268	N78-19644**	
COO-2888-3	19	p0405	N78-24618	*	DOE/NASA/1022-78/31	19	p0452	N78-26995**	
COO-2900-11	19	p0416	N78-25252	*	DOE/NASA/1022-78/32	19	p0443	N78-26547**	
COO-2908-1	17	p0141	N78-13584	*	DOE/NASA/1022-78/34	19	p0443	N78-26549**	
COO-2929-6	18	p0277	N78-20639	*	DOE/NASA/1022-78/35	19	p0421	N78-25551**	
COO-2930-4	17	p0152	N78-14648	*	DOE/NASA/1022-78/38	19	p0444	N78-26554**	
COO-2930-12	19	p0444	N78-26565	*	DOE/NASA/1022-78/40	19	p0443	N78-26550**	
COO-2938-77/1	17	p0153	N78-14654	*	DOE/NASA/1028-77/10	18	p0249	N78-17467**	
COO-2939	18	p0287	N78-21645	*	DOE/NASA/1028-77/13	18	p0249	N78-17466**	
COO-2939-3	19	p0441	N78-26402	*	DOE/NASA/1028-78/15	18	p0267	N78-19642**	
COO-2956-5	17	p0162	N78-15584	*	DOE/NASA/1028-78/16	19	p0395	N78-23556**	
COO-2983-3	17	p0157	N78-14952	*					
COO-2983-6	19	p0428	N78-25617	*					
COO-2991-17	18	p0280	N78-21321	*					
COO-2991-23	19	p0415	N78-25248	*					
COO-3056-20	17	p0120	N78-11504	*					
COO-3056-23	17	p0143	N78-13599**						
COO-3056-25	19	p0409	N78-24674**						
COO-3077-143	18	p0270	N78-19673	*					
COO-4010-2	17	p0141	N78-13579	*					
COO-4094-1	17	p0141	N78-13581	*					
COO-4094-3	17	p0161	N78-15578	*					
COO-4123-1	18	p0277	N78-20643	*					

REPORT/ACCESSION NUMBER INDEX

DOE/NASA/1028-78/17 19 p0395 N78-23558**
DOE/NASA/1028-78/18 19 p0443 N78-26552**
DOE/NASA/3132-78/1 18 p0274 N78-20603**
DOE/NASA/9404-76/1 19 p0395 N78-23559**
DOE/NASA/9404-76/2 19 p0395 N78-23560**
DOE/NSEP/19137-77/3 19 p0435 N78-25982**

DOT-HS-803-183 18 p0280 N78-21314 #
DOT-HS-803-184 18 p0280 N78-21315 #

DOT-TSC-OST-74-38 17 p0123 N78-12243 #
DOT-TSC-OST-77-6 19 p0404 N78-24564 #
DOT-TSC-OST-77-23-1-VOL-1 19 p0464 N78-27596 #
DOT-TSC-OST-77-23-2-VOL-2 19 p0464 N78-27597 #
DOT-TSC-OST-77-23-3-VOL-3 19 p0464 N78-27598 #
DOT-TSC-OST-77-23-4-VOL-4 19 p0465 N78-27599 #
DOT-TSC-OST-77-31 17 p0123 N78-12243 #
DOT-TSC-OST-77-48 18 p0254 N78-18437 #
DOT-TSC-OST-77-49 18 p0254 N78-18438 #
DOT-TSC-OST-77-50 18 p0254 N78-18439 #
DOT-TSC-OST-77-51 18 p0254 N78-18440 #

DOT-TSC-UMTA-77-6-1 17 p0109 N78-10483 #
DOT-TSC-UMTA-77-6-2 17 p0110 N78-10484 #
DOT-TSC-UMTA-77-6-3 17 p0110 N78-10485 #
DOT-TSC-UMTA-77-6-4 17 p0110 N78-10486 #
DOT-TSC-UMTA-77-15 17 p0149 N78-14426 #

DOT-TST-77-31 17 p0123 N78-11894 #
DOT-TST-77-47 17 p0147 N78-13970 #

DOT/TPI/20-77/21-1-PT-1 17 p0129 N78-12910 #
DOT/TPI/20-77/21-2-PT-2 17 p0129 N78-12909 #

DOW/SRPR-16 19 p0432 N78-25649 #
DOW/SRPR-19 19 p0432 N78-25652 #

DSE/115-1 17 p0113 N78-10576 #
DSE/1963-1 19 p0431 N78-25641 #
DSE/2426-8 17 p0153 N78-14658 #
DSE/2426-12 18 p0242 N78-16454 #
DSE/2521-1 17 p0152 N78-14650 #
DSE/4017-1 19 p0445 N78-26568 #

DTN-73-7 18 p0238 N78-16327**

D180-20689-1-PT-1-VOL-1 17 p0129 N78-13099**
D180-20689-2-PT-1-VOL-2 17 p0129 N78-13100**
D180-20689-4-PT-1-VOL-4 17 p0130 N78-13102**
D180-20689-5-PT-1-VOL-5 17 p0130 N78-13103**
D180-22876-1-PT-1-VOL-1 18 p0272 N78-20162**
D180-22876-1-PT-2-VOL-1 18 p0272 N78-20162**
D180-22876-2-PT-1-VOL-2 18 p0271 N78-20156**
D180-22876-2-PT-2-VOL-2 18 p0271 N78-20156**
D180-22876-3-PT-2-VOL-3 18 p0271 N78-20157**
D180-22876-4-PT-2-VOL-4 18 p0271 N78-20158**
D180-22876-5-PT-2-VOL-5 18 p0271 N78-20159**
D180-22876-6-PT-2-VOL-6 18 p0271 N78-20160**
D180-22876-7-VOL-7 18 p0271 N78-20161**
D180-22876-8-PT-2-VOL-8 18 p0272 N78-20163**
D180-24071-3-PT-3 18 p0272 N78-20164**

E-8596 19 p0408 N78-24659**
E-8964 18 p0237 N78-16053**
E-9195 18 p0273 N78-20512**
E-9262 17 p0118 N78-11063**
E-9276 17 p0158 N78-15229**
E-9308 18 p0262 N78-18988**
E-9310 17 p0150 N78-14628**
E-9336 17 p0129 N78-13056**
E-9349 17 p0148 N78-14177**
E-9353 17 p0150 N78-14629**
E-9354 18 p0268 N78-19656**
E-9356 18 p0247 N78-17187**
E-9358 17 p0150 N78-14630**
E-9375 17 p0159 N78-15562**
E-9383 18 p0252 N78-17933**
E-9409 18 p0250 N78-17486**
E-9416 17 p0130 N78-13233**
E-9422 18 p0249 N78-17466**
E-9431 17 p0147 N78-13890**
E-9434 18 p0245 N78-16928**
E-9438 18 p0252 N78-17937**
E-9442 18 p0252 N78-17934**
E-9449 18 p0252 N78-17921**
E-9450 18 p0249 N78-17467**
E-9452 18 p0252 N78-17935**
E-9469 18 p0253 N78-17938**
E-9470 18 p0252 N78-17936**

E-9480 19 p0436 N78-26098**
E-9481 18 p0253 N78-17939**
E-9482 18 p0271 N78-20022**
E-9483 18 p0253 N78-17940**
E-9485 18 p0279 N78-21010**
E-9492 18 p0271 N78-19710**
E-9496 18 p0267 N78-19642**
E-9503 18 p0281 N78-21441**
E-9510 18 p0267 N78-19643**
E-9517-1 19 p0436 N78-26145**
E-9518 18 p0265 N78-19616**
E-9524 18 p0283 N78-21596**
E-9537 19 p0393 N78-23384**
E-9566 18 p0268 N78-19644**
E-9567 19 p0395 N78-23557**
E-9575 19 p0395 N78-23558**
E-9577 19 p0395 N78-23556**
E-9585 19 p0387 N78-22243**
E-9596 19 p0403 N78-24370**
E-9597 19 p0402 N78-24369**
E-9604 19 p0443 N78-26551**
E-9637 19 p0405 N78-24616**
E-9638 19 p0442 N78-26542**
E-9639 19 p0452 N78-26955**
E-9646 19 p0443 N78-26543**
E-9652 19 p0443 N78-26552**
E-9654 19 p0443 N78-26553**
E-9661 19 p0443 N78-26547**
E-9663 19 p0443 N78-26549**
E-9664 19 p0421 N78-25551**
E-9679 19 p0444 N78-26554**
E-9685 19 p0443 N78-26550**
E-9695 19 p0441 N78-26390**
E-9705 19 p0454 N78-27174**
E-9708 19 p0458 N78-27539**
E-9719 19 p0454 N78-27127**

ECOM-72-0288-F 17 p0112 N78-10568 #

ECOM-77-195-1 19 p0412 N78-25003**

EDA-77-0113 17 p0127 N78-12549 #
EDA-78-016 19 p0390 N78-22483 #
EDA-78-056 19 p0449 N78-26616 #
EDA-78-057 19 p0449 N78-26617 #
EDA-78-058 19 p0449 N78-26618 #

EDA/OBR-78/006 19 p0468 N78-28015 #

EDM-1028 18 p0284 N78-21607 #

EDF/F-01(77) 19 p0411 N78-24694 #

EHD-77-6 17 p0115 N78-10590 #
EHD-77-23 17 p0126 N78-12533 #
EHD-77-48 17 p0127 N78-12548 #
EHD-77-48 19 p0396 N78-23566 #
EHD-77-51 17 p0110 N78-10550 #
EHD-78-2 18 p0276 N78-20627 #
EHD-78-10 18 p0280 N78-21313 #
EHD-78-24 18 p0276 N78-20625 #
EHD-78-27 19 p0400 N78-23605 #

EPA-340/1-77-013 17 p0117 N78-10636 #
EPA-340/1-77-022 18 p0270 N78-19683 #
EPA-450/2-76-016-VOL-2 19 p0450 N78-26648 #
EPA-450/2-76-030B 19 p0466 N78-27621 #
EPA-450/2-77-036 19 p0391 N78-22500 #
EPA-450/2-78-012 19 p0466 N78-27623 #
EPA-450/3-77-017A-VOL-1 17 p0115 N78-10596 #
EPA-450/3-77-017B-VOL-2 17 p0116 N78-10597 #
EPA-450/3-77-017C-VOL-3 17 p0116 N78-10598 #
EPA-450/3-77-044 18 p0261 N78-18566 #
EPA-460/3-76-019 17 p0117 N78-10622 #
EPA-460/3-77-012A 19 p0393 N78-23261 #
EPA-600/2-77-025 17 p0121 N78-11526 #
EPA-600/2-77-091 17 p0147 N78-13967 #
EPA-600/2-77-129 18 p0251 N78-17505 #
EPA-600/2-77-147 17 p0148 N78-14182 #
EPA-600/2-77-206 18 p0260 N78-18565 #
EPA-600/2-77-214 19 p0401 N78-24003 #
EPA-600/3-77-109B 18 p0244 N78-16483 #
EPA-600/4-77-039 17 p0163 N78-15957 #
EPA-600/7-77-031 17 p0124 N78-12246 #
EPA-600/7-77-040 17 p0122 N78-11892 #
EPA-600/7-77-057 17 p0117 N78-10631 #
EPA-600/7-77-062 17 p0162 N78-15588 #
EPA-600/7-77-065 17 p0128 N78-12556 #
EPA-600/7-77-068 17 p0159 N78-15552 #

REPORT/ACCESSION NUMBER INDEX

EPA-600/7-77-072A-VOL-1	17	p0144	N78-13616	#	ERDA-31-109-38-2962-TR-2	17	p0143	N78-13597	#
EPA-600/7-77-072B-VOL-2	17	p0144	N78-13617	#	ERDA-77-15/2-VOL-2-APP	17	p0127	N78-12543	#
EPA-600/7-77-072C-VOL-3	17	p0144	N78-13618	#	ERDA-77-33	17	p0127	N78-12544	#
EPA-600/7-77-072D-VOL-4	17	p0144	N78-13619	#	ERDA-77-47/1	17	p0155	N78-14680	#
EPA-600/7-77-073E	18	p0261	N78-18590	#	ERDA-77-47/3	17	p0142	N78-13593	#
EPA-600/7-77-084	18	p0289	N78-21667	#	ERDA-77-47/4	17	p0156	N78-14681	#
EPA-600/7-77-085	18	p0243	N78-16468	#	ERDA-77-47/5	17	p0113	N78-10577	#
EPA-600/7-77-086	18	p0243	N78-16465	#	ERDA-77-47/6	17	p0156	N78-14682	#
EPA-600/7-77-087	17	p0162	N78-15589	#	ERDA-77-47/7	17	p0120	N78-11506	#
EPA-600/7-77-091	17	p0163	N78-15956	#	ERDA-77-47/8	17	p0156	N78-14683	#
EPA-600/7-77-094A	17	p0163	N78-15607	#	ERDA-77-51	18	p0241	N78-16446	#
EPA-600/7-77-101	18	p0244	N78-16476	#	ERDA-77-62	17	p0142	N78-13585	#
EPA-600/7-77-104	17	p0163	N78-15606	#	ERDA-77-70	19	p0424	N78-25582	#
EPA-600/7-77-106	19	p0450	N78-26645	#	ERDA-77-74	18	p0270	N78-19671	#
EPA-600/7-77-110	17	p0163	N78-15605	#	ERDA-77-79	19	p0463	N78-27589	#
EPA-600/7-77-132	19	p0391	N78-22497	#	ERDA-77-90	19	p0463	N78-27588	#
EPA-600/7-77-138	19	p0399	N78-23604	#	ERDA-77-91	19	p0463	N78-27587	#
EPA-600/7-77-142	18	p0281	N78-21325	#	ERDA-77-104/1-VOL-1	19	p0466	N78-27635	#
EPA-600/7-78-001	19	p0452	N78-26998	#	ERDA-77-104/2-VOL-2	19	p0466	N78-27636	#
EPA-600/7-78-019	19	p0451	N78-26654	#	ERDA-79	17	p0145	N78-13620	#
EPA-600/7-78-022	19	p0465	N78-27608	#	ERDA-1547-VOL-1	19	p0415	N78-25245	#
EPA-600/7-78-025	19	p0450	N78-26646	#					
EPA-600/7-78-032B	19	p0467	N78-27659	#	ERDA/JPL-954343-78/1	19	p0396	N78-23561**	
EPA-600/7-78-033	19	p0467	N78-27661	#	ERDA/JPL-954356-77/3	18	p0248	N78-17464**	
EPA-600/7-78-051A	19	p0466	N78-27622	#	ERDA/JPL-954356-77/4	19	p0406	N78-24627**	
EPA-600/8-77-020A	19	p0391	N78-22495	#	ERDA/JPL-954363-77/1	18	p0255	N78-18516**	
EPA-600/9-77-010	17	p0156	N78-14687	#	ERDA/JPL-954374-77/4	19	p0406	N78-24629**	
EPA-600/9-77-013	18	p0261	N78-18587	#	ERDA/JPL-954376-77/4	18	p0240	N78-16937**	
EPA-600/9-77-019	18	p0289	N78-21661	#	ERDA/JPL-954405-77/7	19	p0396	N78-23562**	
EPA-600/9-77-025	19	p0433	N78-25678	#	ERDA/JPL-954506-77/3	18	p0255	N78-18517**	
EPA-908/4-77-007	19	p0442	N78-26529	#	ERDA/JPL-954527-77/4	19	p0406	N78-24636**	
EPA-908/4-77-008	19	p0465	N78-27607	#	ERDA/JPL-954529-77/3	19	p0407	N78-24640**	
EPA-910/9-77-044	17	p0147	N78-13657	#	ERDA/JPL-954606-77/2	18	p0255	N78-18519**	
					ERDA/JPL-954606-77/3	19	p0407	N78-24642**	
EPA/SW-144C	17	p0157	N78-14951	#	ERDA/JPL-954606-77/4	19	p0407	N78-24643**	
EPRI-AF-444	19	p0427	N78-25608	#	ERDA/JPL-954654-77/3	19	p0396	N78-23563**	
EPRI-AF-608	19	p0430	N78-25639	#	ERDA/JPL-954751-78/1	19	p0396	N78-23565**	
					ERDA/JPL-954800-77/2.1	19	p0412	N78-24974**	
EPRI-EA-407	19	p0462	N78-27583	#	ERDA/NASA-1022/77/17	17	p0150	N78-14628**	
EPRI-EA-411-VOL-1	17	p0142	N78-13589	#	ERDA/NASA-1022/77/19	17	p0157	N78-15059**	
EPRI-EA-411-VOL-2	17	p0142	N78-13590	#	ERDA/NASA-1022/77/20	17	p0150	N78-14629**	
EPRI-EA-418	17	p0146	N78-13645	#	ERDA/NASA-1022/77/21	17	p0150	N78-14630**	
EPRI-EA-421-VOL-1	19	p0400	N78-23614	#	ERDA/NASA-1028/77/9	17	p0159	N78-15563**	
EPRI-EA-433-VOL-1	18	p0286	N78-21637	#	ERDA/NASA-1028/77/12	18	p0240	N78-16934**	
EPRI-EA-433-VOL-2	17	p0140	N78-13575	#	ERDA/NASA-1060/77/1	17	p0159	N78-15562**	
EPRI-EA-462	17	p0155	N78-14675	#	ERDA/NASA-9403/76/1-VOL-1	17	p0125	N78-15229**	
EPRI-EA-578-SR	19	p0425	N78-25598	#	ERDA/NASA-9403/76/2-VOL-2	18	p0248	N78-17462**	
EPRI-EA-580	19	p0425	N78-25596	#	ERDA/NASA-9403/76/3-VOL-3	18	p0248	N78-17463**	
EPRI-EA-592	19	p0449	N78-26612	#	ERDA/NSP-00033/76/VI	19	p0409	N78-24677	#
EPRI-EA-593	19	p0445	N78-26570	#	ERDA/NSP-43441/76/1	19	p0410	N78-24681	#
EPRI-EA-707-SY	19	p0461	N78-27572	#	ERG-018	18	p0284	N78-21608	#
					ERHQ-0008	18	p0279	N78-21016	#
EPRI-EM-256-VOL-2	17	p0162	N78-15586	#	ERHQ-0015	18	p0280	N78-21318	#
EPRI-EM-256-VOL-3	17	p0162	N78-15587	#					
EPRI-EM-256-VOL-4	18	p0242	N78-16462	#	ERT-P-1839	18	p0244	N78-16476	#
EPRI-EM-319-VOL-1	17	p0139	N78-13567	#					
EPRI-EM-319-VOL-3-APP-B	17	p0139	N78-13565	#	ESA-CR(P)-972-VOL-1	17	p0134	N78-13308	#
EPRI-EM-319-VOL-3-APP-C	17	p0139	N78-13565	#	ESA-CR(P)-972-VOL-2	17	p0134	N78-13309	#
EPRI-EM-319-VOL-3-APP-D	17	p0139	N78-13565	#	ESA-CR(P)-972-VOL-3	17	p0134	N78-13310	#
EPRI-EM-505	19	p0423	N78-25578	#	ESA-CR(P)-972-VOL-4	17	p0134	N78-13311	#
EPRI-EM-576	19	p0459	N78-27553	#	ESA-CR(P)-972-VOL-5-SUMM	17	p0134	N78-13312	#
					ESA-CR(P)-997	17	p0135	N78-13398	#
EPRI-ER-352	18	p0286	N78-21630	#	ESA-CR(P)-1002	19	p0404	N78-24511	#
EPRI-ER-429-SR-PT-A	18	p0290	N78-21927	#	ESA-CR(P)-1016	19	p0411	N78-24688	#
EPRI-ER-429-SR-PT-B	18	p0290	N78-21927	#					
EPRI-ER-429-SR-PT-C	18	p0290	N78-21927	#	ESA-TT-432	19	p0390	N78-22482	#
EPRI-ER-434(6-77)	18	p0241	N78-16452	#					
EPRI-ER-439-SR	17	p0131	N78-13239	#	EVAP-76-3	17	p0145	N78-13633	#
EPRI-ER-476	19	p0430	N78-25633	#					
EPRI-ER-478	18	p0242	N78-16460	#	EVC PAPER 7747	17	p0086	A78-16935	#
EPRI-ER-581	19	p0435	N78-25938	#	EVC PAPER 7750	17	p0085	A78-16927	#
EPRI-ER-589-SR	19	p0447	N78-26592	#	EVC PAPER 7751	17	p0086	A78-16940	#
EPRI-ER-594	19	p0459	N78-27548	#	EVC PAPER 7752	17	p0086	A78-16931	#
EPRI-ER-625	19	p0468	N78-27934	#	EVC PAPER 7753	17	p0086	A78-16941	#
EPRI-ER-633	19	p0461	N78-27567	#	EVC PAPER 7755	17	p0085	A78-16926	#
EPRI-ER-635-VOL-2	19	p0462	N78-27578	#	EVC PAPER 7756	17	p0086	A78-16934	#
					EVC PAPER 7780	17	p0086	A78-16930	#
EPRI-FP-539	19	p0445	N78-26574	#	EVC PAPER 7781	17	p0086	A78-16933	#
EPRI-FP-628	19	p0437	N78-26232	#	EVC PAPER 7782	17	p0085	A78-16928	#
EPRI-PS-455-SR	17	p0155	N78-14674	#	EXION/GRU.1KWC.77	19	p0414	N78-25240	#
EPRI-255-TR-2	17	p0143	N78-13597	#	EXION/GRU.3PEA.77-VOL-3	19	p0414	N78-25239	#
EPRI-472-1	17	p0147	N78-13903	#					
ERC-0123-P	17	p0126	N78-12531	#	E78-10032	17	p0125	N78-12506**	
ERC-7396-4	17	p0112	N78-10566	#	E78-10092	18	p0263	N78-19570**	
					E78-10099	18	p0273	N78-20567**	
					E78-10111	18	p0282	N78-21516**	
					E78-10121	19	p0394	N78-23498**	

REPORT/ACCESSION NUMBER INDEX

E78-10122 19 p0387 N78-22435**
 E78-10123 19 p0394 N78-23499**
 E78-10124 19 p0394 N78-23500**
 E78-10152 19 p0455 N78-27482**

 F+W-FO-1378 19 p0404 N78-24511 *

 FE-496-138 19 p0410 N78-24679 *
 FE-1207-29 18 p0241 N78-16447 *
 FE-1216-2 19 p0445 N78-26572 *
 FE-1513-64 19 p0409 N78-24675 *
 FE-1513-69 19 p0426 N78-25600 *
 FE-1521-31 19 p0426 N78-25601 *
 FE-1521-33 19 p0426 N78-25602 *
 FE-1534-49 18 p0280 N78-21320 *
 FE-1545-38 19 p0431 N78-25648 *
 FE-1775-8 17 p0161 N78-15575 *
 FE-1806-6 17 p0124 N78-12425 *
 FE-2015-16-VOL-4 19 p0455 N78-27447 *
 FE-2018-5 17 p0130 N78-13175 *
 FE-2035-10 19 p0452 N78-26962 *
 FE-2047-2 17 p0160 N78-15571 *
 FE-2203-16 18 p0280 N78-21319 *
 FE-2205-8 19 p0433 N78-25671 *
 FE-2210-20 19 p0417 N78-25376 *
 FE-2229-5 19 p0398 N78-23589 *
 FE-2246-3-REV-A 19 p0446 N78-26581 *
 FE-2248-15 19 p0436 N78-26217 *
 FE-2253-5 19 p0427 N78-25609 *
 FE-2254-5 19 p0441 N78-26398 *
 FE-2275-4 19 p0390 N78-22480 *
 FE-2276-20 19 p0454 N78-27289 *
 FE-2286-21 19 p0398 N78-23591 *
 FE-2290-18 17 p0148 N78-14419 *
 FE-2290-19 17 p0149 N78-14420 *
 FE-2290-21 17 p0149 N78-14421 *
 FE-2290-26 18 p0282 N78-21480 *
 FE-2291-18-BK-2 19 p0417 N78-25442 *
 FE-2307-17 19 p0403 N78-24382 *
 FE-2341-1 18 p0245 N78-16874 *
 FE-2343-1 19 p0459 N78-27550 *
 FE-2346-16 19 p0432 N78-25649 *
 FE-2346-19 19 p0432 N78-25652 *
 FE-2352-03 18 p0286 N78-21632 *
 FE-2355-2-REV-D 19 p0394 N78-23441 *
 FE-2357-19 19 p0464 N78-27593 *
 FE-2435-12 19 p0416 N78-25254 *
 FE-2442-1 17 p0155 N78-14679 *
 FE-2447-12 19 p0415 N78-25251 *
 FE-2461-5 19 p0436 N78-26190 *
 FE-2478-4-REV-A 19 p0422 N78-25566 *
 FE-2490-8 18 p0272 N78-20356 *
 FE-2518-4 19 p0415 N78-25244 *
 FE-2519-1 19 p0447 N78-26596 *
 FE-2600-1 19 p0402 N78-24325 *
 FE-2600-2 19 p0402 N78-24326 *
 FE-2660-1 19 p0397 N78-23581 *
 FE-2664-3 19 p0454 N78-27279 *
 FE-2893-6 19 p0459 N78-27549 *
 FE-6010-9 19 p0441 N78-26380 *
 FE-6010-11 19 p0426 N78-25603 *

 FEA-76-8-7 17 p0128 N78-12550 *
 FEA-76/2-DRAFT-SUPPL 18 p0237 N78-16198 *
 FEA-77-8-6 18 p0253 N78-17944 *

 FEA/B-77/167 17 p0139 N78-13558 *
 FEA/E-77/224 17 p0115 N78-10592 *
 FEA/B-77/371 18 p0243 N78-16467 *
 FEA/D-76/470-VOL-1 17 p0143 N78-13609 *
 FEA/D-76/471-VOL-2 17 p0143 N78-13610 *
 FEA/D-76/472-VOL-3 17 p0144 N78-13611 *
 FEA/D-76/473-VOL-4 17 p0144 N78-13612 *
 FEA/D-76/475-VOL-6 17 p0144 N78-13613 *
 FEA/D-77/187 17 p0115 N78-10591 *
 FEA/D-77/380 18 p0243 N78-16466 *
 FEA/G-77/059 18 p0282 N78-21580 *
 FEA/G-77/101 17 p0116 N78-10602 *
 FEA/G-77/235 17 p0124 N78-12244 *
 FEA/G-77/270 17 p0128 N78-12551 *
 FEA/G-77/282-VOL-1 18 p0243 N78-16469 *
 FEA/G-77/283-VOL-2 18 p0243 N78-16470 *
 FEA/G-77/356-VOL-1 18 p0238 N78-16413 *
 FEA/G-77/357-VOL-2 19 p0398 N78-23588 *
 FEA/G-77/357-VOL-2-APP 18 p0238 N78-16414 *
 FEA/G-77/362 18 p0243 N78-16471 *
 FEA/B-77/183 17 p0116 N78-10600 *
 FEA/H-77/223 17 p0115 N78-10593 *
 FEA/H-77/278 17 p0115 N78-10595 *

FEA/H-77/279 17 p0115 N78-10594 *
 FEA/H-77/280 17 p0113 N78-10574 *
 FEA/H-77/333 17 p0124 N78-12247 *
 FEA/H-77/369 18 p0251 N78-17490 *
 FEA/N-76/414-VOL-4 17 p0139 N78-13559 *
 FEA/N-76/420-VOL-10 17 p0127 N78-12541 *
 FEA/N-76/421 17 p0126 N78-12540 *
 FEA/S-77/129-SUPPL 17 p0119 N78-11254 *
 FEA/S-77/211-SUPPL 17 p0119 N78-11256 *
 FEA/S-77/214 17 p0119 N78-11255 *
 FEA/S-77/323-VOL-1 19 p0390 N78-22487 *
 FEA/S-77/323-VOL-2 19 p0391 N78-22488 *
 FEA/S-77/323-VOL-4 19 p0391 N78-22490 *
 FEA/S-77/324 19 p0387 N78-22439 *
 FEA/S-77/329 18 p0237 N78-16198 *
 FEA/S-77/359 18 p0260 N78-18564 *
 FEA/W-77/115 17 p0116 N78-10599 *

 FES-76-5-SUPPL 17 p0119 N78-11254 *
 FES-77-2 19 p0387 N78-22439 *
 FES-77-4 18 p0251 N78-17490 *

 FF-1795-3-PT-2-REV 19 p0433 N78-25674 *

 FHWA-RD-77-56 17 p0129 N78-12907 *
 FHWA-RD-77-136 19 p0451 N78-26657 *

 PJSRL-TR-77-0004-PT-2 17 p0120 N78-11502 *

 FSEC-76-3 17 p0128 N78-12551 *

 FWS/OBS-76/52 19 p0449 N78-26620 *
 FWS/OBS-77/33 18 p0273 N78-20597 *

 F3437-QR-106 18 p0263 N78-19603**
 F3437-QR-108 19 p0388 N78-22467**

 GA-A-14160 18 p0277 N78-20645 *
 GA-A-14209-REV 17 p0141 N78-13583 *
 GA-A-14317 17 p0152 N78-14652 *
 GA-A-14484 18 p0270 N78-19670 *
 GA-A-14778 19 p0446 N78-26576 *

 GCA-TR-75-17-G 18 p0289 N78-21667 *

 GE-SD-76SDS4288-VOL-2 18 p0248 N78-17462**

 GJBX-69 (77) 19 p0400 N78-23666 *
 GJBX-74 (77) 19 p0391 N78-22534 *

 GNR-2690-PT-1.1 19 p0437 N78-26237 *
 GNR-2690-PT-1.2 19 p0437 N78-26250 *
 GNR-2690-PT-2 19 p0438 N78-26262 *
 GNR-2690-PT-6 19 p0439 N78-26318 *
 GNR-2690-PT-7 19 p0440 N78-26326 *
 GNR-2690-SECT-1.108 19 p0437 N78-26245 *
 GNR-2690-SECT-1.110 19 p0437 N78-26247 *
 GNR-2690-SECT-1.112 19 p0437 N78-26249 *
 GNR-2690-SECT-1.201 19 p0437 N78-26251 *
 GNR-2690-SECT-1.202 19 p0437 N78-26252 *
 GNR-2690-SECT-1.203 19 p0438 N78-26253 *
 GNR-2690-SECT-1.204 19 p0438 N78-26254 *
 GNR-2690-SECT-1.206 19 p0438 N78-26256 *
 GNR-2690-SECT-1.207 19 p0438 N78-26257 *
 GNR-2690-SECT-1.208 19 p0438 N78-26258 *
 GNR-2690-SECT-3.101 19 p0438 N78-26285 *
 GNR-2690-SECT-3.102 19 p0438 N78-26286 *
 GNR-2690-SECT-3.105 19 p0439 N78-26289 *
 GNR-2690-SECT-3.204 19 p0439 N78-26294 *
 GNR-2690-SECT-6.001 19 p0439 N78-26319 *
 GNR-2690-SECT-6.002 19 p0439 N78-26320 *
 GNR-2690-SECT-6.003 19 p0439 N78-26321 *
 GNR-2690-SECT-6.004 19 p0439 N78-26322 *
 GNR-2690-SECT-6.005 19 p0439 N78-26323 *
 GNR-2690-SECT-6.006 19 p0440 N78-26324 *
 GNR-2690-SECT-7.103 19 p0440 N78-26329 *
 GNR-2690-SECT-7.104 19 p0440 N78-26330 *
 GNR-2690-SECT-7.106 19 p0440 N78-26332 *
 GNR-2690-SECT-7.107 19 p0440 N78-26333 *
 GNR-2690-SECT-7.108 19 p0440 N78-26334 *
 GNR-2690-SECT-7.109 19 p0440 N78-26335 *
 GNR-2690-SECT-7.110 19 p0441 N78-26336 *
 GNR-2690-SECT-7.111 19 p0441 N78-26337 *

 GPO-89-006 19 p0392 N78-22968 *
 GPO-91-295 18 p0239 N78-16429 *
 GPC-91-909 18 p0239 N78-16430 *
 GPO-92-462 19 p0413 N78-25006 *

REPORT/ACCESSION NUMBER INDEX

GPO-93-188	19	p0412	N78-25002	*
GPO-93-800	19	p0408	N78-24661	*
GPO-93-810	18	p0284	N78-21613	*
GPO-94-275	19	p0397	N78-23569	*
GPO-94-365	18	p0284	N78-21610	*
GPO-94-843	19	p0401	N78-23992	*
GPO-94-910	19	p0408	N78-24662	*
GPO-95-110	19	p0404	N78-24601	*
GPO-96-231	19	p0412	N78-25000	*
GPO-97-013	19	p0405	N78-24619	*
GPO-97-394	19	p0397	N78-23570	*
GPO-98-577	19	p0412	N78-25001	*
GPO-98-932	18	p0252	N78-17932	*
H-REPT-95-589	19	p0392	N78-22968	*
HCP/B70258-01	19	p0416	N78-25253	*
HCP/I60901-01	19	p0461	N78-27575	*
HCP/L4965-0001	18	p0260	N78-18562	*
HCP/L50172-01	19	p0452	N78-27005	*
HCP/L50172-02	19	p0453	N78-27006	*
HCP/M2534	19	p0463	N78-27584	*
HCP/M2534-02	19	p0428	N78-25615	*
HCP/N3879-VOL-1	19	p0398	N78-23594	*
HCP/N3879-1-VOL-2	19	p0399	N78-23595	*
HCP/N3879-0003	19	p0399	N78-23596	*
HCP/T1216-0001	19	p0446	N78-26578	*
HCP/T2947-1	19	p0461	N78-27570	*
HEDL-SA-1191-REV	19	p0442	N78-26450	*
HONEYWELL-QR-7	19	p0406	N78-24627*	
HTL-13	17	p0153	N78-14657	*
IA-1327	17	p0114	N78-10582	*
IAEA-CN-36/53	17	p0116	N78-10605	*
IAEA-CN-36/448	19	p0390	N78-22484	*
IAEA-CN-36/581	17	p0116	N78-10603	*
IAP PAPER 77-72	17	p0080	A78-15930	
IBM-76W-0060	18	p0274	N78-20604**	
IBM-76W-0122	18	p0250	N78-17483**	
IBM-77W-0008-REV	18	p0268	N78-19645**	
IBM-77W-0061	18	p0256	N78-18527**	
IBM-78W-0003	18	p0263	N78-19604**	
IBM-78W-0005	19	p0421	N78-25552**	
IBM-78W-00009	18	p0263	N78-19602**	
IBM-7933252	18	p0283	N78-21595**	
IBM-7933447	18	p0250	N78-17484**	
IBM-7933656	18	p0268	N78-19649**	
ID-78-4	18	p0284	N78-21619	*
IEEE PAPER A 77 816-2	17	p0071	A78-14077*	
IEEE PAPER F 77 672-9	18	p0219	A78-30195*	
IEEE PAPER F 77 675-2	18	p0219	A78-30196*	
IEEE PAPER F 77 679-4	18	p0219	A78-30197	
IIASA-PP-77-1	17	p0123	N78-11896	*
IIASA-PP-77-9	19	p0399	N78-23600	*
IIASA-RN-77-4	17	p0122	N78-11864	*
IIASA-RN-77-23	19	p0423	N78-25581	*
IIASA-RN-77-42	19	p0399	N78-23601	*
IIASA-RN-77-3	17	p0121	N78-11511	*
IIASA-RN-77-8	18	p0278	N78-20941	*
IEEQ-77/08	17	p0146	N78-13650	*
ILLDOE-77/08	18	p0277	N78-20648	*
ILLDOE-77/13	19	p0465	N78-27606	*
ILLDOE-77/14	19	p0465	N78-27605	*
ILR-20	19	p0392	N78-23072	*
IMHR28-PD17-77	17	p0130	N78-13237	*
IMHR29-PD18-77	18	p0260	N78-18560	*
INPE-1129-TPT/070	17	p0149	N78-14610	*
IPPJ-T-30	18	p0240	N78-16436	*
IPR-4	19	p0422	N78-25562	*
IR-4	17	p0161	N78-15575	*
IS-M-83	17	p0120	N78-11505	*
IS-M-124	19	p0466	N78-27637	*
ISBN-0-626-04348-4	19	p0402	N78-24366	*
ISBN-0-669-01441-9	18	p0261	N78-18568	*
ISBN-0-8218-0121-X	19	p0449	N78-26619	*
ISBN-0-356240-70-2	17	p0120	N78-11505	*
ISBN-2-7170-0450-5	19	p0401	N78-24128	*
ISBN-2-7170-0453-X	19	p0402	N78-24131	*
ISBN-3-7983-0588-9	19	p0392	N78-23072	*
ISBN-82-595-0813-3	17	p0122	N78-11535	*
ISS-P-77/2	19	p0399	N78-23599	*
ISO-PRI-AMES-77314	17	p0153	N78-14657	*
JACKPAU-77-173-1	17	p0115	N78-10592	*
JOB-2175-3	17	p0127	N78-12549	*
JPL-PUB-77-47	18	p0264	N78-19613**	
JPL-PUB-77-49	18	p0264	N78-19612**	
JPL-PUB-77-54	17	p0124	N78-12419**	
JPL-PUB-77-55	17	p0131	N78-13241**	
JPL-PUB-77-56	17	p0160	N78-15566**	
JPL-PUB-77-59-VOL-1	17	p0128	N78-12823**	
JPL-PUB-77-59-VOL-2	17	p0128	N78-12824**	
JPL-PUB-77-63	18	p0256	N78-18528**	
JPL-PUB-77-69	18	p0261	N78-18897**	
JPL-PUB-77-76	18	p0264	N78-19611**	
JPL-PUB-77-77	18	p0264	N78-19610**	
JPL-PUB-77-78	17	p0160	N78-15567**	
JPL-PUB-77-79	17	p0160	N78-15568**	
JPL-PUB-78-1	19	p0419	N78-25532**	
JPL-PUB-78-5	18	p0275	N78-20618**	
JPL-PUB-78-8	19	p0419	N78-25533**	
JPL-PUB-78-9	18	p0264	N78-19614**	
JPL-PUB-78-10-VOL-1	18	p0283	N78-21599**	
JPL-PUB-78-15-VOL-1	18	p0283	N78-21601**	
JPL-PUB-78-18	19	p0387	N78-22184**	
JPL-PUB-78-22	19	p0414	N78-25233**	
JPL-PUB-78-25	18	p0276	N78-20619**	
JPL-PUB-78-29	19	p0458	N78-27533**	
JPL-PUB-78-33	19	p0419	N78-25535**	
JPL-PUB-78-36-VOL-2	19	p0388	N78-22464**	
JPL-PUB-78-37	18	p0276	N78-20620**	
JPL-PUB-78-39	19	p0458	N78-27532**	
JPL-PUB-78-42	19	p0419	N78-25536**	
JPL-PUB-78-45	19	p0457	N78-27522**	
JPL-PUB-78-48-VOL-1	19	p0457	N78-27530**	
JPL-PUB-78-48-VOL-2	19	p0457	N78-27531**	
JPL-PUB-78-100	18	p0264	N78-19615**	
JPL-5030-131	19	p0403	N78-24375	*
JPL-5040-3	17	p0125	N78-12527**	
JPL-5040-10	17	p0125	N78-12528**	
JPL-5040-27-VOL-1	18	p0260	N78-18558**	
JPL-5040-27-VOL-2-CHANGE-1	19	p0409	N78-24667	*
JPL-5101-45	19	p0442	N78-26541**	
JPRS-70283	17	p0147	N78-13849	*
JPRS-70524	17	p0159	N78-15557	*
JSC-12973-VOL-1	17	p0111	N78-10559**	
JSC-12973-VOL-1	17	p0123	N78-12116**	
JSC-12973-VOL-2	17	p0123	N78-12116**	
KNUTAP-5211-01-PR	17	p0118	N78-10965	*
L-12178	19	p0453	N78-27046**	
L-12275	19	p0420	N78-25545**	
L-12276	19	p0413	N78-25047**	
LA-UR-77-296	17	p0153	N78-14653	*
LA-UR-77-1937	19	p0410	N78-24678	*
LA-UR-77-2408	19	p0416	N78-25335	*
LA-UR-77-2779	19	p0467	N78-27791	*
LA-UR-77-2892	19	p0456	N78-27500	*
LA-UR-77-2985	19	p0446	N78-26583	*
LA-UR-78-131	19	p0444	N78-26567	*
LA-6379-HS	18	p0269	N78-19667	*
LA-6770	18	p0242	N78-16456	*
LA-6931-PR	19	p0400	N78-23899	*
LA-6939-HS	18	p0273	N78-20471	*
LA-7064-HS	19	p0447	N78-26595	*
LA-7184-PR	19	p0467	N78-27898	*
LA-7190-HS	19	p0468	N78-27982	*

REPORT/ACCESSION NUMBER INDEX

LBL-5231	19	p0430	N78-25637	*	NASA-CASE-LEW-12541-1	19	p0419	N78-25529*
LBL-5285-VOL-2	18	p0278	N78-20769	*	NASA-CASE-LEW-12552-1	19	p0419	N78-25527*
LBL-5911	17	p0161	N78-15579	*	NASA-CASE-LEW-12586-1	19	p0456	N78-27520**
LBL-5998	17	p0117	N78-10615	*	NASA-CASE-LEW-12649-1	19	p0419	N78-25530*
LBL-6301	17	p0157	N78-14954	*	NASA-CASE-LEW-12780-1	19	p0387	N78-22149**
LBL-6332	18	p0290	N78-21710	*	NASA-CASE-LEW-12785-1	19	p0404	N78-24545*
LBL-6337	18	p0285	N78-21622	*	NASA-CASE-LEW-12806-1	19	p0421	N78-25553**
LBL-6369	18	p0286	N78-21631	*	NASA-CASE-LEW-12990-1	19	p0453	N78-27122**
LBL-6371	19	p0430	N78-25633	*	NASA-CASE-NFS-23515-1	19	p0389	N78-22469**
LBL-6831-VOL-1	18	p0285	N78-21623	*	NASA-CASE-NFS-23518-3	19	p0421	N78-25557**
LBL-6831-VOL-2	18	p0286	N78-21635	*	NASA-CASE-NFS-23540-1	18	p0249	N78-17468**
LBL-6841	18	p0230	A78-31953	*	NASA-CASE-NFS-23727-1	17	p0139	N78-13556**
LBL-6855	19	p0431	N78-25646	*	NASA-CASE-NFO-12148-1	19	p0456	N78-27515*
LC-77-2049	18	p0261	N78-18568	*	NASA-CASE-NFO-13482-1	17	p0135	N78-13526*
LC-77-90963	18	p0273	N78-20597	*	NASA-CASE-NFO-13579-1	18	p0248	N78-17460*
LC-77-600032	17	p0130	N78-13212	*	NASA-CASE-NFO-13579-4	19	p0421	N78-25559**
LC-77-600034	18	p0244	N78-16473	*	NASA-CASE-NFO-13652-3	19	p0421	N78-25560**
LC-77-600063	19	p0388	N78-22452	*	NASA-CASE-NFO-13734-1	17	p0111	N78-10554*
LC-77-624084	19	p0392	N78-22979	*	NASA-CASE-NFO-13904-1	19	p0414	N78-25237**
LDTP-77-6	18	p0261	N78-18594	*	NASA-CASE-NFO-14068-1	18	p0264	N78-19609**
LMSC-D506781-VOL-1	17	p0120	N78-11507	*	NASA-CASE-NFO-14126-1	17	p0120	N78-11500**
LMSC-HREC-TR-D496748	18	p0243	N78-16465	*	NASA-CASE-NFO-14140-1	19	p0403	N78-24387**
LMSC-HREC-TR-D497252	17	p0162	N78-15589	*	NASA-CASE-NFO-14199-1	19	p0389	N78-22470**
LMSC-HREC-TR-D497914	18	p0243	N78-16468	*	NASA-CASE-NFO-14200-1	19	p0389	N78-22470**
LMSC-HREC-TR-D568188	18	p0255	N78-18520**		NASA-CASE-NFO-14381-1	19	p0403	N78-24387**
LPS-77-12	17	p0156	N78-14685	*	NASA-CP-2020	17	p0136	N78-13527**
LR-221(FE)	17	p0120	N78-11505	*	NASA-CP-2021	17	p0118	N78-11063**
LR-28283	18	p0279	N78-21095**		NASA-CP-2026	18	p0253	N78-18088**
MA-RD-940-78001	18	p0246	N78-16949	*	NASA-CP-2034	18	p0265	N78-19616**
MA-RD-940-78002-VOL-1	18	p0246	N78-16947	*	NASA-CP-2036-PT-1	19	p0453	N78-27046**
MA-RD-940-78003-VOL-2	18	p0246	N78-16948	*	NASA-CR-2976	18	p0281	N78-21469**
MCR-76-526	17	p0161	N78-15583	*	NASA-CR-134934	17	p0125	N78-12529**
MDC-G-6776-VOL-3-BK-2	19	p0398	N78-23587	*	NASA-CR-134935	18	p0248	N78-17462**
MDC-G4449	18	p0243	N78-16464	*	NASA-CR-134936	19	p0395	N78-23559**
MDC-G6954-PT-3-VOL-7	17	p0109	N78-10185**		NASA-CR-134937	19	p0395	N78-23560**
MDC-J7340	17	p0109	N78-10035**		NASA-CR-135121	18	p0248	N78-17463**
MERADCOM-2220	18	p0253	N78-18226	*	NASA-CR-135244	17	p0150	N78-14632**
MERC/CR-77/7	17	p0157	N78-14729	*	NASA-CR-135245	17	p0150	N78-14633**
MERC/SP-77/6	19	p0417	N78-25443	*	NASA-CR-135255	18	p0238	N78-16329**
MF-88	18	p0270	N78-19673	*	NASA-CR-135281-VOL-4	18	p0237	N78-16090**
MIT-EL-77-005	17	p0144	N78-13615	*	NASA-CR-135283	18	p0278	N78-20802**
MIT-EL-77-019	19	p0442	N78-26457	*	NASA-CR-135284	18	p0278	N78-20803**
MLN-2466 (OP)	19	p0434	N78-25720	*	NASA-CR-135285	18	p0278	N78-20804**
MLN-2467 (OP)	19	p0434	N78-25719	*	NASA-CR-135292	17	p0130	N78-13209**
MLN-2469 (OP)	19	p0401	N78-23988	*	NASA-CR-135298	18	p0276	N78-20621**
MTI-77TR5	19	p0423	N78-25573	*	NASA-CR-135331	19	p0392	N78-22970**
MTI-77TR17	19	p0417	N78-25439	*	NASA-CR-135333	18	p0272	N78-20350**
MTPR-3	19	p0454	N78-27279	*	NASA-CR-135334	18	p0262	N78-19326**
MTPR-14	19	p0418	N78-25510	*	NASA-CR-135335	19	p0414	N78-25235**
MTR-7329	17	p0151	N78-14641	*	NASA-CR-135344	18	p0274	N78-20603**
M75 (AS)-4	18	p0289	N78-21659	*	NASA-CR-135368	18	p0281	N78-21472**
NAPC-PR-1	18	p0262	N78-19162	*	NASA-CR-135419	19	p0405	N78-24618**
NASA-CASE-ARC-10198	18	p0248	N78-17336*		NASA-CR-137925	17	p0109	N78-10035**
NASA-CASE-GSC-10135	18	p0247	N78-17296*		NASA-CR-145282	17	p0159	N78-15564**
NASA-CASE-GSC-12022-2	19	p0405	N78-24609*		NASA-CR-145301	18	p0248	N78-17339**
NASA-CASE-GSC-12030-1	19	p0404	N78-24608**		NASA-CR-150423	17	p0125	N78-12506**
NASA-CASE-LAB-11551-1	19	p0389	N78-22468**		NASA-CR-150495	18	p0249	N78-17471**
NASA-CASE-LAB-12009-1	17	p0159	N78-15560*		NASA-CR-150496	18	p0250	N78-17480**
NASA-CASE-LAB-12159-1	17	p0120	N78-11260**		NASA-CR-150497	18	p0249	N78-17470**
NASA-CASE-LAB-12205-1	19	p0396	N78-23567**		NASA-CR-150505	18	p0249	N78-17472**
NASA-CASE-LEW-12159-1	18	p0263	N78-19599**		NASA-CR-150506	18	p0256	N78-18525**
NASA-CASE-LEW-12217-1	17	p0149	N78-14452*		NASA-CR-150508	18	p0249	N78-17474**
NASA-CASE-LEW-12321-1	17	p0109	N78-10467*		NASA-CR-150509	18	p0250	N78-17478**
					NASA-CR-150510	18	p0250	N78-17481**
					NASA-CR-150511	18	p0255	N78-18521**
					NASA-CR-150512	18	p0274	N78-20602**
					NASA-CR-150513	18	p0249	N78-17475**
					NASA-CR-150514	18	p0250	N78-17479**
					NASA-CR-150515	18	p0256	N78-18526**
					NASA-CR-150521	19	p0388	N78-22465**
					NASA-CR-150522	18	p0256	N78-18527**
					NASA-CR-150524	18	p0255	N78-18523**
					NASA-CR-150525	18	p0250	N78-17482**
					NASA-CR-150532	18	p0250	N78-17483**
					NASA-CR-150533	18	p0255	N78-18524**
					NASA-CR-150534	18	p0250	N78-17484**
					NASA-CR-150536	18	p0263	N78-19605**
					NASA-CR-150537	18	p0263	N78-19602**
					NASA-CR-150539	18	p0250	N78-17477**
					NASA-CR-150542	18	p0263	N78-19603**
					NASA-CR-150544	18	p0263	N78-19604**
					NASA-CR-150545	18	p0264	N78-19606**
					NASA-CR-150553	18	p0274	N78-20605**
					NASA-CR-150558	18	p0268	N78-19649**
					NASA-CR-150559	18	p0268	N78-19645**

REPORT/ACCESSION NUMBER INDEX

NASA-CR-150560	18	p0274	N78-20606**	NASA-CR-155594	18	p0240	N78-16438**
NASA-CR-150563	18	p0255	N78-18520**	NASA-CR-155613	18	p0248	N78-17464**
NASA-CR-150569	19	p0389	N78-22475**	NASA-CR-155614	18	p0248	N78-17465**
NASA-CR-150570	18	p0268	N78-19655**	NASA-CR-155733	18	p0247	N78-17223**
NASA-CR-150572	18	p0268	N78-19652**	NASA-CR-155773	18	p0263	N78-19570**
NASA-CR-150573	18	p0268	N78-19650**	NASA-CR-155782	18	p0256	N78-18528**
NASA-CR-150575	18	p0268	N78-19653**	NASA-CR-155801	18	p0273	N78-20567**
NASA-CR-150576	18	p0263	N78-19601**	NASA-CR-155932	18	p0255	N78-18519**
NASA-CR-150580	18	p0283	N78-21595**	NASA-CR-155934	18	p0255	N78-18517**
NASA-CR-150578	18	p0274	N78-20609**	NASA-CR-155935	18	p0255	N78-18516**
NASA-CR-150589	18	p0275	N78-20610**	NASA-CR-155940	18	p0264	N78-19615**
NASA-CR-150590	18	p0275	N78-20611**	NASA-CR-155942	18	p0264	N78-19614**
NASA-CR-150591	18	p0282	N78-21591**	NASA-CR-155944	18	p0264	N78-19614**
NASA-CR-150592	18	p0275	N78-20612**	NASA-CR-155945	18	p0264	N78-19613**
NASA-CR-150593	18	p0275	N78-20613**	NASA-CR-155946	18	p0264	N78-19610**
NASA-CR-150594	18	p0274	N78-20604**	NASA-CR-155948	18	p0264	N78-19612**
NASA-CR-150599	18	p0275	N78-20614**	NASA-CR-156127	18	p0282	N78-21516**
NASA-CR-150600	18	p0275	N78-20615**	NASA-CR-156133	18	p0275	N78-20618**
NASA-CR-150601	18	p0275	N78-20616**	NASA-CR-156134	18	p0276	N78-20620**
NASA-CR-150602	18	p0268	N78-19654**	NASA-CR-156139	18	p0276	N78-20619**
NASA-CR-150604	18	p0275	N78-20617**	NASA-CR-156162	18	p0283	N78-21601**
NASA-CR-150605	19	p0456	N78-27518**	NASA-CR-156165	18	p0283	N78-21599**
NASA-CR-150611	18	p0283	N78-21602**	NASA-CR-156181	19	p0387	N78-22184**
NASA-CR-150612	18	p0283	N78-21592**	NASA-CR-156185	19	p0388	N78-22464**
NASA-CR-150614	18	p0282	N78-21589**	NASA-CR-156669	18	p0238	N78-16327**
NASA-CR-150615	19	p0405	N78-24610**	NASA-CR-156971	19	p0394	N78-23498**
NASA-CR-150616	19	p0458	N78-27536**	NASA-CR-156972	19	p0387	N78-22435**
NASA-CR-150617	18	p0283	N78-21603**	NASA-CR-156973	19	p0394	N78-23499**
NASA-CR-150620	19	p0389	N78-22473**	NASA-CR-156974	19	p0394	N78-23500**
NASA-CR-150625	18	p0273	N78-20573**	NASA-CR-156982	19	p0396	N78-23565**
NASA-CR-150627	18	p0283	N78-21604**	NASA-CR-156984	19	p0396	N78-23563**
NASA-CR-150628	19	p0405	N78-24611**	NASA-CR-156985	19	p0396	N78-23562**
NASA-CR-150630	19	p0389	N78-22472**	NASA-CR-157002	19	p0395	N78-23555**
NASA-CR-150631	19	p0388	N78-22466**	NASA-CR-157030	19	p0396	N78-23561**
NASA-CR-150640	19	p0388	N78-22467**	NASA-CR-157057	19	p0407	N78-24650**
NASA-CR-150665	19	p0420	N78-25547**	NASA-CR-157058	19	p0408	N78-24654**
NASA-CR-150666	19	p0405	N78-24613**	NASA-CR-157060	19	p0407	N78-24649**
NASA-CR-150673	19	p0458	N78-27537**	NASA-CR-157065	19	p0406	N78-24637**
NASA-CR-150674	19	p0456	N78-27519**	NASA-CR-157066	19	p0407	N78-24639**
NASA-CR-150675	19	p0405	N78-24614**	NASA-CR-157071	19	p0407	N78-24643**
NASA-CR-150686	19	p0420	N78-25537**	NASA-CR-157072	19	p0406	N78-24627**
NASA-CR-150687	19	p0420	N78-25538**	NASA-CR-157074	19	p0407	N78-24642**
NASA-CR-150691	19	p0420	N78-25540**	NASA-CR-157077	19	p0412	N78-25003**
NASA-CR-150692	19	p0420	N78-25541**	NASA-CR-157080	19	p0406	N78-24629**
NASA-CR-150693	19	p0420	N78-25542**	NASA-CR-157082	19	p0406	N78-24622**
NASA-CR-150694	19	p0420	N78-25543**	NASA-CR-157092	19	p0407	N78-24640**
NASA-CR-150697	19	p0421	N78-25548**	NASA-CR-157097	19	p0407	N78-24645**
NASA-CR-150698	19	p0421	N78-25549**	NASA-CR-157117	19	p0409	N78-24674**
NASA-CR-150703	19	p0421	N78-25550**	NASA-CR-157131	19	p0412	N78-24974**
NASA-CR-150705	19	p0444	N78-26556**	NASA-CR-157134	19	p0407	N78-24653**
NASA-CR-150707	19	p0421	N78-25552**	NASA-CR-157135	19	p0408	N78-24656**
NASA-CR-150710	19	p0455	N78-27482**	NASA-CR-157149	19	p0406	N78-24636**
NASA-CR-150712	19	p0444	N78-26557**	NASA-CR-157157	19	p0402	N78-24255**
NASA-CR-150713	19	p0444	N78-26558**	NASA-CR-157164	19	p0419	N78-25532**
NASA-CR-150714	19	p0444	N78-26559**	NASA-CR-157167	19	p0414	N78-25233**
NASA-CR-151535	17	p0109	N78-10185**	NASA-CR-157168	19	p0419	N78-25536**
NASA-CR-151554	17	p0129	N78-13099**	NASA-CR-157169	19	p0419	N78-25535**
NASA-CR-151555	17	p0129	N78-13100**	NASA-CR-157172	19	p0419	N78-25533**
NASA-CR-151557	17	p0130	N78-13102**	NASA-CR-157225	19	p0442	N78-26541**
NASA-CR-151558	17	p0130	N78-13103**	NASA-CR-157239	19	p0436	N78-26154**
NASA-CR-151577	17	p0130	N78-13106**	NASA-CR-157255	19	p0457	N78-27522**
NASA-CR-151603	17	p0158	N78-15148**	NASA-CR-157262	19	p0458	N78-27533**
NASA-CR-151665	18	p0272	N78-20162**	NASA-CR-157264	19	p0457	N78-27530**
NASA-CR-151666	18	p0271	N78-20156**	NASA-CR-157265	19	p0457	N78-27531**
NASA-CR-151667	18	p0271	N78-20157**	NASA-CR-157292	19	p0458	N78-27532**
NASA-CR-151668	18	p0271	N78-20158**				
NASA-CR-151669	18	p0271	N78-20159**	NASA-TH-X-73398	17	p0138	N78-13554**
NASA-CR-151670	18	p0271	N78-20160**				
NASA-CR-151671	18	p0271	N78-20161**	NASA-TH-73743	17	p0150	N78-14628**
NASA-CR-151672	18	p0272	N78-20163**	NASA-TH-73754	18	p0240	N78-16434**
NASA-CR-151673	18	p0272	N78-20164**	NASA-TH-73756	18	p0262	N78-18988**
NASA-CR-151740	19	p0458	N78-27538**	NASA-TH-73758	18	p0252	N78-17933**
NASA-CR-152031	18	p0282	N78-21590**	NASA-TH-73759	18	p0245	N78-16928**
NASA-CR-152077	18	p0247	N78-17251**	NASA-TH-73760	18	p0279	N78-21010**
NASA-CR-152096	18	p0279	N78-21095**	NASA-TH-73761	18	p0253	N78-17940**
NASA-CR-155203	17	p0118	N78-10973**	NASA-TH-73762	18	p0253	N78-17939**
NASA-CR-155267	17	p0124	N78-12419**	NASA-TH-73763	18	p0253	N78-17938**
NASA-CR-155299	17	p0143	N78-13599**	NASA-TH-73764	18	p0252	N78-17934**
NASA-CR-155313	18	p0261	N78-18897**	NASA-TH-73765	18	p0252	N78-17936**
NASA-CR-155319	17	p0128	N78-12823**	NASA-TH-73768	18	p0271	N78-20022**
NASA-CR-155320	17	p0128	N78-12824**	NASA-TH-73769	19	p0443	N78-26551**
NASA-CR-155325	17	p0125	N78-12527**	NASA-TH-73773	19	p0395	N78-23556**
NASA-CR-155326	17	p0125	N78-12528**	NASA-TH-73775	19	p0395	N78-23557**
NASA-CR-155331	17	p0131	N78-13241**	NASA-TH-73780	17	p0129	N78-13056**
NASA-CR-155336	17	p0138	N78-13552**	NASA-TH-73786	17	p0148	N78-14177**
NASA-CR-155426	17	p0160	N78-15567**	NASA-TH-73787	17	p0157	N78-15059**
NASA-CR-155427	17	p0160	N78-15568**	NASA-TH-73788	17	p0150	N78-14629**
NASA-CR-155554	17	p0160	N78-15566**	NASA-TH-73789	18	p0247	N78-17187**
NASA-CR-155586	18	p0240	N78-16437**	NASA-TH-73791	17	p0150	N78-14630**

REPORT/ACCESSION NUMBER INDEX

NASA-TM-73799	17	p0159	N78-15562**	NBSIR-77-1272	17	p0139	N78-13563 #
NASA-TM-73820	18	p0250	N78-17486**	NBSIR-77-1297	18	p0261	N78-18567 #
NASA-TM-73825	17	p0159	N78-15563**	NBSIR-77-1305	18	p0243	N78-16463 #
NASA-TM-73829	17	p0130	N78-13233**	NBSIR-77-1314	18	p0244	N78-16475 #
NASA-TM-73835	18	p0249	N78-17466**				
NASA-TM-73836	18	p0247	N78-17229**	NCWTD-CNDST-BIB-6	17	p0150	N78-14626 +
NASA-TM-73844	17	p0147	N78-13890**	NCWTD-CNDST-BIB-7	17	p0150	N78-14627 +
NASA-TM-73849	17	p0129	N78-13062**				
NASA-TM-73850	18	p0252	N78-17937**	NEPP-III-A	18	p0289	N78-21669 #
NASA-TM-73860	18	p0252	N78-17921**				
NASA-TM-73861	18	p0249	N78-17467**	NEPP-IV	18	p0276	N78-20626 #
NASA-TM-73863	18	p0252	N78-17935**				
NASA-TM-73871	19	p0408	N78-24659**	NIB-W01-HU-4-2901-4	18	p0243	N78-16464 #
NASA-TM-73873	18	p0268	N78-19656**				
NASA-TM-73881	18	p0271	N78-19710**	NIB/WIEBS-77/005	18	p0244	N78-16474 #
NASA-TM-73883	18	p0267	N78-19642**				
NASA-TM-73884	18	p0247	N78-17060**	NBAB-334	18	p0278	N78-20649 #
NASA-TM-73888	18	p0281	N78-21441**				
NASA-TM-73892	18	p0252	N78-17856**	NOAA-TM-EEL-MESA-17	18	p0279	N78-21312 #
NASA-TM-73893	18	p0267	N78-19643**				
NASA-TM-73897	18	p0283	N78-21596**	NOAA-77072523	17	p0146	N78-13648 #
NASA-TM-74089	17	p0109	N78-10306**	NOAA-77122003	18	p0279	N78-21312 #
NASA-TM-74820	17	p0111	N78-10559**	NOAA-78020801	18	p0290	N78-21980 #
NASA-TM-74944	17	p0123	N78-12116**				
NASA-TM-75084	17	p0159	N78-15561**	NP-21901	17	p0142	N78-13588 #
NASA-TM-75094	19	p0408	N78-28660**	NP-22159/2	19	p0393	N78-23253 #
NASA-TM-75142	17	p0122	N78-11889**	NP-22885	19	p0462	N78-27577 #
NASA-TM-75148	18	p0254	N78-18357**				
NASA-TM-75195	18	p0290	N78-21957**	NPL-CHEM-68-PR-1	17	p0121	N78-11510 #
NASA-TM-75210	19	p0413	N78-25012**	NPL-CHEM-72	19	p0399	N78-23602 #
NASA-TM-75215	17	p0124	N78-12418**				
NASA-TM-75233	18	p0239	N78-16431**	NRC-76-20	18	p0289	N78-21662 #
NASA-TM-78146	17	p0138	N78-13553**				
NASA-TM-78152	18	p0240	N78-16433**	NSF/AER-75-15213	19	p0398	N78-23590 #
NASA-TM-78153	18	p0240	N78-16432**	NSF/PRA-7681015/1/8	19	p0442	N78-26457 #
NASA-TM-78163	18	p0283	N78-21597**	NSF/RA-760003	17	p0144	N78-13615 #
NASA-TM-78165	18	p0284	N78-21605**	NSF/RA-760595	17	p0145	N78-13621 #
NASA-TM-78169	19	p0420	N78-25546**	NSF/RA-761119	17	p0139	N78-13564 #
NASA-TM-78172	19	p0420	N78-25539**	NSF/RA-770010	19	p0390	N78-22477 #
NASA-TM-78448	17	p0134	N78-13368**	NSF/RA-770032	17	p0112	N78-10569 #
NASA-TM-78696	19	p0420	N78-25545**	NSF/RA-770121	17	p0122	N78-11863 #
NASA-TM-78697	19	p0413	N78-25047**	NSF/RA-770144	17	p0121	N78-11515 #
NASA-TM-78832	19	p0393	N78-23384**	NSF/RA-770172	17	p0139	N78-13560 #
NASA-TM-78847	18	p0268	N78-19644**	NSF/RA-770179	17	p0157	N78-14725 #
NASA-TM-78853	19	p0395	N78-23558**	NSF/RA-770202	18	p0270	N78-19677 #
NASA-TM-78856	19	p0387	N78-22243**	NSF/RA-770203	18	p0244	N78-16472 #
NASA-TM-78865	19	p0403	N78-24370**	NSF/RA-770204	19	p0435	N78-25983 #
NASA-TM-78866	19	p0402	N78-24369**	NSF/RA-770213	19	p0449	N78-26621 #
NASA-TM-78893	19	p0441	N78-26442**	NSF/RA-770273	18	p0261	N78-18568 #
NASA-TM-78894	19	p0436	N78-26098**	NSF/RA-770322	18	p0272	N78-20291 #
NASA-TM-78901	19	p0405	N78-24616**	NSF/RA-770324	19	p0388	N78-22451 #
NASA-TM-78902	19	p0442	N78-26542**	NSF/RA-770326	18	p0273	N78-20380 #
NASA-TM-78903	19	p0452	N78-26995**	NSF/RA-770335	18	p0289	N78-21660 #
NASA-TM-78906	19	p0436	N78-26145**	NSF/RA-770422	19	p0466	N78-27617 #
NASA-TM-78911	19	p0443	N78-26543**	NSF/RA-770429	19	p0451	N78-26653 #
NASA-TM-78915	19	p0443	N78-26552**	NSF/RA-780002	19	p0452	N78-26986 #
NASA-TM-78916	19	p0443	N78-26553**	NSF/RA/N-74-100	17	p0162	N78-15590 #
NASA-TM-78921	19	p0443	N78-26547**	NSF/BANN/SE/AER73-03197/PR/77	18	p0251	N78-17493 #
NASA-TM-78923	19	p0443	N78-26549**				
NASA-TM-78924	19	p0421	N78-25551**	NTIS/PS-75/215	19	p0433	N78-25661 #
NASA-TM-78936	19	p0444	N78-26554**	NTIS/PS-75/254	19	p0411	N78-24689 #
NASA-TM-78939	19	p0443	N78-26550**	NTIS/PS-75/256	19	p0400	N78-23609 #
NASA-TM-78941	19	p0454	N78-27174**	NTIS/PS-75/312	19	p0400	N78-23623 #
NASA-TM-78946	19	p0441	N78-26390**	NTIS/PS-75/313	19	p0400	N78-23627 #
NASA-TM-78957	19	p0458	N78-27539**	NTIS/PS-75/317	19	p0417	N78-25384 #
NASA-TM-78962	19	p0454	N78-27127**	NTIS/PS-75/348	19	p0465	N78-27601 #
NASA-TM-79360	18	p0253	N78-18091**	NTIS/PS-75/371	19	p0434	N78-25701 #
NASA-TM-79434	18	p0284	N78-21612**	NTIS/PS-75/386	19	p0466	N78-27609 #
NASA-TM-79435	18	p0279	N78-21179**	NTIS/PS-76/0161	19	p0400	N78-23609 #
NASA-TM-79436	18	p0284	N78-21611**	NTIS/PS-76/0162	19	p0400	N78-23608 #
NASA-TM-79510	19	p0436	N78-26223**	NTIS/PS-76/0187	19	p0400	N78-23623 #
				NTIS/PS-76/0188	19	p0400	N78-23627 #
NASA-TP-1007	18	p0237	N78-16053**	NTIS/PS-76/0222	19	p0434	N78-25701 #
NASA-TP-1128	17	p0158	N78-15229**	NTIS/PS-76/0249	19	p0417	N78-25384 #
NASA-TP-1150	18	p0273	N78-20512**	NTIS/PS-76/0251	19	p0417	N78-25383 #
				NTIS/PS-76/0274	19	p0433	N78-25658 #
NATGOV-77/03071	17	p0144	N78-13614 #	NTIS/PS-76/0275	19	p0432	N78-25657 #
				NTIS/PS-76/0276	19	p0433	N78-25661 #
NATO/CCMS-54	17	p0145	N78-13623 #	NTIS/PS-76/0278	19	p0433	N78-25662 #
				NTIS/PS-76/0358	19	p0465	N78-27601 #
NBS-SP-488	17	p0130	N78-13212 #	NTIS/PS-76/0359	19	p0465	N78-27602 #
				NTIS/PS-76/0391	19	p0466	N78-27609 #
NBS-TN-698	18	p0272	N78-20376 #	NTIS/PS-77-0195	19	p0400	N78-23608 #
				NTIS/PS-77/0098	19	p0393	N78-23263 #
NBS/GCR-77-109-REV	18	p0289	N78-21655 #	NTIS/PS-77/0194	19	p0400	N78-23609 #
				NTIS/PS-77/0212	19	p0434	N78-25701 #
NBSIR-76-1088	18	p0261	N78-18655 #	NTIS/PS-77/0227	19	p0400	N78-23623 #
NBSIR-77-862	18	p0237	N78-16199 #	NTIS/PS-77/0230	19	p0400	N78-23627 #
NBSIR-77-1270	17	p0113	N78-10573 #	NTIS/PS-77/0231	19	p0411	N78-24689 #

REPORT/ACCESSION NUMBER INDEX

NTIS/PS-77/0233	19	p0433	N78-25660	#	ORO-5136-76/1	17	p0152	N78-19649	#
NTIS/PS-77/0272	19	p0433	N78-25658	#	ORO-5178-78/1	19	p0447	N78-26594	#
NTIS/PS-77/0273	19	p0432	N78-25657	#	ORO-5249-1	17	p0143	N78-13600	#
NTIS/PS-77/0275	19	p0417	N78-25384	#	ORO-5302-20	19	p0455	N78-27499	#
NTIS/PS-77/0276	19	p0417	N78-25383	#	ORO-5594-7	19	p0467	N78-27922	#
NTIS/PS-77/0283	19	p0433	N78-25661	#	ORO-8036-5	19	p0418	N78-25511	#
NTIS/PS-77/0284	19	p0433	N78-25662	#					
NTIS/PS-77/0305	19	p0466	N78-27609	#	OTA-E-51	18	p0244	N78-16473	#
NTIS/PS-77/0399	19	p0465	N78-27601	#	OTA-E-59	19	p0388	N78-22452	#
NTIS/PS-77/0400	19	p0465	N78-27602	#	OTA-E-60-VOL-2-PT-1	19	p0465	N78-27603	#
NTIS/PS-78/0179/8	19	p0393	N78-23263	#	OTA-E-60-VOL-2-PT-2	19	p0465	N78-27604	#
NTIS/PS-78/0195/4	19	p0400	N78-23607	#					
NTIS/PS-78/0196/2	19	p0400	N78-23608	#	OWRT-B-092-ILL(4)	18	p0251	N78-17491	#
NTIS/PS-78/0197/0	19	p0400	N78-23609	#					
NTIS/PS-78/0208/5	19	p0400	N78-23623	#	OWRT/S-78/1	18	p0285	N78-21620	#
NTIS/PS-78/0235/8	19	p0400	N78-23627	#					
NTIS/PS-78/0277	19	p0411	N78-24689	#	PB-268603/8	17	p0110	N78-10546	#
NTIS/PS-78/0278	19	p0433	N78-25659	#	PB-268782/0	17	p0117	N78-10622	#
NTIS/PS-78/0279	19	p0433	N78-25660	#	PB-268850/5	17	p0116	N78-10599	#
NTIS/PS-78/0294	19	p0433	N78-25661	#	PB-268851/3	17	p0139	N78-13558	#
NTIS/PS-78/0295	19	p0433	N78-25663	#	PB-268966/9	17	p0115	N78-10590	#
NTIS/PS-78/0296	19	p0433	N78-25662	#	PB-269189/7	17	p0115	N78-10591	#
NTIS/PS-78/0302	19	p0417	N78-25384	#	PB-269258/0	17	p0122	N78-11559	#
NTIS/PS-78/0303	19	p0417	N78-25382	#	PB-269277/0	17	p0121	N78-11526	#
NTIS/PS-78/0304	19	p0417	N78-25383	#	PB-269365/3	17	p0115	N78-10596	#
NTIS/PS-78/0305	19	p0433	N78-25658	#	PB-269366/1	17	p0116	N78-10597	#
NTIS/PS-78/0306	19	p0432	N78-25657	#	PB-269367/9	17	p0116	N78-10598	#
NTIS/PS-78/0314	19	p0434	N78-25701	#	PB-269400/8	17	p0109	N78-10483	#
NTIS/PS-78/0345/5	19	p0466	N78-27609	#	PB-269401/6	17	p0110	N78-10484	#
NTIS/PS-78/0415/6	19	p0465	N78-27600	#	PB-269402/4	17	p0110	N78-10485	#
NTIS/PS-78/0416/4	19	p0465	N78-27601	#	PB-269403/2	17	p0110	N78-10486	#
NTIS/PS-78/0417/2	19	p0465	N78-27602	#	PB-269407/3	17	p0112	N78-10569	#
					PB-269437/4	17	p0118	N78-10965	#
NUREG-0090-9	19	p0412	N78-24923	#	PB-269518/7	17	p0113	N78-10573	#
					PB-269557/5	17	p0117	N78-10631	#
NWC-TP-5974	17	p0147	N78-13681	#	PB-269568/2	17	p0128	N78-12556	#
					PB-269721/7	17	p0116	N78-10601	#
NYSDA-75/34	18	p0260	N78-18561	#	PB-269748/0	17	p0117	N78-10633	#
					PB-269807/4	17	p0115	N78-10593	#
NYSDA175/126	18	p0289	N78-21657	#	PB-269809/0	17	p0116	N78-10600	#
					PB-269865/2	17	p0110	N78-10550	#
OAQPS-1.2-089	19	p0391	N78-22500	#	PB-269884/3	17	p0117	N78-10636	#
OAQPS-1.2-093	19	p0466	N78-27623	#	PB-269898/3	17	p0116	N78-10602	#
					PB-269906/4	17	p0115	N78-10592	#
OEO-1N-2137	18	p0288	N78-21654	#	PB-269947/8	17	p0127	N78-12541	#
					PB-269948/6	17	p0126	N78-12540	#
ONERA, TP NO. 1977-156	17	p0076	N78-15021	#	PB-269969/2	17	p0126	N78-12533	#
ONERA, TP NO. 1978-20	18	p0224	N78-31123	#	PB-270029/2	17	p0121	N78-11515	#
					PB-270089/6	17	p0122	N78-11863	#
ONRL-R-5-77	17	p0120	N78-11501	#	PB-270102/7	17	p0123	N78-11894	#
					PB-270108/4	17	p0119	N78-11256	#
ORAU/IEA (H) -77-1	18	p0288	N78-21652	#	PB-270151/4	17	p0115	N78-10595	#
ORAU/IEA (H) -77-5	18	p0288	N78-21653	#	PB-270152/2	17	p0115	N78-10594	#
ORAU/IEA (H) -77-6	17	p0127	N78-12542	#	PB-270153/0	17	p0113	N78-10574	#
ORAU/IEA (H) -77-18	18	p0287	N78-21643	#	PB-270158/9	17	p0128	N78-12551	#
ORAU/IEA (O) -77-15	18	p0245	N78-16495	#	PB-270172/0	17	p0127	N78-12548	#
					PB-270219/9	17	p0122	N78-11892	#
ORNL-TN-5895-ADD	19	p0436	N78-26226	#	PB-270256/1	17	p0127	N78-12549	#
ORNL-TN-6000	19	p0423	N78-25576	#	PB-270281/9	17	p0122	N78-11541	#
ORNL-TN-6137	19	p0426	N78-25605	#	PB-270385/8	17	p0139	N78-13559	#
					PB-270401/3	17	p0123	N78-12243	#
ORNL-TN-4492	19	p0426	N78-25599	#	PB-270428/6	17	p0128	N78-12550	#
					PB-270435/1	17	p0119	N78-11254	#
ORNL-5248	17	p0121	N78-11508	#	PB-270447/6	17	p0119	N78-11255	#
ORNL-5279	19	p0431	N78-25647	#	PB-270467/4	17	p0129	N78-12910	#
ORNL-5356	19	p0429	N78-25623	#	PB-270468/2	17	p0129	N78-12909	#
					PB-270529/1	17	p0129	N78-12907	#
ORNL/EIS-94-VOL-1	19	p0411	N78-24696	#	PB-270559/8	17	p0145	N78-13632	#
ORNL/EIS-95-VOL-2	19	p0411	N78-24697	#	PB-270690/1	17	p0145	N78-13633	#
ORNL/NSP-EP-77	17	p0162	N78-15590	#	PB-270699/2	17	p0145	N78-13631	#
ORNL/CEPA-3-VOL-1	19	p0442	N78-26524	#	PB-270862/6	17	p0146	N78-13650	#
ORNL/SUB-75/87988	17	p0110	N78-10545	#	PB-270940/0	17	p0147	N78-13970	#
ORNL/SUB-77/14216/1	17	p0153	N78-14657	#	PB-270961/6	17	p0147	N78-13967	#
ORNL/SUB-4188-2	18	p0277	N78-20645	#	PB-271008/5	17	p0124	N78-12246	#
ORNL/TN-5369	17	p0140	N78-13576	#	PB-271093/7	17	p0124	N78-12245	#
ORNL/TN-5370	17	p0141	N78-13578	#	PB-271099/4	17	p0124	N78-12244	#
ORNL/TN-5689	17	p0114	N78-10586	#	PB-271174/5	17	p0144	N78-13615	#
ORNL/TN-5815	17	p0118	N78-10814	#	PB-271214/9	17	p0148	N78-13975	#
ORNL/TN-5821	17	p0115	N78-10588	#	PB-271249/5	17	p0128	N78-12552	#
ORNL/TN-5841	19	p0449	N78-26613	#	PB-271261/0	17	p0147	N78-13657	#
ORNL/TN-5883	17	p0142	N78-13586	#	PB-271283/4	17	p0144	N78-13614	#
ORNL/TN-5886	17	p0151	N78-14639	#	PB-271292/5	17	p0146	N78-13648	#
ORNL/TN-5919	17	p0156	N78-14698	#	PB-271319/6	17	p0124	N78-12247	#
ORNL/TN-6098-VOL-1	19	p0442	N78-26524	#	PB-271321/2	17	p0148	N78-13976	#
ORNL/TN-6168/V2	19	p0448	N78-26601	#	PB-271361/8	17	p0128	N78-12560	#
					PB-271362/6	17	p0128	N78-12561	#
ORO-4927-77/1	18	p0242	N78-16461	#	PB-271411/1	17	p0139	N78-13560	#
ORO-5003-1	19	p0459	N78-27554	#	PB-271413/7	17	p0139	N78-13564	#
ORO-5017-3	19	p0434	N78-25742	#	PB-271415/2	17	p0145	N78-13621	#

REPORT/ACCESSION NUMBER INDEX

PB-271561/3	17	p0156	N78-14687	#	PB-275311/9	18	p0276	N78-20627	#
PB-271562/1	17	p0130	N78-13212	#	PB-275371/3	18	p0276	N78-20626	#
PB-271752/8	17	p0144	N78-13616	#	PB-275450/5	18	p0272	N78-20376	#
PB-271753/6	17	p0144	N78-13617	#	PB-275565/0	18	p0277	N78-20648	#
PB-271754/4	17	p0144	N78-13618	#	PB-275576/7	18	p0289	N78-21655	#
PB-271758/5	17	p0139	N78-13563	#	PB-275658/3	18	p0288	N78-21654	#
PB-271797/3	17	p0145	N78-13623	#	PB-275684/9	18	p0273	N78-20380	#
PB-271798/1	17	p0143	N78-13609	#	PB-275772/2	18	p0289	N78-21659	#
PB-271799/9	17	p0143	N78-13610	#	PB-275827/4	18	p0280	N78-21314	#
PB-271800/5	17	p0144	N78-13611	#	PB-275876/1	18	p0280	N78-21313	#
PB-271801/3	17	p0144	N78-13612	#	PB-275891/0	18	p0272	N78-20291	#
PB-271802/1	17	p0144	N78-13613	#	PB-275895/1	18	p0280	N78-21315	#
PB-271875/7	17	p0145	N78-13624	#	PB-276006/4	18	p0284	N78-21619	#
PB-271916/9	17	p0130	N78-13237	#	PB-276024/7	18	p0273	N78-20597	#
PB-271940/9	17	p0157	N78-14725	#	PB-276082/5	18	p0289	N78-21660	#
PB-271942/5	18	p0270	N78-19677	#	PB-276131/0	18	p0289	N78-21657	#
PB-272080/3	18	p0243	N78-16467	#	PB-276174/0	18	p0285	N78-21620	#
PB-272178/5	17	p0157	N78-14939	#	PB-276269/8	18	p0285	N78-21621	#
PB-272179/3	17	p0157	N78-14940	#	PB-276410/8	18	p0289	N78-21669	#
PB-272243/7	17	p0144	N78-13619	#	PB-276449/6	18	p0289	N78-21661	#
PB-272244/5	17	p0159	N78-15552	#	PB-276489/2	18	p0289	N78-21667	#
PB-272259/3	17	p0149	N78-14426	#	PB-276580/8	18	p0281	N78-21325	#
PB-272267/6	17	p0157	N78-14951	#	PB-276587/3	19	p0390	N78-22483	#
PB-272337/1	18	p0243	N78-16466	#	PB-276594/9	19	p0388	N78-22452	#
PB-272352/6	18	p0243	N78-16465	#	PB-276612/9	19	p0387	N78-22385	#
PB-272423/5	17	p0148	N78-14182	#	PB-276616/0	19	p0390	N78-22478	#
PB-272428/4	17	p0162	N78-15590	#	PB-276626/9	19	p0391	N78-22497	#
PB-272500/0	18	p0243	N78-16463	#	PB-276643/4	19	p0391	N78-22495	#
PB-272550/5	17	p0163	N78-15606	#	PB-276749/9	19	p0391	N78-22500	#
PB-272604/0	17	p0162	N78-15589	#	PB-276763/0	19	p0388	N78-22451	#
PB-272609/9	18	p0243	N78-16464	#	PB-276766/3	19	p0390	N78-22477	#
PB-272614/9	17	p0163	N78-15607	#	PB-276970/1	19	p0399	N78-23603	#
PB-272646/1	17	p0163	N78-15956	#	PB-276974/3	19	p0399	N78-23604	#
PB-272664/4	17	p0163	N78-15957	#	PB-276989/1	19	p0401	N78-24003	#
PB-272714/7	18	p0246	N78-16936	#	PB-277018/8	19	p0400	N78-23605	#
PB-272735/2	18	p0238	N78-16419	#	PB-277095/6	18	p0290	N78-21980	#
PB-272759/2	17	p0162	N78-15588	#	PB-277100/4	18	p0279	N78-21312	#
PB-272784/0	17	p0163	N78-15605	#	PB-277135/0	19	p0393	N78-23261	#
PB-272946/5	18	p0245	N78-16499	#	PB-277143/4	19	p0392	N78-22979	#
PB-272983/8	18	p0246	N78-16947	#	PB-277235	19	p0411	N78-24690	#
PB-272984/6	18	p0246	N78-16948	#	PB-277354	19	p0417	N78-25434	#
PB-272985/3	18	p0246	N78-16949	#	PB-277464	19	p0404	N78-24564	#
PB-273006/7	18	p0244	N78-16472	#	PB-277493	19	p0419	N78-25526	#
PB-273019/0	18	p0244	N78-16476	#	PB-277503/9	19	p0449	N78-26621	#
PB-273022/4	18	p0251	N78-17491	#	PB-277904/9	19	p0452	N78-26968	#
PB-273098/4	18	p0251	N78-17490	#	PB-277905/6	19	p0452	N78-26969	#
PB-273108/1	18	p0243	N78-16468	#	PB-277906/4	19	p0452	N78-26970	#
PB-273148/7	18	p0244	N78-16473	#	PB-277917	19	p0433	N78-25678	#
PB-273219/6	18	p0244	N78-16483	#	PB-277962/7	19	p0451	N78-26653	#
PB-273259/2	18	p0244	N78-16474	#	PB-278001/3	19	p0456	N78-27511	#
PB-273305/3	18	p0244	N78-16475	#	PB-278031/0	19	p0451	N78-26657	#
PB-273474/7	18	p0260	N78-18564	#	PB-278078/1	19	p0449	N78-26616	#
PB-273487/9	18	p0237	N78-16198	#	PB-278079/9	19	p0449	N78-26617	#
PB-273582/7	18	p0251	N78-17639	#	PB-278080/7	19	p0449	N78-26618	#
PB-273700/5	18	p0254	N78-18506	#	PB-278118/5	19	p0464	N78-27596	#
PB-273701/3	18	p0254	N78-18507	#	PB-278119/3	19	p0464	N78-27597	#
PB-273702/1	18	p0254	N78-18508	#	PB-278120/1	19	p0464	N78-27598	#
PB-273899/5	18	p0261	N78-18567	#	PB-278121/9	19	p0465	N78-27599	#
PB-273949/8	18	p0261	N78-18565	#	PB-278124/3	19	p0442	N78-26657	#
PB-273969/6	18	p0243	N78-16469	#	PB-278132/6	19	p0465	N78-27607	#
PB-273970/4	18	p0243	N78-16470	#	PB-278159/9	19	p0442	N78-26529	#
PB-273971/2	18	p0243	N78-16471	#	PB-278163/1	19	p0450	N78-26648	#
PB-274000/9	18	p0238	N78-16413	#	PB-278169/8	19	p0449	N78-26620	#
PB-274001/7	18	p0238	N78-16414	#	PB-278175/5	19	p0450	N78-26646	#
PB-274027/2	18	p0251	N78-17492	#	PB-278270/4	19	p0452	N78-26998	#
PB-274041/3	18	p0251	N78-17493	#	PB-278274/6	19	p0465	N78-27608	#
PB-274058/7	18	p0237	N78-16199	#	PB-278333/0	19	p0451	N78-26654	#
PB-274089/2	18	p0253	N78-17944	#	PB-278348/8	19	p0451	N78-26699	#
PB-274104/9	18	p0251	N78-17505	#	PB-278350/4	19	p0449	N78-26619	#
PB-274113/0	18	p0260	N78-18565	#	PB-278373/6	19	p0450	N78-26645	#
PB-274120/5	18	p0251	N78-17514	#	PB-278496/5	19	p0466	N78-27617	#
PB-274123/9	18	p0261	N78-18568	#	PB-278530/1	19	p0452	N78-26986	#
PB-274220/3	18	p0260	N78-18562	#	PB-278534	19	p0412	N78-24923	#
PB-274262/5	18	p0270	N78-19683	#	PB-278639/0	19	p0453	N78-27009	#
PB-274336/7	18	p0270	N78-19676	#	PB-278640/8	19	p0453	N78-27010	#
PB-274337/5	18	p0269	N78-19661	#	PB-278676/2	19	p0465	N78-27603	#
PB-274374/8	18	p0254	N78-18437	#	PB-278677/0	19	p0465	N78-27604	#
PB-274375/5	18	p0254	N78-18438	#	PB-278679/6	19	p0458	N78-27544	#
PB-274376/3	18	p0254	N78-18439	#	PB-278714/1	19	p0465	N78-27605	#
PB-274377/1	18	p0254	N78-18440	#	PB-278715/8	19	p0465	N78-27606	#
PB-274406/8	18	p0260	N78-18560	#	PB-278755/4	19	p0458	N78-27545	#
PB-274492/8	18	p0270	N78-19675	#	PB-278756/2	19	p0455	N78-27493	#
PB-274541/2	18	p0261	N78-18587	#	PB-278918/8	19	p0468	N78-28015	#
PB-274865/5	18	p0261	N78-18594	#	PB-279008/7	19	p0466	N78-27621	#
PB-274897/8	18	p0261	N78-18590	#	PB-279011/1	19	p0466	N78-27622	#
PB-275000/8	18	p0261	N78-18566	#	PB-279012/9	19	p0466	N78-27623	#
PB-275042/0	18	p0260	N78-18561	#	PB-279080/6	19	p0467	N78-27661	#
PB-275105/5	18	p0278	N78-20649	#	PB-279088/9	19	p0467	N78-27665	#
PB-275309/3	18	p0276	N78-20625	#	PB-279417/0	19	p0467	N78-27659	#

REPORT/ACCESSION NUMBER INDEX

PNL-2436 19 p0399 N78-23597 #
 PNL-2456 19 p0454 N78-27264 #
 PR-1 17 p0141 N78-13584 #
 PR-1 19 p0399 N78-23602 #
 PR-3 18 p0242 N78-16461 #
 PR-6 19 p0415 N78-25249 #
 PR-20 17 p0120 N78-11504 #
 PR-22 17 p0143 N78-13599#
 PR-23 19 p0409 N78-24674#
 PR-30 19 p0463 N78-27585 #
 PR-59 19 p0426 N78-25600 #
 PRDA-EG-77-D-29-0003 17 p0151 N78-14643 #
 PUB-L-12 19 p0468 N78-28015 #
 PUBL-95-33 18 p0239 N78-16429 #
 PUBL-95-54 19 p0408 N78-24661 #
 PUBL-95-65 19 p0408 N78-24662 #
 QPR-1 19 p0428 N78-25619 #
 QPR-2 17 p0153 N78-14658 #
 QPR-2 18 p0250 N78-17477#
 QPR-3 19 p0423 N78-25576 #
 QPR-3 19 p0427 N78-25613 #
 QPR-4 19 p0415 N78-25248 #
 QPR-5 19 p0427 N78-25610 #
 QPR-8 19 p0437 N78-26245 #
 QPR-16 17 p0120 N78-11405 #
 QPR-17 17 p0135 N78-13455 #
 QR-1 19 p0407 N78-24649#
 QR-1 19 p0444 N78-26559#
 QR-1 19 p0462 N78-27579 #
 QR-2 17 p0121 N78-11515 #
 QR-2 18 p0255 N78-18519#
 QR-2 19 p0429 N78-25625 #
 QR-2 19 p0444 N78-26557#
 QR-3 19 p0396 N78-23563#
 QR-3 19 p0407 N78-24642#
 QR-3 19 p0416 N78-25254 #
 QR-3 19 p0418 N78-25519 #
 QR-3 19 p0420 N78-25540#
 QR-3 19 p0423 N78-25572 #
 QR-3 19 p0444 N78-26558#
 QR-4 18 p0280 N78-21319 #
 QR-4 19 p0410 N78-24683 #
 QR-4 19 p0420 N78-25541#
 QR-4 19 p0444 N78-26558#
 QR-4 19 p0462 N78-27581 #
 QR-5 18 p0255 N78-18517#
 QR-5 18 p0264 N78-19614#
 QR-5 18 p0283 N78-21604#
 QR-5 19 p0420 N78-25542#
 QR-6 19 p0406 N78-24637#
 QR-6 19 p0420 N78-25543#
 QR-6 19 p0421 N78-25550#
 QR-6 19 p0432 N78-25653 #
 QR-7 19 p0406 N78-24629#
 QR-9 19 p0406 N78-24622#
 QTPR-1 19 p0392 N78-22970#
 QTPR-1 19 p0396 N78-23561#
 QTPR-2 19 p0455 N78-27441 #
 QTPR-4 19 p0407 N78-24653#
 R-AND-D-REPT-114 17 p0161 N78-15575 #
 R-960 17 p0139 N78-13564 #
 R-1108 19 p0458 N78-27544 #
 R-1382 19 p0395 N78-23559#
 R-1382 19 p0395 N78-23560#
 R-2128-ERDA 19 p0422 N78-25570 #
 RA-77-0319 19 p0398 N78-23594 #
 RA-77-0319 19 p0399 N78-23595 #
 REC-ERC-77-10 18 p0251 N78-17492 #
 REPT-1 17 p0152 N78-14649 #
 REPT-10 18 p0254 N78-18439 #
 REPT-11 18 p0254 N78-18440 #
 REPT-76W-0128-REV 18 p0255 N78-18524#
 REPT-77-146-1 18 p0268 N78-19654#
 REPT-709-01-CR 19 p0436 N78-26154#
 REPT-762-003-1 17 p0143 N78-13607 #
 REPT-0140-0080 19 p0408 N78-24656#

REPT-1099-1 18 p0262 N78-19326#
 REPT-1099-1-VCL-1 18 p0272 N78-20350#
 REPT-1099-1-VOL-3 19 p0414 N78-25235#
 REPT-1559 18 p0280 N78-21319 #
 REPT-1665 19 p0415 N78-25248 #
 REPT-2256/8 19 p0406 N78-24630#
 REPT-2258/4 18 p0255 N78-18516#
 REPT-5104-VOL-2 19 p0388 N78-22464#
 REPT-10046-4 19 p0444 N78-26559#
 RI/RD77-252 18 p0276 N78-20621#
 RLO/2229/T12-76/1-PT-2 17 p0113 N78-10578 #
 RLO/2230/T5-1 19 p0446 N78-26586 #
 RTI-41U-1259 18 p0251 N78-17489 #
 R77-952588-3 19 p0466 N78-27617 #
 R77-952907-5 19 p0416 N78-25337 #
 SABS-089-1977-PT-1 19 p0402 N78-24366
 SAE PAPER 770992 18 p0176 A78-23828
 SAE PAPER 780075 19 p0306 A78-33364#
 SAE PAPER 780087 19 p0307 A78-33368
 SAE PAPER 780160 19 p0307 A78-33376
 SAE PAPER 780216 19 p0307 A78-33377
 SAE PAPER 780217 19 p0307 A78-33378
 SAE PAPER 780220 19 p0307 A78-33379
 SAE PAPER 780221 19 p0307 A78-33380
 SAE PAPER 780233 19 p0307 A78-33381
 SAE PAPER 780290 19 p0307 A78-33382#
 SAE PAPER 780291 19 p0307 A78-33383
 SAE PAPER 780293 19 p0308 A78-33385
 SAE PAPER 780295 19 p0308 A78-33386
 SAE PAPER 780297 19 p0308 A78-33387
 SAE PAPER 780348 19 p0366 A78-41225#
 SAE PAPER 780416 19 p0308 A78-33388
 SAE PAPER 780417 19 p0308 A78-33389
 SAE PAPER 780418 19 p0308 A78-33390
 SAN-TR-75-340 17 p0129 N78-13065 #
 SAN/0034-77/1 19 p0460 N78-27565 #
 SAN/0326-1 19 p0416 N78-25342 #
 SAN/1075-1/2 18 p0269 N78-19669 #
 SAN/1108-8/3 19 p0398 N78-23587 #
 SAN/1109-8/3-VOL-2-BK-2 19 p0424 N78-25583 #
 SAN/1109-8/4-VOL-2-BK-3 19 p0424 N78-25584 #
 SAN/1109-8/5-VOL-3 19 p0424 N78-25585 #
 SAN/1109-8/8-VOL-6 19 p0424 N78-25586 #
 SAN/1110-76/3 17 p0161 N78-15583 #
 SAN/1111-8/2 19 p0422 N78-25565 #
 SAN/1111-76-7 19 p0448 N78-26609 #
 SAN/1116-1 18 p0277 N78-20638 #
 SAN/1132-1 18 p0242 N78-16457 #
 SAN/1132-2/1-VOL-1 19 p0424 N78-25587 #
 SAN/1132-2/2-VOL-2 19 p0424 N78-25588 #
 SAN/1132-2/3-VOL-3 19 p0424 N78-25589 #
 SAN/1132-2/5-VOL-5 19 p0425 N78-25590 #
 SAN/1140-1/3-VCL-3-APP 17 p0127 N78-12545 #
 SAN/1156-77/1-VOL-1 17 p0120 N78-11507 #
 SAN/1178-1 18 p0287 N78-21640 #
 SAN/1218-3-VOL-1 19 p0422 N78-25569 #
 SAN/1234-1/1 19 p0448 N78-26598 #
 SAN/1295-1 18 p0273 N78-20448 #
 SAN/1395-14 19 p0418 N78-25519 #
 SAN/1395-15 19 p0455 N78-27498 #
 SAND-75-6132 17 p0151 N78-14634 #
 SAND-76-0415 17 p0141 N78-13577 #
 SAND-76-0737 17 p0161 N78-15573 #
 SAND-76-9058 17 p0143 N78-13603 #
 SAND-77-0172 17 p0161 N78-15581 #
 SAND-77-0248 18 p0277 N78-20644 #
 SAND-77-0287 17 p0143 N78-13604 #
 SAND-77-0380 17 p0161 N78-15582 #
 SAND-77-0489 17 p0155 N78-14670 #
 SAND-77-0499C 19 p0411 N78-24731 #
 SAND-77-0509 19 p0403 N78-24383 #
 SAND-77-0642C 17 p0154 N78-14665 #
 SAND-77-0667C 17 p0154 N78-14664 #
 SAND-77-0696C 17 p0163 N78-15657 #
 SAND-77-0730-REV 17 p0151 N78-14642 #
 SAND-77-0814 19 p0398 N78-23593 #
 SAND-77-1063 19 p0430 N78-25632 #
 SAND-77-1331 19 p0461 N78-27569 #
 SAND-77-1393 19 p0410 N78-24686 #
 SAND-77-1403 19 p0428 N78-25620 #

REPORT/ACCESSION NUMBER INDEX

SAND-77-1466C	19	p0444	N78-26564	#	TR-7	19	p0408	N78-24665	#
SAND-77-1497	19	p0432	N78-25653	#	TR-76-219-VOL-1	19	p0422	N78-25569	#
SAND-77-1610C	19	p0410	N78-24685	#	TR-77-5-25	17	p0126	N78-12535	#
SAND-77-1658	19	p0448	N78-26604	#	TR-531-11-REV-B	19	p0388	N78-22466	#
SAND-77-1919	19	p0429	N78-25631	#					
SAND-77-8051	19	p0460	N78-27557	#	TREE-1162	19	p0455	N78-27497	#
SAND-77-8216	17	p0121	N78-11509	#	TREE-1164	18	p0277	N78-20646	#
SAND-77-8243	18	p0242	N78-16459	#	TREE-1174	18	p0287	N78-21642	#
SAND-77-8278	19	p0447	N78-26588	#					
SAND-77-8279	19	p0460	N78-27564	#	TRRL-SUPPLEMENTARY-329	19	p0417	N78-25434	#
SAND-77-8283	19	p0431	N78-25642	#					
SAND-77-8300	19	p0444	N78-26563	#	TS-102	17	p0148	N78-13976	#
SAND-77-8665	19	p0464	N78-27595	#					
SAND-78-0148C	19	p0460	N78-27561	#	UAG-R-240-PT-2	17	p0113	N78-10578	#
SAND-78-0205C	19	p0460	N78-27562	#					
SASR-29	18	p0247	N78-17223	#	UCID-16911-77-2	19	p0434	N78-25722	#
SD-77-AP-0094	17	p0118	N78-10973	#	UCID-17411	17	p0127	N78-12546	#
SDC/MRI-2345-017	19	p0451	N78-26832	#	UCID-17476-76	17	p0149	N78-14451	#
SFB-MHD-27	17	p0121	N78-11512	#	UCID-17560	18	p0269	N78-19665	#
SORI-EAS-77-677	19	p0391	N78-22495	#	UCID-17591	19	p0446	N78-26580	#
					UCID-17637	19	p0430	N78-25634	#
SRO-893-6	18	p0285	N78-21626	#	UCID-17645	19	p0414	N78-25241	#
SRO-893-8	18	p0285	N78-21627	#	UCID-17702	19	p0430	N78-25636	#
SRO-893-9	18	p0285	N78-21628	#					
SRO-893-10	18	p0285	N78-21629	#	UCBL-TRANS-11310	19	p0454	N78-27344	#
SRO-0885-75/1	19	p0428	N78-25621	#					
STAFF-PAPER-77-27	19	p0388	N78-22451	#	UCRL-13722	17	p0161	N78-15576	#
STF21-176054	17	p0122	N78-11535	#	UCRL-13751	18	p0288	N78-21650	#
SU-SOL-77-19	17	p0126	N78-12537	#	UCRL-13773	19	p0418	N78-25512	#
SWRI-15-4967	18	p0273	N78-20573	#	UCRL-13781	19	p0436	N78-26039	#
					UCRL-13784	19	p0460	N78-27559	#
SX/111/3	19	p0407	N78-24642	#	UCRL-50016-77-3	19	p0431	N78-25645	#
SX/111/4	19	p0407	N78-24643	#	UCRL-50029-77	19	p0448	N78-26611	#
SX/115/10	19	p0408	N78-24654	#	UCRL-50033-77-3	19	p0425	N78-25592	#
					UCRL-50036-77-3	19	p0445	N78-26575	#
TDCK-68902	19	p0450	N78-26644	#	UCRL-52252	19	p0430	N78-25635	#
TE-4217/4220-123-77	17	p0143	N78-13599	#	UCRL-52271	18	p0263	N78-19455	#
TE-4217/4220-140-77	19	p0409	N78-24674	#	UCRL-52313	18	p0281	N78-21322	#
					UCRL-52354	19	p0467	N78-27695	#
TES471-10-78	19	p0409	N78-24669	#	UCRL-78610	17	p0114	N78-10587	#
TI-03-77-44	19	p0396	N78-23562	#	UCRL-79360	19	p0392	N78-23238	#
TI-03-77-56	19	p0407	N78-24653	#	UCRL-79381	18	p0271	N78-19957	#
					UCRL-79430	17	p0157	N78-14762	#
TID-18040	19	p0429	N78-25630	#	UCRL-79600	18	p0245	N78-16872	#
TID-22782	19	p0429	N78-25625	#	UCRL-80353	18	p0290	N78-21986	#
TID-27312	18	p0269	N78-19668	#					
TID-27348/1-VOL-1	17	p0153	N78-14656	#	UHU-WRC-77-0126	18	p0251	N78-17491	#
TID-27597	19	p0428	N78-25615	#					
TID-27627/1	17	p0154	N78-14666	#	UHTA-CA-06-0088-77-2	18	p0246	N78-16936	#
TID-27627/2	17	p0154	N78-14667	#	UHTA-IT-06-0025-78-2	19	p0387	N78-22385	#
TID-27687	18	p0270	N78-19674	#	UHTA-NA-06-0025-77-2	17	p0109	N78-10483	#
TID-27747	18	p0281	N78-21323	#	UHTA-NA-06-0025-77-4	17	p0110	N78-10485	#
TID-27778	19	p0423	N78-25571	#	UHTA-NA-06-0025-77-5	17	p0110	N78-10486	#
TID-27893	19	p0432	N78-25650	#	UHTA-NA-06-0044-77-1	17	p0149	N78-14426	#
TID-27910	19	p0462	N78-27579	#					
TID-27995	19	p0428	N78-25618	#	UHTA-VA-06-0044-77-1	17	p0148	N78-13976	#
TID-27998	19	p0423	N78-25572	#	UHTA-WA-09-0012-77-1	17	p0148	N78-13975	#
TID-28010	19	p0397	N78-23577	#					
TID-28030	19	p0435	N78-26036	#	US-PATENT-APPL-SN-42088	18	p0248	N78-17336	#
TID-28043/1	19	p0418	N78-25514	#	US-PATENT-APPL-SN-495021	17	p0135	N78-13526	#
TID-28043/2	19	p0418	N78-25515	#	US-PATENT-APPL-SN-576488	19	p0405	N78-24609	#
TID-28058	19	p0418	N78-25513	#	US-PATENT-APPL-SN-596641	17	p0109	N78-10467	#
TID-28078	19	p0464	N78-27594	#	US-PATENT-APPL-SN-598969	18	p0248	N78-17460	#
TID-28103	19	p0429	N78-25624	#	US-PATENT-APPL-SN-643041	18	p0263	N78-19599	#
TID-28104	19	p0431	N78-25643	#	US-PATENT-APPL-SN-680939	17	p0111	N78-10554	#
TID-28131	19	p0432	N78-25655	#	US-PATENT-APPL-SN-693074	19	p0405	N78-24609	#
TID-28179	19	p0418	N78-25518	#	US-PATENT-APPL-SN-709415	19	p0456	N78-27515	#
TID-28182	19	p0445	N78-26573	#	US-PATENT-APPL-SN-710035	19	p0404	N78-24608	#
TID-28200	19	p0455	N78-27441	#	US-PATENT-APPL-SN-717320	17	p0159	N78-15560	#
TR-77-326	18	p0276	N78-20628	#	US-PATENT-APPL-SN-720521	19	p0419	N78-25530	#
					US-PATENT-APPL-SN-730468	19	p0414	N78-25237	#
TPR-5	19	p0416	N78-25337	#	US-PATENT-APPL-SN-739909	19	p0404	N78-24585	#
TQPR-2	17	p0141	N78-13579	#	US-PATENT-APPL-SN-763753	17	p0149	N78-14452	#
					US-PATENT-APPL-SN-764823	18	p0247	N78-17296	#
TR-ES-772	17	p0116	N78-10601	#	US-PATENT-APPL-SN-770869	19	p0419	N78-25527	#
					US-PATENT-APPL-SN-790637	19	p0419	N78-25529	#
					US-PATENT-APPL-SN-838336	17	p0120	N78-11500	#
					US-PATENT-APPL-SN-844347	17	p0120	N78-11260	#
					US-PATENT-APPL-SN-856465	17	p0139	N78-13556	#
					US-PATENT-APPL-SN-858769	18	p0264	N78-19609	#
					US-PATENT-APPL-SN-863773	18	p0249	N78-17468	#
					US-PATENT-APPL-SN-880726	19	p0389	N78-22469	#
					US-PATENT-APPL-SN-883090	19	p0389	N78-22468	#
					US-PATENT-APPL-SN-891243	19	p0389	N78-22470	#
					US-PATENT-APPL-SN-891358	19	p0421	N78-25560	#

REPORT/ACCESSION NUMBER INDEX

US-PATENT-APPL-SN-891370	19	p0387	N78-22149**	US-PATENT-4,082,569	19	p0419	N78-25527*
US-PATENT-APPL-SN-897832	19	p0403	N78-24387**	US-PATENT-4,084,985	19	p0419	N78-25529*
US-PATENT-APPL-SN-900843	19	p0396	N78-23567**	US-PATENT-4,085,241	19	p0419	N78-25530*
US-PATENT-APPL-SN-906297	19	p0421	N78-25559**	US-PATENT-4,089,705	19	p0456	N78-27515*
US-PATENT-APPL-SN-910793	19	p0421	N78-25557**				
US-PATENT-APPL-SN-915050	19	p0421	N78-25553**	USAFETAC-8345	19	p0404	N78-24431 #
US-PATENT-APPL-SN-916654	19	p0453	N78-27122**	USCG-D-11-77-VOL-1	18	p0260	N78-18558**
US-PATENT-APPL-SN-916655	19	p0456	N78-27520**	USCG-D-11-77-VCL-2	19	p0409	N78-24667 #
				USCG-D-32-77	17	p0116	N78-10608 #
US-PATENT-CLASS-29-572	19	p0405	N78-24609*	USGS/WBD/WRI-77/035	17	p0110	N78-10546 #
US-PATENT-CLASS-29-572	19	p0419	N78-25527*	USNA-TSPR-90	17	p0135	N78-13442 #
US-PATENT-CLASS-29-572	19	p0419	N78-25529*	UTIAS-218	18	p0260	N78-18556 #
US-PATENT-CLASS-60-39.28R	17	p0109	N78-10467*	VPI-SU-ENG-77-23-REV	18	p0289	N78-21655 #
US-PATENT-CLASS-60-39.28R	19	p0404	N78-24545*	VPI-SU-5103-3	17	p0162	N78-15585 #
US-PATENT-CLASS-60-39.66	17	p0109	N78-10467*	WGRC-77-4764	19	p0436	N78-26154**
US-PATENT-CLASS-60-641	18	p0248	N78-17460*	WORKING-PAPER-125-32	17	p0158	N78-15497 #
US-PATENT-CLASS-62-4	18	p0248	N78-17460*	WSS/CI PAPER 77-3	17	p0081	A78-16337 #
US-PATENT-CLASS-123-41.33	17	p0109	N78-10467*	WSS/CI PAPER 77-6	17	p0081	A78-16340 #
US-PATENT-CLASS-123-122E	17	p0109	N78-10467*	WSS/CI PAPER 77-8	17	p0081	A78-16339 #
US-PATENT-CLASS-126-263	18	p0248	N78-17460*	WSS/CI PAPER 77-30	18	p0230	A78-31968 #
US-PATENT-CLASS-126-270	17	p0159	N78-15560*	WSS/CI PAPER 77-48	18	p0230	A78-31957 #
US-PATENT-CLASS-126-270	18	p0263	N78-19599*	WILE-TR-510-10-REV-A	18	p0255	N78-18521**
US-PATENT-CLASS-126-271	17	p0111	N78-10554*	WILE-TR-531-1-REV-A	18	p0249	N78-17471**
US-PATENT-CLASS-126-271	18	p0248	N78-17460*	WILE-TR-531-3-REV-A	18	p0249	N78-17470**
US-PATENT-CLASS-126-400	17	p0159	N78-15560*	WILE-TR-531-02	18	p0250	N78-17480**
US-PATENT-CLASS-136-89CC	19	p0419	N78-25527*	WILE-TR-531-04	18	p0249	N78-17472**
US-PATENT-CLASS-136-89CC	19	p0419	N78-25529*	WILE-TR-531-05-REV-A	18	p0256	N78-18525**
US-PATENT-CLASS-136-89B	19	p0419	N78-25529*	WILE-TR-531-07-REV-A	18	p0249	N78-17474**
US-PATENT-CLASS-136-89P	19	p0419	N78-25529*	WILE-TR-531-08-REV-B	18	p0250	N78-17478**
US-PATENT-CLASS-136-89P	19	p0456	N78-27515*	WILE-TR-531-09-REV-A	18	p0250	N78-17481**
US-PATENT-CLASS-136-89SG	19	p0405	N78-24609*	WILE-TR-531-15	18	p0268	N78-19650**
US-PATENT-CLASS-136-89SJ	17	p0135	N78-13526*	WILE-TR-531-16	18	p0268	N78-19652**
US-PATENT-CLASS-137-104	17	p0109	N78-10467*	WILE-TR-531-17	19	p0405	N78-24613**
US-PATENT-CLASS-148-174	19	p0405	N78-24609*	WILE-TR-531-18	19	p0420	N78-25547**
US-PATENT-CLASS-156-633	19	p0419	N78-25529*	WILE-TR-531-21-REV-A	19	p0405	N78-24614**
US-PATENT-CLASS-165-2	18	p0248	N78-17460*				
US-PATENT-CLASS-165-105	18	p0248	N78-17336*	W77-12633	18	p0251	N78-17491 #
US-PATENT-CLASS-165-134	18	p0248	N78-17336*	W78-02701	18	p0285	N78-21620 #
US-PATENT-CLASS-166-248	17	p0149	N78-14452*				
US-PATENT-CLASS-166-259	17	p0149	N78-14452*	X77-1210/501	18	p0269	N78-19662 #
US-PATENT-CLASS-237-1A	17	p0111	N78-10554*	Y/SUB-77-14263/1	19	p0416	N78-25340 #
US-PATENT-CLASS-237-1A	17	p0159	N78-15560*				
US-PATENT-CLASS-237-1A	18	p0248	N78-17460*				
US-PATENT-CLASS-307-53	18	p0247	N78-17296*				
US-PATENT-CLASS-307-69	18	p0247	N78-17296*				
US-PATENT-CLASS-308-10	19	p0404	N78-24608*				
US-PATENT-CLASS-310-153	19	p0404	N78-24608*				
US-PATENT-CLASS-310-154	19	p0404	N78-24608*				
US-PATENT-CLASS-310-178	19	p0404	N78-24608*				
US-PATENT-CLASS-310-269	19	p0404	N78-24608*				
US-PATENT-CLASS-320-53	18	p0247	N78-17296*				
US-PATENT-CLASS-323-19	18	p0247	N78-17296*				
US-PATENT-CLASS-350-293	17	p0111	N78-10554*				
US-PATENT-CLASS-350-259	17	p0111	N78-10554*				
US-PATENT-CLASS-357-15	17	p0135	N78-13526*				
US-PATENT-CLASS-357-16	17	p0135	N78-13526*				
US-PATENT-CLASS-357-30	17	p0135	N78-13526*				
US-PATENT-CLASS-357-30	19	p0405	N78-24609*				
US-PATENT-CLASS-357-30	19	p0419	N78-25527*				
US-PATENT-CLASS-357-59	19	p0405	N78-24609*				
US-PATENT-CLASS-357-65	19	p0419	N78-25527*				
US-PATENT-CLASS-357-67	19	p0419	N78-25527*				
US-PATENT-CLASS-415-180	17	p0109	N78-10467*				
US-PATENT-CLASS-427-75	19	p0419	N78-25527*				
US-PATENT-CLASS-427-86	19	p0405	N78-24609*				
US-PATENT-CLASS-427-113	19	p0405	N78-24609*				
US-PATENT-CLASS-427-160	18	p0263	N78-19599*				
US-PATENT-CLASS-427-248J	19	p0405	N78-24609*				
US-PATENT-CLASS-427-249	19	p0405	N78-24609*				
US-PATENT-CLASS-427-261	19	p0419	N78-25527*				
US-PATENT-CLASS-427-385B	19	p0419	N78-25530*				
US-PATENT-CLASS-427-385C	19	p0419	N78-25530*				
US-PATENT-CLASS-428-652	18	p0263	N78-19599*				
US-PATENT-CLASS-428-667	18	p0263	N78-19599*				
US-PATENT-CLASS-428-679	18	p0263	N78-19599*				
US-PATENT-CLASS-429-254	19	p0419	N78-25530*				
US-PATENT-3,600,599	18	p0247	N78-17296*				
US-PATENT-3,777,811	18	p0248	N78-17336*				
US-PATENT-3,961,997	19	p0405	N78-24609*				
US-PATENT-4,041,697	17	p0109	N78-10467*				
US-PATENT-4,051,838	17	p0111	N78-10554*				
US-PATENT-4,053,918	17	p0135	N78-13526*				
US-PATENT-4,055,707	18	p0263	N78-19599*				
US-PATENT-4,061,190	17	p0149	N78-14452*				
US-PATENT-4,062,347	17	p0159	N78-15560*				
US-PATENT-4,065,053	18	p0248	N78-17460*				
US-PATENT-4,077,678	19	p0404	N78-24608*				
US-PATENT-4,077,818	19	p0405	N78-24609*				
US-PATENT-4,078,378	19	p0404	N78-24545*				

1. Report No. NASA SP-7043 (19)	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle ENERGY A Continuing Bibliography (Issue 19)		5. Report Date October 1978	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, D. C. 20546		11. Contract or Grant No.	
		13. Type of Report and Period Covered	
12. Sponsoring Agency Name and Address		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract <p>This bibliography lists 1339 reports, articles, and other documents introduced into the NASA scientific and technical information system from July 1, 1978 through September 30, 1978.</p>			
17. Key Words (Suggested by Author(s)) Bibliographies Wind Energy Energy Conversion Energy Policy Solar Energy		18. Distribution Statement Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 698	22. Price* E07 \$12.50 HC

*For sale by the National Technical Information Service, Springfield, Virginia 22161

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

CALIFORNIA

University of California, Berkeley

COLORADO

University of Colorado, Boulder

DISTRICT OF COLUMBIA

Library of Congress

GEORGIA

Georgia Institute of Technology, Atlanta

ILLINOIS

The John Crerar Library, Chicago

MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

MISSOURI

Linda Hall Library, Kansas City

NEW YORK

Columbia University, New York

OKLAHOMA

University of Oklahoma, Bizzell Library

PENNSYLVANIA

Carnegie Library of Pittsburgh

WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries:

CALIFORNIA

Los Angeles Public Library

San Diego Public Library

COLORADO

Denver Public Library

CONNECTICUT

Hartford Public Library

MARYLAND

Enoch Pratt Free Library, Baltimore

MASSACHUSETTS

Boston Public Library

MICHIGAN

Detroit Public Library

MINNESOTA

Minneapolis Public Library

MISSOURI

Kansas City Public Library

St. Louis Public Library

NEW JERSEY

Trenton Public Library

NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

OHIO

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

TENNESSEE

Memphis Public Library

TEXAS

Dallas Public Library

Fort Worth Public Library

WASHINGTON

Seattle Public Library

WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York 10017.

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "*" and "#", from: ESA - Space Documentation Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

National Aeronautics and
Space Administration

Washington, D.C.
20546

Official Business

Penalty for Private Use, \$300

SPECIAL FOURTH CLASS MAIL
BOOK

Postage and Fees Paid
National Aeronautics and
Space Administration
NASA-451



POSTMASTER:

If Undeliverable (Section 158
Postal Manual) Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D.C. 20546